B4465-21-4

LOS

PSYCHIATRIC

LENGTH OF STAY

Psychiatric Length of Stay
by Diagnosis
United States, 1989

LOS

PSYCHIATRIC

LENGTH OF STAY

Psychiatric Length of Stay
by Diagnosis
United States, 1989

Healthcare Knowledge Resources
Ann Arbor, Michigan
November, 1990

PSYCHIATRIC LENGTH OF STAY

This publication represents one volume in the Psychiatric Length of Stay by Diagnosis series:

Psychiatric Length of Stay by Diagnosis, United States, 1989
ISSN 0898-0543

Psychiatric Length of Stay by Diagnosis, Northeastern Region, 1989
ISSN 0898-0527

Psychiatric Length of Stay by Diagnosis, North Central Region, 1989
ISSN 0898-249X

Psychiatric Length of Stay by Diagnosis, Southern Region, 1989
ISSN 0898-0519

Psychiatric Length of Stay by Diagnosis, Western Region, 1989
ISSN 0898-0535

For further information, please contact Healthcare Knowledge Resources, P.O. Box 303, Ann Arbor, Michigan 48106-0303, or call 800-521-6210.

Copyright 1990 by Healthcare Knowledge Resources, Ann Arbor, Michigan, based on data from the Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a database or retrieval system, without the prior written permission of the publisher.

Statistics reported in this volume are drawn from individual patient discharge records for the time period January 1, 1989 through December 31, 1989. Neither CPHA nor Healthcare Knowledge Resources assume any liability for any use, furnishing, analysis, interpretation, conclusions, or utilization review decisions based on data reported herein. Any such liability shall be the responsibility of the user of the data, who agrees to hold CPHA or Healthcare Knowledge Resources harmless from any damages, litigation, liability or claimed liability, claims, and any expenses including legal expenses incident thereto resulting from any such use, furnishing, analysis, interpretation, conclusions, or utilization review decisions.

CONTENTS

Introduction v

Description of the Database vi
  Source of the Data
  Data Quality
  Hospital Characteristics

Organization of the Tables viii
  Diagnosis Classification Categories
  Hospital Service Type
  Patient Data Stratification

Explanation of the Statistics x
  Total Number of Patients
  Average Length of Stay
  Variance
  Percentiles
  Subtotal and Grand Total

Using the Tables xi

Psychiatric Length of Stay Tables 1

Appendix A
  1989 Hospital Characteristics 175
    Table 1: Universe of Hospitals
    Table 2: Hospitals With Psychiatric Units
    Table 3: Hospitals Without Psychiatric Units

Appendix B
  Description of Hospital Characteristics 178

Appendix C
  State Inclusions By Region 179

Appendix D
  Numeric Listing of *ICD-9-CM* Psychiatric Diagnosis Codes 180

Appendix E
  Alphabetic Listing of *ICD-9-CM* Psychiatric Diagnosis Codes 188

Appendix F
  Crosswalk From *DSM-III-R* to *ICD-9-CM* 196

ACKNOWLEDGEMENTS

1989 PSYCHIATRIC LENGTH OF STAY BY DIAGNOSIS

PROJECT TEAM:

Jennifer Goewey, Publication Specialist
Linda E. Vanek, Assistant Manager, Normative Publications
Joyce Beach, Senior Programmer Analyst
Lale A. Olson, Senior Electronic Publishing Analyst

The following individuals made valuable contributions to the development of this publication:

Robert Seeman, Senior Nosologist, Commission on Professional and Hospital Activities (CPHA),
Nancy Ramirez, Medical Systems Specialist, Healthcare Knowledge Resources,
Robert Travis, Librarian.

We offer a special thank-you to the following individuals for their assistance:

Ruth Blumenauer, Fran Metz, Peggy Meyer, Connie Prouty, Kris Reutter, and Sally Smith.

Finally, we gratefully acknowledge the hospitals and state organizations that support this and other publications by making their data available.

INTRODUCTION

Healthcare Knowledge Resources is the official developer and distributor of products derived from the clinical research and classification development activities of the Commission on Professional and Hospital Activities (CPHA). Now in its fourth decade as a reliable source for clinical record information, CPHA retains ownership of its databases and classification systems while Healthcare Knowledge Resources develops and markets high quality, information-oriented products and services to the healthcare industry and related fields.

Healthcare Knowledge Resources offers a range of information products, available through books, magnetic media, and educational seminars. The Psychiatric Length of Stay series is one of a number of data reference tools providing performance guidelines for a variety of healthcare settings.

The Psychiatric Length of Stay series is a unique annual publication. The series incorporates length of stay and demographic data on psychiatric patients treated in nonfederal, short-term general hospitals in the United States during 1989. This book is one volume in a set of five books. The complete set is the latest in a series of publications on psychiatric length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from other organizations contributing to CPHA are also included in the 1989 series.

In addition to *Psychiatric Length of Stay by Diagnosis*, other titles in the Cost Containment Series include: *Length of Stay by Diagnosis and Operation* and *Length of Stay by DRG and Payment Source*. Each series is available on an annual basis for the United States, Northeastern, North Central, Southern, and Western regions. *Pediatric Length of Stay* (19 years and under) and *Geriatric Length of Stay* (65 years and over) are also available in the Diagnosis and Operation series for the United States.

These statistics, also available on magnetic tape and diskette, provide a valuable perspective for utilization review, quality assurance professionals, physicians, consultants, hospital administrators, third party payors, and researchers interested in cost containment and quality care.

DESCRIPTION OF THE DATABASE

SOURCE OF THE DATA

Data in the Length of Stay tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer or magnetic tape.

2. The disk or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data undergo a comprehensive editing process and errors are corrected.

4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.

5. Data are standardized to create an aggregated patient record base.

Annually these data are utilized to create the Length of Stay series and other reference tools.

DATA QUALITY

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Over 600 automated checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, and unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, numerous edits are done to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death, stillborn
2. admission from other short-term hospital
3. discharge to other short-term hospital
4. discharge against medical advice

HOSPITAL CHARACTERISTICS

Data chosen for inclusion in the Psychiatric Length of Stay series are from general, nonfederal, short-term hospitals in the United States. The American Hospital Association (AHA)[1] defines these characteristics in the following manner:

General – The primary function of the institution is to provide patient services, diagnostic and therapeutic, for a variety of medical conditions.

Nonfederal – Controlled by state, county, city, city-county, hospital district or authority, church.

Short-term – The average length of stay for all patients is less than 30 days, or over 50 percent of all patients are admitted to units where the average length of stay is less than 30 days.

Most data used in the Length of Stay tables are from hospitals participating in PAS. In addition, the following organizations have sent data: Colorado Hospital Association, Hospital Association of New York State, Michigan Hospital Association, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), New Hampshire Hospital Association, Oregon Hospital Association, Southern Kaiser Foundation Hospitals, Vermont Hospital Association, and Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data for special studies.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

The characteristics of all hospitals with discharge data included in the Length of Stay tables are displayed in the tables in Appendix A. Definitions of hospital characteristics are provided in Appendix B and the states included in each region are listed in Appendix C.

---

[1] American Hospital Association Guide to the Health Care Field, 1989.

ORGANIZATION OF THE TABLES

DIAGNOSIS CLASSIFICATION CATEGORIES

The tables in each regional and national volume are categorized by the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.[1] This system includes both diagnosis and procedure numerical codes of three to five digits. The psychiatric length of stay tables are categorized by *ICD-9-CM* diagnosis code, beginning with code 290 and ending with code 314.9, expressed to the fourth digit. Diagnosis codes within the specified range with five digits are collapsed and incorporated into the four digit *ICD-9-CM* diagnosis codes. Appendix D lists, in numerical order, the *ICD-9-CM* diagnosis codes in the tables, their accompanying description, and the page number of the table. Appendix E lists, in alphabetical order, the *ICD-9-CM* psychiatric diagnoses description and accompanying numerical codes along with the page number of the table. (A crosswalk from *DSM-III-R* to *ICD-9-CM* is included in Appendix F.)

HOSPITAL SERVICE TYPE

The tables are also categorized by hospital service unit.[2] The divisions are:

a. **Hospitals with a psychiatric unit/beds** – nonfederal, short-term general hospitals reporting a psychiatric acute care unit or beds set-up.

b. **Hospitals without a psychiatric unit/beds** – nonfederal, short-term general hospitals that do not report a psychiatric acute care unit or beds set-up.

Hospitals in both groups can offer the following additional services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization.

PATIENT DATA STRATIFICATION

The psychiatric length of stay data are stratified into two patient groups, by sex, and by seven age ranges:

Patient Groups

Patients in the tables are grouped by *ICD-9-CM* psychiatric principal diagnosis and by the presence or absence of a psychiatric secondary diagnosis. The principal diagnosis code is the diagnosis that, after study, explains why the patient was admitted to the hospital.

Psychiatric Principal Diagnosis, Without Any Psychiatric Secondary Diagnosis (Psych Prin, No Psych 2nd Dx)

This group includes patients having a psychiatric principal diagnosis code only (*ICD-9-CM* 290-314.9) or patients having the specified psychiatric principal diagnosis code and a nonpsychiatric secondary diagnosis. For example, this group may include a patient having the principal psychiatric diagnosis code specified in the table as their only diagnosis. Alternatively, a patient with the same principal psychiatric diagnosis and a secondary diagnosis of diabetes (*ICD-9-CM* code 250.0), a nonpsychiatric secondary diagnosis, is also included in this category.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1989.

[2] 1988 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Psychiatric Principal Diagnosis, With One or More Psychiatric Secondary Diagnoses (Psych Prin, Psych 2nd Dx(s))

This group includes patients having a psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) and one or more psychiatric secondary diagnoses (*ICD-9-CM* 290-314.9).

Sex

Patients are distinguished as either male or female.

Age

Patients are in one of the following age groups recorded in years:

0-12 (includes newborns)
13-17
18-24
25-34
35-54
55-74
75+

The "all ages" group summarizes all the age groups by sex.

EXPLANATION OF THE STATISTICS

Data are categorized by total number of patients, average length of stay, variance, and distribution percentiles. In addition, two subtotals and a grand total are included.

TOTAL NUMBER OF PATIENTS

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

AVERAGE LENGTH OF STAY

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the lengths of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

VARIANCE

The variance is a measure of the spread of the data around the average. The smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

DISTRIBUTION PERCENTILES

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

SUBTOTAL AND GRAND TOTAL

The subtotal represents the total patients in each of the two patient groups. The Grand Total represents the total number of patients in the specified psychiatric diagnosis category within one of the two hospital service type categories.

USING THE TABLES

The Psychiatric Length of Stay series can be used as a valuable supplement and reference in a variety of healthcare settings. Use of hospital stay data as an inpatient utilization measure allows the healthcare professional to compare regional and national norms to an individual institution or special population. The Length of Stay series assists in:

- projecting extended stay reviews;
- identifying candidates for utilization review;
- establishing baselines;
- developing forecasts; and
- service planning.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay by using one of the Length of Stay regional or national volumes:

Step 1: Consult the Appendix at the back of the book for the particular diagnosis to be reviewed.

Step 2: Find the corresponding table in the Length of Stay tables; the *ICD-9-CM* diagnosis code number follows the English title of each table.

Step 3: Find the appropriate portion of the table for review:

- Hospital Service Type
- Patient Group
- Sex
- Age

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total stratified patient sample and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps can be followed, with more specific applications, by healthcare professionals in many diverse settings.

Psychiatric Length of Stay Diagnosis Tables

SUMMARY OF ALL PATIENTS WITH PSYCHIATRIC CODES

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1279	19.9	346	2	4	15	30	49	63	99+	330	10.8	264	1	1	3	17	36	57	99+
13-17	2461	17.6	273	2	5	13	28	40	54	98	557	13.1	265	1	1	4	23	40	47	70
18-24	3789	12.9	184	1	3	8	19	29	41	75	1086	10.5	118	1	2	5	18	28	30	42
25-34	8020	12.5	135	2	4	9	19	28	33	54	2682	11.2	122	1	3	6	20	28	29	46
35-54	10600	12.2	121	2	4	9	18	28	32	50	3815	9.8	101	1	3	5	14	28	29	38
55-74	5005	14.0	151	2	5	11	21	29	37	59	1904	9.1	104	2	3	5	11	26	29	63
75 +	2160	13.9	168	3	5	11	19	30	41	83	1122	8.9	106	2	3	6	10	21	30	99+
ALL AGES	33314	13.4	163	2	4	9	20	29	38	65	11496	10.2	122	1	3	5	15	28	30	54
B. FEMALE																				
0-12 YRS.	706	18.5	357	2	4	12	28	45	60	94	223	10.9	259	1	1	2	17	34	49	79
13-17	3496	16.3	238	2	5	12	24	37	47	82	704	13.0	252	1	1	5	22	39	45	66
18-24	3526	11.2	141	1	3	7	15	27	35	65	863	9.0	110	1	2	5	13	27	30	44
25-34	8069	12.4	135	2	4	9	17	27	35	58	1944	9.3	98	1	3	5	13	26	29	44
35-54	12464	13.7	141	2	5	10	19	28	36	61	2919	9.4	103	1	3	5	13	25	29	47
55-74	8505	16.6	171	3	7	14	22	34	43	68	1989	9.1	103	2	3	5	12	22	29	57
75 +	4476	15.8	187	3	6	12	22	34	45	83	1957	9.3	134	2	3	6	10	21	32	91
ALL AGES	41242	14.3	168	2	5	11	20	31	40	68	10599	9.6	121	1	3	5	13	26	31	58
SUBTOTAL	**74556**	**13.9**	**166**	**2**	**5**	**10**	**20**	**30**	**39**	**67**	**22095**	**9.9**	**122**	**1**	**3**	**5**	**14**	**27**	**30**	**56**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1364	27.4	345	6	14	25	38	57	75	99+	159	26.5	381	3	12	26	37	54	72	99+
13-17	3851	22.3	304	3	8	20	33	45	60	99+	853	22.7	264	2	6	22	34	44	49	60
18-24	5197	14.0	164	2	4	10	21	29	35	66	1819	13.8	128	2	4	9	23	29	32	42
25-34	11575	12.1	106	2	4	9	19	27	29	44	5460	11.6	108	2	3	6	21	28	30	39
35-54	13023	11.2	104	2	4	8	16	26	29	46	6731	9.2	84	2	3	5	11	27	28	36
55-74	3965	13.1	127	3	5	10	18	28	35	57	1900	8.8	82	2	3	5	10	22	28	43
75 +	1055	15.4	163	4	7	13	21	31	39	82	453	10.0	126	2	4	6	13	21	30	68
ALL AGES	40030	13.8	158	2	4	10	21	29	37	66	17375	11.2	121	2	3	6	18	28	31	45
B. FEMALE																				
0-12 YRS.	611	26.0	348	5	11	24	38	59	84	99+	92	20.5	353	2	4	20	31	44	66	99+
13-17	4161	21.1	318	3	7	17	32	47	63	99+	755	20.3	280	2	4	20	31	42	49	91
18-24	4469	13.8	188	2	4	10	20	30	41	83	1206	12.6	154	1	3	7	21	30	37	51
25-34	9748	12.8	140	2	4	9	18	28	35	62	2888	11.3	119	2	3	6	18	28	30	42
35-54	11152	13.3	140	2	5	10	19	28	35	59	2932	10.1	103	2	3	6	14	27	30	44
55-74	4787	16.2	169	3	7	13	22	33	41	69	1320	9.4	93	2	3	6	12	22	29	47
75 +	2072	15.7	164	4	7	13	21	32	42	66	736	10.0	125	2	4	6	12	23	32	80
ALL AGES	37000	14.8	184	2	5	11	21	32	42	77	9929	11.5	138	2	3	7	17	28	35	53
SUBTOTAL	**77030**	**14.3**	**170**	**2**	**5**	**10**	**21**	**30**	**40**	**71**	**27304**	**11.3**	**127**	**2**	**3**	**6**	**18**	**28**	**32**	**48**
GRAND TOTAL	**151586**	**14.1**	**168**	**2**	**5**	**10**	**21**	**30**	**40**	**69**	**49399**	**10.7**	**125**	**2**	**3**	**6**	**15**	**28**	**31**	**51**

TOTAL U.S., JANUARY-DECEMBER 1989

SENILE DEMENTIA UNCOMP (290.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	23	17.1	306	2	3	10	28	39	50	68	11	12.7	394	3	4	8	71	99 +	99 +	99 +
75 +	95	12.1	147	3	5	9	15	28	48	99 +	78	9.9	166	2	4	7	11	25	49	99 +
ALL AGES	118	13.1	179	2	5	9	16	35	46	99 +	89	10.3	190	2	4	7	12	42	97	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	7.5	25	4	4	7	11	11	11	11										
55-74	45	10.7	80	1	3	8	17	28	30	99 +	21	6.8	54	2	3	4	7	13	24	35
75 +	167	11.4	148	2	4	7	13	26	42	94	107	10.6	204	3	4	6	10	22	42	95
ALL AGES	214	11.2	133	2	4	7	14	26	40	99 +	128	10.0	180	3	4	6	10	21	39	93
SUBTOTAL	**332**	**11.9**	**149**	**2**	**4**	**8**	**15**	**29**	**41**	**99 +**	**217**	**10.1**	**184**	**2**	**4**	**6**	**11**	**25**	**60**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	6	14.2	179	4	7	11	34	88	99 +	99 +	2	8.0	2	7	7	8	9	9	9	9
75 +	29	12.0	69	2	5	11	19	27	29	99 +	7	20.6	576	1	4	12	38	60	63	63
ALL AGES	35	12.3	86	3	5	11	19	29	79	99 +	9	17.8	463	2	5	9	21	56	63	63
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	16	20.7	173	8	12	20	25	35	51	58	3	13.0	61	8	8	9	19	22	22	22
75 +	57	14.9	231	2	4	11	22	29	37	88	17	10.3	72	2	5	7	11	27	27	27
ALL AGES	73	16.2	221	2	5	12	23	30	37	83	20	10.7	68	3	5	8	12	27	27	27
SUBTOTAL	**108**	**14.9**	**180**	**2**	**5**	**12**	**22**	**30**	**40**	**99 +**	**29**	**12.9**	**190**	**3**	**6**	**8**	**12**	**27**	**47**	**63**
GRAND TOTAL	**440**	**12.6**	**159**	**2**	**4**	**9**	**17**	**29**	**40**	**99 +**	**246**	**10.4**	**185**	**2**	**4**	**7**	**11**	**27**	**54**	**99 +**

PRESENILE DEMENTIA (290.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS											HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-24	1	6.0		6	6	6	6	6	6	6										
25-34	4	2.5	4	1	1	2	4	5	5	5	1	1.0		1	1	1	1	1	1	1
35-54	11	16.4	45	10	12	14	20	27	31	31	1	1.0		1	1	1	1	1	1	1
55-74	119	13.9	166	2	4	9	21	29	39	64	50	11.8	241	2	3	6	15	38	76	99 +
75 +	191	13.5	180	3	5	10	19	32	52	99 +	132	9.3	86	2	3	7	11	23	36	99 +
ALL AGES	326	13.6	168	3	5	10	19	30	42	99 +	184	9.9	128	2	3	6	12	28	40	99 +
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24	1	6.0		6	6	6	6	6	6	6										
25-34																						
35-54	7	25.0	904	3	5	17	63	95	99 +	99 +	2	7.0	72	1	1	6	13	13	13	13
55-74	140	14.7	207	4	7	11	17	30	51	90	64	10.5	306	2	3	6	9	28	67	99 +
75 +	271	13.9	217	3	5	9	17	31	44	99	222	10.6	239	2	4	6	11	30	81	99 +
ALL AGES	419	14.3	225	3	6	10	17	32	51	99 +	288	10.6	250	2	4	6	10	29	77	99 +
SUBTOTAL	**745**	**14.0**	**200**	**3**	**5**	**10**	**18**	**30**	**44**	**99 +**	**472**	**10.3**	**203**	**2**	**3**	**6**	**11**	**29**	**63**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34																						
35-54	8	11.1	124	3	4	7	13	31	36	36	1	4.0		4	4	4	4	4	4	4
55-74	36	13.5	90	4	7	12	16	26	37	39	24	9.8	90	3	4	7	9	30	32	36
75 +	40	12.7	88	3	4	11	18	28	29	38	14	7.1	49	2	2	4	11	15	24	27
ALL AGES	84	12.9	90	3	5	11	17	28	35	39	39	8.6	75	2	3	6	10	24	31	36
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34																						
35-54	4	9.5	28	2	6	11	13	14	14	14	1	36.0		36	36	36	36	36	36	36
55-74	51	18.1	239	5	8	13	23	38	53	75	14	12.7	295	2	3	7	12	28	59	68
75 +	78	14.6	136	3	6	12	21	33	38	52	40	14.1	267	2	4	8	18	33	53	74
ALL AGES	133	15.8	174	3	7	12	21	35	41	63	55	14.1	274	2	3	8	18	36	60	74
SUBTOTAL	**217**	**14.7**	**142**	**3**	**6**	**12**	**19**	**32**	**38**	**56**	**94**	**11.9**	**195**	**2**	**3**	**7**	**12**	**29**	**37**	**71**
GRAND TOTAL	**962**	**14.1**	**189**	**3**	**6**	**10**	**18**	**31**	**42**	**99**	**566**	**10.6**	**201**	**2**	**3**	**6**	**11**	**29**	**60**	**99 +**

SENILE DELUSION/DEPRESS (290.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	37	21.3	274	9	11	17	28	39	78	99 +	7	22.0	751	3	5	8	43	66	69	69
75 +	114	16.6	157	4	9	14	21	32	43	64	24	9.5	46	3	4	7	16	22	42	99 +
ALL AGES	151	17.7	190	5	9	14	22	35	45	93	31	12.3	214	3	5	7	17	32	67	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	10.0		10	10	10	10	10	10	10
55-74	74	18.0	190	5	9	15	22	39	67	99 +	2	7.0	2	6	6	7	8	8	8	8
75 +	265	18.8	140	6	11	16	24	34	43	59	32	14.3	336	2	3	7	20	39	55	84
ALL AGES	339	18.6	151	6	10	15	24	34	43	68	35	13.7	311	2	3	7	19	39	53	84
SUBTOTAL	**490**	**18.3**	**164**	**6**	**10**	**15**	**23**	**35**	**43**	**69**	**66**	**13.0**	**263**	**2**	**4**	**7**	**18**	**36**	**59**	**97**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	19	15.6	56	5	9	16	21	25	28	30	3	11.0	13	8	8	10	14	15	15	15
75 +	24	18.0	267	4	10	15	22	31	47	83	7	15.7	289	3	5	12	17	45	52	52
ALL AGES	43	17.0	170	5	9	15	22	30	31	83	10	14.3	200	3	6	11	16	34	52	52
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	19.0		19	19	19	19	19	19	19										
55-74	23	15.5	254	3	7	11	18	29	47	79	3	28.7	1223	6	7	11	54	69	69	69
75 +	58	16.5	123	8	10	13	19	30	36	68	11	16.9	362	3	6	11	24	78	97	99 +
ALL AGES	82	16.3	154	7	9	13	19	30	36	76	14	18.7	497	5	6	11	27	69	92	99 +
SUBTOTAL	**125**	**16.5**	**160**	**6**	**9**	**13**	**20**	**30**	**33**	**80**	**24**	**16.9**	**363**	**5**	**6**	**11**	**17**	**68**	**77**	**99 +**
GRAND TOTAL	**615**	**18.0**	**161**	**6**	**10**	**15**	**22**	**33**	**43**	**73**	**90**	**14.1**	**287**	**2**	**5**	**8**	**17**	**44**	**69**	**99 +**

SENILE DELIRIUM (290.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	35	12.5	66	4	7	11	16	25	31	35	17	10.8	102	3	4	7	14	19	36	45
75 +	138	12.1	115	3	5	10	15	26	37	71	83	10.3	100	3	5	7	12	26	31	87
ALL AGES	173	12.2	105	3	5	10	15	25	33	64	100	10.4	99	3	5	7	12	25	32	80
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	8.0		8	8	8	8	8	8	8										
35-54	1	9.0		9	9	9	9	9	9	9										
55-74	38	13.1	76	4	6	11	20	31	67	99 +	15	16.0	354	3	5	8	12	48	61	66
75 +	227	12.1	137	3	5	9	15	31	51	99 +	140	10.4	227	2	3	6	9	24	41	83
ALL AGES	267	12.2	128	3	5	9	16	31	50	99 +	155	10.9	241	2	3	6	10	27	47	83
SUBTOTAL	**440**	**12.2**	**118**	**3**	**5**	**9**	**16**	**29**	**40**	**99 +**	**255**	**10.7**	**185**	**2**	**4**	**7**	**11**	**26**	**42**	**83**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	10	16.6	148	6	10	13	15	38	43	43	3	8.0	37	4	4	5	12	15	15	15
75 +	26	21.3	431	6	9	14	24	52	79	79	12	9.6	88	3	4	6	12	22	34	36
ALL AGES	36	20.0	350	6	9	14	23	43	71	79	15	9.3	75	3	4	5	13	16	31	36
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	32.0		32	32	32	32	32	32	32										
55-74	7	19.6	785	6	9	10	11	69	83	83	5	5.6	16	2	3	4	8	12	12	12
75 +	45	12.1	57	4	7	12	15	24	31	99 +	20	8.3	37	2	3	6	13	20	56	99 +
ALL AGES	53	13.5	151	5	7	11	15	27	39	99	25	7.7	34	2	3	6	12	19	36	99 +
SUBTOTAL	**89**	**16.1**	**240**	**5**	**8**	**12**	**16**	**34**	**53**	**93**	**40**	**8.3**	**49**	**2**	**3**	**6**	**12**	**18**	**27**	**99 +**
GRAND TOTAL	**529**	**12.9**	**139**	**3**	**6**	**10**	**16**	**29**	**42**	**99 +**	**295**	**10.4**	**166**	**2**	**4**	**6**	**11**	**24**	**39**	**85**

ARTERIOSCLEROT DEMENTIA (290.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	7	13.7	98	3	7	11	21	29	30	30	3	5.3	6	4	4	4	7	8	8	8
55-74	97	14.1	162	3	6	11	18	32	51	99 +	41	10.2	136	3	4	6	11	28	46	99 +
75 +	167	13.3	155	3	6	10	16	29	42	99 +	82	11.0	177	3	4	7	13	26	53	99 +
ALL AGES	271	13.6	155	3	6	11	17	31	42	99 +	126	10.6	159	3	4	7	12	27	51	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	5	24.8	534	6	13	18	31	65	65	65										
55-74	105	17.3	197	4	7	12	23	40	52	79	29	11.1	208	2	4	8	15	24	78	99 +
75 +	242	14.0	155	4	6	10	19	32	42	99 +	124	11.3	137	3	5	8	14	21	35	99 +
ALL AGES	352	15.2	172	4	6	11	20	36	47	98	153	11.3	148	3	5	8	14	21	44	99 +
SUBTOTAL	**623**	**14.5**	**165**	**4**	**6**	**11**	**19**	**33**	**45**	**99 +**	**279**	**11.0**	**152**	**3**	**4**	**8**	**13**	**25**	**49**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	3	21.3	66	13	15	22	27	29	29	29	1	3.0		3	3	3	3	3	3	3
55-74	31	16.0	355	3	6	11	17	46	92	99 +	15	17.2	428	2	4	7	26	62	63	64
75 +	46	14.0	78	4	7	13	18	23	33	41	20	14.2	308	3	4	7	16	37	59	72
ALL AGES	80	15.0	185	3	7	13	19	30	42	99	36	15.1	346	3	4	6	19	45	63	72
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54																				
55-74	29	18.6	179	4	10	14	28	38	41	56	19	16.7	260	6	7	12	16	40	56	68
75 +	54	15.6	224	4	6	10	18	42	55	60	24	10.5	99	3	4	7	14	22	30	47
ALL AGES	84	16.5	207	3	7	12	19	39	51	60	43	13.2	176	3	6	8	15	26	43	68
SUBTOTAL	**164**	**15.8**	**195**	**3**	**7**	**13**	**19**	**35**	**49**	**91**	**79**	**14.1**	**250**	**3**	**4**	**8**	**16**	**35**	**55**	**71**
GRAND TOTAL	**787**	**14.7**	**174**	**4**	**6**	**11**	**19**	**34**	**47**	**99 +**	**358**	**11.7**	**174**	**3**	**4**	**8**	**14**	**26**	**50**	**99 +**

SENILE PSYCHOSIS NEC (290.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +											2	7.0	18	4	4	7	10	10	10	10
ALL AGES											2	7.0	18	4	4	7	10	10	10	10
SUBTOTAL											**2**	**7.0**	**18**	**4**	**4**	**7**	**10**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL											**2**	**7.0**	**18**	**4**	**4**	**7**	**10**	**10**	**10**	**10**

SENILE PSYCHOT COND NOS (290.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	6	12.2	83	2	5	11	17	26	27	27										
75 +	13	14.2	100	5	7	10	20	33	33	33	1	9.0		9	9	9	9	9	9	9
ALL AGES	19	13.5	93	3	6	10	19	30	33	33	1	9.0		9	9	9	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	12	12.8	81	4	6	10	19	26	30	31	1	3.0		3	3	3	3	3	3	3
75 +	12	17.9	285	4	7	13	20	48	57	58	2	4.5	5	3	3	4	6	6	6	6
ALL AGES	24	15.4	180	4	7	10	20	32	48	58	3	4.0	3	3	3	3	5	6	6	6
SUBTOTAL	**43**	**14.6**	**138**	**4**	**7**	**10**	**20**	**31**	**37**	**58**	**4**	**5.3**	**8**	**3**	**3**	**5**	**7**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	12.0	50	7	7	12	17	17	17	17	1	4.0		4	4	4	4	4	4	4
75 +	5	22.6	679	6	7	11	33	68	68	68	3	14.0	133	3	5	13	23	26	26	26
ALL AGES	7	19.6	487	6	7	11	20	59	68	68	4	11.5	114	3	3	8	19	26	26	26
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	5	36.4	612	7	21	32	51	74	74	74	3	12.3	103	3	5	11	20	23	23	23
75 +	2	14.0	338	1	1	14	27	27	27	27										
ALL AGES	7	30.0	584	2	12	27	40	68	74	74	3	12.3	103	3	5	11	20	23	23	23
SUBTOTAL	**14**	**24.8**	**523**	**5**	**7**	**19**	**32**	**69**	**73**	**74**	**7**	**11.9**	**90**	**3**	**3**	**11**	**20**	**25**	**26**	**26**
GRAND TOTAL	**57**	**17.1**	**245**	**4**	**7**	**11**	**21**	**33**	**53**	**74**	**11**	**9.5**	**67**	**3**	**3**	**6**	**12**	**24**	**26**	**26**

DELIRIUM TREMENS (291.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	9	1.8	1	1	1	1	2	4	4	4	3	2.7	1	2	2	2	4	4	4	4
25-34	51	4.6	19	1	2	4	6	10	11	26	19	3.7	6	1	2	3	5	8	9	9
35-54	139	5.4	24	1	2	4	7	11	16	24	85	4.6	7	2	2	4	6	7	10	12
55-74	45	7.0	31	2	3	5	11	16	21	99 +	43	7.5	60	2	3	5	8	13	18	48
75 +	3	28.3	1123	2	6	17	54	66	66	66	3	6.7	10	3	4	8	9	9	9	9
ALL AGES	247	5.7	39	1	2	4	7	12	17	31	153	5.3	24	2	3	4	7	9	12	24
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	3.0		3	3	3	3	3	3	3										
25-34	5	2.2	1	1	1	3	3	3	3	3	5	2.6	6	1	1	2	3	7	7	7
35-54	22	8.1	259	1	2	3	7	15	41	77	11	10.6	391	2	4	5	6	32	67	70
55-74	11	6.7	33	1	3	5	8	14	21	22	14	3.9	2	2	3	3	4	7	7	7
75 +	3	7.7	40	4	4	4	12	15	15	15	1	7.0		7	7	7	7	7	7	7
ALL AGES	42	6.9	146	1	2	3	8	14	19	77	31	6.2	144	2	2	4	6	7	7	70
SUBTOTAL	**289**	**5.9**	**54**	**1**	**2**	**4**	**7**	**13**	**17**	**52**	**184**	**5.5**	**43**	**2**	**3**	**4**	**7**	**9**	**12**	**40**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17	1	12.0		12	12	12	12	12	12	12										
18-24	18	4.8	11	1	3	4	6	9	12	14	4	11.3	96	2	4	9	18	25	25	25
25-34	162	4.7	30	1	2	4	6	8	10	42	83	5.2	27	2	2	4	6	8	11	30
35-54	459	6.4	56	2	3	4	7	12	20	40	267	6.3	41	2	3	5	7	12	19	38
55-74	194	7.9	34	2	4	6	10	15	18	35	150	8.2	55	2	3	6	10	18	28	34
75 +	17	11.4	53	4	6	10	14	22	28	31	14	14.9	294	2	5	8	26	33	58	65
ALL AGES	851	6.5	46	2	3	5	8	12	17	36	519	6.9	53	2	3	5	8	14	26	35
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	3	10.3	95	2	3	8	18	21	21	21										
25-34	43	4.7	12	1	3	3	7	10	12	14	30	5.6	31	2	3	4	6	12	20	26
35-54	82	5.0	17	2	3	4	6	10	11	24	69	8.6	78	2	3	5	9	28	30	30
55-74	38	6.9	15	3	4	5	10	13	14	15	33	8.3	73	2	3	4	10	25	29	30
75 +	7	4.0	8	1	2	4	6	8	9	9	4	27.8	1213	3	3	16	52	77	77	77
ALL AGES	173	5.4	17	2	3	4	7	10	14	20	136	8.4	104	2	3	4	9	26	30	37
SUBTOTAL	**1024**	**6.3**	**41**	**2**	**3**	**5**	**8**	**12**	**17**	**35**	**655**	**7.2**	**64**	**2**	**3**	**5**	**8**	**16**	**28**	**34**
GRAND TOTAL	**1313**	**6.2**	**44**	**2**	**3**	**5**	**7**	**12**	**17**	**35**	**839**	**6.9**	**59**	**2**	**3**	**5**	**7**	**13**	**26**	**34**

ALCOHOL AMNESTIC SYND (291.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	10	3.3	8	1	1	3	4	7	10	10	2	10.5	181	1	1	10	20	20	20	20
55-74	6	11.0	39	3	6	11	16	19	19	19	8	8.8	56	2	4	7	10	21	26	26
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	18	5.7	31	1	2	4	8	15	18	19	11	8.7	61	2	3	6	10	22	26	26
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	7.0		7	7	7	7	7	7	7
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	4	19.8	220	3	9	18	30	39	39	39										
75 +											1	19.0		19	19	19	19	19	19	19
ALL AGES	5	16.0	237	1	2	16	25	39	39	39	2	13.0	72	7	7	13	19	19	19	19
SUBTOTAL	**23**	**8.0**	**85**	**1**	**2**	**4**	**13**	**19**	**27**	**39**	**13**	**9.4**	**58**	**2**	**4**	**7**	**12**	**21**	**25**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	14	3.4	7	1	1	3	4	7	9	10	1	11.0		11	11	11	11	11	11	11
35-54	26	7.1	56	2	2	5	9	19	46	99 +	12	8.4	47	2	3	6	12	20	21	21
55-74	20	14.0	136	3	4	12	20	35	36	37	13	8.5	78	2	4	6	10	41	87	99 +
75 +	4	14.8	68	9	9	11	20	27	27	27	3	5.7		5	5	6	6	6	6	6
ALL AGES	64	8.9	87	1	3	5	12	24	35	90	29	8.3	52	2	4	6	10	20	34	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	5	8.2	113	2	2	4	11	27	27	27	4	9.0	130	2	2	4	15	26	26	26
55-74	6	12.2	21	7	9	11	15	19	20	20	5	6.2	63	1	2	2	9	20	20	20
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	13	9.5	57	2	4	8	13	21	26	27	9	7.4	83	1	2	3	9	24	26	26
SUBTOTAL	**77**	**9.0**	**81**	**1**	**3**	**6**	**12**	**23**	**35**	**82**	**38**	**8.1**	**57**	**2**	**3**	**6**	**10**	**21**	**30**	**99 +**
GRAND TOTAL	**100**	**8.8**	**81**	**1**	**3**	**5**	**12**	**21**	**35**	**69**	**51**	**8.4**	**57**	**2**	**3**	**6**	**10**	**21**	**26**	**99**

ALCOHOLIC DEMENTIA NEC (291.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
18-24																				
25-34	1	7.0		7	7	7	7	7	7	7										
35-54	13	11.0	63	2	4	11	18	20	22	23	4	9.0	55	1	4	8	14	19	19	19
55-74	29	17.4	319	5	7	12	22	28	42	97	12	13.7	624	1	2	4	16	41	83	90
75 +	4	6.8	3	4	5	7	8	9	9	9	1	6.0		6	6	6	6	6	6	6
ALL AGES	49	14.0	222	3	5	10	19	26	29	97	18	11.5	427	1	1	5	13	20	62	90
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3	2	8.5	5	7	7	8	10	10	10	10
55-74	8	8.3	13	4	5	10	12	65	99+	99+	6	11.2	138	3	4	8	29	87	99+	99+
75 +											1	6.0		6	6	6	6	6	6	6
ALL AGES	9	7.7	14	3	4	10	13	99+	99+	99+	9	10.0	91	3	6	7	13	67	99+	99+
SUBTOTAL	**58**	**13.0**	**195**	**3**	**5**	**10**	**19**	**26**	**68**	**99+**	**27**	**11.0**	**308**	**1**	**3**	**6**	**13**	**30**	**91**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24											6	14.3	83	2	4	18	21	22	22	22
25-34	6	11.7	65	1	3	14	18	20	20	20	14	14.3	45	4	9	16	21	21	21	21
35-54	33	11.3	118	2	4	6	19	28	31	46	31	10.1	44	3	4	8	15	21	21	21
55-74	58	12.6	97	3	4	11	19	27	31	95	40	15.4	352	3	5	8	16	36	67	85
75 +	11	13.6	120	3	5	11	19	29	39	40	7	7.0	3	4	6	7	8	9	9	9
ALL AGES	109	12.1	103	2	4	9	19	27	31	69	98	12.9	173	3	5	9	17	21	28	78
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											3	19.3	27	14	15	20	23	24	24	24
25-34	3	11.7	85	1	5	16	17	18	18	18	2	18.5	13	16	16	18	21	21	21	21
35-54	11	13.3	231	2	4	8	13	41	49	50	13	8.2	63	2	3	4	14	21	22	22
55-74	33	15.9	248	4	7	11	21	43	72	99+	15	12.2	186	2	4	5	18	28	46	52
75 +	11	11.5	83	4	7	8	13	28	32	32	4	24.0	1359	3	3	7	45	79	79	79
ALL AGES	58	14.3	203	3	7	9	17	34	54	98	37	13.0	235	2	3	6	21	24	44	79
SUBTOTAL	**167**	**12.9**	**137**	**3**	**5**	**9**	**19**	**28**	**40**	**95**	**135**	**12.9**	**189**	**3**	**4**	**9**	**18**	**22**	**29**	**80**
GRAND TOTAL	**225**	**12.9**	**152**	**3**	**5**	**10**	**19**	**28**	**40**	**99+**	**162**	**12.6**	**207**	**3**	**4**	**8**	**17**	**22**	**37**	**89**

ALCOHOL HALLUCINOSIS (291.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	2.5	5	1	1	2	4	4	4	4										
25-34	7	4.9	14	1	1	4	8	11	11	11	2	2.5	1	2	2	2	3	3	3	3
35-54	33	3.5	7	1	2	3	5	7	9	10	15	3.0	4	1	2	2	4	6	7	8
55-74	11	6.4	52	1	2	4	8	17	25	26	10	3.7	7	1	2	3	5	8	9	9
75 +	2	8.5	13	6	6	8	11	11	11	11										
ALL AGES	55	4.4	18	1	2	3	6	9	11	25	27	3.2	5	1	2	2	4	7	8	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	3	9.0	147	2	2	2	18	23	23	23	4	3.5	10	1	1	2	5	8	8	8
55-74	2	8.0	8	6	6	8	10	10	10	10										
75 +	2	7.5	25	4	4	7	11	11	11	11										
ALL AGES	8	7.5	52	2	2	5	10	19	23	23	5	3.0	9	1	1	2	4	8	8	8
SUBTOTAL	**63**	**4.8**	**22**	**1**	**2**	**3**	**6**	**10**	**11**	**26**	**32**	**3.2**	**5**	**1**	**2**	**2**	**4**	**7**	**8**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	9	4.9	17	1	3	4	5	11	15	15	6	3.7	6	1	1	4	5	7	7	7
25-34	31	5.3	20	1	2	3	7	12	17	19	30	5.1	5	3	4	5	6	8	10	10
35-54	101	6.9	36	2	3	5	9	14	22	65	92	5.8	37	3	5	5	5	7	9	44
55-74	30	7.5	29	1	4	7	11	13	13	27	29	6.1	22	2	3	5	6	10	19	24
75 +	2	7.5	1	7	7	7	8	8	8	8	7	6.9	17	3	4	5	11	13	13	13
ALL AGES	173	6.6	31	2	3	5	9	13	18	32	164	5.7	26	3	4	5	5	7	11	36
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	5.0	18	2	2	5	8	8	8	8	3	4.3	10	1	2	5	6	7	7	7
25-34	17	5.0	4	3	4	5	6	8	9	9	8	9.4	149	1	2	4	11	31	37	37
35-54	23	4.7	13	1	3	4	6	10	13	15	19	4.8	10	1	3	4	5	10	12	14
55-74	17	12.2	370	2	4	6	8	29	62	80	9	8.7	95	2	3	6	9	25	33	33
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	60	7.0	118	2	3	5	7	10	21	75	39	6.6	57	1	3	5	7	14	26	37
SUBTOTAL	**233**	**6.7**	**53**	**2**	**3**	**5**	**8**	**13**	**18**	**40**	**203**	**5.9**	**32**	**2**	**4**	**5**	**6**	**9**	**13**	**37**
GRAND TOTAL	**296**	**6.3**	**47**	**1**	**3**	**5**	**8**	**12**	**17**	**31**	**235**	**5.5**	**29**	**2**	**3**	**5**	**5**	**8**	**12**	**37**

PATHOLOGIC ALCOHOL INTOX (291.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24	3	1.3		1	1	1	2	2	2	2										
25-34	2	2.0	2	1	1	2	3	3	3	3	1	3.0		3	3	3	3	3	3	3
35-54											1	1.0		1	1	1	1	1	1	1
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	7	1.7	1	1	1	2	2	3	3	3	2	2.0	2	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +																				
ALL AGES	2	1.0		1	1	1	1	1	1	1										
SUBTOTAL	**9**	**1.6**		**1**	**1**	**1**	**2**	**3**	**3**	**3**	**2**	**2.0**	**2**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	3	8.0	63	2	3	5	14	17	17	17										
35-54																				
55-74	1	10.0		10	10	10	10	10	10	10	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	6	6.2	38	1	2	4	10	16	17	17	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-24	1	4.0		4	4	4	4	4	4	4										
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	1	1.0		1	1	1	1	1	1	1	1	11.0		11	11	11	11	11	11	11
55-74																				
75 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	5	2.8	3	1	1	3	4	5	5	5	1	11.0		11	11	11	11	11	11	11
SUBTOTAL	**11**	**4.6**	**24**	**1**	**1**	**3**	**5**	**13**	**17**	**17**	**2**	**7.0**	**32**	**3**	**3**	**7**	**11**	**11**	**11**	**11**
GRAND TOTAL	**20**	**3.3**	**15**	**1**	**1**	**2**	**4**	**8**	**13**	**17**	**4**	**4.5**	**20**	**1**	**2**	**3**	**7**	**11**	**11**	**11**

ALCOHOLIC JEALOUSY (291.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																				
75 +	1	22.0		22	22	22	22	22	22	22										
ALL AGES	2	13.5	145	5	5	13	22	22	22	22										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	11.0		11	11	11	11	11	11	11	1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	1	11.0		11	11	11	11	11	11	11	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**3**	**12.7**	**73**	**5**	**6**	**11**	**19**	**22**	**22**	**22**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	4	8.5	27	3	4	8	12	15	15	15										
35-54	4	6.5	4	5	5	6	8	9	9	9	1	54.0		54	54	54	54	54	54	54
55-74	1	13.0		13	13	13	13	13	13	13	1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	9	8.1	16	4	5	7	11	14	15	15	2	27.5	1405	1	1	27	54	54	54	54
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	4.0		4	4	4	4	4	4	4
25-34	1	11.0		11	11	11	11	11	11	11	1	1.0		1	1	1	1	1	1	1
35-54	1	12.0		12	12	12	12	12	12	12										
55-74	5	14.4	306	2	4	8	20	45	45	45										
75 +																				
ALL AGES	7	13.6	205	3	6	11	12	38	45	45	2	2.5	5	1	1	2	4	4	4	4
SUBTOTAL	**16**	**10.5**	**99**	**3**	**5**	**6**	**12**	**15**	**36**	**45**	**4**	**15.0**	**678**	**1**	**1**	**3**	**29**	**54**	**54**	**54**
GRAND TOTAL	**19**	**10.8**	**92**	**4**	**5**	**9**	**12**	**19**	**35**	**45**	**5**	**12.2**	**548**	**1**	**1**	**1**	**16**	**54**	**54**	**54**

ALCOHOLIC PSYCHOSIS NEC (291.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	2.0	2	1	1	2	3	3	3	3										
13-17	1	2.0		2	2	2	2	2	2	2										
18-24	9	2.6	5	1	1	1	4	6	7	7	3	1.7		1	1	2	2	2	2	2
25-34	124	3.9	11	1	2	3	5	6	14	18	48	2.6	2	1	1	2	4	5	6	7
35-54	302	4.6	18	1	2	3	5	8	13	22	158	3.7	7	1	2	3	5	7	9	14
55-74	142	5.6	36	1	2	4	7	12	18	39	77	5.0	56	2	3	3	5	9	11	51
75 +	14	6.0	27	2	4	4	5	12	20	22	5	6.2	8	3	4	5	8	10	10	10
ALL AGES	594	4.6	22	1	2	3	5	9	14	22	291	3.9	20	1	2	3	5	7	10	14
B. FEMALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17	2	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
18-24	3	1.3		1	1	1	2	2	2	2	1	3.0		3	3	3	3	3	3	3
25-34	20	4.5	13	2	2	3	5	11	13	14	8	3.1	4	1	1	3	5	6	6	6
35-54	72	4.0	8	1	2	3	5	8	11	13	46	4.0	8	1	2	3	5	8	10	13
55-74	35	6.9	36	2	3	5	8	13	20	31	25	7.9	138	2	2	4	7	12	44	48
75 +	4	12.8	46	7	7	11	18	22	22	22	1	3.0		3	3	3	3	3	3	3
ALL AGES	136	5.0	20	2	2	4	6	11	13	23	83	5.0	49	1	2	3	6	9	12	46
SUBTOTAL	**730**	**4.7**	**21**	**1**	**2**	**3**	**5**	**9**	**14**	**22**	**374**	**4.1**	**27**	**1**	**2**	**3**	**5**	**7**	**10**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	5.0		5	5	5	5	5	5	5
13-17	1	5.0		5	5	5	5	5	5	5	2	3.0		3	3	3	3	3	3	3
18-24	63	5.7	48	1	2	3	5	14	26	29	64	5.8	28	2	3	5	6	9	21	26
25-34	485	5.4	33	2	2	4	5	14	18	28	625	4.8	13	2	3	5	5	7	8	25
35-54	1123	5.2	30	2	2	4	6	10	14	27	1663	5.0	13	2	3	5	5	7	10	25
55-74	370	6.4	50	2	3	4	7	14	21	37	454	5.9	21	2	3	5	7	10	15	28
75 +	25	9.3	71	2	5	7	11	18	29	40	29	9.4	100	3	3	6	11	17	20	55
ALL AGES	2067	5.5	36	2	2	4	6	12	17	28	2838	5.2	15	2	3	5	5	7	12	25
B. FEMALE																				
0-12 YRS.											2	5.0	2	4	4	5	6	6	6	6
13-17	2	2.5	1	2	2	2	3	3	3	3	1	2.0		2	2	2	2	2	2	2
18-24	17	4.9	22	1	2	3	5	14	15	15	19	4.8	18	2	3	4	6	7	15	21
25-34	140	5.7	49	2	2	3	5	14	22	37	155	4.6	12	2	3	4	5	7	9	23
35-54	306	6.1	49	2	2	3	6	14	21	33	316	5.6	27	2	3	5	6	9	16	30
55-74	113	6.8	49	2	3	4	8	15	22	36	131	6.9	54	2	3	5	7	14	25	35
75 +	14	14.1	532	2	4	6	14	29	77	91	9	8.1	55	1	4	6	10	20	26	26
ALL AGES	592	6.3	60	2	2	4	6	14	21	37	633	5.6	30	2	3	4	6	9	17	30
SUBTOTAL	**2659**	**5.7**	**41**	**2**	**2**	**4**	**6**	**13**	**18**	**29**	**3471**	**5.2**	**19**	**2**	**3**	**5**	**6**	**8**	**12**	**27**
GRAND TOTAL	**3389**	**5.5**	**37**	**2**	**2**	**4**	**6**	**12**	**17**	**28**	**3845**	**5.1**	**20**	**2**	**3**	**5**	**5**	**8**	**12**	**27**

ALCOHOLIC PSYCHOSIS NOS (291.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74											1	17.0		17	17	17	17	17	17	17
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	2	9.0	128	1	1	9	17	17	17	17
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											2	1.0		1	1	1	1	1	1	1
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2	1	6.0		6	6	6	6	6	6	6
55-74																				
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	2	3.5	5	2	2	3	5	5	5	5	3	2.7	8	1	1	1	5	6	6	6
SUBTOTAL	**3**	**2.7**	**4**	**1**	**1**	**2**	**4**	**5**	**5**	**5**	**5**	**5.2**	**48**	**1**	**1**	**1**	**9**	**17**	**17**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	8.0		8	8	8	8	8	8	8										
25-34	6	4.7	27	1	1	3	4	14	15	15	1	5.0		5	5	5	5	5	5	5
35-54	18	8.8	96	1	3	5	11	28	32	32	5	10.8	81	5	5	6	15	26	26	26
55-74	10	6.4	11	3	4	6	7	11	14	14	4	8.5	100	1	2	5	15	23	23	23
75 +	2	13.0	72	7	7	13	19	19	19	19										
ALL AGES	37	7.7	58	1	3	6	8	18	27	32	10	9.3	73	2	5	6	12	24	26	26
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34	3	6.3	17	2	3	7	9	10	10	10	2	7.0	18	4	4	7	10	10	10	10
35-54	6	10.3	72	1	6	9	11	24	26	26	4	14.3	112	2	7	13	21	28	28	28
55-74	2	3.0	8	1	1	3	5	5	5	5	1	4.0		4	4	4	4	4	4	4
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	12	7.8	45	1	3	7	10	15	24	26	8	9.5	81	1	3	7	13	24	28	28
SUBTOTAL	**49**	**7.7**	**54**	**1**	**3**	**6**	**9**	**18**	**26**	**32**	**18**	**9.4**	**71**	**1**	**4**	**6**	**13**	**25**	**27**	**28**
GRAND TOTAL	**52**	**7.4**	**52**	**1**	**3**	**6**	**9**	**17**	**25**	**32**	**23**	**8.5**	**67**	**1**	**2**	**5**	**13**	**24**	**27**	**28**

DRUG WITHDRAWAL SYNDROME (292.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	2.5	5	1	1	2	4	4	4	4										
13-17	1	16.0		16	16	16	16	16	16	16										
18-24	3	2.3	3	1	1	2	3	4	4	4										
25-34	15	5.5	30	2	3	4	6	8	20	24	15	4.6	10	1	2	4	7	9	10	11
35-54	13	3.5	18	1	1	2	4	8	15	17	17	4.1	7	1	2	4	5	8	9	9
55-74	8	5.6	10	1	3	6	8	9	9	9	9	4.1	8	1	2	3	5	9	11	11
75 +											2	6.5	5	5	5	6	8	8	8	8
ALL AGES	42	4.8	22	1	2	4	6	10	19	99 +	43	4.4	8	1	2	4	6	9	10	11
B. FEMALE																				
0-12 YRS.	2	18.5	13	16	16	18	21	21	21	21	1	5.0		5	5	5	5	5	5	5
13-17																				
18-24	4	5.0	37	1	1	2	8	14	14	14	3	3.0	12	1	1	1	6	7	7	7
25-34	19	3.7	22	1	1	2	4	11	16	18	11	4.8	9	2	3	4	5	10	12	12
35-54	12	5.5	15	2	2	4	8	12	13	13	17	3.5	5	2	2	3	4	5	9	11
55-74	17	7.6	30	3	4	6	10	14	20	23	9	7.9	43	1	3	6	12	18	21	21
75 +	5	4.4	22	1	1	2	7	12	12	12	4	8.8	25	4	5	7	12	16	16	16
ALL AGES	59	5.9	29	1	2	4	8	14	17	23	45	5.2	18	1	2	4	6	11	14	21
SUBTOTAL	**101**	**5.4**	**27**	**1**	**2**	**4**	**7**	**14**	**17**	**60**	**88**	**4.8**	**13**	**1**	**2**	**4**	**6**	**9**	**11**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	1.7		1	1	2	2	2	2	2	4	16.0	232	2	3	15	29	32	32	32
18-24	20	11.0	129	1	2	4	24	28	30	31	84	6.9	35	2	3	5	7	14	22	28
25-34	78	9.0	99	1	2	4	14	26	28	41	321	5.4	21	2	3	4	6	9	14	27
35-54	62	7.7	77	1	2	4	13	21	26	41	273	5.8	17	3	3	5	7	13	14	20
55-74	18	8.8	95	1	3	6	9	19	33	42	26	6.5	21	2	4	5	8	14	16	18
75 +	4	4.0	3	2	2	4	5	6	6	6	3	7.0	13	4	4	6	10	11	11	11
ALL AGES	185	8.5	92	1	2	4	13	25	28	42	711	5.9	22	2	3	5	7	12	14	27
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1	2	5.5	1	5	5	5	6	6	6	6
18-24	22	10.4	84	2	3	8	14	27	29	30	36	4.5	7	2	3	3	6	9	10	12
25-34	59	9.1	78	2	2	5	12	26	28	29	126	5.7	19	2	3	5	7	10	13	28
35-54	62	8.1	65	2	3	4	11	22	27	32	110	7.0	38	2	3	5	9	14	20	31
55-74	30	10.6	72	2	4	7	15	23	24	32	37	8.2	39	3	4	7	11	13	22	32
75 +	8	8.0	13	4	5	7	10	14	15	15	12	11.5	36	4	6	12	15	20	22	22
ALL AGES	182	9.1	69	2	3	6	12	23	27	31	323	6.5	29	2	3	5	8	12	16	29
SUBTOTAL	**367**	**8.8**	**81**	**1**	**2**	**5**	**13**	**25**	**28**	**35**	**1034**	**6.1**	**24**	**2**	**3**	**5**	**7**	**12**	**14**	**28**
GRAND TOTAL	**468**	**8.1**	**70**	**1**	**2**	**4**	**11**	**23**	**27**	**34**	**1122**	**6.0**	**23**	**2**	**3**	**5**	**7**	**12**	**14**	**28**

DRUG PARANOID/HALLUCINOS (292.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	1.8	2	1	1	1	3	4	4	4	1	3.0		3	3	3	3	3	3	3
13-17	2	3.0	2	2	2	3	4	4	4	4	2	1.0		1	1	1	1	1	1	1
18-24	9	9.3	348	1	1	2	6	40	58	58	2	2.5	5	1	1	2	4	4	4	4
25-34	11	7.0	47	1	2	4	10	19	20	20	3	6.0	12	4	4	4	9	10	10	10
35-54	5	2.6	6	1	1	2	3	7	7	7	2	5.0	32	1	1	5	9	9	9	9
55-74	11	4.8	11	2	3	4	7	10	12	12	13	7.5	67	2	3	5	9	36	86	99 +
75 +	6	8.2	34	2	2	9	9	17	18	18	4	5.5	32	2	2	3	9	14	14	14
ALL AGES	48	6.0	83	1	1	3	8	13	19	58	27	5.9	40	1	2	4	7	19	36	99 +
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3	3	1.0		1	1	1	1	1	1	1
13-17	2	1.0		1	1	1	1	1	1	1										
18-24	7	5.9	48	1	1	2	10	18	19	19	3	8.7	153	1	1	2	18	23	23	23
25-34	7	8.4	46	1	3	9	11	19	21	21	4	5.8	31	2	2	4	9	14	14	14
35-54	9	13.8	201	2	4	7	19	38	42	42	5	2.8	3	1	2	2	4	5	5	5
55-74	7	7.7	11	5	5	6	11	12	12	12	10	3.7	9	1	1	3	6	8	9	9
75 +	25	7.0	25	1	3	6	11	13	18	18	16	4.4	7	2	2	3	6	9	9	9
ALL AGES	58	7.9	58	1	3	6	12	17	20	41	41	4.2	18	1	2	3	5	9	11	23
SUBTOTAL	**106**	**7.0**	**70**	**1**	**2**	**4**	**9**	**14**	**19**	**49**	**68**	**4.9**	**27**	**1**	**2**	**3**	**6**	**10**	**21**	**86**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	8	20.4	693	3	5	10	25	67	79	79	1	2.0		2	2	2	2	2	2	2
18-24	43	9.6	172	2	4	6	10	17	27	82	2	8.5	1	8	8	8	9	9	9	9
25-34	44	6.9	65	2	3	4	6	18	22	43	15	5.3	22	1	1	4	6	13	15	15
35-54	34	7.0	37	1	3	5	10	17	22	23	4	3.5	4	1	2	3	5	6	6	6
55-74	14	11.9	53	4	5	11	16	18	29	32	5	5.4	4	3	4	5	7	8	8	8
75 +	2	6.5	1	6	6	6	7	7	7	7	1	4.0		4	4	4	4	4	4	4
ALL AGES	145	9.0	126	2	3	5	11	18	25	79	28	5.1	15	1	2	4	7	12	13	15
B. FEMALE																				
0-12 YRS.	1	13.0		13	13	13	13	13	13	13										
13-17	8	9.5	46	2	4	8	14	20	21	21										
18-24	16	4.6	20	1	2	3	6	9	16	19	3	4.3	25	1	1	2	8	10	10	10
25-34	23	8.5	88	1	3	5	10	20	28	42	6	4.5	12	1	3	4	4	10	11	11
35-54	15	7.9	49	1	3	5	12	21	22	22	9	5.9	28	1	2	4	8	14	18	18
55-74	10	11.0	69	1	5	9	19	23	24	24	8	4.5	13	2	2	3	5	11	13	13
75 +	8	6.6	16	3	4	5	8	13	15	15	10	6.6	20	2	3	5	8	14	15	15
ALL AGES	81	7.9	54	1	3	5	10	20	22	36	36	5.4	18	1	2	4	7	13	14	18
SUBTOTAL	**226**	**8.6**	**100**	**2**	**3**	**5**	**10**	**19**	**23**	**52**	**64**	**5.3**	**16**	**1**	**2**	**4**	**7**	**13**	**14**	**18**
GRAND TOTAL	**332**	**8.1**	**91**	**1**	**3**	**5**	**10**	**18**	**22**	**46**	**132**	**5.1**	**22**	**1**	**2**	**4**	**6**	**11**	**15**	**41**

PATHOLOGIC DRUG INTOX (292.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54											1	13.0		13	13	13	13	13	13	13
55-74	2	4.0		4	4	4	4	4	4	4	2	8.5	61	3	3	8	14	14	14	14
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	4	3.8	4	1	2	4	5	6	6	6	3	10.0	37	3	5	13	14	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	7.0		7	7	7	7	7	7	7										
25-34																				
35-54											2	6.0	32	2	2	6	10	10	10	10
55-74	1	13.0		13	13	13	13	13	13	13										
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	3	7.7	25	3	4	7	11	13	13	13	2	6.0	32	2	2	6	10	10	10	10
SUBTOTAL	**7**	**5.4**	**15**	**1**	**3**	**4**	**7**	**12**	**13**	**13**	**5**	**8.4**	**31**	**2**	**3**	**10**	**13**	**14**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17											1	1.0		1	1	1	1	1	1	1
18-24	1	8.0		8	8	8	8	8	8	8	1	15.0		15	15	15	15	15	15	15
25-34	3	2.3	2	1	1	3	3	3	3	3	1	3.0		3	3	3	3	3	3	3
35-54	3	28.7	1473	5	6	8	57	73	73	73	1	1.0		1	1	1	1	1	1	1
55-74	1	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	9	11.7	535	1	2	3	8	47	73	73	5	4.4	36	1	1	2	6	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-17											1	7.0		7	7	7	7	7	7	7
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
35-54	2	14.0	162	5	5	14	23	23	23	23	1	5.0		5	5	5	5	5	5	5
55-74	1	1.0		1	1	1	1	1	1	1										
75 +	1	5.0		5	5	5	5	5	5	5	1	8.0		8	8	8	8	8	8	8
ALL AGES	6	6.3	70	1	2	3	5	21	23	23	4	5.3	9	1	2	6	7	8	8	8
SUBTOTAL	**15**	**9.5**	**339**	**1**	**2**	**3**	**7**	**23**	**60**	**73**	**9**	**4.8**	**21**	**1**	**1**	**3**	**7**	**12**	**15**	**15**
GRAND TOTAL	**22**	**8.2**	**234**	**1**	**2**	**4**	**7**	**16**	**43**	**73**	**14**	**6.1**	**26**	**1**	**2**	**4**	**10**	**14**	**15**	**15**

OTHER DRUG MENTAL DIS (292.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	2.6	3	1	1	2	4	5	5	5	2	1.0		1	1	1	1	1	1	1
13-17	3	4.3	1	4	4	4	5	5	5	5	3	2.0	3	1	1	1	3	4	4	4
18-24	11	7.0	38	2	3	4	10	18	20	20	3	1.3		1	1	1	2	2	2	2
25-34	18	5.6	19	1	2	5	8	13	15	16	7	11.0	333	1	1	3	12	44	51	51
35-54	21	8.7	78	1	2	4	12	24	28	30	8	3.0	8	1	1	2	5	8	8	8
55-74	57	7.9	34	2	4	6	10	16	18	30	34	5.5	15	2	3	4	6	10	12	22
75 +	39	8.4	188	2	3	5	9	16	59	99 +	45	7.6	107	1	3	5	9	13	19	67
ALL AGES	154	7.5	77	2	3	5	9	16	20	81	102	6.3	77	1	2	4	8	11	16	59
B. FEMALE																				
0-12 YRS.	4	2.0	2	1	1	2	3	4	4	4	2	2.0		2	2	2	2	2	2	2
13-17																				
18-24	5	8.8	20	2	6	10	12	13	13	13	2	2.5	1	2	2	2	3	3	3	3
25-34	10	5.9	31	1	2	3	11	14	17	17	5	6.0	19	1	4	5	8	13	13	13
35-54	37	6.0	41	1	2	4	7	15	18	32	13	7.0	23	2	5	6	8	15	18	19
55-74	62	6.6	43	2	2	5	7	13	20	36	58	5.5	20	2	2	5	7	10	13	25
75 +	75	7.3	47	2	3	6	8	13	23	38	84	6.3	36	2	3	5	7	15	16	34
ALL AGES	193	6.7	42	2	3	5	8	13	18	35	164	6.0	28	2	2	5	7	13	15	25
SUBTOTAL	**347**	**7.1**	**57**	**2**	**3**	**5**	**9**	**15**	**19**	**37**	**266**	**6.1**	**46**	**1**	**2**	**4**	**7**	**12**	**15**	**38**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	6.0		6	6	6	6	6	6	6
13-17	5	8.4	42	1	4	6	14	17	17	17	2	2.0	2	1	1	2	3	3	3	3
18-24	28	13.1	307	2	4	7	17	21	39	93	19	10.3	57	1	3	10	14	21	25	27
25-34	61	6.6	34	1	3	5	9	13	16	30	21	9.7	44	1	3	10	14	21	21	21
35-54	47	10.5	80	3	4	8	15	21	27	45	16	6.7	13	2	3	7	9	12	13	13
55-74	25	6.8	19	3	3	6	8	14	16	18	12	9.5	153	2	3	6	9	24	44	47
75 +	25	8.9	31	3	4	8	14	17	20	22	18	11.3	123	2	3	7	17	28	37	41
ALL AGES	191	8.9	86	2	3	6	12	18	22	40	89	9.4	70	1	3	7	13	20	23	45
B. FEMALE																				
0-12 YRS.																				
13-17	2	4.5	13	2	2	4	7	7	7	7	2	1.5	1	1	1	1	2	2	2	2
18-24	17	10.7	62	2	5	10	14	21	28	32	5	6.8	37	1	1	6	11	16	16	16
25-34	37	6.7	30	1	3	5	10	14	16	26	8	7.9	60	1	2	4	14	20	20	20
35-54	36	9.3	64	2	3	7	13	24	33	99 +	8	8.1	74	2	3	5	9	23	28	28
55-74	39	15.2	274	3	6	9	18	35	61	72	24	8.0	42	2	3	6	11	17	23	27
75 +	51	11.6	127	3	5	8	14	24	30	55	35	8.3	56	3	3	6	11	26	31	99 +
ALL AGES	182	10.8	124	2	4	8	13	23	31	69	82	7.9	50	2	3	6	11	20	28	77
SUBTOTAL	**373**	**9.8**	**106**	**2**	**4**	**7**	**12**	**20**	**28**	**62**	**171**	**8.7**	**60**	**2**	**3**	**7**	**12**	**20**	**27**	**46**
GRAND TOTAL	*720*	*8.5*	*84*	*2*	*3*	*6*	*11*	*17*	*24*	*56*	*437*	*7.1*	*54*	*1*	*3*	*5*	*9*	*15*	*21*	*42*

DRUG MENTAL DISORDER NOS (292.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
18-24	9	9.0	172	1	1	2	13	31	41	41	2	9.5	85	3	3	9	16	16	16	16
25-34	9	10.6	182	1	2	4	14	33	43	43	3	6.7	9	4	4	6	9	10	10	10
35-54	6	5.2	25	1	2	4	5	14	15	15	3	7.0	91	1	1	2	14	18	18	18
55-74	11	11.3	91	2	5	9	14	28	33	33	6	3.5	4	1	2	3	5	6	6	6
75 +	4	6.8	6	4	4	7	9	9	9	9	2	4.0	18	1	1	4	7	7	7	7
ALL AGES	40	9.0	106	1	2	5	12	21	37	43	17	5.3	26	1	2	4	6	15	17	18
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	3	4.0	9	1	2	4	6	7	7	7										
18-24	2	5.5	5	4	4	[illegible]	7	7	7	7	2	1.5	1	1	1	1	2	2	2	2
25-34	7	5.6	17	2	4	4	6	13	14	14	3	11.3	91	2	4	11	18	21	21	21
35-54	9	7.7	112	1	3	4	7	25	35	35	3	3.0	3	2	2	4	52	99 +	99 +	99 +
55-74	7	7.6	17	2	4	8	11	13	13	13	1	7.0		7	7	7	7	7	7	7
75 +	11	6.1	16	2	3	4	9	12	14	14	5	7.4	18	5	5	6	8	15	15	15
ALL AGES	40	6.3	35	1	3	4	8	12	14	35	14	6.4	33	2	2	5	10	21	80	99 +
SUBTOTAL	**80**	**7.7**	**71**	**1**	**3**	**5**	**9**	**15**	**28**	**42**	**31**	**5.8**	**28**	**1**	**2**	**5**	**7**	**17**	**21**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	7	19.9	743	2	4	6	25	68	78	78	1	1.0		1	1	1	1	1	1	1
18-24	13	10.4	304	2	4	5	7	27	59	67	5	6.2	17	1	2	8	9	11	11	11
25-34	25	6.6	28	2	3	5	9	15	18	23	5	4.4	5	1	2	6	6	6	6	6
35-54	21	8.5	34	3	4	7	13	17	21	23										
55-74	4	9.8	63	2	5	8	15	21	21	21	1	2.0		2	2	2	2	2	2	2
75 +	2	7.5	5	6	6	7	9	9	9	9	2	5.0	2	4	4	5	6	6	6	6
ALL AGES	72	9.3	151	2	4	6	10	18	23	76	14	4.7	10	1	2	5	6	9	10	11
B. FEMALE																				
0-12 YRS.																				
13-17	4	7.5	6	6	6	7	9	11	11	11										
18-24	6	4.3	3	2	3	4	5	7	7	7	4	1.5	1	1	1	1	2	3	3	3
25-34	26	6.9	36	2	2	5	10	14	21	24	2	15.0	162	6	6	15	24	24	24	24
35-54	11	10.3	39	4	5	10	15	20	22	22	2	11.5	5	10	10	11	13	13	13	13
55-74	8	18.0	366	4	7	9	28	50	53	53	1	4.0		4	4	4	4	4	4	4
75 +	6	9.2	13	4	7	8	13	14	14	14										
ALL AGES	61	9.0	81	2	4	7	10	17	23	52	9	7.0	59	1	1	4	11	20	24	24
SUBTOTAL	**133**	**9.2**	**117**	**2**	**4**	**6**	**10**	**17**	**23**	**69**	**23**	**5.6**	**28**	**1**	**1**	**4**	**7**	**11**	**17**	**24**
GRAND TOTAL	**213**	**8.6**	**101**	**2**	**3**	**6**	**10**	**16**	**24**	**58**	**54**	**5.7**	**28**	**1**	**2**	**5**	**7**	**15**	**20**	**96**

ACUTE DELIRIUM (293.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	8	2.8	6	1	1	1	5	7	7	7	1	1.0		1	1	1	1	1	1	1
13-17	7	2.3	1	1	1	3	3	4	4	4	1	1.0		1	1	1	1	1	1	1
18-24	7	5.7	30	2	2	3	7	15	17	17	4	2.5	3	1	1	2	4	5	5	5
25-34	11	5.5	20	1	2	5	8	13	13	13	5	6.6	78	1	1	3	10	22	22	22
35-54	30	5.2	59	1	1	2	4	15	19	37	20	6.8	165	1	2	3	5	13	38	59
55-74	115	7.7	55	2	3	5	9	21	27	58	77	5.3	14	1	2	5	7	10	15	77
75 +	103	8.0	115	2	2	5	11	18	22	69	105	8.5	176	2	3	5	8	15	36	94
ALL AGES	281	7.2	73	1	2	4	9	17	23	50	213	7.0	110	1	3	5	8	13	19	93
B. FEMALE																				
0-12 YRS.	3	18.0	511	3	4	7	35	44	44	44	3	7.0	91	1	1	2	14	18	18	18
13-17	1	22.0		22	22	22	22	22	22	22	1	3.0		3	3	3	3	3	3	3
18-24	5	4.8	15	1	1	5	8	10	10	10	1	2.0		2	2	2	2	2	2	2
25-34	13	12.7	202	1	2	5	22	39	41	42	5	5.8	32	1	2	4	9	15	15	15
35-54	40	4.7	21	1	2	4	6	9	12	27	20	4.6	11	1	2	4	6	8	11	14
55-74	126	6.4	43	2	3	5	8	12	16	33	90	6.1	26	1	3	5	8	12	15	29
75 +	181	7.5	80	2	3	6	9	16	24	99 +	170	6.5	26	2	3	5	8	12	20	29
ALL AGES	369	7.1	69	2	3	5	8	14	23	85	290	6.2	25	2	3	5	8	12	18	29
SUBTOTAL	**650**	**7.1**	**71**	**2**	**3**	**5**	**8**	**16**	**23**	**59**	**503**	**6.5**	**62**	**2**	**3**	**5**	**8**	**13**	**18**	**72**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	21.0		21	21	21	21	21	21	21										
13-17	1	4.0		4	4	4	4	4	4	4										
18-24	3	2.3	1	2	2	2	3	3	3	3	2	8.5	85	2	2	8	15	15	15	15
25-34	5	12.0	56	2	6	14	16	22	22	22	1	2.0		2	2	2	2	2	2	2
35-54	18	7.4	69	2	3	5	6	14	28	37	10	7.1	44	3	4	5	6	17	25	25
55-74	51	8.5	48	2	4	6	11	16	20	40	33	6.0	18	2	3	5	9	12	13	17
75 +	34	16.3	335	2	4	11	21	38	48	92	39	8.1	129	2	3	6	8	15	19	72
ALL AGES	113	10.7	150	2	4	7	13	22	37	65	85	7.1	72	2	3	5	9	13	18	56
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17											1	9.0		9	9	9	9	9	9	9
18-24	4	12.3	343	1	2	4	22	40	40	40										
25-34	7	7.9	52	1	2	4	15	18	18	18	2	4.0	2	3	3	4	5	5	5	5
35-54	16	8.3	53	1	3	6	11	22	23	23	9	5.8	47	3	3	3	4	16	24	24
55-74	83	8.5	48	2	4	6	11	19	24	31	49	7.5	62	2	3	6	10	13	15	54
75 +	61	8.7	91	2	4	7	10	17	29	96	83	7.3	35	3	3	5	9	13	20	30
ALL AGES	172	8.6	67	2	3	6	11	19	24	60	144	7.2	45	2	3	5	9	13	19	32
SUBTOTAL	**285**	**9.4**	**102**	**2**	**4**	**6**	**12**	**21**	**28**	**60**	**229**	**7.2**	**54**	**2**	**3**	**5**	**9**	**13**	**19**	**35**
GRAND TOTAL	**935**	**7.8**	**82**	**2**	**3**	**5**	**9**	**17**	**24**	**60**	**732**	**6.7**	**60**	**2**	**3**	**5**	**8**	**13**	**18**	**55**

SUBACUTE DELIRIUM (293.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	3.0	2	2	2	3	4	4	4	4										
55-74	1	3.0		3	3	3	3	3	3	3	2	7.5	25	4	4	7	11	11	11	11
75 +	3	9.0	9	6	7	9	11	12	12	12	5	7.2	11	3	5	7	9	12	12	12
ALL AGES	6	6.0	15	2	3	5	9	12	12	12	7	7.3	11	3	4	7	10	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
75 +	5	5.4	4	4	4	5	6	9	9	9	4	10.3	67	2	3	9	17	20	20	20
ALL AGES	6	4.7	6	1	4	4	5	9	9	9	5	8.4	68	1	2	5	15	20	20	20
SUBTOTAL	**12**	**5.3**	**11**	**1**	**3**	**5**	**7**	**10**	**12**	**12**	**12**	**7.8**	**30**	**2**	**3**	**6**	**11**	**16**	**19**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74	3	4.7	8	3	3	3	7	8	8	8	1	18.0		18	18	18	18	18	18	18
75 +	1	4.0		4	4	4	4	4	4	4	1	7.0		7	7	7	7	7	7	7
ALL AGES	5	4.0	6	2	3	3	5	8	8	8	3	9.3	61	3	4	7	15	18	18	18
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
55-74	2	8.5	5	7	7	8	10	10	10	10	2	3.5	13	1	1	3	6	6	6	6
75 +	1	51.0		51	51	51	51	51	51	51										
ALL AGES	4	17.5	510	2	4	8	30	51	51	51	3	3.0	7	1	1	2	5	6	6	6
SUBTOTAL	**9**	**10.0**	**245**	**2**	**3**	**4**	**8**	**35**	**51**	**51**	**6**	**6.2**	**38**	**1**	**2**	**4**	**7**	**17**	**18**	**18**
GRAND TOTAL	**21**	**7.3**	**110**	**2**	**3**	**4**	**8**	**11**	**30**	**51**	**18**	**7.2**	**33**	**1**	**3**	**6**	**11**	**17**	**19**	**20**

OTH TRANSIENT ORG MENTAL (293.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	10	19.3	145	4	9	20	27	35	35	35										
18-24	17	21.6	417	3	9	14	27	62	68	68	4	11.5	78	3	4	11	19	21	21	21
25-34	38	15.3	162	3	5	13	22	39	51	99 +	3	7.7	96	2	2	2	15	19	19	19
35-54	54	12.8	110	3	6	9	16	25	28	62	5	7.8	11	4	5	9	10	12	12	12
55-74	70	17.1	178	5	9	14	20	32	47	72	6	12.5	52	3	10	11	18	22	23	23
75 +	40	15.9	134	6	9	14	19	30	45	56	7	4.9	6	2	3	5	7	9	9	9
ALL AGES	229	16.0	170	4	8	13	21	33	47	70	25	8.7	41	2	4	7	11	19	21	23
B. FEMALE																				
0-12 YRS.	2	15.5	421	1	1	15	30	30	30	30										
13-17	5	15.0	247	6	8	9	43	94	99 +	99 +	1	10.0		10	10	10	10	10	10	10
18-24	14	16.6	123	10	11	14	15	30	46	51	2	5.5	1	5	5	5	6	6	6	6
25-34	37	14.0	162	2	7	10	21	29	31	68	2	26.5	5	25	25	26	28	28	28	28
35-54	54	15.9	236	3	6	11	20	43	50	74	9	11.7	54	3	6	10	15	23	27	27
55-74	118	17.2	135	4	8	15	23	33	41	51	7	7.3	50	1	1	7	12	19	20	20
75 +	113	15.7	101	4	8	13	21	28	35	47	7	12.9	110	2	4	11	23	28	28	28
ALL AGES	343	16.1	142	4	8	13	22	31	43	55	28	11.4	77	2	5	10	16	27	28	28
SUBTOTAL	**572**	**16.1**	**152**	**4**	**8**	**13**	**21**	**31**	**44**	**68**	**53**	**10.1**	**62**	**2**	**4**	**9**	**14**	**23**	**27**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	25.0	162	16	16	25	34	34	34	34										
13-17	9	14.9	129	5	8	11	18	34	38	38										
18-24	31	18.1	235	3	6	14	33	42	56	99 +										
25-34	85	16.0	160	4	7	13	22	31	48	88	3	14.0	283	1	3	8	27	33	33	33
35-54	108	15.8	117	3	8	14	22	31	37	49	6	14.2	34	6	11	13	18	22	23	23
55-74	67	18.7	154	6	8	16	26	38	43	51	8	10.4	30	5	5	10	15	18	19	19
75 +	39	18.3	126	6	11	17	24	29	31	68	2	10.0	8	8	8	10	12	12	12	12
ALL AGES	341	16.9	148	4	8	15	22	34	42	66	19	12.1	58	5	6	12	16	21	26	33
B. FEMALE																				
0-12 YRS.	2	34.0	288	22	22	34	46	46	46	46										
13-17	3	10.0	81	1	2	10	17	19	19	19										
18-24	25	11.0	55	3	5	10	16	26	42	99 +	3	11.0	37	7	7	8	15	18	18	18
25-34	[illegible]	14.3	163	2	5	10	22	32	40	57	2	17.0	50	12	12	17	22	22	22	22
35-54	77	16.6	158	3	8	15	20	35	42	57	11	10.6	83	1	3	9	20	48	93	99 +
55-74	75	20.2	154	8	13	16	25	36	41	66	7	9.9	101	3	4	6	10	28	32	32
75 +	78	20.6	224	7	10	17	28	40	48	79	9	10.1	88	2	4	8	13	26	28	28
ALL AGES	315	17.6	177	4	8	15	23	36	44	66	32	10.8	75	2	5	8	18	26	31	99 +
SUBTOTAL	**656**	**17.3**	**160**	**4**	**8**	**15**	**23**	**35**	**42**	**66**	**51**	**11.3**	**67**	**3**	**5**	**9**	**18**	**25**	**32**	**99**
GRAND TOTAL	**1228**	**16.7**	**157**	**4**	**8**	**14**	**22**	**34**	**43**	**67**	**104**	**10.7**	**64**	**2**	**5**	**9**	**17**	**24**	**28**	**63**

TRANSIENT ORG MENTAL NOS (293.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	1.0		1	1	1	1	1	1	1										
18-24	6	1.7	1	1	1	1	3	3	3	3	1	25.0		25	25	25	25	25	25	25
25-34	7	7.0	92	2	2	2	8	24	28	28	1	1.0		1	1	1	1	1	1	1
35-54	10	6.3	9	2	5	6	7	10	13	13	5	4.6	8	1	2	4	7	8	8	8
55-74	22	7.9	66	2	3	5	7	19	27	33	16	5.7	21	2	3	5	6	14	17	18
75 +	18	3.9	12	1	1	3	8	9	10	10	18	8.9	89	2	2	4	13	26	29	31
ALL AGES	65	5.7	39	1	2	4	7	13	18	32	41	7.3	59	1	2	4	7	21	26	31
B. FEMALE																				
0-12 YRS.											2	1.5	1	1	1	1	2	2	2	2
13-17	1	25.0		25	25	25	25	25	25	25										
18-24	2	4.0	8	2	2	4	6	6	6	6	2	2.5	5	1	1	2	4	4	4	4
25-34	2	4.5	25	1	1	4	8	8	8	8	2	1.5	1	1	1	1	2	2	2	2
35-54	6	7.2	48	1	3	4	10	19	20	20	2	5.5	1	5	5	5	6	6	6	6
55-74	28	8.5	48	2	4	7	11	16	23	33	16	12.9	147	2	4	9	18	31	41	45
75 +	28	6.0	31	1	2	4	8	14	18	21	23	6.3	26	1	2	5	9	11	16	24
ALL AGES	67	7.3	44	2	3	5	10	16	21	32	47	7.9	76	1	2	6	10	20	25	45
SUBTOTAL	**132**	**6.5**	**42**	**1**	**2**	**4**	**8**	**15**	**21**	**33**	**88**	**7.6**	**68**	**1**	**2**	**5**	**9**	**20**	**25**	**40**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	3.5	13	1	1	3	6	6	6	6										
13-17																				
18-24	6	2.3	1	1	1	3	3	3	3	3										
25-34	5	8.8	93	1	2	8	12	25	25	25	1	3.0		3	3	3	3	3	3	3
35-54	7	5.0	11	1	3	5	9	73	99 +	99 +										
55-74	9	8.2	87	1	2	4	11	24	26	26	6	7.0	15	2	4	6	11	12	12	12
75 +	8	7.9	41	3	4	5	11	19	21	21	3	8.3	31	3	4	8	12	14	14	14
ALL AGES	37	6.4	46	1	2	4	8	22	26	99 +	10	7.0	18	2	3	6	11	13	14	14
B. FEMALE																				
0-12 YRS.	1	22.0		22	22	22	22	22	22	22										
13-17	1	14.0		14	35	99 +	99 +	99 +	99 +	99 +										
18-24											2	1.5	1	1	1	1	2	2	2	2
25-34	3	9.0	52	3	4	7	14	17	17	17	1	3.0		3	3	3	3	3	3	3
35-54	1	7.0		7	7	7	7	7	7	7	3	4.3	6	3	3	3	6	7	7	7
55-74	4	18.3	148	4	9	18	27	33	33	33	7	8.1	9	5	6	7	11	12	12	12
75 +	14	5.5	10	1	3	6	8	9	11	11	6	5.2	7	1	3	6	7	8	8	8
ALL AGES	24	9.2	60	2	4	7	14	32	99 +	99 +	19	5.6	11	2	3	6	7	11	12	12
SUBTOTAL	**61**	**7.5**	**53**	**1**	**3**	**6**	**10**	**23**	**53**	**99 +**	**29**	**6.1**	**13**	**2**	**3**	**6**	**8**	**12**	**12**	**14**
GRAND TOTAL	**193**	**6.8**	**45**	**1**	**2**	**5**	**8**	**17**	**24**	**99 +**	**117**	**7.3**	**53**	**1**	**3**	**5**	**8**	**16**	**24**	**36**

AMNESTIC SYNDROME (294.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
35-54																				
55-74	10	12.0	106	3	4	8	15	28	37	37	3	9.3	65	1	3	10	15	17	17	17
75 +	8	10.0	55	2	3	10	16	20	21	21										
ALL AGES	20	10.2	79	2	3	8	14	20	29	37	4	7.8	52	1	2	6	13	17	17	17
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	3	10.7	49	3	5	12	16	17	17	17	1	6.0		6	6	6	6	6	6	6
55-74	8	4.9	29	1	2	3	4	14	18	18	1	1.0		1	1	1	1	1	1	1
75 +	9	18.7	121	5	12	17	24	36	37	37	3	2.7	1	2	2	2	4	4	4	4
ALL AGES	20	12.0	109	2	3	10	18	27	35	37	5	3.0	4	1	2	2	4	6	6	6
SUBTOTAL	**40**	**11.1**	**93**	**2**	**3**	**8**	**17**	**21**	**35**	**37**	**9**	**5.1**	**28**	**1**	**2**	**3**	**7**	**14**	**17**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	4	7.5	43	2	3	5	11	17	17	17	1	2.0		2	2	2	2	2	2	2
75 +	1	36.0		36	36	36	36	36	36	36										
ALL AGES	5	13.2	195	2	4	6	22	36	36	36	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	7.5	5	6	6	7	9	9	9	9										
55-74	3	15.7	49	8	10	17	21	22	22	22										
75 +	6	10.8	39	2	6	12	14	19	19	19										
ALL AGES	11	11.5	39	4	7	10	16	20	22	22										
SUBTOTAL	**16**	**12.1**	**77**	**3**	**6**	**9**	**17**	**22**	**32**	**36**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**56**	**11.3**	**89**	**2**	**3**	**9**	**17**	**21**	**35**	**37**	**10**	**4.8**	**26**	**1**	**2**	**3**	**6**	**13**	**17**	**17**

DEMENTIA IN OTH DISEASES (294.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	42.0		42	42	42	42	42	42	42										
25-34	3	14.3	52	8	9	13	20	22	22	22	1	5.0		5	5	5	5	5	5	5
35-54	12	14.0	106	3	5	14	17	31	36	37	4	8.8	43	3	3	9	14	15	15	15
55-74	19	14.3	99	7	9	11	16	25	39	48	7	18.0	379	4	5	10	31	50	50	53
75 +	18	15.2	77	4	10	13	19	29	33	35	5	4.2	3	2	3	4	6	6	6	6
ALL AGES	53	15.1	97	4	9	13	18	29	37	48	17	11.0	191	3	4	5	12	33	48	53
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	11.5	41	7	7	11	16	16	16	16										
25-34	4	26.3	375	8	11	22	41	52	52	52	2	22.5	1	22	22	22	23	23	23	23
35-54	13	10.3	86	3	4	8	13	28	31	32	2	7.5	1	7	7	7	8	8	8	8
55-74	23	11.3	69	4	8	10	13	17	33	40	4	15.0	54	11	11	12	19	26	26	26
75 +	19	11.2	41	4	6	10	18	22	61	99 +	9	8.8	27	2	5	9	13	16	17	17
ALL AGES	61	12.0	90	4	5	9	14	28	35	94	17	11.7	48	3	7	11	15	23	25	26
SUBTOTAL	**114**	**13.4**	**96**	**4**	**7**	**11**	**16**	**28**	**36**	**69**	**34**	**11.4**	**115**	**3**	**5**	**8**	**14**	**23**	**36**	**53**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	5.5	41	1	1	5	10	10	10	10										
25-34	2	17.0	128	9	9	17	25	25	25	25	1	12.0		12	12	12	12	12	12	12
35-54	7	22.3	142	9	12	21	33	38	39	39	1	72.0		72	72	72	72	72	72	72
55-74	9	24.0	330	6	11	19	32	53	64	64	1	59.0		59	59	59	59	59	59	59
75 +	8	22.5	103	11	14	20	32	36	37	37	7	11.9	49	3	7	10	19	20	20	20
ALL AGES	28	21.3	186	8	11	18	30	37	41	64	10	22.6	554	4	7	15	20	65	72	72
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	4	15.3	56	4	10	18	20	20	20	20										
55-74	2	27.0	512	11	11	27	43	43	43	43	1	17.0		17	17	17	17	17	17	17
75 +	6	17.5	176	3	10	15	21	39	41	41	3	28.3	1707	4	4	5	58	76	76	76
ALL AGES	12	18.3	161	3	10	17	21	42	43	43	4	25.5	1168	4	4	11	46	76	76	76
SUBTOTAL	**40**	**20.4**	**176**	**6**	**11**	**18**	**28**	**38**	**42**	**64**	**14**	**23.4**	**657**	**4**	**7**	**14**	**20**	**72**	**75**	**76**
GRAND TOTAL	**154**	**15.3**	**123**	**4**	**8**	**12**	**20**	**32**	**40**	**63**	**48**	**14.9**	**293**	**3**	**5**	**10**	**17**	**34**	**60**	**76**

ORGANIC BRAIN SYND NEC (294.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	24.3	13	22	22	23	27	28	28	28										
13-17	1	13.0		13	13	13	13	13	13	13										
18-24	1	1.0		1	1	1	1	1	1	1	1	4.0		4	4	4	4	4	4	4
25-34	6	[illegible]	507	2	8	8	13	57	62	62	1	92.0		92	92	92	92	92	92	92
35-54	15	10.3	55	4	5	7	15	18	28	31	1	10.0		10	10	10	10	10	10	10
55-74	18	18.6	210	3	5	14	33	38	44	48	5	15.6	99	4	8	14	22	30	30	30
75 +	18	11.9	32	4	8	12	15	20	22	22	3	7.0	49	2	2	4	12	15	15	15
ALL AGES	62	14.4	140	4	6	12	17	32	37	60	11	18.6	663	3	4	10	19	55	89	92
B. FEMALE																				
0-12 YRS.	2	13.5	1	13	13	13	14	14	14	14										
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	8	12.5	94	1	3	14	18	26	29	29	2	10.5	181	1	1	10	20	20	20	20
35-54	13	16.5	88	4	8	19	21	26	35	37										
55-74	24	20.8	185	4	10	18	30	41	48	49	3	21.7	990	2	3	5	45	58	58	58
75 +	38	15.1	138	3	8	13	20	28	31	65	5	9.8	24	5	7	8	12	18	18	18
ALL AGES	86	16.5	140	3	8	14	22	31	38	59	10	13.5	283	1	5	8	18	39	58	58
SUBTOTAL	**148**	**15.6**	**141**	**3**	**7**	**14**	**21**	**31**	**37**	**62**	**21**	**16.2**	**465**	**2**	**4**	**10**	**18**	**41**	**73**	**92**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	32.0	543	6	14	39	48	51	51	51										
13-17																				
18-24	2	6.0	50	1	1	5	11	11	11	11	1	44.0		44	44	44	44	44	44	44
25-34	8	14.5	49	6	8	14	21	22	22	22	3	8.3	2	7	7	9	9	9	9	9
35-54	11	10.5	36	4	6	9	14	20	21	21	6	15.8	108	6	7	20	29	86	99 +	99 +
55-74	12	17.4	139	6	8	12	27	37	37	37	4	18.3	238	3	6	29	50	99 +	99 +	99 +
75 +	14	16.5	70	8	10	14	20	28	34	36	1	10.0		10	10	10	10	10	10	10
ALL AGES	50	15.6	114	6	8	12	21	32	37	51	15	16.5	161	6	7	10	[illegible]	89	99 +	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	18.0		18	18	18	18	18	18	18										
25-34	3	3.7	6	[illegible]	2	4	5	6	6	6	2	5.0	8	3	3	5	7	7	7	7
35-54	1	7.0		7	7	7	7	7	7	7	3	11.0	48	7	7	7	16	19	19	19
55-74	21	16.3	111	5	9	14	22	31	38	45	4	5.8	32	1	2	4	9	14	14	14
75 +	18	17.3	96	5	7	18	25	26	35	40	3	33.7	453	9	18	46	46	46	46	46
ALL AGES	44	15.7	102	4	7	15	23	27	35	45	12	13.9	249	2	4	7	16	46	46	46
SUBTOTAL	**94**	**15.6**	**109**	**5**	**7**	**13**	**22**	**29**	**37**	**48**	**27**	**15.3**	**195**	**3**	**7**	**9**	**29**	**46**	**99 +**	**99 +**
GRAND TOTAL	**242**	**15.6**	**128**	**4**	**7**	**13**	**21**	**31**	**37**	**52**	**48**	**15.7**	**306**	**3**	**5**	**9**	**20**	**46**	**92**	**99 +**

ORGANIC BRAIN SYND NOS (294.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	7	11.6	48	6	8	9	14	24	26	26	1	20.0		20	20	20	20	20	20	20
25-34	8	11.1	50	5	6	8	17	22	22	22										
35-54	18	13.8	135	1	5	9	19	34	38	39	2	4.5	1	4	4	4	5	5	5	5
55-74	35	15.8	255	3	6	11	19	29	59	73	6	22.0	897	7	9	10	13	76	83	83
75 +	29	17.0	200	4	8	15	21	28	38	75	4	9.0	1	8	8	9	10	10	10	10
ALL AGES	97	15.1	183	3	6	11	20	28	38	74	13	15.2	425	5	8	9	11	33	73	83
B. FEMALE																				
0-12 YRS.											1	17.0		17	17	17	17	17	17	17
13-17	1	19.0		19	19	19	19	19	19	19										
18-24	3	7.7	10	4	5	9	10	10	10	10	1	20.0		20	20	20	20	20	20	20
25-34	7	10.9	71	2	6	7	17	24	25	25										
35-54	15	14.9	207	2	5	9	18	42	46	48	2	12.5	5	11	11	12	14	14	14	14
55-74	53	13.6	111	3	7	12	17	22	27	57	6	6.3	12	2	3	7	8	11	11	11
75 +	51	15.5	77	6	9	14	19	26	30	50	4	12.3	45	6	6	11	18	20	20	20
ALL AGES	130	14.3	102	4	8	12	19	25	32	56	14	10.6	36	3	7	9	16	20	20	20
SUBTOTAL	**227**	**14.6**	**137**	**4**	**7**	**11**	**19**	**26**	**36**	**66**	**27**	**12.8**	**222**	**4**	**7**	**9**	**14**	**20**	**30**	**83**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	7.3	49	1	1	6	13	16	16	16										
18-24	3	8.7	51	4	4	5	14	17	17	17										
25-34	7	27.3	810	1	3	20	48	71	76	76	1	5.0		5	5	5	5	5	5	5
35-54	14	7.3	18	1	2	8	11	12	13	13										
55-74	23	25.5	410	8	11	17	34	59	67	77	3	40.3	1126	7	15	40	65	74	74	74
75 +	17	13.8	64	2	9	13	20	23	27	29	4	29.3	1541	6	7	11	51	88	88	88
ALL AGES	68	17.2	297	2	7	12	20	40	58	77	8	30.4	1116	5	6	11	57	84	88	88
B. FEMALE																				
0-12 YRS.	1	24.0		24	24	24	24	24	24	24										
13-17																				
18-24	2	17.5	5	16	16	17	19	19	19	19										
25-34	4	23.8	996	2	3	11	44	70	70	70										
35-54	8	13.3	48	4	8	13	17	23	25	25	2	8.5	1	8	8	8	9	9	9	9
55-74	25	16.4	172	3	6	14	24	35	47	51	3	6.7	5	4	5	8	8	8	8	8
75 +	17	18.1	129	7	10	15	24	29	44	52	2	20.0	128	12	12	20	28	28	28	28
ALL AGES	57	17.1	179	4	8	16	24	29	49	69	7	11.0	62	5	8	8	11	25	28	28
SUBTOTAL	**125**	**17.2**	**240**	**2**	**7**	**13**	**21**	**35**	**54**	**76**	**15**	**21.3**	**687**	**5**	**7**	**9**	**24**	**74**	**84**	**88**
GRAND TOTAL	**352**	**15.5**	**175**	**3**	**7**	**12**	**19**	**28**	**43**	**73**	**42**	**15.9**	**390**	**5**	**7**	**9**	**14**	**32**	**78**	**88**

SIMPLE SCHIZOPHRENIA (295.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	12.0	2	11	11	13	78	99+	99+	99+										
25-34	3	12.7	205	2	3	7	23	29	29	29	2	9.5	13	7	7	9	12	12	12	12
35-54	3	9.3	31	4	5	9	13	15	15	15										
55-74	2	24.5	613	7	7	24	42	42	42	42										
75 +											1	16.0		16	16	16	16	16	16	16
ALL AGES	10	13.9	154	3	7	11	25	65	97	99+	3	11.7	19	7	8	12	15	16	16	16
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	22.0	2	21	21	22	23	23	23	23										
35-54	6	20.2	119	4	14	21	30	32	32	32	2	2.0	2	1	1	2	3	3	3	3
55-74	2	28.5	841	8	8	28	49	49	49	49										
75 +	6	9.0	17	4	4	10	13	13	13	13										
ALL AGES	16	17.3	151	4	8	14	24	32	44	49	2	2.0	2	1	1	2	3	3	3	3
SUBTOTAL	**26**	**16.0**	**149**	**4**	**7**	**13**	**24**	**40**	**57**	**99+**	**5**	**7.8**	**39**	**1**	**2**	**7**	**13**	**16**	**16**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	3	9.7	53	4	5	7	15	18	18	18										
35-54	1	7.0		7	7	7	7	7	7	7										
55-74											1	5.0		5	5	5	5	5	5	5
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	5	8.2	32	4	5	7	10	18	18	18	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	14.0		14	14	14	14	14	14	14										
25-34																				
35-54	2	12.5	13	10	10	12	15	15	15	15	1	34.0		34	34	34	34	34	34	34
55-74	1	8.0		8	8	8	8	8	8	8										
75 +	2	20.5	41	16	16	20	25	25	25	25										
ALL AGES	6	14.7	34	8	10	14	16	24	25	25	1	34.0		34	34	34	34	34	34	34
SUBTOTAL	**11**	**11.7**	**42**	**5**	**7**	**10**	**16**	**21**	**25**	**25**	**2**	**19.5**	**421**	**5**	**5**	**19**	**34**	**34**	**34**	**34**
GRAND TOTAL	**37**	**14.7**	**120**	**4**	**7**	**13**	**21**	**31**	**46**	**99+**	**7**	**11.1**	**130**	**1**	**3**	**7**	**15**	**30**	**34**	**34**

HEBEPHRENIA (295.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	25.0		25	25	25	25	25	25	25
13-17	1	4.0		4	4	4	4	4	4	4	2	33.0	1682	4	4	33	62	62	62	62
18-24	9	18.7	249	2	5	22	27	43	47	47	4	13.8	40	5	9	15	18	20	20	20
25-34	25	14.8	102	1	7	14	21	26	35	40	15	16.5	225	4	6	14	19	44	53	56
35-54	25	16.1	146	6	8	14	18	32	47	50	5	12.4	92	2	3	14	21	23	23	23
55-74	8	18.5	73	10	12	15	26	31	32	32	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	68	16.1	129	4	7	14	22	32	41	49	28	16.4	230	3	5	14	20	38	57	62
B. FEMALE																				
0-12 YRS.																				
13-17	2	35.0	98	28	28	35	42	42	42	42										
18-24	7	18.0	119	7	11	13	28	34	35	35										
25-34	29	14.1	252	4	6	11	21	81	99 +	99 +	8	12.6	43	3	8	13	17	21	21	21
35-54	28	22.1	374	7	10	16	24	47	71	89	2	8.5	61	3	3	8	14	14	14	14
55-74	10	27.6	413	8	11	21	40	60	62	62	1	16.0		16	16	16	16	16	16	16
75 +	2	17.0	32	13	13	17	21	21	21	21										
ALL AGES	78	19.6	313	5	8	14	26	59	80	99 +	11	12.2	39	3	6	14	– 16	20	21	21
SUBTOTAL	**146**	**18.0**	**228**	**5**	**8**	**14**	**22**	**40**	**60**	**99 +**	**39**	**15.2**	**178**	**3**	**5**	**14**	**20**	**24**	**51**	**62**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	13.0		13	13	13	13	13	13	13										
13-17	1	24.0		24	24	24	24	24	24	24										
18-24	4	8.3	42	1	4	11	37	99 +	99 +	99 +	1	12.0		12	12	12	12	12	12	12
25-34	19	13.9	112	4	6	11	18	25	38	47	1	20.0		20	20	20	20	20	20	20
35-54	13	11.6	57	4	7	10	13	26	27	27	3	14.3	107	3	10	20	61	99 +	99 +	99 +
55-74																				
75 +																				
ALL AGES	38	12.8	82	4	7	11	17	26	38	99 +	5	15.0	62	4	12	18	23	92	99 +	99 +
B. FEMALE																				
0-12 YRS.																				
13-17	2	38.5	613	21	21	38	56	56	56	56										
18-24	5	20.4	410	6	7	13	29	55	55	55										
25-34	4	22.3	30	15	18	22	26	29	29	29	2	16.0	338	3	3	16	29	29	29	29
35-54	12	12.6	99	4	5	8	19	29	32	33	3	13.7	1	12	12	14	15	15	15	15
55-74	3	10.7	8	3	8	10	13	14	14	14										
75 +	1	22.0		22	22	22	22	22	22	22										
ALL AGES	27	17.5	190	5	7	14	22	32	55	56	5	14.6	87	3	10	14	18	29	29	29
SUBTOTAL	**65**	**14.8**	**129**	**5**	**7**	**12**	**22**	**27**	**49**	**93**	**10**	**14.8**	**66**	**3**	**12**	**15**	**22**	**57**	**96**	**99 +**
GRAND TOTAL	**211**	**17.0**	**199**	**5**	**7**	**13**	**22**	**35**	**56**	**99 +**	**49**	**15.1**	**154**	**3**	**5**	**14**	**20**	**27**	**56**	**99 +**

CATATONIC SCHIZOPHRENIA (295.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	11.0		11	11	11	11	11	11	11										
18-24	14	18.4	198	1	7	18	29	40	43	44	3	10.7	56	2	5	14	15	16	16	16
25-34	22	16.5	88	4	7	18	25	29	30	32	3	6.3	17	4	4	4	9	11	11	11
35-54	26	12.5	87	2	5	12	16	28	29	32	3	3.3	7	1	1	3	5	6	6	6
55-74	5	11.0	187	2	3	7	15	35	35	35	2	3.5	5	2	2	3	5	5	5	5
75 +	1	10.0		10	10	10	10	10	10	10	2	5.5	5	4	4	5	7	7	7	7
ALL AGES	69	14.8	115	2	6	13	22	29	32	43	13	6.1	22	2	3	4	8	14	16	16
B. FEMALE																				
0-12 YRS.																				
13-17	2	16.5	181	7	7	16	26	26	26	26										
18-24	6	17.3	109	9	10	18	32	87	99 +	99 +	1	43.0		43	43	43	43	43	43	43
25-34	19	22.1	240	6	11	18	27	46	57	64	1	3.0		3	3	3	3	3	3	3
35-54	33	15.1	116	4	7	13	20	28	31	57	4	3.8	3	1	2	4	5	5	5	5
55-74	23	23.0	271	5	8	21	34	48	54	61	1	9.0		9	9	9	9	9	9	9
75 +	2	14.0	200	4	4	14	24	24	24	24										
ALL AGES	85	18.9	193	6	8	17	24	40	52	87	7	10.0	218	1	3	5	8	36	43	43
SUBTOTAL	**154**	**17.1**	**160**	**3**	**7**	**14**	**24**	**35**	**43**	**64**	**20**	**7.5**	**86**	**1**	**3**	**5**	**8**	**15**	**29**	**43**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	20.0		20	20	20	20	20	20	20
18-24	7	14.0	86	6	9	11	16	30	33	33	2	12.5	181	3	3	12	22	22	22	22
25-34	8	16.3	137	2	7	15	26	33	33	33	2	24.0	392	10	10	24	38	38	38	38
35-54	7	19.4	87	7	12	21	27	31	31	31	3	13.0	127	6	6	7	21	26	26	26
55-74	5	11.6	243	1	2	7	16	39	39	39										
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES	27	15.6	123	3	7	12	22	33	34	39	9	15.6	134	4	7	10	23	33	38	38
B. FEMALE																				
0-12 YRS.																				
13-17	1	91.0		91	91	91	91	91	91	91										
18-24	2	10.5	1	10	10	10	11	11	11	11										
25-34	7	24.0	224	11	14	23	42	86	99 +	99 +										
35-54	12	11.4	97	1	2	11	15	27	30	31	1	28.0		28	28	28	28	28	28	28
55-74	10	22.3	177	4	8	23	35	39	40	40	4	12.3	173	2	3	8	21	31	31	31
75 +	3	11.7	159	2	3	7	21	26	26	26	3	3.3	1	3	3	3	4	4	4	4
ALL AGES	35	19.3	317	2	7	15	27	40	80	99 +	8	10.9	142	2	3	4	20	30	31	31
SUBTOTAL	**62**	**17.7**	**232**	**3**	**7**	**14**	**26**	**36**	**45**	**99**	**17**	**13.4**	**135**	**3**	**4**	**8**	**23**	**30**	**36**	**38**
GRAND TOTAL	**216**	**17.3**	**179**	**3**	**7**	**14**	**25**	**35**	**43**	**94**	**37**	**10.2**	**114**	**2**	**3**	**5**	**12**	**28**	**36**	**43**

PARANOID SCHIZOPHRENIA (295.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	35TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3	2	11.0	200	1	1	11	21	21	21	21
13-17	19	15.6	128	3	6	14	25	37	70	99 +	3	16.3	67	7	14	21	61	99 +	99 +	99 +
18-24	334	18.7	283	3	7	14	24	44	56	92	59	11.3	99	1	4	9	15	23	37	43
25-34	1052	15.3	181	3	6	11	20	32	44	73	209	12.5	166	2	4	8	16	28	46	99 +
35-54	1019	15.0	145	4	7	12	20	31	39	58	177	13.9	217	2	4	9	19	29	49	88
55-74	175	16.6	167	4	8	14	21	31	39	72	22	9.9	99	1	4	6	14	22	33	42
75 +	18	15.8	186	2	6	12	27	31	46	54	3	4.3	18	1	1	3	7	9	9	9
ALL AGES	2618	15.7	180	3	7	12	21	33	44	74	475	12.7	173	2	4	9	17	28	45	99 +
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
13-17	10	17.5	134	3	6	16	29	33	36	36	1	1.0		1	1	1	1	1	1	1
18-24	118	17.8	181	4	9	15	24	35	56	99 +	18	13.1	156	3	6	9	14	36	45	48
25-34	598	15.9	176	4	7	13	20	33	43	69	78	10.8	124	2	4	7	13	25	36	52
35-54	954	16.2	163	4	7	13	22	33	42	69	126	12.9	106	3	6	10	18	26	29	74
55-74	535	18.6	192	5	9	15	25	39	49	85	59	12.9	142	1	3	8	20	30	39	46
75 +	46	23.3	321	4	9	20	34	47	77	99 +	6	18.7	80	4	16	20	24	28	29	29
ALL AGES	2262	16.9	180	4	8	14	22	34	46	77	289	12.4	120	2	4	8	17	27	38	52
SUBTOTAL	**4880**	**16.3**	**179**	**4**	**7**	**13**	**21**	**34**	**45**	**75**	**764**	**12.6**	**153**	**2**	**4**	**9**	**17**	**28**	**42**	**78**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	12	24.3	194	10	16	23	45	99 +	99 +	99 +	4	4.5	14	2	2	3	7	10	10	10
18-24	158	16.3	151	3	8	13	23	34	39	97	23	13.8	134	3	6	11	21	36	64	99 +
25-34	588	13.7	123	3	6	11	18	27	35	54	54	11.3	95	2	4	9	14	22	30	49
35-54	509	14.1	167	3	6	10	18	31	41	73	57	14.6	249	2	6	11	18	46	73	99 +
55-74	68	17.5	142	4	10	16	22	38	45	92	9	12.9	131	3	5	7	22	31	32	32
75 +	6	26.2	272	9	14	23	33	53	55	55										
ALL AGES	1341	14.5	147	3	6	12	19	31	40	70	147	12.9	161	2	5	10	17	29	50	99 +
B. FEMALE																				
0-12 YRS.																				
13-17	6	38.2	1295	5	17	21	69	93	96	96										
18-24	59	19.3	306	3	7	13	31	50	63	97	6	11.7	183	2	2	7	13	35	38	38
25-34	215	16.6	245	4	7	12	20	34	45	90	10	8.3	46	1	3	6	14	19	21	21
35-54	286	14.7	109	4	7	13	20	27	37	55	35	13.8	119	4	6	12	19	25	36	54
55-74	147	16.1	118	6	8	14	21	30	41	71	14	13.8	219	1	4	8	22	43	44	44
75 +	18	21.1	203	7	10	15	31	43	48	50	6	11.3	84	4	5	6	23	23	23	23
ALL AGES	731	16.3	181	4	7	13	21	32	44	75	71	12.6	128	3	4	9	17	26	39	52
SUBTOTAL	**2072**	**15.1**	**161**	**3**	**7**	**12**	**20**	**31**	**41**	**70**	**218**	**12.8**	**150**	**2**	**5**	**9**	**17**	**28**	**43**	**99 +**
GRAND TOTAL	**6952**	**15.9**	**175**	**4**	**7**	**13**	**21**	**33**	**44**	**74**	**982**	**12.7**	**150**	**2**	**4**	**9**	**17**	**28**	**42**	**91**

AC SCHIZOPHRENIC EPISODE (295.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	44.7	237	32	34	40	56	62	62	62	1	22.0		22	22	22	22	22	22	22
13-17	9	28.7	236	12	19	30	42	79	99 +	99 +	2	12.5	13	10	10	12	15	15	15	15
18-24	26	12.1	51	4	7	11	15	24	28	30	4	18.8	68	9	12	19	25	28	28	28
25-34	28	15.8	120	2	6	14	25	29	31	43	9	15.4	262	4	6	9	18	44	49	49
35-54	22	10.7	173	3	4	7	14	18	37	65	5	3.4	5	1	1	4	5	6	6	6
55-74	3	22.0	448	6	8	14	38	46	46	46										
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	92	15.8	183	3	6	13	22	33	46	85	21	13.2	154	2	5	9	17	32	42	49
B. FEMALE																				
0-12 YRS.																				
13-17	11	20.6	290	6	10	16	33	73	96	99 +	1	32.0		32	32	32	32	32	32	32
18-24	22	16.3	108	5	9	16	20	27	38	48	1	8.0		8	8	8	8	8	8	8
25-34	19	23.4	484	7	12	16	24	61	81	88	5	9.6	153	1	1	2	18	29	29	29
35-54	33	13.3	180	3	5	9	19	25	37	70	13	11.8	182	1	3	7	15	28	46	50
55-74	11	20.1	155	6	10	20	27	37	45	46	2	6.5	25	3	3	6	10	10	10	10
75 +											3	5.7	2	4	4	6	7	7	7	7
ALL AGES	96	17.6	238	3	8	14	22	33	57	94	25	10.9	142	1	5	7	14	29	36	50
SUBTOTAL	**188**	**16.7**	**212**	**3**	**7**	**13**	**22**	**33**	**48**	**95**	**46**	**12.0**	**144**	**1**	**4**	**8**	**15**	**29**	**39**	**50**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	7.0		7	7	7	7	7	7	7										
13-17	5	11.4	117	2	3	8	19	28	28	28	3	13.7	311	2	3	5	27	34	34	34
18-24	24	15.7	97	5	8	14	22	29	36	40	5	10.6	94	2	4	9	14	27	27	27
25-34	18	18.7	305	4	5	16	26	33	59	75	3	8.0	52	2	3	6	13	16	16	16
35-54	9	14.6	67	5	7	14	19	27	30	30	4	12.0	157	1	4	8	19	30	30	30
55-74	1	19.0		19	19	19	19	19	19	19										
75 +																				
ALL AGES	58	16.0	154	4	6	14	22	28	35	72	15	11.1	116	2	3	8	14	30	33	34
B. FEMALE																				
0-12 YRS.	1	45.0		45	45	45	45	45	45	45										
13-17																				
18-24	9	28.3	822	7	10	18	35	74	99	99 +	1	7.0		7	7	7	7	7	7	7
25-34	15	19.9	257	3	9	18	29	41	54	59	1	6.0		6	6	6	6	6	6	6
35-54	13	14.1	77	6	9	14	15	25	36	39	4	18.8	140	9	11	15	26	36	36	36
55-74	4	14.8	54	7	8	14	21	23	23	23	2	6.5	1	6	6	6	7	7	7	7
75 +																				
ALL AGES	42	20.0	319	5	9	14	26	40	51	99	8	12.6	105	6	6	8	15	30	36	36
SUBTOTAL	**100**	**17.7**	**224**	**4**	**7**	**14**	**23**	**34**	**40**	**87**	**23**	**11.6**	**108**	**2**	**5**	**8**	**15**	**31**	**35**	**36**
GRAND TOTAL	**288**	**17.1**	**214**	**4**	**7**	**14**	**23**	**34**	**46**	**95**	**69**	**11.8**	**132**	**1**	**4**	**8**	**15**	**30**	**36**	**50**

TOTAL U.S., JANUARY-DECEMBER 1989

LATENT SCHIZOPHRENIA (295.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	1	8.0		8	8	8	8	8	8	8	1	12.0		12	12	12	12	12	12	12
35-54	2	15.5	61	10	10	15	21	21	21	21										
55-74	1	18.0		18	18	18	18	18	18	18										
75 +																				
ALL AGES	5	11.6	64	1	6	10	19	21	21	21	1	12.0		12	12	12	12	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	17.0		17	17	17	17	17	17	17										
35-54	1	18.0		18	18	18	18	18	18	18	1	23.0		23	23	23	23	23	23	23
55-74	1	2.0		2	2	2	2	2	2	2	1	32.0		32	32	32	32	32	32	32
75 +																				
ALL AGES	3	12.3	82	2	6	17	18	18	18	18	2	27.5	41	23	23	27	32	32	32	32
SUBTOTAL	**8**	**11.9**	**59**	**1**	**5**	**13**	**18**	**20**	**21**	**21**	**3**	**22.3**	**103**	**12**	**15**	**23**	**30**	**32**	**32**	**32**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	11.0		11	11	11	11	11	11	11										
13-17																				
18-24	1	14.0		14	14	14	14	14	14	14										
25-34	1	8.0		8	8	8	8	8	8	8										
35-54	1	12.0		12	12	12	12	12	12	12										
55-74																				
75 +																				
ALL AGES	4	11.3	5	8	9	11	13	14	14	14										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	3	13.3	144	5	6	8	22	27	27	27										
25-34	5	5.0	33	1	2	3	7	15	15	15	1	3.0		3	3	3	3	3	3	3
35-54	1	7.0		7	7	7	7	7	7	7										
55-74																				
75 +																				
ALL AGES	9	8.0	68	1	3	5	10	22	27	27	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**13**	**9.0**	**50**	**2**	**4**	**8**	**12**	**17**	**25**	**27**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**21**	**10.1**	**53**	**2**	**4**	**8**	**15**	**19**	**24**	**27**	**4**	**17.5**	**160**	**3**	**7**	**17**	**27**	**32**	**32**	**32**

RESIDUAL SCHIZOPHRENIA (295.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	10.0	31	5	6	9	14	16	16	16										
13-17	8	14.5	89	5	8	17	22	73	99 +	99 +	4	13.3	320	3	3	5	23	40	40	40
18-24	158	18.1	232	4	7	15	25	39	59	99 +	16	10.5	75	1	4	8	17	20	28	32
25-34	497	14.9	133	3	6	12	21	31	39	51	73	11.2	101	2	4	7	16	25	30	48
35-54	493	16.0	179	4	6	12	22	35	44	69	52	8.7	73	1	3	5	13	21	25	40
55-74	90	15.9	188	4	8	12	19	32	43	78	13	9.5	145	1	2	6	15	24	40	44
75 +	5	17.2	169	2	5	19	28	32	32	32	1	10.0		10	10	10	10	10	10	10
ALL AGES	1254	15.8	168	3	7	13	21	33	43	73	159	10.2	96	1	3	7	15	22	30	44
B. FEMALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-17	6	39.0	1202	3	5	36	67	85	87	87	1	4.0		4	4	4	4	4	4	4
18-24	58	14.2	119	2	5	11	22	31	38	95	10	8.6	54	2	5	6	11	20	27	27
25-34	292	16.9	215	3	7	14	21	37	52	72	36	15.7	184	3	4	12	27	33	42	57
35-54	475	17.2	192	3	7	14	23	35	45	70	45	11.8	121	2	5	7	15	28	36	51
55-74	255	17.3	142	5	9	14	23	34	38	61	27	10.7	35	2	5	12	15	18	20	21
75 +	29	18.8	192	6	8	14	29	37	45	61	2	47.5	265	36	36	47	59	59	59	59
ALL AGES	1116	17.1	191	4	7	14	23	35	45	69	121	13.0	137	2	5	10	17	28	36	58
SUBTOTAL	**2370**	**16.4**	**179**	**3**	**7**	**13**	**22**	**34**	**44**	**70**	**280**	**11.4**	**115**	**2**	**3**	**7**	**16**	**27**	**32**	**51**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	27.8	351	3	20	34	61	99 +	99 +	99 +	1	5.0		5	5	5	5	5	5	5
18-24	75	17.2	222	3	7	14	21	42	50	96	7	20.6	97	4	18	21	27	31	32	32
25-34	258	13.0	114	3	5	10	17	28	34	49	26	16.3	184	2	4	16	22	31	46	56
35-54	235	14.8	122	4	7	13	21	32	37	75	17	13.1	85	2	6	11	17	26	32	34
55-74	49	20.6	210	6	12	15	28	44	49	63	2	3.5	1	3	3	3	4	4	4	4
75 +	4	17.8	160	7	7	16	28	32	32	32										
ALL AGES	625	14.9	144	3	6	12	20	32	40	66	53	15.2	137	2	5	15	22	30	34	56
B. FEMALE																				
0-12 YRS.																				
13-17	1	7.0		7	7	7	7	7	7	7	2	2.0		2	2	2	2	2	2	2
18-24	35	16.7	383	2	5	11	22	33	58	98	9	16.0	123	7	9	11	24	34	38	38
25-34	148	14.5	152	3	6	11	20	28	42	66	8	16.6	133	5	9	11	26	34	35	35
35-54	162	14.1	105	4	7	12	18	27	34	53	15	10.9	150	2	3	7	12	33	42	45
55-74	77	20.9	166	8	13	19	26	40	45	95	13	18.2	460	2	5	10	23	54	70	74
75 +	11	22.2	116	8	16	25	31	58	94	99 +										
ALL AGES	434	15.8	161	4	7	13	21	30	42	85	47	14.5	223	2	5	9	20	35	46	74
SUBTOTAL	**1059**	**15.3**	**150**	**3**	**7**	**13**	**21**	**31**	**41**	**70**	**100**	**14.8**	**178**	**2**	**5**	**11**	**21**	**32**	**40**	**65**
GRAND TOTAL	**3429**	**16.1**	**169**	**3**	**7**	**13**	**22**	**34**	**43**	**70**	**380**	**12.3**	**133**	**2**	**4**	**9**	**17**	**28**	**35**	**54**

SCHIZOAFFECTIVE TYPE (295.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	50.0	128	42	42	50	58	58	58	58										
13-17	32	20.7	270	6	10	15	32	45	70	99 +										
18-24	209	18.9	264	4	7	14	27	43	49	88	27	13.7	134	1	4	13	18	22	37	56
25-34	543	17.7	196	5	8	14	23	35	45	76	56	12.3	134	2	4	9	18	31	45	96
35-54	548	17.9	167	5	9	14	23	36	46	58	58	15.0	182	2	5	12	20	36	41	65
55-74	110	19.8	173	5	11	17	27	35	46	65	11	17.5	509	2	7	12	18	46	80	83
75 +	6	26.7	13	22	23	26	30	32	32	32	2	26.0	8	24	24	26	28	28	28	28
ALL AGES	1450	18.3	194	5	8	14	24	37	47	73	154	14.1	177	2	5	11	19	31	43	82
B. FEMALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5										
13-17	26	19.2	141	3	11	19	28	35	60	99 +	3	17.0	144	5	8	17	26	29	29	29
18-24	176	19.0	266	4	7	14	27	43	60	99 +	14	13.1	101	4	5	9	20	30	31	31
25-34	615	18.2	198	5	8	14	24	36	47	81	64	14.6	146	3	5	10	22	32	36	51
35-54	1060	17.7	206	5	8	14	23	35	47	81	99	15.6	163	4	8	13	20	30	41	67
55-74	427	19.1	164	6	10	15	27	36	45	64	31	14.8	71	5	8	14	19	28	39	99 +
75 +	28	25.5	355	6	12	18	36	50	62	75	4	12.0	135	2	3	9	20	28	28	28
ALL AGES	2333	18.3	202	5	8	14	24	36	48	80	215	15.0	137	4	6	12	20	31	39	66
SUBTOTAL	**3783**	**18.3**	**199**	**5**	**8**	**14**	**24**	**36**	**48**	**76**	**369**	**14.6**	**154**	**3**	**5**	**12**	**20**	**31**	**40**	**67**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	26.8	242	2	19	27	40	40	40	40	1	27.0		27	27	27	27	27	27	27
13-17	14	24.3	381	5	12	20	30	80	95	99 +										
18-24	145	21.2	399	3	7	15	30	47	72	97	20	18.0	136	3	9	16	25	33	43	47
25-34	460	15.6	154	4	7	13	21	30	41	60	48	14.5	103	3	8	13	19	31	37	99 +
35-54	407	16.1	165	4	7	12	21	32	42	73	28	18.1	242	3	7	13	27	46	66	99 +
55-74	43	20.7	136	8	12	20	26	33	46	58	3	16.0	43	9	11	17	21	22	22	22
75 +	3	28.3	124	17	20	29	36	39	39	39										
ALL AGES	1077	16.9	199	4	7	13	22	34	44	78	100	16.3	149	3	8	14	23	36	47	99 +
B. FEMALE																				
0-12 YRS.	3	24.7	12	22	22	23	27	29	29	29	2	20.0	242	9	9	20	31	31	31	31
13-17	27	28.9	420	6	10	24	50	60	78	99 +	1	10.0		10	10	10	10	10	10	10
18-24	145	20.0	346	4	7	15	26	42	68	99 +	16	15.9	195	3	5	10	27	34	44	48
25-34	480	16.9	184	4	7	13	22	35	44	76	30	12.4	140	4	5	7	14	28	37	57
35-54	568	16.3	182	4	7	13	21	35	42	67	57	18.3	197	3	9	15	24	35	43	65
55-74	176	20.4	160	6	11	18	28	39	43	60	15	13.6	97	4	6	12	17	26	35	38
75 +	14	29.2	351	9	16	27	36	66	68	68	2	9.0	98	2	2	9	16	16	16	16
ALL AGES	1413	17.8	207	4	8	14	24	37	46	79	123	15.8	169	3	5	12	21	34	39	63
SUBTOTAL	**2490**	**17.4**	**204**	**4**	**7**	**14**	**23**	**36**	**45**	**78**	**223**	**16.0**	**160**	**3**	**6**	**13**	**23**	**34**	**43**	**74**
GRAND TOTAL	**6273**	**17.9**	**203**	**5**	**8**	**14**	**24**	**36**	**47**	**77**	**592**	**15.2**	**154**	**3**	**6**	**12**	**21**	**33**	**40**	**67**

SCHIZOPHRENIA NEC (295.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	32.0		32	32	32	32	32	32	32										
18-24	13	13.0	164	4	7	10	12	34	46	49	1	27.0		27	27	27	27	27	27	27
25-34	31	11.2	132	2	3	8	16	32	48	99 +	2	1.5	1	1	1	1	2	2	2	2
35-54	30	10.9	82	2	5	7	19	23	27	39	3	6.0	16	2	3	6	9	10	10	10
55-74	7	35.3	973	5	9	30	51	85	93	93	2	11.5	113	4	4	11	19	19	19	19
75 +																				
ALL AGES	82	13.7	224	2	5	8	19	33	49	98	8	8.9	88	1	2	5	14	25	27	27
B. FEMALE																				
0-12 YRS.																				
13-17	2	15.0	50	10	10	15	20	20	20	20										
18-24	16	15.9	317	2	3	10	21	39	57	65	1	1.0		1	1	1	1	1	1	1
25-34	24	13.9	126	3	6	11	17	32	39	45	2	15.0	392	1	1	15	29	29	29	29
35-54	53	16.1	293	2	6	12	21	27	42	95	5	4.0	18	1	1	2	6	11	11	11
55-74	22	13.6	87	3	7	11	22	26	32	36	4	6.0	10	3	3	5	8	10	10	10
75 +	3	10.3	42	3	5	13	14	15	15	15	1	2.0		2	2	2	2	2	2	2
ALL AGES	120	15.0	211	3	6	12	20	30	38	84	13	5.9	60	1	1	3	8	15	26	29
SUBTOTAL	**202**	**14.5**	**215**	**3**	**5**	**10**	**19**	**31**	**42**	**94**	**21**	**7.0**	**70**	**1**	**2**	**4**	**10**	**22**	**28**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	13	25.5	532	4	11	15	36	61	76	79										
25-34	13	20.9	427	5	8	16	41	99 +	99 +	99 +	1	1.0		1	1	1	1	1	1	1
35-54	18	11.7	44	4	8	11	14	21	26	29	5	14.2	139	2	6	14	19	33	33	33
55-74	6	16.3	125	9	10	12	18	36	38	38										
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	50	18.2	296	5	8	13	22	52	79	99 +	7	11.0	124	1	3	7	15	29	33	33
B. FEMALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5										
13-17	2	17.0	32	13	13	17	21	21	21	21										
18-24	6	19.3	622	3	4	11	17	64	69	69										
25-34	16	15.4	76	3	8	16	22	27	28	29	1	3.0		3	3	3	3	3	3	3
35-54	16	12.4	88	2	7	10	15	28	34	36	5	5.2	46	1	1	2	8	17	17	17
55-74	9	14.1	31	5	11	14	19	20	20	20										
75 +											2	5.0	8	3	3	5	7	7	7	7
ALL AGES	50	14.5	127	3	7	13	19	26	29	69	8	4.9	28	1	2	3	6	14	17	17
SUBTOTAL	**100**	**16.4**	**211**	**4**	**7**	**13**	**20**	**35**	**62**	**99 +**	**15**	**7.7**	**78**	**1**	**2**	**5**	**12**	**17**	**29**	**33**
GRAND TOTAL	**302**	**15.1**	**215**	**3**	**6**	**12**	**19**	**32**	**46**	**97**	**36**	**7.3**	**71**	**1**	**2**	**4**	**10**	**19**	**28**	**33**

SCHIZOPHRENIA NOS (295.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	9	39.7	314	19	26	44	59	84	99 +	99 +	1	2.0		2	2	2	2	2	2	2
13-17	29	24.8	426	7	12	17	36	62	84	99 +	2	8.5	5	7	7	8	10	10	10	10
18-24	174	18.1	279	3	7	13	23	42	55	79	32	12.7	129	1	4	9	18	28	35	49
25-34	315	14.7	137	3	6	11	19	30	40	50	72	13.4	148	1	4	10	18	29	42	52
35-54	238	15.5	163	3	6	13	21	34	43	75	70	12.3	86	2	5	11	19	25	34	87
55-74	54	16.6	134	4	6	15	23	36	44	97	11	8.2	29	2	4	7	14	43	92	99 +
75 +	3	26.0	559	1	7	29	43	48	48	48	2	9.0	128	1	1	9	17	17	17	17
ALL AGES	822	16.4	198	3	7	13	21	35	48	78	190	12.4	113	1	4	10	18	27	37	80
B. FEMALE																				
0-12 YRS.	7	45.4	861	9	20	53	70	81	83	83										
13-17	30	18.9	174	3	9	18	28	34	49	53	3	9.3	45	2	4	11	14	15	15	15
18-24	94	17.4	212	5	7	12	24	44	53	99 +	16	6.3	26	1	3	5	10	14	16	17
25-34	187	18.0	184	4	8	15	25	37	46	73	31	12.5	73	3	6	11	17	24	33	34
35-54	306	16.5	183	4	7	13	21	33	48	81	66	14.5	213	3	6	11	19	29	39	99 +
55-74	139	17.9	171	5	8	15	24	35	42	68	37	12.6	116	3	4	9	18	27	38	43
75 +	16	15.3	90	7	9	14	19	27	37	41	1	1.0		1	1	1	1	1	1	1
ALL AGES	779	17.6	192	4	8	14	23	36	48	79	154	12.6	142	2	5	9	17	27	34	96
SUBTOTAL	**1601**	**17.0**	**195**	**4**	**7**	**14**	**22**	**35**	**48**	**78**	**344**	**12.5**	**125**	**2**	**4**	**10**	**18**	**27**	**35**	**99**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	76.0	541	51	58	80	93	97	97	97										
13-17	26	20.1	273	5	7	19	27	42	84	99 +	1	67.0		67	67	67	67	67	67	67
18-24	94	19.8	210	5	8	15	29	41	53	81	17	19.0	220	3	7	20	25	46	50	50
25-34	164	12.5	105	2	5	10	18	24	32	48	41	12.3	125	2	6	8	16	25	29	62
35-54	100	14.0	145	3	6	13	16	26	40	64	33	10.8	88	2	4	9	14	24	33	40
55-74	19	18.5	186	3	7	18	29	38	45	48	9	20.7	141	7	12	19	26	39	45	45
75 +											2	9.5	25	6	6	9	13	13	13	13
ALL AGES	406	15.8	191	3	6	13	21	35	42	80	103	14.1	164	2	6	12	20	28	42	64
B. FEMALE																				
0-12 YRS.	1	18.0		18	18	18	18	18	18	18										
13-17	14	26.9	377	10	13	18	43	59	60	60	4	6.8	13	3	3	7	10	10	10	10
18-24	41	21.2	397	5	7	15	32	51	82	99 +	3	15.0	49	8	10	15	20	22	22	22
25-34	90	15.7	119	4	7	14	21	34	36	78	13	16.2	137	2	6	18	24	34	36	36
35-54	80	15.8	177	4	6	12	20	35	46	62	19	8.2	48	1	3	7	11	15	24	30
55-74	34	16.4	144	4	6	13	25	35	40	43	4	11.3	173	4	4	5	18	31	31	31
75 +	5	15.8	41	7	11	17	21	23	23	23	1	5.0		5	5	5	5	5	5	5
ALL AGES	265	17.3	198	4	7	14	24	36	46	83	44	11.1	89	2	4	8	15	25	32	36
SUBTOTAL	**671**	**16.4**	**194**	**3**	**7**	**13**	**22**	**35**	**45**	**61**	**147**	**13.2**	**143**	**2**	**5**	**10**	**18**	**27**	**35**	**62**
GRAND TOTAL	**2272**	**16.8**	**195**	**4**	**7**	**13**	**22**	**35**	**48**	**80**	**491**	**12.7**	**130**	**2**	**5**	**10**	**18**	**27**	**35**	**65**

MANIC DIS, SINGL EPISODE (296.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	12.0	128	4	4	12	20	20	20	20										
18-24	10	15.9	143	1	7	13	28	31	33	33										
25-34	17	13.2	112	4	5	11	16	29	37	41	2	17.0	512	1	1	17	33	33	33	33
35-54	18	10.1	115	1	2	6	17	27	35	38	2	9.0	8	7	7	9	11	11	11	11
55-74	11	9.9	31	3	6	10	12	17	22	22	4	12.3	275	2	2	5	22	37	37	37
75 +	7	11.0	18	5	7	11	15	16	16	16										
ALL AGES	65	11.9	92	2	5	9	16	28	31	41	8	12.6	203	1	2	7	22	36	37	37
B. FEMALE																				
0-12 YRS.	2	14.5	313	2	2	14	27	27	27	27										
13-17	7	17.4	142	4	10	16	23	36	39	39										
18-24	4	17.3	459	2	2	9	32	48	48	48	1	8.0		8	8	8	8	8	8	8
25-34	18	15.0	79	7	9	12	18	24	36	43	6	6.8	16	3	4	6	8	13	14	14
35-54	37	15.2	118	5	8	13	16	32	36	54	10	5.9	28	1	2	4	10	14	15	15
55-74	28	17.6	177	2	7	17	23	37	47	52	5	5.8	50	1	2	2	9	18	18	18
75 +	3	16.0	217	3	5	13	27	32	32	32	1	7.0		7	7	7	7	7	7	7
ALL AGES	99	16.1	137	3	8	14	20	35	41	53	23	6.3	24	1	2	5	8	14	16	18
SUBTOTAL	**164**	**14.4**	**124**	**2**	**6**	**12**	**18**	**30**	**37**	**51**	**31**	**7.9**	**73**	**1**	**2**	**6**	**10**	**16**	**32**	**37**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	36.5	5	35	35	36	38	38	38	38	1	33.0		33	33	33	33	33	33	33
18-24	6	16.2	171	3	4	14	26	34	35	35										
25-34	8	12.1	122	2	3	9	18	29	33	33	1	3.0		3	3	3	3	3	3	3
35-54	11	10.3	69	2	4	7	18	23	25	25	1	3.0		3	3	3	3	3	3	3
55-74	5	9.2	21	4	6	8	12	16	16	16										
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	33	13.1	121	3	4	8	21	33	35	38	3	13.0	300	3	3	3	26	33	33	33
B. FEMALE																				
0-12 YRS.																				
13-17	1	13.0		13	13	13	13	13	13	13										
18-24	2	11.0	32	7	7	11	15	15	15	15	1	6.0		6	6	6	6	6	6	6
25-34	7	12.6	121	1	4	11	17	30	33	33	1	2.0		2	2	2	2	2	2	2
35-54	14	10.6	60	4	5	7	14	24	26	26										
55-74	6	22.7	310	3	10	19	36	49	50	50	3	7.0	37	3	3	4	11	14	14	14
75 +	2	33.5	85	27	27	33	40	40	40	40	1	4.0		4	4	4	4	4	4	4
ALL AGES	32	14.8	148	3	6	11	21	34	40	50	6	5.5	19	2	3	4	6	13	14	14
SUBTOTAL	**65**	**14.0**	**131**	**3**	**5**	**10**	**21**	**33**	**36**	**48**	**9**	**8.0**	**101**	**2**	**3**	**4**	**8**	**25**	**33**	**33**
GRAND TOTAL	**229**	**14.3**	**125**	**3**	**6**	**12**	**19**	**32**	**37**	**50**	**40**	**7.9**	**77**	**1**	**3**	**5**	**9**	**16**	**33**	**37**

MANIC, RECURRENT EPISODE (296.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	35.5	761	16	16	35	55	55	55	55	1	11.0		11	11	11	11	11	11	11
18-24	3	35.7	1383	8	11	21	64	78	78	78	1	1.0		1	1	1	1	1	1	1
25-34	13	12.5	163	2	5	7	16	37	42	43										
35-54	14	11.4	123	1	4	8	17	29	38	40	5	6.6	107	1	1	3	9	25	25	25
55-74	9	12.0	91	1	6	9	17	28	30	30	1	12.0		12	12	12	12	12	12	12
75 +	1	40.0		40	40	40	40	40	40	40										
ALL AGES	42	15.4	267	2	5	9	18	40	48	78	8	7.1	73	1	1	3	11	21	25	25
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	4	13.5	268	4	4	6	22	38	38	38										
25-34	14	14.1	310	3	4	8	15	31	61	70	1	4.0		4	4	4	4	4	4	4
35-54	24	13.2	377	2	4	7	18	22	45	98	7	3.6		2	3	4	4	4	4	4
55-74	18	19.9	230	6	10	15	25	44	53	58	5	8.8	30	3	4	8	12	17	17	17
75 +	6	25.5	353	7	12	19	42	53	54	54	1	8.0		8	8	8	8	8	8	8
ALL AGES	66	16.3	313	3	5	10	20	41	55	93	14	5.8	16	3	4	4	8	12	16	17
SUBTOTAL	**108**	**16.0**	**291**	**3**	**5**	**10**	**20**	**40**	**54**	**86**	**22**	**6.3**	**34**	**1**	**3**	**4**	**8**	**13**	**20**	**25**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14										
13-17																				
18-24	2	6.5	5	5	5	6	8	8	8	8	1	20.0		20	20	20	20	20	20	20
25-34	2	11.0	50	6	6	11	16	16	16	16	2	7.5	85	1	1	7	14	14	14	14
35-54	13	9.2	52	3	4	6	13	21	24	25	1	8.0		8	8	8	8	8	8	8
55-74	6	11.3	69	1	5	10	21	21	21	21	1	1.0		1	1	1	1	1	1	1
75 +	2	12.5	85	6	6	12	19	19	19	19										
ALL AGES	26	10.1	46	3	5	8	16	21	22	25	5	8.8	69	1	1	8	15	20	20	20
B. FEMALE																				
0-12 YRS.	2	49.5	85	43	43	49	56	56	56	56										
13-17	1	17.0		17	17	17	17	17	17	17	1	62.0		62	62	62	62	62	62	62
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	6	15.5	92	4	7	15	23	28	29	29	1	6.0		6	6	6	6	6	6	6
35-54	20	14.4	73	4	8	12	19	28	31	33										
55-74	6	25.0	445	5	8	18	46	54	55	55	1	5.0		5	5	5	5	5	5	5
75 +	3	20.3	10	17	18	22	22	22	22	22	1	1.0		1	1	1	1	1	1	1
ALL AGES	39	18.2	185	4	8	15	23	39	51	56	4	18.5	846	1	3	5	34	62	62	62
SUBTOTAL	**65**	**14.9**	**146**	**4**	**6**	**12**	**20**	**29**	**44**	**56**	**9**	**13.1**	**378**	**1**	**1**	**6**	**15**	**45**	**62**	**62**
GRAND TOTAL	**173**	**15.6**	**235**	**3**	**6**	**11**	**20**	**36**	**46**	**76**	**31**	**8.3**	**134**	**1**	**3**	**4**	**10**	**18**	**25**	**62**

DEPR PSYCH, SINGL EPISOD (296.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	84	24.9	233	7	12	23	36	45	50	63	23	24.7	244	8	13	26	36	63	99 +	99 +
13-17	269	20.2	238	4	9	17	28	40	58	96	44	28.3	354	5	14	27	39	62	64	69
18-24	261	12.8	129	2	5	10	18	26	34	57	32	13.7	196	2	4	8	20	31	40	62
25-34	456	11.9	96	2	5	10	16	25	29	47	51	8.5	84	1	2	5	13	20	37	99
35-54	761	13.5	99	3	6	11	18	27	32	45	89	9.7	72	2	4	7	14	21	30	34
55-74	549	17.3	140	4	8	15	24	34	39	55	69	13.4	145	2	4	10	17	33	37	53
75 +	227	17.5	170	4	8	15	23	32	42	64	36	10.3	98	2	3	6	16	28	29	37
ALL AGES	2607	15.4	144	3	7	13	21	31	39	60	344	14.1	191	2	4	9	20	34	44	70
B. FEMALE																				
0-12 YRS.	59	21.9	213	3	9	21	32	42	48	59	26	35.7	563	8	18	29	55	76	78	84
13-17	511	19.7	242	4	9	16	28	41	55	99 +	78	23.8	264	2	8	27	35	47	52	90
18-24	414	12.8	131	2	5	9	18	28	35	60	64	12.2	143	1	3	8	18	31	36	56
25-34	949	12.9	109	2	5	10	18	26	32	49	152	12.1	150	1	3	8	15	30	39	63
35-54	1516	14.2	121	3	7	12	19	27	34	55	282	13.3	131	2	5	10	19	29	34	53
55-74	1144	18.5	154	5	10	16	25	35	43	60	139	11.1	105	2	4	8	15	25	29	39
75 +	582	19.0	172	5	9	17	26	35	45	72	69	12.4	97	3	6	9	17	24	32	48
ALL AGES	5175	16.0	152	3	7	13	22	32	40	63	810	14.3	179	2	5	10	20	31	41	65
SUBTOTAL	**7782**	**15.8**	**150**	**3**	**7**	**13**	**21**	**32**	**40**	**61**	**1154**	**14.2**	**184**	**2**	**4**	**10**	**20**	**32**	**42**	**66**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	123	28.7	253	10	19	28	36	50	68	99 +	26	40.7	366	24	28	34	52	77	96	99 +
13-17	412	25.5	311	4	13	23	37	49	61	99	41	28.5	253	8	15	27	41	54	57	60
18-24	358	13.7	150	3	6	10	17	29	41	68	39	10.7	126	1	3	7	12	31	36	42
25-34	753	13.7	125	3	6	11	19	27	33	57	73	9.1	90	1	2	6	11	25	29	44
35-54	1086	14.0	114	4	7	12	19	27	35	54	111	11.2	85	2	5	8	15	25	32	65
55-74	378	17.5	136	5	9	15	24	33	39	59	38	10.6	74	2	4	8	14	23	31	36
75 +	134	19.3	185	5	10	17	27	37	45	87	21	12.3	108	2	4	9	18	33	65	99 +
ALL AGES	3244	16.6	175	4	7	13	22	34	42	69	349	14.9	217	2	4	9	23	36	48	95
B. FEMALE																				
0-12 YRS.	77	30.7	259	9	20	30	39	54	66	94	9	23.4	357	2	11	23	30	52	64	64
13-17	605	25.0	355	5	10	21	37	53	68	99 +	66	24.1	421	3	7	22	38	63	92	99 +
18-24	551	16.0	191	3	7	12	21	36	49	95	61	16.3	208	2	5	10	25	36	45	64
25-34	1208	15.2	155	3	6	12	21	30	38	68	120	13.4	163	2	5	9	17	29	41	64
35-54	1613	15.1	137	3	7	12	21	30	37	62	190	12.7	147	2	4	8	18	30	39	53
55-74	664	18.6	157	6	10	16	25	34	41	66	85	11.6	112	2	4	9	16	27	32	54
75 +	275	17.7	142	6	9	15	22	32	41	61	38	15.8	254	3	6	12	17	38	54	74
ALL AGES	4993	17.3	190	4	7	14	23	35	44	75	569	14.8	205	2	5	10	21	35	45	76
SUBTOTAL	**8237**	**17.0**	**185**	**4**	**7**	**14**	**23**	**35**	**43**	**73**	**918**	**14.8**	**211**	**2**	**5**	**10**	**21**	**35**	**46**	**78**
GRAND TOTAL	**16019**	**16.4**	**169**	**3**	**7**	**13**	**22**	**33**	**42**	**68**	**2072**	**14.5**	**195**	**2**	**4**	**10**	**21**	**33**	**44**	**73**

DEPR PSYCH, RECUR EPISOD (296.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	11	22.9	274	4	14	16	32	47	58	59	1	9.0		9	9	9	9	9	9	9
13-17	75	17.6	253	3	7	15	24	39	88	99 +	8	33.5	557	6	16	28	53	66	70	70
18-24	143	15.9	290	3	5	11	20	34	57	95	6	7.8	47	2	4	6	8	20	21	21
25-34	295	12.5	99	3	6	11	16	24	30	54	25	13.7	149	3	6	8	21	27	42	52
35-54	608	14.6	122	4	7	12	20	29	37	61	55	9.7	62	2	5	9	13	16	25	43
55-74	539	20.5	191	5	10	18	27	41	48	65	46	11.5	57	3	5	10	16	22	25	33
75 +	216	21.8	236	7	12	18	29	43	58	94	29	14.6	149	3	6	13	17	32	41	56
ALL AGES	1887	17.0	183	4	8	14	23	35	45	79	170	12.7	130	3	5	9	16	24	36	58
B. FEMALE																				
0-12 YRS	7	18.3	167	3	10	16	28	37	39	39	1	21.0		21	21	21	21	21	21	21
13-17	152	19.8	238	4	9	15	27	42	52	71	16	25.9	255	2	19	24	36	48	54	56
18-24	244	12.6	113	3	6	9	16	26	33	54	20	7.7	113	1	2	5	10	13	31	49
25-34	687	13.4	122	3	6	11	18	26	35	57	72	10.3	93	3	4	6	13	23	29	46
35-54	1577	14.9	137	4	7	12	20	30	38	54	171	14.0	155	2	4	10	19	32	38	67
55-74	1577	20.3	195	6	10	17	26	38	48	75	138	16.0	139	3	8	14	21	29	40	60
75 +	718	23.3	213	7	13	21	31	42	51	74	70	14.0	106	3	6	11	19	30	35	47
ALL AGES	4962	17.7	178	4	8	15	23	35	44	68	488	14.2	142	2	5	11	20	31	38	57
SUBTOTAL	**6849**	**17.5**	**179**	**4**	**8**	**14**	**23**	**35**	**44**	**71**	**658**	**13.8**	**140**	**3**	**5**	**11**	**19**	**29**	**38**	**58**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	29	22.8	207	5	13	21	27	46	55	60	3	30.7	201	15	20	34	41	43	43	43
13-17	126	22.7	396	5	8	17	30	48	81	93	13	16.3	395	3	5	6	17	58	60	60
18-24	209	17.9	218	5	7	14	24	37	52	65	11	18.3	188	5	6	14	30	36	41	42
25-34	582	13.6	124	3	6	11	18	27	35	54	42	10.3	125	2	2	5	14	28	35	44
35-54	892	14.0	120	3	6	11	19	28	35	55	73	12.6	199	2	5	9	15	26	40	85
55-74	384	18.6	160	6	10	16	25	36	46	89	34	17.0	252	3	6	15	21	30	42	88
75 +	110	22.7	222	7	13	21	30	41	61	99 +	12	8.9	38	3	4	6	14	18	20	20
ALL AGES	2332	16.0	166	4	7	13	21	32	42	66	188	13.6	199	2	4	9	17	30	42	77
B. FEMALE																				
0-12 YRS.	19	29.2	517	7	12	21	44	76	94	99 +	4	39.5	1575	1	14	31	64	95	95	95
13-17	218	24.1	327	6	12	20	33	53	73	99 +	25	23.7	320	3	7	23	35	44	60	66
18-24	409	15.8	187	3	6	13	22	33	43	99 +	43	15.7	197	2	4	9	29	41	42	42
25-34	1169	15.0	169	3	6	12	20	30	40	80	112	16.1	271	2	5	11	21	38	42	85
35-54	1752	16.1	164	4	7	13	22	33	43	66	174	14.6	175	2	4	11	21	36	42	56
55-74	891	19.5	180	5	10	16	26	37	46	67	78	14.8	185	2	5	12	19	32	37	73
75 +	314	20.7	207	6	10	17	27	41	48	76	32	16.1	139	3	7	12	21	35	42	46
ALL AGES	4772	17.2	186	4	7	14	23	35	45	79	468	15.9	222	2	5	11	22	37	42	73
SUBTOTAL	**7104**	**16.8**	**180**	**4**	**7**	**14**	**22**	**34**	**44**	**76**	**656**	**15.2**	**217**	**2**	5	**11**	**20**	**36**	**42**	**74**
GRAND TOTAL	**13953**	**17.1**	**181**	**4**	**8**	**14**	**23**	**34**	**44**	**73**	**1314**	**14.5**	**179**	**2**	**5**	**11**	**20**	**32**	**42**	**64**

BIPOLAR AFFECTIVE, MANIC (296.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	30.5	5	29	29	30	32	32	32	32	2	21.0	450	6	6	21	36	36	36	36
13-17	20	18.2	198	5	10	15	25	47	79	99 +	2	45.5	61	40	40	45	51	51	51	51
18-24	166	18.1	205	4	8	15	24	37	51	63	23	14.0	136	4	5	11	22	28	38	50
25-34	359	17.1	188	4	8	13	22	34	45	68	43	8.4	39	2	3	7	13	18	20	22
35-54	506	14.6	116	4	7	12	19	29	37	52	55	8.9	48	3	4	6	13	16	27	29
55-74	238	19.2	170	6	11	17	25	35	43	59	17	11.8	79	3	6	8	19	25	30	32
75 +	38	25.0	416	5	10	21	34	51	69	96	3	15.7	100	5	8	17	23	25	25	25
ALL AGES	1329	16.9	171	4	8	14	22	33	43	64	145	10.7	88	2	4	7	14	23	29	50
B. FEMALE																				
0-12 YRS.																				
13-17	25	19.4	319	3	7	14	24	49	61	73	2	20.5	113	13	13	20	28	28	28	28
18-24	132	18.1	267	5	8	14	21	36	45	93	13	16.7	104	6	8	14	23	35	35	35
25-34	479	16.0	169	4	7	13	21	32	46	81	60	10.8	119	1	4	8	14	21	35	54
35-54	1065	16.3	147	5	8	14	21	33	43	61	96	13.3	97	4	6	11	17	27	37	77
55-74	698	19.0	181	6	9	16	25	36	44	69	36	15.0	98	4	8	13	18	29	37	43
75 +	84	20.7	152	7	12	18	27	40	48	58	7	10.6	36	4	5	9	16	19	20	20
ALL AGES	2483	17.3	170	5	8	14	22	35	44	68	214	13.1	103	3	5	11	18	28	36	53
SUBTOTAL	**3812**	**17.2**	**169**	**5**	**8**	**14**	**22**	**34**	**44**	**66**	**359**	**12.1**	**98**	**3**	**5**	**10**	**17**	**26**	**33**	**51**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	16.0		16	16	16	16	16	16	16
13-17	20	33.8	427	7	18	34	55	67	84	99 +	1	3.0		3	3	3	3	3	3	3
18-24	68	16.9	218	3	6	14	23	34	41	84	6	20.5	459	2	3	13	36	54	56	56
25-34	186	16.2	137	4	7	14	22	33	40	66	17	12.6	180	4	5	8	14	29	47	56
35-54	195	14.9	143	4	6	13	21	29	35	77	28	10.2	56	2	5	8	15	20	26	29
55-74	80	20.7	196	6	10	17	29	38	45	71	4	11.8	41	2	8	14	15	16	16	16
75 +	8	15.8	73	5	10	15	20	28	30	30	1	1.0		1	1	1	1	1	1	1
ALL AGES	557	17.1	179	4	7	14	23	35	42	76	58	11.9	133	2	4	8	16	25	34	56
B. FEMALE																				
0-12 YRS.																				
13-17	10	28.9	415	9	12	36	42	83	99	99 +										
18-24	59	21.0	241	7	10	16	27	47	54	69	3	15.3	26	12	12	13	19	21	21	21
25-34	147	15.9	180	5	7	12	21	32	45	64	14	14.3	203	2	3	9	22	41	42	42
35-54	247	15.9	152	3	7	13	22	31	40	80	17	8.3	38	1	4	7	12	16	22	24
55-74	153	19.7	220	6	10	16	27	42	55	99 +	17	12.8	41	3	7	15	17	20	22	23
75 +	32	19.7	152	7	10	16	31	36	51	99 +	5	11.6	99	4	5	7	17	28	28	28
ALL AGES	648	17.6	192	5	8	14	23	36	47	95	56	11.8	86	2	5	11	17	23	29	42
SUBTOTAL	**1205**	**17.4**	**185**	**5**	**8**	**14**	**23**	**35**	**46**	**88**	**114**	**11.9**	**108**	**2**	**4**	**9**	**16**	**24**	**30**	**56**
GRAND TOTAL	**5017**	**17.2**	**174**	**5**	**8**	**14**	**22**	**35**	**44**	**71**	**473**	**12.1**	**99**	**2**	**5**	**9**	**17**	**25**	**32**	**52**

BIPOLAR AFFECT, DEPRESS (296.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	52.0		52	52	52	52	52	52	52										
13-17	11	18.3	189	5	11	16	19	40	53	54	2	30.0	722	11	11	30	49	49	49	49
18-24	32	13.6	80	4	6	14	18	24	31	38	1	20.0		20	20	20	20	20	20	20
25-34	114	14.1	137	4	6	10	17	30	41	59	11	5.1	12	1	3	4	7	10	12	12
35-54	173	14.7	132	4	7	12	20	27	38	58	16	12.1	62	4	6	9	15	26	28	29
55-74	121	20.0	256	6	8	17	25	38	53	83	7	13.0	76	3	6	11	20	24	25	25
75 +	14	20.9	110	8	11	21	24	35	43	45	2	20.0	50	15	15	20	25	25	25	25
ALL AGES	466	16.2	171	4	7	13	21	34	41	65	39	11.8	96	3	4	9	16	25	28	49
B. FEMALE																				
0-12 YRS.																				
13-17	22	21.0	150	6	12	21	29	36	43	52	2	18.5	85	12	12	18	25	25	25	25
18-24	43	14.9	151	4	7	11	18	30	56	99 +	4	13.8	18	8	11	14	17	19	19	19
25-34	209	13.3	131	3	6	11	18	26	35	68	20	12.7	168	3	4	7	16	34	46	48
35-54	386	15.0	140	4	7	12	20	30	39	62	34	8.9	40	1	4	8	13	18	21	25
55-74	286	20.6	231	5	10	18	26	43	51	74	23	16.4	159	4	8	13	23	28	40	60
75 +	82	23.2	240	6	11	21	29	45	53	71	10	20.8	700	2	4	13	26	59	91	91
ALL AGES	1028	17.0	183	4	7	14	22	35	47	69	93	13.3	173	3	5	11	18	25	30	78
SUBTOTAL	**1494**	**16.8**	**177**	**4**	**7**	**14**	**22**	**34**	**45**	**67**	**132**	**12.8**	**151**	**3**	**5**	**10**	**17**	**25**	**29**	**66**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	28.9	50	19	25	27	35	39	39	39										
13-17	11	31.6	227	14	18	28	43	51	58	59										
18-24	34	13.2	109	3	5	10	21	27	34	42	4	13.8	224	3	5	8	22	36	36	36
25-34	129	13.2	101	3	6	11	18	27	32	50	7	14.3	142	2	5	8	25	31	32	32
35-54	159	14.3	108	3	7	11	20	28	35	49	10	14.2	102	2	5	13	25	28	29	29
55-74	67	18.3	147	5	10	14	25	37	44	54	3	6.0	21	1	2	7	9	10	10	10
75 +	13	23.1	260	8	12	19	27	54	55	55	5	11.0	103	3	4	5	19	26	26	26
ALL AGES	420	15.5	132	4	7	13	21	30	39	54	29	12.8	109	2	4	8	21	29	32	36
B. FEMALE																				
0-12 YRS.																				
13-17	23	24.8	124	13	16	25	31	48	66	99 +										
18-24	49	18.7	303	4	7	13	26	43	57	84	4	18.3	181	5	8	16	28	36	36	36
25-34	168	15.5	170	3	6	12	21	34	43	69	13	7.8	33	3	4	6	9	19	20	20
35-54	296	15.7	172	3	7	12	21	31	42	70	20	12.2	145	2	4	9	16	22	39	54
55-74	113	22.5	271	7	11	19	30	42	65	98	7	19.6	214	6	8	19	25	44	48	48
75 +	39	24.5	278	5	15	22	29	49	53	80	1	34.0		34	34	34	34	34	34	34
ALL AGES	688	17.8	211	4	8	14	24	36	49	79	45	13.1	141	3	5	9	19	26	39	54
SUBTOTAL	**1108**	**16.9**	**183**	**4**	**7**	**13**	**23**	**35**	**44**	**70**	**74**	**13.0**	**126**	**3**	**5**	**9**	**20**	**28**	**35**	**53**
GRAND TOTAL	**2602**	**16.8**	**181**	**4**	**7**	**13**	**22**	**34**	**45**	**69**	**206**	**12.9**	**141**	**3**	**5**	**9**	**18**	**26**	**32**	**57**

BIPOLAR AFFECTIVE, MIXED (296.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	10	26.4	215	6	18	30	32	44	56	56										
13-17	18	16.6	103	5	8	13	24	30	36	39	3	16.3	199	3	6	15	27	31	31	31
18-24	42	13.8	227	2	5	8	15	37	48	69	2	21.0	72	15	15	21	27	27	27	27
25-34	92	16.4	128	5	8	14	22	35	39	50	7	8.4	27	2	4	8	11	16	17	17
35-54	163	17.7	156	4	9	14	25	36	42	62	20	11.6	67	4	6	9	15	24	29	33
55-74	70	17.5	123	7	11	15	22	28	40	67	5	6.4	23	1	3	4	11	12	12	12
75 +	12	18.5	114	6	11	18	23	34	41	42	1	4.0		4	4	4	4	4	4	4
ALL AGES	407	17.2	149	4	8	14	23	34	40	61	38	11.0	67	3	4	9	15	25	29	33
B. FEMALE																				
0-12 YRS.	3	22.0	93	11	15	26	28	29	29	29										
13-17	22	20.7	265	6	12	17	23	37	64	74	2	34.5	421	20	20	34	49	49	49	49
18-24	58	13.6	77	3	6	12	21	26	29	35	7	17.7	548	3	5	10	18	59	69	69
25-34	199	14.9	119	5	7	12	20	28	38	52	17	10.3	28	4	6	10	14	17	20	21
35-54	341	16.0	133	5	8	13	21	33	40	67	24	14.6	131	4	6	12	19	32	37	46
55-74	226	20.5	194	7	11	17	26	36	51	82	21	19.3	201	4	8	15	28	34	47	62
75 +	24	18.0	154	6	10	17	26	56	99 +	99 +	2	4.0	18	1	1	4	7	7	7	7
ALL AGES	873	17.0	149	5	8	14	22	33	42	71	73	15.5	180	4	6	12	20	33	44	67
SUBTOTAL	**1280**	**17.0**	**151**	**5**	**8**	**14**	**22**	**33**	**41**	**68**	**111**	**14.0**	**144**	**4**	**6**	**11**	**17**	**31**	**33**	**65**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	39.3	1149	9	19	30	59	88	88	88										
13-17	29	24.8	180	7	14	25	32	44	61	99 +										
18-24	39	19.4	267	6	9	16	23	36	44	95	1	14.0		14	14	14	14	14	14	14
25-34	107	13.4	82	4	7	12	18	26	32	42	10	9.1	81	2	4	7	10	22	33	33
35-54	132	13.0	80	4	7	11	18	25	28	59	14	14.6	78	4	7	14	21	27	29	30
55-74	30	17.2	140	5	9	15	22	31	44	54	4	20.5	114	9	11	21	29	31	31	31
75 +	6	20.2	384	5	12	13	19	55	59	59										
ALL AGES	347	15.6	147	4	7	13	21	30	37	88	29	13.5	89	3	6	12	17	29	31	33
B. FEMALE																				
0-12 YRS.	2	31.5	313	19	19	31	44	44	44	44										
13-17	19	31.3	538	7	10	26	51	58	72	82	2	38.0	512	22	22	38	54	54	54	54
18-24	33	22.5	404	7	9	14	28	49	73	78	2	12.5	145	4	4	12	21	21	21	21
25-34	116	14.4	92	4	7	12	19	25	36	47	15	12.5	159	2	4	8	13	31	41	45
35-54	184	17.1	202	4	7	14	22	35	47	65	11	13.5	139	3	6	10	17	29	44	45
55-74	76	17.3	163	5	7	15	24	32	44	64	3	17.3	326	5	6	9	31	38	38	38
75 +	15	25.1	128	14	17	22	28	48	49	50	2	30.5	1405	4	4	30	57	57	57	57
ALL AGES	445	17.8	205	5	8	14	22	37	49	67	35	15.7	235	2	5	10	20	45	52	57
SUBTOTAL	**792**	**16.8**	**182**	**4**	**7**	**14**	**22**	**33**	**44**	**71**	**64**	**14.7**	**168**	**3**	**5**	**11**	**20**	**31**	**45**	**57**
GRAND TOTAL	**2072**	**17.0**	**160**	**5**	**8**	**14**	**22**	**33**	**43**	**68**	**175**	**14.2**	**154**	**3**	**5**	**11**	**18**	**31**	**37**	**61**

BIPOLAR AFFECTIVE NOS (296.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	11	42.4	335	20	30	40	57	68	77	78	2	64.0	450	49	49	64	79	79	79	79
13-17	22	29.3	451	3	17	24	40	60	73	78	3	27.0	139	17	20	32	70	99 +	99 +	99 +
18-24	51	19.7	292	5	8	15	25	36	63	86	11	12.9	120	2	5	10	19	28	38	39
25-34	79	15.6	134	4	7	12	21	31	40	52	11	8.2	36	1	4	7	11	17	21	21
35-54	135	13.2	104	3	6	11	18	25	34	54	8	7.9	31	1	2	10	12	14	14	14
55-74	45	17.1	128	4	8	14	26	35	40	99 +	7	11.1	43	2	7	11	17	19	19	19
75 +	7	13.6	72	4	7	14	17	27	29	29	1	10.0		10	10	10	10	10	10	10
ALL AGES	350	17.1	204	4	7	13	23	35	47	78	43	13.8	214	1	6	10	18	39	58	99 +
B. FEMALE																				
0-12 YRS.	7	29.7	542	3	7	30	45	61	65	65										
13-17	42	18.3	137	3	10	16	26	35	41	49	4	36.0	603	5	25	43	73	99 +	99 +	99 +
18-24	39	18.1	448	4	8	13	20	31	76	99	7	18.4	459	2	6	10	22	56	64	64
25-34	157	14.8	119	3	7	12	20	30	35	51	21	8.3	27	4	5	6	11	18	19	20
35-54	248	15.5	139	3	8	14	20	29	37	63	48	12.4	62	5	7	11	15	21	29	43
55-74	157	17.9	190	5	8	15	24	35	41	77	19	14.6	118	3	7	12	21	28	38	44
75 +	27	26.1	342	8	14	22	32	51	58	90	4	14.5	95	3	6	15	22	24	24	24
ALL AGES	677	16.8	181	4	8	14	21	32	42	66	103	13.4	129	4	6	11	18	25	43	81
SUBTOTAL	**1027**	**16.9**	**188**	**4**	**8**	**14**	**22**	**33**	**43**	**72**	**146**	**13.5**	**154**	**3**	**6**	**11**	**18**	**28**	**43**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	20	40.4	345	17	31	37	63	83	99 +	99 +										
13-17	54	26.4	498	5	10	22	37	70	90	99 +	4	38.8	170	30	30	34	47	58	58	58
18-24	54	15.4	170	2	6	14	21	29	57	98	2	2.5	1	2	2	2	3	3	3	3
25-34	102	13.9	111	3	5	12	19	26	37	50	10	7.6	20	2	4	6	12	14	15	15
35-54	129	13.8	136	3	6	10	20	27	45	53	5	7.2	47	1	2	6	11	18	18	18
55-74	30	16.9	176	2	7	14	27	31	36	61	2	9.0	18	6	6	9	12	12	12	12
75 +	5	15.8	90	5	9	13	24	28	28	28										
ALL AGES	394	17.4	239	3	7	13	23	39	58	99 +	23	12.6	194	2	4	7	14	32	44	58
B. FEMALE																				
0-12 YRS.	4	15.8	91	3	8	17	23	25	25	25										
13-17	55	21.3	375	5	9	15	27	40	50	98	4	29.0	231	8	19	32	39	44	44	44
18-24	50	20.4	329	4	8	16	32	57	84	99 +	5	11.2	99	4	4	8	16	28	28	28
25-34	151	13.3	119	3	6	11	17	27	33	58	9	14.6	379	2	4	6	16	49	60	60
35-54	183	16.6	190	4	7	13	21	34	44	69	12	7.6	30	1	2	8	12	14	17	17
55-74	82	17.7	176	5	8	14	21	35	41	68	5	5.8	28	2	3	4	7	15	15	15
75 +	14	23.2	408	2	7	15	48	52	58	60	1	5.0		5	5	5	5	5	5	5
ALL AGES	539	16.9	208	4	7	13	21	35	48	87	36	11.9	179	2	4	7	13	34	54	99 +
SUBTOTAL	**933**	**17.1**	**221**	**3**	**7**	**13**	**22**	**37**	**50**	**95**	**59**	**12.2**	**181**	**2**	**4**	**7**	**14**	**33**	**51**	**96**
GRAND TOTAL	**1960**	**17.0**	**204**	**4**	**7**	**14**	**22**	**35**	**48**	**78**	**205**	**13.1**	**162**	**2**	**5**	**10**	**17**	**30**	**44**	**99 +**

MANIC-DEPRESSIVE NEC/NOS (296.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	11	27.7	581	4	9	16	45	67	72	72										
13-17	35	23.1	288	5	9	22	30	39	62	77										
18-24	27	10.2	45	2	5	9	13	17	23	32	1	1.0		1	1	1	1	1	1	1
25-34	38	10.7	44	4	5	9	14	20	25	26	5	14.6	157	2	3	13	27	28	28	28
35-54	68	14.9	126	4	7	12	21	32	42	90	8	13.0	119	2	5	10	18	31	35	35
55-74	25	19.0	200	4	5	18	25	40	50	55	6	12.7	34	5	8	12	19	19	19	19
75 +	15	20.9	244	5	7	19	30	36	55	62										
ALL AGES	219	16.4	189	4	7	13	23	32	46	73	20	12.7	94	2	4	11	19	27	31	35
B. FEMALE																				
0-12 YRS.	8	20.4	84	12	13	17	28	34	36	36										
13-17	78	16.0	120	5	8	13	23	32	43	99 +										
18-24	34	15.0	147	2	5	12	22	29	39	54										
25-34	92	12.7	94	2	5	11	17	25	30	81	9	7.8	34	2	3	9	10	16	20	20
35-54	150	13.9	95	4	6	12	19	27	35	54	24	9.3	81	1	2	7	14	24	28	34
55-74	92	18.1	130	6	8	15	25	35	38	47	10	12.6	91	2	5	11	18	26	30	30
75 +	28	23.8	383	5	8	12	46	51	55	62	7	12.7	62	5	7	10	18	24	26	26
ALL AGES	482	15.6	131	4	7	13	22	33	41	60	50	10.1	73	1	3	8	17	23	26	34
SUBTOTAL	**701**	**15.8**	**151**	**4**	**7**	**13**	**22**	**32**	**42**	**68**	**70**	**10.9**	**78**	**1**	**3**	**8**	**18**	**24**	**28**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	8	28.6	62	21	22	29	37	77	99 +	99 +										
13-17	51	16.7	248	4	7	12	20	37	59	73	1	4.0		4	4	4	4	4	4	4
18-24	41	15.6	187	2	4	9	24	33	41	55	2	11.5	221	1	1	11	22	22	22	22
25-34	77	12.6	90	3	5	10	18	26	31	42	5	3.8	10	1	1	3	6	8	8	8
35-54	102	12.2	76	3	6	11	17	24	28	42	6	9.3	57	1	2	8	18	18	18	18
55-74	22	15.5	90	4	7	14	24	30	59	99 +	5	11.2	183	1	3	4	20	33	35	35
75 +	4	22.8	128	7	14	25	31	33	33	33	2	15.0	288	3	3	15	27	27	27	27
ALL AGES	305	14.3	133	3	6	12	21	29	37	68	22	9.0	97	1	2	4	18	23	30	35
B. FEMALE																				
0-12 YRS.	4	27.8	365	11	12	24	43	51	51	51	1	66.0		66	66	66	66	66	66	66
13-17	71	16.6	114	5	9	15	25	33	89	99 +	2	16.5	5	15	15	16	18	18	18	18
18-24	69	14.7	124	3	7	13	21	28	31	63	5	3.8	6	2	2	2	6	7	7	7
25-34	134	14.6	196	3	5	9	21	34	41	71	9	10.6	193	1	1	6	12	34	44	44
35-54	172	15.0	163	3	6	11	20	35	43	63	11	8.2	49	1	2	7	13	20	21	21
55-74	68	20.5	288	7	11	16	26	31	69	91	5	4.6	4	3	3	4	5	8	8	8
75 +	20	18.6	156	8	10	17	22	27	46	64	4	17.0	358	2	3	11	31	43	43	43
ALL AGES	538	16.0	179	3	7	13	22	32	43	95	37	10.6	194	1	2	6	14	21	44	66
SUBTOTAL	**843**	**15.4**	**163**	**3**	**6**	**12**	**22**	**31**	**42**	**79**	**59**	**10.1**	**154**	**1**	**2**	**5**	**15**	**22**	**39**	**64**
GRAND TOTAL	**1544**	**15.6**	**156**	**3**	**7**	**13**	**22**	**32**	**42**	**74**	**129**	**10.5**	**113**	**1**	**3**	**7**	**17**	**24**	**30**	**49**

AFFECT PSYCHOSES NEC/NOS (296.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	23.0		23	23	23	23	23	23	23										
13-17	4	19.8	363	3	4	16	35	44	44	44	1	2.0		2	2	2	2	2	2	2
18-24	4	4.5	4	2	3	4	6	7	7	7	1	31.0		31	31	31	31	31	31	31
25-34	16	13.0	352	3	4	7	11	32	64	77	1	4.0		4	4	4	4	4	4	4
35-54	22	13.1	187	3	6	11	13	23	50	63	2	13.5	221	3	3	13	24	24	24	24
55-74	13	14[illegible]	110	1	6	15	19	30	35	36	1	1.0		1	1	1	1	1	1	1
75 +	4	23.3	152	7	14	25	32	36	36	36	1	6.0		6	6	6	6	6	6	6
ALL AGES	64	14.0	206	3	5	10	16	34	42	75	7	10.1	148	1	2	4	19	30	31	31
B. FEMALE																				
0-12 YRS.	2	22.0	800	2	2	22	42	42	42	42										
13-17	3	16.7	379	3	4	8	31	39	39	39										
18-24	6	18.7	247	4	13	14	19	46	49	49	1	6.0		6	6	6	6	6	6	6
25-34	21	13.8	165	1	4	11	19	34	44	45	1	7.0		7	7	7	7	7	7	7
35-54	41	15.9	157	3	7	13	22	29	39	65	3	15.3	148	6	7	11	24	29	29	29
55-74	34	14.7	118	4	9	14	17	25	29	61	1	14.0		14	14	14	14	14	14	14
75 +	11	22.3	322	6	11	14	28	53	60	61	4	17.0	433	4	5	8	29	48	48	48
ALL AGES	118	16.0	174	3	7	13	21	31	46	62	10	14.1	194	5	6	8	14	38	48	48
SUBTOTAL	**182**	**15.3**	**185**	**3**	**6**	**12**	**20**	**33**	**44**	**64**	**17**	**12.5**	**168**	**2**	**4**	**6**	**16**	**31**	**42**	**48**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	22.0	173	8	11	22	33	36	36	36										
13-17	6	11.8	121	1	2	10	17	29	30	30	1	5.0		5	5	5	5	5	5	5
18-24	11	11.5	76	4	5	9	15	23	33	34	1	2.0		2	2	2	2	2	2	2
25-34	25	13.3	60	5	8	11	18	26	28	30	3	7.0	39	2	3	5	12	14	14	14
35-54	26	12.3	89	3	6	8	18	27	32	34										
55-74	20	15.6	112	3	6	14	25	31	33	33	4	6.8	45	1	1	6	12	14	14	14
75 +	2	8.0	8	6	6	8	10	10	10	10	1	5.0		5	5	5	5	5	5	5
ALL AGES	94	13.4	90	4	6	10	20	30	33	35	10	6.0	26	1	2	5	11	14	14	14
B. FEMALE																				
0-12 YRS.	2	30.5	145	22	22	30	39	39	39	39										
13-17	10	18.0	119	5	8	14	30	32	34	34	1	8.0		8	8	8	8	8	8	8
18-24	18	15.4	259	2	5	11	20	32	54	68	2	6.0	50	1	1	6	11	11	11	11
25-34	39	13.2	80	4	6	11	19	26	31	39	4	14.5	316	3	5	7	24	41	41	41
35-54	47	17.0	162	3	8	14	21	37	45	52	3	7.0	25	2	3	7	11	12	12	12
55-74	28	20.0	337	5	8	14	27	42	50	92	5	5.8	14	1	3	5	9	10	10	10
75 +	12	14.4	156	2	6	10	21	35	38	39	5	9.4	15	5	6	10	12	14	14	14
ALL AGES	156	16.5	180	4	7	13	22	34	42	67	20	8.8	71	2	4	7	11	13	27	41
SUBTOTAL	**250**	**15.3**	**149**	**4**	**7**	**12**	**21**	**31**	**38**	**52**	**30**	**7.8**	**58**	**1**	**3**	**6**	**11**	**14**	**14**	**41**
GRAND TOTAL	**432**	**15.3**	**164**	**3**	**6**	**12**	**20**	**31**	**41**	**63**	**47**	**9.5**	**100**	**1**	**4**	**6**	**11**	**22**	**32**	**48**

PARANOID STATE, SIMPLE (297.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	11.0		11	11	11	11	11	11	11										
18-24																				
25-34	1	29.0		29	29	29	29	29	29	29										
35-54																				
55-74																				
75 +											1	24.0		24	24	24	24	24	24	24
ALL AGES	2	20.0	162	11	11	20	29	29	29	29	1	24.0		24	24	24	24	24	24	24
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	4	11.0	26	4	7	12	14	16	16	16	1	2.0		2	2	2	2	2	2	2
55-74	2	13.0	50	8	8	13	18	18	18	18	1	2.0		2	2	2	2	2	2	2
75 +	2	32.0		32	32	32	32	32	32	32										
ALL AGES	8	16.8	106	5	9	14	25	32	32	32	2	2.0		2	2	2	2	2	2	2
SUBTOTAL	**10**	**17.4**	**104**	**6**	**11**	**14**	**29**	**32**	**32**	**32**	**3**	**9.3**	**162**	**2**	**2**	**2**	**19**	**24**	**24**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	7.0	32	3	3	7	11	11	11	11										
55-74																				
75 +																				
ALL AGES	2	7.0	32	3	3	7	11	11	11	11										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	20.0	128	12	12	20	28	28	28	28	1	3.0		3	3	3	3	3	3	3
55-74																				
75 +											1	10.0		10	10	10	10	10	10	10
ALL AGES	2	20.0	128	12	12	20	28	28	28	28	2	6.5	25	3	3	6	10	10	10	10
SUBTOTAL	**4**	**13.5**	**110**	**3**	**7**	**11**	**20**	**28**	**28**	**28**	**2**	**6.5**	**25**	**3**	**3**	**6**	**10**	**10**	**10**	**10**
GRAND TOTAL	**14**	**16.3**	**100**	**4**	**11**	**12**	**28**	**32**	**32**	**32**	**5**	**8.2**	**89**	**2**	**2**	**3**	**13**	**24**	**24**	**24**

PARANOIA (297.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	80.0		80	80	80	80	80	80	80										
13-17	1	17.0		17	17	17	17	17	17	17										
18-24	7	14.1	36	5	9	17	19	19	19	19	3	6.0	49	1	1	3	11	14	14	14
25-34	9	13.3	99	2	8	14	20	66	99 +	99 +	1	1.0		1	1	1	1	1	1	1
35-54	16	8.9	33	2	5	7	11	19	20	20	4	8.0	25	4	4	6	11	15	15	15
55-74	17	19.1	169	5	13	16	20	43	48	49	2	3.0	2	2	2	3	4	4	4	4
75 +	8	26.6	383	9	13	23	32	59	69	69										
ALL AGES	59	16.9	221	4	8	15	19	36	59	98	10	5.7	26	1	2	4	8	14	15	15
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
25-34	12	10.2	86	3	4	6	14	26	31	32	3	5.3	3	4	4	5	6	7	7	7
35-54	28	11.6	105	3	5	10	13	18	33	54	3	10.3	105	3	4	6	18	22	22	22
55-74	28	15.1	81	5	8	13	22	30	38	99 +	8	16.3	291	1	6	13	18	44	55	55
75 +	22	20.6	232	3	7	20	31	44	49	51	7	9.0	139	1	1	3	16	29	31	31
ALL AGES	91	14.5	138	3	6	11	21	32	42	81	22	11.0	168	1	2	6	17	25	41	55
SUBTOTAL	**150**	**15.5**	**169**	**4**	**6**	**13**	**20**	**33**	**48**	**99**	**32**	**9.3**	**128**	**1**	**2**	**5**	**14**	**21**	**30**	**55**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	34.3	20	30	31	35	37	38	38	38										
18-24	3	15.0	61	10	10	11	21	24	24	24	2	6.5	25	3	3	6	10	10	10	10
25-34	14	12.5	102	1	3	12	21	28	30	31	2	14.5	85	8	8	14	21	21	21	21
35-54	18	16.6	135	3	9	13	21	34	41	45	2	3.5	13	1	1	3	6	6	6	6
55-74	7	15.4	118	5	5	16	23	31	33	33	1	16.0		16	16	16	16	16	16	16
75 +	6	18.3	59	7	13	21	22	27	27	27	1	2.0		2	2	2	2	2	2	2
ALL AGES	51	16.5	118	3	8	13	23	32	35	45	8	8.4	50	1	2	7	13	19	21	21
B. FEMALE																				
0-12 YRS.	1	25.0		25	25	25	25	25	25	25										
13-17	3	23.7	172	12	14	21	34	38	38	38										
18-24	3	14.7	51	10	10	11	20	23	23	23										
25-34	3	6.7	9	4	4	6	9	10	10	10	2	7.0	2	6	6	7	8	8	8	8
35-54	11	13.1	41	5	10	12	16	23	27	27	5	7.0	14	2	3	9	10	10	10	10
55-74	12	13.3	124	2	6	9	22	30	33	34	2	10.0	72	4	4	10	16	16	16	16
75 +	13	19.5	194	4	10	19	22	38	53	56	7	13.1	58	5	5	17	19	22	22	22
ALL AGES	46	15.6	120	4	9	12	20	29	35	56	16	10.1	39	4	5	8	16	20	21	22
SUBTOTAL	**97**	**16.1**	**117**	**4**	**9**	**13**	**22**	**31**	**35**	**51**	**24**	**9.5**	**42**	**2**	**4**	**8**	**16**	**20**	**21**	**22**
GRAND TOTAL	**247**	**15.7**	**150**	**4**	**7**	**13**	**21**	**32**	**38**	**80**	**56**	**9.4**	**90**	**1**	**3**	**6**	**15**	**20**	**22**	**54**

PARAPHRENIA (297.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	15.0		15	15	15	15	15	15	15
25-34											1	10.0		10	10	10	10	10	10	10
35-54																				
55-74	2	16.5	1	16	16	16	17	17	17	17										
75 +	1	15.0		15	15	15	15	15	15	15										
ALL AGES	3	16.0	1	15	15	16	17	17	17	17	2	12.5	13	10	10	12	15	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	8.0		8	8	8	8	8	8	8	1	17.0		17	17	17	17	17	17	17
55-74	3	20.0	351	5	7	14	34	41	41	41	2	14.0	128	6	6	14	22	22	22	22
75 +	5	17.0	208	1	1	23	29	30	30	30	1	14.0		14	14	14	14	14	14	14
ALL AGES	10	16.1	190	1	5	11	29	35	41	41	4	14.8	43	6	10	15	19	22	22	22
SUBTOTAL	**13**	**16.1**	**142**	**2**	**7**	**15**	**24**	**32**	**39**	**41**	**6**	**14.0**	**31**	**6**	**10**	**14**	**17**	**21**	**22**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	22.0		22	22	22	22	22	22	22	1	18.0		18	18	18	18	18	18	18
75 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	2	17.0	50	12	12	17	22	22	22	22	1	18.0		18	18	18	18	18	18	18
B. FEMALE																				
0-12 YRS.																				
13-17	1	28.0		28	28	28	28	28	28	28										
18-24																				
25-34																				
35-54	1	8.0		8	8	8	8	8	8	8										
55-74	2	8.5	5	7	7	8	10	10	10	10	1	6.0		6	6	6	6	6	6	6
75 +											1	23.0		23	23	61	99 +	99 +	99 +	99 +
ALL AGES	4	13.3	96	7	7	9	19	28	28	28	2	14.5	145	6	10	23	81	99 +	99 +	99 +
SUBTOTAL	**6**	**14.5**	**73**	**7**	**8**	**11**	**22**	**27**	**28**	**28**	**3**	**15.7**	**75**	**6**	**12**	**20**	**61**	**99 +**	**99 +**	**99 +**
GRAND TOTAL	**19**	**15.6**	**115**	**3**	**8**	**14**	**23**	**30**	**36**	**41**	**9**	**14.6**	**38**	**6**	**10**	**16**	**22**	**61**	**99 +**	**99 +**

SHARED PARANOID DISORDER (297.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	23.0		23	23	23	23	23	23	23										
75 +																				
ALL AGES	1	23.0		23	23	23	23	23	23	23										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	9.0		9	9	9	9	9	9	9										
35-54																				
55-74	1	21.0		21	21	21	21	21	21	21										
75 +																				
ALL AGES	2	15.0	72	9	9	15	21	21	21	21										
SUBTOTAL	**3**	**17.7**	**56**	**9**	**12**	**21**	**22**	**23**	**23**	**23**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	30.0		30	30	30	30	30	30	30										
18-24																				
25-34	2	3.5	5	2	2	3	5	5	5	5										
35-54	3	22.0	553	6	7	11	39	49	49	49										
55-74																				
75 +																				
ALL AGES	6	17.2	342	2	5	8	30	47	49	49										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	15.0		15	15	15	15	15	15	15
55-74																				
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES											2	9.5	61	4	4	9	15	15	15	15
SUBTOTAL	**6**	**17.2**	**342**	**2**	**5**	**8**	**30**	**47**	**49**	**49**	**2**	**9.5**	**61**	**4**	**4**	**9**	**15**	**15**	**15**	**15**
GRAND TOTAL	**9**	**17.3**	**231**	**3**	**6**	**11**	**25**	**41**	**49**	**49**	**2**	**9.5**	**61**	**4**	**4**	**9**	**15**	**15**	**15**	**15**

PARANOID STATES NEC (297.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	16.0		16	16	16	16	16	16	16										
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	4	9.0	76	4	4	5	14	22	22	22										
55-74																				
75 +	1	18.0		18	18	18	18	18	18	18										
ALL AGES	7	10.1	70	2	4	6	17	21	22	22										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	5	17.2	311	4	5	9	28	46	46	46	1	9.0		9	9	9	9	9	9	9
55-74																				
75 +																				
ALL AGES	5	17.2	311	4	5	9	28	46	46	46	1	9.0		9	9	9	9	9	9	9
SUBTOTAL	**12**	**13.1**	**163**	**3**	**4**	**7**	**20**	**29**	**44**	**46**	**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	4	16.5	83	10	11	13	22	30	30	30										
35-54	1	[illegible]		3	3	3	3	3	3	3	2	13.0	18	10	10	13	16	16	16	16
55-74	2	[illegible]	2	16	16	17	18	18	18	18										
75 +	3	5.3	57	1	1	1	11	14	14	14										
ALL AGES	10	11.9	79	1	3	13	16	24	30	30	2	13.0	18	10	10	13	16	16	16	16
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	3.0		3	3	3	3	3	3	3	1	3.0		3	3	3	3	3	3	3
25-34																				
35-54	4	13.5	78	5	6	13	21	23	23	23										
55-74	3	6.0	7	3	4	7	8	8	8	8										
75 +	3	15.0	192	7	7	7	25	31	31	31										
ALL AGES	11	10.9	85	3	5	7	16	26	31	31	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**21**	**11.4**	**77**	**2**	**5**	**8**	**16**	**26**	**30**	**31**	**3**	**9.7**	**41**	**3**	**5**	**10**	**14**	**16**	**16**	**16**
GRAND TOTAL	**33**	**12.0**	**106**	**2**	**4**	**8**	**18**	**24**	**31**	**46**	**4**	**9.5**	**28**	**3**	**6**	**9**	**13**	**16**	**16**	**16**

PARANOID STATE NOS (297.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	10.3	9	7	7	10	13	13	13	13	1	27.0		27	27	27	27	27	27	27
18-24	12	7.3	26	3	3	6	11	14	17	18	2	8.5	113	1	1	8	16	16	16	16
25-34	38	10.2	56	3	4	9	14	19	25	33	4	7.0	32	3	3	5	11	15	15	15
35-54	59	16.9	210	2	7	14	24	32	36	73	8	7.9	13	4	5	7	11	13	13	13
55-74	32	16.2	193	5	7	11	20	42	43	61	5	9.0	96	1	4	6	12	26	26	26
75 +	11	17.5	92	8	9	19	22	30	39	40	1	6.0		6	6	6	6	6	6	6
ALL AGES	156	14.3	150	3	6	11	19	29	36	71	21	8.9	51	2	4	6	13	20	26	27
B. FEMALE																				
0-12 YRS.	2	13.0	50	8	8	13	18	18	18	18										
13-17	3	8.3	45	4	4	5	13	16	16	16	1	13.0		13	13	13	13	13	13	13
18-24	4	18.5	78	11	11	18	26	28	28	28	5	10.6	76	2	3	10	16	24	24	24
25-34	38	10.0	56	1	5	8	15	19	26	32	8	5.5	25	1	2	4	8	14	15	15
35-54	78	12.2	79	2	6	10	17	25	29	83	15	9.3	25	4	6	9	11	14	21	23
55-74	92	14.2	87	4	7	13	19	24	28	55	16	8.5	93	1	2	6	13	34	78	99 +
75 +	58	16.3	159	4	8	13	20	31	47	55	10	8.7	132	1	1	4	8	29	36	36
ALL AGES	275	13.5	97	3	7	12	18	26	30	55	55	8.6	65	1	3	7	12	22	32	96
SUBTOTAL	**431**	**13.8**	**116**	**3**	**7**	**11**	**19**	**27**	**33**	**59**	**76**	**8.7**	**60**	**1**	**3**	**6**	**12**	**22**	**27**	**83**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	9.5	5	8	8	9	11	11	11	11										
13-17	1	21.0		21	21	21	21	21	21	21										
18-24	14	10.4	108	1	4	6	16	29	34	35	2	9.0	2	8	8	9	10	10	10	10
25-34	41	8.2	22	3	4	7	13	15	17	19	2	1.0		1	1	1	1	1	1	1
35-54	42	13.7	126	3	4	11	20	35	40	99 +	3	4.0	4	2	2	4	5	6	6	6
55-74	20	19.0	305	2	7	15	24	42	61	73	5	7.4	36	4	4	5	8	18	18	18
75 +	20	16.6	113	2	7	16	22	31	38	41	3	13.7	69	4	7	18	19	19	19	19
ALL AGES	140	12.9	127	3	5	10	17	27	36	75	15	7.3	39	1	4	5	9	18	19	19
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	5	12.2	57	2	6	14	17	22	22	22	1	3.0		3	3	3	3	3	3	3
25-34	13	9.2	30	3	5	8	14	16	20	21	1	6.0		6	6	6	6	6	6	6
35-54	39	13.8	216	4	6	8	18	23	39	84	5	9.8	54	3	4	6	16	20	20	20
55-74	35	17.2	74	7	11	15	22	28	36	42	9	12.1	46	3	6	13	16	21	23	23
75 +	32	16.6	86	7	11	15	21	28	37	43	7	13.1	90	3	5	10	22	26	27	27
ALL AGES	125	14.8	121	5	7	14	19	26	33	58	23	11.3	56	3	5	10	16	23	25	27
SUBTOTAL	**265**	**13.8**	**124**	**3**	**6**	**12**	**19**	**26**	**36**	**69**	**38**	**9.7**	**52**	**2**	**4**	**7**	**16**	**20**	**24**	**27**
GRAND TOTAL	**696**	**13.8**	**119**	**3**	**6**	**12**	**19**	**27**	**35**	**60**	**114**	**9.0**	**58**	**2**	**4**	**6**	**13**	**21**	**26**	**59**

REACT DEPRESS PSYCHOSIS (298.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	3.0		3	3	3	3	3	3	3
18-24	3	9.0	52	3	4	7	14	17	17	17										
25-34	6	16.3	161	3	9	14	20	37	39	39	1	2.0		2	2	2	2	2	2	2
35-54	6	18.5	132	4	11	18	29	32	32	32	2	3.0	8	1	1	3	5	5	5	5
55-74	3	18.0	147	11	11	22	66	99 +	99 +	99 +	2	6.0	18	3	3	6	9	9	9	9
75 +	3	11.0	49	6	6	8	16	19	19	19										
ALL AGES	21	15.4	110	3	8	13	24	34	63	99 +	6	3.8	8	1	2	3	5	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2	2	4.5	13	2	2	4	7	7	7	7
18-24	3	3.7	9	1	1	3	6	7	7	7	1	3.0		3	3	3	3	3	3	3
25-34	10	10.5	69	3	6	8	12	25	29	29	1	22.0		22	22	22	22	22	22	22
35-54	14	8.8	70	1	4	6	9	26	27	27	6	4.7	22	1	2	3	5	13	14	14
55-74	11	21.1	206	5	8	22	27	40	52	53	8	18.1	665	2	3	8	20	62	79	79
75 +	3	18.7	182	6	9	17	29	33	33	33										
ALL AGES	42	12.6	134	2	4	8	21	28	32	53	18	11.5	334	2	3	4	14	22	56	79
SUBTOTAL	**63**	**13.5**	**127**	**2**	**6**	**9**	**21**	**32**	**35**	**93**	**24**	**9.6**	**260**	**2**	**2**	**3**	**10**	**21**	**39**	**79**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	12.3	76	3	6	14	18	20	20	20										
18-24	4	7.5	16	4	4	6	10	13	13	13										
25-34	7	7.7	24	2	4	7	12	15	15	15	1	1.0		1	1	1	1	1	1	1
35-54	7	10.6	48	3	5	10	17	21	21	21	1	1.0		1	1	1	1	1	1	1
55-74	8	22.4	373	4	11	18	26	54	66	66	1	3.0		3	3	3	3	3	3	3
75 +	3	28.3	145	20	21	23	37	42	42	42										
ALL AGES	32	14.3	170	3	5	11	19	26	40	66	3	1.7	1	1	1	1	3	3	3	3
B. FEMALE																				
0-12 YRS.	1	7.0		7	7	7	7	7	7	7	1	3.0		3	3	3	3	3	3	3
13-17	1	8.0		8	8	8	8	8	8	8										
18-24	4	7.0	57	1	2	4	11	18	18	18	1	2.0		2	2	2	2	2	2	2
25-34	11	15.5	146	7	8	9	16	38	42	42										
35-54	11	13.1	106	2	6	12	17	26	38	39	3	2.3	6	1	1	1	4	5	5	5
55-74	6	11.8	150	3	5	7	12	34	36	36	2	16.0	242	5	5	16	27	27	27	27
75 +	3	16.3	192	6	7	11	27	32	32	32	2	5.0	2	4	4	5	6	6	6	6
ALL AGES	37	12.9	115	3	6	9	16	35	38	42	9	6.0	65	1	2	4	5	19	27	27
SUBTOTAL	**69**	**13.6**	**138**	**3**	**6**	**10**	**18**	**30**	**39**	**61**	**12**	**4.9**	**52**	**1**	**1**	**3**	**5**	**12**	**25**	**27**
GRAND TOTAL	**132**	**13.5**	**133**	**3**	**6**	**9**	**19**	**32**	**38**	**72**	**36**	**8.0**	**193**	**1**	**2**	**3**	**6**	**21**	**25**	**79**

EXCITATIV TYPE PSYCHOSIS (298.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-17	1	4.0		4	4	4	4	4	4	4										
18-24	3	12.0	243	3	3	3	23	30	30	30										
25-34	3	3.7	9	1	1	3	6	7	7	7	1	2.0		2	2	2	2	2	2	2
35-54	4	4.0	9	1	1	3	6	8	8	8	3	9.7	33	3	5	12	13	14	14	14
55-74	6	3.5	2	2	2	3	4	6	6	6	4	7.5	17	2	5	8	10	12	12	12
75 +											3	8.3	71	3	3	4	14	18	18	18
ALL AGES	18	5.4	43	1	3	4	6	9	22	30	11	7.8	31	2	3	8	12	16	18	18
B. FEMALE																				
0-12 YRS.																				
13-17	4	13.0	82	2	6	13	20	23	23	23										
18-24	3	5.7	32	1	2	4	10	12	12	12										
25-34	4	10.8	47	5	5	10	16	19	19	19	2	1.5	1	1	1	1	2	2	2	2
35-54	10	5.0	13	1	2	4	6	11	11	11	5	3.2	6	1	1	2	5	7	7	7
55-74	10	5.9	18	1	3	5	10	12	13	13	6	3.3	5	1	2	3	6	6	6	6
75 +	3	6.7	5	4	5	8	8	8	8	8	6	7.3	32	1	3	7	9	16	17	17
ALL AGES	34	7.1	30	1	3	5	11	14	19	23	19	4.4	16	1	2	3	6	9	13	17
SUBTOTAL	**52**	**6.5**	**35**	**1**	**3**	**4**	**9**	**13**	**19**	**30**	**30**	**5.6**	**24**	**1**	**2**	**4**	**8**	**13**	**17**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	8.0		8	8	8	8	8	8	8	1	3.0		3	3	3	3	3	3	3
18-24	2	5.0	18	2	2	5	8	8	8	8	1	5.0		5	5	5	5	5	5	5
25-34	1	10.0		10	10	10	10	10	10	10	2	3.5	13	1	1	3	6	6	6	6
35-54	5	13.6	225	1	2	4	30	30	30	30	2	3.0	2	2	2	3	4	4	4	4
55-74	3	5.7	17	1	2	7	8	9	9	9	2	4.0		4	4	4	4	4	4	4
75 +	1	11.0		11	11	11	11	11	11	11	1	6.0		6	6	6	6	6	6	6
ALL AGES	13	9.5	95	1	3	8	10	30	30	30	9	3.9	3	1	3	4	5	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17	1	14.0		14	14	14	14	14	14	14										
18-24	4	7.3	42	3	3	4	11	17	17	17										
25-34	6	9.0	63	1	2	8	13	20	21	21	2	3.0	8	1	1	2	5	5	5	5
35-54	8	6.3	10	2	4	6	9	10	10	10	9	4.9	31	1	1	2	6	14	18	18
55-74	5	16.6	43	9	10	18	21	25	25	25	4	11.5	163	3	3	7	20	30	30	30
75 +	3	7.7	16	4	5	7	11	12	12	12	5	6.2	7	3	4	7	8	9	9	9
ALL AGES	27	9.4	42	2	4	9	13	20	22	25	20	6.4	48	1	2	4	8	14	24	30
SUBTOTAL	**40**	**9.4**	**58**	**2**	**4**	**8**	**12**	**20**	**27**	**30**	**29**	**5.6**	**35**	**1**	**2**	**4**	**6**	**10**	**19**	**30**
GRAND TOTAL	**92**	**7.8**	**46**	**1**	**3**	**6**	**10**	**17**	**23**	**30**	**59**	**5.6**	**29**	**1**	**2**	**4**	**8**	**12**	**17**	**29**

REACTIVE CONFUSION (298.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17											1	2.0		2	2	2	2	2	2	2
18-24											1	2.0		2	2	2	2	2	2	2
25-34	2	6.0	50	1	1	6	11	11	11	11	1	2.0		2	2	2	2	2	2	2
35-54																				
55-74	2	3.0	8	1	1	3	5	5	5	5	3	2.7	2	1	1	3	4	4	4	4
75 +											1	7.0		7	7	7	7	7	7	7
ALL AGES	5	3.8	19	1	1	1	6	11	11	11	7	3.0	4	1	2	2	4	6	7	7
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-24																				
25-34	1	21.0		21	21	21	21	21	21	21	2	4.5	13	2	2	4	7	7	7	7
35-54	2	8.0	98	1	1	8	15	15	15	15										
55-74	4	6.8	31	2	2	6	11	13	13	13	2	2.5	5	1	1	2	4	4	4	4
75 +	1	1.0		1	1	1	1	1	1	1	2	13.0	128	5	5	13	21	21	21	21
ALL AGES	9	7.3	58	1	1	2	13	19	21	21	6	6.7	53	1	2	4	7	20	21	21
SUBTOTAL	**14**	**6.1**	**44**	**1**	**1**	**2**	**11**	**16**	**20**	**21**	**13**	**4.7**	**28**	**1**	**2**	**3**	**5**	**10**	**19**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1	1	6.0		6	6	6	6	6	6	6
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	2	8.0	72	2	2	8	14	14	14	14										
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	5	5.0	32	1	1	2	9	14	14	14	1	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54	2	1.5	1	1	1	1	2	2	2	2										
55-74	3	11.3	235	2	2	3	22	29	29	29	1	6.0		6	6	6	6	6	6	6
75 +	1	5.0		5	5	5	5	5	5	5	1	9.0		9	9	9	9	9	9	9
ALL AGES	6	7.0	118	1	2	3	5	27	29	29	3	5.7	12	2	3	6	8	9	9	9
SUBTOTAL	**11**	**6.1**	**73**	**1**	**1**	**2**	**6**	**20**	**28**	**29**	**4**	**5.8**	**7**	**2**	**4**	**6**	**8**	**9**	[illegible]	**9**
GRAND TOTAL	**25**	**6.1**	**54**	**1**	**1**	**2**	**10**	**15**	**23**	**29**	**17**	**4.9**	**23**	**1**	**2**	**4**	**6**	**9**	[illegible]	**21**

ACUTE PARANOID REACTION (298.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	5.0		5	5	5	5	5	5	5
13-17	1	11.0		11	11	11	11	11	11	11										
18-24	1	4.0		4	4	4	4	4	4	4										
25-34	9	8.0	20	2	5	7	10	15	15	15	2	7.0	72	1	1	6	13	13	13	13
35-54	5	9.8	21	5	6	9	14	15	15	15	1	5.0		5	5	5	5	5	5	5
55-74	2	13.0	8	11	11	13	15	15	15	15	3	8.3	35	4	4	6	13	15	15	15
75 +	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
ALL AGES	19	8.6	21	3	5	9	13	15	15	15	8	6.4	25	1	3	5	9	14	15	15
B. FEMALE																				
0-12 YRS.																				
13-17	2	20.5	61	15	15	20	26	26	26	26										
18-24																				
25-34	4	11.3	70	2	5	10	17	22	22	22	3	9.3	162	2	2	2	19	24	24	24
35-54	6	8.8	7	5	7	9	11	12	12	12	3	8.3	10	5	6	9	10	11	11	11
55-74	7	11.1	74	4	5	7	18	24	25	25	7	7.9	42	2	3	4	14	17	18	18
75 +	8	15.4	33	8	10	16	19	23	25	25	3	23.0	307	5	10	24	36	40	40	40
ALL AGES	27	12.6	49	4	7	11	18	24	25	26	16	11.1	115	2	3	7	16	24	35	40
SUBTOTAL	**46**	**11.0**	**39**	**4**	**6**	**10**	**15**	**21**	**25**	**26**	**24**	**9.5**	**89**	**2**	**3**	**5**	**14**	**24**	**29**	**40**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	6	12.8	67	2	10	12	18	24	25	25	1	1.0		1	1	1	1	1	1	1
35-54	9	10.7	93	2	3	7	15	26	32	32	2	9.5	113	2	2	9	17	17	17	17
55-74	4	29.8	293	11	16	28	43	51	51	51										
75 +	2	6.0	18	3	3	6	9	9	9	9										
ALL AGES	21	14.5	160	2	5	11	19	33	42	51	3	6.7	80	1	1	2	13	17	17	17
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	45.0		45	45	45	45	45	45	45										
25-34	4	15.5	151	1	7	15	23	31	31	31										
35-54	7	20.7	362	4	7	17	24	53	60	60										
55-74	5	21.4	108	10	15	17	29	37	37	37	2	10.0	128	2	2	10	18	18	18	18
75 +	3	7.0	4	5	5	7	8	9	9	9	2	6.5	25	3	3	6	10	10	10	10
ALL AGES	20	19.0	225	4	8	16	25	41	52	60	4	8.3	54	2	2	6	14	18	18	18
SUBTOTAL	**41**	**16.7**	**192**	**3**	**7**	**13**	**23**	**36**	**48**	**60**	**7**	**7.6**	**54**	**1**	**2**	**3**	**15**	**18**	**18**	**18**
GRAND TOTAL	**87**	**13.7**	**118**	**3**	**6**	**11**	**17**	**26**	**35**	**57**	**31**	**9.1**	**79**	**2**	**2**	**5**	**14**	**20**	**24**	**40**

PSYCHOGEN PARANOID PSYCH (298.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	32.0		32	32	32	32	32	32	32
55-74																				
75 +																				
ALL AGES											1	32.0		32	32	32	32	32	32	32
SUBTOTAL											**1**	**32.0**		**32**	**32**	**32**	**32**	**32**	**32**	**32**
GRAND TOTAL											**1**	**32.0**		**32**	**32**	**32**	**32**	**32**	**32**	**32**

REACT PSYCHOSIS NEC/NOS (298.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	25.5	25	22	22	25	29	29	29	29										
13-17	8	16.1	525	1	2	5	22	56	68	68	2	8.5	1	8	8	8	9	9	9	9
18-24	39	11.5	133	2	5	8	13	20	43	53	9	9.8	25	4	6	8	15	17	18	18
25-34	31	7.1	24	2	4	6	8	15	19	20	7	7.6	34	2	3	7	10	17	19	19
35-54	47	8.4	37	3	4	7	10	14	25	28	4	7.5	8	4	5	7	9	11	11	11
55-74	4	10.5	28	5	6	10	15	16	16	16	4	7.0	31	2	3	5	10	15	15	15
75 +	5	11.2	14	7	8	11	13	17	17	17	1	6.0		6	6	6	6	6	6	6
ALL AGES	136	9.9	92	2	5	7	12	19	28	55	27	8.2	22	3	5	7	11	15	18	19
B. FEMALE																				
0-12 YRS.	9	20.6	229	5	7	16	31	43	43	43	1	2.0		2	2	2	2	2	2	2
13-17	7	20.6	161	9	10	12	34	38	38	38	2	4.0	2	3	3	4	5	5	5	5
18-24	29	9.0	62	2	3	6	12	18	22	38	6	5.7	19	1	2	5	8	12	13	13
25-34	66	10.1	45	3	5	9	13	18	25	33	5	5.6	24	1	2	3	9	13	13	13
35-54	97	9.5	56	2	4	8	13	19	24	39	11	4.9	11	1	2	3	7	10	12	12
55-74	37	10.6	63	4	5	8	14	26	29	31	17	5.6	18	2	2	5	7	13	15	15
75 +	11	9.2	66	2	3	7	13	21	28	29	9	5.8	19	3	3	4	8	13	16	16
ALL AGES	256	10.4	70	2	5	8	13	21	28	42	51	5.4	15	2	3	4	8	12	14	16
SUBTOTAL	**392**	**10.2**	**78**	**2**	**5**	**8**	**13**	**20**	**28**	**46**	**78**	**6.3**	**20**	**2**	**3**	**5**	**8**	**14**	**15**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	21.0		21	21	21	21	21	21	21										
13-17	7	19.6	400	5	7	10	36	51	53	53	1	3.0		3	3	3	3	3	3	3
18-24	28	16.2	220	3	5	13	20	34	40	72	5	18.8	290	1	1	20	35	36	36	36
25-34	41	9.9	100	3	4	7	10	25	32	50	1	7.0		7	7	7	7	7	7	7
35-54	26	8.5	44	3	4	7	10	16	23	33	9	5.6	13	1	2	6	9	10	10	10
55-74	6	11.3	47	3	6	11	17	19	19	19										
75 +	1	17.0		17	17	17	17	17	17	17	2	4.0	2	3	3	4	5	5	5	5
ALL AGES	110	12.0	140	3	5	8	15	27	37	61	18	9.0	114	1	3	5	10	30	36	36
B. FEMALE																				
0-12 YRS.	1	11.0		11	11	11	11	11	11	11										
13-17	5	18.6	338	5	6	14	26	50	50	50										
18-24	18	11.1	37	2	8	11	16	20	23	24	4	13.5	35	9	9	11	17	22	22	22
25-34	59	11.9	70	3	6	11	16	21	29	42	3	6.7	9	4	4	6	9	10	10	10
35-54	59	11.5	68	4	5	10	16	23	26	43	3	9.0	57	2	3	8	15	17	17	17
55-74	10	11.9	114	4	6	8	11	30	38	38	6	8.3	17	3	5	8	11	14	14	14
75 +	4	19.3	108	6	11	20	27	31	31	31										
ALL AGES	156	12.1	75	3	6	10	16	23	29	44	16	9.4	28	3	5	9	12	17	20	22
SUBTOTAL	**266**	**12.0**	**103**	**3**	**5**	**9**	**16**	**23**	**33**	**50**	**34**	**9.2**	**72**	**2**	**3**	**8**	**10**	**20**	**32**	**36**
GRAND TOTAL	**658**	**11.0**	**87**	**3**	**5**	**8**	**14**	**22**	**29**	**50**	**112**	**7.2**	**37**	**2**	**3**	**6**	**9**	**15**	**18**	**35**

PSYCHOSIS NOS (298.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	24	16.9	150	4	9	16	18	30	50	50	9	6.0	36	1	2	3	11	15	18	18
13-17	44	18.8	332	5	8	12	21	44	66	80	11	13.4	202	1	3	7	28	35	38	38
18-24	126	12.2	158	2	4	8	16	26	45	99+	31	10.2	135	1	3	5	14	22	41	51
25-34	162	11.0	180	2	3	7	14	23	35	81	45	10.8	273	1	3	6	12	24	41	98
35-54	187	9.7	113	2	3	7	13	21	28	85	52	5.3	19	1	2	4	8	12	14	17
55-74	179	10.6	120	2	3	7	13	24	29	55	83	8.0	90	2	3	5	8	17	27	51
75 +	149	9.7	125	3	4	6	12	19	22	72	113	7.7	58	2	3	5	9	19	25	39
ALL AGES	871	11.1	152	2	4	7	14	23	33	77	344	8.2	100	1	3	5	9	18	27	50
B. FEMALE																				
0-12 YRS.	11	10.5	134	1	1	3	16	30	35	35	9	9.1	261	1	1	1	10	36	50	50
13-17	33	22.2	392	2	11	16	31	62	77	99+	4	5.0	4	4	4	4	6	8	8	8
18-24	98	12.6	167	2	3	8	19	34	43	83	26	8.4	49	1	3	6	12	19	24	27
25-34	164	11.3	119	2	4	8	15	22	30	53	45	9.6	78	2	4	8	13	24	32	99+
35-54	278	11.3	86	2	4	10	15	23	31	58	74	8.2	82	1	3	6	11	14	18	52
55-74	289	11.6	131	2	4	8	14	25	33	60	106	6.3	37	1	2	5	8	14	19	67
75 +	260	9.8	109	2	4	7	13	20	33	99+	195	7.3	57	2	3	5	8	16	21	47
ALL AGES	1133	11.5	126	2	4	8	15	25	34	77	459	7.5	62	1	3	5	9	16	22	50
SUBTOTAL	**2004**	**11.3**	**138**	**2**	**4**	**8**	**15**	**24**	**34**	**77**	**803**	**7.8**	**78**	**1**	**3**	**5**	**9**	**17**	**24**	**50**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	21	33.3	297	13	21	31	48	60	61	61	2	40.5	313	28	28	40	53	53	53	53
13-17	33	26.2	482	6	10	20	30	69	75	79	1	1.0		1	1	1	1	1	1	1
18-24	99	13.4	200	3	5	8	18	32	49	99+	[illegible]	10.9	189	2	4	5	12	33	46	46
25-34	138	10.4	88	2	4	8	13	24	27	[illegible]	34	10.0	102	2	2	7	14	27	32	41
35-54	138	11.2	122	2	4	8	14	23	33	53	31	5.8	22	1	2	5	7	14	16	17
55-74	97	11.7	80	4	6	9	16	23	29	45	35	6.5	37	2	3	4	8	19	25	99+
75 +	65	12.0	53	5	7	11	15	24	32	90	30	8.8	64	1	3	7	12	18	30	33
ALL AGES	591	13.2	163	3	5	9	16	28	39	75	142	8.4	82	2	2	5	11	20	30	56
B. FEMALE																				
0-12 YRS.	4	13.3	76	3	6	14	20	22	22	22	1	3.0		3	3	3	3	3	3	3
13-17	24	25.9	614	6	12	15	35	75	82	95	4	20.3	103	8	12	21	28	31	31	31
18-24	56	12.7	116	2	4	9	17	30	35	43	10	8.5	103	1	1	5	10	25	34	34
25-34	121	12.3	133	3	6	9	15	24	42	57	26	11.5	126	2	5	9	15	37	56	99+
35-54	165	12.4	103	3	6	11	16	26	31	73	26	6.0	31	1	3	4	7	15	21	22
55-74	115	13.7	134	3	6	11	19	32	40	50	39	7.2	39	2	3	4	9	18	21	25
75 +	123	12.3	98	3	6	9	15	26	36	45	47	10.0	201	2	3	6	12	20	30	86
ALL AGES	608	13.2	139	3	6	10	16	29	37	62	153	9.0	112	2	3	5	11	21	26	85
SUBTOTAL	**1199**	**13.2**	**151**	**3**	**5**	**10**	**16**	**29**	**38**	**73**	**295**	**8.7**	**97**	**2**	**3**	**5**	**11**	**20**	**29**	**70**
GRAND TOTAL	**3203**	**12.0**	**144**	**2**	**4**	**8**	**15**	**26**	**36**	**75**	**1098**	**8.0**	**84**	**2**	**3**	**5**	**9**	**18**	**26**	**51**

INFANTILE AUTISM (299.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	16	19.3	561	2	4	11	28	74	92	99+	4	5.3	35	1	1	3	9	14	14	14
13-17	3	10.3	11	8	8	9	13	14	14	14	1	95.0		95	95	95	95	95	95	95
18-24	4	12.5	153	5	6	7	48	99+	99+	99+										
25-34	3	27.3	332	14	15	20	41	48	48	48										
35-54	1	20.0		20	20	20	20	20	20	20										
55-74																				
75 +																				
ALL AGES	27	18.2	391	3	7	11	23	71	99+	99+	5	23.2	1638	1	2	4	34	95	95	95
B. FEMALE																				
0-12 YRS.	2	36.0	2450	1	1	36	71	71	71	71										
13-17	1	3.0		3	3	3	3	3	3	3										
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	1	19.0		19	19	19	19	19	19	19										
35-54	1	9.0		9	9	9	9	9	9	9										
55-74																				
75 +																				
ALL AGES	6	17.3	740	1	1	6	19	66	71	71										
SUBTOTAL	**33**	**18.1**	**431**	**2**	**5**	**11**	**20**	**71**	**94**	**99+**	**5**	**23.2**	**1638**	**1**	**2**	**4**	**34**	**95**	**95**	**95**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS	4	14.5	105	4	6	14	23	26	26	26	1	4.0		4	4	4	4	4	4	4
13-17	2	1.5	1	1	1	1	2	2	2	2	1	22.0		22	22	22	22	22	22	22
18-24	2	8.5	61	3	3	8	14	14	14	14										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	8	9.8	85	1	2	6	17	24	26	26	2	13.0	162	4	4	13	22	22	22	22
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	**9**	**8.9**	**82**	**1**	**2**	**4**	**15**	**24**	**26**	**26**	**2**	**13.0**	**162**	**4**	**4**	**13**	**22**	**22**	**22**	**22**
GRAND TOTAL	**42**	**16.1**	**368**	**2**	**4**	**10**	**20**	**62**	**84**	**99+**	**7**	**20.3**	**1143**	**1**	**2**	**4**	**20**	**80**	**95**	**95**

DISINTEGRATIVE PSYCHOSIS (299.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	4.0		4	4	4	4	4	4	4										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	4.0		4	4	4	4	4	4	4										

EARLY CHLD PSYCHOSES NEC (299.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	28	31.7	384	9	18	28	45	58	88	99 +	3	16.7	195	1	6	21	26	28	28	28
13-17	6	12.7	134	1	2	12	16	31	33	33	1	27.0		27	27	27	27	27	27	27
18-24	3	10.3	21	6	7	10	14	15	15	15										
25-34											2	9.5	5	8	8	9	11	11	11	11
35-54																				
55-74	1	12.0		12	12	12	12	12	12	12										
75 +																				
ALL AGES	38	26.5	377	5	12	23	42	57	74	99 +	6	16.0	121	2	8	16	27	28	28	28
B. FEMALE																				
0-12 YRS.	8	38.9	595	10	25	34	52	76	84	84	1	14.0		14	14	14	14	14	14	14
13-17	6	21.8	161	7	17	21	38	88	99 +	99 +	1	2.0		2	2	2	2	2	2	2
18-24																				
25-34																				
35-54																				
55-74	1	39.0		39	39	39	39	39	39	39										
75 +																				
ALL AGES	15	32.1	428	5	20	31	44	81	95	99 +	2	8.0	72	2	2	8	14	14	14	14
SUBTOTAL	**53**	**28.1**	**389**	**4**	**14**	**25**	**42**	**58**	**86**	**99 +**	**8**	**14.0**	**110**	**1**	**5**	**12**	**24**	**28**	**28**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	13	25.6	186	13	18	27	42	99 +	99 +	99 +	1	77.0		77	77	77	77	77	77	77
13-17	11	24.8	853	5	9	11	56	89	98	99 +										
18-24	1	24.0		24	24	24	24	24	24	24	1	26.0		26	26	26	26	26	26	26
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7										
55-74																				
75 +																				
ALL AGES	26	24.5	443	7	11	21	41	94	99 +	99 +	2	51.5	1301	26	26	51	77	77	77	77
B. FEMALE																				
0-12 YRS.	9	31.9	209	16	20	34	49	76	99 +	99 +										
13-17	3	14.3	267	3	5	20	66	99 +	99 +	99 +										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	12	27.5	264	7	20	30	49	99 +	99 +	99 +										
SUBTOTAL	**38**	**25.4**	**382**	**7**	**12**	**23**	**43**	**99 +**	**99 +**	**99 +**	**2**	**51.5**	**1301**	**26**	**39**	**77**	**94**	**99 +**	**99 +**	**99 +**
GRAND TOTAL	**91**	**27.0**	**382**	**6**	**13**	**24**	**42**	**82**	**99 +**	**99 +**	**10**	**21.5**	**480**	**2**	**9**	**21**	**28**	**86**	**99**	**99 +**

EARLY CHLD PSYCHOSIS NOS (299.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	11.7	71	2	5	15	17	18	18	18	2	8.0	32	4	4	8	12	12	12	12
13-17	3	21.7	343	1	7	27	34	37	37	37	1	3.0		3	3	3	3	3	3	3
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	6	16.7	196	1	2	16	27	36	37	37	3	6.3	25	3	3	4	10	12	12	12
B. FEMALE																				
0-12 YRS.	3	24.0	259	7	12	26	36	39	39	39	1	2.0		2	2	2	2	2	2	2
13-17	1	56.0		56	56	78	99 +	99 +	99 +	99 +										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	32.0	429	7	21	39	67	99 +	99 +	99 +	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**10**	**22.8**	**315**	**2**	**9**	**26**	**38**	**74**	**98**	**99 +**	**4**	**5.3**	**20**	**2**	**2**	**3**	**8**	**12**	**12**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-17	2	41.0	72	35	35	41	47	47	47	47	1	4.0		4	4	4	4	4	4	4
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	30.0	399	8	15	35	44	47	47	47	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	1	14.0		14	14	14	14	14	14	14	1	23.0		23	23	23	23	23	23	23
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	14.0		14	14	14	14	14	14	14	1	23.0		23	23	23	23	23	23	23
SUBTOTAL	**4**	**26.0**	**330**	**8**	**11**	**24**	**41**	**47**	**47**	**47**	**2**	**13.5**	**181**	**4**	**4**	**13**	**23**	**23**	**23**	**23**
GRAND TOTAL	**14**	**23.7**	**297**	**2**	**9**	**26**	**38**	**56**	**89**	**99 +**	**6**	**8.0**	**67**	**2**	**3**	**4**	**12**	**22**	**23**	**23**

ANXIETY STATES (300.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	7	10.3	167	1	1	3	23	29	29	29	3	2.0	1	1	1	2	3	3	3	3
13-17	11	6.7	51	1	2	3	11	19	20	20	5	2.0	1	1	1	2	2	3	3	3
18-24	31	5.5	72	1	1	2	5	15	20	43	18	4.1	25	1	1	2	5	8	17	22
25-34	63	5.0	27	1	1	3	8	12	17	22	34	3.1	21	1	1	2	3	5	9	27
35-54	116	4.6	32	1	1	3	6	11	16	28	104	2.2	3	1	1	2	3	4	7	10
55-74	74	4.3	17	1	2	3	5	11	13	19	55	3.4	8	1	2	2	4	6	12	13
75 +	14	4.5	13	1	2	3	6	10	12	13	22	5.5	59	1	2	3	6	15	23	35
ALL AGES	316	4.9	34	1	1	3	6	12	17	29	241	3.0	14	1	1	2	3	6	9	22
B. FEMALE																				
0-12 YRS.	8	3.3	3	1	2	3	5	6	6	6	3	17.7	736	1	1	3	37	49	49	49
13-17	15	6.7	92	1	1	2	6	22	28	30	5	1.4	1	1	1	1	2	3	3	3
18-24	28	4.9	37	1	2	3	6	11	17	31	25	2.4	14	1	1	2	2	3	8	20
25-34	96	5.6	59	1	1	3	6	15	21	42	55	2.6	6	1	1	2	3	6	7	14
35-54	182	6.5	51	1	2	4	9	15	21	39	154	3.2	9	1	1	2	4	6	9	20
55-74	158	6.8	57	1	2	4	8	17	19	37	135	3.1	4	1	2	3	4	6	7	11
75 +	63	7.8	85	1	2	4	10	22	28	41	80	3.8	14	1	2	3	4	6	14	18
ALL AGES	550	6.4	58	1	2	4	8	16	22	40	457	3.2	13	1	1	2	4	6	8	18
SUBTOTAL	**866**	**5.9**	**49**	**1**	**2**	**3**	**7**	**15**	**20**	**37**	**698**	**3.2**	**13**	**1**	**1**	**2**	**4**	**6**	**9**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	4.7	14	2	2	3	7	9	9	9	3	18.3	803	1	1	3	39	51	51	51
13-17	8	19.3	401	3	6	18	37	85	99 +	99 +	3	1.7	1	1	1	1	2	3	3	3
18-24	28	9.5	39	3	5	8	12	18	22	26	6	3.3	7	1	2	2	5	8	8	8
25-34	87	8.1	67	1	2	5	12	22	28	31	19	4.8	29	1	1	3	8	12	17	21
35-54	142	9.9	75	2	3	8	14	20	27	42	33	3.7	10	1	2	2	5	8	11	14
55-74	64	13.0	131	2	4	11	17	29	36	56	25	4.2	17	1	2	3	5	7	12	21
75 +	11	8.9	107	1	1	5	15	26	30	30	7	3.9	7	2	2	3	4	9	10	10
ALL AGES	343	10.1	92	2	3	7	15	23	29	49	96	4.5	37	1	2	3	5	9	12	37
B. FEMALE																				
0-12 YRS.	3	25.3	839	3	6	15	47	58	58	58	1	30.0		30	30	30	30	30	30	30
13-17	15	11.5	145	2	3	6	17	37	38	38	5	6.4	120	1	1	2	8	26	26	26
18-24	51	10.8	90	1	3	9	16	26	30	42	12	4.2	19	1	1	4	5	9	16	17
25-34	142	9.1	92	1	3	7	12	21	25	41	45	5.0	30	1	2	3	5	14	18	24
35-54	228	9.6	79	1	3	7	13	20	26	42	74	6.1	41	1	2	4	8	13	21	32
55-74	153	12.5	110	2	5	9	17	28	34	46	61	5.1	16	2	2	4	6	11	13	19
75 +	68	10.1	84	1	3	8	14	20	25	47	27	5.8	21	1	2	4	9	13	15	16
ALL AGES	660	10.4	96	2	4	8	14	22	30	46	225	5.6	32	1	2	4	7	13	17	27
SUBTOTAL	**1003**	**10.3**	**95**	**2**	**3**	**7**	**14**	**22**	**29**	**46**	**321**	**5.2**	**34**	**1**	**2**	**3**	**6**	**12**	**16**	**27**
GRAND TOTAL	**1869**	**8.3**	**78**	**1**	**2**	**5**	**12**	**19**	**26**	**42**	**1019**	**3.8**	**21**	**1**	**1**	**2**	**4**	**8**	**12**	**22**

HYSTERIA (300.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	25	6.1	81	1	2	2	7	11	33	37	8	3.4	6	1	1	4	6	63	99 +	99 +
13-17	14	5.1	24	1	2	3	6	15	17	17	11	9.8	327	1	1	2	5	41	57	58
18-24	22	3.8	11	1	1	2	7	9	10	12	13	2.7	5	1	1	2	3	7	7	7
25-34	34	4.8	24	1	2	3	5	12	17	20	16	3.8	10	1	2	3	5	7	12	14
35-54	31	3.8	4	1	2	4	5	7	8	8	15	4.8	6	2	2	5	6	9	9	9
55-74	14	5.2	10	2	2	5	8	9	10	10	15	2.8	1	2	2	3	4	4	5	5
75 +	3	2.3	3	1	1	2	3	4	4	4	4	4.0	6	1	2	4	6	6	6	6
ALL AGES	143	4.7	25	1	2	3	6	9	13	32	82	4.4	50	1	2	3	5	7	11	86
B. FEMALE																				
0-12 YRS.	37	10.4	414	1	2	4	8	19	71	91	17	2.7	4	1	1	2	3	7	7	7
13-17	40	5.9	35	1	2	4	7	13	19	30	29	6.0	263	1	1	2	4	8	18	89
18-24	56	8.4	86	1	2	4	12	20	32	40	36	3.7	14	1	1	3	4	8	10	21
25-34	109	8.7	220	1	2	4	8	27	43	99 +	32	4.1	21	1	2	2	4	9	14	23
35-54	136	8.2	111	1	3	5	9	18	28	61	69	3.8	9	1	2	3	5	7	9	17
55-74	39	5.9	75	1	2	3	6	12	18	52	23	4.2	22	1	2	3	5	8	15	23
75 +	15	11.9	535	1	2	3	8	34	75	89	7	7.7	38	1	3	5	12	17	18	18
ALL AGES	432	8.2	165	1	2	4	9	19	33	90	213	4.2	48	1	2	3	5	8	10	23
SUBTOTAL	**575**	**7.3**	**133**	**1**	**2**	**4**	**8**	**17**	**28**	**88**	**295**	**4.3**	**48**	**1**	**2**	**3**	**5**	**8**	**10**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	3.5	10	1	1	2	5	8	8	8	1	23.0		23	23	23	23	23	23	23
13-17	15	17.5	397	2	2	9	24	51	64	68	8	2.4	3	1	1	2	3	5	6	6
18-24	13	6.5	61	1	2	4	9	15	27	30	4	8.5	123	1	2	4	15	25	25	25
25-34	31	7.1	62	1	2	5	9	13	30	35	4	5.3	27	2	2	3	8	13	13	13
35-54	28	8.4	66	1	2	5	12	23	26	31	16	2.9	2	1	2	3	4	5	6	6
55-74	7	3.4	13	1	1	2	6	9	10	10	6	4.7	12	1	2	3	9	9	9	9
75 +	4	8.8	38	3	3	8	14	16	16	16	3	4.0	19	1	1	2	7	9	9	9
ALL AGES	102	8.6	116	1	2	5	11	23	31	59	42	4.4	26	1	2	3	4	9	17	25
B. FEMALE																				
0-12 YRS.	6	21.0	697	2	7	10	23	68	73	73	5	4.4	29	1	2	2	6	14	14	14
13-17	22	15.7	659	2	4	7	10	55	89	97	10	4.2	2	2	4	4	5	6	6	6
18-24	35	12.5	194	2	4	9	17	38	90	99 +	14	4.6	29	1	[illegible]	2	6	11	18	20
25-34	146	12.0	200	2	3	6	16	27	42	75	17	5.2	23	2	3	4	7	8	17	22
35-54	163	12.0	182	2	3	7	17	29	37	79	33	5.4	19	1	2	4	8	12	16	17
55-74	38	8.4	35	2	4	7	13	18	20	21	11	2.9	7	1	1	2	3	8	9	9
75 +	8	15.1	258	3	3	5	30	39	41	41	7	6.0	13	2	3	5	9	11	11	11
ALL AGES	418	12.1	208	2	3	7	16	28	42	93	97	4.8	18	1	2	3	6	10	14	21
SUBTOTAL	**520**	**11.4**	**192**	**2**	**3**	**7**	**15**	**27**	**40**	**86**	**139**	**4.7**	**20**	**1**	**2**	**3**	**6**	**10**	**14**	**23**
GRAND TOTAL	**1095**	**9.3**	**164**	**1**	**2**	**5**	**11**	**22**	**35**	**87**	**434**	**4.4**	**39**	**1**	**2**	**3**	**5**	**9**	**13**	**26**

PHOBIC DISORDERS (300.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	8.3	17	4	5	9	11	12	12	12	1	3.0		3	3	3	3	3	3	3
13-17											1	19.0		19	19	19	19	19	19	19
18-24	2	13.5	85	7	7	13	20	20	20	20										
25-34	11	8.9	39	2	5	7	12	19	22	22	1	1.0		1	1	1	1	1	1	1
35-54	8	12.5	43	6	7	10	18	22	23	23	1	1.0		1	1	1	1	1	1	1
55-74	3	7.7	66	2	2	4	14	17	17	17										
75 +											2	6.0	18	3	3	6	9	9	9	9
ALL AGES	27	10.1	41	3	5	9	16	20	22	23	6	6.0	49	1	1	3	9	18	19	19
B. FEMALE																				
0-12 YRS.	1	27.0		27	27	27	27	27	27	27	1	1.0		1	1	1	1	1	1	1
13-17	1	63.0		63	63	63	63	63	63	63	1	1.0		1	1	1	1	1	1	1
18-24	8	7.5	29	1	2	8	11	14	15	15	1	1.0		1	1	1	1	1	1	1
25-34	13	13.2	189	1	2	12	17	38	42	43	1	6.0		6	6	6	6	6	6	6
35-54	20	11.3	60	2	4	10	16	23	25	26	4	8.8	89	4	4	4	14	23	23	23
55-74	7	7.0	13	2	4	7	9	12	12	12	7	2.4	1	1	1	3	3	4	4	4
75 +	1	20.0		20	20	20	20	20	20	20										
ALL AGES	51	12.1	139	2	3	10	16	25	36	63	15	4.1	29	1	1	3	4	6	19	23
SUBTOTAL	**78**	**11.4**	**105**	**2**	**4**	**9**	**16**	**23**	**27**	**57**	**21**	**4.6**	**34**	**1**	**1**	**3**	**4**	**13**	**21**	**23**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	25.0	259	12	14	20	37	43	43	43										
13-17	4	34.8	578	3	16	40	53	55	55	55										
18-24	8	13.4	55	4	8	13	17	24	27	27										
25-34	9	17.0	88	7	11	15	21	31	37	37	1	15.0		15	15	15	15	15	15	15
35-54	20	14.6	149	2	2	14	23	29	37	45	1	11.0		11	11	11	11	11	11	11
55-74																				
75 +																				
ALL AGES	44	17.4	183	2	6	15	23	38	47	55	2	13.0	8	11	11	13	15	15	15	15
B. FEMALE																				
0-12 YRS.	3	15.3	212	1	4	15	26	30	30	30	1	22.0		22	22	22	22	22	22	22
13-17	1	7.0		7	7	7	7	7	7	7										
18-24	8	10.4	100	2	4	5	17	26	30	30										
25-34	29	9.4	75	2	3	5	13	21	31	35	6	18.0	285	1	6	16	20	46	49	49
35-54	38	12.9	58	3	7	12	20	24	25	29	5	7.6	68	1	2	4	13	21	21	21
55-74	15	12.9	110	3	7	8	17	32	34	35	4	8.5	27	5	5	7	12	16	16	16
75 +	3	12.0	93	1	5	16	18	19	19	19	1	3.0		3	3	3	3	3	3	3
ALL AGES	97	11.6	78	2	5	10	16	25	30	35	17	12.1	144	1	4	8	19	22	40	49
SUBTOTAL	**141**	**13.4**	**117**	**2**	**5**	**11**	**19**	**28**	**33**	**52**	**19**	**12.2**	**128**	**2**	**4**	**10**	**18**	**22**	**37**	**49**
GRAND TOTAL	**219**	**12.7**	**113**	**2**	**5**	**10**	**17**	**26**	**32**	**53**	**40**	**8.2**	**92**	**1**	**2**	**4**	**12**	**20**	**22**	**49**

OBSESSIVE-COMPULSIVE DIS (300.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	22.0	32	18	18	22	26	26	26	26										
13-17	5	17.8	197	4	5	20	25	39	39	39										
18-24	9	17.2	374	4	7	10	18	49	66	66	1	18.0		18	18	18	18	18	18	18
25-34	14	22.9	575	2	7	14	30	61	79	84	1	3.0		3	3	3	3	3	3	3
35-54	10	14.8	293	2	4	10	18	40	60	60										
55-74	3	26.3	767	7	9	14	47	58	58	58	1	7.0		7	7	7	7	7	7	7
75 +	1	36.0		36	36	36	36	36	36	36										
ALL AGES	44	19.8	380	3	7	14	24	58	62	84	3	9.3	61	3	4	7	15	18	18	18
B. FEMALE																				
0-12 YRS.	5	33.2	877	11	17	23	42	85	85	85	1	46.0		46	46	46	46	46	46	46
13-17	2	4.0	2	3	3	4	5	5	5	5										
18-24	5	9.8	69	2	3	8	16	22	22	22										
25-34	21	12.7	119	3	6	8	17	27	36	46										
35-54	13	10.5	111	2	3	5	16	28	33	34										
55-74	7	14.4	174	2	4	11	19	36	40	40										
75 +	5	20.4	139	7	11	20	27	38	38	38	1	14.0		14	14	14	14	14	14	14
ALL AGES	58	14.3	204	2	5	10	21	28	39	82	2	30.0	512	14	14	30	46	46	46	46
SUBTOTAL	**102**	**16.7**	**283**	**3**	**5**	**11**	**21**	**38**	**58**	**84**	**5**	**17.6**	**286**	**3**	**6**	**14**	**25**	**46**	**46**	**46**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	9	27.0	217	9	20	29	37	78	99 +	99 +										
18-24	13	24.1	710	5	7	11	30	66	87	92	1	14.0		14	14	14	14	14	14	14
25-34	24	15.3	187	2	6	10	21	33	42	57	4	5.5	6	3	4	5	7	9	9	9
35-54	17	12.9	68	5	7	12	16	24	31	34										
55-74	5	18.8	131	5	11	19	25	36	36	36										
75 +																				
ALL AGES	69	17.9	271	4	7	13	24	37	57	98	5	7.2	19	3	4	5	10	14	14	14
B. FEMALE																				
0-12 YRS.	2	35.0	1250	10	10	35	60	60	60	60										
13-17	1	28.0		28	28	28	28	28	28	28										
18-24	7	7.4	28	1	3	7	11	14	15	15	1	1.0		1	1	1	1	1	1	1
25-34	18	12.4	135	2	4	10	15	27	40	48	4	13.8	88	1	6	16	21	21	21	21
35-54	10	34.3	764	9	12	24	44	79	94	94										
55-74	8	22.6	236	7	10	17	38	43	43	43										
75 +	2	27.5	421	13	13	27	42	42	42	42	1	3.0		3	3	3	3	3	3	3
ALL AGES	48	19.9	370	3	8	13	28	44	60	94	6	9.8	92	1	1	7	21	21	21	21
SUBTOTAL	**117**	**18.7**	**310**	**3**	**7**	**13**	**25**	**44**	**59**	**96**	**11**	**8.6**	**56**	**1**	**3**	**5**	**13**	**21**	**21**	**21**
GRAND TOTAL	**219**	**17.8**	**296**	**3**	**6**	**12**	**22**	**41**	**58**	**93**	**16**	**11.4**	**133**	**1**	**3**	**8**	**16**	**21**	**39**	**46**

NEUROTIC DEPRESSION (300.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	71	21.9	238	7	11	21	29	50	56	99 +	4	21.3	327	3	7	19	35	44	44	44
13-17	144	20.9	316	3	8	15	29	40	54	99	2	32.5	265	21	27	44	86	99 +	99 +	99 +
18-24	99	8.5	95	1	2	5	11	20	34	78	12	6.3	37	1	2	4	9	17	19	19
25-34	127	6.6	29	1	2	5	9	14	18	24	8	2.4	2	1	1	2	3	4	4	4
35-54	166	8.7	53	1	3	7	12	18	23	33	29	5.0	26	1	2	3	5	14	17	20
55-74	69	10.6	85	2	4	8	14	22	28	44	32	5.7	30	1	2	4	8	12	14	28
75 +	17	9.4	39	2	6	8	12	20	24	25	14	5.4	9	2	3	5	8	9	11	12
ALL AGES	693	12.4	166	2	4	8	16	29	40	69	101	6.4	59	1	2	4	8	15	23	71
B. FEMALE																				
0-12 YRS.	46	21.3	215	6	10	17	28	45	51	60	4	21.8	77	9	15	25	28	28	28	28
13-17	381	17.3	216	3	6	13	25	36	44	80	28	11.5	183	1	2	5	20	26	41	59
18-24	153	7.9	52	1	3	6	11	14	27	33	24	4.2	31	1	1	3	4	11	19	25
25-34	269	7.3	38	1	3	6	10	15	20	29	35	5.4	36	1	2	3	5	17	20	22
35-54	370	9.1	70	2	4	7	13	19	24	38	102	3.8	8	1	2	3	5	7	9	15
55-74	170	10.5	72	2	4	8	14	21	27	44	97	5.9	60	2	3	4	6	10	16	53
75 +	81	10.6	89	3	5	7	15	20	26	56	50	7.7	96	2	3	5	10	13	27	58
ALL AGES	1470	11.4	123	2	4	8	15	26	33	53	340	6.0	62	1	2	4	6	12	20	50
SUBTOTAL	**2163**	**11.7**	**138**	**2**	**4**	**8**	**15**	**27**	**35**	**59**	**441**	**6.1**	**61**	**1**	**2**	**4**	**7**	**13**	**21**	**50**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	205	29.6	346	9	15	28	37	56	72	97	10	31.7	148	18	23	29	40	49	58	58
13-17	403	24.4	355	5	10	20	35	53	70	99 +	11	10.5	129	1	2	7	16	28	37	38
18-24	252	13.5	192	2	4	9	20	29	35	66	18	5.9	23	1	2	4	10	11	15	18
25-34	369	10.7	78	2	4	8	17	22	27	34	25	6.0	72	1	2	4	6	12	20	44
35-54	393	10.7	81	2	4	8	15	23	28	40	47	4.8	15	1	2	4	6	11	13	16
55-74	86	11.6	55	3	6	10	17	21	22	37	14	5.6	32	2	3	4	5	10	21	24
75 +	30	9.6	47	4	4	8	11	18	21	35	4	6.5	11	3	4	6	9	11	11	11
ALL AGES	1738	16.5	243	2	5	12	22	36	49	87	129	7.9	96	1	2	4	9	19	30	47
B. FEMALE																				
0-12 YRS.	98	29.2	343	9	15	28	38	59	73	99 +	4	19.5	145	8	11	17	28	36	36	36
13-17	537	21.5	310	4	9	17	31	50	74	99 +	41	15.5	133	3	5	12	24	30	38	46
18-24	338	12.0	146	2	4	9	17	25	33	84	35	6.1	43	1	2	4	8	13	15	37
25-34	557	10.8	83	2	4	8	15	22	29	42	62	7.7	54	1	3	5	12	17	27	30
35-54	563	12.3	138	2	5	9	16	26	32	56	67	6.6	61	1	2	4	8	13	19	43
55-74	180	13.0	157	2	6	10	16	29	34	68	31	8.3	41	3	4	7	11	16	19	31
75 +	58	12.2	54	4	7	10	16	21	30	34	12	7.1	21	3	3	5	12	13	14	14
ALL AGES	2331	14.8	199	3	5	11	20	33	45	93	252	8.7	76	2	3	5	11	21	28	42
SUBTOTAL	**4069**	**15.5**	**219**	**2**	**5**	**11**	**21**	**35**	**47**	**90**	**381**	**8.4**	**83**	**1**	**3**	**5**	**11**	**20**	**28**	**43**
GRAND TOTAL	**6232**	**14.2**	**193**	**2**	**5**	**10**	**20**	**32**	**43**	**83**	**822**	**7.2**	**72**	**1**	**2**	**4**	**8**	**17**	**26**	**44**

NEURASTHENIA (300.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24																				
25-34											1	3.0		3	3	3	3	3	3	3
35-54	1	3.0		3	3	3	3	3	3	3										
55-74	1	4.0		4	4	4	4	4	4	4										
75 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	4	2.5	2	1	1	2	3	4	4	4	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-24	1	4.0		4	4	4	4	4	4	4										
25-34	2	4.5	1	4	4	4	5	5	5	5	2	1.5	1	1	1	1	2	2	2	2
35-54	8	4.3	2	2	3	4	5	6	7	7	6	7.0	99	1	2	3	6	25	27	27
55-74	2	2.0		2	2	2	2	2	2	2	2	6.5	25	3	3	6	10	10	10	10
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	15	4.1	3	2	3	4	5	7	8	8	10	5.8	63	1	2	3	6	18	27	27
SUBTOTAL	**19**	**3.8**	**3**	**2**	**2**	**4**	**5**	**6**	**8**	**8**	**11**	**5.5**	**58**	**1**	**2**	**3**	**5**	**17**	**26**	**27**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	19.0		19	19	19	19	19	19	19										
25-34											1	1.0		1	1	1	1	1	1	1
35-54																				
55-74	1	11.0		11	11	11	11	11	11	11										
75 +																				
ALL AGES	2	15.0	32	11	11	15	19	19	19	19	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.	4	21.8	952	4	5	7	38	68	68	68										
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
35-54	2	6.5	5	5	5	6	8	8	8	8	5	5.2	8	2	3	5	8	8	8	8
55-74	1	7.0		7	7	7	7	7	7	7	1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	9	12.2	445	1	3	6	8	44	68	68	7	4.6	7	1	2	5	7	8	8	8
SUBTOTAL	**11**	**12.7**	**361**	**2**	**4**	**7**	**10**	**39**	**66**	**68**	**8**	**4.1**	**8**	**1**	**1**	**4**	**6**	**8**	**8**	**8**
GRAND TOTAL	**30**	**7.1**	**145**	**2**	**3**	**4**	**7**	**10**	**19**	**68**	**19**	**4.9**	**36**	**1**	**2**	**3**	**6**	**9**	**19**	**27**

DEPERSONALIZATION SYND (300.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	11.0		11	11	11	11	11	11	11										
35-54																				
55-74																				
75 +																				
ALL AGES	1	11.0		11	11	11	11	11	11	11										
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-24	1	6.0		6	6	6	6	6	6	6										
25-34																				
35-54											1	5.0		5	5	5	5	5	5	5
55-74																				
75 +																				
ALL AGES	2	3.5	13	1	1	3	6	6	6	6	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**3**	**6.0**	**25**	**1**	**2**	**6**	**10**	**11**	**11**	**11**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	29.0		29	29	29	29	29	29	29										
18-24																				
25-34	1	18.0		18	18	18	18	18	18	18										
35-54																				
55-74																				
75 +																				
ALL AGES	2	23.5	61	18	18	23	29	29	29	29										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	1.5	1	1	1	1	2	2	2	2										
35-54																				
55-74																				
75 +																				
ALL AGES	2	1.5	1	1	1	1	2	2	2	2										
SUBTOTAL	**4**	**12.5**	**182**	**1**	**1**	**10**	**23**	**29**	**29**	**29**										
GRAND TOTAL	**7**	**9.7**	**112**	**1**	**1**	**6**	**16**	**27**	**29**	**29**	1	5.0		**5**	**5**	**5**	**5**	**5**	**5**	**5**

HYPOCHONDRIASIS (300.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	2	11.5	113	4	4	11	19	19	19	19										
18-24																				
25-34	1	1.0		1	1	1	1	1	[illegible]	1										
35-54	1	2.0		2	2	2	2	2	[illegible]	2	1	1.0		1	1	1	1	1	1	1
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	5	6.0	55	1	1	4	8	19	19	19	2	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	4.0	8	2	2	4	6	6	6	6										
35-54	2	5.5	13	3	3	5	8	8	8	8										
55-74	3	17.0	21	13	14	16	20	22	22	22										
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	8	9.6	48	2	4	7	14	20	22	22										
SUBTOTAL	**13**	**8.2**	**50**	**1**	**3**	**6**	**14**	**20**	**22**	**22**	2	1.0		1	1	1	1	1	1	1
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	11.0	50	6	6	11	16	16	16	16										
55-74	2	4.5	13	2	2	4	7	7	7	7	1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	4	7.8	34	2	4	6	11	16	16	16	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	3	7.7	1	7	7	7	9	9	9	9										
35-54																				
55-74	5	18.0	55	7	12	21	23	25	25	25	1	15.0		15	15	15	15	15	15	15
75 +											2	19.0	18	16	16	19	22	22	22	22
ALL AGES	8	14.1	61	7	7	11	22	24	25	25	3	17.7	13	15	15	16	20	22	22	22
SUBTOTAL	**12**	**12.0**	**58**	**5**	**7**	**8**	**18**	**24**	**25**	**25**	**4**	**13.5**	**79**	**1**	**8**	**15**	**19**	**22**	**22**	**22**
GRAND TOTAL	**25**	**10.0**	**56**	**2**	**4**	**7**	**16**	**22**	**23**	**25**	**6**	**9.3**	**90**	**1**	**1**	**8**	**16**	**21**	**22**	**22**

NEUROTIC DISORDERS NEC (300.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	24.0	400	2	3	29	42	44	44	44	1	17.0		17	17	17	17	17	17	17
13-17	2	20.5	365	7	7	20	34	34	34	34	1	3.0		3	3	3	3	3	3	3
18-24											1	5.0		5	5	5	5	5	5	5
25-34	6	5.8	13	1	3	6	7	11	11	11	1	4.0		4	4	4	4	4	4	4
35-54	8	8.4	98	1	2	5	10	25	31	31	1	5.0		5	5	5	5	5	5	5
55-74	2	5.0	18	2	2	5	8	8	8	8	1	6.0		6	6	6	6	6	6	6
75 +											1	11.0		11	11	11	11	11	11	11
ALL AGES	23	11.9	182	1	3	7	12	35	42	44	7	7.3	25	3	4	5	10	16	17	17
B. FEMALE																				
0-12 YRS.	3	10.3	95	2	3	8	18	21	21	21										
13-17	4	4.8	2	3	3	4	6	7	7	7	[illegible]	61.0		61	61	61	61	61	61	61
18-24	1	6.0		6	6	6	6	6	6	6	2	4.5	5	3	3	4	6	6	6	6
25-34	3	6.3	31	1	2	6	10	12	12	12	2	3.5	13	1	1	3	6	6	6	6
35-54	18	10.4	27	4	6	10	13	19	21	21	4	13.0	51	5	7	13	19	20	20	20
55-74	15	10.4	57	3	4	8	13	20	27	30	3	12.7	309	2	2	3	25	33	33	33
75 +	7	8.7	35	1	3	11	14	15	15	15										
ALL AGES	51	9.4	37	3	4	8	13	18	21	30	12	13.9	311	2	[illegible]	6	19	41	58	61
SUBTOTAL	**74**	**10.2**	**81**	**2**	**4**	**7**	**12**	**21**	**31**	**43**	**19**	**11.5**	**208**	**2**	**3**	**6**	**15**	**28**	**48**	**61**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS											2	11.5	181	2	2	11	21	21	21	21
13-17	3	13.0	112	1	5	17	20	21	21	21										
18-24	2	28.0	392	14	14	28	42	42	42	42										
25-34	7	7.[illegible]	25	2	3	7	12	14	14	14										
35-54	8	12.6	231	2	4	7	14	39	48	48	3	12.7	81	6	7	9	19	23	23	23
55-74	9	9.0	22	3	5	8	14	15	15	15	2	3.5	1	3	3	3	4	4	4	4
75 +	1	11.0		11	11	11	11	11	11	11	1	3.0		3	3	3	3	3	3	3
ALL AGES	30	11.3	114	2	4	9	14	19	42	48	8	8.9	70	2	3	5	15	22	23	23
B. FEMALE																				
0-12 YRS.	2	22.5	61	17	17	22	28	28	28	28	2	17.0	242	6	6	17	28	28	28	28
13-17	3	6.0	48	2	2	2	11	14	14	14										
18-24	5	12.0	136	1	2	7	24	26	26	26										
25-34	16	14.1	265	2	3	8	19	32	55	65	2	5.0	8	3	3	5	7	7	7	7
35-54	40	11.4	67	1	5	11	16	21	29	33	6	13.3	164	2	2	10	26	30	30	30
55-74	6	18.3	104	5	10	24	28	86	99 +	99 +	6	6.8	18	2	3	6	10	13	13	13
75 +	7	17.7	55	9	12	16	23	28	29	29	1	10.0		10	10	10	10	10	10	10
ALL AGES	79	13.2	113	2	5	12	19	27	32	89	17	10.3	89	2	3	7	14	28	29	30
SUBTOTAL	**109**	**12.6**	**115**	**2**	**5**	**11**	**17**	**27**	**33**	**79**	**25**	**9.8**	**81**	**2**	**3**	**6**	**14**	**26**	**28**	**30**
GRAND TOTAL	**183**	**11.6**	**103**	**2**	**4**	**9**	**16**	**26**	**32**	**59**	**44**	**10.5**	**134**	**2**	**3**	**6**	**15**	**26**	**31**	**61**

NEUROTIC DISORDER NOS (300.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	18	7.4	189	1	1	2	5	31	45	49	9	2.0	2	1	1	2	3	4	4	4
13-17	30	9.0	251	1	1	4	10	19	28	85	8	2.9	6	1	1	2	5	7	7	7
18-24	15	3.3	13	1	1	1	5	9	12	13	13	2.3	3	1	1	2	3	5	7	7
25-34	15	7.5	44	1	2	5	13	16	21	22	11	6.4	139	1	1	1	3	26	38	39
35-54	27	4.3	20	1	1	2	7	10	14	19	15	3.6	11	1	1	2	5	9	11	12
55-74	34	7.3	33	2	3	6	9	18	20	25	20	6.9	32	2	3	5	9	17	19	21
75 +	18	7.6	43	1	3	5	12	16	22	25	24	5.5	27	1	2	4	7	13	18	22
ALL AGES	157	6.8	91	1	1	4	8	16	21	48	100	4.6	33	1	1	3	5	10	17	30
B. FEMALE																				
0-12 YRS.	16	10.3	257	1	1	4	10	32	53	61	6	2.0	2	1	1	2	2	5	5	5
13-17	36	10.1	174	1	2	5	14	27	45	55	20	2.0	2	1	1	1	3	4	5	6
18-24	15	5.3	56	1	1	2	5	20	24	25	16	1.6	1	1	1	1	2	3	4	5
25-34	22	5.0	36	1	1	1	10	14	18	19	7	3.7	46	1	1	1	2	16	19	19
35-54	28	6.8	334	1	1	2	5	9	19	99	35	3.2	11	1	1	2	4	7	12	14
55-74	35	7.9	47	2	3	7	10	17	24	28	24	5.1	27	2	2	4	6	8	15	27
75 +	48	7.2	46	1	3	6	9	12	24	34	47	10.0	199	2	3	5	9	21	57	62
ALL AGES	200	7.6	126	1	2	4	9	18	27	58	155	5.2	79	1	1	3	5	10	16	58
SUBTOTAL	**357**	**7.3**	**109**	**1**	**2**	**4**	**9**	**17**	**24**	**55**	**255**	**5.0**	**61**	**1**	**1**	**3**	**5**	**10**	**17**	**56**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	20.3	573	3	9	13	19	63	73	73	2	5.5	5	4	4	5	7	7	7	7
13-17	46	9.7	96	1	3	7	14	17	34	45	12	1.6	1	1	1	1	2	3	3	3
18-24	50	6.6	109	1	1	2	8	18	22	62	26	3.4	17	1	1	2	4	10	13	19
25-34	78	7.1	93	1	1	3	9	16	25	54	30	2.6	6	1	1	2	3	6	8	11
35-54	73	6.7	47	1	2	4	8	15	25	30	32	3.3	10	1	2	3	4	6	9	17
55-74	23	6.3	39	1	2	5	8	12	19	30	25	5.7	36	2	2	4	8	12	45	99 +
75 +	13	8.6	41	3	4	6	12	20	22	22	15	9.3	45	3	4	8	14	19	23	25
ALL AGES	290	7.7	91	1	2	4	10	17	25	54	142	4.1	22	1	1	2	5	9	15	36
B. FEMALE																				
0-12 YRS.	13	14.2	121	1	4	14	23	28	30	31	3	10.3	121	4	4	4	18	23	23	23
13-17	67	8.8	76	1	3	5	11	23	28	33	30	2.9	7	1	1	2	4	6	9	13
18-24	48	8.5	165	1	2	5	10	24	32	99 +	24	2.2	4	1	1	1	3	4	7	10
25-34	79	6.4	46	1	2	4	7	17	22	3[illegible]	43	2.3	5	1	1	2	3	5	6	12
35-54	68	12.4	364	1	3	5	12	30	41	[illegible]	40	2.9	7	1	1	2	4	6	8	13
55-74	29	8.4	87	1	2	4	11	23	28	39	13	7.5	19	3	4	7	9	15	17	17
75 +	19	9.4	44	3	5	6	11	21	24	25	17	6.7	18	3	4	5	8	13	17	19
ALL AGES	323	9.2	145	1	3	5	11	23	29	86	170	3.5	13	1	1	2	4	8	12	19
SUBTOTAL	**613**	**8.4**	**122**	**1**	**2**	**5**	**10**	**21**	**28**	**63**	**312**	**3.8**	**17**	**1**	**1**	**2**	**5**	**8**	**12**	**24**
GRAND TOTAL	**970**	**8.0**	**117**	**1**	**2**	**4**	**10**	**20**	**27**	**61**	**567**	**4.3**	**37**	**1**	**1**	**2**	**5**	**9**	**14**	**31**

PARANOID PERSONALITY (301.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	7.0		7	7	7	7	7	7	7										
25-34	4	24.5	980	3	7	12	42	71	71	71										
35-54	6	5.2	12	2	4	4	5	11	12	12										
55-74	3	11.3	105	4	5	7	19	23	23	23										
75 +	1	7.0		7	7	7	7	7	7	7	1	10.0		10	10	10	10	10	10	10
ALL AGES	15	11.8	297	3	4	7	12	23	59	71	1	10.0		10	10	10	10	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	4	6.8	103	1	1	2	12	22	22	22										
35-54	6	9.5	27	3	6	8	14	17	17	17	1	6.0		6	6	6	6	6	6	6
55-74	2	21.0	50	16	16	21	26	26	26	26										
75 +	2	22.5	313	10	10	22	35	35	35	35	1	26.0		26	26	26	26	26	26	26
ALL AGES	14	12.2	103	1	3	9	17	27	33	35	2	16.0	200	6	6	16	26	26	26	26
SUBTOTAL	**29**	**12.0**	**197**	**2**	**4**	**7**	**14**	**25**	**37**	**71**	**3**	**14.0**	**112**	**6**	**7**	**10**	**22**	**26**	**26**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	3	9.3	23	4	6	11	12	13	13	13										
25-34	4	16.8	138	9	9	12	24	34	34	34										
35-54	7	11.6	216	2	4	6	11	37	44	44										
55-74	3	16.0	73	7	9	17	22	24	24	24	1	1.0		1	1	1	1	1	1	1
75 +	1	57.0		57	57	57	57	57	57	57										
ALL AGES	18	15.6	227	4	6	10	17	41	52	57	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	7.0		7	7	7	7	7	7	7										
25-34	2	6.0	8	4	4	6	8	8	8	8	1	1.0		1	1	1	1	1	1	1
35-54	5	14.0	119	3	5	15	19	31	31	31	1	4.0		4	4	4	4	4	4	4
55-74																				
75 +	1	25.0		25	25	25	25	25	25	25										
ALL AGES	9	12.7	95	3	5	8	18	29	31	31	2	2.5	5	1	1	2	4	4	4	4
SUBTOTAL	**27**	**14.6**	**181**	**4**	**6**	**10**	**17**	**33**	**46**	**57**	**3**	**2.0**	**3**	**1**	**1**	**1**	**3**	**4**	**4**	**4**
GRAND TOTAL	**56**	**13.3**	**186**	**3**	**4**	**9**	**16**	**30**	**41**	**70**	**6**	**8.0**	**89**	**1**	**1**	**5**	**10**	**24**	**26**	**26**

AFFECTIVE PERSONALITY (301.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS											HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	6	24.8	368	13	13	18	24	59	63	63										
18-24	2	3.5	13	1	1	3	6	6	6	6										
25-34	6	5.7	25	1	2	5	6	14	15	15	1	1.0		1	1	1	1	1	1	1
35-54	5	11.2	91	3	4	8	18	26	26	26										
55-74	4	16.8	193	7	7	11	26	37	37	37	1	2.0		2	2	2	2	2	2	2
75 +	1	25.0		25	25	25	25	25	25	25										
ALL AGES	24	14.1	193	2	5	10	18	27	45	63	2	1.5	1	1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17	3	19.0	7	17	17	18	21	22	22	22	1	62.0		62	62	62	62	62	62	62
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	12	16.3	114	4	6	16	21	34	36	36	3	3.3	3	2	2	3	4	5	5	5
35-54	16	9.8	48	1	5	7	15	21	23	24	1	20.0		20	20	20	20	20	20	20
55-74	4	21.8	435	9	10	12	33	53	53	53										
75 +																				
ALL AGES	36	13.8	119	2	6	13	18	24	35	53	5	18.4	647	2	3	5	30	62	62	62
SUBTOTAL	**60**	**13.9**	**146**	**2**	**6**	**12**	**18**	**25**	**36**	**62**	**7**	**13.6**	**499**	**1**	**2**	**3**	**16**	**54**	**62**	**62**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	33.0	687	11	15	26	53	62	62	62										
13-17	18	23.6	416	7	10	14	28	62	69	71										
18-24	9	12.7	179	2	4	10	15	34	46	46										
25-34	9	8.0	26	2	4	7	12	15	15	15										
35-54	18	8.6	26	4	6	8	10	18	21	21	1	32.0		32	32	32	32	32	32	32
55-74	2	25.0	722	6	6	25	44	44	44	44	1	9.0		9	9	9	9	9	9	9
75 +	2	9.5	5	8	8	9	11	11	11	11										
ALL AGES	61	15.3	251	4	6	10	15	42	58	70	2	20.5	265	9	9	20	32	32	32	32
B. FEMALE																				
0-12 YRS.	2	16.5	13	14	14	16	19	19	19	19										
13-17	14	23.7	134	10	14	23	31	42	44	44										
18-24	23	10.9	156	2	3	8	15	27	71	99 +	2	10.0	2	9	9	10	11	11	11	11
25-34	27	11.2	56	4	6	9	14	25	27	30	1	4.0		4	4	4	4	4	4	4
35-54	31	12.8	97	3	4	11	18	29	33	35	1	8.0		8	8	8	8	8	8	8
55-74	14	23.7	421	7	8	17	30	56	72	77										
75 +	4	10.3	36	3	6	10	14	18	18	18										
ALL AGES	115	14.7	159	3	6	11	20	31	41	85	4	8.0	9	4	6	8	10	11	11	11
SUBTOTAL	**176**	**14.9**	**190**	**3**	**6**	**11**	**19**	**32**	**45**	**75**	**6**	**12.2**	**99**	**4**	**8**	**9**	**11**	**30**	**32**	**32**
GRAND TOTAL	**236**	**14.6**	**180**	**3**	**6**	**11**	**19**	**31**	**44**	**72**	**13**	**12.9**	**293**	**2**	**3**	**8**	**13**	**38**	**57**	**62**

SCHIZOID PERSONALITY (301.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	30.0	603	9	13	24	49	57	57	57										
13-17	6	22.7	197	7	11	22	29	43	45	45										
18-24	7	15.4	48	4	14	15	19	23	24	24	1	8.0		8	8	8	8	8	8	8
25-34	9	7.3	30	1	3	5	12	14	14	14	1	5.0		5	5	5	5	5	5	5
35-54	4	14.8	266	4	5	8	24	39	39	39										
55-74	5	16.6	133	3	11	15	21	35	35	35										
75 +																				
ALL AGES	34	15.9	171	3	6	14	20	35	44	57	2	6.5	5	5	5	6	8	8	8	8
B. FEMALE																				
0-12 YRS.	1	16.0		16	16	16	16	16	16	16										
13-17	2	37.0	1352	11	11	37	63	63	63	63	1	3.0		3	3	3	3	3	3	3
18-24	2	30.5	265	19	19	30	42	42	42	42										
25-34	6	5.5	13	1	3	5	8	11	11	11	2	9.5	113	2	2	9	17	17	17	17
35-54	5	6.2	61	1	2	3	8	20	20	20	1	11.0		11	11	11	11	11	11	11
55-74	1	33.0		33	33	33	33	33	33	33										
75 +																				
ALL AGES	17	14.6	289	2	3	8	19	40	56	63	4	8.3	49	2	2	7	14	17	17	17
SUBTOTAL	**51**	**15.5**	**204**	**2**	**4**	**12**	**20**	**37**	**45**	**63**	**6**	**7.7**	**31**	**2**	**3**	**6**	**11**	**16**	**17**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	9.7	1	8	8	10	11	11	11	11										
13-17	5	19.8	379	2	6	9	36	48	48	48	1	9.0		9	9	9	9	9	9	9
18-24	10	13.9	135	4	6	12	16	30	44	44	1	2.0		2	2	2	2	2	2	2
25-34	14	13.7	247	2	3	6	18	39	50	53	1	2.0		2	2	2	2	2	2	2
35-54	3	21.7	19	19	19	19	25	27	27	27	1	5.0		5	5	5	5	5	5	5
55-74	2	8.0	2	7	7	8	9	9	9	9										
75 +																				
ALL AGES	37	14.6	179	2	6	10	18	36	47	53	4	4.5	11	2	2	4	7	9	9	9
B. FEMALE																				
0-12 YRS.	1	77.0		77	77	77	77	77	77	77										
13-17	1	14.0		14	14	14	14	14	14	14										
18-24	4	22.3	118	6	15	27	29	29	29	29										
25-34	14	17.2	309	6	10	11	20	34	64	73										
35-54	6	11.8	68	6	7	9	12	26	28	28										
55-74	1	27.0		27	27	27	27	27	27	27										
75 +																				
ALL AGES	27	19.2	330	6	9	12	26	30	74	77										
SUBTOTAL	**64**	**16.5**	**245**	**3**	**7**	**11**	**21**	**32**	**49**	**76**	**4**	**4.5**	**11**	**2**	**2**	**4**	**7**	**9**	**9**	**9**
GRAND TOTAL	**115**	**16.1**	**224**	**3**	**6**	**11**	**20**	**35**	**47**	**74**	**10**	**6.4**	**24**	**2**	**2**	**5**	**9**	**14**	**17**	**17**

EXPLOSIVE PERSONALITY (301.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	3.7	9	1	1	3	6	7	7	7										
13-17	8	18.6	162	2	6	20	29	34	35	35	2	11.0	98	4	4	11	18	18	18	18
18-24	10	4.4	7	1	2	5	6	8	9	9	1	36.0		36	36	36	36	36	36	36
25-34	10	12.0	158	1	2	5	23	30	37	37	3	12.3	124	2	4	11	21	24	24	24
35-54	2	12.0	242	1	1	12	23	23	23	23										
55-74	1	21.0		21	21	21	21	21	21	21	1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	34	10.9	122	1	2	6	21	27	34	37	7	13.7	171	1	2	11	22	34	36	36
B. FEMALE																				
0-12 YRS.	1	12.0		12	12	12	12	12	12	12										
13-17	2	3.0	2	2	2	3	4	4	4	4	2	2.5	1	2	2	2	3	3	3	3
18-24	3	9.3	43	3	4	9	14	16	16	16										
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	2	12.0	50	7	7	12	17	17	17	17										
55-74	2	12.5	41	8	8	12	17	17	17	17										
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	12	8.6	32	2	3	7	14	17	17	17	2	2.5	1	2	2	2	3	3	3	3
SUBTOTAL	**46**	**10.3**	**98**	**1**	**3**	**6**	**17**	**23**	**33**	**37**	**9**	**11.2**	**153**	**1**	**2**	**4**	**19**	**31**	**36**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	39.0	793	18	20	28	60	71	71	71										
13-17	8	14.4	77	5	8	13	17	28	33	33	1	2.0		2	2	2	2	2	2	2
18-24	14	9.7	54	1	2	11	16	20	21	21										
25-34	20	8.1	56	2	3	5	11	19	25	28	3	3.0	1	2	2	3	4	4	4	4
35-54	5	8.2	59	1	4	5	12	21	21	21	1	3.0		3	3	3	3	3	3	3
55-74	3	6.7	32	2	3	5	11	13	13	13										
75 +	3	15.7	209	1	5	16	26	30	30	30										
ALL AGES	56	11.4	134	2	3	9	16	22	29	69	5	2.8	1	2	2	3	3	4	4	4
B. FEMALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14										
13-17																				
18-24	1	6.0		6	6	6	6	6	6	6										
25-34	2	4.0	8	2	2	4	6	6	6	6										
35-54	2	6.5	1	6	6	6	7	7	7	7	1	8.0		8	8	8	8	8	8	8
55-74																				
75 +																				
ALL AGES	6	6.8	16	2	6	6	7	13	14	14	1	8.0		8	8	8	8	8	8	8
SUBTOTAL	**62**	**11.0**	**123**	**2**	**4**	**7**	**16**	**21**	**29**	**66**	**6**	**3.7**	**5**	**2**	**2**	**3**	**4**	**8**	**8**	**8**
GRAND TOTAL	**108**	**10.7**	**112**	**1**	**3**	**6**	**16**	**23**	**30**	**51**	**15**	**8.2**	**103**	**2**	**2**	**3**	**10**	**24**	**33**	**36**

COMPULSIVE PERSONALITY (301.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	12.0	18	9	9	12	15	15	15	15										
18-24	1	15.0		15	15	15	15	15	15	15										
25-34	1	11.0		11	11	11	11	11	11	11										
35-54	2	29.0	578	12	12	29	46	46	46	46										
55-74											1	7.0		7	7	7	7	7	7	7
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	7	16.0	189	5	9	12	15	40	46	46	1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.	1	63.0		63	63	63	63	63	63	63										
13-17	1	13.0		13	13	13	13	13	13	13										
18-24																				
25-34	3	3.7	2	2	2	4	5	5	5	5										
35-54	1	47.0		47	47	47	47	47	47	47										
55-74																				
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	7	20.0	605	2	4	6	38	60	63	63										
SUBTOTAL	**14**	**18.0**	**371**	**4**	**5**	**11**	**15**	**49**	**60**	**63**	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	30.5	545	14	14	30	47	47	47	47										
18-24	1	11.0		11	11	11	11	11	11	11										
25-34	2	6.5	41	2	2	6	11	11	11	11										
35-54	3	32.7	209	21	23	28	44	49	49	49										
55-74	1	9.0		9	9	9	9	9	9	9										
75 +																				
ALL AGES	9	21.3	284	5	10	14	33	48	49	49										
B. FEMALE																				
0-12 YRS.	1	22.0		22	22	22	22	22	22	22										
13-17																				
18-24	5	13.4	207	1	2	10	22	36	36	36										
25-34	3	8.7	36	2	4	10	13	14	14	14										
35-54	3	9.0	21	5	6	8	12	14	14	14										
55-74	2	34.0	882	13	13	34	55	55	55	55										
75 +																				
ALL AGES	14	15.0	218	2	5	12	18	38	51	55										
SUBTOTAL	**23**	**17.5**	**241**	**2**	**8**	**13**	**22**	**47**	**51**	**55**										
GRAND TOTAL	**37**	**17.7**	**281**	**2**	**6**	**12**	**21**	**47**	**53**	**63**	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**

HISTRIONIC PERSONALITY (301.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	3.5	5	2	2	3	5	5	5	5										
13-17																				
18-24																				
25-34	1	25.0		25	25	25	25	25	25	25	3	11.7	148	1	3	9	21	25	25	25
35-54	3	16.3	496	3	3	4	32	42	42	42	1	4.0		4	4	4	4	4	4	4
55-74	1	7.0		7	7	7	7	7	7	7										
75 +	1	17.0		17	17	17	17	17	17	17										
ALL AGES	8	13.1	201	2	3	6	21	37	42	42	4	9.8	113	1	2	6	17	25	25	25
B. FEMALE																				
0-12 YRS.											2	4.5	5	3	3	4	6	6	6	6
13-17	1	12.0		12	12	12	12	12	12	12										
18-24	2	4.0	2	3	3	4	5	5	5	5	2	2.0	2	1	1	2	3	3	3	3
25-34	5	11.2	189	1	2	7	16	35	35	35	1	1.0		1	1	1	1	1	1	1
35-54	6	8.0	67	2	3	5	8	22	24	24	2	12.5	61	7	7	12	18	18	18	18
55-74	1	12.0		12	12	12	12	12	12	12										
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	15	9.1	84	2	3	7	11	24	32	35	8	5.0	33	1	1	3	6	15	18	18
SUBTOTAL	**23**	**10.5**	**121**	**2**	**3**	**7**	**12**	**27**	**37**	**42**	**12**	**6.6**	**57**	**1**	**1**	**4**	**8**	**20**	**24**	**25**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	7.5	41	3	3	7	12	12	12	12										
25-34	6	8.3	82	1	3	6	8	24	24	[illegible]	2	3.0		3	3	3	3	3	3	3
35-54	2	12.0	50	7	7	12	17	17	17	17	1	4.0		4	4	4	4	4	4	4
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	11	8.4	55	2	3	7	11	21	26	26	3	3.3	1	3	3	3	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	2	6.0	2	5	5	6	7	7	7	7										
18-24	6	9.7	73	1	2	9	13	23	24	24	1	6.0		6	6	6	6	6	6	6
25-34	10	7.3	84	1	2	4	6	23	30	30	2	1.0		1	1	1	1	1	1	1
35-54	7	9.6	19	4	7	10	12	16	17	17	1	20.0		20	20	20	20	20	20	20
55-74	3	12.3	219	1	2	7	23	29	29	29										
75 +											1	12.0		12	12	12	12	12	12	12
ALL AGES	28	8.8	66	1	3	6	12	22	29	30	5	8.0	66	1	1	6	14	20	20	20
SUBTOTAL	**39**	**8.7**	**61**	**1**	**3**	**7**	**12**	**21**	**28**	**30**	**8**	**6.3**	**43**	**1**	**2**	**4**	**9**	**18**	**20**	**20**
GRAND TOTAL	**62**	**9.4**	**82**	**2**	**3**	**7**	**12**	**24**	**29**	**41**	**20**	**6.5**	**49**	**1**	**1**	**4**	**8**	**19**	**22**	**25**

DEPENDENT PERSONALITY (301.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	5.0		5	5	5	5	5	5	5										
25-34	1	8.0		8	8	8	8	8	8	8										
35-54	2	29.5	1405	3	3	29	56	56	56	56	1	3.0		3	3	3	3	3	3	3
55-74	1	22.0		22	22	22	22	22	22	22										
75 +																				
ALL AGES	5	18.8	488	3	4	8	30	56	56	56	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	2	9.0	2	8	8	9	10	10	10	10										
18-24	1	2.0		2	2	2	2	2	2	2	3	10.0	93	3	4	6	17	21	21	21
25-34	6	10.3	45	2	5	10	15	19	20	20	1	5.0		5	5	5	5	5	5	5
35-54	3	15.0	508	1	1	3	31	41	41	41	2	5.5	1	5	5	5	6	6	6	6
55-74																				
75 +	1	32.0		32	32	32	32	32	32	32										
ALL AGES	13	12.2	151	2	3	8	16	34	40	41	6	7.7	43	3	5	5	6	20	21	21
SUBTOTAL	**18**	**14.1**	**228**	**2**	**3**	**8**	**20**	**38**	**50**	**56**	**7**	**7.0**	**40**	**3**	**4**	**5**	**6**	**18**	**21**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
~~0-12 YRS.~~																				
13-17	1	25.0		25	25	25	25	25	25	25										
18-24	4	10.0	216	2	2	3	18	32	32	32	1	2.0		2	2	2	2	2	2	2
25-34	4	2.8	5	1	1	2	4	6	6	6	2	6.5	61	1	1	6	12	12	12	12
35-54	6	26.2	859	3	13	17	24	78	84	84										
55-74	2	8.0	8	6	6	8	10	10	10	10										
75 +																				
ALL AGES	17	14.6	415	1	2	6	22	31	66	84	3	5.0	37	1	1	2	9	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	3	5.7	20	1	1	6	9	10	10	10	2	2.0		2	2	2	2	2	2	2
25-34	8	8.3	13	3	7	8	10	13	14	14	4	9.5	142	2	2	5	17	27	27	27
35-54	11	8.6	78	1	3	7	11	21	31	32	1	3.0		3	3	3	3	3	3	3
55-74	3	33.3	2184	2	4	11	68	87	87	87										
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	26	11.0	279	1	3	8	11	14	43	87	7	6.4	86	2	2	2	6	23	27	27
SUBTOTAL	**43**	**12.4**	**328**	**1**	**3**	**8**	**12**	**26**	**50**	**87**	**10**	**6.0**	**66**	**1**	**2**	**2**	**7**	**19**	**27**	**27**
GRAND TOTAL	**61**	**12.9**	**295**	**1**	**3**	**8**	**13**	**32**	**48**	**87**	**17**	**6.4**	**52**	**2**	**2**	**3**	**6**	**19**	**25**	**27**

ANTISOCIAL PERSONALITY (301.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	3	6.7	20	2	3	7	10	11	11	11										
18-24	8	4.0	17	1	1	2	6	11	11	11	1	5.0		5	5	5	5	5	5	5
25-34	7	6.0	49	1	1	3	11	17	18	18	1	4.0		4	4	4	4	4	4	4
35-54	3	3.0	3	1	1	4	4	4	4	4	1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	22	4.8	23	1	2	3	7	12	16	18	3	4.0	1	3	3	4	5	5	5	5
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	2	19.0	578	2	2	19	36	36	36	36										
18-24	3	26.3	999	2	5	15	50	62	62	62										
25-34																				
35-54	1	10.0		10	10	10	10	10	10	10										
55-74																				
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	8	16.4	476	1	2	6	25	54	62	62										
SUBTOTAL	**30**	**7.9**	**159**	**1**	**2**	**3**	**10**	**16**	**36**	**62**	**3**	**4.0**	**1**	**3**	**3**	**4**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	6	12.5	551	1	1	2	9	55	60	60										
18-24	27	5.4	28	1	2	3	7	14	18	20	2	3.0	8	1	1	3	5	5	5	5
25-34	39	8.1	64	2	4	6	11	16	18	47	2	19.0	578	2	2	19	36	36	36	36
35-54	20	6.6	55	1	2	3	10	14	23	32										
55-74	1	11.0		11	11	11	11	11	11	11	1	10.0		10	10	10	10	10	10	10
75 +																				
ALL AGES	93	7.3	79	1	2	4	9	15	19	54	5	10.8	211	1	2	5	16	36	36	36
B. FEMALE																				
0-12 YRS.																				
13-17	2	10.0	98	3	3	10	17	17	17	17										
18-24	6	19.3	1176	2	3	5	11	81	89	89	1	3.0		3	3	3	3	3	3	3
25-34	6	8.7	78	1	1	6	13	23	24	24										
35-54	2	8.0	8	6	6	8	10	10	10	10	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	16	12.8	452	1	3	6	12	23	69	89	2	2.0	2	1	1	1	3	3	3	3
SUBTOTAL	**109**	**8.1**	**134**	**1**	**2**	**5**	**11**	**16**	**20**	**72**	**7**	**8.3**	**159**	**1**	**1**	**3**	**9**	**31**	**36**	**36**
GRAND TOTAL	**139**	**8.1**	**138**	**1**	**2**	**4**	**11**	**16**	**22**	**65**	**10**	**7.0**	**111**	**1**	**2**	**4**	**5**	**23**	**36**	**36**

OTHER PERSONALITY DIS (301.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	20.5	337	1	8	22	46	90	99 +	99 +	2	66.0	162	57	57	66	75	75	75	75
13-17	12	18.6	320	2	4	14	38	62	93	99 +	1	31.0		31	31	31	31	31	31	31
18-24	23	8.2	91	1	3	6	9	15	27	47										
25-34	40	9.2	102	1	3	5	13	21	27	52	4	8.8	148	1	2	3	15	27	27	27
35-54	20	10.7	141	2	4	5	15	28	40	46	4	12.0	122	3	5	8	19	28	28	28
55-74	3	7.7	133	1	1	1	16	21	21	21										
75 +	3	10.7	68	4	5	8	17	20	20	20										
ALL AGES	107	11.0	149	1	3	6	15	30	47	99 +	11	22.4	601	2	3	10	30	64	74	75
B. FEMALE																				
0-12 YRS.	4	17.0	77	6	10	18	24	25	25	25	1	22.0		22	22	22	22	22	22	22
13-17	27	12.4	93	2	4	11	18	28	30	37	4	28.8	985	2	3	23	54	67	67	67
18-24	91	9.4	84	2	3	7	11	21	34	38	4	6.0	11	4	4	5	8	11	11	11
25-34	139	9.5	92	2	3	6	13	22	27	48	5	9.8	14	5	7	10	12	15	15	15
35-54	88	11.1	76	3	5	9	15	22	29	41	6	7.7	67	2	3	5	7	22	24	24
55-74	10	10.6	125	2	3	7	8	31	35	35										
75 +	2	7.0	72	1	1	7	13	13	13	13										
ALL AGES	361	10.2	86	2	3	7	14	23	30	44	20	12.8	257	3	4	6	13	33	54	67
SUBTOTAL	**468**	**10.4**	**100**	**2**	**3**	**7**	**14**	**24**	**33**	**52**	**31**	**16.2**	**385**	**2**	**4**	**7**	**23**	**48**	**66**	**75**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	63.0		63	63	81	99 +	99 +	99 +	99 +										
13-17	35	17.3	310	2	7	10	27	38	54	78	1	5.0		5	5	5	5	5	5	5
18-24	65	10.0	105	2	3	7	14	22	30	51	2	4.5	1	4	4	4	5	5	5	5
25-34	75	7.5	54	1	2	5	10	20	27	82	3	10.7	99	3	4	7	18	22	22	22
35-54	60	8.3	65	2	3	6	10	19	25	42	4	5.0	37	1	1	2	8	14	14	14
55-74	5	11.8	150	2	3	8	18	32	32	32										
75 +																				
ALL AGES	241	10.1	129	2	3	7	13	25	36	80	10	6.6	42	1	3	4	7	18	22	22
B. FEMALE																				
0-12 YRS.	2	40.5	685	22	22	40	59	59	59	59	2	35.5	1	35	35	35	36	36	36	36
13-17	39	18.3	334	2	6	13	27	42	77	99 +	4	13.8	103	7	8	10	47	99 +	99 +	99 +
18-24	120	13.5	249	2	3	8	20	31	55	99 +	7	6.9	50	1	2	6	7	19	22	22
25-34	200	10.9	102	2	4	7	16	26	35	79	9	4.1	13	1	2	3	5	10	11	11
35-54	136	9.6	141	2	3	5	11	24	37	78	10	13.7	108	2	4	15	27	57	96	99 +
55-74	8	11.0	39	3	7	11	13	20	23	23										
75 +	2	8.5	113	1	1	8	16	16	16	16										
ALL AGES	507	11.8	173	2	3	8	16	29	39	99 +	32	10.9	114	2	3	7	21	35	87	99 +
SUBTOTAL	**748**	**11.3**	**158**	**2**	**3**	**7**	**15**	**28**	**39**	**99**	**42**	**9.9**	**98**	**2**	**3**	**6**	**15**	**30**	**55**	**99 +**
GRAND TOTAL	**1216**	**10.9**	**137**	**2**	**3**	**7**	**14**	**25**	**36**	**79**	**73**	**12.5**	**228**	**2**	**3**	**7**	**20**	**35**	**64**	**99 +**

TOTAL U.S., JANUARY-DECEMBER 1989

PERSONALITY DISORDER NOS (301.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	10.8	261	1	2	3	19	35	35	35										
18-24	9	8.2	36	2	3	6	12	17	18	18	1	3.0		3	3	3	3	3	3	3
25-34	17	4.6	19	1	1	3	7	12	13	14	7	4.6	24	1	1	2	8	12	13	13
35-54	14	4.4	5	1	2	4	6	7	8	8	4	1.8	2	1	1	1	3	4	4	4
55-74	3	9.0	67	2	3	7	15	18	18	18	2	4.0		4	4	4	4	4	4	4
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	47	6.0	40	1	2	4	7	14	18	35	15	3.4	13	1	1	2	4	10	12	13
B. FEMALE																				
0-12 YRS.											1	6.0		6	6	6	6	6	6	6
13-17	10	9.2	151	2	3	5	9	27	43	43	4	4.5	14	1	1	4	7	9	9	9
18-24	13	7.3	69	1	1	4	14	20	25	26	3	10.3	115	1	3	8	18	22	22	22
25-34	17	7.2	151	1	1	3	7	14	39	52	3	1.7		1	1	2	2	2	2	2
35-54	16	8.8	150	1	2	4	10	21	41	49	4	8.5	54	1	3	7	14	18	18	18
55-74	3	10.7	13	8	8	9	13	15	15	15	1	2.0		2	2	2	2	2	2	2
75 +	2	14.0	128	6	6	14	22	22	22	22	1	3.0		3	3	3	3	3	3	3
ALL AGES	61	8.4	118	1	2	4	10	20	34	52	17	5.8	38	1	2	3	8	16	21	22
SUBTOTAL	**108**	**7.4**	**84**	**1**	**2**	**4**	**8**	**16**	**23**	**50**	**32**	**4.7**	**27**	**1**	**1**	**3**	**6**	**11**	**17**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	15.3	279	2	4	10	28	34	34	34										
13-17	1	3.0		3	3	3	3	3	3	3	2	32.5	1513	5	5	32	60	60	60	60
18-24	17	6.3	34	2	2	4	8	16	20	22	4	2.5	2	1	1	2	3	4	4	4
25-34	26	9.0	101	1	1	4	15	22	30	40	4	2.3		2	2	2	3	3	3	3
35-54	11	3.5	5	1	1	4	5	7	8	8	5	10.6	86	1	1	12	19	20	20	20
55-74	2	9.0	98	2	2	9	16	16	16	16	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	60	7.5	71	1	2	4	10	19	25	39	16	8.7	225	1	2	3	8	20	48	60
B. FEMALE																				
0-12 YRS.																				
13-17	7	12.7	101	2	5	14	25	78	99 +	99 +	3	8.7	43	3	4	7	14	16	16	16
18-24	18	10.1	110	2	2	6	17	24	34	40	3	3.3	11	1	1	2	6	7	7	7
25-34	17	13.2	252	2	3	8	13	42	52	56	9	3.8	2	2	3	4	5	6	6	6
35-54	19	18.6	689	3	6	7	20	65	90	90	4	8.0	69	2	2	5	13	20	20	20
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	62	13.8	322	2	3	7	17	34	68	99	19	5.4	23	2	2	4	7	13	18	20
SUBTOTAL	**122**	**10.7**	**207**	**1**	**2**	**6**	**15**	**26**	**40**	**93**	**35**	**6.9**	**115**	**1**	**2**	**3**	**7**	**19**	**20**	**60**
GRAND TOTAL	**230**	**9.1**	**152**	**1**	**2**	**5**	**12**	**22**	**34**	**90**	**67**	**5.8**	**73**	**1**	**2**	**3**	**6**	**15**	**20**	**54**

PEDOPHILIA (302.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	28.0		28	28	28	28	28	28	28										
18-24	2	19.5	1	19	19	19	20	20	20	20	1	7.0		7	7	7	7	7	7	7
25-34	4	16.5	33	9	12	18	21	21	21	21										
35-54	5	29.2	376	17	18	20	37	63	63	63										
55-74	1	25.0		25	25	25	25	25	25	25										
75 +																				
ALL AGES	13	23.4	167	14	18	20	26	35	58	63	1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**13**	**23.4**	**167**	**14**	**18**	**20**	**26**	**35**	**58**	**63**	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	15.0		15	15	15	15	15	15	15	1	61.0		61	61	61	61	61	61	61
18-24	9	19.7	34	11	18	20	22	27	28	28										
25-34	11	19.6	48	11	18	20	23	26	30	30										
35-54	24	20.6	102	11	15	20	25	30	43	49										
55-74	2	26.0	50	21	21	26	31	31	31	31										
75 +																				
ALL AGES	47	20.3	71	12	16	20	24	29	32	49	1	61.0		61	61	61	61	61	61	61
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	29.0		29	29	29	29	29	29	29										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	29.0		29	29	29	29	29	29	29										
SUBTOTAL	**48**	**20.5**	**70**	**13**	**17**	**20**	**24**	**29**	**32**	**49**	**1**	**61.0**		**61**	**61**	**61**	**61**	**61**	**61**	**61**
GRAND TOTAL	**61**	**21.1**	**91**	**13**	**17**	**20**	**25**	**29**	**35**	**61**	**2**	**34.0**	**1458**	**7**	**7**	**34**	**61**	**61**	**61**	**61**

EXHIBITIONISM (302.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	4	20.0	29	14	16	19	23	27	27	27										
25-34	11	18.2	129	4	9	19	21	33	43	44										
35-54	4	16.8	56	6	12	18	21	24	24	24										
55-74																				
75 +																				
ALL AGES	19	18.3	86	5	15	19	21	27	36	44										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**19**	**18.3**	**86**	**5**	**15**	**19**	**21**	**27**	**36**	**44**										
GRAND TOTAL	**19**	**18.3**	**86**	**5**	**15**	**19**	**21**	**27**	**36**	**44**										

TRANS-SEXUALISM (302.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											38	9.7	77	2	4	7	12	22	31	36
35-54	2	11.0	98	4	4	11	18	18	18	18	29	10.0	61	2	4	9	15	20	28	30
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	3	8.7	64	4	4	4	15	18	18	18	67	9.8	70	2	4	7	15	21	29	35
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	13.0	50	8	8	13	18	18	18	18	2	9.0		9	9	9	9	9	9	9
25-34	4	11.5	59	5	5	11	18	20	20	20	17	9.8	43	2	8	9	11	14	25	31
35-54	4	22.3	9	19	20	21	24	27	27	27	21	6.9	12	1	2	9	9	9	9	9
55-74											1	9.0		9	9	9	9	9	9	9
75 +																				
ALL AGES	10	16.1	57	5	8	18	21	24	27	27	41	8.3	24	2	8	9	9	11	14	31
SUBTOTAL	**13**	**14.4**	**64**	**4**	**5**	**18**	**20**	**23**	**26**	**27**	**108**	**9.2**	**53**	**2**	**4**	**9**	**11**	**18**	**28**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											2	1.0		1	1	1	1	1	1	1
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5	2	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**14**	**13.7**	**66**	**4**	**5**	**17**	**20**	**22**	**26**	**27**	**110**	**9.1**	**52**	**2**	**4**	**9**	**11**	**17**	**28**	**34**

PSYCHOSEX IDENTITY DIS (302.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	13.0		13	13	13	13	13	13	13										
18-24																				
25-34																				
35-54	2	4.0	2	3	3	4	5	5	5	5										
55-74																				
75 +																				
ALL AGES	3	7.0	28	3	3	5	11	13	13	13										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	4	5.8	24	2	2	4	9	13	13	13										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	4	5.8	24	2	2	4	9	13	13	13	1	1.0		1	1	1	1	1	1	1

PSYCHOSEXUAL DYSFUNCTION (302.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	3	4.7	14	2	2	3	7	9	9	9	1	1.0		1	1	1	1	1	1	1
35-54	13	2.7	1	1	2	3	3	4	5	5	12	3.0	6	1	1	2	3	6	9	10
55-74	23	2.3	2	1	1	2	3	4	5	5	30	2.1	1	1	1	2	3	3	4	7
75 +	1	2.0		2	2	2	2	2	2	2	4	2.0	1	1	1	2	3	3	3	3
ALL AGES	40	2.6	2	1	2	2	3	4	5	9	47	2.3	3	1	1	2	3	3	5	10
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**40**	**2.6**	**2**	**1**	**2**	**2**	**3**	**4**	**5**	**9**	**47**	**2.3**	**3**	**1**	**1**	**2**	**3**	**3**	**5**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**41**	**2.6**	**2**	**1**	**2**	**2**	**3**	**4**	**5**	**9**	**48**	**2.3**	**3**	**1**	**1**	**2**	**3**	**3**	**5**	**10**

PSYCHOSEXUAL DIS NEC (302.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	48.0		48	48	48	48	48	48	48	1	27.0		27	27	27	27	27	27	27
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	48.0		48	48	48	48	48	48	48	1	27.0		27	27	27	27	27	27	27
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	4.0		4	4	4	4	4	4	4
25-34	1	2.0		2	2	2	2	2	2	2										
35-54											1	4.0		4	4	4	4	4	4	4
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	2	4.0		4	4	4	4	4	4	4
SUBTOTAL	**2**	**25.0**	**1058**	**2**	**2**	**25**	**48**	**48**	**48**	**48**	**3**	**11.7**	**175**	**4**	**4**	**4**	**21**	**27**	**27**	**27**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	4.0		4	4	4	4	4	4	4
25-34	3	23.7	228	10	13	21	35	40	40	40										
35-54	8	22.5	64	10	18	25	28	29	29	29										
55-74																				
75 +																				
ALL AGES	11	22.8	92	8	18	23	29	34	39	40	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**11**	**22.8**	**92**	**8**	**18**	**23**	**29**	**34**	**39**	**40**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
GRAND TOTAL	**13**	**23.2**	**163**	**5**	**16**	**23**	**29**	**42**	**47**	**48**	**4**	**9.8**	**131**	**4**	**4**	**4**	**16**	**27**	**27**	**27**

PSYCHOSEXUAL DIS NOS (302.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	16.5	41	12	12	16	21	21	21	21										
35-54																				
55-74																				
75 +																				
ALL AGES	2	16.5	41	12	12	16	21	21	21	21										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	19.0		19	19	19	19	19	19	19										
35-54																				
55-74																				
75 +																				
ALL AGES	1	19.0		19	19	19	19	19	19	19										
SUBTOTAL	**3**	**17.3**	**24**	**12**	**14**	**19**	**20**	**21**	**21**	**21**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	3	15.0	39	8	10	17	19	20	20	20										
25-34	2	17.5	1	17	17	17	18	18	18	18										
35-54	7	21.0	44	15	17	20	21	32	35	35										
55-74	1	29.0		29	29	29	29	29	29	29										
75 +																				
ALL AGES	13	19.7	43	14	17	19	21	30	34	35										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	23.0		23	23	23	23	23	23	23										
55-74																				
75 +																				
ALL AGES	1	23.0		23	23	23	23	23	23	23										
SUBTOTAL	**14**	**19.9**	**42**	**14**	**17**	**19**	**21**	**30**	**34**	**35**										
GRAND TOTAL	**17**	**19.5**	**35**	**13**	**17**	**19**	**21**	**28**	**33**	**35**										

AC ALCOHOL INTOXICATION (303.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	23	5.1	133	1	1	1	2	11	41	43	14	1.2		1	1	1	1	2	3	3
18-24	103	5.5	64	1	1	1	4	21	21	28	39	3.7	42	1	1	1	3	14	21	28
25-34	302	4.8	41	1	1	2	5	16	21	28	135	4.1	44	1	1	2	3	8	22	36
35-54	664	6.2	58	1	2	3	7	21	21	32	343	4.7	39	1	2	3	4	9	22	30
55-74	266	5.8	45	1	2	3	6	15	21	30	177	5.4	55	1	2	3	5	12	24	54
75 +	23	4.3	18	1	2	4	5	9	16	17	23	5.2	42	1	2	3	5	13	20	30
ALL AGES	1381	5.7	53	1	1	3	6	20	21	30	732	4.7	43	1	1	3	4	10	22	33
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	9	1.1		1	1	1	1	2	2	2	7	1.0		1	1	1	1	1	1	1
18-24	19	3.5	26	1	1	1	3	10	17	21	17	1.5	1	1	1	1	2	2	3	4
25-34	103	4.5	34	1	1	2	5	10	21	27	56	4.7	52	1	1	2	4	10	28	33
35-54	162	6.6	67	1	2	3	6	21	26	34	84	4.2	35	1	1	2	4	10	16	32
55-74	73	6.7	46	1	2	5	8	18	21	30	60	5.5	34	1	2	3	7	13	18	28
75 +	4	10.5	72	2	4	9	16	22	22	22	6	3.7	4	1	2	3	6	6	6	6
ALL AGES	370	5.8	51	1	1	3	6	18	23	32	231	4.3	36	1	1	2	4	10	17	30
SUBTOTAL	**1751**	**5.7**	**53**	**1**	**1**	**3**	**6**	**19**	**21**	**30**	**963**	**4.6**	**42**	**1**	**1**	**3**	**4**	**10**	**21**	**32**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	32	7.9	144	1	1	2	6	31	39	41	19	6.7	102	1	1	2	6	18	33	42
18-24	152	7.3	70	1	2	4	7	21	29	31	104	12.0	126	1	3	7	21	28	33	42
25-34	570	7.2	63	1	2	4	7	21	27	31	499	10.0	99	1	3	5	18	27	29	40
35-54	1035	6.6	49	1	2	4	7	17	24	31	898	8.6	82	2	3	5	10	26	28	36
55-74	359	7.5	56	2	3	5	9	17	27	34	362	9.2	88	2	3	5	10	26	29	39
75 +	19	12.6	125	2	5	10	18	27	39	45	29	11.7	77	3	5	9	19	24	27	34
ALL AGES	2167	7.0	58	1	2	4	7	21	25	32	1911	9.3	90	2	3	5	11	27	28	39
B. FEMALE																				
0-12 YRS.	3	1.7		1	1	2	2	2	2	2										
13-17	18	17.5	326	1	2	6	33	46	49	49	10	2.6	5	1	1	2	3	6	7	7
18-24	49	4.2	33	1	1	2	4	8	21	29	33	13.6	149	1	3	10	22	30	39	42
25-34	240	7.3	58	1	2	5	8	21	24	33	197	9.6	89	1	3	6	15	26	28	34
35-54	327	5.9	41	1	2	4	6	15	21	31	289	8.2	79	1	3	4	9	25	28	38
55-74	124	8.3	61	2	3	6	10	21	29	32	117	8.2	56	2	3	6	10	21	26	33
75 +	12	11.6	92	2	4	7	18	27	29	29	21	8.1	69	2	4	5	11	23	28	29
ALL AGES	773	7.0	59	1	2	4	7	20	26	33	667	8.8	82	1	3	5	11	25	28	35
SUBTOTAL	**2940**	**7.0**	**58**	**1**	**2**	**4**	**7**	**21**	**26**	**32**	**2578**	**9.2**	**88**	**2**	**3**	**5**	**11**	**26**	**28**	**39**
GRAND TOTAL	**4691**	**6.5**	**57**	**1**	**2**	**4**	**7**	**20**	**24**	**32**	**3541**	**7.9**	**80**	**1**	**2**	**4**	**9**	**24**	**28**	**37**

ALCOHOL DEPEND NEC/NOS (303.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	12.0	196	2	3	6	22	28	28	28	2	20.0	648	2	2	20	38	38	38	38
13-17	88	24.3	221	3	11	27	35	42	46	62	72	23.2	228	3	9	25	36	44	45	49
18-24	301	16.8	119	2	6	20	27	29	31	42	233	16.9	127	2	4	21	28	28	30	36
25-34	1086	14.5	115	2	5	12	26	28	29	36	800	14.7	115	2	4	14	26	28	29	34
35-54	2039	13.5	105	2	4	10	23	28	30	36	1542	13.3	115	2	4	9	23	28	30	36
55-74	812	13.8	98	3	5	11	22	28	29	34	544	13.0	118	3	4	7	24	29	30	36
75 +	54	14.4	143	3	4	11	21	28	34	63	45	12.0	121	2	4	8	18	28	29	47
ALL AGES	4383	14.3	112	2	5	12	24	28	30	38	3238	14.1	121	2	4	10	25	28	30	38
B. FEMALE																				
0-12 YRS.											2	20.0	392	6	6	20	34	34	34	34
13-17	54	23.7	198	3	14	26	34	37	41	69	47	25.7	170	5	18	28	36	42	43	50
18-24	116	13.6	110	2	5	10	22	28	30	39	74	18.4	123	2	6	21	28	30	34	42
25-34	388	12.4	93	3	4	9	21	28	28	36	248	13.1	114	2	4	7	23	28	29	35
35-54	608	13.6	100	2	5	10	22	28	29	35	439	12.4	113	2	3	7	22	28	30	37
55-74	229	15.0	103	3	5	14	24	28	30	40	189	14.2	115	3	4	13	23	29	30	42
75 +	14	10.8	65	3	4	8	15	24	27	28	18	12.6	87	4	6	10	14	31	32	33
ALL AGES	1409	13.9	106	3	5	11	22	28	30	37	1017	14.0	125	2	4	10	26	29	31	42
SUBTOTAL	**5792**	**14.2**	**110**	**2**	**5**	**11**	**24**	**28**	**30**	**38**	**4255**	**14.0**	**124**	**2**	**4**	**10**	**26**	**29**	**30**	**40**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	35.0	138	18	28	37	42	50	50	50	3	19.0	361	3	6	14	33	40	40	40
13-17	392	26.5	190	7	17	28	35	44	47	89	277	25.7	177	5	16	28	35	43	46	51
18-24	869	17.9	122	3	7	21	27	29	32	45	565	17.9	121	3	6	21	28	30	33	42
25-34	2163	15.2	100	3	5	15	24	28	29	35	1616	15.8	121	3	5	15	27	29	31	39
35-54	2352	13.3	99	3	5	10	21	28	29	34	1526	13.1	108	3	4	8	23	28	30	35
55-74	597	14.3	100	3	5	13	22	28	30	36	316	11.7	88	3	4	8	19	27	29	36
75 +	41	12.2	54	4	6	13	14	24	29	33	30	11.0	73	2	4	8	18	24	25	32
ALL AGES	6419	15.5	117	3	5	14	25	28	31	43	4333	15.4	129	3	5	14	27	29	33	42
B. FEMALE																				
0-12 YRS.	6	29.2	117	12	22	32	37	40	40	40	2	34.0	18	31	31	34	37	37	37	37
13-17	237	28.3	259	6	16	29	38	47	56	88	182	28.4	152	12	21	29	37	42	45	58
18-24	295	15.7	128	3	5	15	25	28	30	41	224	16.5	131	3	6	15	27	29	34	42
25-34	726	14.4	100	3	5	13	23	28	29	35	607	14.9	110	3	5	13	26	28	30	37
35-54	758	13.8	105	3	5	11	22	28	30	34	456	13.4	116	3	4	9	22	28	30	43
55-74	257	14.4	101	3	6	14	21	28	29	52	133	12.1	89	3	5	8	21	28	29	33
75 +	25	11.8	59	3	6	13	14	23	27	28	16	13.5	235	3	3	5	21	41	45	46
ALL AGES	2304	15.8	140	3	5	14	25	29	35	50	1620	16.0	140	3	5	14	27	30	36	44
SUBTOTAL	**8723**	**15.6**	**123**	**3**	**5**	**14**	**25**	**29**	**32**	**45**	**5953**	**15.6**	**131**	**3**	**5**	**14**	**27**	**29**	**33**	**42**
GRAND TOTAL	**14515**	**15.0**	**119**	**3**	**5**	**14**	**25**	**28**	**31**	**42**	**10208**	**14.9**	**129**	**3**	**4**	**13**	**26**	**29**	**32**	**42**

OPIOID TYPE DEPENDENCE (304.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS											HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH		TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-24	8	11.5	65	4	6	9	14	25	29	29	12	5.3	18	2	2	4	6	11	16	17
25-34	41	11.2	106	1	2	10	19	28	29	30	54	7.8	80	2	3	4	7	23	26	40
35-54	76	9.3	53	2	4	7	14	21	24	30	64	7.4	79	2	3	4	7	18	27	48
55-74	8	13.1	81	4	6	12	18	27	30	30	4	5.8	7	2	3	6	8	8	8	8
75 +	2	15.0	32	11	11	15	19	19	19	19										
ALL AGES	135	10.3	71	1	3	8	15	23	28	30	134	7.3	72	2	3	4	7	21	26	42
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-24	7	13.1	130	2	4	12	24	29	29	29	6	4.0	4	1	3	4	6	6	6	6
25-34	39	10.6	102	1	3	8	14	29	33	37	38	9.2	74	2	3	6	14	26	28	29
35-54	36	11.1	71	3	5	9	15	27	28	29	36	9.6	71	2	3	7	13	26	28	30
55-74	8	12.9	93	3	5	11	19	28	30	30	10	8.2	57	2	5	6	9	20	28	28
75 +	1	24.0		24	24	24	24	24	24	24	1	6.0		6	6	6	6	6	6	6
ALL AGES	91	11.3	90	2	4	9	16	28	29	37	91	8.9	65	2	3	6	12	25	28	30
SUBTOTAL	**226**	**10.7**	**79**	**1**	**3**	**8**	**15**	**27**	**29**	**32**	**225**	**8.0**	**69**	**2**	**3**	**5**	**9**	**22**	**28**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17	1	64.0		64	64	64	64	64	64	64	3	24.0	336	8	11	20	38	44	44	44
18-24	28	12.5	104	2	3	11	22	28	29	30	28	7.0	39	2	4	6	7	15	24	29
25-34	150	14.9	113	3	6	12	24	29	31	39	173	9.2	63	3	4	6	10	23	28	34
35-54	188	12.8	117	3	5	10	20	26	29	44	217	10.2	79	3	4	7	13	26	28	37
55-74	13	18.8	64	10	12	18	23	31	33	33	11	18.1	230	3	5	10	28	40	46	47
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	380	14.0	119	3	5	11	21	28	30	45	433	9.9	77	3	4	6	11	26	28	37
B. FEMALE																					
0-12 YRS.																					
13-17											1	6.0		6	6	6	6	6	6	6
18-24	20	10.8	53	2	5	10	14	22	26	27	32	9.2	57	2	4	6	13	21	27	28
25-34	123	13.0	82	3	5	10	21	28	29	34	114	9.4	57	3	4	6	13	21	27	29
35-54	84	13.4	96	4	5	10	21	27	30	45	84	11.1	97	3	5	7	15	28	29	46
55-74	11	20.5	82	10	13	17	29	33	34	34	11	17.6	85	7	10	15	27	30	32	32
75 +	4	8.3	30	3	3	8	13	14	14	14	2	7.0	8	5	5	7	9	9	9	9
ALL AGES	242	13.2	87	3	5	10	21	27	30	37	244	10.3	74	3	4	7	14	26	28	33
SUBTOTAL	**622**	**13.7**	**106**	**3**	**5**	**10**	**21**	**28**	**30**	**38**	**677**	**10.0**	**77**	**3**	**4**	**7**	**12**	**26**	**28**	**36**
GRAND TOTAL	**848**	**12.9**	**100**	**3**	**5**	**10**	**21**	**28**	**30**	**37**	**902**	**9.5**	**75**	**2**	**4**	**6**	**11**	**24**	**26**	**36**

BARBITURATE DEPENDENCE (304.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2	3	7.3	31	2	3	7	11	13	13	13
35-54	10	12.1	129	1	4	10	15	30	37	37	6	12.8	58	4	6	12	21	21	21	21
55-74	6	10.8	28	5	7	10	15	18	18	18	3	16.7	153	9	9	10	26	31	31	31
75 +											1	14.0		14	14	14	14	14	14	14
ALL AGES	17	11.1	86	1	5	7	15	23	32	37	13	12.5	67	4	7	10	17	23	30	31
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
25-34	15	14.5	114	1	4	13	25	28	30	30	7	13.4	122	1	3	15	20	29	31	31
35-54	21	16.0	87	3	9	15	24	29	32	34	20	17.6	110	4	8	19	26	30	35	39
55-74	13	16.2	114	4	10	14	21	31	40	42	4	21.5	260	5	8	21	35	39	39	39
75 +	3	14.0	124	4	6	12	22	26	26	26	10	11.9	21	6	7	13	15	17	19	19
ALL AGES	53	15.2	101	2	8	14	23	28	30	42	42	15.5	108	3	7	14	21	30	34	39
SUBTOTAL	**70**	**14.2**	**99**	**2**	**6**	**13**	**22**	**28**	**30**	**41**	**55**	**14.8**	**98**	**3**	**7**	**14**	**21**	**30**	**31**	**39**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	6	10.5	94	1	2	7	22	23	23	23	2	10.0	162	1	1	10	19	19	19	19
25-34	28	14.4	91	3	6	14	21	28	29	32	26	11.8	73	2	5	9	17	27	28	29
35-54	40	14.7	90	4	7	11	24	27	31	34	27	13.8	110	4	6	8	23	27	31	45
55-74	21	15.9	61	8	11	14	22	28	30	33	3	12.3	58	8	8	8	18	21	21	21
75 +	6	16.3	61	4	14	18	23	23	23	23	1	19.0		19	19	19	19	19	19	19
ALL AGES	101	14.7	81	4	7	14	22	28	29	34	59	12.8	88	3	6	8	19	26	28	44
B. FEMALE																				
0-12 YRS.											1	28.0		28	28	28	28	28	28	28
13-17	2	20.0	8	18	18	20	22	22	22	22										
18-24	6	12.3	96	1	6	10	21	25	26	26	10	9.1	70	2	4	6	9	24	28	28
25-34	44	15.5	96	3	6	16	24	28	29	35	37	12.1	55	4	6	10	17	21	28	29
35-54	58	18.5	199	2	8	16	27	30	34	72	52	13.8	82	4	7	11	21	29	30	32
55-74	47	17.0	102	6	10	14	26	33	35	39	21	13.7	132	4	6	8	23	32	36	39
75 +	8	19.1	70	9	14	17	24	31	34	34	4	16.8	138	9	9	12	24	34	34	34
ALL AGES	165	17.1	131	3	8	14	26	30	34	60	125	13.1	84	4	6	9	19	29	30	35
SUBTOTAL	**266**	**16.2**	**113**	**3**	**7**	**14**	**25**	**29**	**32**	**38**	**184**	**13.0**	**85**	**4**	**6**	**9**	**19**	**28**	**30**	**37**
GRAND TOTAL	**336**	**15.8**	**110**	**3**	**7**	**14**	**24**	**28**	**32**	**39**	**239**	**13.4**	**88**	**4**	**6**	**10**	**20**	**29**	**30**	**39**

COCAINE DEPENDENCE (304.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	7	10.3	121	4	6	7	8	30	35	35	4	7.5	82	2	2	3	12	21	21	21
18-24	118	13.1	93	2	5	12	21	28	29	40	113	12.5	115	2	3	7	21	28	32	42
25-34	422	14.1	91	2	5	13	22	28	28	30	390	13.1	103	2	5	9	22	28	30	40
35-54	194	14.8	90	3	6	15	23	28	30	34	184	11.9	91	2	4	7	21	28	29	33
55-74	3	19.3	24	14	16	21	22	23	23	23	5	14.2	148	5	5	6	27	28	28	28
75 +																				
ALL AGES	744	14.1	91	3	5	14	22	28	29	32	696	12.7	101	2	4	8	21	28	30	38
B. FEMALE																				
0-12 YRS.																				
13-17	8	17.1	226	1	4	15	25	39	45	45	6	19.8	673	1	3	10	26	65	69	69
18-24	142	10.8	64	2	4	8	15	23	28	29	122	9.4	69	3	4	5	12	22	28	35
25-34	283	11.8	82	3	4	9	19	27	28	30	263	10.1	85	3	4	6	14	28	28	38
35-54	59	14.1	89	3	4	14	22	27	28	32	59	12.5	229	3	4	6	18	28	33	92
55-74											1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	492	11.9	80	2	4	9	19	27	28	30	451	10.3	108	3	4	6	14	28	28	40
SUBTOTAL	**1236**	**13.2**	**88**	**3**	**4**	**12**	**21**	**28**	**28**	**32**	**1147**	**11.7**	**106**	**2**	**4**	**7**	**21**	**28**	**29**	**39**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	45	24.9	130	5	18	27	30	39	42	53	29	27.4	204	5	15	29	40	45	47	49
18-24	407	16.0	107	3	6	16	25	28	30	37	332	14.7	130	3	5	9	26	29	33	43
25-34	1039	14.7	90	3	6	14	21	28	29	33	950	14.1	117	3	5	9	24	28	31	41
35-54	497	14.7	84	3	6	14	21	28	28	37	644	13.8	108	3	5	9	25	28	30	36
55-74	10	16.4	25	9	14	17	21	21	21	21	13	9.3	75	4	5	5	8	28	28	28
75 +																				
ALL AGES	1998	15.2	95	3	6	14	22	28	29	37	1968	14.3	119	3	5	9	25	28	32	42
B. FEMALE																				
0-12 YRS.																				
13-17	31	25.6	122	7	19	28	31	38	43	53	19	31.2	155	14	25	30	40	43	48	52
18-24	244	13.4	101	3	5	9	21	28	29	38	175	12.3	112	3	4	7	21	29	31	42
25-34	544	12.5	67	3	6	11	18	26	28	32	439	11.9	101	3	5	7	21	28	30	41
35-54	142	12.9	67	3	6	12	18	25	29	33	107	13.4	130	3	5	7	21	30	36	44
55-74											2	6.0	8	4	4	6	8	8	8	8
75 +																				
ALL AGES	961	13.2	82	3	6	11	21	28	29	36	742	12.7	118	3	5	7	21	28	33	42
SUBTOTAL	**2959**	**14.6**	**90**	**3**	**6**	**14**	**21**	**28**	**29**	**37**	**2710**	**13.9**	**118**	**3**	**5**	**8**	**24**	**28**	**32**	**42**
GRAND TOTAL	**4195**	**14.2**	**90**	**3**	**6**	**13**	**21**	**28**	**29**	**36**	**3857**	**13.2**	**117**	**3**	**5**	**7**	**22**	**28**	**31**	**42**

CANNABIS DEPENDENCE (304.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	17.0		17	17	17	17	17	17	17
13-17	47	26.3	214	9	18	27	32	42	44	91	31	28.4	240	7	13	32	41	47	51	52
18-24	28	19.8	106	6	9	21	28	31	37	38	15	13.1	146	2	2	7	23	31	33	34
25-34	23	16.7	116	1	7	17	28	29	31	34	22	18.1	148	4	5	19	28	34	37	39
35-54	10	24.9	80	12	20	24	35	36	37	37	2	13.0	32	9	9	13	17	17	17	17
55-74											1	21.0		21	21	21	21	21	21	21
75 +																				
ALL AGES	108	22.4	167	7	14	22	29	37	42	64	72	21.4	215	3	7	21	33	42	46	52
B. FEMALE																				
0-12 YRS.																				
13-17	11	18.3	248	3	7	14	32	42	47	48	9	22.7	232	5	8	28	36	42	42	42
18-24	8	18.0	118	4	8	20	28	29	29	29	2	16.0	18	13	13	16	19	19	19	19
25-34	7	20.1	57	8	16	22	26	27	27	27	3	17.3	168	3	7	21	26	28	28	28
35-54	2	15.5	313	3	3	15	28	28	28	28	1	11.0		11	11	11	11	11	11	11
55-74																				
75 +																				
ALL AGES	28	18.5	147	3	7	19	27	34	39	48	15	19.9	174	5	9	19	28	42	42	42
SUBTOTAL	**136**	**21.6**	**164**	**6**	**12**	**22**	**28**	**37**	**41**	**54**	**87**	**21.1**	**208**	**3**	**7**	**21**	**33**	**42**	**45**	**52**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	43.0		43	43	43	43	43	43	43	2	35.0	392	21	21	35	49	49	49	49
13-17	144	27.6	208	10	20	28	34	42	60	90	161	31.6	172	13	22	32	42	47	51	57
18-24	148	20.3	103	6	12	21	28	31	33	49	67	19.8	111	4	11	22	28	30	34	41
25-34	103	18.7	87	5	12	21	27	28	30	43	69	17.6	127	2	6	21	28	29	32	37
35-54	28	16.4	108	2	6	20	27	28	29	30	15	18.2	94	6	7	20	28	28	30	31
55-74																				
75 +																				
ALL AGES	424	22.2	150	6	14	23	28	35	40	69	314	25.4	187	6	15	28	34	44	47	56
B. FEMALE																				
0-12 YRS.	2	36.0		36	36	36	36	36	36	36										
13-17	57	27.9	235	7	16	32	38	43	53	98	39	27.7	186	7	19	29	40	44	47	50
18-24	23	20.7	118	5	13	23	28	31	36	43	10	21.5	161	4	10	25	30	36	42	42
25-34	32	18.1	107	3	10	20	27	29	33	42	20	17.4	110	2	6	21	27	29	30	30
35-54	10	20.4	113	4	10	24	28	30	32	32	8	18.6	109	3	11	20	26	29	30	30
55-74	1	21.0		21	21	21	21	21	21	21	1	25.0		25	25	25	25	25	25	25
75 +																				
ALL AGES	125	23.6	181	5	11	26	33	40	43	86	78	23.3	169	4	14	25	30	43	44	49
SUBTOTAL	**549**	**22.5**	**158**	**6**	**14**	**23**	**29**	**36**	**42**	**76**	**392**	**25.0**	**183**	**5**	**15**	**28**	**33**	**43**	**47**	**55**
GRAND TOTAL	**685**	**22.3**	**160**	**6**	**13**	**23**	**28**	**36**	**42**	**73**	**479**	**24.3**	**189**	**4**	**13**	**26**	**33**	**42**	**46**	**53**

AMPHETAMINE DEPENDENCE (304.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	9.0		9	9	9	9	9	9	9
18-24	8	17.3	130	3	7	18	27	31	32	32	10	10.5	64	1	3	7	18	25	28	28
25-34	11	14.0	154	2	2	14	26	31	34	34	14	12.4	91	3	5	8	21	28	28	28
35-54	4	13.3	6	10	11	13	15	16	16	16	9	19.0	135	2	10	28	28	29	29	29
55-74											1	28.0		28	28	28	28	28	28	28
75 +																				
ALL AGES	23	15.0	116	2	4	15	25	30	33	34	35	13.9	107	3	5	10	27	28	28	29
B. FEMALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-24	2	13.0	242	2	2	13	24	24	24	24	8	20.9	148	2	11	25	29	33	35	35
25-34	15	15.3	148	2	2	22	26	30	31	31	8	16.4	70	5	9	17	22	26	28	28
35-54	3	14.7	136	6	7	10	23	28	28	28	3	25.3	12	22	23	26	27	28	28	28
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	21	14.6	133	2	2	10	25	29	30	31	20	18.8	108	3	9	22	28	29	32	35
SUBTOTAL	**44**	**14.8**	**121**	**2**	**3**	**14**	**25**	**29**	**31**	**34**	**55**	**15.7**	**110**	**3**	**6**	**14**	**28**	**28**	**29**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	13	22.1	157	7	13	21	30	39	47	49	3	29.3	111	21	22	26	37	41	41	41
18-24	28	15.8	127	2	3	20	25	28	34	35	29	14.8	113	2	6	10	25	29	31	34
25-34	58	16.0	113	2	5	15	27	29	30	32	56	18.7	117	3	7	22	28	30	31	34
35-54	20	16.6	112	2	5	20	26	28	29	29	12	18.7	118	3	8	23	27	30	33	34
55-74																				
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	119	16.7	122	2	5	19	26	29	31	41	101	17.7	122	3	7	21	28	30	32	38
B. FEMALE																				
0-12 YRS.																				
13-17	5	18.0	207	2	4	19	31	34	34	34	3	12.0	133	3	4	8	21	25	25	25
18-24	13	18.8	108	3	11	22	26	32	32	32	21	15.7	145	1	5	14	28	32	36	37
25-34	28	13.6	97	3	5	11	23	27	29	33	19	18.0	126	3	6	21	28	29	35	39
35-54	8	17.4	100	6	9	17	24	32	33	33	10	15.7	132	2	8	12	28	31	34	34
55-74	1	7.0		7	7	7	7	7	7	7	1	14.0		14	14	14	14	14	14	14
75 +	1	18.0		18	18	18	18	18	18	18										
ALL AGES	56	15.7	106	3	6	15	24	30	33	34	54	16.3	126	2	6	14	28	29	36	39
SUBTOTAL	**175**	**16.4**	**116**	**3**	**5**	**16**	**26**	**30**	**32**	**36**	**155**	**17.2**	**124**	**2**	**7**	**20**	**28**	**30**	**33**	**39**
GRAND TOTAL	**219**	**16.1**	**116**	**2**	**5**	**16**	**26**	**30**	**32**	**36**	**210**	**16.8**	**120**	**2**	**6**	**18**	**28**	**29**	**32**	**38**

HALLUCINOGEN DEPENDENCE (304.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	22.0		22	22	22	22	22	22	22										
18-24	2	14.5	113	7	7	14	22	22	22	22										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	17.0	75	7	11	22	22	22	22	22										
B. FEMALE																				
0-12 YRS.																				
13-17	1	67.0		67	67	67	67	67	67	67										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	67.0		67	67	67	67	67	67	67										
SUBTOTAL	**4**	**29.5**	**675**	**7**	**14**	**22**	**45**	**67**	**67**	**67**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	32.5	222	12	21	37	43	44	44	44	4	28.0	35	22	23	28	33	34	34	34
18-24	11	16.6	176	3	4	14	26	34	43	44	3	6.7	36	1	1	6	11	13	13	13
25-34	2	11.5	221	1	1	11	22	22	22	22	1	6.0		6	6	6	6	6	6	6
35-54																				
55-74																				
75 +																				
ALL AGES	17	19.8	219	2	5	17	29	44	44	44	8	17.3	155	2	6	17	28	33	34	34
B. FEMALE																				
0-12 YRS.																				
13-17	8	41.1	814	9	24	35	59	85	89	89	3	23.3	215	8	12	25	34	37	37	37
18-24	1	1.0		1	1	1	1	1	1	1	2	38.0	1250	13	13	38	63	63	63	63
25-34	1	4.0		4	4	4	4	4	4	4	1	25.0		25	25	25	25	25	25	25
35-54																				
55-74																				
75 +																				
ALL AGES	10	33.4	897	2	4	27	43	82	89	89	6	28.5	390	8	13	25	37	60	63	63
SUBTOTAL	**27**	**24.8**	**492**	**2**	**5**	**23**	**38**	**44**	**78**	**89**	**14**	**22.1**	**267**	**5**	**8**	**23**	**32**	**40**	**58**	**63**
GRAND TOTAL	**31**	**25.4**	**497**	**2**	**6**	**22**	**38**	**53**	**76**	**89**	**14**	**22.1**	**267**	**5**	**8**	**23**	**32**	**40**	**58**	**63**

DRUG DEPENDENCE NEC (304.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	27.0	1352	1	1	26	53	53	53	53	2	24.0	128	16	16	24	32	32	32	32
18-24	6	7.3	148	1	2	3	4	29	32	32	1	7.0		7	7	7	7	7	7	7
25-34	5	13.6	98	2	6	15	19	28	28	28	6	10.5	121	1	2	6	21	26	27	27
35-54	8	10.6	70	3	5	7	15	25	27	27	2	12.0	162	3	3	12	21	21	21	21
55-74	2	4.5	25	1	1	4	8	8	8	8	1	4.0		4	4	4	4	4	4	4
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	24	10.9	165	1	2	6	15	28	38	53	12	12.2	116	1	3	8	21	28	31	32
B. FEMALE																				
0-12 YRS.																				
13-17											1	35.0		35	35	35	35	35	35	35
18-24											1	2.0		2	2	2	2	2	2	2
25-34	7	24.1	209	3	16	25	34	43	45	45	11	11.8	149	2	3	6	21	32	37	37
35-54	2	27.0	2	26	26	27	28	28	28	28	7	11.1	121	3	4	5	20	28	29	29
55-74	3	16.7	128	4	8	20	24	26	26	26	1	27.0		27	27	27	27	27	27	27
75 +	2	4.5	1	4	4	4	5	5	5	5	1	32.0		32	32	32	32	32	32	32
ALL AGES	14	20.1	173	3	5	22	28	37	43	45	22	13.8	162	2	4	6	27	33	36	37
SUBTOTAL	**38**	**14.3**	**183**	**1**	**3**	**8**	**26**	**31**	**41**	**53**	**34**	**13.2**	**143**	**2**	**3**	**7**	**25**	**32**	**34**	**37**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	4	[illegible]	159	7	16	27	32	37	37	37	8	25.5	206	5	16	25	39	42	42	42
18-24	8	13.9	186	3	4	5	28	33	34	34	1	24.0		24	24	24	24	24	24	24
25-34	7	16.9	203	1	2	21	27	34	36	36	5	18.4	260	4	6	11	31	42	42	42
35-54	9	21.2	336	3	10	18	25	51	63	63	5	11.4	170	2	4	5	17	34	34	34
55-74	3	9.7	20	7	7	7	13	15	15	15	2	7.0	2	6	6	7	8	8	8	8
75 +																				
ALL AGES	32	17.2	211	2	4	15	27	35	37	63	21	18.6	206	3	6	15	30	42	42	42
B. FEMALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-17											1	29.0		29	29	29	29	29	29	29
18-24	1	28.0		28	28	28	28	28	28	28	5	13.6	111	3	5	10	23	28	28	28
25-34	15	15.0	94	4	5	14	23	28	28	28	9	11.4	157	1	3	4	28	28	28	28
35-54	16	8.8	50	3	3	7	12	18	25	28	6	17.3	219	2	3	16	27	38	39	39
55-74	4	18.3	160	6	8	16	28	34	34	34	6	14.8	246	1	5	8	25	40	42	42
75 +	2	10.5	113	3	3	10	18	18	18	18	2	8.0	2	7	7	8	9	9	9	9
ALL AGES	39	12.7	90	3	5	10	21	28	28	34	29	14.1	159	2	3	9	27	29	39	42
SUBTOTAL	**71**	**14.7**	**148**	**3**	**4**	**10**	**24**	**30**	**34**	**58**	**50**	**16.0**	**179**	**2**	**5**	**10**	**28**	**37**	**42**	**42**
GRAND TOTAL	**109**	**14.6**	**158**	**2**	**4**	**10**	**24**	**30**	**36**	**57**	**84**	**14.9**	**164**	**2**	**4**	**9**	**27**	**34**	**40**	**42**

OPIOID/OTHER DRUG DEPEND (304.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	25.7	238	8	14	32	36	37	37	37										
18-24	19	12.8	94	1	4	11	22	27	28	28	4	11.8	57	5	5	10	18	21	21	21
25-34	35	15.1	96	3	6	14	24	28	29	30	15	8.2	85	1	3	4	12	28	28	28
35-54	53	13.3	89	3	4	12	21	28	28	34	24	9.4	91	2	3	4	13	28	28	28
55-74	2	6.5	61	1	1	6	12	12	12	12	1	27.0		27	27	27	27	27	27	27
75 +																				
ALL AGES	112	14.0	96	2	5	12	22	28	29	35	44	9.6	89	2	3	5	15	28	28	28
B. FEMALE																				
0-12 YRS.																				
13-17	3	48.0	217	35	37	45	59	64	64	64	1	11.0		11	11	11	11	11	11	11
18-24	5	17.8	171	5	7	13	30	35	35	35	4	3.5		3	3	3	4	4	4	4
25-34	39	10.6	88	2	4	6	19	26	29	30	12	10.0	104	3	3	5	16	27	28	28
35-54	18	14.1	79	6	8	11	19	28	33	37	12	12.2	138	1	3	5	26	28	29	29
55-74	1	8.0		8	8	8	8	8	8	8										
75 +	1	11.0		11	11	11	11	11	11	11										
ALL AGES	67	13.7	149	3	5	8	21	29	36	61	29	10.0	104	3	3	4	16	28	28	29
SUBTOTAL	**179**	**13.9**	**115**	**3**	**5**	**11**	**21**	**28**	**30**	**43**	**73**	**9.8**	**93**	**2**	**3**	**5**	**14**	**28**	**28**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	9	25.1	396	8	9	12	40	55	61	61										
18-24	25	17.6	105	3	10	17	27	31	31	31	15	16.5	113	3	4	20	26	28	28	28
25-34	71	16.6	99	4	8	17	28	28	29	31	50	13.5	86	3	6	13	23	28	28	28
35-54	61	14.5	80	3	7	14	21	28	29	31	45	14.6	116	3	5	11	28	29	29	30
55-74	3	11.7	73	4	5	10	18	21	21	21	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	169	16.3	112	3	8	15	27	28	31	44	111	14.3	100	3	5	13	24	28	28	30
B. FEMALE																				
0-12 YRS.																				
13-17	4	34.8	968	5	13	28	56	78	78	78	2	24.5	25	21	21	24	28	28	28	28
18-24	10	14.7	161	1	2	12	26	31	33	33	9	13.8	106	3	6	9	22	28	28	28
25-34	32	15.8	120	3	5	15	28	29	32	33	37	13.1	101	3	5	7	22	28	29	30
35-54	19	14.9	78	4	7	18	21	25	29	32	10	12.7	135	1	4	7	24	29	32	32
55-74	3	17.7	205	7	8	12	28	34	34	34										
75 +	1	11.0		11	11	11	11	11	11	11										
ALL AGES	69	16.5	167	3	6	14	25	31	33	70	58	13.5	106	3	5	8	23	28	29	32
SUBTOTAL	**238**	**16.4**	**126**	**3**	**6**	**15**	**27**	**29**	**31**	**48**	**169**	**14.0**	**102**	**3**	**5**	**11**	**24**	**28**	**28**	**30**
GRAND TOTAL	**417**	**15.3**	**123**	**3**	**6**	**13**	**25**	**28**	**31**	**45**	**242**	**12.7**	**103**	**2**	**4**	**7**	**23**	**28**	**28**	**30**

COMB DRUG DEPENDENCE NEC (304.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	105	35.4	297	7	27	35	43	59	67	77	4	21.5	38	13	17	23	26	27	27	27
18-24	43	22.2	153	6	14	22	28	41	47	49	18	21.5	65	8	18	22	28	30	31	31
25-34	62	16.1	117	1	4	16	27	30	32	37	29	12.7	113	3	4	7	22	28	29	39
35-54	31	14.4	98	2	5	14	21	28	30	35	16	19.2	127	5	7	23	28	30	33	35
55-74											2	15.5	113	8	8	15	23	23	23	23
75 +																				
ALL AGES	241	25.4	280	3	13	25	35	46	57	77	69	17.1	109	3	6	20	27	29	30	38
B. FEMALE																				
0-12 YRS.	1	60.0		60	60	60	60	60	60	60										
13-17	74	36.6	274	9	33	36	41	57	60	91	7	15.6	274	1	2	5	29	39	41	41
18-24	20	13.8	105	2	4	13	23	28	29	29	8	18.3	100	6	10	16	25	33	35	35
25-34	44	15.0	102	1	5	14	25	28	30	33	16	18.1	148	3	6	19	28	29	38	42
35-54	17	12.5	119	1	4	6	26	28	28	28	2	6.0	8	4	4	6	8	8	8	8
55-74	2	21.5	113	14	14	21	29	29	29	29	2	19.5	145	11	11	19	28	28	28	28
75 +	1	40.0		40	40	40	40	40	40	40										
ALL AGES	159	25.2	311	4	8	27	36	45	58	80	35	17.0	149	3	5	15	28	29	39	42
SUBTOTAL	**400**	**25.3**	**292**	**3**	**11**	**27**	**35**	**46**	**57**	**77**	**104**	**17.1**	**120**	**3**	**6**	**18**	**27**	**29**	**32**	**41**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	33.5	1013	11	11	33	56	56	56	56										
13-17	138	38.2	238	19	30	36	43	60	70	86	23	28.2	171	8	18	30	35	43	47	53
18-24	65	21.1	132	4	13	25	28	31	38	51	34	16.3	106	4	6	18	26	28	28	42
25-34	88	17.8	104	2	9	20	27	28	29	38	59	17.2	83	3	9	18	26	28	29	31
35-54	45	15.3	96	2	6	17	23	27	30	34	20	21.6	123	4	11	28	28	29	36	42
55-74	1	14.0		14	14	14	14	14	14	14										
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	340	26.4	264	4	15	27	35	45	57	73	136	19.4	128	4	9	21	28	31	37	45
B. FEMALE																				
0-12 YRS.																				
13-17	110	38.6	429	9	27	37	55	68	79	99+	8	21.9	182	5	14	18	34	40	41	41
18-24	34	19.0	162	3	6	22	29	30	34	50	19	16.0	104	2	6	16	26	28	30	32
25-34	40	17.6	109	3	8	17	28	28	29	43	34	22.0	198	3	6	24	30	42	42	42
35-54	18	19.0	82	5	13	19	27	29	32	33	13	24.3	125	12	17	21	30	42	42	42
55-74	5	11.0	92	1	7	9	14	27	27	27	4	14.3	116	5	5	13	23	26	26	26
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	208	28.8	393	4	13	28	39	61	68	93	78	20.5	161	3	7	21	28	41	42	42
SUBTOTAL	**548**	**27.3**	**314**	**4**	**14**	**27**	**36**	**51**	**63**	**87**	**214**	**19.8**	**140**	**3**	**8**	**21**	**28**	**34**	**42**	**43**
GRAND TOTAL	**948**	**26.5**	**303**	**4**	**13**	**27**	**36**	**49**	**60**	**80**	**318**	**18.9**	**135**	**3**	**7**	**21**	**28**	**31**	**41**	**43**

DRUG DEPENDENCE NOS (304.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	19.0		19	19	19	19	19	19	19										
13-17	43	34.7	227	13	29	35	40	57	71	99+	4	6.5	64	1	1	4	12	18	18	18
18-24	14	19.1	277	2	3	13	36	42	42	42	8	17.0	96	3	7	21	24	28	28	28
25-34	21	12.8	103	1	3	13	19	29	30	31	11	18.2	150	2	5	21	28	32	33	33
35-54	18	12.1	142	1	2	8	15	33	35	35	10	16.6	86	2	10	21	21	27	28	28
55-74	2	3.5	1	3	3	3	4	4	4	4										
75 +																				
ALL AGES	99	22.9	296	2	6	21	36	42	56	86	33	16.0	112	2	5	21	24	28	31	33
B. FEMALE																				
0-12 YRS.																				
13-17	39	37.2	324	13	32	35	39	65	74	87										
18-24	6	16.5	193	1	1	17	30	32	32	32	5	6.2	71	1	1	2	9	21	21	21
25-34	13	11.1	117	1	3	5	22	29	31	31	9	11.8	109	2	4	5	21	27	30	30
35-54	11	16.4	134	1	4	17	27	30	31	31	6	8.8	93	2	3	6	7	26	28	28
55-74											1	56.0		56	56	56	56	56	56	56
75 +											1	27.0		27	27	27	27	27	27	27
ALL AGES	69	27.1	375	2	9	30	36	45	66	85	22	12.4	191	1	3	6	21	29	40	56
SUBTOTAL	**168**	**24.6**	**332**	**2**	**7**	**28**	**36**	**43**	**61**	**85**	**55**	**14.6**	**142**	**2**	**4**	**13**	**23**	**28**	**31**	**55**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	45	33.8	234	12	24	35	42	58	68	99+	5	21.0	232	1	8	22	35	37	37	37
18-24	10	21.8	176	3	6	25	34	35	35	35	5	20.6	178	7	8	19	32	38	38	38
25-34	19	13.9	113	3	5	12	21	30	34	36	10	10.7	88	1	3	10	15	25	32	32
35-54	22	13.9	110	1	6	12	26	28	29	30	10	14.0	352	1	2	7	21	44	61	61
55-74	2	18.5	41	14	14	18	23	23	23	23	1	17.0		17	17	17	17	17	17	17
75 +																				
ALL AGES	98	23.9	258	4	11	24	35	43	55	87	31	15.2	205	1	4	10	22	35	38	61
B. FEMALE																				
0-12 YRS.	1	88.0		88	88	88	88	88	88	88										
13-17	25	34.4	436	8	21	34	46	65	96	99+	1	41.0		41	41	41	41	41	41	41
18-24	4	20.3	166	2	11	24	29	30	30	30	2	15.5	145	7	7	15	24	24	24	24
25-34	24	14.4	113	3	6	10	26	29	31	35	9	15.9	179	3	5	8	29	35	37	37
35-54	20	16.7	129	4	7	14	28	31	37	41	8	11.6	59	4	7	9	15	24	27	27
55-74	1	5.0		5	5	5	5	5	5	5	3	17.3	110	9	10	14	25	29	29	29
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	75	22.9	355	5	7	21	33	45	64	99	24	15.1	137	3	6	10	25	32	38	41
SUBTOTAL	**173**	**23.5**	**297**	**4**	**8**	**22**	**34**	**43**	**60**	**99**	**55**	**15.2**	**171**	**2**	**6**	**10**	**23**	**34**	**38**	**60**
GRAND TOTAL	**341**	**24.0**	**316**	**3**	**8**	**24**	**35**	**43**	**61**	**95**	**110**	**14.9**	**155**	**2**	**4**	**11**	**23**	**30**	**37**	**58**

ALCOHOL ABUSE (305.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	13	1.4	1	1	1	1	2	3	4	4	16	2.3	12	1	1	1	2	4	12	15
13-17	108	4.8	65	1	1	1	3	20	23	36	112	1.8	5	1	1	1	2	3	6	16
18-24	129	2.9	30	1	1	1	2	6	17	45	92	1.5	7	1	1	1	1	2	3	17
25-34	165	3.6	35	1	1	1	3	7	21	28	74	2.7	20	1	1	1	3	5	6	27
35-54	218	4.9	57	1	1	2	4	16	27	31	120	3.9	32	1	1	2	4	9	18	28
55-74	91	5.1	33	1	2	3	6	12	18	29	48	3.4	18	1	1	2	4	6	8	29
75 +	11	4.6	64	1	1	2	4	15	27	28	12	4.0	23	1	1	2	4	11	17	18
ALL AGES	735	4.2	45	1	1	1	3	11	22	31	474	2.6	18	1	1	1	2	5	8	26
B. FEMALE																				
0-12 YRS.	3	2.0	1	1	1	2	3	3	3	3	8	1.1		1	1	1	1	2	2	2
13-17	91	4.6	61	1	1	1	2	19	22	37	93	1.7	19	1	1	1	1	2	3	28
18-24	54	2.7	26	1	1	1	2	5	9	29	28	1.2		1	1	1	1	2	2	4
25-34	75	3.2	28	1	1	1	2	6	18	25	39	3.2	31	1	1	1	2	7	15	29
35-54	65	3.3	20	1	1	2	3	7	13	24	45	2.7	25	1	1	1	2	4	8	33
55-74	37	2.5	7	1	1	2	3	4	13	99 +	30	4.7	43	1	1	2	4	13	22	29
75 +	6	4.2	5	1	2	4	6	7	7	7	5	17.4	1225	1	1	2	22	80	80	80
ALL AGES	331	3.4	33	1	1	1	3	7	19	30	248	2.7	47	1	1	1	2	4	8	33
SUBTOTAL	**1066**	**4.0**	**41**	**1**	**1**	**1**	**3**	**11**	**21**	**31**	**722**	**2.7**	**27**	**1**	**1**	**1**	**2**	**4**	**8**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	14.0	338	1	1	13	27	27	27	27	2	1.5	1	1	1	1	2	2	2	2
13-17	111	19.3	271	1	3	18	31	44	46	62	32	9.9	181	1	1	2	13	31	39	54
18-24	99	8.1	103	1	1	3	12	27	29	37	33	9.8	114	1	2	3	20	28	29	29
25-34	162	5.9	57	1	1	3	6	19	24	33	70	5.8	52	1	1	3	7	16	22	30
35-54	204	5.3	36	1	2	3	6	13	16	28	94	6.1	69	1	1	3	6	21	28	35
55-74	63	6.7	71	1	2	4	9	14	19	52	27	5.2	17	1	2	4	6	9	16	18
75 +	6	5.2	15	1	1	5	7	11	11	11	1	1.0		1	1	1	1	1	1	1
ALL AGES	647	8.4	121	1	2	4	11	26	31	48	259	6.8	80	1	1	3	7	22	28	35
B. FEMALE																				
0-12 YRS.	4	13.5	163	1	2	14	24	25	25	25	2	13.5	313	1	1	13	26	26	26	26
13-17	86	15.0	231	1	1	6	28	39	44	54	35	8.1	180	1	1	1	8	34	42	43
18-24	42	5.6	118	1	1	2	5	11	32	58	19	3.2	38	1	1	1	2	5	18	28
25-34	93	4.4	35	1	1	2	5	11	13	36	40	3.2	25	1	1	2	3	6	12	30
35-54	91	5.5	51	1	1	2	6	14	27	31	52	6.0	64	1	1	3	6	20	28	29
55-74	29	8.2	74	1	2	5	10	20	28	36	18	3.8	13	1	1	3	5	8	13	15
75 +	8	5.4	15	1	3	4	7	11	13	13	7	5.7	15	3	3	5	6	12	14	14
ALL AGES	353	7.8	118	1	1	3	9	27	31	45	173	5.3	72	1	1	2	4	15	28	42
SUBTOTAL	**1000**	**8.2**	**120**	**1**	**1**	**3**	**10**	**26**	**31**	**46**	**432**	**6.2**	**77**	**1**	**1**	**3**	**6**	**21**	**28**	**40**
GRAND TOTAL	**2066**	**6.0**	**84**	**1**	**1**	**2**	**6**	**20**	**28**	**44**	**1154**	**4.0**	**49**	**1**	**1**	**1**	**3**	[illegible]	[illegible]	**33**

TOBACCO USE DISORDER (305.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	9.0		9	9	9	9	9	9	9										
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	2	5.5	25	2	2	5	9	9	9	9										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2	3	4.3	25	1	1	2	8	10	10	10
35-54	1	6.0		6	6	6	6	6	6	6	1	10.0		10	10	10	10	10	10	10
55-74																				
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	2	4.0	8	2	2	4	6	6	6	6	5	5.6	18	1	2	5	10	10	10	10
SUBTOTAL	**4**	**4.8**	**11**	**2**	**2**	**4**	**7**	**9**	**9**	**9**	**5**	**5.6**	**18**	**1**	**2**	**5**	**10**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2	1	9.0		9	9	9	9	9	9	9
35-54	1	5.0		5	5	5	5	5	5	5	2	5.5	25	2	2	5	9	9	9	9
55-74	1	7.0		7	7	7	7	7	7	7	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	3	4.7	6	2	3	5	6	7	7	7	4	5.8	13	2	2	6	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54																				
55-74																				
75 +																				
ALL AGES											1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**3**	**4.7**	**6**	**2**	**3**	**5**	**6**	**7**	**7**	**7**	**5**	**5.0**	**14**	**2**	**2**	**3**	**9**	**9**	**9**	**9**
GRAND TOTAL	**7**	**4.7**	**8**	**2**	**2**	**5**	**7**	**9**	**9**	**9**	**10**	**5.3**	**14**	**1**	**2**	**4**	**9**	**10**	**10**	**10**

CANNABIS ABUSE (305.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	18	21.6	183	1	3	27	30	36	37	37	4	12.5	307	1	1	6	24	38	38	38
18-24	7	11.4	72	2	4	9	20	23	23	23	1	21.0		21	21	21	21	21	21	21
25-34	3	21.0	219	4	10	28	30	31	31	31	4	14.8	133	5	5	13	24	28	28	28
35-54	3	17.0	75	7	11	22	22	22	22	22	2	7.5	1	7	7	7	8	8	8	8
55-74																				
75 +																				
ALL AGES	31	18.8	155	1	5	22	28	34	37	37	11	13.2	146	1	5	8	21	32	37	38
B. FEMALE																				
0-12 YRS.																				
13-17	7	11.7	181	1	1	1	26	28	28	28	4	18.0	289	5	6	12	30	42	42	42
18-24	3	14.7	64	6	8	16	20	22	22	22	3	14.3	171	1	4	15	24	27	27	27
25-34	2	1.5	1	1	1	1	2	2	2	2										
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																				
75 +																				
ALL AGES	13	10.3	123	1	1	5	22	27	28	28	7	16.4	206	2	5	15	25	39	42	42
SUBTOTAL	**44**	**16.3**	**158**	**1**	**2**	**21**	**28**	**31**	**35**	**37**	**18**	**14.4**	**162**	**1**	**5**	**9**	**21**	**35**	**40**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	18.0		18	18	18	18	18	18	18										
13-17	65	23.8	231	5	12	23	30	42	49	77	12	17.4	139	4	9	13	28	33	38	39
18-24	24	15.0	176	1	3	12	24	32	42	43	5	14.0	235	1	2	14	20	39	39	39
25-34	26	16.4	98	4	6	18	28	28	29	29	10	8.9	100	1	3	4	14	26	28	28
35-54	5	12.6	107	1	4	11	21	26	26	26										
55-74																				
75 +																				
ALL AGES	121	20.0	197	3	8	20	28	37	44	66	27	13.6	145	1	3	10	24	31	39	39
B. FEMALE																				
0-12 YRS.											1	5.0		5	5	5	5	5	5	5
13-17	42	27.7	250	6	17	29	36	49	57	63	4	12.8	103	1	6	12	19	26	26	26
18-24	7	9.3	84	1	2	4	18	22	22	22	1	11.0		11	11	11	11	11	11	11
25-34	10	13.6	73	3	4	14	19	24	28	28	1	1.0		1	1	1	1	1	1	1
35-54	3	23.7	54	15	18	28	28	28	23	28										
55-74																				
75 +																				
ALL AGES	62	23.1	242	3	11	21	30	45	53	62	7	9.7	76	1	2	11	12	23	26	26
SUBTOTAL	**183**	**21.0**	**215**	**3**	**8**	**21**	**29**	**41**	**47**	**62**	**34**	**12.8**	**131**	**1**	**3**	**11**	**20**	**29**	**37**	**39**
GRAND TOTAL	**227**	**20.1**	**207**	**2**	**7**	**21**	**28**	**37**	**45**	**61**	**52**	**13.4**	**138**	**1**	**4**	**10**	**21**	**30**	**39**	**42**

HALLUCINOGEN ABUSE (305.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	5	1.8	1	1	1	1	3	3	3	3	4	1.0		1	1	1	1	1	1	1
18-24	2	5.0	8	3	3	5	7	7	7	7	2	1.0		1	1	1	1	1	1	1
25-34	1	5.0		5	5	5	5	5	5	5										
35-54																				
55-74																				
75 +																				
ALL AGES	8	3.0	5	1	1	3	4	6	7	7	6	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	2	1.5	1	1	1	1	2	2	2	2	1	1.0		1	1	1	1	1	1	1
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	1.3		1	1	1	2	2	2	2	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**11**	**2.5**	**4**	**1**	**1**	**2**	**3**	**6**	**7**	**7**	**7**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	12	11.6	146	1	2	5	28	44	89	99 +	2	1.5	1	1	1	1	2	2	2	2
18-24	6	4.5	14	1	1	3	9	9	9	9	1	1.0		1	1	1	1	1	1	1
25-34	1	22.0		22	22	22	22	22	22	22	2	13.0	162	4	4	13	22	22	22	22
35-54																				
55-74																				
75 +																				
ALL AGES	19	9.9	113	1	2	5	22	30	65	99 +	5	6.0	82	1	1	2	8	22	22	22
B. FEMALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4	1	2.0		2	2	2	2	2	2	2
18-24	1	4.0		4	4	4	4	4	4	4										
25-34	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
35-54	1	41.0		41	41	41	41	41	41	41										
55-74																				
75 +																				
ALL AGES	4	12.5	363	1	2	4	23	41	41	41	2	2.5	1	2	2	2	3	3	3	3
SUBTOTAL	**23**	**10.3**	**144**	**1**	**2**	**5**	**22**	**31**	**59**	**99 +**	**7**	**5.0**	**57**	**1**	**1**	**2**	**4**	**18**	**22**	**22**
GRAND TOTAL	**34**	**7.8**	**111**	**1**	**1**	**3**	**9**	**30**	**38**	**99 +**	**14**	**3.0**	**31**	**1**	**1**	**1**	**2**	**6**	**18**	**22**

BARBITURATE ABUSE (305.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24	1	2.0		2	2	2	2	2	2	2	1	7.0		7	7	7	7	7	7	7
25-34	2	1.0		1	1	1	1	1	1	1										
35-54	1	4.0		4	4	4	4	4	4	4										
55-74																				
75 +																				
ALL AGES	4	2.0	2	1	1	1	3	4	4	4	2	4.0	18	1	1	4	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54	2	4.5	13	2	2	4	7	7	7	7	2	4.0		4	4	4	4	4	4	4
55-74	1	14.0		14	14	14	14	14	14	14	1	7.0		7	7	7	7	7	7	7
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	4	6.0	35	1	1	4	10	14	14	14	5	3.8	5	1	2	4	5	7	7	7
SUBTOTAL	**8**	**4.0**	**21**	**1**	**1**	**2**	**5**	**12**	**14**	**14**	**7**	**3.9**	**6**	**1**	**2**	**4**	**6**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24											3	2.0	1	1	1	2	3	3	3	3
25-34	4	3.0	2	1	1	3	4	4	4	4	3	5.0	28	1	1	3	9	11	11	11
35-54	6	16.3	122	1	8	16	28	28	28	28	3	9.0	19	6	6	7	12	14	14	14
55-74	2	4.0	2	3	3	4	5	5	5	5										
75 +																				
ALL AGES	12	9.8	102	1	3	5	16	28	28	28	10	4.9	21	1	1	3	7	12	14	14
B. FEMALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
25-34	15	10.8	100	1	3	8	18	30	31	31	2	3.5	13	1	1	3	6	6	6	6
35-54	7	9.7	36	3	6	8	13	19	20	20	7	6.7	15	1	3	8	10	11	11	11
55-74	2	4.5	13	2	2	4	7	7	7	7	1	8.0		8	8	54	99 +	99 +	99 +	99 +
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	27	9.4	69	2	3	8	13	20	30	31	11	5.7	15	1	2	8	10	99 +	99 +	99 +
SUBTOTAL	**39**	**9.5**	**77**	**1**	**3**	**7**	**14**	**25**	**29**	**31**	**21**	**5.3**	**17**	**1**	**1**	**6**	**10**	**31**	**99 +**	**99 +**
GRAND TOTAL	**47**	**8.6**	**71**	**1**	**3**	**5**	**13**	**20**	**29**	**31**	**28**	**5.0**	**14**	**1**	**1**	**5**	**8**	**13**	**99 +**	**99 +**

OPIOID ABUSE (305.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	3.0		3	3	3	3	3	3	3
25-34	10	6.5	55	1	1	3	8	20	20	20	2	17.0	8	15	15	17	19	19	19	19
35-54	10	4.6	21	1	2	3	7	12	16	16	2	16.5	481	1	1	16	32	32	32	32
55-74																				
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	20	5.6	37	1	1	3	7	18	20	20	6	12.3	146	1	3	9	19	31	32	32
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	10.0		10	10	10	10	10	10	10										
25-34											2	15.0	242	4	4	15	26	26	26	26
35-54											1	1.0		1	1	1	1	1	1	1
55-74											1	8.0		8	8	8	8	8	8	8
75 +																				
ALL AGES	1	10.0		10	10	10	10	10	10	10	4	9.8	124	1	2	6	17	26	26	26
SUBTOTAL	**21**	**5.8**	**36**	**1**	**2**	**3**	**7**	**17**	**20**	**20**	**10**	**11.3**	**124**	**1**	**3**	**6**	**19**	**29**	**32**	**32**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	4	2.8	5	1	1	2	4	6	6	6										
25-34	9	7.8	104	2	2	3	8	26	29	29	5	5.6	13	1	2	6	8	10	10	10
35-54	14	8.6	70	1	1	5	18	21	24	25	14	6.2	71	1	1	2	7	19	27	29
55-74	1	31.0		31	31	31	31	31	31	31	1	40.0		40	40	40	40	40	40	40
75 +																				
ALL AGES	28	8.3	89	1	2	4	12	24	29	31	20	7.8	108	1	1	3	9	23	34	40
B. FEMALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24	1	5.0		5	5	5	5	5	5	5	2	2.5	5	1	1	2	4	4	4	4
25-34	8	4.4	12	1	1	3	7	9	10	10	4	22.5	460	4	5	18	39	50	50	50
35-54	5	5.8	28	2	3	4	7	15	15	15	2	31.5	25	28	28	31	35	35	35	35
55-74																				
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	15	4.9	14	1	2	4	7	10	14	15	9	17.8	323	1	3	7	30	44	50	50
SUBTOTAL	**43**	**7.1**	**65**	**1**	**2**	**4**	**7**	**21**	**26**	**31**	**29**	**10.9**	**188**	**1**	**1**	**4**	**15**	**33**	**40**	**50**
GRAND TOTAL	**64**	**6.7**	**55**	**1**	**2**	**4**	**7**	**20**	**23**	**31**	**39**	**11.0**	**168**	**1**	**2**	**4**	**17**	**31**	**38**	**50**

COCAINE ABUSE (305.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	5	5.8	31	2	2	3	9	15	15	15	2	1.5	1	1	1	1	2	2	2	2
18-24	30	5.0	51	1	1	2	4	20	22	25	13	8.5	158	1	1	2	11	28	38	40
25-34	64	7.3	75	1	2	3	12	22	26	31	55	9.4	131	1	2	3	13	28	36	44
35-54	19	8.1	70	1	1	3	16	21	22	22	12	13.7	227	2	2	4	27	37	41	42
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	118	6.8	66	1	1	3	11	21	24	29	83	9.6	145	1	2	3	13	31	37	43
B. FEMALE																				
0-12 YRS.																				
13-17	2	13.5	1	13	13	13	14	14	14	14	1	2.0		2	2	2	2	2	2	2
18-24	18	7.1	94	1	1	2	7	25	28	28	10	9.7	107	1	1	5	15	26	28	28
25-34	37	6.2	47	1	1	4	7	17	24	25	21	7.3	71	1	2	3	12	20	25	31
35-54	11	4.8	36	1	1	2	8	14	19	20	4	10.0	125	1	1	8	19	24	24	24
55-74																				
75 +																				
ALL AGES	68	6.5	56	1	1	3	8	20	25	28	36	8.1	82	1	1	3	14	24	27	31
SUBTOTAL	**186**	**6.7**	**62**	**1**	**1**	**3**	**10**	**21**	**25**	**28**	**119**	**9.2**	**125**	**1**	**2**	**3**	**14**	**27**	**34**	**43**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	11	14.1	152	1	4	7	26	30	31	31	7	21.0	361	2	2	28	35	46	48	48
18-24	49	7.5	56	1	2	5	10	21	22	33	22	14.7	205	2	3	10	21	35	44	57
25-34	105	10.7	87	1	3	7	19	26	28	30	62	12.9	180	1	2	6	24	33	39	46
35-54	44	9.9	90	2	3	5	17	27	29	32	17	9.7	100	1	3	5	16	28	31	31
55-74																				
75 +																				
ALL AGES	209	9.9	86	1	3	6	18	26	28	32	108	13.3	184	1	3	6	24	33	38	52
B. FEMALE																				
0-12 YRS.																				
13-17	12	27.9	210	5	18	29	39	45	48	49	4	18.3	472	1	2	12	34	48	48	48
18-24	22	10.0	101	2	3	5	14	28	31	34	21	10.5	127	2	3	5	18	29	33	37
25-34	58	10.0	71	1	3	7	18	22	26	29	29	9.3	122	1	2	3	14	26	34	41
35-54	11	7.4	46	1	2	5	13	18	22	22	8	12.9	98	4	6	7	21	28	30	30
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	104	11.7	123	1	3	7	19	28	33	46	62	10.8	136	2	2	5	19	29	35	47
SUBTOTAL	**313**	**10.5**	**99**	**1**	**3**	**6**	**18**	**27**	**29**	**38**	**170**	**12.4**	**167**	**1**	**3**	**6**	**21**	**31**	**37**	**48**
GRAND TOTAL	**499**	**9.1**	**88**	**1**	**2**	**5**	**15**	**25**	**28**	**34**	**289**	**11.0**	**153**	**1**	**2**	**4**	**20**	**30**	**37**	**47**

AMPHETAMINE ABUSE (305.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3	1	35.0		35	35	35	35	35	35	35
18-24	5	5.8	73	1	1	3	8	21	21	21	3	4.3	25	1	1	2	8	10	10	10
25-34	5	1.0		1	1	1	1	1	1	1	1	7.0		7	7	7	7	7	7	7
35-54	4	9.8	140	1	2	5	17	27	27	27	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	15	5.1	63	1	1	1	3	21	25	27	6	9.3	172	1	1	4	10	32	35	35
B. FEMALE																				
0-12 YRS.																				
13-17											3	9.3	163	1	1	3	19	24	24	24
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2	6	2.3	1	1	2	2	3	3	3	3
35-54	1	1.0		1	1	1	1	1	1	1	1	7.0		7	7	7	7	7	7	7
55-74																				
75 +																				
ALL AGES	2	1.5	1	1	1	1	2	2	2	2	10	4.9	48	1	2	3	3	15	24	24
SUBTOTAL	**17**	**4.6**	**58**	**1**	**1**	**1**	**3**	**18**	**25**	**27**	**16**	**6.6**	**90**	**1**	**1**	**3**	**7**	**23**	**32**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	1.0		1	1	1	1	1	1	1	2	3.0	2	2	2	3	4	4	4	4
18-24	3	12.0	243	3	3	3	23	30	30	30	9	16.9	223	1	3	14	29	39	45	45
25-34	7	2.0	1	1	1	2	3	4	4	4	5	6.0	47	1	2	4	8	18	18	18
35-54	4	3.8	4	1	2	4	5	6	6	6	1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	16	4.2	50	1	1	2	4	6	23	30	17	11.2	163	1	2	4	16	30	40	45
B. FEMALE																				
0-12 YRS.																				
13-17	4	17.5	147	5	9	15	25	34	34	34	3	28.7	91	18	21	31	35	37	37	37
18-24	2	14.0	338	1	1	14	27	27	27	27	5	5.6	13	2	2	6	8	10	10	10
25-34	8	9.8	84	2	4	5	15	25	28	28	2	16.0	200	6	6	16	26	26	26	26
35-54	6	18.7	262	1	6	18	22	44	47	47	3	10.3	262	1	1	1	22	29	29	29
55-74																				
75 +																				
ALL AGES	20	14.4	159	2	4	13	22	31	40	47	13	13.6	168	1	2	8	27	32	36	37
SUBTOTAL	**36**	**9.9**	**133**	**1**	**2**	**4**	**16**	**28**	**33**	**47**	**30**	**12.2**	**162**	**1**	**2**	**6**	**18**	**30**	**37**	**45**
GRAND TOTAL	**53**	**8.2**	**114**	**1**	**1**	**3**	**13**	**27**	**30**	**47**	**46**	**10.3**	**141**	**1**	**2**	**4**	**15**	**30**	**35**	**45**

TOTAL U.S., JANUARY-DECEMBER 1989

ANTIDEPRESSANT ABUSE (305.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24																				
25-34																				
35-54											1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES											2	1.5	1	1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +																				
ALL AGES	2	1.0		1	1	1	1	1	1	1										
SUBTOTAL	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	21.0		21	21	21	21	21	21	21
18-24																				
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5	1	21.0		21	21	21	21	21	21	21
B. FEMALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17																				
18-24	1	8.0		8	8	8	8	8	8	8										
25-34	1	6.0		6	6	6	6	6	6	6	3	1.7	1	1	1	1	2	3	3	3
35-54	3	11.3	123	1	3	10	20	23	23	23										
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	5	9.6	67	1	5	8	13	23	23	23	5	1.8	1	1	1	2	2	3	3	3
SUBTOTAL	**6**	**8.8**	**58**	**1**	**5**	**7**	**10**	**22**	**23**	**23**	**6**	**5.0**	**62**	**1**	**1**	**2**	**3**	**19**	**21**	**21**
GRAND TOTAL	**8**	**6.9**	**54**	**1**	**1**	**5**	**9**	**19**	**23**	**23**	**8**	**4.1**	**47**	**1**	**1**	**2**	**3**	**16**	**21**	**21**

DRUG ABUSE NEC/NOS (305.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	85.0		85	85	85	85	85	85	85
13-17	61	24.2	244	5	10	28	35	41	51	65	16	9.6	221	1	1	2	12	37	47	51
18-24	51	16.6	157	1	3	20	28	31	36	41	15	14.3	255	2	3	7	19	40	51	55
25-34	57	14.9	129	1	3	17	25	28	28	42	10	11.3	150	1	2	4	27	28	28	28
35-54	41	13.2	118	1	3	12	26	28	28	29	7	6.3	93	1	1	3	4	23	28	28
55-74	2	6.5	41	2	2	6	11	11	11	11	3	2.3	3	1	1	2	3	4	4	4
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	213	17.5	184	1	4	17	28	35	39	61	52	11.9	290	1	1	4	15	33	50	84
B. FEMALE																				
0-12 YRS.																				
13-17	26	26.9	406	3	13	28	34	43	72	93	7	10.7	135	1	1	5	22	27	28	28
18-24	16	6.8	75	1	2	3	6	25	27	28	3	4.3	11	2	2	3	7	8	8	8
25-34	40	11.1	146	1	1	5	19	28	31	49	16	8.0	120	1	1	2	13	28	29	30
35-54	14	11.7	140	2	3	6	19	29	35	37	9	7.9	238	1	1	2	5	34	48	48
55-74	9	14.7	138	2	5	13	26	32	33	33	5	11.0	97	4	5	6	15	28	28	28
75 +	4	5.5	3	3	4	6	7	7	7	7	2	8.0	18	5	5	8	11	11	11	11
ALL AGES	109	14.4	239	1	3	7	26	32	38	78	42	8.5	124	1	1	3	11	28	29	48
SUBTOTAL	**322**	**16.5**	**202**	**1**	**3**	**14**	**28**	**34**	**38**	**64**	**94**	**10.4**	**216**	**1**	**1**	**3**	**14**	**28**	**40**	**72**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	15.0		15	15	15	15	15	15	15										
13-17	161	20.2	135	4	10	19	29	34	36	47	22	18.3	227	1	4	14	30	38	45	48
18-24	52	13.0	167	1	2	7	25	28	32	54	15	13.0	152	2	3	8	22	33	37	38
25-34	91	10.0	80	1	2	7	17	24	28	30	19	8.8	110	2	3	5	9	28	33	37
35-54	47	12.5	156	1	4	6	21	28	31	60	14	4.1	7	1	2	3	7	8	8	8
55-74	2	5.5	25	2	2	5	9	9	9	9	3	9.7	133	2	2	4	18	23	23	23
75 +	1	30.0		30	30	30	30	30	30	30	2	7.5	61	2	2	7	13	13	13	13
ALL AGES	356	15.5	145	2	4	14	27	30	35	48	75	11.6	151	2	3	6	15	33	37	47
B. FEMALE																				
0-12 YRS.	8	11.5	142	1	1	7	23	27	28	28	1	1.0		1	1	1	1	1	1	1
13-17	104	23.9	175	4	13	28	34	39	42	50	9	13.4	246	1	1	3	29	37	41	41
18-24	25	9.5	69	1	3	9	13	23	28	29	5	3.0	12	1	1	2	4	9	9	9
25-34	48	10.3	93	1	3	6	16	23	31	37	17	12.0	246	2	3	6	16	28	52	64
35-54	43	12.2	119	1	3	7	22	28	33	39	8	12.9	120	2	3	11	22	27	28	28
55-74	6	16.8	145	2	11	14	26	34	35	35	1	11.0		11	11	11	11	11	11	11
75 +	2	18.0	18	15	15	18	21	21	21	21	2	6.5	25	3	3	6	10	10	10	10
ALL AGES	236	16.8	174	1	4	14	28	35	38	43	43	10.9	175	1	2	4	17	29	34	64
SUBTOTAL	**592**	**16.0**	**157**	**2**	**4**	**14**	**28**	**33**	**37**	**45**	**118**	**11.3**	**160**	**1**	**2**	**6**	**16**	**30**	**37**	**53**
GRAND TOTAL	**914**	**16.2**	**172**	**1**	**4**	**14**	**28**	**33**	**37**	**51**	**212**	**10.9**	**184**	**1**	**2**	**4**	**14**	**29**	**38**	**58**

PSYCHOGEN MUSCULSKEL DIS (306.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-24											1	5.0		5	5	5	5	5	5	5
25-34	2	8.0		8	8	8	8	8	8	8										
35-54	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
55-74	1	2.0		2	2	2	2	2	2	2										
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	5	4.4	11	2	2	2	8	8	8	8	3	2.7	4	1	1	2	4	5	5	5
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	1	4.0		4	4	4	4	4	4	4
13-17	1	5.0		5	5	5	5	5	5	5										
18-24																				
25-34	2	8.5	1	8	8	8	9	9	9	9										
35-54	1	30.0		30	30	30	30	30	30	30	1	3.0		3	3	3	3	3	3	3
55-74	5	7.4	80	1	2	2	13	22	22	22	1	2.0		2	2	2	2	2	2	2
75 +	2	5.0	18	2	2	5	8	8	8	8										
ALL AGES	12	8.4	81	1	2	6	9	24	29	30	3	3.0	1	2	2	3	4	4	4	4
SUBTOTAL	**17**	**7.2**	**62**	**2**	**2**	**5**	**9**	**20**	**27**	**30**	**6**	**2.8**	**2**	**1**	**2**	**3**	**4**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5										
13-17	1	2.0		2	2	2	2	2	2	2										
18-24	2	2.5	5	1	1	2	4	4	4	4										
25-34	2	6.0	32	2	2	6	10	10	10	10										
35-54											1	4.0		4	4	4	4	4	4	4
55-74	1	6.0		6	6	6	6	6	6	6										
75 +																				
ALL AGES	7	4.3	9	1	2	4	6	9	10	10	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	5.0		5	5	5	5	5	5	5										
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2	2	5.5	5	4	4	5	7	7	7	7
55-74	3	4.7	9	2	2	4	7	8	8	8										
75 +																				
ALL AGES	5	4.2	6	2	2	4	6	8	8	8	2	5.5	5	4	4	5	7	7	7	7
SUBTOTAL	**12**	**4.3**	**7**	**1**	**2**	**4**	**6**	**9**	**10**	**10**	**3**	**5.0**	**3**	**4**	**4**	**4**	**6**	**7**	**7**	**7**
GRAND TOTAL	**29**	**6.0**	**40**	**2**	**2**	**4**	**8**	**10**	**22**	**30**	**9**	**3.6**	**3**	**1**	**2**	**4**	**4**	**6**	**7**	**7**

PSYCHOGENIC RESPIR DIS (306.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	8	1.8	1	1	1	1	2	4	4	4	4	3.0	2	2	2	3	4	5	5	5
13-17	5	1.4		1	1	1	2	2	2	2	4	1.8	1	1	1	1	2	3	3	3
18-24	2	1.5	1	1	1	1	2	2	2	2	2	1.5	1	1	1	1	2	2	2	2
25-34	5	1.4		1	1	1	2	2	2	2	5	1.6		1	1	2	2	2	2	2
35-54	18	2.8	3	1	1	2	3	6	6	6	11	2.2	5	1	1	1	2	5	9	9
55-74	3	1.7		1	1	2	2	2	2	2	14	2.8	3	1	1	2	4	6	7	7
75 +	2	2.0	2	1	1	2	3	3	3	3	5	2.6	2	1	2	2	4	4	4	4
ALL AGES	43	2.1	2	1	1	2	3	4	6	6	45	2.4	3	1	1	2	3	4	6	9
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	2	18.5	421	4	4	18	33	33	33	33
13-17	1	1.0		1	1	1	1	1	1	1	8	2.8	3	1	1	2	4	6	6	6
18-24	9	2.2	1	1	2	2	3	3	3	3	5	3.6	6	1	1	4	6	6	6	6
25-34	5	1.4		1	1	1	2	2	2	2	13	2.2	2	1	1	2	3	4	6	6
35-54	25	2.5	4	1	1	2	3	5	7	9	24	2.6	3	1	1	2	3	5	6	7
55-74	19	3.3	9	1	1	2	4	8	11	12	20	2.5	1	1	2	2	3	4	5	5
75 +	15	4.1	6	1	2	4	6	8	8	8	22	4.0	7	2	2	3	5	7	10	13
ALL AGES	75	2.9	5	1	1	2	3	7	8	11	94	3.2	14	1	2	3	4	6	7	24
SUBTOTAL	**118**	**2.6**	**4**	**1**	**1**	**2**	**3**	**6**	**7**	**10**	**139**	**3.0**	**10**	**1**	**1**	**2**	**3**	**6**	**7**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	2.0		2	2	2	2	2	2	2	2	1.5	1	1	1	1	2	2	2	2
18-24	1	1.0		1	1	1	1	1	1	1	2	2.0	2	1	1	1	3	3	3	3
25-34	5	8.4	55	1	1	8	14	19	19	19	9	1.3		1	1	1	2	2	2	2
35-54	6	2.5	3	1	1	2	4	5	5	5	10	3.4	5	1	2	3	4	7	8	8
55-74	6	2.2		1	2	2	3	3	3	3	6	2.7		2	2	3	3	4	4	4
75 +	3	3.3	5	1	2	4	5	5	5	5	4	4.5	26	1	1	2	7	12	12	12
ALL AGES	23	3.7	18	1	1	2	4	9	14	19	33	2.6	5	1	1	2	3	5	8	12
B. FEMALE																				
0-12 YRS.	2	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
13-17	2	2.0	2	1	1	2	3	3	3	3	2	2.0		2	2	2	2	2	2	2
18-24	1	3.0		3	3	3	3	3	3	3	3	2.7	2	1	1	3	4	4	4	4
25-34	6	5.8	25	1	2	5	6	14	15	15	7	2.0	2	1	1	1	3	5	5	5
35-54	10	2.9	1	1	2	3	4	5	5	5	10	2.4		2	2	2	3	4	4	4
55-74	21	4.8	28	1	2	3	5	10	19	24	16	3.1	3	1	2	3	4	5	7	8
75 +	8	4.5	13	2	2	3	5	11	13	13	18	3.1	4	1	2	3	4	5	8	9
ALL AGES	50	4.2	18	1	2	3	5	7	15	24	57	2.8	2	1	2	2	3	5	5	9
SUBTOTAL	**73**	**4.1**	**17**	**1**	**2**	**3**	**5**	**7**	**14**	**23**	**90**	**2.7**	**4**	**1**	**2**	**2**	**3**	**5**	**6**	**11**
GRAND TOTAL	**191**	**3.2**	**10**	**1**	**1**	**2**	**4**	**6**	**8**	**17**	**229**	**2.9**	**7**	**1**	**1**	**2**	**3**	**5**	**6**	**12**

PSYCHOGEN CARDIOVASC DIS (306.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	1.0		1	1	1	1	1	1	1										
35-54	7	2.9	7	1	1	2	4	7	8	8	5	1.6	1	1	1	1	2	3	3	3
55-74	1	17.0		17	17	17	17	17	17	17	5	6.4	21	2	3	5	9	14	14	14
75 +	3	3.7	9	1	1	3	6	7	7	7	2	5.0	18	2	2	5	8	8	8	8
ALL AGES	13	3.8	22	1	1	2	5	10	16	17	12	4.2	15	1	1	3	6	10	13	14
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24																				
25-34	2	4.0		4	4	4	4	4	4	4	1	3.0		3	3	3	3	3	3	3
35-54	4	2.0	1	1	1	2	3	3	3	3	8	3.5	3	1	2	3	5	6	6	6
55-74	5	2.0		2	2	2	2	2	2	2	7	3.3	6	1	1	3	4	7	8	8
75 +											4	6.0	23	2	3	4	9	13	13	13
ALL AGES	11	2.4	1	1	2	2	3	4	4	4	21	3.8	8	1	2	3	5	7	10	13
SUBTOTAL	**24**	**3.2**	**12**	**1**	**1**	**2**	**4**	**7**	**11**	**17**	**33**	**3.9**	**10**	**1**	**2**	**3**	**5**	**8**	**12**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54	3	1.7	1	1	1	1	2	3	3	3	1	2.0		2	2	2	2	2	2	2
55-74	2	1.5	1	1	1	1	2	2	2	2										
75 +																				
ALL AGES	5	1.6	1	1	1	1	2	3	3	3	2	1.5	1	1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34	2	6.0	8	4	4	6	8	8	8	8	1	4.0		4	4	4	4	4	4	4
35-54	2	1.5	1	1	1	1	2	2	2	2	4	1.5		1	1	1	2	2	2	2
55-74	4	4.8	8	2	3	4	7	9	9	9	9	4.6	13	1	2	4	5	11	13	13
75 +	3	4.0	1	3	3	4	5	5	5	5	3	3.3	3	2	2	3	4	5	5	5
ALL AGES	11	4.2	6	1	2	4	5	8	9	9	18	3.4	9	1	2	3	4	6	11	13
SUBTOTAL	**16**	**3.4**	**6**	**1**	**1**	**3**	**4**	**8**	**9**	**9**	**20**	**3.3**	**8**	**1**	**1**	**2**	**4**	**6**	**10**	**13**
GRAND TOTAL	**40**	**3.3**	**9**	**1**	**1**	**2**	**4**	**7**	**9**	**17**	**53**	**3.7**	**9**	**1**	**2**	**3**	**4**	**7**	**12**	**14**

PSYCHOGENIC SKIN DISEASE (306.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4										
25-34																				
35-54	1	4.0		4	4	4	4	4	4	4										
55-74																				
75 +																				
ALL AGES	2	4.0		4	4	4	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +											2	4.0	18	1	1	4	7	7	7	7
ALL AGES											2	4.0	18	1	1	4	7	7	7	7
SUBTOTAL	**2**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**	**2**	**4.0**	**18**	**1**	**1**	**4**	**7**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	9.0		9	9	9	9	9	9	9
55-74																				
75 +																				
ALL AGES											1	9.0		9	9	9	9	9	9	9
SUBTOTAL											**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**
GRAND TOTAL	**2**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**	**3**	**5.7**	**17**	**1**	**2**	**7**	**8**	**9**	**9**	**9**

PSYCHOGENIC GI DISEASE (306.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	9	4.7	25	1	1	2	7	13	16	16	3	2.0	1	1	1	2	3	3	3	3
13-17	1	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
18-24	1	6.0		6	6	6	6	6	6	6										
25-34	1	7.0		7	7	7	7	7	7	7	2	2.0	2	1	1	2	3	3	3	3
35-54	5	2.4	4	1	1	2	3	6	6	6	6	2.0	1	1	1	2	3	3	3	3
55-74	2	5.0	18	2	2	5	8	8	8	8	3	2.0	3	1	1	1	3	4	4	4
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	20	4.2	14	1	2	3	6	8	12	16	15	2.0	1	1	1	2	3	3	4	4
B. FEMALE																				
0-12 YRS.	2	15.0	242	4	4	15	26	26	26	26	1	3.0		3	3	3	3	3	3	3
13-17	3	8.0	76	2	2	4	14	18	18	18	7	6.6	53	1	2	4	8	19	22	22
18-24	2	3.5	1	3	3	3	4	4	4	4	1	7.0		7	7	7	7	7	7	7
25-34	8	2.6	2	1	2	2	3	5	5	5	5	3.2	3	2	2	2	5	5	5	5
35-54	7	8.0	124	2	3	3	6	28	33	33	5	5.2	8	2	3	6	7	9	9	9
55-74	3	6.3	21	2	3	6	10	11	11	11	8	6.3	8	3	4	6	8	10	11	11
75 +	2	5.0	18	2	2	5	8	8	8	8	4	5.0	13	2	2	4	7	10	10	10
ALL AGES	27	6.2	58	2	2	3	6	17	27	33	31	5.4	17	2	2	5	7	10	11	22
SUBTOTAL	**47**	**5.3**	**40**	**1**	**2**	**3**	**6**	**11**	**19**	**33**	**46**	**4.3**	**14**	**1**	**2**	**3**	**6**	**9**	**10**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	7.5	41	3	3	7	12	12	12	12	1	5.0		5	5	5	5	5	5	5
13-17	1	4.0		4	4	4	4	4	4	4	1	28.0		28	28	28	28	28	28	28
18-24	2	6.0	32	2	2	6	10	10	10	10										
25-34	2	4.5	5	3	3	4	6	6	6	6										
35-54	1	6.0		6	6	6	6	6	6	6	2	3.0	8	1	1	3	5	5	5	5
55-74	4	6.3	7	4	4	6	8	10	10	10	2	8.5	41	4	4	8	13	13	13	13
75 +	1	7.0		7	7	7	7	7	7	7	3	6.7	1	6	6	6	8	8	8	8
ALL AGES	13	6.0	10	3	4	6	8	11	12	12	9	8.4	65	2	5	6	9	22	28	28
B. FEMALE																				
0-12 YRS.	2	18.5	613	1	1	18	36	36	36	36										
13-17	3	9.0	48	5	5	5	14	17	17	17	5	25.8	455	1	9	27	38	57	57	57
18-24	3	5.3	11	3	3	4	8	9	9	9	5	22.0	261	3	7	22	37	39	39	39
25-34	5	6.4	11	4	4	5	8	12	12	12	2	3.0	8	1	1	3	5	5	5	5
35-54	9	6.6	42	2	3	4	8	17	23	23	4	5.8	11	4	4	4	8	11	11	11
55-74	1	2.0		2	2	2	2	2	2	2	8	4.3	5	1	2	4	6	7	8	8
75 +	4	7.8	18	4	5	6	10	14	14	14	4	5.5	15	2	3	4	8	11	11	11
ALL AGES	27	7.6	56	2	3	5	8	16	25	36	28	11.6	200	1	3	5	12	35	41	57
SUBTOTAL	**40**	**7.1**	**41**	**2**	**3**	**5**	**8**	**13**	**20**	**36**	**37**	**10.8**	**167**	**1**	**4**	**5**	**11**	**31**	**38**	**57**
GRAND TOTAL	**87**	**6.1**	**41**	**2**	**2**	**4**	**7**	**12**	**19**	**35**	**83**	**7.2**	**92**	**1**	**2**	**4**	**8**	**15**	**29**	**51**

PSYCHOGENIC GU DISEASE (306.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											2	6.5	61	1	1	6	12	12	12	12
13-17											1	2.0		2	2	2	2	2	2	2
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											3	5.0	37	1	1	2	9	12	12	12
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-24																				
25-34																				
35-54	2	5.5	1	5	5	5	6	6	6	6										
55-74																				
75 +																				
ALL AGES	2	5.5	1	5	5	5	6	6	6	6	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**2**	**5.5**	**1**	**5**	**5**	**5**	**6**	**6**	**6**	**6**	**4**	**4.0**	**29**	**1**	**1**	**2**	**7**	**12**	**12**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	5.5	13	3	3	5	8	8	8	8										
35-54																				
55-74																				
75 +																				
ALL AGES	2	5.5	13	3	3	5	8	8	8	8										
SUBTOTAL	**2**	**5.5**	**13**	**3**	**3**	**5**	**8**	**8**	**8**	**8**										
GRAND TOTAL	**4**	**5.5**	**4**	**3**	**4**	**5**	**7**	**8**	**8**	**8**	**4**	**4.0**	**29**	**1**	**1**	**2**	**7**	**12**	**12**	**12**

PSYCHOGEN ENDOCRINE DIS (306.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17	2	1.0		1	1	1	1	1	1	1										
18-24																				
25-34																				
35-54											1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	2	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
SUBTOTAL	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**										
GRAND TOTAL	**3**	**1.7**	**1**	**1**	**1**	**1**	**3**	**3**	**3**	**3**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

PSYCHOGENIC SENSORY DIS (306.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17	1	24.0		24	24	24	24	24	24	24										
18-24																				
25-34											1	3.0		3	3	3	3	3	3	3
35-54											1	5.0		5	5	5	5	5	5	5
55-74																				
75 +																				
ALL AGES	1	24.0		24	24	24	24	24	24	24	3	3.3	3	2	2	3	4	5	5	5
SUBTOTAL	**1**	**24.0**		**24**	**24**	**24**	**24**	**24**	**24**	**24**	**3**	**3.3**	**3**	**2**	**2**	**3**	**4**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2	1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**
GRAND TOTAL	**2**	**13.0**	**242**	**2**	**2**	**13**	**24**	**24**	**24**	**24**	**4**	**3.8**	**2**	**2**	**2**	**4**	**5**	**5**	**5**	**5**

PSYCHOGENIC DISORDER NEC (306.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3	2	7.0	8	5	5	7	9	9	9	9
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	2	4.0	18	1	1	4	7	7	7	7	1	10.0		10	10	10	10	10	10	10
75 +																				
ALL AGES	4	3.0	8	1	1	2	5	7	7	7	3	8.0	7	5	6	9	10	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17	2	3.0		3	3	3	3	3	3	3	3	3.3	1	3	3	3	4	4	4	4
18-24	1	1.0		1	1	1	1	1	1	1	1	4.0		4	4	4	4	4	4	4
25-34	1	4.0		4	4	4	4	4	4	4	1	12.0		12	12	12	12	12	12	12
35-54	2	4.5	5	3	3	4	6	6	6	6	1	2.0		2	2	2	2	2	2	2
55-74	2	8.5	13	6	6	8	11	11	11	11										
75 +	2	12.0	72	6	6	12	18	18	18	18										
ALL AGES	10	6.1	25	1	3	5	6	14	18	18	6	4.7	13	2	3	3	4	11	12	12
SUBTOTAL	**14**	**5.2**	**21**	**1**	**3**	**4**	**6**	**12**	**17**	**18**	**9**	**5.8**	**13**	**2**	**3**	**4**	**9**	**11**	**12**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	4.0		4	4	4	4	4	4	4
25-34											1	2.0		2	2	2	2	2	2	2
35-54	2	1.5	1	1	1	1	2	2	2	2										
55-74																				
75 +																				
ALL AGES	2	1.5	1	1	1	1	2	2	2	2	2	3.0	2	2	2	3	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24											1	2.0		2	2	2	2	2	2	2
25-34	2	4.5	5	3	3	4	6	6	6	6										
35-54	8	3.5	4	1	1	4	5	6	6	6	2	3.5	13	1	1	3	6	6	6	6
55-74	3	9.3	37	3	5	10	14	15	15	15	1	3.0		3	3	3	3	3	3	3
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	14	4.7	15	1	2	4	6	10	14	15	5	3.4	4	1	2	3	5	6	6	6
SUBTOTAL	**16**	**4.3**	**14**	**1**	**2**	**3**	**6**	**10**	**13**	**15**	**7**	**3.3**	**3**	**1**	**2**	**3**	**5**	**6**	**6**	**6**
GRAND TOTAL	**30**	**4.7**	**17**	**1**	**2**	**3**	**6**	**10**	**15**	**18**	**16**	**4.7**	**10**	**2**	**2**	**4**	**6**	**10**	**11**	**12**

PSYCHOGENIC DISORDER NOS (306.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	6.3	5	4	5	7	8	8	8	8										
13-17	1	5.0		5	5	5	5	5	5	5										
18-24	1	48.0		48	48	48	48	48	48	48										
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	3	2.0	1	1	1	2	3	3	3	3	1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	9	9.2	217	1	3	5	7	32	48	48	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-24	1	5.0		5	5	5	5	5	5	5	1	3.0		3	3	3	3	3	3	3
25-34											1	5.0		5	5	5	5	5	5	5
35-54	3	5.3	15	1	2	7	8	8	8	8	2	2.5	1	2	2	2	3	3	3	3
55-74	3	15.7	519	2	2	3	32	42	42	42	1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	8	8.6	189	1	2	4	7	32	42	42	5	3.6	2	2	3	3	5	5	5	5
SUBTOTAL	**17**	**8.9**	**192**	**1**	**2**	**5**	**7**	**35**	**46**	**48**	**6**	**3.3**	**2**	**2**	**2**	**3**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	2.7	4	1	1	2	4	5	5	5										
13-17	1	32.0		32	32	32	32	32	32	32										
18-24	1	4.0		4	4	4	4	4	4	4										
25-34											1	1.0		1	1	1	1	1	1	1
35-54	3	16.7	519	3	3	4	33	43	43	43	1	6.0		6	6	6	6	6	6	6
55-74	1	8.0		8	8	8	8	8	8	8	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	9	11.3	232	1	3	4	14	39	43	43	3	3.0	7	1	1	2	5	6	6	6
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17	1	2.0		2	2	2	2	2	2	2										
18-24	1	10.0		10	10	10	10	10	10	10	1	14.0		14	14	14	14	14	14	14
25-34	2	7.5	61	2	2	7	13	13	13	13	1	2.0		2	2	2	2	2	2	2
35-54	6	9.3	90	1	2	5	19	23	23	23										
55-74	3	7.7	42	1	3	8	12	14	14	14	1	7.0		7	7	7	7	7	7	7
75 +	1	11.0		11	11	11	11	11	11	11										
ALL AGES	14	8.4	49	1	2	8	13	19	22	23	4	6.5	30	2	2	5	10	14	14	14
SUBTOTAL	**23**	**9.5**	**116**	**1**	**2**	**5**	**12**	**25**	**36**	**43**	**7**	**5.0**	**21**	**1**	**2**	**3**	**7**	**13**	**14**	**14**
GRAND TOTAL	**40**	**9.3**	**143**	**1**	**2**	**5**	**9**	**27**	**42**	**48**	**13**	**4.2**	**12**	**1**	**2**	**3**	**5**	**8**	**13**	**14**

STAMMERING & STUTTERING (307.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5										
13-17																				
18-24	1	7.0		7	7	7	7	7	7	7										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	6.0	2	5	5	6	7	7	7	7										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
SUBTOTAL	**3**	**5.7**	**1**	**5**	**5**	**5**	**7**	**7**	**7**	**7**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	24.0		24	24	24	24	24	24	24										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	24.0		24	24	24	24	24	24	24										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	10.0		10	10	10	10	10	10	10
75 +																				
ALL AGES											1	10.0		10	10	10	10	10	10	10
SUBTOTAL	**1**	**24.0**		**24**	**24**	**24**	**24**	**24**	**24**	**24**	**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**
GRAND TOTAL	**4**	**10.3**	**84**	**5**	**5**	**6**	**15**	**24**	**24**	**24**	**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**

ANOREXIA NERVOSA (307.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	23.0	334	3	10	21	35	47	47	47										
13-17	4	25.3	723	6	10	18	74	99 +	99 +	99 +	3	11.3	105	4	5	7	19	23	23	23
18-24											2	31.0	2	30	30	31	32	32	32	32
25-34	1	91.0		91	91	91	91	91	91	91	1	35.0		35	35	35	35	35	35	35
35-54	2	4.0		4	4	4	4	4	4	4										
55-74											1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	11	26.5	844	4	5	18	56	94	99	99 +	7	19.6	182	4	6	23	31	34	35	35
B. FEMALE																				
0-12 YRS.	22	35.6	806	6	14	35	65	98	99 +	99 +	5	22.6	345	7	8	14	38	49	49	49
13-17	106	24.6	360	4	12	21	34	57	86	99 +	64	21.2	357	2	6	18	30	42	56	94
18-24	60	19.3	315	2	6	14	26	40	60	77	30	17.3	260	1	3	14	31	44	55	99 +
25-34	25	16.2	249	3	5	9	27	50	61	99 +	25	14.1	208	1	3	9	23	37	45	51
35-54	33	12.4	231	1	2	5	17	44	88	99 +	15	18.4	174	5	6	14	28	38	39	39
55-74	2	7.5	1	7	7	7	8	8	8	8	2	3.0	2	2	2	3	4	4	4	4
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	249	21.6	390	3	7	17	33	54	86	99 +	141	18.6	289	2	5	14	29	41	51	97
SUBTOTAL	**260**	**21.8**	**407**	**3**	**6**	**17**	**34**	**57**	**88**	**99 +**	**148**	**18.7**	**281**	**2**	**5**	**14**	**30**	**40**	**51**	**97**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	5	38.4	1083	1	3	60	62	67	67	67	4	48.0	1297	7	18	51	78	83	83	83
18-24	2	9.5	41	5	7	14	78	99 +	99 +	99 +	1	13.0		13	13	13	13	13	13	13
25-34	5	37.8	657	13	22	61	92	99 +	99 +	99 +	1	31.0		31	31	31	31	31	31	31
35-54	3	19.7	530	3	5	10	37	46	46	46	1	23.0		23	23	23	23	23	23	23
55-74																				
75 +																				
ALL AGES	15	30.6	706	3	10	36	67	99 +	99 +	99 +	7	37.0	864	8	15	29	62	81	83	83
B. FEMALE																				
0-12 YRS.	7	40.6	792	9	17	49	72	95	99 +	99 +	4	25.8	163	7	17	30	34	36	36	36
13-17	45	24.9	398	2	12	22	43	64	99 +	99 +	42	27.7	287	8	14	28	37	49	73	99 +
18-24	72	27.5	376	4	13	23	38	55	65	75	40	24.7	434	3	8	21	33	67	77	99 +
25-34	67	27.6	569	3	7	24	45	69	99	99 +	32	22.9	198	4	12	21	33	42	45	55
35-54	39	24.0	418	3	8	19	35	62	74	99 +	11	21.2	332	3	5	12	37	48	51	51
55-74	3	6.7	26	1	2	8	10	11	11	11	2	18.5	265	7	7	18	30	30	30	30
75 +	2	21.5	5	20	20	21	23	23	23	23	1	6.0		6	6	6	6	6	6	6
ALL AGES	235	26.5	453	3	10	22	43	65	79	99 +	132	24.7	306	4	10	24	36	48	69	99 +
SUBTOTAL	**250**	**26.8**	**463**	**3**	**10**	**22**	**45**	**68**	**87**	**99 +**	**139**	**25.3**	**336**	**4**	**10**	**24**	**36**	**48**	**72**	**99 +**
GRAND TOTAL	**510**	**24.2**	**442**	**3**	**7**	**20**	**38**	**65**	**88**	**99 +**	**287**	**21.9**	**317**	**2**	**6**	**19**	**32**	**45**	**55**	**99**

TOTAL U.S., JANUARY-DECEMBER 1989

TICS (307.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	7	12.1	609	1	2	3	4	55	68	68	7	1.9		1	1	2	2	3	3	3
13-17	1	14.0		14	14	14	14	14	14	14	2	3.0		3	3	3	3	3	3	3
18-24	3	8.7	29	3	4	9	13	14	14	14										
25-34																				
35-54	1	8.0		8	8	8	8	8	8	8										
55-74											1	8.0		8	8	8	8	8	8	8
75 +																				
ALL AGES	12	11.1	341	2	3	4	11	30	63	68	10	2.7	4	1	2	2	3	6	8	8
B. FEMALE																				
0-12 YRS.	4	3.3	2	2	2	3	4	5	5	5										
13-17	1	6.0		6	6	6	6	6	6	6										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	3.8	3	2	2	4	5	6	6	6										
SUBTOTAL	**17**	**8.9**	**248**	**2**	**3**	**4**	**8**	**14**	**49**	**68**	**10**	**2.7**	**4**	**1**	**2**	**2**	**3**	**6**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	11	26.0	230	4	13	26	37	45	50	50	2	21.5	841	1	1	21	42	42	42	42
13-17	8	14.0	186	1	5	13	15	36	45	45	1	5.0		5	5	5	5	5	5	5
18-24	2	15.5	313	3	3	15	28	28	28	28	2	3.5	1	3	3	3	4	4	4	4
25-34																				
35-54	1	13.0		13	13	13	13	13	13	13										
55-74																				
75 +																				
ALL AGES	22	20.1	223	3	6	15	30	43	47	50	5	11.0	303	1	2	4	14	42	42	42
B. FEMALE																				
0-12 YRS.	1	16.0		16	16	16	16	16	16	16										
13-17																				
18-24																				
25-34	1	7.0		7	7	7	7	7	7	7										
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																				
75 +																				
ALL AGES	3	9.3	35	5	5	7	14	16	16	16										
SUBTOTAL	**25**	**18.8**	**211**	**3**	**6**	**14**	**28**	**42**	**46**	**50**	**5**	**11.0**	**303**	**1**	**2**	**4**	**14**	**42**	**42**	**42**
GRAND TOTAL	**42**	**14.8**	**244**	**2**	**4**	**8**	**20**	**39**	**47**	**68**	**15**	**5.5**	**105**	**1**	**2**	**3**	**4**	**8**	**33**	**42**

STEREOTYPED MOVEMENTS (307.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	1.0		1	1	1	1	1	1	1	2	3.0	2	2	2	3	4	4	4	4
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	1.0		1	1	1	1	1	1	1	2	3.0	2	2	2	3	4	4	4	4
B. FEMALE																				
0-12 YRS.	4	1.3		1	1	1	1	2	2	2										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	1.3		1	1	1	1	2	2	2										
SUBTOTAL	**6**	**1.2**		**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**	**3.0**	**2**	**2**	**2**	**3**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.	1	18.0		18	18	18	18	18	18	18										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	18.0		18	18	18	18	18	18	18										
SUBTOTAL	**1**	**18.0**		**18**	**18**	**18**	**18**	**18**	**18**	**18**										
GRAND TOTAL	**7**	**3.6**	**40**	**1**	**1**	**1**	**2**	**15**	**18**	**18**	**2**	**3.0**	**2**	**2**	**2**	**3**	**4**	**4**	**4**	**4**

NONORGANIC SLEEP DISORD (307.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	10.7	493	1	1	2	3	51	56	56	2	2.0	2	1	1	1	3	3	3	3
13-17	4	2.8		2	2	3	3	3	3	3										
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54											1	9.0		9	9	9	9	9	9	9
55-74	2	5.0	8	3	3	5	7	7	7	7	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	13	6.8	221	1	2	3	4	17	49	56	4	4.3	11	1	1	3	6	9	9	9
B. FEMALE																				
0-12 YRS.	2	18.5	481	3	3	18	34	34	34	34	5	1.6		1	1	2	2	2	2	2
13-17	1	3.0		3	3	3	3	3	3	3										
18-24																				
25-34	5	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +											1	13.0		13	13	13	13	13	13	13
ALL AGES	8	5.6	133	1	1	1	3	25	34	34	6	3.5	22	1	1	2	2	12	13	13
SUBTOTAL	**21**	**6.4**	**179**	**1**	**1**	**3**	**3**	**18**	**44**	**56**	**10**	**3.8**	**16**	**1**	**1**	**2**	**4**	**11**	**13**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	5.3	13	2	3	5	8	9	9	9	2	12.5	221	2	2	12	23	23	23	23
13-17																				
18-24																				
25-34	2	15.0	162	6	6	15	24	24	24	24										
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5										
75 +											2	3.0	2	2	2	3	4	4	4	4
ALL AGES	6	8.5	63	2	5	6	9	22	24	24	4	7.8	103	2	2	3	13	23	23	23
B. FEMALE																				
0-12 YRS.	2	4.0	18	1	1	4	7	7	7	7										
13-17																				
18-24																				
25-34	1	12.0		12	12	12	12	12	12	12										
35-54											1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	3	6.7	30	1	2	7	11	12	12	12	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**9**	**7.9**	**47**	**1**	**4**	**6**	**10**	**19**	**24**	**24**	**5**	**6.6**	**85**	**2**	**2**	**2**	**9**	**23**	**23**	**23**
GRAND TOTAL	**30**	**6.8**	**138**	**1**	**1**	**3**	**6**	**18**	**34**	**56**	**15**	**4.7**	**37**	**1**	**2**	**2**	**4**	**13**	**20**	**23**

EATING DISORDERS NEC/NOS (307.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	17	16.5	276	3	6	13	19	39	59	67	5	5.0	6	1	4	6	6	7	7	7
13-17	7	14.4	436	2	3	4	18	52	59	59	3	2.7	8	1	1	1	5	6	6	6
18-24	3	17.3	214	2	6	19	28	31	31	31	6	7.5	169	1	2	2	3	31	34	34
25-34	4	6.8	13	2	4	7	9	11	11	11	2	14.5	365	1	1	14	28	28	28	28
35-54	8	18.3	208	4	5	17	29	37	40	40	1	2.0		2	2	2	2	2	2	2
55-74																				
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	40	15.3	242	3	4	8	23	35	51	67	17	6.4	91	1	1	3	6	24	32	34
B. FEMALE																				
0-12 YRS.	17	17.9	305	3	6	9	30	49	56	57	8	10.1	164	1	1	2	19	30	35	35
13-17	48	23.6	337	5	9	17	37	50	61	73	22	23.1	225	3	13	21	30	45	52	53
18-24	65	16.1	177	2	5	13	24	31	43	57	31	20.0	134	3	9	21	28	33	38	42
25-34	27	20.9	259	4	6	19	30	43	54	66	17	16.1	251	2	3	4	28	41	43	44
35-54	18	21.8	264	2	6	18	30	44	51	55	11	9.9	155	2	3	6	8	31	42	43
55-74	4	24.0	125	10	15	25	32	36	36	36	1	2.0		2	2	2	2	2	2	2
75 +	3	5.0	4	3	3	5	6	7	7	7	1	7.0		7	7	7	7	7	7	7
ALL AGES	182	19.5	256	3	7	15	29	43	53	65	91	17.6	198	2	4	17	28	40	42	53
SUBTOTAL	**222**	**18.7**	**256**	**3**	**6**	**14**	**28**	**42**	**53**	**66**	**108**	**15.8**	**198**	**2**	**3**	**12**	**27**	**37**	**42**	**52**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	9	20.8	204	4	7	22	32	41	41	41	1	26.0		26	26	26	26	26	26	26
13-17	6	33.0	684	3	8	34	54	64	65	65	3	22.0	57	15	16	21	28	30	30	30
18-24	6	27.5	650	2	2	23	52	62	63	63	6	21.7	229	4	5	24	31	41	42	42
25-34	9	18.8	45	9	16	19	21	29	29	29	4	10.0	103	2	2	7	17	24	24	24
35-54	2	8.0		8	8	8	8	8	8	8	6	26.8	134	9	21	28	35	40	41	41
55-74	2	3.5	13	1	1	3	6	6	6	6	2	11.0	18	8	8	11	14	14	14	14
75 +											2	7.0	50	2	2	7	12	12	12	12
ALL AGES	34	21.8	328	2	8	18	29	52	61	65	24	19.1	155	3	8	20	29	36	41	42
B. FEMALE																				
0-12 YRS.	12	23.9	596	2	3	14	41	63	70	71	4	23.8	320	1	12	24	35	45	45	45
13-17	91	30.0	266	8	18	30	44	54	62	99 +	54	27.6	281	9	17	27	32	47	53	83
18-24	151	24.9	321	5	11	23	33	54	66	78	76	25.2	174	5	16	26	32	42	49	56
25-34	106	23.5	314	4	10	21	35	42	53	93	73	21.8	216	3	8	19	33	42	43	60
35-54	56	21.9	169	6	12	19	29	41	49	56	37	21.5	144	4	13	22	30	37	42	48
55-74	6	33.2	356	5	16	40	47	51	52	52	7	21.4	204	4	8	22	31	41	43	43
75 +	2	5.5	13	3	3	5	8	8	8	8	3	6.3	11	4	4	5	9	10	10	10
ALL AGES	424	25.2	302	5	11	25	35	50	59	99	254	23.9	208	4	13	24	31	42	47	62
SUBTOTAL	**458**	**25.0**	**302**	**5**	**11**	**24**	**35**	**50**	**59**	**98**	**278**	**23.5**	**204**	**4**	**12**	**24**	**31**	**42**	**45**	**60**
GRAND TOTAL	**680**	**22.9**	**297**	**4**	**8**	**20**	**32**	**48**	**57**	**78**	**386**	**21.3**	**215**	**3**	**7**	**21**	**30**	**41**	**44**	**56**

ENURESIS (307.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	15.5	313	3	3	15	28	28	28	28										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	15.5	313	3	3	15	28	28	28	28										
B. FEMALE																				
0-12 YRS.																				
13-17											1	33.0		33	33	33	33	33	33	33
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	33.0		33	33	33	33	33	33	33
SUBTOTAL	**2**	**15.5**	**313**	**3**	**3**	**15**	**28**	**28**	**28**	**28**	**1**	**33.0**		**33**	**33**	**33**	**33**	**33**	**33**	**33**
GRAND TOTAL	**2**	**15.5**	**313**	**3**	**3**	**15**	**28**	**28**	**28**	**28**	**1**	**33.0**		**33**	**33**	**33**	**33**	**33**	**33**	**33**

ENCOPRESIS (307.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	17	7.4	92	2	3	4	5	25	32	34	4	18.8	126	5	9	20	28	29	29	29
13-17	2	6.5	25	3	3	6	10	10	10	10	2	19.5	41	15	15	19	24	24	24	24
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	19	7.3	83	2	3	4	7	23	31	34	6	19.0	85	6	14	19	27	29	29	29
B. FEMALE																				
0-12 YRS.	4	21.5	1142	1	4	8	79	99 +	99 +	99 +	1	18.0		18	18	18	18	18	18	18
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	21.5	1142	1	4	8	79	99 +	99 +	99 +	1	18.0		18	18	18	18	18	18	18
SUBTOTAL	**23**	**9.8**	**253**	**2**	**3**	**4**	**9**	**38**	**80**	**99 +**	**7**	**18.9**	**69**	**7**	**14**	**18**	**26**	**29**	**29**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	8	13.0	139	3	4	8	19	32	37	37	6	21.0	145	3	11	25	30	33	33	33
13-17											1	35.0		35	35	35	35	35	35	35
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	8	13.0	139	3	4	8	19	32	37	37	7	23.0	149	4	14	27	32	35	35	35
B. FEMALE																				
0-12 YRS.	2	17.0	200	7	12	27	82	99 +	99 +	99 +	4	29.5	90	21	21	28	37	40	40	40
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	17.0	200	7	12	27	82	99 +	99 +	99 +	4	29.5	90	21	21	28	37	40	40	40
SUBTOTAL	**10**	**13.8**	**133**	**3**	**5**	**10**	**25**	**62**	**97**	**99 +**	**11**	**25.4**	**125**	**7**	**21**	**27**	**34**	**37**	**40**	**40**
GRAND TOTAL	**33**	**11.0**	**215**	**2**	**3**	**4**	**18**	**37**	**93**	**99 +**	**18**	**22.8**	**112**	**7**	**15**	**23**	**30**	**35**	**38**	**40**

PSYCHALGIA (307.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	8	2.6	3	1	1	2	3	5	6	6	3	2.3	1	2	2	2	3	3	3	3
13-17	3	2.0	1	1	1	2	3	3	3	3	3	2.3	3	1	1	2	3	4	4	4
18-24	15	4.1	32	1	1	2	3	14	19	21	4	1.8		1	1	2	2	2	2	2
25-34	22	3.3	20	1	1	2	4	5	12	22	11	3.5	7	1	2	3	4	8	10	10
35-54	22	3.2	9	1	1	2	4	7	11	13	19	2.9	3	1	2	3	4	5	6	6
55-74	9	6.2	6	3	5	6	8	9	9	9	8	4.3	7	1	2	4	6	8	9	9
75 +	2	2.5	5	1	1	2	4	4	4	4	1	5.0		5	5	5	5	5	5	5
ALL AGES	81	3.6	15	1	1	2	4	7	11	22	49	3.1	4	1	2	2	4	6	7	10
B. FEMALE																				
0-12 YRS.	21	9.6	275	2	2	4	7	29	57	66	3	6.7	25	2	3	6	10	12	12	12
13-17	7	4.3	24	1	2	2	4	13	15	15	6	2.5		2	2	2	3	3	3	3
18-24	14	1.6	1	1	1	2	2	3	3	3	6	3.5	4	1	2	3	5	6	6	6
25-34	41	3.6	17	1	1	2	5	7	9	25	35	3.5	7	1	1	2	5	7	10	11
35-54	60	4.1	24	1	1	3	4	8	13	29	64	3.2	3	1	2	3	5	6	7	8
55-74	27	3.4	8	1	1	2	5	7	9	13	27	3.6	10	1	2	3	4	8	9	16
75 +	8	6.9	36	1	2	4	13	15	15	15	12	5.1	27	1	2	3	6	15	17	17
ALL AGES	178	4.5	51	1	1	2	5	9	14	44	153	3.5	8	1	2	3	5	6	8	16
SUBTOTAL	**259**	**4.2**	**40**	**1**	**1**	**2**	**4**	**8**	**14**	**30**	**202**	**3.4**	**7**	**1**	**2**	**3**	**5**	**6**	**8**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	6.3	71	1	1	2	12	16	16	16										
13-17	2	5.5	5	4	4	5	7	7	7	7										
18-24											3	10.7	176	2	2	4	20	26	26	26
25-34	7	7.1	75	1	3	4	7	22	26	26	5	4.2	5	2	3	3	6	7	7	7
35-54	11	5.5	22	1	2	4	8	14	16	16	8	6.8	61	1	2	4	8	20	25	25
55-74	4	17.0	165	4	6	16	27	32	32	32	4	3.5	6	2	2	3	5	7	7	7
75 +	1	10.0		10	10	10	10	10	10	10	1	1.0		1	1	1	1	1	1	1
ALL AGES	28	7.8	64	1	3	4	10	21	27	32	21	5.8	48	1	2	3	6	16	25	26
B. FEMALE																				
0-12 YRS.																				
13-17	1	9.0		9	9	9	9	9	9	9	5	2.4		2	2	2	3	3	3	3
18-24	8	7.6	46	3	4	5	9	19	23	23	7	3.1	3	1	2	3	5	6	6	6
25-34	21	9.4	118	1	2	5	14	22	33	46	20	3.2	4	1	1	3	4	7	7	8
35-54	26	6.0	49	1	2	3	8	13	23	31	26	5.8	20	2	2	4	8	12	14	19
55-74	15	6.2	14	2	2	7	10	11	11	11	15	5.9	20	2	3	5	7	15	16	17
75 +	7	13.7	664	2	3	4	6	59	72	72	6	3.7	2	2	2	3	5	6	6	6
ALL AGES	78	7.9	109	2	2	4	10	16	23	65	79	4.5	14	1	2	3	6	9	12	18
SUBTOTAL	**106**	**7.8**	**98**	**2**	**2**	**4**	**10**	**16**	**24**	**57**	**100**	**4.8**	**21**	**1**	**2**	**3**	**6**	**10**	**14**	**25**
GRAND TOTAL	**365**	**5.3**	**59**	**1**	**2**	**3**	**5**	**12**	**16**	**44**	**302**	**3.9**	**12**	**1**	**2**	**3**	**5**	**7**	**10**	**18**

SPECIAL SYMPTOM NEC/NOS (307.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	5.5	5	4	4	5	7	7	7	7	4	6.0	27	1	1	6	10	11	11	11
13-17	2	10.5	145	2	2	10	19	19	19	19	1	3.0		3	3	3	3	3	3	3
18-24	1	1.0		1	1	1	1	1	1	1	3	20.7	199	8	10	18	31	36	36	36
25-34	1	21.0		21	21	21	21	21	21	21	1	2.0		2	2	2	2	2	2	2
35-54	3	20.7	668	1	3	11	40	50	50	50										
55-74	4	4.3	4	2	2	4	6	7	7	7	1	3.0		3	3	3	3	3	3	3
75 +	1	1.0		1	1	1	1	1	1	1	3	13.3	422	1	1	2	28	37	37	37
ALL AGES	14	9.6	176	1	2	4	11	24	44	50	13	10.3	161	1	2	3	13	36	37	37
B. FEMALE																				
0-12 YRS.	2	3.5	5	2	2	3	5	5	5	5	3	1.0		1	1	1	1	1	1	1
13-17	1	2.0		2	2	2	2	2	2	2										
18-24	2	2.0	2	1	1	1	3	3	3	3										
25-34																				
35-54	4	6.3	32	1	2	5	10	14	14	14	3	1.7		1	1	2	2	2	2	2
55-74	3	6.0	21	2	3	5	9	11	11	11	1	2.0		2	2	2	2	2	2	2
75 +	5	5.4	27	1	1	3	11	11	11	11	4	20.3	917	1	1	7	39	65	65	65
ALL AGES	17	4.9	18	1	2	3	8	11	13	14	11	8.3	366	1	1	2	2	34	62	65
SUBTOTAL	**31**	**7.0**	**92**	**1**	**2**	**3**	**10**	**16**	**21**	**50**	**24**	**9.4**	**243**	**1**	**1**	**2**	**10**	**36**	**45**	**65**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	4.5	1	4	4	4	5	5	5	5										
13-17											1	2.0		2	2	2	2	2	2	2
18-24	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
25-34	6	4.3	9	1	3	3	7	9	9	9	2	1.0		1	1	1	1	1	1	1
35-54	4	12.3	371	1	1	3	23	41	41	41										
55-74	3	7.7	25	3	4	7	11	13	13	13	2	5.5	25	2	2	5	9	9	9	9
75 +	5	8.8	232	1	2	2	11	36	36	36	3	3.7	2	2	2	4	5	5	5	5
ALL AGES	21	7.2	119	1	2	3	7	22	38	41	9	3.1	7	1	2	2	4	7	9	9
B. FEMALE																				
0-12 YRS.											2	6.0	18	3	3	6	9	9	9	9
13-17	1	3.0		3	3	3	3	3	3	3										
18-24	1	6.0		6	6	6	6	6	6	6	1	3.0		3	3	3	3	3	3	3
25-34	1	1.0		1	1	1	1	1	1	1	3	2.0		2	2	2	2	2	2	2
35-54	2	7.0		7	7	7	7	7	7	7	1	1.0		1	1	1	1	1	1	1
55-74	5	8.0	13	4	5	8	11	12	12	12	2	3.0	2	2	2	3	4	4	4	4
75 +	6	4.5	13	1	1	4	7	10	10	10	5	3.2	6	1	2	2	5	7	7	7
ALL AGES	16	5.7	12	1	3	6	8	11	12	12	14	3.1	5	1	2	2	4	7	9	9
SUBTOTAL	**37**	**6.6**	**71**	**1**	**2**	**4**	**7**	**12**	**28**	**41**	**23**	**3.1**	**6**	**1**	**2**	**2**	**4**	**7**	**9**	**9**
GRAND TOTAL	**68**	**6.8**	**79**	**1**	**2**	**4**	**7**	**13**	**22**	**48**	**47**	**6.3**	**135**	**1**	**2**	**2**	**5**	**13**	**36**	**65**

STRESS REACT, EMOTIONAL (308.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17	1	4.0		4	4	4	4	4	4	4	2	2.5	5	1	1	2	4	4	4	4
18-24	2	2.5	1	2	2	2	3	3	3	3	1	1.0		1	1	1	1	1	1	1
25-34	1	6.0		6	6	6	6	6	6	6	4	2.0	4	1	1	1	3	5	5	5
35-54	13	3.2	4	1	2	3	4	6	8	8	15	2.2	2	1	1	2	3	3	6	7
55-74	3	1.7	1	1	1	1	3	3	3	3	6	2.2	1	1	1	2	3	3	3	3
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	20	3.1	4	1	2	3	4	6	7	8	30	2.2	2	1	1	2	3	4	5	7
B. FEMALE																				
0-12 YRS.																				
13-17	2	3.5	13	1	1	3	6	6	6	6	1	1.0		1	1	1	1	1	1	1
18-24	6	4.3	6	2	2	4	6	8	8	8	5	2.2	2	1	1	2	3	4	4	4
25-34	5	1.6	1	1	1	1	2	3	3	3	9	2.4	7	1	1	1	3	7	9	9
35-54	13	3.5	7	1	2	3	4	8	10	10	21	2.6	3	1	1	2	3	5	6	6
55-74	10	3.7	6	1	2	3	6	7	8	8	15	2.1	1	1	1	2	3	4	4	4
75 +	3	6.3	3	5	5	6	7	8	8	8	4	1.8	1	1	1	2	2	3	3	3
ALL AGES	39	3.6	6	1	2	3	6	8	8	10	55	2.3	3	1	1	2	3	4	6	9
SUBTOTAL	**59**	**3.5**	**5**	**1**	**2**	**3**	**5**	**7**	**8**	**10**	**85**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	22.0		22	22	22	22	22	22	22										
18-24	1	3.0		3	3	3	3	3	3	3	2	2.0	2	1	1	2	3	3	3	3
25-34	2	3.0	2	2	2	3	4	4	4	4	3	1.3		1	1	1	2	2	2	2
35-54	9	4.1	20	1	1	3	5	12	15	15	5	2.2	2	1	1	2	3	4	4	4
55-74	5	5.0	21	1	1	5	7	12	12	12	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	18	5.2	32	1	1	3	6	14	19	22	11	2.0	1	1	1	2	3	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	2	7.5	13	5	5	7	10	10	10	10	1	4.0		4	4	4	4	4	4	4
18-24	2	1.0		1	1	1	1	1	1	1	4	2.8	5	1	1	2	4	6	6	6
25-34	12	3.2	3	1	2	3	4	6	7	7	10	2.4	2	1	1	2	3	5	6	6
35-54	12	6.3	50	1	1	5	8	15	24	26	9	4.2	41	1	1	2	3	14	21	21
55-74	3	8.7	65	3	3	5	15	18	18	18	6	2.8	5	1	1	2	5	6	6	6
75 +	1	2.0		2	2	2	2	2	2	2	4	5.0	11	3	3	4	7	10	10	10
ALL AGES	32	4.9	29	1	2	3	6	10	17	26	34	3.4	13	1	1	2	4	6	9	21
SUBTOTAL	**50**	**5.0**	**30**	**1**	**1**	**3**	**6**	**11**	**18**	**26**	**45**	**3.0**	**11**	**1**	**1**	**2**	**3**	**6**	**7**	**21**
GRAND TOTAL	**109**	**4.2**	**17**	**1**	**2**	**3**	**5**	**8**	**11**	**24**	**130**	**2.5**	**6**	**1**	**1**	**2**	**3**	**4**	**6**	**12**

STRESS REACTION, FUGUE (308.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	6.0		6	6	6	6	6	6	6										
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	2	4.0	8	2	2	4	6	6	6	6										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	1	1.0		1	1	1	1	1	1	1	2	1.5	1	1	1	1	2	2	2	2
55-74																				
75 +																				
ALL AGES	2	1.0		1	1	1	1	1	1	1	2	1.5	1	1	1	1	2	2	2	2
SUBTOTAL	**4**	**2.5**	**6**	**1**	**1**	**2**	**4**	**6**	**6**	**6**	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	7.0		7	7	7	7	7	7	7
55-74																				
75 +																				
ALL AGES											1	7.0		7	7	7	7	7	7	7
SUBTOTAL	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**
GRAND TOTAL	**5**	**2.8**	**5**	**1**	**1**	**2**	**4**	**6**	**6**	**6**	**3**	**3.3**	**11**	**1**	**1**	**2**	**6**	**7**	**7**	**7**

STRESS REACT, PSYCHOMOT (308.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES											1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2										
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**	**2**	**2.0**	**2**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24																				
25-34	2	4.5	25	1	1	4	8	8	8	8										
35-54	1	4.0		4	4	4	4	4	4	4										
55-74																				
75 +																				
ALL AGES	4	4.3	8	1	2	4	6	8	8	8										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	2	4.0		4	4	4	4	4	4	4										
SUBTOTAL	**6**	**4.2**	**5**	**1**	**4**	**4**	**4**	**8**	**8**	**8**										
GRAND TOTAL	**7**	**3.9**	**4**	**1**	**2**	**4**	**4**	**7**	**8**	**8**	**2**	**2.0**	**2**	**1**	**1**	**2**	**3**	**3**	**3**	**3**

ACUTE STRESS REACT NEC (308.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	9	30.6	400	8	10	37	42	57	67	67	2	1.5	1	1	1	1	2	2	2	2
13-17	7	6.9	23	1	2	8	10	13	14	14	2	3.5	5	2	2	3	5	5	5	5
18-24	6	5.3	10	1	4	5	7	10	10	10	1	1.0		1	1	1	1	1	1	1
25-34	13	10.0	303	1	2	4	8	30	58	65	3	1.3		1	1	1	2	2	2	2
35-54	11	6.6	39	1	1	7	9	15	21	22	4	1.5		1	1	1	2	2	2	2
55-74	1	14.0		14	14	14	14	14	14	14	5	2.2	2	1	1	2	3	4	4	4
75 +																				
ALL AGES	47	12.2	246	1	2	7	11	39	46	67	17	1.9	1	1	1	2	2	4	5	5
B. FEMALE																				
0-12 YRS.	5	34.0	20	26	33	36	36	36	36	36	1	11.0		11	11	11	11	11	11	11
13-17	12	10.1	160	2	4	6	8	29	44	47	3	3.3	5	1	2	4	5	5	5	5
18-24	21	8.7	61	1	2	6	14	22	24	25	2	2.0		2	2	2	2	2	2	2
25-34	34	8.7	67	1	3	6	13	15	27	39	11	5.5	50	1	1	3	5	19	20	20
35-54	24	9.7	94	1	3	6	11	24	29	41	12	4.9	24	1	2	3	6	11	18	19
55-74	5	5.0	21	2	3	3	6	13	13	13	5	2.0	3	1	1	1	3	5	5	5
75 +	4	14.3	160	2	3	13	25	28	28	28	5	4.0	4	2	2	5	5	6	6	6
ALL AGES	105	10.3	108	1	3	6	14	25	36	44	39	4.5	24	1	2	3	5	10	19	20
SUBTOTAL	**152**	**10.9**	**150**	**1**	**3**	**7**	**13**	**27**	**39**	**65**	**56**	**3.7**	**18**	**1**	**1**	**2**	**4**	**7**	**16**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	18	36.1	691	6	15	25	56	75	77	77	1	35.0		35	35	67	99 +	99 +	99 +	99 +
13-17	8	15.1	407	2	3	9	16	49	63	63	3	2.3	2	1	1	3	3	3	3	3
18-24	8	6.5	11	2	3	7	9	10	10	10										
25-34	10	8.0	64	1	1	7	11	20	27	27	2	3.0	8	1	1	2	5	5	5	5
35-54	27	8.9	72	1	3	6	11	23	29	33	7	6.3	34	1	2	4	11	15	16	16
55-74	3	2.7	2	1	1	3	4	4	4	4										
75 +											1	9.0		9	9	9	9	9	9	9
ALL AGES	74	15.5	380	2	3	8	16	52	70	77	14	7.2	85	1	2	4	12	35	84	99 +
B. FEMALE																				
0-12 YRS.	7	26.4	169	9	14	34	35	40	41	41	3	39.0	199	26	29	37	50	54	54	54
13-17	22	13.4	201	2	5	8	17	44	69	99 +	3	3.7	4	2	2	3	5	6	6	6
18-24	19	11.0	146	1	2	8	16	23	39	50	2	3.0	8	1	1	3	5	5	5	5
25-34	50	9.9	78	1	4	7	14	21	28	38	7	3.9	2	2	2	4	5	6	6	6
35-54	43	12.5	208	2	3	9	13	33	47	67	14	7.8	95	1	2	4	8	23	33	36
55-74	11	14.2	182	1	3	8	25	35	40	40	2	4.0	2	3	3	4	5	5	5	5
75 +	3	2.0	1	1	1	2	3	3	3	3	2	6.0	8	4	4	6	8	8	8	8
ALL AGES	155	12.1	159	2	3	8	15	34	42	66	33	8.8	150	2	3	5	7	28	37	54
SUBTOTAL	**229**	**13.2**	**232**	**2**	**3**	**8**	**15**	**34**	**50**	**76**	**47**	**8.3**	**129**	**1**	**2**	**4**	**8**	**32**	**39**	**99 +**
GRAND TOTAL	**381**	**12.3**	**199**	**1**	**3**	**7**	**15**	**34**	**42**	**72**	**103**	**5.8**	**73**	**1**	**2**	**3**	**5**	**16**	**29**	**75**

STRESS REACT, MIXED DIS (308.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	1	2.0		2	2	2	2	2	2	2	3	1.3		1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24																				
25-34											1	5.0		5	5	5	5	5	5	5
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	2	3.0	8	1	1	3	5	5	5	5
SUBTOTAL	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**	**5**	**2.0**	**3**	**1**	**1**	**1**	**3**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17											1	3.0		3	3	3	3	3	3	3
18-24																				
25-34																				
35-54											1	4.0		4	4	4	4	4	4	4
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	1	3.0		3	3	51	99 +	99 +	99 +	99 +	2	3.5	1	3	3	3	4	4	4	4
SUBTOTAL	**1**	**3.0**		**3**	**3**	**51**	**99 +**	**99 +**	**99 +**	**99 +**	**2**	**3.5**	**1**	**3**	**3**	**3**	**4**	**4**	**4**	**4**
GRAND TOTAL	**3**	**2.0**	**1**	**1**	**1**	**2**	**51**	**99 +**	**99 +**	**99 +**	**7**	**2.4**	**3**	**1**	**1**	**2**	**4**	**5**	**5**	**5**

ACUTE STRESS REACT NOS (308.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	27.0		27	27	27	27	27	27	27	2	2.0	2	1	1	2	3	3	3	3
13-17	2	12.0	72	6	6	12	18	18	18	18										
18-24	1	6.0		6	6	6	6	6	6	6	3	2.3	3	1	1	2	3	4	4	4
25-34	6	5.3	45	1	1	1	10	16	17	17	1	2.0		2	2	2	2	2	2	2
35-54	7	3.0	8	1	1	2	3	8	9	9	10	1.7	1	1	1	2	2	3	4	4
55-74																				
75 +																				
ALL AGES	17	6.5	57	1	1	3	9	18	24	27	16	1.9	1	1	1	2	2	4	4	4
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	5	4.4	8	2	3	3	6	9	9	9	2	2.0	2	1	1	2	3	3	3	3
18-24	7	3.4	9	1	–1	2	6	8	8	8	4	1.5	1	1	1	1	2	3	3	3
25-34	9	4.8	7	2	3	4	5	9	11	11	2	7.0	72	1	1	6	13	13	13	13
35-54	9	4.4	18	1	1	3	6	11	14	14	13	2.5	6	1	1	2	3	6	8	9
55-74	3	2.0	1	1	1	2	3	3	3	3	4	2.3	1	1	1	2	3	4	4	4
75 +	1	7.0		7	7	7	7	7	7	7	2	3.5	5	2	2	3	5	5	5	5
ALL AGES	35	4.1	10	1	2	3	6	8	10	14	27	2.7	8	1	1	2	3	5	10	13
SUBTOTAL	**52**	**4.9**	**25**	**1**	**2**	**3**	**6**	**10**	**17**	**27**	**43**	**2.4**	**5**	**1**	**1**	**2**	**3**	**4**	**7**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	4.0		4	4	4	4	4	4	4										
18-24	2	3.5	1	3	3	3	4	4	4	4	1	1.0		1	1	1	1	1	1	1
25-34	3	4.0	7	1	2	5	6	6	6	6	2	5.5	41	1	1	5	10	10	10	10
35-54	5	2.4	1	1	2	2	3	4	4	4	4	3.0	3	1	2	3	4	5	5	5
55-74											1	4.0		4	4	4	4	4	4	4
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	12	3.3	2	1	2	3	4	5	6	6	9	3.3	8	1	1	3	4	8	10	10
B. FEMALE																				
0-12 YRS.																				
13-17	2	5.5	41	1	1	5	10	10	10	10										
18-24	2	1.5	1	1	1	1	2	2	2	2										
25-34	7	2.6	3	1	1	2	4	6	6	6	2	5.5	13	3	3	5	8	8	8	8
35-54	12	5.5	25	2	3	4	6	11	19	20	4	2.8	1	1	2	3	4	4	4	4
55-74	2	3.5	1	3	3	3	4	4	4	4	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	25	4.2	16	1	2	3	6	7	12	20	7	3.6	4	1	3	3	4	7	8	8
SUBTOTAL	**37**	**3.9**	**12**	**1**	**2**	**3**	**5**	**7**	**9**	**20**	**16**	**3.4**	**7**	**1**	**2**	**3**	**4**	**8**	**9**	**10**
GRAND TOTAL	**89**	**4.5**	**20**	**1**	**2**	**3**	**6**	**9**	**14**	**24**	**59**	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**9**	**13**

BRIEF DEPRESSIVE REACT (309.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	24	13.1	136	1	3	12	19	28	34	47	4	6.8	41	1	2	5	11	16	16	16
13-17	171	9.2	103	1	3	5	12	21	33	49	13	8.0	92	1	1	3	12	25	28	29
18-24	296	5.1	43	1	1	3	6	12	16	33	30	3.7	8	1	2	3	5	8	9	13
25-34	300	5.3	21	1	2	4	7	11	14	21	29	3.4	9	1	1	2	5	8	9	11
35-54	292	6.0	37	1	2	4	8	13	18	30	26	3.9	12	1	1	3	5	9	12	14
55-74	52	8.0	67	2	3	5	9	21	26	42	12	5.0	9	1	3	5	7	9	12	12
75 +	35	8.8	44	1	3	8	13	18	24	26	8	5.6	23	1	2	4	7	14	16	16
ALL AGES	1170	6.4	50	1	2	4	8	14	20	38	122	4.5	21	1	1	3	6	9	13	25
B. FEMALE																				
0-12 YRS.	37	11.3	110	1	4	8	16	26	30	47	3	10.3	22	5	7	13	13	13	13	13
13-17	451	10.3	103	2	3	7	14	23	30	42	39	7.1	103	1	2	5	7	13	31	51
18-24	435	5.6	38	1	2	4	7	12	18	35	31	3.3	10	1	1	2	4	7	10	15
25-34	492	5.7	32	1	2	4	8	12	18	27	52	3.9	11	1	2	3	5	7	13	16
35-54	475	6.6	45	1	2	4	9	15	19	28	76	4.1	15	1	2	3	5	9	12	21
55-74	99	9.1	109	1	3	7	11	18	29	63	28	5.0	7	2	3	5	7	8	11	11
75 +	46	9.9	56	3	4	8	13	22	25	32	10	5.5	8	2	4	5	6	10	11	11
ALL AGES	2035	7.3	61	1	2	5	9	17	22	37	239	4.7	28	1	2	3	6	9	13	24
SUBTOTAL	**3205**	**6.9**	**58**	**1**	**2**	**4**	**9**	**16**	**21**	**37**	**361**	**4.6**	**26**	**1**	**2**	**3**	**6**	**9**	**13**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	22	11.5	92	3	4	9	15	30	62	99 +	2	26.5	1	26	26	26	27	27	27	27
13-17	177	13.0	227	2	4	8	17	29	40	93	22	7.4	45	1	3	6	8	16	24	28
18-24	391	7.8	77	1	3	5	10	16	22	41	53	5.3	33	1	2	3	7	11	17	33
25-34	533	6.7	31	1	3	5	9	14	18	28	44	4.5	11	1	2	4	7	9	11	13
35-54	437	7.2	33	2	3	6	10	15	18	25	36	6.0	39	1	2	4	8	16	18	30
55-74	67	9.5	61	2	4	7	13	20	24	44	11	4.7	6	2	3	5	6	8	9	9
75 +	17	12.4	121	3	6	9	14	29	39	44	5	6.4	68	1	2	4	8	21	21	21
ALL AGES	1644	8.0	70	1	3	6	10	17	22	41	173	5.8	33	1	2	4	7	12	18	30
B. FEMALE																				
0-12 YRS.	23	16.9	247	3	6	10	25	44	52	56	5	2.4	4	1	1	1	4	5	5	5
13-17	358	13.3	176	2	4	8	18	34	42	78	36	6.1	83	1	2	3	6	12	25	49
18-24	447	7.4	64	1	2	5	10	16	19	35	42	4.0	12	1	1	3	5	9	11	17
25-34	597	7.6	59	1	2	5	10	17	23	37	50	5.4	23	1	3	4	6	11	17	23
35-54	549	7.9	46	1	3	6	11	16	22	32	70	5.1	31	1	2	4	7	10	13	36
55-74	95	10.4	59	2	4	9	15	21	25	35	15	5.8	14	2	3	4	8	12	14	15
75 +	44	14.0	163	4	5	11	18	28	37	69	6	5.0	2	4	4	5	5	8	8	8
ALL AGES	2113	8.9	87	1	3	6	12	20	28	50	224	5.1	31	1	2	4	6	10	13	33
SUBTOTAL	**3757**	**8.5**	**80**	**1**	**3**	**6**	**11**	**18**	**25**	**45**	**397**	**5.4**	**32**	**1**	**2**	**4**	**7**	**11**	**15**	**30**
GRAND TOTAL	**6962**	**7.8**	**70**	**1**	**3**	**5**	**10**	**17**	**23**	**42**	**758**	**5.0**	**29**	**1**	**2**	**4**	**6**	**10**	**14**	**29**

PROLONG DEPRESSIVE REACT (309.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	13.7	148	3	5	11	23	27	27	27										
13-17	5	10.6	155	1	2	4	18	31	31	31										
18-24	6	9.2	21	2	5	11	12	14	14	14										
25-34	12	5.5	26	1	2	3	7	15	17	17										
35-54	12	4.3	1	3	3	4	5	6	7	7	3	4.7	22	1	1	3	8	10	10	10
55-74	9	15.9	114	3	10	14	22	32	38	38	3	4.0	1	3	3	4	5	5	5	5
75 +	5	21.4	61	12	14	22	29	29	29	29	2	24.5	841	4	4	24	45	45	45	45
ALL AGES	52	9.9	82	2	3	6	14	24	29	38	8	9.4	213	2	3	4	7	34	45	45
B. FEMALE																				
0-12 YRS.	1	20.0		20	20	20	20	20	20	20										
13-17	14	11.9	73	3	4	9	19	21	30	32										
18-24	14	7.1	43	1	2	6	8	17	22	24	1	2.0		2	2	2	2	2	2	2
25-34	19	4.9	8	2	2	4	7	9	10	10	2	5.0		5	5	5	5	5	5	5
35-54	19	12.9	472	2	3	7	11	23	64	98	4	3.5	10	1	1	2	5	8	8	8
55-74	11	5.7	33	1	2	4	7	14	20	21	3	4.3	1	4	4	4	5	5	5	5
75 +	11	15.4	126	4	6	14	20	30	42	43	3	4.7	4	3	3	4	6	7	7	7
ALL AGES	89	9.6	150	2	3	6	11	21	23	76	13	4.1	4	2	3	4	5	7	8	8
SUBTOTAL	**141**	**9.7**	**124**	**2**	**3**	**6**	**13**	**22**	**28**	**48**	**21**	**6.1**	**84**	**2**	**3**	**4**	**5**	**9**	**26**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	15.7	31	11	12	14	20	22	22	22										
13-17	10	20.1	285	1	9	15	36	46	48	48	2	11.0	200	1	1	11	21	21	21	21
18-24	8	13.1	315	1	2	8	14	43	55	55										
25-34	28	8.0	56	1	3	6	11	21	22	29	1	2.0		2	2	2	2	2	2	2
35-54	16	6.9	28	1	2	6	12	14	15	15	4	6.8	39	2	3	4	10	16	16	16
55-74	5	18.0	66	6	14	17	23	28	28	28	3	5.3	7	3	3	5	7	8	8	8
75 +	6	13.3	86	5	6	11	21	26	27	27	2	2.0		2	2	2	2	2	2	2
ALL AGES	76	11.3	122	1	3	8	15	22	34	53	12	5.9	40	1	2	3	7	17	20	21
B. FEMALE																				
0-12 YRS.	1	24.0		24	24	24	24	24	24	24										
13-17	17	13.2	115	2	5	12	18	25	38	44	2	1.0		1	1	1	1	1	1	1
18-24	12	6.8	23	3	3	5	9	13	18	19	5	4.6	17	1	1	3	9	9	9	9
25-34	32	12.1	179	2	3	6	14	31	49	51	8	7.4	70	1	2	4	9	22	26	26
35-54	21	14.0	189	2	3	10	19	41	43	45	6	3.3	1	2	3	3	4	5	5	5
55-74	8	13.1	221	1	2	5	25	36	40	40	2	4.0	8	2	2	4	6	6	6	6
75 +	7	21.9	97	11	15	21	25	38	41	41										
ALL AGES	98	12.9	153	2	3	10	19	29	42	51	23	4.9	30	1	2	3	6	10	18	26
SUBTOTAL	**174**	**12.2**	**139**	**2**	**3**	**9**	**17**	**27**	**41**	**51**	**35**	**5.2**	**33**	**1**	**2**	**3**	**6**	**13**	**20**	**26**
GRAND TOTAL	**315**	**11.1**	**133**	**2**	**3**	**7**	**15**	**24**	**35**	**50**	**56**	**5.6**	**50**	**1**	**2**	**4**	**5**	**10**	**19**	**44**

ADJUST REACT/OTH EMOTION (309.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS											HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	32	14.3	151	4	7	10	19	40	46	99 +	6	14.2	120	2	3	13	25	28	28	28
13-17	62	11.0	106	2	5	7	15	27	39	93	9	23.1	338	1	3	25	36	48	51	51
18-24	98	8.4	155	1	2	4	8	18	40	62	9	4.0	5	1	3	4	5	7	8	8
25-34	105	6.0	48	1	2	4	8	13	16	39	9	12.4	120	2	3	8	24	28	30	30
35-54	113	6.6	24	1	3	6	9	14	16	22	9	3.3	4	1	2	4	4	6	7	7
55-74	33	8.8	75	2	3	6	10	20	31	39	6	6.5	26	2	2	5	11	14	14	14
75 +	10	12.4	52	1	6	16	17	19	21	21	4	6.0	12	3	3	6	9	9	9	9
ALL AGES	453	8.3	87	1	2	6	10	17	30	56	52	10.3	138	2	3	5	12	28	33	51
B. FEMALE																						
0-12 YRS.	19	11.6	131	2	3	7	14	33	37	39	3	7.7	97	1	1	3	15	19	19	19
13-17	147	10.9	88	2	4	8	14	26	30	44	18	10.2	163	2	3	5	11	30	43	49
18-24	126	6.7	100	1	2	4	7	14	22	70	21	5.3	56	1	1	3	6	14	26	30
25-34	176	5.6	26	1	2	4	7	13	15	26	22	6.4	50	2	3	4	6	14	27	29
35-54	181	7.6	39	1	3	6	10	16	21	30	39	7.3	62	1	2	5	8	23	28	29
55-74	59	9.3	61	2	4	7	14	20	27	33	10	6.1	74	1	3	3	6	18	30	30
75 +	26	12.7	92	2	6	9	20	27	32	34	5	5.0	12	2	3	3	8	10	10	10
ALL AGES	734	8.0	67	1	3	5	10	18	26	34	118	7.0	73	1	2	4	7	20	29	39
SUBTOTAL	**1187**	**8.1**	**75**	**1**	**3**	**6**	**10**	**17**	**26**	**44**	**170**	**8.0**	**94**	**1**	**2**	**4**	**8**	**25**	**29**	**48**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.	29	21.9	208	7	13	20	28	42	48	71	4	29.3	402	2	15	32	43	50	50	50
13-17	68	13.4	230	3	4	8	19	29	59	98	10	12.3	112	2	4	8	21	29	31	31
18-24	148	8.4	143	1	3	5	10	17	30	99 +	8	3.8	3	1	2	4	5	6	6	6
25-34	174	6.8	32	1	3	5	9	13	18	28	16	4.1	13	1	1	3	5	10	13	14
35-54	159	7.8	70	2	3	6	10	15	20	45	11	7.0	37	2	3	5	9	17	21	21
55-74	24	9.5	56	2	4	8	11	20	24	32	2	2.0	2	1	1	2	3	3	3	3
75 +	5	21.0	430	4	8	12	31	56	56	56										
ALL AGES	607	9.2	114	2	3	6	11	20	28	75	51	8.2	105	1	2	4	8	24	31	50
B. FEMALE																						
0-12 YRS.	17	20.8	233	7	12	19	23	35	59	71	4	23.0	64	19	19	19	27	35	35	35
13-17	113	14.4	206	2	5	10	19	30	45	74	15	13.1	153	1	3	6	25	29	34	36
18-24	153	7.4	47	2	3	5	9	15	20	32	15	5.9	52	1	2	4	6	12	25	30
25-34	190	8.3	47	1	3	6	12	18	21	29	13	4.5	11	1	2	4	6	10	12	12
35-54	235	9.0	79	2	3	7	12	19	26	47	23	8.8	83	2	3	6	10	18	33	40
55-74	69	11.4	58	4	6	10	17	21	23	38	6	11.8	56	3	4	12	18	21	21	21
75 +	22	11.9	64	3	5	10	15	25	28	30	4	9.8	94	3	3	6	16	24	24	24
ALL AGES	799	9.8	92	2	3	7	13	21	29	47	80	9.4	89	2	3	5	12	25	30	39
SUBTOTAL	**1406**	**9.5**	**102**	**2**	**3**	**7**	**13**	**21**	**28**	**58**	**131**	**8.9**	**95**	**1**	**3**	**5**	**10**	**25**	**30**	**42**
GRAND TOTAL	**2593**	**8.9**	**89**	**1**	**3**	**6**	**12**	**19**	**27**	**51**	**301**	**8.4**	**95**	**1**	**3**	**4**	**9**	**25**	**30**	**46**

ADJUST REACT-CONDUCT DIS (309.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	18	13.4	131	3	7	11	14	23	41	52										
13-17	54	13.5	113	3	5	11	16	32	39	40	3	3.7	2	2	2	4	5	5	5	5
18-24	13	6.3	22	1	2	5	10	12	14	15	1	5.0		5	5	5	5	5	5	5
25-34	10	5.7	28	1	2	4	10	14	17	17	1	2.0		2	2	2	2	2	2	2
35-54	8	4.0	18	1	1	3	4	11	14	14										
55-74	2	3.5	5	2	2	3	5	5	5	5	3	7.7	5	5	6	9	9	9	9	9
75 +																				
ALL AGES	105	10.9	100	2	4	9	14	24	36	46	8	5.1	8	2	3	5	7	9	9	9
B. FEMALE																				
0-12 YRS.	15	15.8	312	2	3	8	25	47	55	58										
13-17	42	13.4	156	2	3	9	19	31	41	48	8	10.1	62	2	4	7	17	21	22	22
18-24	12	6.5	75	1	1	4	7	20	29	30										
25-34	8	7.5	61	1	3	5	9	21	25	25										
35-54	7	3.0	3	1	2	3	4	6	6	6										
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	85	11.3	161	1	3	5	16	30	40	54	8	10.1	62	2	4	7	17	21	22	22
SUBTOTAL	**190**	**11.1**	**126**	**1**	**3**	**7**	**15**	**28**	**38**	**50**	**16**	**7.6**	**39**	**2**	**4**	**5**	**10**	**18**	**21**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	18	15.2	32	10	11	15	17	23	26	28										
13-17	33	8.9	80	1	2	5	12	27	27	34	3	8.0	21	3	4	9	11	12	12	12
18-24	21	5.0	26	1	1	3	8	14	15	16	3	3.7	5	1	2	5	5	5	5	5
25-34	17	6.1	31	1	2	4	10	14	17	18	1	3.0		3	3	3	3	3	3	3
35-54	18	6.3	23	1	2	6	9	14	15	16										
55-74	2	14.5	313	2	2	14	27	27	27	27										
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	109	8.4	58	1	2	6	14	18	27	30	8	4.9	15	1	2	4	7	11	12	12
B. FEMALE																				
0-12 YRS.	4	9.8	40	1	5	11	14	15	15	15										
13-17	25	17.6	424	2	5	10	20	51	70	81	1	3.0		3	3	3	3	3	3	3
18-24	9	5.7	47	1	1	3	7	18	19	19										
25-34	9	7.0	101	1	1	2	10	25	28	28										
35-54	3	8.0	75	3	3	3	14	18	18	18										
55-74	1	6.0		6	6	6	6	6	6	6	1	8.0		8	8	8	8	8	8	8
75 +	2	15.5	113	8	8	15	23	23	23	23										
ALL AGES	53	12.4	253	1	2	7	16	28	49	81	2	5.5	13	3	3	5	8	8	8	8
SUBTOTAL	**162**	**9.7**	**124**	**1**	**2**	**6**	**14**	**21**	**27**	**64**	**10**	**5.0**	**13**	**1**	**3**	**4**	**8**	**10**	**12**	**12**
GRAND TOTAL	**352**	**10.5**	**124**	**1**	**3**	**7**	**14**	**24**	**32**	**52**	**26**	**6.6**	**30**	**2**	**3**	**5**	**9**	**16**	**19**	**22**

ADJ REACT-EMOTION/CONDUC (309.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	54	17.3	204	3	6	14	28	38	57	99 +	5	25.4	309	2	12	30	35	49	49	49
13-17	102	14.1	146	2	4	11	20	34	40	51	7	15.0	100	3	8	11	25	27	27	27
18-24	51	5.6	22	1	2	4	7	12	16	21	4	3.5	10	1	1	2	5	8	8	8
25-34	58	6.6	102	1	1	3	6	17	34	96	8	5.6	13	2	4	4	8	11	12	12
35-54	57	6.3	53	1	2	4	7	12	14	42	3	5.0	4	3	3	5	6	7	7	7
55-74	12	14.7	52	7	9	13	18	27	29	29	1	7.0		7	7	7	7	7	7	7
75 +	6	15.3	53	3	14	16	21	22	22	22										
ALL AGES	340	10.8	128	1	3	6	15	28	37	61	28	11.2	136	2	3	7	14	29	32	49
B. FEMALE																				
0-12 YRS.	34	18.7	176	5	7	16	28	42	44	45	1	28.0		28	28	28	28	28	28	28
13-17	189	11.2	121	2	4	8	14	24	33	59	17	10.8	174	1	2	4	13	37	39	40
18-24	82	6.1	49	1	2	3	8	14	19	38	6	2.3	2	1	1	2	3	4	4	4
25-34	41	6.0	55	1	2	4	8	10	15	45	5	3.4	4	1	2	3	5	6	6	6
35-54	70	8.6	83	1	2	5	13	20	32	41	6	7.5	101	3	3	4	4	26	28	28
55-74	18	8.0	36	1	2	7	12	15	20	23	5	5.6	21	1	2	5	8	13	13	13
75 +	7	15.3	169	2	5	7	28	31	32	32										
ALL AGES	441	9.9	107	1	3	7	13	23	31	45	40	7.9	109	1	2	3	7	28	35	40
SUBTOTAL	**781**	**10.3**	**116**	**1**	**3**	**7**	**14**	**26**	**35**	**53**	**68**	**9.2**	**122**	**1**	**2**	**4**	**11**	**28**	**33**	**47**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	32	28.0	402	6	12	22	43	55	68	74	1	82.0		82	82	82	82	82	82	82
13-17	88	14.0	235	2	3	9	20	34	40	81	8	12.8	159	2	3	5	27	29	29	29
18-24	97	8.6	93	1	2	6	10	20	28	52	11	5.6	9	2	3	5	8	10	11	11
25-34	118	5.9	37	1	2	3	8	13	17	29	19	9.0	181	2	3	5	8	16	42	62
35-54	81	7.6	41	2	3	6	10	17	21	32	12	5.8	15	2	3	5	8	11	14	15
55-74	14	5.6	14	1	2	6	8	10	12	12										
75 +	4	9.3	15	5	6	9	12	14	14	14										
ALL AGES	434	10.1	149	1	3	6	13	25	36	60	51	9.5	207	2	3	5	8	21	29	82
B. FEMALE																				
0-12 YRS.	20	19.5	120	8	10	16	28	36	42	43	1	9.0		9	9	9	9	9	9	9
13-17	155	11.7	113	2	5	9	15	25	33	63	3	8.0	31	2	4	9	12	13	13	13
18-24	94	8.1	74	1	3	6	10	18	26	44	6	7.0	48	1	2	4	13	17	18	18
25-34	105	7.4	62	1	2	5	10	16	21	71	16	6.5	29	2	3	5	8	14	20	22
35-54	88	7.9	63	2	3	5	11	16	21	44	13	7.3	19	3	5	6	10	14	16	17
55-74	12	11.5	131	2	3	7	17	31	37	38	3	8.0	39	1	3	10	12	13	13	13
75 +	7	12.4	102	3	4	11	21	27	28	28	1	8.0		8	8	8	8	8	8	8
ALL AGES	481	9.7	92	2	3	7	13	22	30	51	43	7.1	25	2	4	5	10	13	17	22
SUBTOTAL	**915**	**9.9**	**119**	**1**	**3**	**6**	**13**	**23**	**32**	**52**	**94**	**8.4**	**124**	**2**	**3**	**5**	**10**	**15**	**26**	**73**
GRAND TOTAL	**1696**	**10.1**	**117**	**1**	**3**	**7**	**13**	**24**	**34**	**52**	**162**	**8.8**	**122**	**2**	**3**	**5**	**10**	**21**	**29**	**60**

OTHER ADJUST REACTION (309.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	23	24.2	393	5	9	21	31	69	82	99 +	3	14.0	300	4	4	4	27	34	34	34
13-17	20	13.3	104	3	6	9	19	24	34	44	3	1.3		1	1	1	2	2	2	2
18-24	14	6.9	62	1	2	4	8	24	25	25										
25-34	9	6.7	51	1	2	5	8	18	24	24	3	12.0	196	2	3	6	22	28	28	28
35-54	18	8.8	66	1	3	6	13	21	25	28	5	9.8	101	1	3	4	17	25	25	25
55-74	2	10.0	2	9	9	10	11	11	11	11	2	12.0	8	10	10	12	14	14	14	14
75 +																				
ALL AGES	86	13.4	202	1	3	8	21	29	46	90	16	9.7	113	1	2	4	14	28	32	34
B. FEMALE																				
0-12 YRS.	18	24.6	355	5	10	17	37	51	64	70	7	14.6	96	2	7	18	24	78	99 +	99 +
13-17	40	11.4	165	1	2	7	17	37	49	99 +	1	4.0		4	4	4	4	4	4	4
18-24	16	6.6	74	1	2	4	7	14	29	36	1	1.0		1	1	1	1	1	1	1
25-34	22	8.8	46	2	3	7	12	20	23	27	6	6.0	23	2	2	5	7	14	15	15
35-54	28	12.2	96	2	6	10	14	30	35	37	8	11.9	86	1	2	14	16	25	28	28
55-74	1	12.0		12	12	12	12	12	12	12										
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	126	12.3	167	1	4	9	15	36	40	77	23	10.3	78	1	3	9	17	28	50	99 +
SUBTOTAL	**212**	**12.8**	**180**	**1**	**4**	**8**	**18**	**33**	**42**	**83**	**39**	**10.1**	**89**	**1**	**2**	**6**	**16**	**28**	**31**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	16	33.3	730	9	14	42	94	99 +	99 +	99 +	2	42.0	578	25	25	42	59	59	59	59
13-17	25	12.9	134	1	4	9	22	30	36	43	3	10.3	102	1	3	9	18	21	21	21
18-24	14	12.4	158	1	4	6	20	31	40	43	1	1.0		1	1	1	1	1	1	1
25-34	27	11.2	150	1	2	6	16	24	41	50										
35-54	43	10.3	96	1	2	8	15	22	25	52	4	8.3	84	1	1	5	15	21	21	21
55-74	4	15.5	336	1	3	9	27	42	42	42										
75 +																				
ALL AGES	129	14.3	248	1	4	10	21	43	66	99 +	10	14.9	326	1	1	9	21	42	59	59
B. FEMALE																				
0-12 YRS.	25	28.3	237	7	16	30	42	54	99 +	99 +	2	39.0	50	34	34	39	44	44	44	44
13-17	76	15.5	151	3	6	13	27	39	52	99 +	5	7.8	185	1	1	1	11	32	32	32
18-24	50	14.8	234	2	5	12	18	29	36	93	1	1.0		1	1	1	1	1	1	1
25-34	72	17.2	309	2	5	10	24	41	57	80	17	11.5	64	3	5	10	15	26	28	28
35-54	74	13.6	144	2	4	10	18	37	40	86	11	10.8	138	3	4	4	14	30	40	41
55-74	5	9.4	79	4	4	6	12	25	25	25	3	2.7	1	2	2	2	4	4	4	4
75 +	1	52.0		52	52	52	52	52	52	52										
ALL AGES	303	16.4	222	2	5	12	26	40	50	99 +	39	11.3	135	1	4	6	15	30	38	44
SUBTOTAL	**432**	**15.8**	**229**	**2**	**5**	**11**	**23**	**41**	**53**	**99 +**	**49**	**12.0**	**171**	**1**	**2**	**7**	**19**	**30**	**41**	**59**
GRAND TOTAL	**644**	**14.8**	**215**	**2**	**5**	**10**	**21**	**39**	**51**	**99 +**	**88**	**11.2**	**133**	**1**	**2**	**6**	**17**	**28**	**35**	**84**

ADJUSTMENT REACTION NOS (309.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	12	14.3	396	1	2	5	19	45	64	67	1	5.0		5	5	5	5	5	5	5
13-17	20	10.1	121	1	2	7	17	34	68	99 +	6	3.0	4	1	1	2	5	6	6	6
18-24	30	3.7	11	1	1	2	6	8	11	14	6	2.0	2	1	1	2	3	4	4	4
25-34	18	4.3	19	1	1	3	6	14	61	99 +	3	2.0	1	1	1	2	3	3	3	3
35-54	26	4.9	17	1	2	3	9	10	12	17	4	1.8	1	1	1	2	2	3	3	3
55-74	5	9.2	49	1	5	9	12	20	20	20	1	4.0		4	4	4	4	4	4	4
75 +	4	12.5	124	2	5	10	20	28	28	28	1	2.0		2	2	2	2	2	2	2
ALL AGES	115	6.8	87	1	2	4	9	17	28	99 +	22	2.5	2	1	1	2	3	5	6	6
B. FEMALE																				
0-12 YRS.	9	17.6	287	1	2	15	26	45	48	48	2	14.0	32	10	10	14	18	18	18	18
13-17	75	9.0	160	1	1	4	11	26	43	51	11	1.8	2	1	1	1	3	4	5	5
18-24	53	4.4	42	1	1	2	4	10	17	39	10	3.8	18	1	1	2	4	10	15	15
25-34	29	3.5	14	1	1	2	4	10	13	13	8	3.1	5	1	1	3	4	6	7	7
35-54	36	5.7	62	1	1	3	6	12	16	45	3	4.0	19	1	1	2	7	9	9	9
55-74	6	7.2	59	1	2	5	8	21	22	22	2	4.5	25	1	1	4	8	8	8	8
75 +	1	3.0		3	3	3	3	3	3	3	1	7.0		7	7	7	7	7	7	7
ALL AGES	209	6.8	102	1	1	3	7	18	33	48	37	3.8	16	1	1	2	5	9	13	18
SUBTOTAL	**324**	**6.8**	**96**	**1**	**1**	**3**	**8**	**18**	**29**	**56**	**59**	**3.3**	**11**	**1**	**1**	**2**	**4**	**7**	**10**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	14	13.6	119	2	6	10	19	24	39	43	2	10.5	113	3	3	10	18	18	18	18
13-17	28	13.4	273	2	3	6	14	45	53	58	1	15.0		15	15	15	15	15	15	15
18-24	50	7.2	75	1	1	4	8	20	22	44	6	6.7	59	2	2	3	7	20	22	22
25-34	55	5.5	40	1	2	3	7	12	18	36	5	4.0	26	1	1	2	5	13	13	13
35-54	51	5.9	46	1	2	3	7	16	25	29	11	5.0	20	1	1	5	6	13	15	15
55-74	9	7.1	36	1	2	6	14	15	16	16	1	8.0		8	8	8	8	8	8	8
75 +	2	5.0		5	5	5	5	5	5	5										
ALL AGES	209	7.7	92	1	2	4	8	19	26	49	26	6.1	35	1	2	4	8	15	19	22
B. FEMALE																				
0-12 YRS.	7	17.4	223	2	4	15	30	37	38	38	1	2.0		2	2	2	2	2	2	2
13-17	64	14.3	253	1	3	7	26	42	47	94	8	9.4	139	2	3	6	8	29	38	38
18-24	60	6.2	51	1	1	3	6	19	22	28	12	2.2	2	1	1	2	3	5	6	6
25-34	58	4.3	14	1	2	3	6	8	13	20	8	6.1	29	1	2	4	11	14	14	14
35-54	56	7.3	49	1	2	5	10	19	23	24	13	5.4	16	2	3	5	7	10	15	16
55-74	22	8.8	93	1	2	6	10	19	30	43	4	3.8	6	1	1	4	6	6	6	6
75 +	3	14.7	96	8	8	10	22	26	26	26	1	3.0		3	3	3	3	3	3	3
ALL AGES	270	8.6	111	1	2	4	10	23	36	53	47	5.1	37	1	2	3	6	10	14	38
SUBTOTAL	**479**	**8.2**	**103**	**1**	**2**	**4**	**9**	**21**	**31**	**51**	**73**	**5.5**	**36**	**1**	**2**	**3**	**7**	**13**	**16**	**34**
GRAND TOTAL	**803**	**7.6**	**101**	**1**	**2**	**4**	**9**	**20**	**31**	**52**	**132**	**4.5**	**26**	**1**	**1**	**3**	**6**	**10**	**15**	**25**

FRONTAL LOBE SYNDROME (310.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	3	8.0	76	2	2	4	14	18	18	18										
55-74	2	20.0	18	17	17	20	23	23	23	23										
75 +																				
ALL AGES	7	9.7	85	2	2	4	18	22	23	23										
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	17.0		17	17	17	17	17	17	17										
75 +	3	14.7	81	5	8	16	21	23	23	23	1	5.0		5	5	5	5	5	5	5
ALL AGES	5	12.6	77	2	4	16	18	23	23	23	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**12**	**10.9**	**77**	**2**	**2**	**10**	**18**	**23**	**23**	**23**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	19.0		19	19	19	19	19	19	19										
18-24																				
25-34	1	13.0		13	13	13	13	13	13	13										
35-54	2	12.0	50	7	7	12	17	17	17	17										
55-74	2	12.5	13	10	10	12	15	15	15	15										
75 +																				
ALL AGES	6	13.5	20	7	10	14	17	19	19	19										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	8.0		8	8	8	8	8	8	8										
35-54	1	17.0		17	17	17	17	17	17	17										
55-74																				
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	3	11.0	27	8	8	8	15	17	17	17										
SUBTOTAL	**9**	**12.7**	**20**	**7**	**8**	**13**	**17**	**18**	**19**	**19**										
GRAND TOTAL	**21**	**11.7**	**50**	**2**	**5**	**13**	**17**	**20**	**23**	**23**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**

ORGANIC PERSONALITY SYND (310.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	8	30.8	363	6	11	37	46	51	52	52	3	26.3	509	10	12	17	43	52	52	52
13-17	4	17.3	121	6	8	16	26	31	31	31	2	32.0	392	18	18	32	46	46	46	46
18-24	10	13.7	281	1	2	6	20	41	53	53	3	7.0	19	4	4	5	10	12	12	12
25-34	5	6.0	13	1	4	6	8	11	11	11	2	9.0	128	1	1	8	17	17	17	17
35-54	13	10.6	101	3	5	7	11	24	37	40	5	10.0	147	1	2	3	17	30	30	30
55-74	19	12.2	40	3	8	14	17	19	23	26	4	7.3	33	4	4	5	10	16	16	16
75 +	14	11.9	96	3	4	8	20	26	32	34	3	2.7	2	1	1	3	4	4	4	4
ALL AGES	73	13.9	162	3	5	10	18	34	44	53	22	12.2	198	1	3	5	17	35	48	52
B. FEMALE																				
0-12 YRS.	3	11.0	219	1	2	4	22	28	28	28	1	18.0		18	18	18	18	18	18	18
13-17	3	27.0	439	4	11	32	42	45	45	45										
18-24	1	50.0		50	50	50	50	50	50	50	1	6.0		6	6	6	6	6	6	6
25-34	8	12.8	106	5	6	7	20	29	30	30	1	10.0		10	10	10	10	10	10	10
35-54	12	11.2	62	2	4	11	18	22	24	24	4	13.5	48	7	7	13	19	20	20	20
55-74	20	15.1	123	1	8	15	19	31	41	42	5	9.4	152	1	2	6	13	31	31	31
75 +	20	14.1	156	1	3	10	23	32	39	44	11	7.5	44	2	4	6	8	16	25	26
ALL AGES	67	14.7	151	2	4	12	22	32	42	49	23	9.5	62	2	6	7	10	21	28	31
SUBTOTAL	**140**	**14.3**	**155**	**2**	**5**	**11**	**20**	**33**	**43**	**52**	**45**	**10.8**	**128**	**2**	**4**	**6**	**16**	**26**	**35**	**52**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	6	28.0	428	8	11	25	38	59	61	61	1	27.0		27	27	27	27	27	27	27
13-17	10	17.4	210	1	6	13	29	39	44	44										
18-24	11	16.8	75	7	13	16	19	30	35	36										
25-34	13	16.8	117	3	5	16	26	29	34	35	1	11.0		11	11	11	11	11	11	11
35-54	16	17.9	176	3	10	14	22	35	48	53	3	18.3	211	9	9	11	29	35	35	35
55-74	6	18.8	103	6	14	16	29	32	32	32	2	4.0	2	3	3	4	5	5	5	5
75 +	7	18.6	157	7	8	17	25	39	42	42	2	26.5	113	19	19	26	34	34	34	34
ALL AGES	69	18.5	159	4	10	15	26	36	42	59	9	17.1	150	4	8	11	29	35	35	35
B. FEMALE																				
0-12 YRS.	1	27.0		27	27	27	27	27	27	27										
13-17	7	24.4	164	6	21	23	33	41	42	42										
18-24	2	13.5	113	6	6	13	21	21	21	21										
25-34	5	20.0	18	14	17	20	24	24	24	24	2	8.0	2	7	7	8	9	9	9	9
35-54	8	10.0	56	3	4	8	19	68	99 +	99 +	1	7.0		7	7	7	7	7	7	7
55-74	15	21.1	300	2	8	15	33	50	53	54	2	16.0	338	3	3	16	29	29	29	29
75 +	6	10.0	27	4	7	9	14	18	18	18	2	3.5	5	2	2	3	5	5	5	5
ALL AGES	44	17.8	169	4	7	18	24	42	51	99 +	7	8.9	84	2	3	7	9	25	29	29
SUBTOTAL	**113**	**18.2**	**163**	**4**	**8**	**16**	**26**	**36**	**44**	**75**	**16**	**13.5**	**131**	**3**	**5**	**9**	**23**	**33**	**35**	**35**
GRAND TOTAL	**253**	**16.0**	**163**	**3**	**6**	**14**	**22**	**35**	**44**	**54**	**61**	**11.5**	**128**	**2**	**4**	**7**	**17**	**29**	**34**	**51**

POSTCONCUSSION SYNDROME (310.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	63	1.7	2	1	1	1	2	3	5	9	66	1.6	1	1	1	1	2	3	4	5
13-17	26	1.6	1	1	1	1	2	3	3	4	29	1.9	1	1	1	2	2	3	4	5
18-24	37	3.6	25	1	1	2	4	7	11	30	53	3.7	28	1	1	2	4	7	17	97
25-34	30	2.8	9	1	1	2	3	5	6	16	35	8.4	366	1	1	3	6	12	66	84
35-54	41	4.0	18	1	1	3	4	9	13	20	35	2.9	3	1	2	2	4	5	7	8
55-74	17	4.6	17	2	2	3	5	13	14	14	25	5.4	137	1	2	3	4	6	25	60
75 +	6	6.5	40	1	2	4	9	17	18	18	13	6.1	56	1	2	4	6	12	27	30
ALL AGES	220	3.0	13	1	1	2	3	6	10	19	256	3.8	76	1	1	2	3	6	9	82
B. FEMALE																				
0-12 YRS.	18	1.8	2	1	1	1	2	4	5	5	43	1.7	1	1	1	1	2	3	4	6
13-17	11	1.6	1	1	1	1	2	3	3	3	22	1.8	4	1	1	1	2	3	6	10
18-24	31	2.4	3	1	1	2	3	5	5	9	25	3.0	6	1	1	2	4	7	9	10
25-34	36	3.3	6	1	2	3	4	6	8	11	40	3.1	7	1	1	2	3	7	9	13
35-54	47	4.7	12	1	2	5	6	8	11	19	42	3.7	8	2	2	3	5	7	8	16
55-74	21	5.1	17	1	2	4	6	12	15	17	23	4.8	14	2	2	4	6	9	13	18
75 +	14	4.5	11	1	2	4	5	9	12	13	28	5.5	10	2	4	5	8	10	11	13
ALL AGES	178	3.6	9	1	1	3	5	7	9	16	223	3.3	8	1	1	2	4	7	9	14
SUBTOTAL	**398**	**3.2**	**11**	**1**	**1**	**2**	**4**	**7**	**10**	**18**	**479**	**3.5**	**45**	**1**	**1**	**2**	**4**	**7**	**9**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
13-17	1	2.0		2	2	2	2	2	2	2	3	1.7		1	1	2	2	2	2	2
18-24	5	3.2	24	1	1	1	4	12	12	12	3	3.0	7	1	1	2	5	6	6	6
25-34	13	4.9	18	1	1	3	9	11	12	12	3	1.7		1	1	2	2	2	2	2
35-54	15	8.7	119	1	2	4	12	16	37	44	7	3.1	5	1	1	2	5	6	6	6
55-74	3	4.0	19	1	1	2	7	9	9	9	3	4.0	12	2	2	2	7	8	8	8
75 +	6	4.3	1	3	4	4	5	6	6	6	3	25.0	1389	2	3	5	52	68	68	68
ALL AGES	44	5.7	52	1	1	4	7	12	15	44	23	5.6	189	1	1	2	5	7	29	68
B. FEMALE																				
0-12 YRS.																				
13-17	2	14.0	162	5	5	14	23	23	23	23										
18-24	3	1.7	1	1	1	1	3	3	3	3	3	3.3	1	3	3	3	4	4	4	4
25-34	9	4.6	14	1	2	3	6	11	11	11	4	6.8	30	3	3	4	10	15	15	15
35-54	11	5.3	26	1	1	3	7	14	17	17	6	6.3	36	2	2	3	14	14	14	14
55-74	2	5.5	1	5	5	5	6	6	6	6	2	15.0	8	13	13	15	17	17	17	17
75 +	7	7.1	16	3	5	6	9	13	14	14	9	8.3	27	3	4	9	10	16	19	19
ALL AGES	34	5.7	26	1	2	5	7	12	16	23	24	7.5	29	2	3	5	12	15	18	19
SUBTOTAL	**78**	**5.7**	**40**	**1**	**2**	**4**	**7**	**12**	**16**	**38**	**47**	**6.6**	**106**	**1**	**2**	**3**	**8**	**14**	**17**	**68**
GRAND TOTAL	**476**	**3.6**	**17**	**1**	**1**	**2**	**5**	**8**	**11**	**19**	**526**	**3.8**	**51**	**1**	**1**	**2**	**4**	**7**	**10**	**41**

NONPSYCHOT BRAIN SYN NEC (310.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-24	2	5.0	18	2	2	5	8	8	8	8										
25-34	1	3.0		3	3	3	3	3	3	3	1	9.0		9	9	9	9	9	9	9
35-54																				
55-74	4	7.3	61	2	3	4	12	19	19	19	2	5.0	2	4	4	5	6	6	6	6
75 +	1	6.0		6	6	6	6	6	6	6	5	9.2	53	2	4	6	15	20	20	20
ALL AGES	9	5.7	28	2	3	4	6	15	19	19	8	8.1	35	3	4	6	11	18	20	20
B. FEMALE																				
0-12 YRS.	1	64.0		64	64	64	64	64	64	64										
13-17																				
18-24																				
25-34																				
35-54											2	35.0	18	32	32	35	38	38	38	38
55-74	5	26.0	1586	4	9	11	97	99 +	99 +	99 +	3	7.0	19	4	4	5	10	12	12	12
75 +	10	10.5	71	3	5	7	12	25	29	29	2	8.5	41	4	4	8	13	13	13	13
ALL AGES	16	18.7	664	3	6	9	23	90	99	99 +	7	15.4	196	4	4	12	27	37	38	38
SUBTOTAL	**25**	**14.0**	**466**	**2**	**4**	**7**	**12**	**60**	**98**	**99 +**	**15**	**11.5**	**116**	**4**	**4**	**6**	**13**	**32**	**36**	**38**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	1	15.0		15	15	15	15	15	15	15	1	28.0		28	28	28	28	28	28	28
55-74	6	15.0	145	1	6	13	27	30	30	30										
75 +																				
ALL AGES	9	12.1	124	1	3	7	21	29	30	30	1	28.0		28	28	28	28	28	28	28
B. FEMALE																				
0-12 YRS.	2	3.5	13	1	1	3	6	6	6	6										
13-17																				
18-24																				
25-34	4	5.5	14	1	2	6	8	9	9	9										
35-54											1	10.0		10	10	10	10	10	10	10
55-74	4	6.5	11	2	4	7	9	9	9	9	1	15.0		15	15	15	15	15	15	15
75 +	3	4.3	10	1	2	5	6	7	7	7	2	15.0	338	2	2	15	28	28	28	28
ALL AGES	13	5.2	10	1	2	6	8	9	9	9	4	13.8	117	2	6	12	21	28	28	28
SUBTOTAL	**22**	**8.0**	**66**	**1**	**2**	**6**	**9**	**21**	**28**	**30**	**5**	**16.6**	**130**	**2**	**8**	**15**	**28**	**28**	**28**	**28**
GRAND TOTAL	**47**	**11.2**	**282**	**1**	**3**	**7**	**11**	**28**	**67**	**99 +**	**20**	**12.8**	**117**	**3**	**5**	**9**	**17**	**30**	**35**	**38**

NONPSYCHOT BRAIN SYN NOS (310.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	31.5	1102	5	9	21	54	79	79	79										
13-17	7	9.1	66	4	5	6	9	24	27	27	1	1.0		1	1	1	1	1	1	1
18-24	4	14.5	38	10	10	13	19	23	23	23	1	3.0		3	3	3	3	3	3	3
25-34	12	13.1	218	2	3	5	20	37	46	48	3	3.3	2	2	2	4	4	4	4	4
35-54	30	10.8	247	2	3	6	9	25	48	77	12	6.4	34	1	2	5	10	15	18	19
55-74	59	10.6	120	2	4	7	14	28	40	95	24	6.7	29	3	3	5	9	18	40	99 +
75 +	106	10.4	67	3	5	7	14	23	27	39	77	9.6	149	2	4	7	11	21	71	99 +
ALL AGES	222	11.1	131	2	4	7	14	26	32	78	118	8.4	109	2	3	6	10	19	71	99 +
B. FEMALE																				
0-12 YRS.	3	10.0	84	2	3	8	17	20	20	20										
13-17	3	12.3	126	4	5	8	21	25	25	25	1	3.0		3	3	3	3	3	3	3
18-24											1	2.0		2	2	2	2	2	2	2
25-34	5	11.2	93	2	6	7	16	27	27	27	3	5.0	13	2	2	4	8	9	9	9
35-54	23	13.0	235	2	3	7	17	32	55	58	3	9.0	7	7	7	8	11	12	12	12
55-74	59	9.4	47	2	4	8	13	21	25	93	41	5.4	10	2	3	5	6	11	14	99 +
75 +	129	10.8	201	3	4	7	13	21	40	99 +	141	11.5	198	2	4	7	15	35	61	99 +
ALL AGES	222	10.7	156	2	4	7	14	23	32	99 +	190	10.0	155	2	4	6	12	29	54	99 +
SUBTOTAL	**444**	**10.9**	**144**	**2**	**4**	**7**	**14**	**24**	**31**	**99**	**308**	**9.4**	**137**	**2**	**3**	**6**	**11**	**26**	**57**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	28.0		28	28	28	28	28	28	28										
13-17	3	3.0	1	2	2	3	4	4	4	4										
18-24	3	6.0	21	1	2	7	9	10	10	10										
25-34	11	10.7	41	3	5	10	16	18	19	19	4	8.8	8	5	6	9	11	12	12	12
35-54	33	10.1	137	2	4	7	12	16	33	64	3	6.3	45	2	2	3	11	14	14	14
55-74	49	10.9	112	2	4	9	14	20	34	60	13	7.3	37	1	2	6	14	25	83	99 +
75 +	51	10.8	73	4	5	8	16	23	32	99	26	10.2	132	1	3	6	12	27	36	50
ALL AGES	151	10.5	97	3	4	8	14	20	32	64	46	9.0	88	1	3	6	13	22	35	99 +
B. FEMALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-17	3	26.0	172	14	16	24	36	40	40	40										
18-24	6	9.8	186	1	1	6	7	34	37	37										
25-34	7	7.6	67	2	3	4	9	22	25	25										
35-54	19	11.8	117	3	4	6	18	32	33	33	3	6.7	12	3	4	7	9	10	10	10
55-74	32	17.0	212	4	7	12	26	35	49	66	19	8.2	61	3	3	6	10	14	27	37
75 +	80	11.1	81	2	5	8	14	24	29	47	48	9.7	66	3	5	8	12	20	33	99 +
ALL AGES	148	12.5	126	2	5	9	16	29	34	52	70	9.1	63	3	4	7	12	18	32	88
SUBTOTAL	**299**	**11.5**	**111**	**3**	**5**	**8**	**14**	**25**	**33**	**62**	**116**	**9.1**	**71**	**2**	**4**	**7**	**12**	**18**	**32**	**99 +**
GRAND TOTAL	**743**	**11.1**	**131**	**2**	**4**	**7**	**14**	**24**	**33**	**79**	**424**	**9.3**	**119**	**2**	**3**	**6**	**12**	**23**	**48**	**99 +**

DEPRESSIVE DISORDER NEC (311.)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	31	24.3	239	5	13	26	35	59	94	99 +	5	21.2	530	1	3	23	56	96	99 +	99 +
13-17	49	17.3	280	2	4	11	35	45	64	99 +	16	6.7	114	1	2	2	3	30	33	33
18-24	43	5.8	43	1	2	3	6	18	24	99 +	10	3.0	2	1	2	3	4	5	6	6
25-34	91	7.0	75	1	2	5	9	15	18	55	20	3.6	12	1	1	3	4	8	12	15
35-54	103	9.0	76	1	3	6	13	20	26	72	27	3.7	9	1	2	3	5	8	10	13
55-74	60	10.2	81	2	4	7	14	22	33	39	27	6.5	20	3	3	5	8	15	16	16
75 +	24	12.2	163	2	4	5	23	28	37	50	24	7.2	72	2	3	5	7	15	25	43
ALL AGES	401	10.8	139	1	3	6	15	28	42	99 +	129	5.9	63	1	2	4	6	14	17	65
B. FEMALE																				
0-12 YRS.	20	24.2	377	2	4	21	37	54	63	63	5	9.8	233	1	2	4	12	37	37	37
13-17	93	17.2	309	1	3	9	29	38	51	78	17	4.6	62	1	1	1	3	20	26	27
18-24	78	7.7	88	1	2	5	8	16	28	49	27	4.3	32	1	1	2	6	8	14	29
25-34	154	8.6	67	1	3	6	12	19	26	35	54	3.1	7	1	1	2	4	7	8	14
35-54	207	9.2	70	1	3	7	13	22	26	37	76	4.0	12	1	2	3	5	8	11	18
55-74	152	11.0	101	1	4	8	15	26	31	42	61	6.0	22	2	2	5	8	12	17	19
75 +	67	15.7	206	3	5	11	21	42	47	60	66	8.4	76	2	3	5	9	22	29	41
ALL AGES	771	11.2	139	1	3	7	15	28	36	54	306	5.4	37	1	2	3	7	11	18	34
SUBTOTAL	**1172**	**11.1**	**138**	**1**	**3**	**7**	**15**	**28**	**37**	**63**	**435**	**5.5**	**45**	**1**	**2**	**3**	**6**	**12**	**18**	**39**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	54	30.9	323	8	19	30	41	60	81	99 +	3	22.3	465	1	5	22	38	44	44	44
13-17	99	23.4	372	3	7	21	35	47	81	99 +	12	9.3	101	1	2	4	17	25	29	30
18-24	75	8.5	124	1	2	5	13	21	24	69	14	5.7	39	1	1	3	12	14	19	20
25-34	160	7.8	60	1	2	5	11	18	23	37	23	6.4	80	1	2	3	8	22	28	36
35-54	160	8.8	86	1	3	6	11	22	27	51	39	5.2	22	1	2	4	6	13	16	21
55-74	47	12.0	95	3	4	10	16	29	32	42	19	5.3	17	2	2	4	7	13	15	15
75 +	15	22.3	565	3	5	9	33	58	76	82	13	7.5	40	3	4	4	11	19	21	22
ALL AGES	610	13.4	224	1	3	8	19	35	45	83	123	6.6	56	1	2	4	8	17	22	38
B. FEMALE																				
0-12 YRS.	12	24.7	276	4	7	30	36	43	52	53	2	10.5	113	3	3	10	18	18	18	18
13-17	162	19.4	339	2	6	14	30	45	62	99 +	10	4.1	25	1	2	3	3	11	18	18
18-24	122	10.5	102	2	3	7	15	25	31	45	19	5.8	56	1	1	2	6	16	25	30
25-34	215	9.8	111	2	3	6	13	21	29	51	33	2.9	8	1	1	2	4	7	9	10
35-54	221	10.9	107	2	4	8	15	23	28	55	61	7.5	91	1	2	4	9	19	23	48
55-74	84	12.7	96	2	5	11	19	24	31	47	29	5.2	25	2	3	3	6	10	20	22
75 +	43	15.2	152	3	8	13	20	25	45	59	20	9.2	53	2	3	7	15	21	23	24
ALL AGES	859	12.8	167	2	4	8	18	29	39	73	174	6.1	55	1	2	3	7	17	21	43
SUBTOTAL	**1469**	**13.0**	**192**	**2**	**3**	**8**	**18**	**31**	**42**	**82**	**297**	**6.3**	**55**	**1**	**2**	**4**	**7**	**17**	**22**	**40**
GRAND TOTAL	**2641**	**12.1**	**170**	**1**	**3**	**8**	**17**	**30**	**40**	**76**	**732**	**5.8**	**50**	**1**	**2**	**3**	**7**	**13**	**20**	**39**

UNSOCIALIZED AGGRESSION (312.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	37	20.7	332	3	7	15	30	42	57	82	14	25.9	476	1	2	27	37	60	63	64
13-17	55	17.9	391	2	5	11	22	45	71	99+	4	15.0	54	5	9	17	20	21	21	21
18-24	5	3.4	5	1	2	3	5	7	7	7	1	24.0		24	24	24	24	24	24	24
25-34	1	7.0		7	7	7	7	7	7	7										
35-54	1	10.0		10	10	10	10	10	10	10										
55-74																				
75 +	1	6.0		6	6	6	6	6	6	6	1	3.0		3	3	3	3	3	3	3
ALL AGES	100	17.9	351	2	5	11	25	43	60	99+	20	22.5	374	1	4	21	32	55	62	64
B. FEMALE																				
0-12 YRS.	5	11.0	260	1	1	8	38	94	99+	99+	7	28.1	316	4	18	29	40	53	55	55
13-17	24	11.9	195	1	2	9	16	35	70	99+	3	6.0	39	1	1	4	11	13	13	13
18-24	3	16.7	95	11	11	11	24	28	28	28	2	5.0	2	4	4	5	6	6	6	6
25-34	1	7.0		7	7	7	7	7	7	7	1	7.0		7	7	7	7	7	7	7
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	34	11.7	180	1	2	9	17	38	88	99+	13	17.8	299	1	4	13	30	45	53	55
SUBTOTAL	**134**	**16.4**	**311**	**1**	**4**	**11**	**22**	**42**	**62**	**99+**	**33**	**20.6**	**342**	**1**	**4**	**19**	**30**	**51**	**59**	**64**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	41	26.7	445	6	10	23	37	73	90	99+	12	32.3	451	8	16	29	44	68	69	69
13-17	78	21.0	326	3	8	19	38	91	99+	99+	10	38.0	874	2	9	42	53	79	84	84
18-24	2	1.0		1	1	1	1	1	1	1										
25-34	1	11.0		11	11	11	11	11	11	11										
35-54																				
55-74																				
75 +											2	3.0	2	2	2	3	4	4	4	4
ALL AGES	122	22.5	371	3	8	20	38	74	99+	99+	24	32.2	649	2	10	29	50	70	78	84
B. FEMALE																				
0-12 YRS.	8	22.1	659	3	4	14	28	65	80	80	2	18.0	32	14	14	18	22	22	22	22
13-17	28	17.0	312	2	3	15	23	54	69	99+	6	40.0	942	6	26	31	79	96	99+	99+
18-24											1	4.0		4	4	4	4	4	4	4
25-34	2	15.0	50	10	10	15	20	20	20	20										
35-54	1	6.0		6	6	6	6	6	6	6	2	2.0	2	1	1	1	3	3	3	3
55-74											1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	39	17.7	352	2	4	13	24	51	74	99+	12	24.0	738	1	4	22	41	85	97	99+
SUBTOTAL	**161**	**21.3**	**370**	**3**	**7**	**19**	**35**	**67**	**99+**	**99+**	**36**	**29.5**	**672**	**1**	**5**	**25**	**49**	**75**	**83**	**99+**
GRAND TOTAL	**295**	**19.1**	**347**	**2**	**5**	**14**	**30**	**58**	**94**	**99+**	**69**	**25.2**	**529**	**1**	**4**	**21**	**37**	**66**	**75**	**97**

UNSOCIALIZ, UNAGGRESSIVE (312.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	7.7	26	2	4	9	11	12	12	12										
13-17	4	33.8	919	7	9	28	58	71	71	71	1	1.0		1	1	1	1	1	1	1
18-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	8	19.9	627	1	4	10	29	63	71	71	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.	4	19.3	681	3	3	8	35	58	58	58										
13-17	5	30.6	853	2	6	20	59	67	67	67										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	9	25.6	716	2	4	12	56	63	67	67										
SUBTOTAL	**17**	**22.9**	**642**	**2**	**4**	**11**	**48**	**65**	**70**	**71**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	34.0		34	34	34	34	34	34	34	1	20.0		20	20	20	20	20	20	20
13-17	14	19.8	355	3	7	10	31	49	57	60										
18-24	2	21.0	722	2	2	21	40	40	40	40										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	17	20.8	345	3	6	11	35	47	56	60	1	20.0		20	20	20	20	20	20	20
B. FEMALE																				
0-12 YRS.	1	35.0		35	35	35	35	35	35	35										
13-17	10	27.4	805	4	8	18	33	77	92	92										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	11	28.1	730	5	9	19	34	74	90	92										
SUBTOTAL	**28**	**23.6**	**491**	**3**	**7**	**16**	**34**	**56**	**65**	**92**	**1**	**20.0**		**20**	**20**	**20**	**20**	**20**	**20**	**20**
GRAND TOTAL	**45**	**23.4**	**532**	**3**	**6**	**12**	**36**	**60**	**68**	**92**	**2**	**10.5**	**181**	**1**	**1**	**10**	**20**	**20**	**20**	**20**

SOCIALIZED CONDUCT DIS (312.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	15	20.3	470	2	4	11	41	71	92	99 +	1	13.0		13	13	13	13	13	13	13
13-17	60	18.8	361	3	5	12	23	49	65	77	1	5.0		5	5	5	5	5	5	5
18-24	3	20.3	227	5	9	21	31	35	35	35										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	78	19.1	370	3	5	12	27	49	68	94	2	9.0	32	5	5	9	13	13	13	13
B. FEMALE																				
0-12 YRS.	4	13.8	122	6	6	9	21	30	30	30										
13-17	47	20.7	358	3	5	14	34	44	62	80	4	13.8	19	8	10	14	17	19	19	19
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	51	20.2	338	3	6	14	32	44	59	80	4	13.8	19	8	10	14	17	19	19	19
SUBTOTAL	**129**	**19.5**	**356**	**3**	**5**	**13**	**30**	**45**	**66**	**84**	**6**	**12.2**	**24**	**5**	**8**	**13**	**15**	**19**	**19**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	15	24.9	556	3	8	17	35	55	80	88	1	27.0		27	27	27	27	27	27	27
13-17	82	17.6	298	3	5	13	23	38	53	89	3	13.7	480	1	1	20	69	99 +	99 +	99 +
18-24	2	2.5	1	2	2	2	3	3	3	3										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	99	18.4	338	2	5	14	25	39	56	89	4	17.0	365	1	1	27	54	99 +	99 +	99 +
B. FEMALE																				
0-12 YRS.	6	27.5	1028	4	8	18	25	84	91	91	2	41.0	3200	1	1	41	81	81	81	81
13-17	64	20.7	356	3	8	16	28	52	79	99 +										
18-24	1	5.0		5	5	5	5	5	5	5										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	71	21.0	403	4	8	16	28	55	89	99 +	2	41.0	3200	1	1	41	81	81	81	81
SUBTOTAL	**170**	**19.5**	**364**	**3**	**7**	**15**	**28**	**43**	**68**	**99**	**6**	**25.0**	**1013**	**1**	**1**	**27**	**70**	**96**	**99 +**	**99 +**
GRAND TOTAL	**299**	**19.[illegible]**	**360**	**3**	**6**	**14**	**28**	**45**	**67**	**97**	**12**	**18.6**	**516**	**1**	**4**	**13**	**30**	**85**	**97**	**99 +**

IMPULSE CONTROL DIS NEC (312.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	21	23.5	473	6	9	16	31	53	75	95	2	37.5	365	24	24	37	51	51	51	51
13-17	56	22.8	384	5	10	16	29	45	68	93	7	20.3	532	2	6	12	52	89	99 +	99 +
18-24	32	15.0	392	1	3	7	21	45	55	89	1	1.0		1	1	1	1	1	1	1
25-34	20	10.9	210	1	2	4	13	33	45	56	1	5.0		5	5	5	5	5	5	5
35-54	12	14.5	118	2	5	13	20	32	35	35	1	3.0		3	3	3	3	3	3	3
55-74	1	19.0		19	19	19	19	19	19	19										
75 +																				
ALL AGES	142	18.7	365	2	5	14	26	42	55	93	12	18.8	459	1	4	8	43	70	94	99 +
B. FEMALE																				
0-12 YRS.	10	25.7	527	2	3	24	46	55	55	55	1	3.0		3	3	3	3	3	3	3
13-17	21	20.7	272	6	8	15	32	47	53	58	1	14.0		14	14	14	14	14	14	14
18-24	5	11.6	14	8	9	11	13	18	18	18										
25-34	6	11.8	335	1	1	5	11	44	48	48										
35-54	1	17.0		17	17	17	17	17	17	17										
55-74											1	13.0		13	13	13	13	13	13	13
75 +																				
ALL AGES	43	19.5	309	2	7	11	36	48	55	58	3	10.0	37	3	5	13	14	14	14	14
SUBTOTAL	**185**	**18.9**	**350**	**2**	**6**	**13**	**27**	**45**	**55**	**92**	**15**	**17.1**	**377**	**1**	**4**	**10**	**32**	**62**	**89**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	32	23.4	148	6	12	24	34	37	42	45	5	10.0	104	3	3	5	16	27	27	27
13-17	101	19.8	224	4	8	17	29	42	49	83	2	9.5	25	6	6	9	13	13	13	13
18-24	46	17.7	383	2	4	11	22	45	68	92	2	14.0		14	14	14	14	14	14	14
25-34	33	9.0	34	3	5	8	12	18	22	23	2	11.5	113	4	4	11	19	19	19	19
35-54	19	9.1	54	2	4	8	14	24	66	99 +	2	7.0	32	3	3	7	11	11	11	11
55-74	4	8.0	2	7	7	8	9	10	10	10										
75 +	2	6.5	13	4	4	6	9	9	9	9										
ALL AGES	237	17.2	221	3	6	13	25	38	45	93	13	10.3	53	3	4	11	14	21	26	27
B. FEMALE																				
0-12 YRS.	5	22.4	184	4	10	30	32	35	35	35										
13-17	46	20.7	292	4	9	16	33	39	55	99 +										
18-24	6	17.7	209	2	5	16	29	37	38	38	2	12.0	2	11	11	12	13	13	13	13
25-34	10	17.2	389	4	5	11	21	46	70	70	2	40.0	1682	11	11	40	69	69	69	69
35-54	5	9.8	27	5	6	9	13	18	18	18	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	73	19.1	270	4	9	14	29	38	46	99 +	5	21.0	742	1	11	12	69	97	99 +	99 +
SUBTOTAL	**310**	**17.6**	**234**	**3**	**7**	**13**	**27**	**38**	**45**	**99**	**18**	**13.3**	**236**	**3**	**4**	**11**	**14**	**52**	**86**	**99 +**
GRAND TOTAL	**495**	**18.1**	**277**	**3**	**6**	**13**	**27**	**40**	**52**	**94**	**33**	**15.0**	**295**	**3**	**4**	**11**	**18**	**63**	**92**	**99 +**

MIX DIS CONDUCT/EMOTION (312.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	14.0	175	4	5	9	24	29	29	29										
13-17	7	9.4	73	2	3	8	13	24	26	26	1	4.0		4	4	4	4	4	4	4
18-24																				
25-34	1	6.0		6	6	6	6	6	6	6										
35-54																				
55-74																				
75 +																				
ALL AGES	11	10.4	84	3	4	8	13	27	29	29	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.	2	8.0	72	2	2	8	14	14	14	14										
13-17	5	24.6	271	2	15	24	35	47	47	47	2	35.5	181	26	26	35	45	45	45	45
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	7	19.9	256	2	5	19	29	44	47	47	2	35.5	181	26	26	35	45	45	45	45
SUBTOTAL	**18**	**14.1**	**163**	**2**	**4**	**9**	**24**	**30**	**41**	**47**	**3**	**25.0**	**421**	**4**	**9**	**26**	**40**	**45**	**45**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	17.0	67	8	11	19	23	24	24	24										
13-17	6	20.7	143	6	13	19	29	38	39	39										
18-24											1	5.0		5	5	5	5	5	5	5
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	10	17.6	132	2	8	18	24	34	39	39	2	3.0	8	1	1	3	5	5	5	5
B. FEMALE																				
0-12 YRS.	2	9.5	41	5	5	9	14	14	14	14										
13-17	3	7.7	42	1	4	11	57	99 +	99 +	99 +										
18-24	1	1.0		1	1	1	1	1	1	1	1	8.0		8	8	8	8	8	8	8
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74	1	9.0		9	9	9	9	9	9	9										
75 +																				
ALL AGES	8	6.8	28	1	2	8	14	66	99 +	99 +	1	8.0		8	8	8	8	8	8	8
SUBTOTAL	**18**	**12.8**	**112**	**1**	**5**	**13**	**20**	**35**	**72**	**99 +**	**3**	**4.7**	**12**	**1**	**2**	**5**	**7**	**8**	**8**	**8**
GRAND TOTAL	**36**	**13.4**	**135**	**2**	**4**	**9**	**22**	**31**	**44**	**99 +**	**6**	**14.8**	**299**	**1**	**4**	**6**	**26**	**43**	**45**	**45**

OTHER CONDUCT DISTURB (312.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	18	15.7	353	1	3	5	28	40	58	69	12	5.3	96	1	1	2	3	16	33	36
13-17	17	18.6	260	5	10	12	20	49	58	60	2	7.0	2	6	6	7	8	8	8	8
18-24	2	11.0		11	11	11	11	11	11	11	2	6.0	2	5	5	6	7	7	7	7
25-34	4	2.5	3	1	1	2	4	4	4	4	1	1.0		1	1	1	1	1	1	1
35-54	5	7.6	119	1	2	4	10	27	27	27										
55-74	1	3.0		3	3	3	3	3	3	3	2	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	47	14.3	259	1	4	9	20	36	55	69	19	5.3	60	1	2	3	6	8	23	36
B. FEMALE																				
0-12 YRS.	10	4.6	11	1	2	4	8	9	10	10	6	1.3		1	1	1	2	2	2	2
13-17	16	9.8	61	1	4	8	13	21	27	29	8	3.8	17	1	1	2	5	11	13	13
18-24	3	6.0	3	4	5	7	7	7	7	7										
25-34	3	4.7	6	2	3	5	6	7	7	7	1	1.0		1	1	1	1	1	1	1
35-54	3	21.7	74	12	15	24	28	29	29	29										
55-74	1	5.0		5	5	5	5	5	5	5										
75 +	1	5.0		5	5	5	5	5	5	5	1	2.0		2	2	2	2	2	2	2
ALL AGES	37	8.4	54	1	4	7	11	21	27	29	16	2.6	10	1	1	2	2	7	11	13
SUBTOTAL	**84**	**11.7**	**176**	**1**	**4**	**7**	**15**	**28**	**38**	**66**	**35**	**4.0**	**39**	**1**	**1**	**2**	**5**	**7**	**12**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	16.3	301	1	2	9	26	44	48	48										
13-17	28	17.2	257	4	7	10	24	38	80	99 +	1	5.0		5	5	5	5	5	5	5
18-24	1	9.0		9	9	9	9	9	9	9										
25-34	3	15.3	58	8	10	15	21	23	23	23										
35-54																				
55-74																				
75 +	3	11.3	81	1	5	16	17	17	17	17										
ALL AGES	42	16.3	224	3	7	10	23	34	59	99 +	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.	2	14.5	61	9	9	14	20	20	20	20										
13-17	21	14.5	146	2	4	9	26	32	33	33	5	2.4	1	1	1	2	3	4	4	4
18-24																				
25-34	2	1.5	1	1	1	1	2	2	2	2	1	1.0		1	1	1	1	1	1	1
35-54	1	9.0		9	9	9	9	9	9	9	2	2.0	2	1	1	2	3	3	3	3
55-74																				
75 +																				
ALL AGES	26	13.3	132	1	3	9	23	32	32	33	8	2.1	1	1	1	2	3	4	4	4
SUBTOTAL	**68**	**15.1**	**190**	**2**	**5**	**9**	**23**	**32**	**42**	**96**	**9**	**2.4**	**2**	**1**	**1**	**2**	**3**	**5**	**5**	**5**
GRAND TOTAL	**152**	**13.2**	**184**	**2**	**4**	**9**	**20**	**30**	**41**	**79**	**44**	**3.7**	**31**	**1**	**1**	**2**	**4**	**7**	**9**	**36**

CONDUCT DISTURBANCE NOS (312.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	76	16.3	236	2	4	11	26	42	50	99+	11	6.9	82	1	1	3	15	50	93	99+
13-17	116	13.6	199	1	3	8	19	37	43	62	11	22.8	371	3	8	15	35	52	62	63
18-24	12	11.1	107	2	3	7	17	29	30	30	1	2.0		2	2	2	2	2	2	2
25-34	7	3.6	8	1	1	3	5	8	9	9	1	1.0		1	1	1	1	1	1	1
35-54	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
55-74	2	5.5	25	2	2	5	9	9	9	9										
75 +											1	7.0		7	7	7	7	7	7	7
ALL AGES	214	14.0	203	1	3	8	21	39	43	82	26	13.0	258	1	2	7	23	43	69	99+
B. FEMALE																				
0-12 YRS.	25	13.4	313	1	3	6	16	40	49	71	2	8.0	98	1	1	8	15	15	15	15
13-17	97	14.7	247	1	4	9	20	41	47	68	7	15.7	235	1	2	12	24	39	43	43
18-24	2	1.5	1	1	1	1	2	2	2	2										
25-34	3	5.0	37	1	1	2	9	12	12	12										
35-54	1	7.0		7	7	7	7	7	7	7	1	5.0		5	5	5	5	5	5	5
55-74	3	7.0	91	1	1	2	14	18	18	18										
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	132	13.7	248	1	3	8	19	39	46	71	10	13.1	186	1	1	9	23	33	43	43
SUBTOTAL	**346**	**13.9**	**219**	**1**	**3**	**8**	**21**	**39**	**46**	**71**	**36**	**13.1**	**230**	**1**	**2**	**7**	**23**	**42**	**57**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	59	19.9	282	3	6	15	31	44	51	67	6	17.5	117	4	12	15	27	32	33	33
13-17	126	18.0	272	3	5	12	29	42	53	99+	4	12.8	26	5	9	15	16	16	16	16
18-24	5	10.6	187	3	4	5	13	35	35	35										
25-34	2	18.0	578	1	1	18	35	35	35	35										
35-54	1	4.0		4	4	4	4	4	4	4										
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	193	18.3	273	3	5	13	29	42	52	99+	11	14.3	91	2	7	14	16	29	33	33
B. FEMALE																				
0-12 YRS.	17	13.6	161	2	5	11	33	99+	99+	99+	2	3.5	1	3	3	3	4	4	4	4
13-17	83	18.2	285	2	7	14	26	40	60	99+	4	3.5	10	1	1	2	5	8	8	8
18-24	2	8.0	98	1	1	8	15	15	15	15	2	2.5	5	1	1	2	4	4	4	4
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	1	15.0		15	15	15	15	15	15	15										
55-74	1	5.0		5	5	5	5	5	5	5	1	7.0		7	7	7	7	7	7	7
75 +																				
ALL AGES	105	16.9	261	2	6	14	26	44	95	99+	9	3.7	6	1	2	3	5	8	8	8
SUBTOTAL	**298**	**17.8**	**269**	**3**	**5**	**13**	**29**	**42**	**56**	**99+**	**20**	**9.5**	**80**	**1**	**3**	**6**	**15**	**22**	**30**	**33**
GRAND TOTAL	**644**	**15.7**	**245**	**2**	**4**	**10**	**25**	**41**	**49**	**99+**	**56**	**11.8**	**177**	**1**	**2**	**7**	**16**	**32**	**44**	**97**

OVERANXIOUS DISORDER (313.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	17	17.1	92	2	11	21	23	29	33	34										
13-17	6	19.2	191	1	8	19	27	39	40	40	1	22.0		22	22	22	22	22	22	22
18-24	1	5.0		5	5	5	5	5	5	5										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	24	17.1	114	2	7	19	23	30	36	40	1	22.0		22	22	22	22	22	22	22
B. FEMALE																				
0-12 YRS.	1	15.0		15	15	15	15	15	15	15										
13-17	7	17.3	101	3	9	23	25	28	28	28										
18-24	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	9	15.4	100	2	7	15	24	27	28	28	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**33**	**16.6**	**109**	**2**	**8**	**17**	**23**	**28**	**33**	**40**	**2**	**11.5**	**221**	**1**	**1**	**11**	**22**	**22**	**22**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	23	29.5	379	9	14	23	40	61	71	71	3	23.3	668	2	5	16	43	52	52	52
13-17	6	15.8	13	11	14	15	18	21	21	21										
18-24	2	9.0	72	3	3	9	15	15	15	15										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	31	25.5	333	8	14	19	38	53	70	71	3	23.3	668	2	5	16	43	52	52	52
B. FEMALE																				
0-12 YRS.	9	44.4	436	26	30	35	61	77	86	86										
13-17	7	25.3	341	2	11	26	31	53	58	58	1	49.0		49	49	49	49	49	49	49
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	16	36.1	461	9	25	30	50	63	79	86	1	49.0		49	49	49	49	49	49	49
SUBTOTAL	**47**	**29.1**	**394**	**8**	**14**	**24**	**39**	**60**	**71**	**86**	**4**	**29.8**	**604**	**2**	**9**	**32**	**50**	**52**	**52**	**52**
GRAND TOTAL	**80**	**24.0**	**309**	**3**	**14**	**22**	**30**	**48**	**61**	**82**	**6**	**23.7**	**496**	**1**	**2**	**19**	**49**	**52**	**52**	**52**

MISERY & UNHAPPINESS DIS (313.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17	3	10.7	13	8	8	9	13	15	15	15										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	10.7	13	8	8	9	13	15	15	15										
SUBTOTAL	**3**	**10.7**	**13**	**8**	**8**	**9**	**13**	**15**	**15**	**15**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	3	10.7	13	8	8	9	13	15	15	15										

SENSITIVITY & WITHDRAWAL (313.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	18.0		18	18	18	18	18	18	18										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	18.0		18	18	18	18	18	18	18										
B. FEMALE																				
0-12 YRS.																				
13-17	1	16.0		16	16	16	16	16	16	16										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	16.0		16	16	16	16	16	16	16										
SUBTOTAL	**2**	**17.0**	**2**	**16**	**16**	**17**	**18**	**18**	**18**	**18**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	14.0	162	5	5	14	23	23	23	23										
13-17	3	12.0	156	2	3	8	21	26	26	26										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	12.8	120	2	4	8	24	26	26	26										
B. FEMALE																				
0-12 YRS.	2	18.0	32	14	14	18	22	22	22	22										
13-17	3	23.0	43	16	18	24	28	29	29	29										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	21.0	37	14	15	22	25	29	29	29										
SUBTOTAL	**10**	**16.9**	**88**	**3**	**8**	**19**	**24**	**27**	**29**	**29**										
GRAND TOTAL	**12**	**16.9**	**73**	**4**	**11**	**17**	**23**	**27**	**29**	**29**										

RELATIONSHIP PROBLEMS (313.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6										
SUBTOTAL	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17	1	32.0		32	32	32	32	32	32	32										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	32.0		32	32	32	32	32	32	32										
SUBTOTAL	**1**	**32.0**		**32**	**32**	**32**	**32**	**32**	**32**	**32**										
GRAND TOTAL	**2**	**19.0**	**338**	**6**	**6**	**19**	**32**	**32**	**32**	**32**										

OTH EMOTIONAL DIS CHILD (313.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	146	28.1	340	7	14	25	42	54	68	89	9	15.3	90	3	4	19	23	25	25	25
13-17	100	21.2	272	5	9	16	31	43	53	76	5	17.0	137	1	8	20	25	31	31	31
18-24	1	4.0		4	4	4	4	4	4	4										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	247	25.2	324	6	11	21	38	48	57	89	14	15.9	98	2	4	19	23	26	30	31
B. FEMALE																				
0-12 YRS.	70	26.7	411	4	10	27	39	49	78	99 +	5	13.6	122	4	6	7	22	30	30	30
13-17	118	19.0	245	3	7	14	30	40	49	90	12	12.0	136	2	5	9	12	32	41	42
18-24	4	9.0	82	1	3	6	14	22	22	22										
25-34	1	16.0		16	16	16	16	16	16	16										
35-54																				
55-74																				
75 +																				
ALL AGES	193	21.6	314	3	-8	17	33	45	55	99 +	17	12.5	124	3	6	9	14	30	38	42
SUBTOTAL	**440**	**23.6**	**323**	**4**	**10**	**19**	**35**	**47**	**57**	**95**	**31**	**14.0**	**113**	**2**	**5**	**11**	**22**	**29**	**31**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	207	33.0	281	13	21	32	42	58	88	99 +	15	22.5	291	2	10	21	30	43	59	65
13-17	122	21.9	301	5	10	19	28	42	54	89	8	21.9	377	4	5	17	36	52	56	56
18-24	5	14.6	70	5	6	16	22	24	24	24	1	1.0		1	1	1	1	1	1	1
25-34	1	7.0		7	7	7	7	7	7	7										
35-54																				
55-74																				
75 +																				
ALL AGES	335	28.6	316	8	16	28	38	56	83	99 +	24	21.4	311	2	5	20	30	45	59	65
B. FEMALE																				
0-12 YRS.	71	30.6	377	10	16	31	43	84	99 +	99 +	4	33.3	430	18	21	25	45	64	64	64
13-17	135	18.9	270	4	7	14	26	44	61	99 +	7	21.1	136	5	10	26	31	33	33	33
18-24	1	29.0		29	29	29	29	29	29	29										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	207	22.9	337	5	10	19	35	58	84	99 +	11	25.5	250	6	18	26	31	45	62	64
SUBTOTAL	**542**	**26.4**	**332**	**6**	**13**	**24**	**37**	**57**	**83**	**99 +**	**35**	**22.7**	**287**	**4**	**8**	**21**	**30**	**43**	**62**	**65**
GRAND TOTAL	**982**	**25.2**	**327**	**5**	**11**	**22**	**36**	**50**	**69**	**99 +**	**66**	**18.6**	**222**	**2**	**6**	**18**	**26**	**35**	**46**	**65**

EMOTIONAL DIS CHILD NOS (313.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	8.0	43	1	2	8	13	15	15	15										
13-17	3	7.7	97	1	1	3	15	19	19	19										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	7	7.9	53	1	2	4	14	18	19	19										
B. FEMALE																				
0-12 YRS.	2	11.0	8	9	9	11	13	13	13	13										
13-17	4	7.5	9	4	5	8	10	10	10	10										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	6	8.7	10	4	6	9	10	13	13	13										
SUBTOTAL	**13**	**8.2**	**32**	**1**	**4**	**9**	**12**	**16**	**18**	**19**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	44.5	1513	17	17	44	72	72	72	72										
13-17	7	10.4	227	1	3	5	8	37	44	44	1	1.0		1	1	1	1	1	1	1
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	9	18.0	584	2	4	7	24	61	72	72	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.	3	5.0	9	2	3	5	7	8	8	8										
13-17	5	6.2	80	1	1	3	8	22	22	22										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	8	5.8	48	1	2	3	6	18	22	22										
SUBTOTAL	**17**	**12.2**	**354**	**1**	**3**	**5**	**11**	**40**	**62**	**72**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**30**	**10.5**	**212**	**1**	**3**	**6**	**12**	**20**	**44**	**72**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

ATTENTION DEFICIT DIS (314.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	158	28.0	469	4	13	22	42	66	86	99+	40	16.1	461	1	1	4	26	40	88	99+
13-17	43	17.1	317	2	7	11	25	42	65	99+	2	23.5	13	21	21	23	26	26	26	26
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	201	25.7	453	4	10	21	41	63	85	99+	42	16.5	439	1	1	10	26	39	86	99+
B. FEMALE																				
0-12 YRS.	27	26.1	467	2	9	22	42	56	68	76	5	9.6	226	1	1	2	15	36	36	36
13-17	6	19.8	162	7	12	17	22	41	43	43	6	42.2	286	19	30	42	56	64	65	65
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	33	25.0	409	3	10	21	42	56	65	76	11	27.4	522	1	3	30	42	60	65	65
SUBTOTAL	**234**	**25.6**	**445**	**3**	**10**	**21**	**42**	**60**	**83**	**99+**	**53**	**18.7**	**469**	**1**	**1**	**13**	**30**	**46**	**78**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	205	28.0	368	9	14	23	41	62	92	99+	24	23.7	352	5	12	21	35	48	91	99+
13-17	58	24.9	394	5	11	19	37	56	85	99+	4	28.8	631	3	9	25	48	61	61	61
18-24	7	16.7	302	5	7	9	19	47	54	54	1	8.0		8	8	8	8	8	8	8
25-34	1	22.0		22	22	22	22	22	22	22										
35-54																				
55-74																				
75 +																				
ALL AGES	271	27.0	373	6	14	22	41	60	88	99+	29	23.9	367	4	12	20	35	54	88	99+
B. FEMALE																				
0-12 YRS.	34	30.9	349	13	20	29	49	99+	99+	99+	2	25.0	2	24	24	25	26	26	26	26
13-17	15	17.4	149	2	9	15	24	38	41	42										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	49	26.8	321	9	15	26	42	99+	99+	99+	2	25.0	2	24	24	25	26	26	26	26
SUBTOTAL	**320**	**27.0**	**363**	**6**	**14**	**22**	**41**	**64**	**96**	**99+**	**31**	**23.9**	**347**	**5**	**12**	**21**	**35**	**52**	**85**	**99+**
GRAND TOTAL	**554**	**26.4**	**398**	**5**	**12**	**22**	**42**	**63**	**89**	**99+**	**84**	**20.6**	**426**	**1**	**3**	**17**	**33**	**48**	**82**	**99+**

HYPERKINETIC CONDUCT DIS (314.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	23.0		23	23	23	23	23	23	23										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	23.0		23	23	23	23	23	23	23										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**23.0**		**23**	**23**	**23**	**23**	**23**	**23**	**23**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	46.0	3872	2	2	46	90	90	90	90										
18-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	3	31.0	2611	1	1	2	68	90	90	90										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**3**	**31.0**	**2611**	**1**	**1**	**2**	**68**	**90**	**90**	**90**										
GRAND TOTAL	**4**	**29.0**	**1757**	**1**	**1**	**12**	**56**	**90**	**90**	**90**										

OTHER HYPERKINETIC SYND (314.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	26.0		26	26	26	26	26	26	26
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	26.0		26	26	26	26	26	26	26
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											**1**	**26.0**		**26**	**26**	**26**	**26**	**26**	**26**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	22.0	3	20	21	23	62	99 +	99 +	99 +										
18-24	2	16.5	1	16	16	16	17	17	17	17										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	19.8	11	16	17	21	23	92	99 +	99 +										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**5**	**19.8**	**11**	**16**	**17**	**21**	**23**	**92**	**99 +**	**99 +**										
GRAND TOTAL	**5**	**19.8**	**11**	**16**	**17**	**21**	**23**	**92**	**99 +**	**99 +**	**1**	**26.0**		**26**	**26**	**26**	**26**	**26**	**26**	**26**

HYPERKINETIC SYND NOS (314.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54																				
55-74	1	10.0		10	10	10	10	10	10	10	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	1	10.0		10	10	10	10	10	10	10	2	3.0	2	2	2	3	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**	**2**	**3.0**	**2**	**2**	**2**	**3**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	33.0		33	33	33	33	33	33	33										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	33.0		33	33	33	33	33	33	33										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**33.0**		**33**	**33**	**33**	**33**	**33**	**33**	**33**										
GRAND TOTAL	**2**	**21.5**	**265**	**10**	**10**	**21**	**33**	**33**	**33**	**33**	**2**	**3.0**	**2**	**2**	**2**	**3**	**4**	**4**	**4**	**4**

Appendix

Appendix A: Table 1

HOSPITAL CHARACTERISTICS

SHORT-TERM, NONFEDERAL HOSPITALS[1]

	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS			HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS			TOTAL		
	U.S.[2] Total	LOS Sample	% of U.S.[3] Total	U.S. Total	LOS Sample	% of U.S. Total	U.S.	LOS Sample	% of U.S.
All Hospitals	1,427	306	21.4	4,078	643	15.8	5,505	949	17.2
Control									
Public	237	39	16.5	1,276	159	12.5	1,513	198	13.1
Private	1,187	264	22.2	2,802	484	17.3	3,989	748	18.8
Unavailable	3	3					3	3	
Bedsize									
< 100 Beds	127	36	28.3	2,605	403	15.5	2,732	439	16.1
100-199	322	76	23.6	834	134	16.1	1,156	210	18.2
200-299	321	64	19.9	404	56	13.9	725	120	16.6
300-399	263	55	20.9	138	30	21.7	401	85	21.2
400-499	152	30	19.7	55	10	18.2	207	40	19.3
500+	242	45	18.6	42	10	23.8	284	55	19.4
Teaching Intensity									
Low	748	154	20.6	3,724	552	14.8	4,472	706	15.8
Medium	419	100	23.9	293	69	23.5	712	169	23.7
High	254	46	18.1	54	15	27.8	308	61	19.8
Unavailable	6	6		7	7		13	13	
Location									
Rural	283	66	23.3	2,292	347	15.1	2,575	413	16.0
Urban	1,144	240	21.0	1,786	296	16.6	2,930	536	18.3

---

[1] Hospitals with average stay less than 30 days.

[2] 1988 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

[3] The percent of hospitals may be underestimated since the 1989 sample is compared to the universe of hospitals in 1988.

Appendix A: Table 2

HOSPITAL CHARACTERISTICS

HOSPITALS WITH PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx [1]	% [2]
All Hospitals	306	100.0	151,586	100.0
Control				
Public	39	12.7	17,008	11.2
Private	264	86.3	134,210	88.5
Unavailable	3	1.0	368	.2
Bedsize				
<100 Beds	36	11.8	4,924	3.2
100-199	76	24.8	27,459	18.1
200-299	64	20.9	27,959	18.4
300-399	55	18.0	35,071	23.1
400-499	30	9.8	19,334	12.8
500+	45	14.7	36,839	24.3
Program Intensity				
Low	154	50.3	61,388	40.5
Medium	100	32.7	60,629	40.0
High	46	15.0	28,789	19.0
Unavailable	6	2.0	780	.5
Location				
Rural	66	21.6	21,650	14.3
Urban	240	78.4	129,936	85.7

---

[1] This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

[2] The denominator used to calculate the percentages is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

Appendix A: Table 3

HOSPITAL CHARACTERISTICS

HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx[1]	%[2]
All Hospitals	643	100.0	49,399	100.0
Control				
Public	159	24.7	5,981	12.1
Private	484	75.3	43,418	87.9
Bedsize				
< 100 Beds	403	62.7	16,982	34.4
100-199	134	20.8	14,521	29.4
200-299	56	8.7	8,596	17.4
300-399	30	4.7	2,870	5.8
400-499	10	1.6	3,110	6.3
500+	10	1.6	3,320	6.7
Program Intensity				
Low	552	85.8	35,848	72.6
Medium	69	10.7	10,539	21.3
High	15	2.3	2,296	4.6
Unavailable	7	1.1	716	1.6
Location				
Rural	347	54.0	15,670	31.7
Urban	296	46.0	33,729	68.3

---

[1] This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

[2] The denominator used to calculate the percentages is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

APPENDIX B

DESCRIPTION OF HOSPITAL CHARACTERISTICS

Hospitals With or Without a Psychiatric Unit or Beds

Nonfederal, short-term general hospitals that reported a psychiatric acute care unit or beds are included in the hospitals with psychiatric unit/beds category.[1] Nonfederal, short-term general hospitals that did not indicate having a psychiatric acute care unit or beds are included in the hospitals without a psychiatric unit/beds category.

Hospitals in both categories can, however, offer the following services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization.

Location: Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1988 AHA Annual Survey of Hospitals magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai.[2] The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Healthcare Organizations
- Residency approved by Accreditation Council for Graduate Medical Education
- Medical School Affiliation reported by American Medical Association
- Hospital-controlled professional nursing school, reported by National League for Nursing
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals

2. Medium Teaching Intensity Hospitals

3. High Teaching Intensity Hospitals

Control: Public/Private Hospitals

A public hospital is a nonfederal, government-operated hospital, e.g., state, county, city, or hospital authority. A private hospital includes both nongovernment not-for-profit and investor-owned (for-profit) facilities.

---

[1] 1988 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

[2] Phillip, P.J., and Hai, Abdul, An Index of Programs for Hospitals, American Hospital Association, Chicago, Illinois, 1976.

APPENDIX C

STATE INCLUSIONS BY REGION

Northeast
Connecticut
Maine
Massachusetts
New Hampshire
New Jersey
New York
Pennsylvania
Rhode Island
Vermont

North Central
Illinois
Indiana
Iowa
Kansas
Michigan
Minnesota
Missouri
Nebraska
North Dakota
Ohio
South Dakota
Wisconsin

South
Alabama
Arkansas
Delaware
District of Columbia
Florida
Georgia
Kentucky
Louisiana
Maryland
Mississippi
North Carolina
Oklahoma
South Carolina
Tennessee
Texas
Virginia
West Virginia

West
Alaska
Arizona
California
Colorado
Hawaii
Idaho
Montana
Nevada
New Mexico
Oregon
Utah
Washington
Wyoming


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South

** Includes Alaska and Hawaii

APPENDIX D

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
	All psychiatric diagnosis codes (Summary Table)	2
290	**Senile and presenile organic psychotic conditions**	
290.0	Senile dementia, uncomplicated	3
290.1	Presenile dementia	4
290.10	Presenile dementia, uncomplicated	4
290.11	Presenile dementia with delirium	4
290.12	Presenile dementia with delusional features	4
290.13	Presenile dementia with depressive features	4
290.2	Senile dementia with delusional or depressive features	5
290.20	Senile dementia with delusional features	5
290.21	Senile dementia with depressive features	5
290.3	Senile dementia with delirium	6
290.4	Arteriosclerotic dementia	7
290.40	Arteriosclerotic dementia, uncomplicated	7
290.41	Arteriosclerotic dementia with delirium	7
290.42	Arteriosclerotic dementia with delusional features	7
290.43	Arteriosclerotic dementia with depressive features	7
290.8	Other specified senile psychotic conditions	8
290.9	Unspecified senile psychotic condition	9
291	**Alcoholic psychoses**	
291.0	Alcohol withdrawal delirium	10
291.1	Alcohol amnestic syndrome	11
291.2	Other alcoholic dementia	12
291.3	Alcohol withdrawal hallucinosis	13
291.4	Idiosyncratic alcohol intoxication	14
291.5	Alcoholic jealousy	15
291.8	Other specified alcoholic psychosis	16
291.9	Unspecified alcoholic psychosis	17
292	**Drug psychoses**	
292.0	Drug withdrawal syndrome	18
292.1	Paranoid and/or hallucinatory states induced by drugs	19
292.11	Drug-induced organic delusional syndrome	19
292.12	Drug-induced hallucinosis	19
292.2	Pathological drug intoxication	20
292.8	Other specified drug-induced mental disorders	21
292.81	Drug-induced delirium	21
292.82	Drug-induced dementia	21
292.83	Drug-induced amnestic syndrome	21
292.84	Drug-induced organic affective syndrome	21
292.89	Other specified drug-induced mental disorders	21
292.9	Unspecified drug-induced mental disorder	22
293	**Transient organic psychotic conditions**	
293.0	Acute delirium	23
293.1	Subacute delirium	24
293.8	Other specified transient organic mental disorders	25
293.81	Organic delusional syndrome	25

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
293.82	Organic hallucinosis syndrome	25
293.83	Organic affective syndrome	25
293.89	Other specified transient organic mental disorders	25
293.9	Unspecified transient organic mental disorder	26
294	**Other organic psychotic conditions (chronic)**	
294.0	Amnestic syndrome	27
294.1	Dementia in conditions classified elsewhere	28
294.8	Other specified organic brain syndromes (chronic)	29
294.9	Unspecified organic brain syndrome (chronic)	30
295	**Schizophrenic disorders**	
	Fifth-digit subclassification for use with 295:	
	0 Unspecified state	
	1 Subchronic state	
	2 Chronic state	
	3 Subchronic state with acute exacerbation	
	4 Chronic state with acute exacerbation	
	5 In remission	
295.0	Simple type schizophrenia	31
295.1	Disorganized type schizophrenia	32
295.2	Catatonic type schizophrenia	33
295.3	Paranoid type schizophrenia	34
295.4	Acute schizophrenic episode	35
295.5	Latent schizophrenia	36
295.6	Residual schizophrenia	37
295.7	Schizo-affective type schizophrenia	38
295.8	Other specified types of schizophrenia	39
295.9	Unspecified schizophrenia	40
296	**Affective psychoses**	
	Fifth-digit subclassification for use with 296.0-296.6:	
	0 Unspecified degree	
	1 Mild degree	
	2 Moderate degree	
	3 Severe degree, without mention of psychotic behavior	
	4 Severe degree, specified as with psychotic behavior	
	5 In partial or unspecified remission	
	6 In full remission	
296.0	Manic disorder, single episode	41
296.1	Manic disorder, recurrent episode	42
296.2	Major depressive disorder, single episode	43
296.3	Major depressive disorder, recurrent episode	44
296.4	Bipolar affective disorder, manic	45
296.5	Bipolar affective disorder, depressed	46
296.6	Bipolar affective disorder, mixed	47
296.7	Bipolar affective disorder, unspecified	48
296.8	Manic-depressive psychosis, other and unspecified	49
296.80	Manic-depressive psychosis, unspecified	49
296.81	Atypical manic disorder	49
296.82	Atypical depressive disorder	49
296.89	Other manic-depressive psychosis	49
296.9	Other and unspecified affective psychoses	50
296.90	Unspecified affective psychosis	50

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
296.99	Other specified affective psychoses	50
297	**Paranoid states**	
297.0	Paranoid state, simple	51
297.1	Paranoia	52
297.2	Paraphrenia	53
297.3	Shared paranoid disorder	54
297.8	Other specified paranoid states	55
297.9	Unspecified paranoid state	56
298	**Other nonorganic psychoses**	
298.0	Depressive type psychosis	57
298.1	Excitative type psychosis	58
298.2	Reactive confusion	59
298.3	Acute paranoid reaction	60
298.4	Psychogenic paranoid psychosis	61
298.8	Other and unspecified reactive psychosis	62
298.9	Unspecified psychosis	63
299	**Psychoses with origin specific to childhood** Fifth-digit subclassification for use with 299: 0 Current or active 1 Residual state	
299.0	Infantile autism	64
299.1	Disintegrative psychosis	65
299.8	Other specified early childhood psychoses	66
299.9	Unspecified childhood psychosis	67
300	**Neurotic disorders**	
300.0	Anxiety states	68
300.00	Anxiety state, unspecified	68
300.01	Panic disorder	68
300.02	Generalized anxiety disorder	68
300.09	Other anxiety states	68
300.1	Hysteria	69
300.10	Hysteria, unspecified	69
300.11	Conversion disorder	69
300.12	Psychogenic amnesia	69
300.13	Psychogenic fugue	69
300.14	Multiple personality	69
300.15	Dissociative disorder or reaction, unspecified	69
300.16	Factitious illness with psychological symptoms	69
300.19	Other and unspecified factitious illness	69
300.2	Phobic disorders	70
300.20	Phobia, unspecified	70
300.21	Agoraphobia with panic attacks	70
300.22	Agoraphobia without mention of panic attacks	70
300.23	Social phobia	70
300.29	Other isolated or simple phobias	70
300.3	Obsessive-compulsive disorders	71
300.4	Neurotic depression	72
300.5	Neurasthenia	73
300.6	Depersonalization syndrome	74
300.7	Hypochondriasis	75

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
300.8	Other neurotic disorders	76
300.81	Somatization disorder	76
300.89	Other neurotic disorders	76
300.9	Unspecified neurotic disorder	77
301	**Personality disorders**	
301.0	Paranoid personality disorder	78
301.1	Affective personality disorder	79
301.10	Affective personality disorder, unspecified	79
301.11	Chronic hypomanic personality disorder	79
301.12	Chronic depressive personality disorder	79
301.13	Cyclothymic disorder	79
301.2	Schizoid personality disorder	80
301.20	Schizoid personality disorder, unspecified	80
301.21	Introverted personality	80
301.22	Schizotypal personality	80
301.3	Explosive personality disorder	81
301.4	Compulsive personality disorder	82
301.5	Histrionic personality disorder	83
301.50	Histrionic personality disorder, unspecified	83
301.51	Chronic factitious illness with physical symptoms	83
301.59	Other histrionic personality disorder	83
301.6	Dependent personality disorder	84
301.7	Antisocial personality disorder	85
301.8	Other personality disorders	86
301.81	Narcissistic personality	86
301.82	Avoidant personality	86
301.83	Borderline personality	86
301.84	Passive-aggressive personality	86
301.89	Other personality disorders	86
301.9	Unspecified personality disorder	87
302	**Sexual deviations and disorders**	
302.2	Pedophilia	88
302.4	Exhibitionism	89
302.5	Trans-sexualism	90
302.50	Trans-sexualism with unspecified sexual history	90
302.51	Trans-sexualism with asexual history	90
302.52	Trans-sexualism with homosexual history	90
302.53	Trans-sexualism with heterosexual history	90
302.6	Disorders of psychosexual identity	91
302.7	Psychosexual dysfunction	92
302.70	Psychosexual dysfunction, unspecified	92
302.71	Psychosexual dysfunction with inhibited sexual desire	92
302.72	Psychosexual dysfunction with inhibited sexual excitement	92
302.73	Psychosexual dysfunction with inhibited female orgasm	92
302.74	Psychosexual dysfunction with inhibited male orgasm	92
302.75	Psychosexual dysfunction with premature ejaculation	92
302.76	Psychosexual dysfunction with functional dyspareunia	92
302.79	Psychosexual dysfunction with other specified psychosexual dysfunctions	92
302.8	Other specified psychosexual disorders	93
302.81	Fetishism	93
302.82	Voyeurism	93
302.83	Sexual masochism	93

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
302.84	Sexual sadism	93
302.85	Gender identity disorder of adolescent or adult life	93
302.89	Other specified psychosexual disorders	93
302.9	Unspecified psychosexual disorder	94
303	**Alcohol dependence syndrome**	
	Fifth-digit subclassification for use with 303:	
	0 Unspecified	
	1 Continuous	
	2 Episodic	
	3 In remission	
303.0	Acute alcoholic intoxication	95
303.9	Other and unspecified alcohol dependence	96
304	**Drug dependence**	
	Fifth-digit subclassification for use with 304:	
	0 Unspecified	
	1 Continuous	
	2 Episodic	
	3 In remission	
304.0	Opioid type dependence	97
304.1	Barbiturate and similarly acting sedative or hypnotic dependence	98
304.2	Cocaine dependence	99
304.3	Cannabis dependence	100
304.4	Amphetamine and other psychostimulant dependence	101
304.5	Hallucinogen dependence	102
304.6	Other specified drug dependence	103
304.7	Combinations of opioid type drug with any other drug dependence	104
304.8	Combinations of drug dependence excluding opioid type drug	105
304.9	Unspecified drug dependence	106
305	**Nondependent abuse of drugs**	
	Fifth-digit subclassification for use with 305:	
	0 Unspecified	
	1 Continuous	
	2 Episodic	
	3 In remission	
305.0	Alcohol abuse	107
305.1	Tobacco use disorder	108
305.2	Cannabis abuse	109
305.3	Hallucinogen abuse	110
305.4	Barbiturate and similarly acting sedative or hypnotic abuse	111
305.5	Opioid abuse	112
305.6	Cocaine abuse	113
305.7	Amphetamine or related acting sympathomimetic abuse	114
305.8	Antidepressant type abuse	115
305.9	Other, mixed, or unspecified drug abuse	116
306	**Physiological malfunction arising from mental factors**	
306.0	Musculoskeletal malfunction arising from mental factors	117
306.1	Respiratory malfunction arising from mental factors	118
306.2	Cardiovascular malfunction arising from mental factors	119
306.3	Skin disorder arising from mental factors	120
306.4	Gastrointestinal malfunction arising from mental factors	121

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
306.5	Genitourinary malfunction arising from mental factors	122
306.50	Psychogenic genitourinary malfunction, unspecified	122
306.51	Psychogenic vaginismus	122
306.52	Psychogenic dysmenorrhea	122
306.53	Psychogenic dysuria	122
306.59	Other genitourinary malfunction arising from mental factors	122
306.6	Endocrine disorder arising from mental factors	123
306.7	Disorder of organs of special sense arising from mental factors	124
306.8	Other specified psychophysiological malfunction	125
306.9	Unspecified psychophysiological malfunction	126
307	**Special symptoms or syndromes, not elsewhere classified**	
307.0	Stammering and stuttering	127
307.1	Anorexia nervosa	128
307.2	Tics	129
307.20	Tic disorder, unspecified	129
307.21	Transient tic disorder of childhood	129
307.22	Chronic motor tic disorder	129
307.23	Gilles de la Tourette's disorder	129
307.3	Stereotyped repetitive movements	130
307.4	Specific disorders of sleep of nonorganic origin	131
307.40	Nonorganic sleep disorder, unspecified	131
307.41	Transient disorder of initiating or maintaining sleep	131
307.42	Persistent disorder of initiating or maintaining sleep	131
307.43	Transient disorder of initiating or maintaining wakefulness	131
307.44	Persistent disorder of initiating or maintaining wakefulness	131
307.45	Phase-shift disruption of 24-hour sleep-wake cycle	131
307.46	Somnambulism or night terrors	131
307.47	Other dysfunctions of sleep stages or arousal from sleep	131
307.48	Repetitive intrusions of sleep	131
307.49	Other specific disorders of sleep of nonorganic origin	131
307.5	Other and unspecified disorders of eating	132
307.50	Eating disorder, unspecified	132
307.51	Bulimia	132
307.52	Pica	132
307.53	Psychogenic rumination	132
307.54	Psychogenic vomiting	132
307.59	Other disorders of eating	132
307.6	Enuresis	133
307.7	Encopresis	134
307.8	Psychalgia	135
307.80	Psychogenic pain, site unspecified	135
307.81	Tension headache	135
307.89	Other psychalgia	135
307.9	Other and unspecified special symptoms or syndromes, not elsewhere classified	136
308	**Acute reaction to stress**	
308.0	Predominant disturbance of emotions	137
308.1	Predominant disturbance of consciousness	138
308.2	Predominant psychomotor disturbance	139
308.3	Other acute reactions to stress	140
308.4	Mixed disorders as reaction to stress	141
308.9	Unspecified acute reaction to stress	142

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
309	**Adjustment reaction**	
309.0	Adjustment reaction with brief depressive reaction	143
309.1	Adjustment reaction with prolonged depressive reaction	144
309.2	Adjustment reaction with predominant disturbance of other emotions	145
309.21	Separation anxiety disorder	145
309.22	Emancipation disorder of adolescence and early adult life	145
309.23	Specific academic or work inhibition	145
309.24	Adjustment reaction with anxious mood	145
309.28	Adjustment reaction with mixed emotional features	145
309.29	Other adjustment reactions with predominant disturbance of other emotions	145
309.3	Adjustment reaction with predominant disturbance of conduct	146
309.4	Adjustment reaction with mixed disturbance of emotions and conduct	147
309.8	Other specified adjustment reactions	148
309.81	Prolonged posttraumatic stress disorder	148
309.82	Adjustment reaction with physical symptoms	148
309.83	Adjustment reaction with withdrawal	148
309.89	Other specified adjustment reactions	148
309.9	Unspecified adjustment reaction	149
310	**Specific nonpsychotic mental disorders due to organic brain damage**	
310.0	Frontal lobe syndrome	150
310.1	Organic personality syndrome	151
310.2	Postconcussion syndrome	152
310.8	Other specified nonpsychotic mental disorders following organic brain damage	153
310.9	Unspecified nonpsychotic mental disorder following organic brain damage	154
311	**Depressive disorder, not elsewhere classified**	155
312	**Disturbance of conduct, not elsewhere classified** Fifth-digit subclassification for use with 312.0-312.2: 0 Unspecified degree 1 Mild degree 2 Moderate degree 3 Severe degree	
312.0	Undersocialized conduct disorder, aggressive type	156
312.1	Undersocialized conduct disorder, unaggressive type	157
312.2	Socialized conduct disorder	158
312.3	Disorders of impulse control, not elsewhere classified	159
312.30	Impulse control disorder, unspecified	159
312.31	Pathological gambling	159
312.32	Kleptomania	159
312.33	Pyromania	159
312.34	Intermittent explosive disorder	159
312.35	Isolated explosive disorder	159
312.39	Other disorders of impulse control	159
312.4	Mixed disturbance of conduct and emotions	160
312.8	Other specified disturbances of conduct, not elsewhere classified	161
312.9	Unspecified disturbance of conduct	162
313	**Disturbance of emotions specific to childhood and adolescence**	
313.0	Overanxious disorder specific to childhood and adolescence	163
313.1	Misery and unhappiness disorder specific to childhood and adolescence	164

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
313.2	Sensitivity, shyness, and social withdrawal disorder specific to childhood and adolescence	165
313.21	Shyness disorder of childhood	165
313.22	Introverted disorder of childhood	165
313.23	Elective mutism specific to childhood and adolescence	165
313.3	Relationship problems specific to childhood and adolescence	166
313.8	Other or mixed emotional disturbances of childhood or adolescence	167
313.81	Oppositional disorder of childhood or adolescence	167
313.82	Identity disorder of childhood or adolescence	167
313.83	Academic underachievement disorder of childhood or adolescence	167
313.89	Other emotional disturbances of childhood or adolescence	167
313.9	Unspecified emotional disturbance of childhood or adolescence	168
314	**Hyperkinetic syndrome of childhood**	
314.0	Attention deficit disorder of childhood	169
314.00	Attention deficit disorder of childhood without mention of hyperactivity	169
314.01	Attention deficit disorder of childhood with hyperactivity	169
314.2	Hyperkinetic conduct disorder of childhood	170
314.8	Other specified manifestations of hyperkinetic syndrome of childhood	171
314.9	Unspecified hyperkinetic syndrome of childhood	172

APPENDIX E

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Academic underachievement disorder of childhood or adolescence	313.83	167
Acute alcoholic intoxication	303.0	95
Acute delirium	293.0	23
Acute paranoid reaction	298.3	60
Acute reaction to stress	308.0-308.9	137-142
Acute schizophrenic episode	295.4	35
Adjustment reaction	309.0-309.9	143-149
Adjustment reaction with anxious mood	309.24	145
Adjustment reaction with brief depressive reaction	309.0	143
Adjustment reaction with mixed emotional features	309.28	145
Adjustment reaction with mixed disturbance of emotions and conduct	309.4	147
Adjustment reaction with physical symptoms	309.82	148
Adjustment reaction with predominant disturbance of other emotions	309.2	145
Adjustment reaction with predominant disturbance of conduct	309.3	146
Adjustment reaction with prolonged depressive reaction	309.1	144
Adjustment reaction with withdrawal	309.83	148
Affective personality disorder	301.1	79
Affective personality disorder, unspecified	301.10	79
Affective psychoses	296.0-296.9	41-50
Fifth-digit subclassification for use with 296.0-296.6:		
0 Unspecified degree		
1 Mild degree		
2 Moderate degree		
3 Severe degree, without mention of psychotic behavior		
4 Severe degree, specified as with psychotic behavior		
5 In partial or unspecified remission		
6 In full remission		
Agoraphobia with panic attacks	300.21	70
Agoraphobia without mention of panic attacks	300.22	70
Alcohol abuse	305.0	107
Alcohol amnestic syndrome	291.1	11
Alcohol dependence syndrome	303.0-303.9	95-96
Fifth-digit subclassification for use with 303:		
0 Unspecified		
1 Continuous		
2 Episodic		
3 In remission		
Alcohol withdrawal delirium	291.0	10
Alcohol withdrawal hallucinosis	291.3	13
Alcoholic jealousy	291.5	15
Alcoholic psychoses	291.0-291.9	10-17
Amnestic syndrome	294.0	27
Amphetamine and other psychostimulant dependence	304.4	101
Amphetamine or related acting sympathomimetic abuse	305.7	114
Anorexia nervosa	307.1	128
Antidepressant type abuse	305.8	115
Antisocial personality disorder	301.7	85
Anxiety state, unspecified	300.00	68
Anxiety states	300.0	68

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Arteriosclerotic dementia	290.4	7
Arteriosclerotic dementia with delirium	290.41	7
Arteriosclerotic dementia with delusional features	290.42	7
Arteriosclerotic dementia with depressive features	290.43	7
Arteriosclerotic dementia, uncomplicated	290.40	7
Attention deficit disorder of childhood	314.0	169
Attention deficit disorder of childhood without mention of hyperactivity	314.00	169
Attention deficit disorder of childhood with hyperactivity	314.01	169
Atypical depressive disorder	296.82	49
Atypical manic disorder	296.81	49
Avoidant personality	301.82	86
Barbiturate and similarly acting sedative or hypnotic dependence	304.1	98
Barbiturate and similarly acting sedative or hypnotic abuse	305.4	111
Bipolar affective disorder, depressed	296.5	46
Bipolar affective disorder, manic	296.4	45
Bipolar affective disorder, mixed	296.6	47
Bipolar affective disorder, unspecified	296.7	48
Borderline personality	301.83	86
Bulimia	307.51	132
Cannabis abuse	305.2	109
Cannabis dependence	304.3	100
Cardiovascular malfunction arising from mental factors	306.2	119
Catatonic type schizophrenia	295.2	33
Chronic depressive personality disorder	301.12	79
Chronic factitious illness with physical symptoms	301.51	83
Chronic hypomanic personality disorder	301.11	79
Chronic motor tic disorder	307.22	129
Cocaine abuse	305.6	113
Cocaine dependence	304.2	99
Combinations of drug dependence excluding opioid type drug	304.8	105
Combinations of opioid type drug with any other drug dependence	304.7	104
Compulsive personality disorder	301.4	82
Conversion disorder	300.11	69
Cyclothymic disorder	301.13	79
Dementia in conditions classified elsewhere	294.1	28
Dependent personality disorder	301.6	84
Depersonalization syndrome	300.6	74
Depressive disorder, not elsewhere classified	311	155
Depressive type psychosis	298.0	57
Disintegrative psychosis	299.1	65
Disorder of organs of special sense arising from mental factors	306.7	124
Disorders of impulse control, not elsewhere classified	312.3	159
Disorders of psychosexual identity	302.6	91
Disorganized type schizophrenia	295.1	32
Dissociative disorder or reaction, unspecified	300.15	69

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Disturbance of conduct, not elsewhere classified	312.0-312.9	156-162
Fifth-digit subclassification for use with 312.0-312.2:		
0 Unspecified degree		
1 Mild degree		
2 Moderate degree		
3 Severe degree		
Disturbance of emotions specific to childhood and adolescence	313.0-313.9	163-168
Drug dependence	304.0-304.9	97-106
Fifth-digit subclassification for use with 304:		
0 Unspecified		
1 Continuous		
2 Episodic		
3 In remission		
Drug psychoses	292.0-292.9	18-22
Drug withdrawal syndrome	292.0	18
Drug-induced amnestic syndrome	292.83	21
Drug-induced delirium	292.81	21
Drug-induced dementia	292.82	21
Drug-induced hallucinosis	292.12	19
Drug-induced organic affective syndrome	292.84	21
Drug-induced organic delusional syndrome	292.11	19
Eating disorder, unspecified	307.50	132
Elective mutism specific to childhood and adolescence	313.23	165
Emancipation disorder of adolescence and early adult life	309.22	145
Encopresis	307.7	134
Endocrine disorder arising from mental factors	306.6	123
Enuresis	307.6	133
Excitative type psychosis	298.1	58
Exhibitionism	302.4	89
Explosive personality disorder	301.3	81
Factitious illness with psychological symptoms	300.16	69
Fetishism	302.81	93
Frontal lobe syndrome	310.0	150
Gastrointestinal malfunction arising from mental factors	306.4	121
Gender identity disorder of adolescent or adult life	302.85	93
Generalized anxiety disorder	300.02	68
Genitourinary malfunction arising from mental factors	306.5	122
Gilles de la Tourette's disorder	307.23	129
Hallucinogen abuse	305.3	110
Hallucinogen dependence	304.5	102
Histrionic personality disorder	301.5	83
Histrionic personality disorder, unspecified	301.50	83
Hyperkinetic conduct disorder of childhood	314.2	170
Hyperkinetic syndrome of childhood	314.0-314.9	169-172
Hypochondriasis	300.7	75
Hysteria	300.1	69
Hysteria, unspecified	300.10	69
Identity disorder of childhood or adolescence	313.82	167
Idiosyncratic alcohol intoxication	291.4	14

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Impulse control disorder, unspecified	312.30	159
Infantile autism	299.0	64
Intermittent explosive disorder	312.34	159
Introverted disorder of childhood	313.22	165
Introverted personality	301.21	80
Isolated explosive disorder	312.35	159
Kleptomania	312.32	159
Latent schizophrenia	295.5	36
Major depressive disorder, recurrent episode	296.3	44
Major depressive disorder, single episode	296.2	43
Manic disorder, recurrent episode	296.1	42
Manic disorder, single episode	296.0	41
Manic-depressive psychosis, other and unspecified	296.8	49
Manic-depressive psychosis, unspecified	296.80	49
Misery and unhappiness disorder specific to childhood and adolescence	313.1	164
Mixed disorders as reaction to stress	308.4	141
Mixed disturbance of conduct and emotions	312.4	160
Multiple personality	300.14	69
Musculoskeletal malfunction arising from mental factors	306.0	117
Narcissistic personality	301.81	86
Neurasthenia	300.5	73
Neurotic depression	300.4	72
Neurotic disorders	300.0-300.9	68-77
Nondependent abuse of drugs	305.0-305.9	107-116
Fifth-digit subclassification for use with 305:		
0 Unspecified		
1 Continuous		
2 Episodic		
3 In remission		
Nonorganic sleep disorder, unspecified	307.40	131
Obsessive-compulsive disorders	300.3	71
Opioid abuse	305.5	112
Opioid type dependence	304.0	97
Oppositional disorder of childhood or adolescence	313.81	167
Organic affective syndrome	293.83	25
Organic delusional syndrome	293.81	25
Organic hallucinosis syndrome	293.82	25
Organic personality syndrome	310.1	151
Other acute reactions to stress	308.3	140
Other adjustment reactions with predominant disturbance of other emotions	309.29	145
Other alcoholic dementia	291.2	12
Other and unspecified affective psychoses	296.9	50
Other and unspecified alcohol dependence	303.9	96
Other and unspecified disorders of eating	307.5	132
Other and unspecified factitious illness	300.19	69
Other and unspecified reactive psychosis	298.8	62
Other and unspecified special symptoms or syndromes, not elsewhere classified	307.9	136

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Other anxiety states	300.09	68
Other disorders of eating	307.59	132
Other disorders of impulse control	312.39	159
Other dysfunctions of sleep stages or arousal from sleep	307.47	131
Other emotional disturbances of childhood or adolescence	313.89	167
Other genitourinary malfunction arising from mental factors	306.59	122
Other histrionic personality disorder	301.59	83
Other isolated or simple phobias	300.29	70
Other manic-depressive psychosis	296.89	49
Other neurotic disorders	300.8	76
Other neurotic disorders	300.89	76
Other nonorganic psychoses	298.0-298.9	57-63
Other or mixed emotional disturbances of childhood or adolescence	313.8	167
Other organic psychotic conditions (chronic)	294.0-294.9	27-30
Other personality disorders	301.8	86
Other personality disorders	301.89	86
Other psychalgia	307.89	135
Other specific disorders of sleep of nonorganic origin	307.49	131
Other specified adjustment reactions	309.8	148
Other specified adjustment reactions	309.89	148
Other specified affective psychoses	296.99	50
Other specified alcoholic psychosis	291.8	16
Other specified disturbances of conduct, not elsewhere classified	312.8	161
Other specified drug dependence	304.6	103
Other specified drug-induced mental disorders	292.8	21
Other specified drug-induced mental disorders	292.89	21
Other specified early childhood psychoses	299.8	66
Other specified manifestations of hyperkinetic syndrome of childhood	314.8	171
Other specified nonpsychotic mental disorders following organic brain damage	310.8	153
Other specified organic brain syndromes (chronic)	294.8	29
Other specified paranoid states	297.8	55
Other specified psychophysiological malfunction	306.8	125
Other specified psychosexual disorders	302.8	93
Other specified psychosexual disorders	302.89	93
Other specified senile psychotic conditions	290.8	8
Other specified transient organic mental disorders	293.8	25
Other specified transient organic mental disorders	293.89	25
Other specified types of schizophrenia	295.8	39
Other, mixed, or unspecified drug abuse	305.9	116
Overanxious disorder specific to childhood and adolescence	313.0	163
Panic disorder	300.01	68
Paranoia	297.1	52
Paranoid and/or hallucinatory states induced by drugs	292.1	19
Paranoid personality disorder	301.0	78
Paranoid state, simple	297.0	51
Paranoid states	297.0-297.9	51-56
Paranoid type schizophrenia	295.3	34
Paraphrenia	297.2	53
Passive-aggressive personality	301.84	86
Pathological drug intoxication	292.2	20
Pathological gambling	312.31	159

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Pedophilia	302.2	88
Persistent disorder of initiating or maintaining sleep	307.42	131
Persistent disorder of initiating or maintaining wakefulness	307.44	131
Personality disorders	301.0-301.9	78-87
Phase-shift disruption of 24-hour sleep-wake cycle	307.45	131
Phobia, unspecified	300.20	70
Phobic disorders	300.2	70
Physiological malfunction arising from mental factors	306.0-306.9	117-126
Pica	307.52	132
Postconcussion syndrome	310.2	152
Predominant disturbance of consciousness	308.1	138
Predominant disturbance of emotions	308.0	137
Predominant psychomotor disturbance	308.2	139
Presenile dementia	290.1	4
Presenile dementia with delirium	290.11	4
Presenile dementia with delusional features	290.12	4
Presenile dementia with depressive features	290.13	4
Presenile dementia, uncomplicated	290.10	4
Prolonged posttraumatic stress disorder	309.81	148
Psychalgia	307.8	135
Psychogenic amnesia	300.12	69
Psychogenic dysmenorrhea	306.52	122
Psychogenic dysuria	306.53	122
Psychogenic fugue	300.13	69
Psychogenic genitourinary malfunction, unspecified	306.50	122
Psychogenic pain, site unspecified	307.80	135
Psychogenic paranoid psychosis	298.4	61
Psychogenic rumination	307.53	132
Psychogenic vaginismus	306.51	122
Psychogenic vomiting	307.54	132
Psychoses with origin specific to childhood	299.0-299.9	64-67
Fifth-digit subclassification for use with 299:		
0 Current or active		
1 Residual state		
Psychosexual dysfunction	302.7	92
Psychosexual dysfunction with inhibited sexual desire	302.71	92
Psychosexual dysfunction with inhibited sexual excitement	302.72	92
Psychosexual dysfunction with inhibited female orgasm	302.73	92
Psychosexual dysfunction with inhibited male orgasm	302.74	92
Psychosexual dysfunction with premature ejaculation	302.75	92
Psychosexual dysfunction with functional dyspareunia	302.76	92
Psychosexual dysfunction with other specified psychosexual dysfunctions	302.79	92
Psychosexual dysfunction, unspecified	302.70	92
Pyromania	312.33	159
Reactive confusion	298.2	59
Relationship problems specific to childhood and adolescence	313.3	166
Repetitive intrusions of sleep	307.48	131
Residual schizophrenia	295.6	37
Respiratory malfunction arising from mental factors	306.1	118
Schizo-affective type schizophrenia	295.7	38
Schizoid personality disorder	301.2	80
Schizoid personality disorder, unspecified	301.20	80

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Schizophrenic disorders	295.0-295.9	31-40
Fifth-digit subclassification for use with 295:		
0 Unspecified state		
1 Subchronic state		
2 Chronic state		
3 Subchronic state with acute exacerbation		
4 Chronic state with acute exacerbation		
5 In remission		
Schizotypal personality	301.22	80
Senile and presenile organic psychotic conditions	290.0-290.9	3-9
Senile dementia with delirium	290.3	6
Senile dementia with delusional or depressive features	290.2	5
Senile dementia with delusional features	290.20	5
Senile dementia with depressive features	290.21	5
Senile dementia, uncomplicated	290.0	3
Sensitivity, shyness, and social withdrawal disorder specific to childhood and adolescence	313.2	165
Separation anxiety disorder	309.21	145
Sexual deviations and disorders	302.2-302.9	88-94
Sexual masochism	302.83	93
Sexual sadism	302.84	93
Shared paranoid disorder	297.3	54
Shyness disorder of childhood	313.21	165
Simple type schizophrenia	295.0	31
Skin disorder arising from mental factors	306.3	120
Social phobia	300.23	70
Socialized conduct disorder	312.2	158
Somatization disorder	300.81	76
Somnambulism or night terrors	307.46	131
Special symptoms or syndromes, not elsewhere classified	307.0-307.9	127-136
Specific academic or work inhibition	309.23	145
Specific disorders of sleep of nonorganic origin	307.4	131
Specific nonpsychotic mental disorders due to organic brain damage	310.0-310.9	150-154
Stammering and stuttering	307.0	127
Stereotyped repetitive movements	307.3	130
Subacute delirium	293.1	24
Tension headache	307.81	135
Tic disorder, unspecified	307.20	129
Tics	307.2	129
Tobacco use disorder	305.1	108
Trans-sexualism	302.5	90
Trans-sexualism with asexual history	302.51	90
Trans-sexualism with heterosexual history	302.53	90
Trans-sexualism with homosexual history	302.52	90
Trans-sexualism with unspecified sexual history	302.50	90
Transient disorder of initiating or maintaining sleep	307.41	131
Transient disorder of initiating or maintaining wakefulness	307.43	131
Transient organic psychotic conditions	293.0-293.9	23-26
Transient tic disorder of childhood	307.21	129
Undersocialized conduct disorder, aggressive type	312.0	156
Undersocialized conduct disorder, unaggressive type	312.1	157
Unspecified acute reaction to stress	308.9	142

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Unspecified adjustment reaction	309.9	149
Unspecified affective psychosis	296.90	50
Unspecified alcoholic psychosis	291.9	17
Unspecified childhood psychosis	299.9	67
Unspecified disturbance of conduct	312.9	162
Unspecified drug dependence	304.9	106
Unspecified drug-induced mental disorder	292.9	22
Unspecified emotional disturbance of childhood or adolescence	313.9	168
Unspecified hyperkinetic syndrome of childhood	314.9	172
Unspecified neurotic disorder	300.9	77
Unspecified nonpsychotic mental disorder following organic brain damage	310.9	154
Unspecified organic brain syndrome (chronic)	294.9	30
Unspecified paranoid state	297.9	56
Unspecified personality disorder	301.9	87
Unspecified psychophysiological malfunction	306.9	126
Unspecified psychosexual disorder	302.9	94
Unspecified psychosis	298.9	63
Unspecified schizophrenia	295.9	40
Unspecified senile psychotic condition	290.9	9
Unspecified transient organic mental disorder	293.9	26
Voyeurism	302.82	93

APPENDIX F

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

This is a crosswalk or translation from *DSM-III-R* to *ICD-9-CM*.[1] It was developed in response to a need expressed by medical records administrators for a standardized means by which to translate the codes and rubrics of *DSM-III-R* (widely used by clinicians) to *ICD-9-CM* (which is often used for medical record coding, insurance reporting, and reporting to Federal Agencies). This crosswalk has been specifically developed to facilitate such coding and is not intended for research purposes. A thorough code-by-code discussion of present psychiatric nosology, to be used for research purposes, has been prepared by the American Psychiatric Association and is available through the APA Office of Research.

INSTRUCTIONS FOR USING THE CROSSWALK

DSM-III-R codes are listed in numerical order in the left hand column, followed from left to right by the *ICD-9-CM* code and the combined *DSM-III-R/ICD-9-CM* narrative. In order to find the *ICD-9-CM* code which corresponds to a *DSM-III-R* code, go directly across the page. Words in all capital letters are from the titles of aggregate code groups, added to clarify incomplete titles such as "other." Except in rare instances, discussed in the footnotes, the *ICD-9-CM* and *DSM-III-R* narrative terms are equivalent.

This is only a *DSM-III-R* to *ICD-9-CM* crosswalk. It is not an *ICD-9-CM* to *DSM-III-R* crosswalk and should not be used as such.

Nonsubstantive zeros in *DSM-III-R* which are not found in *ICD-9-CM* are highlighted in this crosswalk by an underscore (e.g., 316.00). These have no "content" and do not affect the crosswalk.

DSM-III-R contains only codes which are found in *ICD-9-CM*; *ICD-9-CM* is the more inclusive system. However, since one of its primary purposes is to serve as a complete list of medical terms to assist in the coding of medical records, there are many codes and rubrics in *ICD-9-CM* which are not found in *DSM-III-R*. When a term is encountered in a medical record which is found in *ICD-9-CM*, but not in *DSM-III-R*, the coder should be guided by *ICD-9-CM*.

See Footnote One (following the Crosswalk) for general notes about the crosswalk.

---

[1] Developed by J. Thompson and H.A. Pincus, Office of Research, American Psychiatric Association.

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
290.00	290.0	Senile [onset] dementia [primary degenerative] [of the Alzheimer type], uncomplicated [senile dementia, not otherwise specified]	2, 3
290.10	290.10	Presenile [onset] dementia [primary degenerative] [of the Alzheimer type], uncomplicated [presenile dementia, not otherwise specified]	2, 3
		Presenile [onset] dementia [primary degenerative] [of the Alzheimer type],	2
290.11	290.11	with delirium	
290.12	290.12	with delusional features [delusions]	
290.13	290.13	with depressive features [depression]	
		Senile [onset] dementia [primary degenerative] [of the Alzheimer type],	2
290.20	290.20	with delusional features [delusions]	
290.21	290.21	with depressive features [depression]	
290.30	290.3	with delirium	
		Arteriosclerotic [multi-infarct] dementia,	
290.40	290.40	uncomplicated	3
290.41	290.41	with delirium	3
290.42	290.42	with delusional features [delusions]	3
290.43	290.43	with depressive features [depression]	3
291.00	291.0	Alcohol withdrawal delirium	
291.10	291.1	Alcohol amnestic syndrome	
291.20	291.2	Other alcoholic dementia [associated with alcoholism]	
291.30	291.3	Alcohol withdrawal hallucinosis	3
291.40	291.4	Idiosyncratic alcohol intoxication	
291.80	291.8	Other specified alcohol psychosis [uncomplicated alcohol withdrawal]	3
292.00	292.0	Drug [amphetamine or similarly acting sympathomimetic] [cocaine] [nicotine] [opioid] [sedative, hypnotic, or anxiolytic delirium] [uncomplicated sedative, hypnotic, or anxiolytic] [other or unspecified psychoactive substance] withdrawal syndrome	4
292.11	292.11	Drug-induced [amphetamine or similarly acting sympathomimetic] [cannabis] [cocaine] [hallucinogen] [phencyclidine (PCP) or similarly acting arylcyclohexylamine] [other or unspecified substance] organic delusional syndrome [disorder]	5, 6
292.12	292.12	Drug-induced [other or unspecified psychoactive substance] hallucinosis	
292.81	292.81	OTHER SPECIFIED drug-induced [amphetamine or similarly acting sympathomimetic] [cocaine] [other or unspecified psychoactive substance] [phencyclidine (PCP) or similarly acting arylcyclohexylamine] delirium	
292.82	292.82	OTHER SPECIFIED drug-induced [other or unspecified psychoactive substance] dementia	8

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
292.83	292.83	OTHER SPECIFIED drug-induced [sedative, hypnotic, or anxiolytic] [other or unspecified psychoactive substance] amnestic disorder	8
292.84	292.84	OTHER SPECIFIED drug-induced [hallucinogen] [phencyclidine (PCP) or similarly acting arylcyclohexylamine] [other or unspecified psychoactive substance] organic affective [mood] syndrome [disorder]	6, 8, 9
292.89	292.89	Other specified drug-induced [other or unspecified [psychoactive] substance] organic mental [anxiety] [personality] disorder [posthallucinogen perception disorder]	3, 8, 10
292.90	292.9	Unspecified drug-induced [phencyclidine (PCP) or similarly acting arylcyclohexylamine] [other or unspecified psychoactive substance] organic mental disorder [not otherwise specified]	7, 11
293.00	293.0	Acute delirium [etiology noted on Axis III or is unknown]	12
293.81	293.81	Organic delusional syndrome [disorder]	
293.82	293.82	Organic hallucinosis syndrome	
293.83	293.83	Organic affective syndrome [mood disorder]	
294.00	294.0	Amnestic syndrome [disorder]	
294.10	294.1	Dementia in conditions classified elsewhere	
294.80	294.8	Other specified organic brain syndrome (chronic) [organic anxiety disorder]	13
294.80	294.9	Other specified organic brain syndrome (chronic) [organic mental disorder not otherwise specified]	14
		Schizophrenic disorder [schizophrenia], disorganized type,	
295.10	295.10	unspecified	
295.11	295.11	subchronic	
295.12	295.12	chronic	
295.13	295.13	subchronic with acute exacerbation	
295.14	295.14	chronic with acute exacerbation	
295.15	295.15	in remission	15
		Schizophrenic disorder [schizophrenia], catatonic type,	
295.20	295.20	unspecified	
295.21	295.21	subchronic	
295.22	295.22	chronic	
295.23	295.23	subchronic with acute exacerbation	
295.24	295.24	chronic with acute exacerbation	
295.25	295.25	in remission	15

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R **Code**	***ICD-9-CM*** **Code**	**Narrative** *ICD-9-CM*, **plus [*DSM-III-R*]**	**Footnotes**
		Schizophrenic disorder [schizophrenia], paranoid type,	
295.30	295.30	unspecified	
295.31	295.31	subchronic	
295.32	295.32	chronic	
295.33	295.33	subchronic with acute exacerbation	
295.34	295.34	chronic with acute exacerbation	
295.35	295.35	in remission	15
295.40	295.40	Acute schizophrenic episode, unspecified [schizophreniform disorder]	3
		Residual schizophrenia [schizophrenic disorder] [schizophrenia],	16
295.60	295.60	unspecified	
295.61	295.61	subchronic	
295.62	295.62	chronic	
295.70	295.70	Schizophrenic disorder, schizo-affective type, unspecified [schizoaffective disorder]	17
		Unspecified schizophrenia [schizophrenic disorder, undifferentiated type],	3, 18
295.90	295.90	unspecified	15
295.91	295.91	subchronic	
295.92	295.92	chronic	
295.93	295.93	subchronic with acute exacerbation	
295.94	295.94	chronic with acute exacerbation	
295.95	295.95	in remission	19
		Major depressive disorder [depression], single episode	
296.20	296.20	unspecified	
296.21	296.21	mild	
296.22	296.22	moderate	
296.23	296.23	severe, without mention of psychotic behavior [features]	
296.24	296.24	severe, specified as with psychotic behavior [features]	
296.25	296.25	in partial remission	
296.26	296.26	in full remission	
		Major depressive disorder [depression], recurrent	20
296.30	296.30	unspecified	
296.31	296.31	mild	
296.32	296.32	moderate	
296.33	296.33	severe, without mention of psychotic behavior [features]	
296.34	296.34	severe, specified as with psychotic behavior [features]	
296.35	296.35	in partial remission	
296.36	296.36	in full remission	
		Bipolar affective disorder, manic,	20
296.40	296.40	unspecified	
296.41	296.41	mild	
296.42	296.42	moderate	
296.43	296.43	severe, without mention of psychotic behavior [features]	
296.44	296.44	severe, specified as with psychotic behavior [features]	
296.45	296.45	in partial remission	

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
		Bipolar affective disorder, manic,	20
296.46	296.46	in full remission	
		Bipolar affective disorder, depressed,	20
296.50	296.50	unspecified	
296.51	296.51	mild	
296.52	296.52	moderate	
296.53	296.53	severe, without mention of psychotic behavior [features]	
296.54	296.54	severe, specified as with psychotic behavior [features]	
296.55	296.55	in partial remission	
296.56	296.56	in full remission	
		Bipolar affective disorder, mixed,	20
296.60	296.60	unspecified	
296.61	296.61	mild	
296.62	296.62	moderate	
296.63	296.63	severe, without mention of psychotic behavior [features]	
296.64	296.64	severe, specified as with psychotic behavior [features]	
296.65	296.65	in partial remission	
296.66	296.66	in full remission	
296.70	296.7	Bipolar affective disorder, unspecified [not otherwise specified]	
297.10	297.1	Paranoia [delusional disorder]	21
297.30	297.3	Shared paranoid disorder [included psychotic disorder]	22
298.80	298.8	Other and unspecified [brief] reactive psychosis	3
298.90	298.9	Unspecified psychosis [psychotic disorder not otherwise specified]	3
299.00	299.00	Infantile autism, current or active state [autistic disorder]	
299.80	299.80	Other specified early childhood psychoses current or active state [pervasive developmental disorder, not otherwise specified]	3
300.00	300.00	Anxiety state [disorder], unspecified [not otherwise specified]	
300.01	300.01	Panic disorder [without agoraphobia]	23
300.02	300.02	Generalized anxiety disorder	
300.11	300.11	Conversion disorder [or hysterical neurosis, conversion type]	
300.12	300.12	Psychogenic amnesia	
300.13	300.13	Psychogenic fugue	
300.14	300.14	Multiple personality [disorder]	
300.15	300.15	Dissociative disorder or reaction, unspecified [not otherwise specified]	
300.16	300.16	Factitious illness [disorder] with psychological symptoms	
300.19	300.19	Other and unspecified factitious illness [disorder, with physical symptoms [not otherwise specified]	3
300.21	300.21	Agoraphobia with panic attacks [panic disorder, with agoraphobia]	24, 25
300.22	300.22	Agoraphobia without [without history of panic disorder] mention of panic attacks	25
300.23	300.23	Social phobia	
300.29	300.29	Other isolated or simple phobias	
300.30	300.3	Obsessive-compulsive disorder [obsessive compulsive neurosis]	

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
300.40	300.4	Neurotic depression [dysthymic disorder or depressive neurosis]	
300.60	300.6	Depersonalization syndrome [disorder] [or depersonalization neurosis]	
300.70	300.7	Hypochondriasis neurotic disorder [body dysmorphic disorder] [somatoform disorder, not otherwise specified] [undifferentiated somatoform disorder]	3, 26, 27
300.81	300.81	Somatization disorder	
300.90	300.9	Unspecified neurotic [mental] disorder [nonpsychotic]	28
301.00	301.0	Paranoid personality disorder	
301.13	301.13	Cyclothymic disorder [cyclothymia]	
301.20	301.20	Schizoid personality disorder, unspecified	
301.22	301.22	Schizotypal personality [disorder]	
301.40	301.4	[Obsessive] compulsive personality disorder	
301.50	301.50	Histrionic personality disorder, unspecified	
301.51	301.51	Chronic factitious illness [disorder] with physical symptoms	
301.60	301.6	Dependent personality disorder	
301.70	301.7	Antisocial personality disorder	
301.81	301.81	Narcissistic personality [disorder]	
301.82	301.82	Avoidant personality [disorder]	
301.83	301.83	Borderline personality [disorder]	
301.84	301.84	Passive-aggressive personality [disorder]	
301.90	301.90	Unspecified personality disorder [not otherwise specified]	
302.20	302.2	Pedophilia	
302.30	302.3	Transvestism [transvestic fetishism]	29
302.40	302.4	Exhibitionism	
302.50	302.50	TRANSSEXUALISM with unspecified sexual history	30
302.60	302.6	Disorders of psychosexual identity [gender identity disorder of childhood]	3
302.70	302.70	Psychosexual [sexual] dysfunction, unspecified [not otherwise specified]	
302.71	302.71	Psychosexual dysfunction with inhibited [hypoactive] sexual desire	
302.72	302.72	Psychosexual dysfunction with inhibited sexual excitement [female sexual arousal disorder]	
302.72	302.72	Psychosexual dysfunction with inhibited sexual excitement [male erectile disorder]	31
302.73	302.73	Psychosexual dysfunction with inhibited female orgasm	
302.74	302.74	Psychosexual dysfunction with inhibited male orgasm	
302.75	302.75	Psychosexual dysfunction with premature ejaculation	
302.76	302.76	Psychosexual dysfunction with functional dyspareunia	
302.79	302.79	Psychosexual dysfunction with other specified psychosexual dysfunction [sexual aversion disorder]	32
302.81	302.81	Fetishism	
302.82	302.82	Voyeurism	

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
302.83	302.83	Sexual masochism	
302.84	302.84	Sexual sadism	
302.85	302.85	Gender identity disorder of adolescent or adult life [of adolescence or adulthood, nontranssexual type] [not otherwise specified]	33
302.89	302.89	Other SPECIFIED PSYCHOSEXUAL DISORDER [Frotteurism]	34
302.9~~0~~	302.9	Unspecified psychosexual disorder [atypical paraphilia] [sexual disorder, not otherwise specified] [paraphilia, not otherwise specified]	
303.00	303.00	Acute alcoholic [alcohol] intoxication, unspecified	35
303.90	303.90	Other and unspecified alcohol dependence, unspecified [alcohol dependence]	
304.00	304.00	Opioid type dependence, unspecified	
304.10	304.10	Barbiturate and [or] similarly acting sedative or hypnotic dependence, unspecified [sedative, hypnotic, or anxiolytic dependence]	
304.20	304.20	Cocaine dependence, unspecified	
304.30	304.30	Cannabis dependence, unspecified	
304.40	304.40	Amphetamine and [or] other psychostimulant [similarly acting sympathomimetc] dependence, unspecified	
304.50	304.50	Hallucinogen dependence, unspecified [phencyclidine (PCP) or similarly acting arycyclohexlyamine dependence]	3
304.60	304.60	Other specified drug [substance] dependence, unspecified [inhalant dependence]	3, 36, 37
304.90	304.90	Unspecified drug dependence, unspecified [polysubstance dependence] [psychoactive substance dependence, not otherwise specified]	38
305.00	305.00	Alcohol abuse, unspecified	35
305.10	305.10	Tobacco use disorder [nicotine dependence], unspecified	3, 39
305.20	305.20	Cannabis abuse [intoxication], unspecified	40
305.30	305.30	Hallucinogen abuse, unspecified	40
305.30	292.12	Drug-induced hallucinosis [hallucinosis]	41
305.40	305.40	Barbiturate and similarly acting sedative or hypnotic abuse, unspecified [sedative, hypnotic, or anxiolytic abuse] [intoxication]	40
305.50	305.50	Opioid abuse [intoxication], unspecified	40
305.60	305.60	Cocaine abuse [intoxication], unspecified	40
305.70	305.70	Amphetamine or related acting sympathomimetic abuse [intoxication], unspecified	40
305.90	305.90	Other, mixed, or unspecified [psychoactive] drug [substance] abuse [intoxication], unspecified, [caffeine intoxication], [phencyclidine (PCP) or similarly acting arylcyclohexylamine abuse or intoxication] [inhalant abuse] [inhalant intoxication] [polysubstance abuse] [psychoactive substance abuse, not otherwise specified]	5, 40, 42

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
306.51	306.51	Psychogenic vaginismus	3
307.00	307.0	Stammering and stuttering [cluttering]	3
307.10	307.1	Anorexia nervosa	
307.20	307.20	Tic disorder, unspecified [not otherwise specified]	43
307.21	307.21	Transient tic disorder of childhood	
307.22	307.22	Chronic motor [or vocal] tic disorder	44
307.23	307.23	Gilles de la Tourette's disorder	
307.30	307.3	Stereotyped repetitive movements [stereotype] [disorder]	
307.30	307.9	Other or unspecified special symptoms or syndromes, not elsewhere classified [habit disorder]	3, 45
307.40	307.40	Nonorganic sleep disorder, unspecified [dyssomnia, not otherwise specified]	46
307.40	307.47	Other dysfunctions of sleep stages or arousal from sleep [parasomnia, not otherwise specified]	47
307.42	307.42	Persistent disorder or initiating or maintaining sleep [insomnia related to another mental disorder, nonorganic] [primary insomnia]	3, 48
307.44	307.44	Persistent disorder of initiating or maintaining wakefulness [hypersomnia related to another mental disorder, nonorganic]	3, 48
307.45	307.45	Phase-shift disruption of 24-hour sleep-wake cycle [sleep-wake schedule disorder]	3
307.46	307.46	Somnambulism or night terrors, pavor nocturnus [sleepwalking disorder] [sleep terror disorder]	
307.47	307.47	Other dysfunctions of sleep stages or arousal from sleep [dream anxiety disorder] [nightmare disorder]	3
307.50	307.50	Eating disorder, unspecified [not otherwise specified]	
307.51	307.51	Bulimia [bulimia nervosa]	
307.52	307.52	Pica	
307.53	307.53	Psychogenic rumination [disorder of infancy]	
307.60	307.6	[Functional] enuresis	
307.70	307.7	[Functional] encopresis	
307.80	307.80	Psychogenic [somatoform] pain [disorder], site unspecified	
309.00	309.0	Brief depressive reaction [adjustment disorder with depressed mood]	3
309.21	309.21	Separation anxiety disorder	
309.23	309.23	Specific [adjustment disorder with] academic or work inhibition	
309.24	309.24	Adjustment reaction [disorder] with anxious mood	
309.28	309.28	Adjustment reaction [disorder] with mixed emotional features	
309.30	309.3	ADJUSTMENT REACTION [disorder] with predominant disturbance of conduct	
309.40	309.4	ADJUSTMENT REACTION [disorder] with mixed disturbance of emotions and conduct	
309.83	309.83	Adjustment reaction [disorder] with withdrawal	
309.89	308.3	Other acute reactions to stress [post-traumatic stress disorder]	3

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
309.90	309.9	Unspecified adjustment reaction [disorder] [not otherwise specified]	3
310.10	310.1	Organic personality syndrome [disorder]	
311.00	311	Atypical depressive disorder [depressive disorder, not otherwise specified]	
312.00	312.00	Undersocialized conduct disorder, [solitary] aggressive type, unspecified	
312.20	312.20	Socialized conduct disorder [group type], unspecified	3
312.31	312.31	Pathological gambling	
312.32	312.32	Kleptomania	
312.33	312.33	Pyromania	
312.34	312.34	Intermittent explosive disorder	
312.39	312.39	DISORDERS OF IMPULSE CONTROL, NOT ELSEWHERE CLASSIFIED [trichotillomania]	49
312.39	312.30	DISORDERS OF IMPULSE CONTROL, NOT ELSEWHERE CLASSIFIED [not otherwise specified]	50
312.90	312.9	Unspecified disturbance of conduct [disorder] [Undifferentiated type]	51
313.00	313.0	Overanxious disorder OF CHILDHOOD AND ADOLESCENCE	
313.21	313.21	Shyness [avoidant] disorder of childhood (or adolescence)	3
313.23	313.23	Elective mutism OF CHILDHOOD AND ADOLESCENCE	
313.81	313.81	Oppositional [defiant] disorder of CHILDHOOD AND ADOLESCENCE	
313.82	313.82	Identity disorder OF CHILDHOOD AND ADOLESCENCE	
313.89	313.89	Other EMOTIONAL DISTURBANCES OF CHILDHOOD AND ADOLESCENCE [reactive attachment disorder of infancy or early childhood]	3
314.00	314.00	[Undifferentiated] attention deficit disorder, without mention of hyperactivity	
314.01	314.01	Attention deficit disorder, with hyperactivity	
315.00	315.00	[Developmental] reading disorder, unspecified	
315.10	315.1	[Developmental] specific arithmetic disorder	
315.31	315.31	Developmental [expressive] [receptive] language disorder	
315.39	315.39	Other DEVELOPMENTAL SPEECH OR LANGUAGE [articulation disorder]	3
315.40	315.4	[Developmental] coordination disorder	3
315.90	315.9	Unspecified delay in development [disorder, not otherwise specified]	52
315.90	315.9	Other specified delays in development [specific developmental disorder, not otherwise specified]	52
316.00	316	Psychic [psychological] factors associated with diseases classified elsewhere [affecting physical condition]	3

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
317.00	317	Mild mental retardation	
318.00	318.0	Moderate mental retardation	
318.10	318.1	Severe mental retardation	
318.20	318.2	Profound mental retardation	
319.00	319	Unspecified mental retardation	
780.50	780.54	Other hypersomnia [related to a known organic factor]	53
780.50	780.52	Other insomnia [related to a known organic factor]	53
780.54	307.44	Persistent disorder or initiating or maintaining wakefulness [primary hypersomnia]	54
799.90	799.9	Other unknown and unspecified cause [diagnosis or condition deferred]	
V15.81	V15.81	Noncompliance with medical treatment	
V40.00	V62.89	Other PSYCHOLOGICAL OR PHYSICAL STRESS, NOT ELSEWHERE CLASSIFIED [borderline intellectual functioning]	55
V61.10	V61.1	Marital problems	
V61.20	V61.20	Parent-child problem, unspecified	
V61.80	V61.8	Other specified family circumstances	
V62.20	V62.2	Other occupational circumstances or maladjustment [problems]	
V62.30	V62.3	Educational circumstances [academic problem]	3
V62.81	V62.81	[Other] interpersonal problems, not elsewhere classified	
V62.82	V62.82	Bereavement, uncomplicated	
V62.89	V62.89	Other PSYCHOLOGICAL OR PHYSICAL STRESS, NOT ELSEWHERE CLASSIFIED [phase of life problem or other life circumstance problem]	3
V65.20	V65.2	Person feigning illness [malingering]	3
V71.01	V71.01	Adult antisocial behavior	
V71.02	V71.02	Childhood or adolescent antisocial behavior	
V71.09	V71.09	Other suspected mental condition [no diagnosis or condition]	56

Diagnostic Categories Needing Further Study (See page 367 *DSM-III-R*)

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
300.90	300.90	Unspecified neurotic disorder, nonpsychotic [late luteal phase dysphoric disorder]	57
301.90	301.89	Other personality disorders, other [sadistic personality disorder]	58
301.90	301.89	Other personality disorders, other [selfdefeating personality disorder]	58

FOOTNOTES FOR CROSSWALK FROM *DSM-III* and *DSM-III-R* TO *ICD-9-CM*

1. General Notes

   a. This crosswalk was prepared with the assistance of the text and index of *DSM-III-R*, and the text glossary, and index of the *ICD-9-CM*. Also included are the *ICD-9-CM* Errata, printed in March 1979, the *ICD-9-CM* Addenda, published in *Medical Record News*, May 15, 1979, and the *ICD-9-CM* Official Authorized Addendum, NCHS, DHHS, October 1, 1987.

   b. When this crosswalk is used for submission to Federal agencies or intermediaries for reimbursement, only one code should be reported. Multiple codes are not accepted.

   c. In *ICD-9-CM* drug abuse codes, specific substances are not specified. These may be indicated by the use of an "E" code. (Only submit the non-"E" code for reimbursement purposes, however.)

   d. Nonsubstantive zeros in *DSM-III-R* which are not found in *ICD-9-CM* are highlighted in this crosswalk by an underscore (e.g., 316.00). These have no "content," and do not affect the crosswalk to *ICD-9-CM*. These final zeros (indicated in the crosswalk by an underscore) may be suppressed to arrive at the *ICD-9-CM* code.

   e. Some *DSM-III-R* codes contain several rubrics, which are in effect inclusion terms. These have been used in the same way as inclusion terms in *ICD-9-CM*.

   f. Note that this is not an *ICD-9-CM* to *DSM-III-R* crosswalk, and should not be used as such. There are many *ICD-9-CM* codes which are not included in *DSM-III-R*, and are not included in this crosswalk.

   g. "Not otherwise specified" in *ICD-9-CM* is equivalent to "unspecified" in *DSM-III-R* (page xxiii in *ICD-9-CM*).

2. *ICD-9-CM* includes the "Alzheimer's" rubric for only presenile dementia, while *DSM-III-R* includes Alzheimer's as an inclusion term for both presenile and senile dementia. The reason is that recent evidence indicates that the pathology for the senile and presenile conditions is the same, and is of the Alzheimer type. This may cause confusion in coding, since Alzheimer's leads the *ICD-9-CM* coder to only presenile dementia. The controlling rubric, however, is senile/presenile, rather than the Alzheimer's designation. If Alzheimer's is indicated without reference to whether the condition is presenile or senile, the *ICD-9-CM* convention should be observed (i.e., the condition coded to presenile dementia).

3. The *DSM-III-R* term is a subterm or inclusion term in *ICD-9-CM*.

4. *ICD-9-CM* includes all drug withdrawal syndromes in 292.0, whether or not the drug is specified, and whether or not delirium is present. Other *ICD-9-CM* categories include only effects **induced** by drugs (292.2 to 292.9). The *ICD-9-CM* 293 series (transient organic psychotic conditions, including delirium) specifically excludes disorders associated with alcohol or drugs.

5. *ICD-9-CM* includes all specific drug induced disorders under a single code which defines the nature of the disorder (e.g., delusional syndromes, hallucinosis, affective (mood) syndromes, etc.), whereas *DSM-III-R* includes a designation as to the drug class.

6. The term "organic" is not included in *DSM-III- R*, but that an organic mental disorder is present is clear.

7. PCP and/or caffeine are included in these *ICD-9-CM* categories, as per the *ICD-9-CM* index. (In the case of PCP dependence, 304.5, the original publication of *ICD-9-CM* had Phencyclidine as an inclusion term, but in the index led the coder to 304.6. In later printings, this inclusion term in 304.5 was eliminated.)

8. "Specified" in *ICD-9-CM* refers to the mental disorder, while "unspecified" in *DSM-III-R* refers to the drug.

9. The term "affective" is not used in *DSM-III-R*.

10. Posthallucinogen perception disorder is specified drug-induced organic mental disorder which is not delirium, dementia, amnestic, or affective. It is not a withdrawal syndrome or intoxication, and is not a hallucinatory state induced by drugs, since the drug is no longer present. It therefore goes to the residual category "other specified" drug-induced organic mental disorder category in *ICD-9-CM* (292.89).

11. "Unspecified" in *ICD-9-CM* and "not otherwise specified" in *DSM-III-R* refers to "disorder."

12. *ICD-9-CM* uses the word "acute," while *DSM-III-R* does not. The discussion on "course" in *DSM-III-R* (p. 101-102), however, makes it clear that the conditions are one and the same.

13. The word "chronic" is included in the *ICD-9-CM* 294.8 code title, but not in *DSM-III-R*. "Chronic" does not completely define the *ICD-9-CM* category; however, as "acute" cases are also included as per the *ICD-9-CM* index, and "mixed" is an inclusion term. The *DSM-III-R* "organic anxiety disorder" is "another specified" organic brain syndrome, and crosswalks to 294.8.

14. The *DSM-III-R* "not otherwise specified" rubric crosswalks to the *ICD-9-CM* "unspecified" category, 294.9.

15. This code is not found in Appendix G (alphabetic list) or Appendix H (numeric list) of *DSM-III-R*, but is a valid *DSM-III-R* code.

16. Codes 295.63 and 295.64 are found in Appendix G (alphabetic list) and Appendix H (numeric list) of *DSM-III-R*, but are **not** valid *DSM-III-R* codes. (See page 198 in *DSM-III-R*.)

17. *DSM-III-R* questions whether this is a schizophrenic disorder. Both *DSM-III-R* (p. 208-210) and *ICD-9-CM* (p. 1119) agree, however, that this category contains the conditions in which affective and schizophrenic symptoms are both pronounced.

18. The *DSM-III-R* term "undifferentiated" appears as an inclusion term in *ICD-9-CM* for both 295.8x and 295.9x. The state referred to in 295.8x is "acute;" however, and is similar to 295.40 in *DSM-III-R*. (The 295.8x codes are not used in *DSM-III-R*.) Code 295.9x in *DSM-III-R* is a residual category, and is correctly crosswalked to 295.9x in *ICD-9-CM* ("undifferentiated, not otherwise specified").

19. Appendix G (alphabetic list) and Appendix H (numeric list) in *DSM-III-R* incorrectly shows the rubric as "unspecified."

20. Terminology for the 5th digit differs in *DSM-III-R* and *ICD-9-CM*, but study of the two documents reveals that the terminology is equivalent. *DSM-III-R* drops the word "severe" from the .x4 rubric, although severity is clearly implied; uses the word "features" instead of "behavior" to describe psychosis; does not include "unspecified" in the .x5 rubric; and drops the term "affective" from the bipolar disorders.

21. *DSM-III-R* uses the term "delusional" instead of paranoia. This is clearly within the intent of *ICD-9-CM*, however, which indicates that this category includes cases in which "delusions ... are the main symptoms."

22. The *DSM-III-R* terminology simply stresses that the disorder is induced by another person. The outcome is the same, however, in that the two persons share the same disorder.

23. *ICD-9-CM* does not specifically mention the absence of agoraphobia, but this is implicit, since the combination of agoraphobia and panic would go to 300.21 in *ICD-9-CM*, and this category is the only other possibility for panic disorder in *ICD-9-CM*.

24. *ICD-9-CM* considers agoraphobia the primary condition, while *DSM-III-R* considers panic disorder to be the primary condition. The contents of the category are the same, however.

25. The *DSM-III-R* category is theoretically more restrictive, in that panic disorder (rather than mention of panic attacks) should be present. This is not problematic in a *DSM-III-R* to *ICD-9-CM* crosswalk, however, since the contents of the *DSM-III-R* category would go in toto to the *ICD-9-CM* category.

26. Body dysmorphic disorder is a new *DSM-III-R* rubric, and is clearly a somatoform disorder according to *DSM-III-R*.

27. All somatoform disorders go to 300.7 in *ICD-9-CM*. *ICD-9-CM's* 300.9 (Unspecified neurotic disorder) would be incorrect, since the neurotic disorder is indeed specified as somatoform.

28. The *DSM-III-R* "nonpsychotic" is broader than the *ICD-9-CM* "unspecified neurotic." However, the presence of residual categories in *DSM-III-R* which cover all other conditions, and the absence of another appropriate *DSM-III-R* category for unspecified neurotic disorders, makes this the correct crosswalk in actual practice. Also, the *DSM-III-R* title is included in the *ICD-9-CM* index for this code.

29. Although there is a category for "fetishism" in the "other" category of *ICD-9-CM*, the greater specificity in the term "transvestic fetishism" in *DSM-III-R* makes 300.3 the correct one.

30. *ICD-9-CM* contains codes for sexual orientation, while *DSM-III-R* does not. (The sexual orientation can be specified in *DSM-III-R*, but all transsexualism goes into the 302.50 category.) If sexual orientation is specified in *DSM-III-R*, the crosswalk to *ICD-9-CM* would be 302.51 (asexual), 302.52 (homosexual), or 302.53 (heterosexual).

31. *ICD-9-CM* inclusions are "frigidity" and "impotence," which is equivalent terminology to that in *DSM-III-R*.

32. Sexual aversion disorder is an "other specified psychosexual dysfunction" as defined by *ICD-9-CM*.

33. The addition of "nontranssexual type" in *DSM-III-R* adds some confusion to where this disorder should be placed in *ICD-9-CM*, since there is no such exclusion in *ICD-9-CM*. The primary category is gender identity disorder, however, rather than transsexualism, which crosswalks to 302.85 in *ICD-9-CM*. In addition, the "not otherwise specified" rubric in *DSM-III-R* correctly crosswalks to this category in *ICD-9-CM*, since this refers specifically to gender identity disorder, rather than serving as a more general NOS category for psychosexual disorders.

34. Frotteurism is an "other specified psychosexual disorder," as per the *ICD-9-CM* definition.

35. *ICD-9-CM* recognizes intoxication in a person dependent on alcohol (303.0x) and in a person not dependent (305.0x). *DSM-III-R* recognizes intoxication without regard to dependence (303.00), and abuse without dependence (305.0x). In clinical practice most patients coming to care intoxicated will also be dependent, making the 303.00 to 303.00 crosswalk correct. "Abuse" is similarly defined in *ICD-9-CM* (p. 1089-1090) and *DSM-III-R* (p. 169 and 0. 173), making the 305.0x to 305.0 crosswalk correct.

36. Inhalants are an "other specified" substance, as per the *ICD-9-CM* definition.

37. "Specified" and "unspecified" as used here are only an apparent contradiction in the *ICD-9-CM* and *DSM-III-R* codes. "Specified" refers to the drug, and "unspecified" refers to the pattern of the condition.

38. The two combination categories in *ICD-9-CM* are dependent on identification of use or non-use of opioid drugs (304.7 and 304.8). *DSM-III-R* does not use this distinction, and so *DSM-III-R* combination categories for drugs would have to go to the "unspecified" category (304.9), since opioid is not specified.

39. In spite of the overall category rubric in *ICD-9-CM* ("Nondependent abuse of drugs"), tobacco dependence is an *ICD-9-CM* inclusion term in 305.1. The *DSM-III-R* use of "nicotine" reflects the addicting substance in tobacco, and tobacco is the only clinically important manner in which nicotine is abused.

40. *ICD-9-CM* is not entirely clear as to where most intoxication without dependence should be placed. Intoxication is implied in "abuse," however, as the glossary reads the abuse is "a maladaptive effect of a drug on which he is not dependent" (p. 1089). In addition, alcohol intoxication without dependence (drunkenness) is included in this group (the 305 series), as is acute intoxication from hallucinogens. The crosswalk listed is therefore correct.

41. Hallucinosis is the *DSM-III-R* term for intoxication. The "hallucinosis" rubric in *ICD-9-CM* leads one to 292.12, however. If this term is used in *DSM-III-R*, the 292.12 crosswalk should be used.

42. Polysubstance abuse in *DSM-III-R* is equivalent to "mixed" in *ICD-9-CM*.

43. This *ICD-9-CM* code is the only residual category for tic disorder, and so is the correct crosswalk for the "not otherwise specified" *DSM-III-R* rubric.

44. The key word is "or" in the *DSM-III-R* rubric, as either motor **or** verbal tics, but not both, may be present (page 81, *DSM-III-R*). If both are present, Tourette's is the proper diagnosis.

45. The term "habit" in a non-tic condition is indexed in *ICD-9-CM* to 307.9, and some of the examples in *DSM-III-R* are inclusion terms in *ICD-9-CM* 307.9. If "habit" is included in the rubric, therefore, the crosswalk is to 307.9.

46. Dyssomnia is a rubric unique to *DSM-III-R*, but has the meaning of any insomnia, hypersomnia, or disorder of the sleep-wake cycle (page 298). This crosswalks in *ICD-9-CM* to the 307.40 "unspecified" code of *ICD-9-CM*.

47. Parasomnia of nonorganic origin crosswalk to 307.47 as per the *ICD-9-CM* index.

48. *DSM-III-R* considers the contents of 307.42 to be insomnia which does not have an organic etiology or which is related only to another mental disorder. The inclusion terms in *ICD-9-CM* clarify that this is the content of the *ICD-9-CM* category also. The *ICD-9-CM* category "transient disorder of initiating or maintaining sleep" (307.41) does not meet the *DSM-III-R* definition of an insomnia-type mental disorder, because of the transient nature of the condition (see pages 299-300 in *DSM-III-R*). Similar reasoning applies to the hypersomnia category (307.44).

49. Trichotillomania is another specified disorder of impulse control, as per the *ICD-9-CM* definition.

50. The "not otherwise classified" rubric in *DSM-III-R* crosswalks to 312.30 ("unspecified") in *ICD-9-CM*.

51. Because the disorder is undifferentiated (as in *DSM-III-R*), it cannot be specified, yielding the "unspecified" rubric of *ICD-9-CM*.

52. The "specified" in the *DSM-III-R* rubric for 315.90 is contradictory to the "not otherwise specified" rubric (which means "unspecified"). The "not otherwise specified" rubric should be taken as the primary rubric, which crosswalks to *ICD-9-CM* 315.90. The other *DSM-III-R* rubric "unspecified" unambiguously goes to *ICD-9-CM* 315.90.

53. *DSM-III-R* considers the contents of these categories to be hypersomnia which has an organic etiology. The closest *ICD-9-CM* categories are 780.54 and 780.52. (If apnea is specified, the crosswalk is to 780.53 or 780.51 in *ICD-9-CM*).

54. This *DSM-III-R* category is for hypersomnia with no known organic etiology or related only to another mental disorder. This crosswalks to 307.44 in *ICD-9-CM*.

55. The inclusion "borderline intellectual functioning" was added to *ICD-9-CM* V62.89 in an update. The crosswalk is therefore to V62.89 in *ICD-9-CM*.

56. *ICD-9-CM* includes this code under "observations for suspected mental condition," while *DSM-III-R* indicates that this code is to be used when no diagnosis or condition is present "following an examination." Assuming that the *ICD-9-CM* code represents a final "diagnosis," both refer to a person with a negative workup for a mental disorder or condition. A "V" code by definition is not to be used if a disease is thought to be present (*ICD-9-CM*, p. 880). This is distinguished from 799.90 (*DSM-III-R*) and 799.9 (*ICD-9-CM*) which refer to cases in which a disease is present but unspecified, or in which a disease is thought to be present but the diagnosis is deferred.

57. Code 307.90 is incorrectly attached to this rubric in the Alphabetic List (Appendix G) and Numeric List (Appendix H) of *DSM-III-R*.

58. This is an "other specified" personality disorder, as per the *ICD-9-CM* definition, and crosswalks to 301.89.

B4465-22

LOS

PSYCHIATRIC

LENGTH OF STAY

Psychiatric Length of Stay
by Diagnosis
North Central Region, 1989

LOS

PSYCHIATRIC

LENGTH OF STAY

Psychiatric Length of Stay
by Diagnosis
United States, North Central Region, 1989

Healthcare Knowledge Resources
Ann Arbor, Michigan
November, 1990

PSYCHIATRIC LENGTH OF STAY

This publication represents one volume in the Psychiatric Length of Stay by Diagnosis series:

Psychiatric Length of Stay by Diagnosis, United States, 1989
ISSN 0898-0543

Psychiatric Length of Stay by Diagnosis, Northeastern Region, 1989
ISSN 0898-0527

Psychiatric Length of Stay by Diagnosis, North Central Region, 1989
ISSN 0898-249X

Psychiatric Length of Stay by Diagnosis, Southern Region, 1989
ISSN 0898-0519

Psychiatric Length of Stay by Diagnosis, Western Region, 1989
ISSN 0898-0535

For further information, please contact Healthcare Knowledge Resources, P.O. Box 303, Ann Arbor, Michigan 48106-0303, or call 800-521-6210.

Copyright 1990 by Healthcare Knowledge Resources, Ann Arbor, Michigan, based on data from the Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a database or retrieval system, without the prior written permission of the publisher.

Statistics reported in this volume are drawn from individual patient discharge records for the time period January 1, 1989 through December 31, 1989. Neither CPHA nor Healthcare Knowledge Resources assume any liability for any use, furnishing, analysis, interpretation, conclusions, or utilization review decisions based on data reported herein. Any such liability shall be the responsibility of the user of the data, who agrees to hold CPHA or Healthcare Knowledge Resources harmless from any damages, litigation, liability or claimed liability, claims, and any expenses including legal expenses incident thereto resulting from any such use, furnishing, analysis, interpretation, conclusions, or utilization review decisions.

CONTENTS

Introduction v

Description of the Database vi
Source of the Data
Data Quality
Hospital Characteristics

Organization of the Tables viii
Diagnosis Classification Categories
Hospital Service Type
Patient Data Stratification

Explanation of the Statistics x
Total Number of Patients
Average Length of Stay
Variance
Percentiles
Subtotal and Grand Total

Using the Tables xi

Psychiatric Length of Stay Tables 1

Appendix A

1989 Hospital Characteristics 167
Table 1: Universe of Hospitals
Table 2: Hospitals With Psychiatric Units
Table 3: Hospitals Without Psychiatric Units

Appendix B

Description of Hospital Characteristics 170

Appendix C

State Inclusions By Region 171

Appendix D

Numeric Listing of *ICD-9-CM* Psychiatric Diagnosis Codes 172

Appendix E

Alphabetic Listing of *ICD-9-CM* Psychiatric Diagnosis Codes 180

Appendix F

Crosswalk From *DSM-III-R* to *ICD-9-CM* 187

ACKNOWLEDGEMENTS

1989 PSYCHIATRIC LENGTH OF STAY BY DIAGNOSIS

PROJECT TEAM:

Jennifer Goewey, Publication Specialist
Linda E. Vanek, Assistant Manager, Normative Publications
Joyce Beach, Senior Programmer Analyst
Lale A. Olson, Senior Electronic Publishing Analyst

The following individuals made valuable contributions to the development of this publication:

Robert Seeman, Senior Nosologist, Commission on Professional and Hospital Activities (CPHA),
Nancy Ramirez, Medical Systems Specialist, Healthcare Knowledge Resources,
Robert Travis, Librarian.

We offer a special thank-you to the following individuals for their assistance:

Ruth Blumenauer, Fran Metz, Peggy Meyer, Connie Prouty, Kris Reutter, and Sally Smith.

Finally, we gratefully acknowledge the hospitals and state organizations that support this and other publications by making their data available.

INTRODUCTION

Healthcare Knowledge Resources is the official developer and distributor of products derived from the clinical research and classification development activities of the Commission on Professional and Hospital Activities (CPHA). Now in its fourth decade as a reliable source for clinical record information, CPHA retains ownership of its databases and classification systems while Healthcare Knowledge Resources develops and markets high quality, information-oriented products and services to the healthcare industry and related fields.

Healthcare Knowledge Resources offers a range of information products, available through books, magnetic media, and educational seminars. The Psychiatric Length of Stay series is one of a number of data reference tools providing performance guidelines for a variety of healthcare settings.

The Psychiatric Length of Stay series is a unique annual publication. The series incorporates length of stay and demographic data on psychiatric patients treated in nonfederal, short-term general hospitals in the United States during 1989. This book is one volume in a set of five books. The complete set is the latest in a series of publications on psychiatric length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from other organizations contributing to CPHA are also included in the 1989 series.

In addition to *Psychiatric Length of Stay by Diagnosis*, other titles in the Cost Containment Series include: *Length of Stay by Diagnosis and Operation* and *Length of Stay by DRG and Payment Source*. Each series is available on an annual basis for the United States, Northeastern, North Central, Southern, and Western regions. *Pediatric Length of Stay* (19 years and under) and *Geriatric Length of Stay* (65 years and over) are also available in the Diagnosis and Operation series for the United States.

These statistics, also available on magnetic tape and diskette, provide a valuable perspective for utilization review, quality assurance professionals, physicians, consultants, hospital administrators, third party payors, and researchers interested in cost containment and quality care.

DESCRIPTION OF THE DATABASE

SOURCE OF THE DATA

Data in the Length of Stay tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer or magnetic tape.

2. The disk or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data undergo a comprehensive editing process and errors are corrected.

4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.

5. Data are standardized to create an aggregated patient record base.

Annually these data are utilized to create the Length of Stay series and other reference tools.

DATA QUALITY

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Over 600 automated checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, and unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, numerous edits are done to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death, stillborn
2. admission from other short-term hospital
3. discharge to other short-term hospital
4. discharge against medical advice

HOSPITAL CHARACTERISTICS

Data chosen for inclusion in the Psychiatric Length of Stay series are from general, nonfederal, short-term hospitals in the United States. The American Hospital Association (AHA)[1] defines these characteristics in the following manner:

General – The primary function of the institution is to provide patient services, diagnostic and therapeutic, for a variety of medical conditions.

Nonfederal – Controlled by state, county, city, city-county, hospital district or authority, church.

Short-term – The average length of stay for all patients is less than 30 days, or over 50 percent of all patients are admitted to units where the average length of stay is less than 30 days.

Most data used in the Length of Stay tables are from hospitals participating in PAS. In addition, the following organizations have sent data: Colorado Hospital Association, Hospital Association of New York State, Michigan Hospital Association, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), New Hampshire Hospital Association, Oregon Hospital Association, Southern Kaiser Foundation Hospitals, Vermont Hospital Association, and Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data for special studies.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

The characteristics of all hospitals with discharge data included in the Length of Stay tables are displayed in the tables in Appendix A. Definitions of hospital characteristics are provided in Appendix B and the states included in each region are listed in Appendix C.

---

[1] American Hospital Association Guide to the Health Care Field, 1989.

ORGANIZATION OF THE TABLES

DIAGNOSIS CLASSIFICATION CATEGORIES

The tables in each regional and national volume are categorized by the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.[1] This system includes both diagnosis and procedure numerical codes of three to five digits. The psychiatric length of stay tables are categorized by *ICD-9-CM* diagnosis code, beginning with code 290 and ending with code 314.9, expressed to the fourth digit. Diagnosis codes within the specified range with five digits are collapsed and incorporated into the four digit *ICD-9-CM* diagnosis codes. Appendix D lists, in numerical order, the *ICD-9-CM* diagnosis codes in the tables, their accompanying description, and the page number of the table. Appendix E lists, in alphabetical order, the *ICD-9-CM* psychiatric diagnoses description and accompanying numerical codes along with the page number of the table. (A crosswalk from *DSM-III-R* to *ICD-9-CM* is included in Appendix F.)

HOSPITAL SERVICE TYPE

The tables are also categorized by hospital service unit.[2] The divisions are:

a. **Hospitals with a psychiatric unit/beds** – nonfederal, short-term general hospitals reporting a psychiatric acute care unit or beds set-up.

b. **Hospitals without a psychiatric unit/beds** – nonfederal, short-term general hospitals that do not report a psychiatric acute care unit or beds set-up.

Hospitals in both groups can offer the following additional services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization.

PATIENT DATA STRATIFICATION

The psychiatric length of stay data are stratified into two patient groups, by sex, and by seven age ranges:

Patient Groups

Patients in the tables are grouped by *ICD-9-CM* psychiatric principal diagnosis and by the presence or absence of a psychiatric secondary diagnosis. The principal diagnosis code is the diagnosis that, after study, explains why the patient was admitted to the hospital.

Psychiatric Principal Diagnosis, Without Any Psychiatric Secondary Diagnosis (Psych Prin, No Psych 2nd Dx)

This group includes patients having a psychiatric principal diagnosis code only (*ICD-9-CM* 290-314.9) or patients having the specified psychiatric principal diagnosis code and a nonpsychiatric secondary diagnosis. For example, this group may include a patient having the principal psychiatric diagnosis code specified in the table as their only diagnosis. Alternatively, a patient with the same principal psychiatric diagnosis and a secondary diagnosis of diabetes (*ICD-9-CM* code 250.0), a nonpsychiatric secondary diagnosis, is also included in this category.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1989.

[2] 1988 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Psychiatric Principal Diagnosis, With One or More Psychiatric Secondary Diagnoses (Psych Prin, Psych 2nd Dx(s))

This group includes patients having a psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) and one or more psychiatric secondary diagnoses (*ICD-9-CM* 290-314.9).

Sex

Patients are distinguished as either male or female.

Age

Patients are in one of the following age groups recorded in years:

0-12 (includes newborns)
13-17
18-24
25-34
35-54
55-74
75+

The "all ages" group summarizes all the age groups by sex.

EXPLANATION OF THE STATISTICS

Data are categorized by total number of patients, average length of stay, variance, and distribution percentiles. In addition, two subtotals and a grand total are included.

TOTAL NUMBER OF PATIENTS

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

AVERAGE LENGTH OF STAY

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the lengths of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

VARIANCE

The variance is a measure of the spread of the data around the average. The smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

DISTRIBUTION PERCENTILES

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

SUBTOTAL AND GRAND TOTAL

The subtotal represents the total patients in each of the two patient groups. The Grand Total represents the total number of patients in the specified psychiatric diagnosis category within one of the two hospital service type categories.

USING THE TABLES

The Psychiatric Length of Stay series can be used as a valuable supplement and reference in a variety of healthcare settings. Use of hospital stay data as an inpatient utilization measure allows the healthcare professional to compare regional and national norms to an individual institution or special population. The Length of Stay series assists in:

- projecting extended stay reviews;
- identifying candidates for utilization review;
- establishing baselines;
- developing forecasts; and
- service planning.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay by using one of the Length of Stay regional or national volumes:

Step 1: Consult the Appendix at the back of the book for the particular diagnosis to be reviewed.

Step 2: Find the corresponding table in the Length of Stay tables; the *ICD-9-CM* diagnosis code number follows the English title of each table.

Step 3: Find the appropriate portion of the table for review:

- Hospital Service Type
- Patient Group
- Sex
- Age

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total stratified patient sample and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps can be followed, with more specific applications, by healthcare professionals in many diverse settings.

Psychiatric Length of Stay Diagnosis Tables

SUMMARY OF ALL PATIENTS WITH PSYCHIATRIC CODES

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	379	17.8	335	1	4	12	25	46	56	89	133	15.7	404	1	2	5	29	57	92	99 +
13-17	1143	19.7	284	2	6	15	30	41	57	[illegible]	253	19.6	338	1	2	16	34	45	62	99 +
18-24	1753	14.0	192	1	3	10	21	30	42	80	354	13.1	138	1	2	10	21	29	31	44
25-34	3753	13.8	133	2	4	11	21	28	34	53	868	14.0	116	2	3	14	23	28	30	40
35-54	4835	13.4	117	2	5	11	20	28	32	49	1280	12.5	118	2	3	9	21	28	30	38
55-74	2146	14.7	132	2	5	12	21	29	35	51	495	10.5	116	2	3	6	14	28	30	43
75 +	895	13.4	121	3	5	11	19	27	34	54	295	7.7	51	2	3	6	9	16	21	41
ALL AGES	14904	14.3	155	2	5	11	21	29	37	60	3678	12.9	145	1	3	8	21	29	33	57
B. FEMALE																				
0-12 YRS.	226	14.8	300	2	3	8	22	36	58	98	81	14.1	449	1	1	3	21	51	74	95
13-17	1463	18.0	246	2	6	14	28	38	49	82	276	20.6	354	1	3	18	34	45	54	95
18-24	1544	11.7	134	1	3	8	16	27	34	61	279	9.2	103	1	2	5	14	22	30	43
25-34	3489	13.1	131	2	5	10	18	28	35	56	605	10.8	110	1	3	6	17	28	29	44
35-54	5325	14.3	135	3	6	12	20	29	36	54	814	10.7	118	2	3	6	16	28	30	50
55-74	3667	16.6	145	4	8	14	23	32	39	55	493	10.3	119	2	3	6	14	26	30	45
75 +	1826	15.4	142	3	6	13	22	31	39	54	468	7.5	50	2	3	6	9	15	23	32
ALL AGES	17540	14.8	150	3	6	12	21	31	38	59	3016	11.0	146	1	3	6	15	28	33	56
SUBTOTAL	**32444**	**14.6**	**151**	**2**	**5**	**12**	**21**	**30**	**38**	**59**	**6694**	**12.0**	**147**	**1**	**3**	**7**	**21**	**29**	**33**	**57**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	407	23.8	353	4	10	20	36	53	71	99 +	52	31.5	636	3	12	28	52	82	98	99 +
13-17	1826	23.9	298	4	10	22	35	45	60	98	385	27.7	242	5	16	29	39	47	53	71
18-24	2536	15.8	172	2	5	13	23	30	37	73	598	17.0	137	2	5	20	28	30	33	43
25-34	5548	13.4	102	2	4	11	21	28	29	42	1799	13.6	121	2	3	10	24	28	30	35
35-54	5921	12.2	98	2	4	10	19	27	29	43	1916	11.0	111	2	3	5	21	28	30	35
55-74	1656	13.6	115	3	5	11	19	28	33	50	414	9.4	104	2	3	5	11	26	30	36
75 +	433	15.5	120	4	7	13	21	29	37	55	113	8.5	59	2	3	6	13	20	25	32
ALL AGES	18327	14.7	150	2	5	12	21	29	36	61	5277	13.8	154	2	3	9	24	29	33	49
B. FEMALE																				
0-12 YRS.	191	23.5	337	3	9	21	34	50	83	99 +	22	29.3	696	3	7	29	50	95	99 +	99 +
13-17	1902	23.4	348	4	9	20	35	50	68	99 +	258	24.8	279	2	10	27	37	44	66	99 +
18-24	2010	14.8	182	2	5	11	21	30	41	88	344	13.6	154	1	3	10	24	30	36	48
25-34	4373	13.3	122	3	5	11	19	28	33	52	865	12.4	134	2	3	7	22	28	30	54
35-54	4575	14.0	125	3	6	11	20	28	35	53	771	11.0	122	2	3	6	17	29	31	44
55-74	2087	16.7	149	4	8	14	22	32	39	62	327	11.2	133	2	3	7	15	28	32	61
75 +	855	15.9	135	4	8	13	21	30	38	56	157	8.2	79	2	3	5	10	16	23	46
ALL AGES	15993	15.6	174	3	6	12	21	32	41	73	2744	13.1	165	2	3	7	22	30	37	64
SUBTOTAL	**34320**	**15.1**	**162**	**3**	**5**	**12**	**21**	**30**	**39**	**67**	**8021**	**13.6**	**157**	**2**	**3**	**8**	**24**	**30**	**34**	**53**
GRAND TOTAL	**66764**	**14.8**	**159**	**2**	**5**	**12**	**21**	**30**	**38**	**63**	**14715**	**12.9**	**152**	**2**	**3**	**7**	**22**	**29**	**34**	**55**

SENILE DEMENTIA UNCOMP (290.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	5	25.4	170	3	20	29	34	35	35	35	1	4.0		4	4	4	4	4	4	4
75 +	31	10.8	35	4	7	10	15	20	22	23	23	8.0	66	3	4	7	9	11	23	43
ALL AGES	36	12.9	74	3	7	11	16	26	32	35	24	7.8	64	3	4	6	8	11	22	43
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	17	10.4	79	1	4	7	15	25	28	30	7	7.0	21	3	4	5	10	14	15	15
75 +	51	10.4	90	3	4	7	13	22	29	50	34	6.0	12	3	4	6	7	11	12	19
ALL AGES	68	10.4	86	3	4	7	13	23	29	47	41	6.2	13	3	4	6	7	12	14	19
SUBTOTAL	**104**	**11.2**	**84**	**3**	**4**	**8**	**15**	**24**	**29**	**42**	**65**	**6.8**	**32**	**3**	**4**	**6**	**7**	**12**	**13**	**39**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	3	9.3	43	3	4	9	14	16	16	16	1	9.0		9	9	9	9	9	9	9
75 +	16	13.4	77	2	6	13	19	26	27	27	2	3.5	13	1	1	3	6	6	6	6
ALL AGES	19	12.8	70	2	5	13	19	26	27	27	3	5.3	17	1	1	6	8	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	10	17.1	81	5	8	19	23	27	29	29	1	8.0		8	8	8	8	8	8	8
75 +	24	17.7	147	4	9	17	24	32	42	54	5	5.4	2	3	4	6	6	7	7	7
ALL AGES	34	17.5	126	4	8	18	23	29	36	54	6	5.8	3	3	5	6	7	8	8	8
SUBTOTAL	**53**	**15.8**	**110**	**3**	**8**	**14**	**23**	**27**	**31**	**53**	**9**	**5.7**	**6**	**1**	**4**	**6**	**7**	**9**	**9**	**9**
GRAND TOTAL	**157**	**12.8**	**96**	**3**	**5**	**10**	**20**	**26**	**30**	**49**	**74**	**6.6**	**29**	**3**	**4**	**6**	**7**	**11**	**13**	**37**

PRESENILE DEMENTIA (290.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	6	17.7	77	7	12	15	25	30	31	31										
55-74	42	12.4	84	2	5	9	19	27	28	29	9	7.8	37	2	3	7	11	18	19	19
75 +	53	12.4	140	3	4	7	18	26	40	55	30	10.0	58	3	5	7	16	21	25	32
ALL AGES	102	12.6	113	2	4	9	18	27	30	49	39	9.5	53	3	4	7	14	21	23	32
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	6.0		6	6	6	6	6	6	6										
25-34																				
35-54	3	31.3	2084	4	4	6	64	84	84	84										
55-74	50	12.8	105	4	7	10	15	23	25	54	17	5.9	10	3	4	6	8	10	11	12
75 +	106	11.8	102	4	5	8	15	24	27	57	48	6.3	30	2	3	4	7	13	17	28
ALL AGES	160	12.4	134	4	6	9	15	24	28	71	65	6.2	24	2	3	4	7	13	15	27
SUBTOTAL	**262**	**12.5**	**125**	**3**	**5**	**9**	**17**	**25**	**29**	**55**	**104**	**7.5**	**36**	**3**	**3**	**6**	**9**	**16**	**21**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	8.0		8	8	8	8	8	8	8										
55-74	15	16.0	86	7	8	14	22	26	36	39	9	9.6	95	2	3	6	13	27	31	31
75 +	21	14.1	107	3	6	11	21	28	33	38	2	2.0		2	2	2	2	2	2	2
ALL AGES	37	14.7	95	4	7	13	21	28	35	39	11	8.2	86	2	2	4	10	24	30	31
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	14.0		14	14	14	14	14	14	14										
55-74	20	14.8	126	5	8	13	17	27	41	53	4	24.0	968	2	2	13	46	68	68	68
75 +	33	14.5	125	5	6	11	21	28	35	54	8	7.0	20	3	4	7	8	14	17	17
ALL AGES	54	14.6	121	5	7	12	20	28	35	54	12	12.7	346	2	3	7	12	37	64	68
SUBTOTAL	**91**	**14.6**	**110**	**5**	**7**	**12**	**21**	**28**	**36**	**54**	**23**	**10.5**	**218**	**2**	**3**	**6**	**10**	**25**	**44**	**68**
GRAND TOTAL	**353**	**13.1**	**120**	**3**	**6**	**10**	**17**	**26**	**30**	**54**	**127**	**8.0**	**70**	**2**	**3**	**6**	**9**	**18**	**22**	**40**

SENILE DELUSION/DEPRESS (290.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	20	21.0	80	11	13	19	27	34	38	41	2	5.5	13	3	3	5	8	8	8	8
75 +	66	17.4	143	4	9	15	23	35	43	52	6	7.5	5	4	6	8	9	10	10	10
ALL AGES	86	18.2	131	5	10	16	24	35	41	50	8	7.0	6	3	5	7	9	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	10.0		10	10	10	10	10	10	10
55-74	39	16.3	61	5	11	16	21	28	29	31										
75 +	156	20.2	109	7	13	20	26	33	39	57	4	8.3	99	2	2	4	14	23	23	23
ALL AGES	195	19.4	102	7	12	18	25	31	37	53	5	8.6	76	2	2	6	13	23	23	23
SUBTOTAL	**281**	**19.0**	**112**	**7**	**12**	**18**	**25**	**32**	**39**	**51**	**13**	**7.6**	**30**	**2**	**4**	**7**	**9**	**13**	**21**	**23**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	7	20.1	29	14	16	20	22	28	30	30										
75 +	11	17.4	97	3	12	17	24	31	32	32										
ALL AGES	18	18.4	71	6	14	18	23	31	32	32										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	19.0		19	19	19	19	19	19	19										
55-74	17	13.5	69	4	7	11	18	28	30	30										
75 +	25	20.9	199	9	12	17	25	38	50	70										
ALL AGES	43	17.9	154	7	10	16	21	31	40	70										
SUBTOTAL	**61**	**18.1**	**126**	**6**	**11**	**17**	**22**	**31**	**36**	**67**										
GRAND TOTAL	**342**	**18.9**	**112**	**7**	**11**	**18**	**24**	**32**	**38**	**53**	**13**	**7.6**	**30**	**2**	**4**	**7**	**9**	**13**	**21**	**23**

SENILE DELIRIUM (290.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	16	15.2	108	2	7	13	22	32	34	35	4	9.0	41	3	3	9	14	15	15	15
75 +	66	12.4	77	3	6	11	19	23	29	41	16	6.8	10	3	4	7	8	12	13	13
ALL AGES	82	13.0	82	3	6	11	19	26	31	40	20	7.3	14	3	4	7	9	14	14	15
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	8.0		8	8	8	8	8	8	8										
35-54	1	9.0		9	9	9	9	9	9	9										
55-74	17	15.8	98	4	9	14	22	33	34	34	2	8.0	50	3	3	8	13	13	13	13
75 +	102	11.4	76	4	5	8	15	25	32	39	31	8.0	35	3	4	7	9	15	23	28
ALL AGES	121	11.9	81	4	5	9	16	26	33	38	33	8.0	34	3	4	7	9	14	22	28
SUBTOTAL	**203**	**12.3**	**82**	**4**	**6**	**10**	**17**	**26**	**32**	**39**	**53**	**7.7**	**27**	**3**	**4**	**7**	**9**	**13**	**18**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	12.0	8	10	10	12	14	14	14	14										
75 +	12	14.6	120	5	8	11	19	30	41	43	3	12.3	24	7	9	14	15	16	16	16
ALL AGES	14	14.2	104	6	9	12	15	26	39	43	3	12.3	24	7	9	14	15	16	16	16
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	32.0		32	32	32	32	32	32	32										
55-74	2	7.5	13	5	5	7	10	10	10	10										
75 +	22	12.5	41	4	8	13	15	22	25	27	5	7.2	48	2	2	3	13	17	17	17
ALL AGES	25	12.8	56	4	8	12	15	24	28	32	5	7.2	48	2	2	3	13	17	17	17
SUBTOTAL	**39**	**13.3**	**72**	**4**	**8**	**12**	**15**	**24**	**30**	**43**	**8**	**9.1**	**41**	**2**	**3**	**9**	**15**	**17**	**17**	**17**
GRAND TOTAL	**242**	**12.5**	**79**	**4**	**6**	**10**	**17**	**25**	**32**	**42**	**61**	**7.9**	**28**	**3**	**4**	**7**	**10**	**15**	**18**	**27**

ARTERIOSCLEROT DEMENTIA (290.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	11.0		11	11	11	11	11	11	11	1	8.0		8	8	8	8	8	8	8
55-74	37	14.2	140	3	6	12	17	28	33	65	6	8.3	14	4	5	8	10	14	14	14
75 +	73	11.9	95	3	6	9	16	24	32	89	16	7.7	19	3	5	7	10	12	18	20
ALL AGES	111	12.7	108	3	6	11	16	26	32	78	23	7.9	16	4	5	8	10	13	16	20
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	3	14.7	56	6	9	18	19	20	20	20										
55-74	46	14.2	145	5	7	9	19	32	39	54	5	9.2	19	4	7	9	11	16	16	16
75 +	98	12.6	111	4	5	8	18	28	39	46	24	7.0	12	3	5	7	10	12	13	13
ALL AGES	147	13.1	121	4	6	9	18	28	38	52	29	7.4	13	3	5	7	10	12	13	16
SUBTOTAL	**258**	**12.9**	**116**	**4**	**6**	**9**	**17**	**27**	**36**	**54**	**52**	**7.6**	**14**	**3**	**5**	**7**	**10**	**12**	**14**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	17.5	41	13	13	17	22	22	22	22	1	3.0		3	3	3	3	3	3	3
55-74	14	12.3	183	3	5	9	14	29	48	54	4	11.3	145	1	2	8	20	28	28	28
75 +	19	13.5	81	4	7	13	19	21	32	41	3	3.7		3	3	4	4	4	4	4
ALL AGES	35	13.3	114	3	7	11	17	22	37	54	8	7.4	80	2	3	4	8	23	28	28
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	11	14.5	68	8	11	12	17	27	34	35	5	19.2	368	1	5	8	39	41	41	41
75 +	18	9.3	34	3	5	8	14	19	20	20	6	8.7	27	2	6	7	14	16	16	16
ALL AGES	29	11.3	51	3	6	11	15	20	22	35	11	13.5	190	2	6	7	15	40	41	41
SUBTOTAL	**64**	**12.4**	**85**	**3**	**6**	**11**	**15**	**21**	**29**	**52**	**19**	**10.9**	**147**	**2**	**3**	**7**	**13**	**35**	**40**	**41**
GRAND TOTAL	**322**	**12.8**	**109**	**3**	**6**	**10**	**17**	**26**	**35**	**54**	**71**	**8.5**	**50**	**3**	**4**	**7**	**10**	**14**	**20**	**41**

SENILE PSYCHOSIS NEC (290.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES											1	4.0		4	4	4	4	4	4	4
SUBTOTAL											1	4.0		4	4	4	4	4	4	4
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL											1	4.0		4	4	4	4	4	4	4

SENILE PSYCHOT COND NOS (290.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	15.5	5	14	14	15	17	17	17	17										
75 +	4	9.5	20	6	6	8	12	16	16	16	1	9.0		9	9	9	9	9	9	9
ALL AGES	6	11.5	23	6	7	11	16	17	17	17	1	9.0		9	9	9	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	4	21.0	93	8	14	22	27	31	31	31										
75 +	4	6.3	8	2	4	7	8	9	9	9										
ALL AGES	8	13.6	106	3	7	8	22	29	31	31										
SUBTOTAL	**14**	**12.7**	**67**	**6**	**7**	**9**	**17**	**25**	**30**	**31**	**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	17.0		17	17	17	17	17	17	17										
75 +	2	8.5	13	6	6	8	11	11	11	11	1	13.0		13	13	13	13	13	13	13
ALL AGES	3	11.3	31	6	7	11	15	17	17	17	1	13.0		13	13	13	13	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	3	35.7	1189	7	12	26	62	74	74	74										
75 +																				
ALL AGES	3	35.7	1189	7	12	26	62	74	74	74										
SUBTOTAL	**6**	**23.5**	**667**	**6**	**7**	**14**	**26**	**69**	**74**	**74**	**1**	**13.0**		**13**	**13**	**13**	**13**	**13**	**13**	**13**
GRAND TOTAL	**20**	**16.0**	**245**	**6**	**7**	**10**	**19**	**28**	**52**	**74**	**2**	**11.0**	**8**	**9**	**9**	**11**	**13**	**13**	**13**	**13**

DELIRIUM TREMENS (291.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	13	5.8	46	1	2	4	6	15	24	26	8	4.0	9	1	2	3	6	9	9	9
35-54	42	6.1	15	2	3	5	8	11	13	20	19	4.5	11	1	2	3	6	10	12	12
55-74	17	8.5	32	3	4	7	12	16	19	21	17	6.5	28	3	4	5	7	13	20	24
75 +	3	28.3	1123	2	6	17	54	66	66	66										
ALL AGES	76	7.4	72	2	3	5	9	14	19	56	44	5.2	17	2	3	4	7	9	13	24
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	2.0	2	1	1	2	3	3	3	3	3	1.3		1	1	1	2	2	2	2
35-54	4	7.0	45	3	3	4	11	17	17	17	2	5.0		5	5	5	5	5	5	5
55-74	6	7.7	57	1	2	6	8	21	22	22	3	3.0	1	2	2	3	4	4	4	4
75 +	2	4.0		4	4	4	4	4	4	4	1	7.0		7	7	7	7	7	7	7
ALL AGES	14	6.1	38	1	3	4	8	17	21	22	9	3.3	4	1	2	3	5	6	7	7
SUBTOTAL	**90**	**7.2**	**67**	**2**	**3**	**5**	**8**	**15**	**20**	**50**	**53**	**4.9**	**15**	**1**	**2**	**4**	**6**	**9**	**12**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	4	6.0	5	4	4	5	7	9	9	9	1	25.0		25	25	25	25	25	25	25
25-34	66	4.2	-4	2	2	4	6	7	9	10	30	6.4	63	2	2	4	6	19	29	30
35-54	191	6.8	64	2	3	4	7	14	23	40	82	7.1	66	2	3	4	8	29	30	77
55-74	87	7.0	20	3	4	6	9	13	16	22	35	8.0	77	2	2	4	10	30	30	30
75 +	9	12.3	29	7	9	11	16	21	23	23	2	17.0	288	5	5	17	29	29	29	29
ALL AGES	357	6.5	42	2	3	5	7	13	17	39	150	7.4	72	2	3	4	8	29	30	31
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	3	10.3	95	2	3	8	18	21	21	21										
25-34	19	4.3	10	1	3	3	5	9	12	14	9	6.3	56	3	3	4	5	18	26	26
35-54	26	4.6	13	2	3	3	5	9	12	18	33	12.2	127	3	4	6	26	30	30	30
55-74	20	7.0	14	3	4	6	10	12	13	14	6	14.2	163	2	4	9	30	30	30	30
75 +	4	4.8	11	2	2	4	7	9	9	9	1	28.0		28	28	28	28	28	28	28
ALL AGES	72	5.4	17	2	3	4	7	11	14	20	49	11.7	123	3	4	6	26	30	30	30
SUBTOTAL	**429**	**6.3**	**38**	**2**	**3**	**5**	**7**	**12**	**17**	**32**	**199**	**8.5**	**86**	**2**	**3**	**4**	**8**	**29**	**30**	**31**
GRAND TOTAL	**519**	**6.5**	**43**	**2**	**3**	**5**	**8**	**13**	**17**	**33**	**252**	**7.7**	**74**	**2**	**3**	**4**	**8**	**28**	**30**	**30**

ALCOHOL AMNESTIC SYND (291.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	1.0		1	1	1	1	1	1	1
55-74	3	9.0	43	3	4	8	14	16	16	16	1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	3	9.0	43	3	4	8	14	16	16	16	2	3.0	8	1	1	3	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	7.0		7	7	7	7	7	7	7
25-34																				
35-54																				
55-74	2	30.0	162	21	21	30	39	39	39	39										
75 +																				
ALL AGES	2	30.0	162	21	21	30	39	39	39	39	1	7.0		7	7	7	7	7	7	7
SUBTOTAL	**5**	**17.4**	**194**	**3**	**7**	**16**	**25**	**39**	**39**	**39**	**3**	**4.3**	**10**	**1**	**2**	**5**	**6**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	4	7.8	19	3	4	8	11	12	12	12	3	14.3	116	2	6	20	21	21	21	21
55-74	5	6.0	40	1	3	4	7	17	17	17	2	5.5	5	4	4	5	7	7	7	7
75 +											1	6.0		6	6	6	6	6	6	6
ALL AGES	9	6.8	28	2	3	4	11	15	17	17	6	10.0	69	2	4	6	20	21	21	21
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	4	9.8	134	2	3	5	16	27	27	27										
55-74	3	11.3	17	7	8	12	14	15	15	15										
75 +																				
ALL AGES	7	10.4	74	2	4	7	14	25	27	27										
SUBTOTAL	**16**	**8.4**	**47**	**2**	**4**	**5**	**12**	**17**	**24**	**27**	**6**	**10.0**	**69**	**2**	**4**	**6**	**20**	**21**	**21**	**21**
GRAND TOTAL	**21**	**10.5**	**91**	**2**	**4**	**7**	**15**	**23**	**32**	**39**	**9**	**8.1**	**54**	**1**	**3**	**6**	**10**	**21**	**21**	**21**

ALCOHOLIC DEMENTIA NEC (291.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	1.0		1	1	1	1	1	1	1										
18-24																				
25-34	1	7.0		7	7	7	7	7	7	7										
35-54	2	2.5	5	1	1	2	4	4	4	4										
55-74	9	13.8	83	4	5	12	23	26	26	26										
75 +	2	5.5	5	4	4	5	7	7	7	7										
ALL AGES	16	9.3	75	1	3	6	15	25	26	26										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	10.0		10	10	10	10	10	10	10
55-74	4	6.5	7	4	4	6	8	10	10	10	1	3.0		3	3	3	3	3	3	3
75 +											1	6.0		6	6	6	6	6	6	6
ALL AGES	4	6.5	7	4	4	6	8	10	10	10	3	6.3	13	3	4	6	9	10	10	10
SUBTOTAL	**20**	**8.8**	**61**	**1**	**4**	**6**	**11**	**23**	**25**	**26**	**3**	**6.3**	**13**	**3**	**4**	**6**	**9**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	4	12.3	46	3	7	14	17	18	18	18										
35-54	10	17.5	185	4	7	14	24	38	46	46	5	9.4	32	4	5	7	13	18	18	18
55-74	19	15.5	60	5	11	17	21	26	28	28	6	7.0	5	4	6	7	9	10	10	10
75 +	4	13.0	25	9	9	11	16	20	20	20	1	7.0		7	7	7	7	7	7	7
ALL AGES	37	15.4	86	5	9	16	20	27	30	46	12	8.0	15	4	6	7	9	14	17	18
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	16.0		16	16	16	16	16	16	16										
35-54	3	23.7	530	7	9	14	41	50	50	50										
55-74	11	11.0	47	3	7	11	13	20	27	28	1	4.0		4	4	4	4	4	4	4
75 +	4	10.8	91	4	5	7	16	25	25	25										
ALL AGES	19	13.2	124	4	7	11	15	27	40	50	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**56**	**14.7**	**96**	**4**	**7**	**13**	**20**	**27**	**30**	**50**	**13**	**7.7**	**15**	**4**	**5**	**7**	**9**	**13**	**17**	**18**
GRAND TOTAL	**76**	**13.1**	**94**	**4**	**5**	**11**	**18**	**25**	**28**	**49**	**16**	**7.4**	**15**	**4**	**5**	**7**	**9**	**12**	**16**	**18**

ALCOHOL HALLUCINOSIS (291.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	6	4.2	4	2	3	4	5	8	8	8	1	6.0		6	6	6	6	6	6	6
55-74	1	26.0		26	26	26	26	26	26	26	2	5.5	25	2	2	5	9	9	9	9
75 +																				
ALL AGES	7	7.3	72	2	3	4	7	22	26	26	3	5.7	12	2	3	6	8	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +	2	7.5	25	4	4	7	11	11	11	11										
ALL AGES	4	4.8	18	2	2	3	7	11	11	11										
SUBTOTAL	**11**	**6.4**	**50**	**2**	**2**	**4**	**7**	**17**	**25**	**26**	**3**	**5.7**	**12**	**2**	**3**	**6**	**8**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	4	4.3		4	4	4	5	5	5	5										
25-34	10	4.5	7	1	3	4	6	8	10	10										
35-54	26	7.8	41	2	3	6	9	16	22	30	6	10.2	189	2	4	5	8	35	38	38
55-74	6	5.8	15	1	3	6	7	11	12	12	1	2.0		2	2	2	2	2	2	2
75 +	1	8.0		8	8	8	8	8	8	8	2	13.0		13	13	13	13	13	13	13
ALL AGES	47	6.5	28	2	3	6	8	12	17	30	9	9.9	129	2	3	5	13	28	38	38
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	8.0		8	8	8	8	8	8	8										
25-34	3	5.3	6	4	4	4	7	8	8	8	1	3.0		3	3	3	3	3	3	3
35-54	9	4.7	7	2	3	4	7	9	9	9	2	4.0		4	4	4	4	4	4	4
55-74	3	4.7	6	2	3	5	6	7	7	7										
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	17	5.3	7	2	3	4	8	9	10	10	3	3.7		3	3	4	4	4	4	4
SUBTOTAL	**64**	**6.2**	**22**	**2**	**3**	**5**	**8**	**10**	**14**	**29**	**12**	**8.3**	**102**	**2**	**3**	**4**	**10**	**21**	**35**	**38**
GRAND TOTAL	**75**	**6.2**	**26**	**2**	**3**	**5**	**8**	**11**	**15**	**29**	**15**	**7.8**	**83**	**2**	**3**	**4**	**9**	**13**	**32**	**38**

PATHOLOGIC ALCOHOL INTOX (291.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
SUBTOTAL	2	2.0	2	1	1	2	3	3	3	3										
GRAND TOTAL	2	2.0	2	1	1	2	3	3	3	3										

ALCOHOLIC JEALOUSY (291.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	3	8.0	39	3	4	6	13	15	15	15										
35-54	2	6.0	2	5	5	6	7	7	7	7										
55-74																				
75 +																				
ALL AGES	5	7.2	21	3	4	6	9	15	15	15										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	11.0		11	11	11	11	11	11	11										
35-54	1	12.0		12	12	12	12	12	12	12										
55-74	2	3.5	5	2	2	3	5	5	5	5										
75 +																				
ALL AGES	4	7.5	23	2	3	8	11	12	12	12										
SUBTOTAL	**9**	**7.3**	**20**	**2**	**4**	**6**	**11**	**14**	**15**	**15**										
GRAND TOTAL	**9**	**7.3**	**20**	**2**	**4**	**6**	**11**	**14**	**15**	**15**										

ALCOHOLIC PSYCHOSIS NEC (291.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	3	3.0	12	1	1	1	6	7	7	7										
25-34	12	4.9	18	2	2	4	6	10	16	17	6	3.5	3	2	2	3	5	6	6	6
35-54	56	4.3	10	1	2	3	6	8	9	19	37	3.5	5	2	2	3	4	6	9	10
55-74	29	8.0	75	2	2	5	10	19	22	41	17	8.2	226	1	3	4	7	13	47	65
75 +	4	2.8	1	2	2	3	3	4	4	4	1	5.0		5	5	5	5	5	5	5
ALL AGES	104	5.3	31	2	2	4	6	9	18	30	61	4.9	67	2	2	3	5	8	10	59
B. FEMALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17																				
18-24																				
25-34	4	5.3	14	3	3	4	7	11	11	11	3	2.7	4	1	1	2	4	5	5	5
35-54	16	4.1	5	3	3	3	4	7	10	11	8	4.9	4	2	3	5	6	8	8	8
55-74	5	8.0	45	1	4	7	11	19	19	19	6	3.2	4	1	1	3	4	6	6	6
75 +	1	14.0		14	14	14	14	14	14	14										
ALL AGES	26	5.4	17	3	3	4	7	11	15	19	18	3.8	4	1	2	4	5	7	8	8
SUBTOTAL	**130**	**5.3**	**28**	**2**	**2**	**4**	**6**	**11**	**17**	**25**	**79**	**4.6**	**53**	**1**	**2**	**3**	**5**	**7**	**10**	**50**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											2	3.0		3	3	3	3	3	3	3
18-24	30	6.3	86	1	2	2	3	26	29	29	20	4.8	40	1	2	3	3	13	23	25
25-34	200	5.3	50	2	2	3	4	16	27	30	179	3.0	4	2	3	3	3	3	4	14
35-54	393	5.3	35	2	2	3	5	12	22	28	366	3.4	6	2	3	3	3	4	7	16
55-74	146	5.9	49	2	2	3	6	16	25	35	98	5.5	33	2	3	4	6	9	16	31
75 +	5	13.2	240	3	4	6	20	40	40	40	7	8.9	40	3	3	8	15	18	18	18
ALL AGES	774	5.5	45	2	2	3	5	15	25	29	672	3.7	12	2	3	3	3	5	8	24
B. FEMALE																				
0-12 YRS.																				
13-17	2	2.5	1	2	2	2	3	3	3	3	1	2.0		2	2	2	2	2	2	2
18-24	6	4.2	29	1	1	2	3	14	15	15	8	2.9	2	1	2	3	3	5	6	6
25-34	57	4.8	56	2	2	3	3	8	26	42	51	3.1		2	3	3	3	4	4	5
35-54	119	5.1	38	2	2	3	4	14	22	28	95	4.3	26	2	3	3	3	6	11	31
55-74	41	4.8	19	2	3	4	5	7	15	24	26	5.8	49	3	3	4	5	8	28	30
75 +	2	5.0	2	4	4	5	6	6	6	6	2	4.5	5	3	3	4	6	6	6	6
ALL AGES	227	4.9	38	2	2	3	4	10	21	28	183	4.1	21	2	3	3	3	6	9	30
SUBTOTAL	**1001**	**5.4**	**43**	**2**	**2**	**3**	**5**	**13**	**25**	**28**	**855**	**3.8**	**14**	**2**	**3**	**3**	**3**	**5**	**8**	**28**
GRAND TOTAL	**1131**	**5.4**	**41**	**2**	**2**	**3**	**5**	**12**	**23**	**28**	**934**	**3.8**	**17**	**2**	**3**	**3**	**3**	**5**	**8**	**28**

ALCOHOLIC PSYCHOSIS NOS (291.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	17.0		17	17	17	17	17	17	17
75 +																				
ALL AGES											1	17.0		17	17	17	17	17	17	17
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											**1**	**17.0**		**17**	**17**	**17**	**17**	**17**	**17**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	2.0	2	1	1	2	3	3	3	3										
35-54	8	12.6	173	1	2	7	24	32	32	32	1	5.0		5	5	5	5	5	5	5
55-74	2	8.0	2	7	7	8	9	9	9	9										
75 +																				
ALL AGES	12	10.1	127	1	2	5	14	32	32	32	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	10.0		10	10	10	10	10	10	10										
35-54	1	26.0		26	26	26	26	26	26	26	1	14.0		14	14	14	14	14	14	14
55-74																				
75 +																				
ALL AGES	2	18.0	128	10	10	18	26	26	26	26	1	14.0		14	14	14	14	14	14	14
SUBTOTAL	**14**	**11.2**	**126**	**1**	**2**	**8**	**17**	**32**	**32**	**32**	**2**	**9.5**	**41**	**5**	**5**	**9**	**14**	**14**	**14**	**14**
GRAND TOTAL	**14**	**11.2**	**126**	**1**	**2**	**8**	**17**	**32**	**32**	**32**	**3**	**12.0**	**39**	**5**	**7**	**14**	**16**	**17**	**17**	**17**

DRUG WITHDRAWAL SYNDROME (292.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	4	3.0	3	1	2	3	4	5	5	5	3	4.7	16	1	1	4	8	9	9	9
35-54	2	10.0	98	3	3	10	17	17	17	17	4	2.3	3	1	1	2	3	5	5	5
55-74	2	8.0		8	8	8	8	8	8	8										
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES	8	6.0	26	1	3	4	8	14	17	17	8	3.9	10	1	1	3	6	9	9	9
B. FEMALE																				
0-12 YRS.	1	16.0		16	16	16	16	16	16	16										
13-17																				
18-24																				
25-34	6	1.7	1	1	1	2	2	3	3	3	2	3.5	1	3	3	3	4	4	4	4
35-54	4	3.8		3	3	4	4	5	5	5	4	3.0	3	1	1	3	4	5	5	5
55-74	6	6.7	15	3	4	5	8	13	14	14	2	12.5	145	4	4	12	21	21	21	21
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	18	4.6	18	1	2	3	5	12	15	16	8	5.5	41	1	2	4	5	16	21	21
SUBTOTAL	**26**	**5.0**	**20**	**1**	**2**	**3**	**6**	**13**	**16**	**17**	**16**	**4.7**	**25**	**1**	**2**	**4**	**5**	**9**	**17**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	2.0		2	2	2	2	2	2	2										
18-24	8	20.8	146	1	12	26	28	30	31	31	22	2.8		2	2	3	3	4	4	4
25-34	40	12.7	133	2	3	8	24	28	29	45	137	3.0	1	2	3	3	3	3	4	7
35-54	24	9.2	118	2	2	4	12	26	32	42	96	3.3	5	2	3	3	3	4	5	17
55-74	5	10.2	63	1	5	7	18	19	19	19	5	4.4	2	2	3	5	5	6	6	6
75 +	2	4.5	5	3	3	4	6	6	6	6										
ALL AGES	81	11.8	130	2	3	6	24	28	29	44	260	3.1	3	2	3	3	3	4	5	12
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	5	10.6	110	2	3	4	19	26	26	26	18	3.2	4	2	2	3	3	4	8	11
25-34	23	12.1	123	2	2	7	25	27	28	29	42	3.3	2	2	3	3	3	5	6	9
35-54	23	6.3	40	2	3	3	8	16	23	23	31	3.1	3	1	3	3	3	4	5	10
55-74	8	12.9	93	5	6	8	18	29	32	32	6	9.8	130	3	3	4	12	30	32	32
75 +	5	8.4	15	5	6	8	10	15	15	15	1	7.0		7	7	7	7	7	7	7
ALL AGES	64	9.7	83	2	3	6	15	26	27	32	98	3.7	11	2	3	3	3	5	8	22
SUBTOTAL	**145**	**10.9**	**103**	**2**	**3**	**6**	**20**	**27**	**28**	**42**	**358**	**3.3**	**5**	**2**	**3**	**3**	**3**	**4**	**5**	**13**
GRAND TOTAL	**171**	**10.0**	**100**	**2**	**3**	**5**	**17**	**27**	**28**	**40**	**374**	**3.3**	**6**	**2**	**3**	**3**	**3**	**4**	**5**	**15**

DRUG PARANOID/HALLUCINOS (292.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	1.0		1	1	1	1	1	1	1										
13-17	1	4.0		4	4	4	4	4	4	4										
18-24	2	2.0	2	1	1	1	3	3	3	3										
25-34	4	9.0	61	3	3	6	14	20	20	20										
35-54	2	1.5	1	1	1	1	2	2	2	2										
55-74	4	5.5	8	3	3	5	8	8	8	8										
75 +	3	6.7	16	2	4	9	9	9	9	9	3	6.7	40	3	3	3	11	14	14	14
ALL AGES	19	4.8	23	1	1	3	8	9	15	20	3	6.7	40	3	3	3	11	14	14	14
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	3	1.3		1	1	1	2	2	2	2										
25-34	1	21.0		21	21	21	21	21	21	21										
35-54	2	10.5	25	7	7	10	14	14	14	14	1	2.0		2	2	2	2	2	2	2
55-74	4	8.0	10	5	5	7	10	12	12	12	1	9.0		9	9	9	9	9	9	9
75 +	9	4.9	11	1	3	4	6	10	12	12	4	6.3	9	3	3	6	9	9	9	9
ALL AGES	20	6.2	27	1	2	5	8	13	17	21	7	5.3	13	1	2	4	9	9	9	9
SUBTOTAL	**39**	**5.5**	**25**	**1**	**1**	**4**	**8**	**12**	**17**	**21**	**10**	**5.7**	**18**	**1**	**3**	**4**	**9**	**12**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	39.0		39	39	39	39	39	39	39										
18-24	6	22.2	906	5	6	8	24	76	82	82										
25-34	7	7.1	47	2	2	4	11	18	20	20	2	3.5	13	1	1	3	6	6	6	6
35-54	7	8.0	72	1	3	4	14	22	23	23										
55-74	2	6.5	25	3	3	6	10	10	10	10										
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	23	12.7	315	2	3	6	16	27	54	82	3	3.7	6	1	2	4	5	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17	2	15.0	72	9	9	15	21	21	21	21										
18-24	3	4.7	2	3	3	5	6	6	6	6										
25-34	2	9.5	113	2	2	9	17	17	17	17	2	3.5	1	3	3	3	4	4	4	4
35-54	3	4.3	13	1	2	4	7	8	8	8										
55-74	3	9.7	80	1	3	9	16	19	19	19	4	5.8	23	3	3	4	8	13	13	13
75 +	3	9.3	27	5	6	8	13	15	15	15	3	4.7	2	3	3	5	6	6	6	6
ALL AGES	16	8.3	41	1	3	7	12	19	20	21	9	4.9	10	3	3	4	5	10	13	13
SUBTOTAL	**39**	**10.9**	**203**	**2**	**3**	**6**	**14**	**22**	**32**	**82**	**12**	**4.6**	**9**	**2**	**3**	**4**	**5**	**8**	**12**	**13**
GRAND TOTAL	**78**	**8.2**	**120**	**1**	**2**	**5**	**9**	**20**	**22**	**70**	**22**	**5.1**	**13**	**2**	**3**	**4**	**6**	**10**	**13**	**14**

PATHOLOGIC DRUG INTOX (292.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	7.0		7	7	7	7	7	7	7										
25-34																				
35-54																				
55-74	1	13.0		13	13	13	13	13	13	13										
75 +																				
ALL AGES	2	10.0	18	7	7	10	13	13	13	13										
SUBTOTAL	2	10.0	18	7	7	10	13	13	13	13										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES											1	8.0		8	8	8	8	8	8	8
SUBTOTAL											1	8.0		8	8	8	8	8	8	8
GRAND TOTAL	2	10.0	18	7	7	10	13	13	13	13	1	8.0		8	8	8	8	8	8	8

OTHER DRUG MENTAL DIS (292.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											2	2.5	5	1	1	2	4	4	4	4
18-24	6	7.3	32	1	2	7	10	15	16	16										
25-34	10	7.4	22	2	5	5	10	15	16	16										
35-54	10	7.5	61	1	1	5	12	20	22	22	2	1.0		1	1	1	1	1	1	1
55-74	20	7.4	23	2	3	6	10	15	17	19	7	6.3	9	2	4	6	8	10	11	11
75 +	19	7.5	60	2	3	6	8	14	26	35	14	7.1	18	2	4	7	10	12	16	17
ALL AGES	65	7.4	39	2	3	6	10	16	19	33	25	6.0	16	1	3	5	9	11	13	17
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-24	1	10.0		10	10	10	10	10	10	10	1	2.0		2	2	2	2	2	2	2
25-34	4	5.8	57	1	1	3	10	17	17	17	3	6.3	38	1	2	5	11	13	13	13
35-54	12	4.3	7	1	2	4	5	8	10	10	2	12.0	98	5	5	12	19	19	19	19
55-74	21	6.0	19	1	2	6	9	13	14	15	14	4.2	9	1	2	3	7	8	10	10
75 +	21	6.5	68	2	3	5	6	9	24	41	20	7.8	83	1	3	5	9	18	30	40
ALL AGES	60	5.8	35	1	2	5	7	10	14	39	40	6.5	52	1	2	5	7	14	20	40
SUBTOTAL	**125**	**6.7**	**36**	**1**	**3**	**5**	**9**	**14**	**17**	**36**	**65**	**6.3**	**38**	**1**	**2**	**5**	**8**	**12**	**17**	**37**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	9.0	32	5	5	9	13	13	13	13										
18-24	5	21.6	45	16	17	19	25	33	33	33	2	1.0		1	1	1	1	1	1	1
25-34	14	7.6	24	2	5	6	11	16	16	16	4	7.5	34	2	2	7	12	13	13	13
35-54	20	11.3	57	3	4	10	16	22	26	28										
55-74	7	8.4	35	2	4	7	13	17	18	18	4	6.5	34	1	2	5	11	14	14	14
75 +	7	9.3	62	2	4	7	16	21	22	22	1	15.0		15	15	15	15	15	15	15
ALL AGES	55	10.6	55	3	4	8	16	21	24	33	11	6.6	34	1	1	3	13	14	15	15
B. FEMALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
18-24	5	15.4	115	3	8	15	21	32	32	32										
25-34	12	6.8	51	1	2	5	9	16	25	26	1	3.0		3	3	3	3	3	3	3
35-54	13	10.6	86	2	3	7	16	27	29	30	1	1.0		1	1	1	1	1	1	1
55-74	14	11.9	88	3	7	9	17	23	35	38	3	6.7	25	2	3	6	10	12	12	12
75 +	13	10.0	49	4	6	8	12	18	28	30	8	6.0	15	3	3	4	8	12	14	14
ALL AGES	58	10.3	72	2	4	8	13	24	30	38	14	5.2	16	1	3	4	7	12	14	14
SUBTOTAL	**113**	**10.4**	**64**	**2**	**4**	**8**	**15**	**21**	**28**	**35**	**25**	**5.8**	**24**	**1**	**2**	**3**	**10**	**14**	**14**	**15**
GRAND TOTAL	**238**	**8.4**	**54**	**2**	**3**	**6**	**11**	**18**	**22**	**35**	**90**	**6.2**	**34**	**1**	**2**	**5**	**8**	**13**	**15**	**32**

DRUG MENTAL DISORDER NOS (292.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	15.0		15	15	15	15	15	15	15										
25-34	1	2.0		2	2	2	2	2	2	2	1	4.0		4	4	4	4	4	4	4
35-54	1	2.0		2	2	2	2	2	2	2										
55-74											4	3.3	4	1	1	3	5	6	6	6
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	4	5.8	38	2	2	3	9	15	15	15	5	3.4	4	1	2	4	5	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24											1	1.0		1	1	1	1	1	1	1
25-34	3	6.3	47	1	2	4	11	14	14	14	2	16.0	50	11	11	16	21	21	21	21
35-54	3	13.7	344	1	2	5	27	35	35	35	1	2.0		2	2	2	2	2	2	2
55-74	3	7.3	37	1	3	8	12	13	13	13										
75 +	3	6.7	40	3	3	3	11	14	14	14	2	10.0	50	5	5	10	15	15	15	15
ALL AGES	13	8.2	88	1	2	4	13	18	32	35	6	9.2	62	1	2	8	15	20	21	21
SUBTOTAL	**17**	**7.6**	**75**	**1**	**2**	**4**	**13**	**15**	**28**	**35**	**11**	**6.5**	**43**	**1**	**2**	**4**	**10**	**17**	**21**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	8.7	29	5	5	6	13	15	15	15										
18-24	3	3.3	5	1	2	4	5	5	5	5	4	5.8	20	1	1	5	9	11	11	11
25-34	3	6.0	7	4	4	5	8	9	9	9	1	6.0		6	6	6	6	6	6	6
35-54	6	8.8	14	4	7	8	13	13	13	13										
55-74	1	8.0		8	8	8	8	8	8	8										
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	16	7.2	15	4	4	6	9	13	14	15	6	5.5	13	1	3	5	8	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17	1	6.0		6	6	6	6	6	6	6										
18-24	1	5.0		5	5	5	5	5	5	5										
25-34	7	7.9	22	3	5	5	13	14	14	14										
35-54	1	10.0		10	10	10	10	10	10	10	2	11.5	5	10	10	11	13	13	13	13
55-74	5	16.2	429	3	7	8	20	53	53	53										
75 +																				
ALL AGES	15	10.5	150	3	5	8	10	14	43	53	2	11.5	5	10	10	11	13	13	13	13
SUBTOTAL	**31**	**8.8**	**80**	**3**	**5**	**7**	**10**	**14**	**15**	**53**	**8**	**7.0**	**18**	**1**	**3**	**7**	**10**	**12**	**13**	**13**
GRAND TOTAL	**48**	**8.4**	**77**	**2**	**4**	**6**	**10**	**14**	**17**	**53**	**19**	**6.7**	**31**	**1**	**2**	**5**	**11**	**14**	**18**	**21**

ACUTE DELIRIUM (293.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	2.7	8	1	1	1	5	6	6	6	1	1.0		1	1	1	1	1	1	1
13-17	5	2.8	1	1	2	3	3	4	4	4										
18-24	2	4.5	5	3	3	4	6	6	6	6	3	1.7		1	1	2	2	2	2	2
25-34	5	3.8	8	1	1	3	6	8	8	8	1	6.0		6	6	6	6	6	6	6
35-54	12	5.9	105	1	1	2	4	19	34	37	2	2.0		2	2	2	2	2	2	2
55-74	48	6.5	34	2	3	5	8	14	24	99 +	23	5.1	11	2	2	5	7	8	11	15
75 +	40	6.9	28	2	3	5	10	14	18	23	28	5.9	55	2	3	4	6	7	15	42
ALL AGES	115	6.2	35	1	2	4	8	13	21	58	58	5.2	31	2	2	4	6	8	11	40
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
13-17	1	22.0		22	22	22	22	22	22	22										
18-24	2	1.0		1	1	1	1	1	1	1										
25-34	5	15.2	292	1	2	8	27	42	42	42	1	1.0		1	1	1	1	1	1	1
35-54	15	4.0	5	2	2	4	6	7	8	8	12	3.8	3	1	3	3	5	6	6	6
55-74	57	6.9	31	2	3	5	9	15	21	25	19	5.8	13	1	4	5	7	12	13	13
75 +	70	6.1	20	2	3	5	8	11	16	24	42	6.8	14	3	4	6	8	12	14	19
ALL AGES	151	6.5	35	2	3	5	8	13	21	25	75	5.9	13	2	3	6	8	11	13	18
SUBTOTAL	**266**	**6.3**	**36**	**2**	**3**	**4**	**8**	**13**	**22**	**35**	**133**	**5.6**	**21**	**2**	**3**	**5**	**7**	**10**	**13**	**23**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24	2	2.5	1	2	2	2	3	3	3	3	1	2.0		2	2	2	2	2	2	2
25-34	4	11.5	73	2	5	11	18	22	22	22										
35-54	9	8.9	126	2	3	5	8	28	37	37	6	5.2	7	2	4	5	5	10	10	10
55-74	22	6.3	15	2	4	6	7	11	16	17	9	7.2	21	1	3	9	11	13	13	13
75 +	11	12.1	191	2	3	9	13	33	49	50	12	4.9	20	1	2	4	6	10	17	18
ALL AGES	49	8.3	80	2	3	6	9	16	23	50	28	5.6	17	2	2	5	8	11	13	18
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17											1	9.0		9	9	9	9	9	9	9
18-24	2	21.5	685	3	3	21	40	40	40	40										
25-34	3	12.0	76	2	5	16	17	18	18	18	1	5.0		5	5	5	5	5	5	5
35-54	5	7.4	49	1	2	[illegible]	11	19	19	19	3	3.7	1	3	3	3	5	5	5	5
55-74	34	10.4	72	2	4	6	17	24	27	32	16	6.4	16	1	3	6	10	12	13	13
75 +	29	7.2	18	2	4	7	8	14	15	20	16	7.0	23	2	3	6	9	14	18	20
ALL AGES	74	9.2	61	2	4	7	13	20	24	38	37	6.5	17	2	3	5	9	12	14	20
SUBTOTAL	**123**	**8.8**	**69**	**2**	**3**	**6**	**11**	**19**	**24**	**43**	**65**	**6.1**	**17**	**2**	**3**	**5**	**9**	**12**	**13**	**20**
GRAND TOTAL	**389**	**7.1**	**47**	**2**	**3**	**5**	**9**	**16**	**22**	**39**	**198**	**5.8**	**19**	**2**	**3**	**5**	**7**	**11**	**13**	**20**

SUBACUTE DELIRIUM (293.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	1	12.0		12	12	12	12	12	12	12										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	1	9.0		9	9	9	9	9	9	9										
SUBTOTAL	**2**	**10.5**	**5**	**9**	**9**	**10**	**12**	**12**	**12**	**12**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	7.0		7	7	7	7	7	7	7	1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**2**	**4.5**	**13**	**2**	**2**	**4**	**7**	**7**	**7**	**7**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**4**	**7.5**	**18**	**2**	**4**	**8**	**10**	**12**	**12**	**12**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

OTH TRANSIENT ORG MENTAL (293.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	8.8	35	1	4	10	13	14	14	14										
18-24	9	19.7	394	3	6	15	27	51	67	67	1	17.0		17	17	17	17	17	17	17
25-34	21	18.5	237	3	7	13	29	44	50	52										
35-54	30	15.2	152	4	6	13	22	26	34	63										
55-74	49	15.8	136	5	9	13	19	30	47	51	4	12.5	14	10	10	11	15	18	18	18
75 +	29	13.6	54	5	8	13	18	22	24	37	2	8.0	2	7	7	8	9	9	9	9
ALL AGES	142	15.7	149	4	7	13	20	30	43	63	7	11.9	16	7	9	11	16	18	18	18
B. FEMALE																				
0-12 YRS.	2	15.5	421	1	1	15	30	30	30	30										
13-17	2	26.0	578	9	17	43	86	99 +	99 +	99 +	1	10.0		10	10	10	10	10	10	10
18-24	3	15.0	13	12	12	14	18	19	19	19	1	5.0		5	5	5	5	5	5	5
25-34	11	12.2	96	2	4	9	21	26	31	31	1	28.0		28	28	28	28	28	28	28
35-54	21	20.2	293	7	9	16	23	44	58	75	3	9.7	40	5	5	7	14	17	17	17
55-74	71	17.1	99	6	9	16	23	30	33	49	1	20.0		20	20	20	20	20	20	20
75 +	73	16.0	95	4	9	14	22	28	31	46	3	17.7	81	11	12	14	24	28	28	28
ALL AGES	183	16.8	122	4	9	14	23	31	36	66	10	14.5	75	5	7	12	20	28	28	28
SUBTOTAL	**325**	**16.3**	**134**	**4**	**8**	**14**	**22**	**31**	**41**	**64**	**17**	**13.4**	**50**	**6**	**9**	**11**	**17**	**26**	**28**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	25.0	162	16	16	25	34	34	34	34										
13-17	4	12.0	10	8	9	12	14	15	15	15										
18-24	16	20.6	203	5	9	17	37	42	80	99 +										
25-34	52	17.5	143	4	9	16	23	32	48	99										
35-54	62	17.3	111	4	9	16	22	34	37	47										
55-74	39	16.0	125	5	7	14	20	33	39	50	5	9.8	35	5	5	8	14	19	19	19
75 +	23	17.3	47	9	13	17	23	27	28	29										
ALL AGES	198	17.3	121	5	9	16	23	34	40	82	5	9.8	35	5	5	8	14	19	19	19
B. FEMALE																				
0-12 YRS.																				
13-17	1	10.0		10	10	10	10	10	10	10										
18-24	13	12.8	45	5	7	14	16	34	85	99 +	1	8.0		8	8	8	8	8	8	8
25-34	27	17.3	234	2	5	11	30	39	49	57										
35-54	38	18.0	129	4	9	16	27	35	40	42	1	19.0		19	19	19	19	19	19	19
55-74	46	20.9	102	8	14	19	28	36	38	42	1	4.0		4	4	4	4	4	4	4
75 +	51	21.8	198	7	13	19	29	38	44	85	2	3.0	2	2	2	3	4	4	4	4
ALL AGES	176	19.3	156	6	10	16	27	36	42	77	5	7.4	47	2	3	4	11	19	19	19
SUBTOTAL	**374**	**18.3**	**136**	**6**	**10**	**16**	**25**	**35**	**42**	**79**	**10**	**8.6**	**38**	**3**	**4**	**6**	**12**	**19**	**19**	**19**
GRAND TOTAL	**699**	**17.4**	**135**	**5**	**9**	**15**	**23**	**34**	**42**	**65**	**27**	**11.6**	**50**	**4**	**6**	**10**	**17**	**20**	**28**	**28**

TRANSIENT ORG MENTAL NOS (293.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	1	3.0		3	3	3	3	3	3	3										
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	2	4.5	25	1	1	4	8	8	8	8	1	7.0		7	7	7	7	7	7	7
55-74	4	8.0	105	1	1	4	14	23	23	23	6	5.8	24	1	3	5	6	14	15	15
75 +	6	4.3	15	1	1	3	8	10	10	10	7	7.1	79	1	2	3	11	23	25	25
ALL AGES	15	4.9	34	1	1	2	7	10	20	23	14	6.6	45	1	2	4	7	16	23	25
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54	2	15.0	50	10	10	15	20	20	20	20	1	5.0		5	5	5	5	5	5	5
55-74	17	9.5	55	3	5	8	12	16	27	33	7	15.6	74	7	10	13	20	30	32	32
75 +	14	5.1	20	1	2	3	7	13	13	13	6	5.2	15	1	3	4	7	11	12	12
ALL AGES	33	8.0	45	2	3	6	12	15	19	33	16	9.3	69	1	3	6	12	20	29	32
SUBTOTAL	**48**	**7.0**	**43**	**1**	**2**	**5**	**10**	**14**	**20**	**33**	**30**	**8.0**	**58**	**1**	**3**	**5**	**12**	**18**	**25**	**32**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	3.0		3	3	3	3	3	3	3										
25-34	4	10.5	104	1	4	8	17	25	25	25										
35-54	4	5.3	21	1	1	4	9	11	11	11										
55-74	7	9.9	101	1	2	7	18	25	26	26	2	9.5	13	7	7	9	12	12	12	12
75 +	5	9.2	64	3	3	5	16	21	21	21	1	14.0		14	14	14	14	14	14	14
ALL AGES	21	8.6	68	1	2	7	12	23	25	26	3	11.0	13	7	8	12	13	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7	1	3.0		3	3	3	3	3	3	3
55-74	1	14.0		14	14	14	14	14	14	14	2	9.0	8	7	7	9	11	11	11	11
75 +	6	7.0	8	3	6	7	9	11	11	11	2	6.0		6	6	6	6	6	6	6
ALL AGES	8	7.9	11	4	6	7	10	13	14	14	5	6.6	8	3	5	6	8	11	11	11
SUBTOTAL	**29**	**8.4**	**51**	**1**	**3**	**7**	**11**	**22**	**25**	**26**	**8**	**8.3**	**13**	**4**	**6**	**7**	**11**	**13**	**14**	**14**
GRAND TOTAL	**77**	**7.5**	**46**	**1**	**3**	**6**	**10**	**16**	**23**	**31**	**38**	**8.1**	**48**	**1**	**3**	**6**	**12**	**16**	**23**	**32**

AMNESTIC SYNDROME (294.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54																				
55-74	6	8.5	37	3	4	7	9	19	20	20										
75 +	7	11.0	54	1	4	11	17	20	21	21										
ALL AGES	14	9.2	47	1	3	8	14	20	21	21										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	17.0		17	17	17	17	17	17	17										
55-74	2	10.5	113	3	3	10	18	18	18	18										
75 +	7	22.4	88	14	16	19	31	36	37	37										
ALL AGES	10	19.5	96	8	16	18	21	35	37	37										
SUBTOTAL	**24**	**13.5**	**91**	**3**	**5**	**13**	**19**	**23**	**35**	**37**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	11.5	61	6	6	11	17	17	17	17										
75 +	1	36.0		36	36	36	36	36	36	36										
ALL AGES	3	19.7	228	6	9	17	31	36	36	36										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	6.0		6	6	6	6	6	6	6										
55-74	2	12.5	41	8	8	12	17	17	17	17										
75 +	6	10.8	39	2	6	12	14	19	19	19										
ALL AGES	9	10.7	31	3	6	10	15	18	19	19										
SUBTOTAL	**12**	**12.9**	**82**	**5**	**6**	**12**	**17**	**24**	**34**	**36**										
GRAND TOTAL	**36**	**13.3**	**85**	**3**	**6**	**13**	**18**	**21**	**35**	**37**										

DEMENTIA IN OTH DISEASES (294.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	42.0		42	42	42	42	42	42	42										
25-34	1	13.0		13	13	13	13	13	13	13										
35-54	4	19.0	150	10	11	14	26	37	37	37	1	3.0		3	3	3	3	3	3	3
55-74	10	11.8	21	5	10	11	16	17	18	18	2	4.5	1	4	4	4	5	5	5	5
75 +	4	10.5	31	3	6	11	14	16	16	16	1	3.0		3	3	3	3	3	3	3
ALL AGES	20	14.6	88	6	10	13	16	27	39	42	4	3.8		3	3	4	4	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	11.5	25	8	8	11	15	15	15	15										
35-54	5	6.8	21	1	3	8	9	13	13	13										
55-74	6	12.8	76	4	8	11	14	27	29	29	2	11.5	1	11	11	11	12	12	12	12
75 +	6	11.5	45	5	6	10	15	22	23	23	4	6.8	12	2	4	7	9	10	10	10
ALL AGES	19	10.7	45	4	6	9	14	20	26	29	6	8.3	15	2	6	9	11	12	12	12
SUBTOTAL	**39**	**12.7**	**69**	**4**	**8**	**11**	**15**	**21**	**33**	**42**	**10**	**6.5**	**14**	**2**	**3**	**5**	**10**	**11**	**12**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	17.0	128	9	9	17	25	25	25	25										
35-54	2	15.0	72	9	9	15	21	21	21	21										
55-74	1	8.0		8	8	8	8	8	8	8										
75 +	1	11.0		11	11	11	11	11	11	11										
ALL AGES	6	13.8	54	8	9	10	21	25	25	25										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	18.5	5	17	17	18	20	20	20	20										
55-74																				
75 +	4	19.3	268	2	7	17	31	41	41	41	1	5.0		5	5	5	5	5	5	5
ALL AGES	6	19.0	164	3	13	18	21	39	41	41	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**12**	**16.4**	**106**	**6**	**9**	**15**	**21**	**30**	**39**	**41**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**
GRAND TOTAL	**51**	**13.5**	**80**	**4**	**8**	**11**	**16**	**24**	**37**	**42**	**11**	**6.4**	**12**	**2**	**3**	**5**	**10**	**11**	**12**	**12**

ORGANIC BRAIN SYND NEC (294.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	8.0		8	8	8	8	8	8	8										
35-54	8	11.9	84	4	5	8	16	27	31	31										
55-74	11	15.8	185	4	5	13	29	37	39	39	1	10.0		10	10	10	10	10	10	10
75 +	10	11.4	36	2	7	13	15	18	21	21	1	4.0		4	4	4	4	4	4	4
ALL AGES	30	13.0	101	3	5	11	16	32	35	39	2	7.0	18	4	4	7	10	10	10	10
B. FEMALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14										
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	5	16.8	75	5	12	17	21	29	29	29	1	1.0		1	1	1	1	1	1	1
35-54	5	16.0	61	3	12	19	21	23	23	23										
55-74	14	21.1	182	7	10	18	31	38	47	49										
75 +	25	12.6	51	3	8	13	17	23	27	29										
ALL AGES	51	15.5	99	3	8	14	20	29	33	49	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**81**	**14.6**	**99**	**3**	**7**	**13**	**19**	**30**	**34**	**46**	**3**	**5.0**	**21**	**1**	**1**	**4**	**8**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	28.5	1013	6	6	28	51	51	51	51										
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	5	15.8	50	6	10	18	22	22	22	22										
35-54	6	12.2	24	6	9	11	15	19	20	20										
55-74	7	19.0	128	8	10	13	28	35	37	37	2	18.0	242	7	7	18	29	29	29	29
75 +	10	16.2	47	8	10	16	20	27	27	27										
ALL AGES	31	16.3	107	6	9	13	21	28	37	51	2	18.0	242	7	7	18	29	29	29	29
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	18.0		18	18	18	18	18	18	18										
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7										
55-74	14	19.4	126	6	10	19	24	34	43	45										
75 +	15	18.8	94	7	10	19	25	26	37	40										
ALL AGES	31	18.7	102	6	9	18	25	31	40	45										
SUBTOTAL	**62**	**17.5**	**104**	**6**	**9**	**16**	**24**	**29**	**38**	**50**	**2**	**18.0**	**242**	**7**	**7**	**18**	**29**	**29**	**29**	**29**
GRAND TOTAL	**143**	**15.8**	**105**	**4**	**8**	**14**	**22**	**29**	**36**	**49**	**5**	**10.2**	**122**	**1**	**3**	**7**	**15**	**29**	**29**	**29**

ORGANIC BRAIN SYND NOS (294.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	6	12.0	56	6	8	9	15	25	26	26										
25-34	2	21.5	1	21	21	21	22	22	22	22										
35-54	5	11.0	49	2	6	9	17	19	19	19										
55-74	10	8.7	48	2	3	7	14	19	23	23	1	13.0		13	13	13	13	13	13	13
75 +	8	12.8	71	2	4	16	19	22	23	23	1	9.0		9	9	9	9	9	9	9
ALL AGES	31	11.6	56	2	6	9	18	22	23	26	2	11.0	8	9	9	11	13	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-17	1	19.0		19	19	19	19	19	19	19										
18-24	2	7.0	18	4	4	7	10	10	10	10										
25-34	3	12.0	52	6	7	10	17	20	20	20										
35-54	6	15.8	289	2	4	11	19	45	48	48										
55-74	24	12.2	41	4	7	11	18	22	23	23	3	5.7	10	2	3	7	8	8	8	8
75 +	23	12.2	29	6	8	12	17	19	20	20	2	6.5	1	6	6	6	7	7	7	7
ALL AGES	59	12.5	57	4	7	11	18	20	22	46	5	6.0	6	2	5	7	7	8	8	8
SUBTOTAL	**90**	**12.2**	**56**	**3**	**6**	**11**	**18**	**21**	**23**	**39**	**7**	**7.4**	**11**	**3**	**6**	**7**	**9**	**12**	**13**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	16.0		16	16	16	16	16	16	16										
18-24	2	10.5	85	4	4	10	17	17	17	17										
25-34	4	26.5	475	1	10	26	42	53	53	53										
35-54	7	6.9	22	1	2	7	11	13	13	13										
55-74	14	22.4	282	8	12	15	29	57	58	58	2	57.0	578	40	40	57	74	74	74	74
75 +	4	12.3	73	1	5	14	19	20	20	20										
ALL AGES	32	17.3	232	1	7	14	20	40	57	58	2	57.0	578	40	40	57	74	74	74	74
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	19.0		19	19	19	19	19	19	19										
25-34	2	44.0	1352	18	18	44	70	70	70	70										
35-54	4	16.8	41	9	12	16	21	25	25	25										
55-74	8	15.5	90	3	6	17	24	26	26	26	1	8.0		8	8	8	8	8	8	8
75 +	2	7.5	1	7	7	7	8	8	8	8	1	12.0		12	12	12	12	12	12	12
ALL AGES	17	18.4	234	4	9	17	24	26	55	70	2	10.0	8	8	8	10	12	12	12	12
SUBTOTAL	**49**	**17.7**	**228**	**3**	**8**	**15**	**21**	**34**	**57**	**70**	**4**	**33.5**	**932**	**8**	**10**	**26**	**57**	**74**	**74**	**74**
GRAND TOTAL	**139**	**14.1**	**123**	**3**	**7**	**12**	**19**	**23**	**31**	**59**	**11**	**16.9**	**459**	**4**	**7**	**8**	**13**	**54**	**72**	**74**

SIMPLE SCHIZOPHRENIA (295.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	11.0		11	11	11	11	11	11	11										
25-34																				
35-54	1	15.0		15	15	15	15	15	15	15										
55-74																				
75 +																				
ALL AGES	2	13.0	8	11	11	13	15	15	15	15										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	22.0	2	21	21	22	23	23	23	23										
35-54																				
55-74	1	49.0		49	49	49	49	49	49	49										
75 +	1	13.0		13	13	13	13	13	13	13										
ALL AGES	4	26.5	244	13	17	22	36	49	49	49										
SUBTOTAL	**6**	**22.0**	**196**	**11**	**13**	**18**	**23**	**46**	**49**	**49**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	7.0		7	7	7	7	7	7	7										
35-54																				
55-74																				
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	14.0		14	14	14	14	14	14	14										
25-34																				
35-54	1	15.0		15	15	15	15	15	15	15										
55-74																				
75 +																				
ALL AGES	2	14.5	1	14	14	14	15	15	15	15										
SUBTOTAL	**3**	**12.0**	**19**	**7**	**9**	**14**	**15**	**15**	**15**	**15**										
GRAND TOTAL	**9**	**18.7**	**151**	**9**	**12**	**15**	**21**	**39**	**49**	**49**										

HEBEPHRENIA (295.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	25.0		25	25	25	25	25	25	25
13-17											1	62.0		62	62	62	62	62	62	62
18-24	5	21.8	122	5	18	22	27	36	36	36	1	20.0		20	20	20	20	20	20	20
25-34	12	13.1	56	3	7	13	19	22	25	26										
35-54	14	20.2	197	6	12	16	28	46	49	50										
55-74	4	19.0	71	12	12	18	26	29	29	29	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	35	17.9	125	5	10	16	23	32	43	50	4	27.5	618	3	11	22	43	62	62	62
B. FEMALE																				
0-12 YRS.																				
13-17	1	28.0		28	28	28	28	28	28	28										
18-24	3	16.7	165	6	8	13	26	31	31	31										
25-34	13	19.2	481	5	7	12	50	99 +	99 +	99 +										
35-54	12	23.8	358	9	12	18	28	57	67	69										
55-74	7	27.3	396	8	9	27	38	58	62	62										
75 +	2	17.0	32	13	13	17	21	21	21	21										
ALL AGES	38	22.1	349	6	9	17	31	65	86	99 +										
SUBTOTAL	**73**	**20.0**	**246**	**5**	**10**	**17**	**27**	**50**	**67**	**99 +**	**4**	**27.5**	**618**	**3**	**11**	**22**	**43**	**62**	**62**	**62**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	13.5	13	11	11	13	16	16	16	16										
25-34	5	16.0	308	4	7	10	20	47	47	47										
35-54	4	8.8	35	1	4	10	13	14	14	14										
55-74																				
75 +																				
ALL AGES	11	12.9	147	3	7	11	14	28	45	47										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	9.5	25	6	6	9	13	13	13	13										
25-34	2	18.5	25	15	15	18	22	22	22	22										
35-54	6	12.5	74	3	7	10	17	26	27	27										
55-74	2	11.0	18	8	8	11	14	14	14	14										
75 +																				
ALL AGES	12	12.8	47	5	7	13	16	23	26	27										
SUBTOTAL	**23**	**12.8**	**92**	**4**	**7**	**11**	**15**	**23**	**34**	**47**										
GRAND TOTAL	**96**	**18.3**	**216**	**5**	**8**	**14**	**23**	**44**	**61**	**99 +**	**4**	**27.5**	**618**	**3**	**11**	**22**	**43**	**62**	**62**	**62**

CATATONIC SCHIZOPHRENIA (295.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	11.0		11	11	11	11	11	11	11										
18-24	4	21.8	173	2	14	27	29	30	30	30										
25-34	7	18.9	63	7	14	20	25	28	29	29										
35-54	10	12.0	99	1	4	11	16	28	28	28	1	1.0		1	1	1	1	1	1	1
55-74	3	5.7	10	2	3	7	8	8	8	8										
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	25	14.7	103	2	5	13	26	29	29	30	2	2.5	5	1	1	2	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	3	12.7	20	10	10	10	16	18	18	18										
25-34	10	24.0	336	6	16	18	23	56	64	64	1	3.0		3	3	3	3	3	3	3
35-54	17	13.1	86	2	6	11	20	27	30	31										
55-74	9	26.7	295	9	11	22	36	53	61	61										
75 +																				
ALL AGES	39	19.0	218	5	8	17	23	38	56	64	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**64**	**17.3**	**176**	**3**	**7**	**16**	**23**	**31**	**43**	**64**	**3**	**2.7**	**2**	**1**	**1**	**3**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	5	15.8	114	5	9	12	22	33	33	33										
25-34	5	14.8	138	1	8	13	21	33	33	33	1	10.0		10	10	10	10	10	10	10
35-54	4	20.3	106	6	13	22	27	31	31	31	1	7.0		7	7	7	7	7	7	7
55-74	2	4.0	18	1	1	4	7	7	7	7										
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES	16	15.1	115	2	6	12	22	33	33	33	3	8.3	3	7	7	8	9	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17	1	91.0		91	91	91	91	91	91	91										
18-24	1	11.0		11	11	11	11	11	11	11										
25-34	3	16.7	48	10	13	20	62	99 +	99 +	99 +										
35-54	2	21.5	181	12	12	21	31	31	31	31										
55-74	8	21.9	152	4	13	23	31	37	38	38	2	21.5	181	12	12	21	31	31	31	31
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	16	23.3	444	4	11	22	32	80	97	99 +	2	21.5	181	12	12	21	31	31	31	31
SUBTOTAL	**32**	**19.2**	**288**	**3**	**9**	**17**	**28**	**36**	**83**	**99 +**	**5**	**13.6**	**98**	**7**	**8**	**10**	**17**	**31**	**31**	**31**
GRAND TOTAL	**96**	**17.9**	**213**	**3**	**7**	**16**	**25**	**33**	**46**	**96**	**8**	**9.5**	**89**	**2**	**3**	**7**	**11**	**25**	**31**	**31**

PARANOID SCHIZOPHRENIA (295.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	8	16.9	163	3	6	15	24	37	40	40										
18-24	143	21.8	305	5	9	17	30	47	61	92	4	23.5	414	6	6	22	41	44	44	44
25-34	455	17.0	177	4	8	13	23	35	44	77	16	20.9	342	5	10	17	28	68	90	99+
35-54	460	16.1	140	5	8	13	21	31	40	56	27	21.1	390	3	4	16	31	56	60	60
55-74	74	15.9	130	5	8	13	19	28	38	64	4	15.5	327	3	4	8	27	42	42	42
75 +	12	11.6	47	5	7	10	15	21	26	27	1	1.0		1	1	1	1	1	1	1
ALL AGES	1152	17.1	177	5	8	14	23	35	44	69	53	20.1	351	3	5	16	32	56	69	99+
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	3	22.0	57	15	16	21	28	30	30	30										
18-24	59	18.1	204	3	9	15	23	41	56	96	3	34.3	326	14	21	41	46	48	48	48
25-34	266	16.9	167	5	8	14	21	34	45	63	7	18.7	145	7	8	12	32	33	33	33
35-54	433	17.9	165	5	9	14	24	35	44	63	23	12.9	58	4	7	12	18	24	27	28
55-74	239	18.4	143	6	10	16	24	36	45	55	12	13.3	111	2	4	10	24	28	29	29
75 +	20	18.1	152	3	7	16	28	36	39	41	1	29.0		29	29	29	29	29	29	29
ALL AGES	1020	17.8	161	5	9	14	23	35	45	63	47	15.3	126	3	7	12	23	29	34	48
SUBTOTAL	**2172**	**17.4**	**171**	**5**	**8**	**14**	**23**	**35**	**45**	**67**	**100**	**17.8**	**251**	**3**	**6**	**14**	**28**	**45**	**57**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	7	21.7	135	11	15	21	59	99+	99+	99+										
18-24	66	18.7	202	5	9	14	28	38	50	95	2	20.0	450	5	5	20	35	35	35	35
25-34	258	16.2	121	5	8	14	21	30	37	50	10	12.6	81	1	4	11	20	25	29	29
35-54	224	14.8	133	5	7	12	18	28	39	56	5	9.4	38	2	4	11	13	18	18	18
55-74	32	16.5	92	4	11	16	20	30	39	42	2	6.0	2	5	5	6	7	7	7	7
75 +	1	14.0		14	14	14	14	14	14	14										
ALL AGES	588	16.0	135	5	8	13	20	31	41	66	19	11.8	88	2	5	10	18	26	32	35
B. FEMALE																				
0-12 YRS.																				
13-17	2	82.5	365	69	69	82	96	96	96	96										
18-24	37	19.2	292	4	7	14	29	50	67	99+	1	2.0		2	2	2	2	2	2	2
25-34	105	19.2	300	6	9	14	21	38	47	95	2	3.5	1	3	3	3	4	4	4	4
35-54	130	16.7	122	5	9	16	21	28	39	59	5	17.4	13	12	16	17	20	22	22	22
55-74	72	17.3	133	7	10	15	20	31	42	65	6	9.0	56	2	4	7	12	21	22	22
75 +	7	29.0	219	13	16	25	43	49	50	50	1	7.0		7	7	7	7	7	7	7
ALL AGES	353	18.4	223	5	9	15	22	35	47	92	15	10.5	54	2	4	10	17	22	22	22
SUBTOTAL	**941**	**16.9**	**169**	**5**	**9**	**14**	**21**	**33**	**43**	**72**	**34**	**11.2**	**72**	**2**	**4**	**10**	**17**	**22**	**28**	**35**
GRAND TOTAL	**3113**	**17.3**	**168**	**5**	**8**	**14**	**22**	**34**	**44**	**69**	**134**	**16.2**	**210**	**3**	**5**	**12**	**23**	**41**	**55**	**99+**

AC SCHIZOPHRENIC EPISODE (295.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	30.0	471	9	14	26	46	59	59	59	1	10.0		10	10	10	10	10	10	10
18-24	6	15.2	117	6	7	10	28	30	30	30										
25-34	8	13.9	79	3	6	13	21	25	27	27	1	37.0		37	37	37	37	37	37	37
35-54	13	14.0	264	4	4	9	15	28	58	65	1	1.0		1	1	1	1	1	1	1
55-74	3	22.0	448	6	8	14	38	46	46	46										
75 +																				
ALL AGES	34	16.8	229	4	6	13	21	34	56	65	3	16.0	351	1	3	10	30	37	37	37
B. FEMALE																				
0-12 YRS.																				
13-17	3	31.7	759	8	12	25	53	62	62	62	1	32.0		32	32	32	32	32	32	32
18-24	7	15.9	36	8	10	17	20	24	25	25										
25-34	10	23.0	549	9	13	16	20	57	88	88										
35-54	10	12.6	65	2	5	12	19	24	24	24	2	25.5	1201	1	1	25	50	50	50	50
55-74	4	22.5	100	8	16	25	28	31	31	31										
75 +																				
ALL AGES	34	19.2	264	6	10	16	24	27	56	88	3	27.7	612	1	9	32	45	50	50	50
SUBTOTAL	**68**	**18.0**	**244**	**4**	**8**	**14**	**23**	**31**	**59**	**84**	**6**	**21[illegible]**	**429**	**1**	**1**	**21**	**37**	**49**	**50**	**50**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	7.0		7	7	7	7	7	7	7										
13-17	1	28.0		28	28	28	28	28	28	28										
18-24	10	18.3	72	8	13	18	22	30	35	35	1	10.0		10	10	10	10	10	10	10
25-34	8	18.1	149	4	6	19	27	33	35	35	1	6.0		6	6	6	6	6	6	6
35-54	4	17.0	21	13	13	16	20	23	23	23	1	30.0		30	30	30	30	30	30	30
55-74																				
75 +																				
ALL AGES	24	18.0	84	5	12	17	25	29	35	35	3	15.3	167	6	7	10	25	30	30	30
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	5	42.2	1081	15	23	34	52	99	99	99 +										
25-34	9	25.0	272	10	11	21	34	52	59	59										
35-54	7	16.3	124	7	10	12	20	36	39	39										
55-74	3	12.0	39	7	8	10	17	19	19	19	1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	24	24.4	428	9	11	18	33	43	71	99	1	6.0		6	6	6	6	6	6	6
SUBTOTAL	**48**	**21.2**	**261**	**7**	**11**	**18**	**27**	**36**	**43**	**99**	**4**	**13.0**	**132**	**6**	**6**	**8**	**20**	**30**	**30**	**30**
GRAND TOTAL	**116**	**19.3**	**253**	**5**	**9**	**15**	**25**	**35**	**55**	**92**	**10**	**18.3**	**302**	**1**	**6**	**10**	**32**	**43**	**50**	**50**

LATENT SCHIZOPHRENIA (295.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54																				
55-74	1	18.0		18	18	18	18	18	18	18										
75 +																				
ALL AGES	2	9.5	145	1	1	9	18	18	18	18										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**9.5**	**145**	**1**	**1**	**9**	**18**	**18**	**18**	**18**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	8.0		8	8	8	8	8	8	8										
35-54	1	12.0		12	12	12	12	12	12	12										
55-74																				
75 +																				
ALL AGES	2	10.0	8	8	8	10	12	12	12	12										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	17.5	181	8	8	17	27	27	27	27										
25-34											1	3.0		3	3	3	3	3	3	3
35-54																				
55-74																				
75 +																				
ALL AGES	2	17.5	181	8	8	17	27	27	27	27	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**4**	**13.8**	**80**	**8**	**8**	**10**	**19**	**27**	**27**	**27**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**6**	**12.3**	**84**	**2**	**8**	**10**	**18**	**26**	**27**	**27**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**

RESIDUAL SCHIZOPHRENIA (295.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	6	17.5	79	8	12	18	29	87	99+	99+										
18-24	75	19.9	231	5	9	18	26	45	74	99+	5	15.0	120	7	7	9	23	32	32	32
25-34	254	17.7	145	5	9	15	24	34	43	54	22	17.5	141	2	9	16	23	30	39	50
35-54	240	18.6	205	4	8	15	26	40	49	76	9	14.7	82	4	7	18	21	26	29	29
55-74	54	18.3	234	5	9	15	23	35	45	83	2	15.0		15	15	15	15	15	15	15
75 +	2	12.5	85	6	6	12	19	19	19	19	1	10.0		10	10	10	10	10	10	10
ALL AGES	631	18.3	186	5	9	15	25	36	48	85	39	16.2	111	4	7	15	21	30	32	50
B. FEMALE																				
0-12 YRS.																				
13-17	3	25.0	1324	3	3	5	51	67	67	67										
18-24	20	18.1	161	5	7	15	25	37	43	47	2	9.5	5	8	8	9	11	11	11	11
25-34	141	18.6	215	5	8	14	23	37	51	76	16	23.1	147	11	14	23	27	35	51	57
35-54	239	18.3	169	5	8	15	25	36	43	66	14	19.5	216	6	8	13	30	38	48	51
55-74	127	19.0	123	7	10	17	27	34	38	51	9	14.7	10	12	12	14	16	20	21	21
75 +	16	18.4	107	8	10	14	29	34	35	36										
ALL AGES	546	18.5	174	5	9	15	25	35	44	65	41	19.4	141	7	11	15	27	36	43	57
SUBTOTAL	**1177**	**18.4**	**180**	**5**	**9**	**15**	**25**	**36**	**47**	**71**	**80**	**17.8**	**129**	**6**	**10**	**15**	**24**	**31**	**37**	**55**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	48.0		48	48	74	99+	99+	99+	99+										
18-24	41	17.2	164	5	9	14	20	43	50	99+	1	18.0		18	18	18	18	18	18	18
25-34	137	14.6	108	3	6	13	20	29	36	48	13	20.4	110	7	15	18	27	33	41	43
35-54	129	16.9	132	5	9	15	21	34	39	99+	13	15.4	79	6	9	15	23	28	33	34
55-74	21	23.6	266	7	13	16	33	48	55	63										
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	330	16.5	139	4	8	14	22	34	43	99+	27	17.9	94	6	10	18	23	31	35	43
B. FEMALE																				
0-12 YRS.																				
13-17	1	7.0		7	7	7	7	7	7	7										
18-24	14	21.4	274	6	9	15	29	47	59	62	2	19.0	200	9	9	19	29	29	29	29
25-34	69	16.5	135	5	8	14	22	30	45	93	4	24.8	117	11	16	26	33	35	35	35
35-54	79	16.3	118	5	8	14	21	30	42	52	3	20.7	448	6	7	11	36	45	45	45
55-74	43	21.8	141	8	14	20	26	40	43	59	6	21.2	719	2	4	13	21	69	74	74
75 +	4	25.3	13	21	22	25	28	30	30	30										
ALL AGES	210	18.0	139	6	9	15	23	34	43	63	15	21.7	367	4	9	16	31	45	67	74
SUBTOTAL	**540**	**17.0**	**142**	**5**	**9**	**15**	**23**	**34**	**43**	**72**	**42**	**19.3**	**187**	**6**	**9**	**17**	**26**	**34**	**44**	**74**
GRAND TOTAL	**1717**	**18.0**	**167**	**5**	**9**	**15**	**24**	**36**	**45**	**71**	**122**	**18.3**	**149**	**6**	**10**	**15**	**25**	**32**	**39**	**62**

SCHIZOAFFECTIVE TYPE (295.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	12	22.8	253	8	11	20	35	68	94	99 +										
18-24	101	20.5	274	4	8	17	29	43	51	95	5	17.6	130	2	12	18	23	34	34	34
25-34	269	19.0	176	6	10	15	25	38	46	71	13	18.3	149	5	10	15	25	34	44	46
35-54	249	18.6	160	6	10	15	24	36	47	56	8	23.5	355	4	11	14	40	51	54	54
55-74	62	21.3	144	8	13	20	29	36	47	56	3	34.3	1789	7	8	13	65	83	83	83
75 +	2	29.5	13	27	27	29	32	32	32	32										
ALL AGES	695	19.4	182	6	10	16	26	38	47	75	29	21.3	324	4	11	15	30	45	55	83
B. FEMALE																				
0-12 YRS.																				
13-17	11	20.6	178	8	12	19	28	67	95	99 +										
18-24	82	18.0	229	4	7	14	27	35	55	99 +	3	14.0	124	4	6	12	22	26	26	26
25-34	287	18.3	187	5	8	14	25	36	46	62	23	20.8	234	3	7	20	32	41	50	51
35-54	470	17.8	185	5	9	14	23	33	43	81	23	16.4	227	4	7	12	21	35	49	67
55-74	208	19.2	131	7	11	16	27	33	41	53	4	18.5	319	1	3	16	33	40	40	40
75 +	13	21.1	231	8	13	15	31	39	57	61	1	28.0		28	28	28	28	28	28	28
ALL AGES	1071	18.3	178	6	9	15	25	34	44	78	54	18.5	222	3	7	13	28	39	48	66
SUBTOTAL	**1766**	**18.7**	**181**	**6**	**9**	**15**	**25**	**36**	**45**	**75**	**83**	**19.5**	**255**	**4**	**7**	**14**	**30**	**40**	**50**	**78**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	18.0	193	2	8	25	26	27	27	27										
13-17	7	30.9	618	9	14	27	62	94	99 +	99 +										
18-24	67	24.2	414	5	10	18	34	55	78	99	4	11.8	69	3	6	10	17	23	23	23
25-34	263	17.1	160	5	8	14	23	31	40	63	17	14.4	62	5	10	13	17	24	32	36
35-54	247	16.5	141	5	8	14	22	32	41	55	7	15.7	123	3	6	13	26	29	29	29
55-74	25	18.6	70	8	13	19	23	32	33	34	2	15.5	85	9	9	15	22	22	22	22
75 +	2	23.0	72	17	17	23	29	29	29	29										
ALL AGES	614	17.9	186	5	8	14	23	34	43	78	30	14.4	72	4	9	13	21	26	29	36
B. FEMALE																				
0-12 YRS.	1	22.0		22	22	22	22	22	22	22	1	31.0		31	31	31	31	31	31	31
13-17	17	35.1	407	10	20	36	54	71	90	99 +										
18-24	71	25.3	431	7	12	19	36	64	85	99 +	4	23.8	428	5	6	21	41	48	48	48
25-34	265	16.6	137	5	9	14	22	35	43	52	14	16.4	232	4	5	11	22	39	53	57
35-54	309	16.7	160	4	8	13	21	32	42	63	24	19.1	177	3	8	15	32	37	41	44
55-74	90	21.5	178	6	11	19	29	40	45	61	10	16.9	109	4	9	15	25	32	38	38
75 +	8	23.1	127	9	14	21	34	37	37	37	2	9.0	98	2	2	9	16	16	16	16
ALL AGES	761	18.5	198	5	9	15	24	38	47	31	55	18.2	185	4	6	15	29	37	43	57
SUBTOTAL	**1375**	**18.2**	**193**	**5**	**9**	**15**	**24**	**37**	**44**	**79**	**85**	**16.8**	**149**	**4**	**8**	**14**	**25**	**35**	**38**	**54**
GRAND TOTAL	**3141**	**18.5**	**186**	**5**	**9**	**15**	**25**	**36**	**45**	**77**	**168**	**18.2**	**199**	**4**	**7**	**14**	**27**	**37**	**44**	**65**

SCHIZOPHRENIA NEC (295.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	32.0		32	32	32	32	32	32	32										
18-24	5	13.8	85	7	9	10	16	30	30	30	1	27.0		27	27	27	27	27	27	27
25-34	17	12.2	118	1	4	9	17	30	34	36	1	2.0		2	2	2	2	2	2	2
35-54	9	9.9	58	2	4	6	19	20	21	21	1	2.0		2	2	2	2	2	2	2
55-74	4	24.0	529	5	6	18	42	54	54	54										
75 +																				
ALL AGES	36	13.7	149	3	5	9	20	31	35	54	3	10.3	209	2	2	2	21	27	27	27
B. FEMALE																				
0-12 YRS.																				
13-17	1	10.0		10	10	10	10	10	10	10										
18-24	8	22.0	436	4	7	15	31	57	65	65										
25-34	12	14.9	123	3	9	12	20	33	36	37	1	29.0		29	29	29	29	29	29	29
35-54	27	17.1	266	3	8	12	22	34	49	80	3	4.7	30	1	1	2	9	11	11	11
55-74	10	13.8	73	5	7	11	22	26	30	30	1	3.0		3	3	3	3	3	3	3
75 +	2	14.0	2	13	13	14	15	15	15	15	1	2.0		2	2	2	2	2	2	2
ALL AGES	60	16.6	208	4	8	12	22	33	41	78	6	8.0	119	1	2	3	11	27	29	29
SUBTOTAL	**96**	**15.5**	**186**	**3**	**7**	**11**	**21**	**32**	**38**	**73**	**9**	**8.8**	**128**	**1**	**2**	**2**	**15**	**28**	**29**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	3	41.0	1164	13	17	31	67	79	79	79										
25-34	5	16.4	143	5	6	16	23	35	35	35										
35-54	6	11.7	37	4	8	11	14	21	22	22	2	23.5	181	14	14	23	33	33	33	33
55-74	3	12.7	20	10	10	10	16	18	18	18										
75 +																				
ALL AGES	17	18.4	316	5	9	13	20	34	64	79	2	23.5	181	14	14	23	33	33	33	33
B. FEMALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5										
13-17	1	21.0		21	21	21	21	21	21	21										
18-24	3	33.0	976	13	14	17	56	69	69	69										
25-34	6	19.0	33	13	15	17	22	28	29	29	1	3.0		3	3	3	3	3	3	3
35-54	6	11.2	35	2	7	12	15	19	19	19	1	5.0		5	5	5	5	5	5	5
55-74	4	12.8	16	7	10	13	15	17	17	17										
75 +																				
ALL AGES	21	17.0	179	6	12	15	18	25	47	69	2	4.0	2	3	3	4	5	5	5	5
SUBTOTAL	**38**	**17.6**	**235**	**6**	**10**	**14**	**19**	**30**	**55**	**79**	**4**	**13.8**	**186**	**3**	**4**	**9**	**23**	**33**	**33**	**33**
GRAND TOTAL	**134**	**16.1**	**199**	**4**	**7**	**12**	**21**	**31**	**39**	**79**	**13**	**10.3**	**138**	**1**	**2**	**3**	**17**	**30**	**32**	**33**

SCHIZOPHRENIA NOS (295.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	49.0		49	49	49	49	49	49	49										
13-17	14	24.6	335	9	12	20	35	60	64	65										
18-24	63	17.2	180	5	8	15	24	31	47	73	4	11.8	193	1	1	7	22	31	31	31
25-34	133	16.5	142	5	8	13	23	32	39	54	5	23.0	247	9	10	20	33	47	47	47
35-54	99	15.8	135	3	8	14	21	31	40	83	6	6.5	70	1	1	3	7	21	23	23
55-74	31	19.4	173	4	7	19	27	39	44	47	4	9.5	35	3	4	10	14	15	15	15
75 +	1	48.0		48	48	48	48	48	48	48	1	17.0		17	17	17	17	17	17	17
ALL AGES	342	17.2	164	5	8	14	23	35	43	67	20	12.8	150	1	3	9	18	30	39	47
B. FEMALE																				
0-12 YRS.	3	36.3	1673	7	10	19	67	83	83	83										
13-17	12	20.0	68	8	15	21	27	29	31	31										
18-24	34	15.6	78	6	8	13	22	28	30	37	1	3.0		3	3	3	3	3	3	3
25-34	77	19.5	158	8	11	18	24	37	49	91	3	16.7	29	13	13	14	21	23	23	23
35-54	144	16.3	129	6	9	14	21	32	45	99 +	7	21.7	234	5	14	16	33	45	47	47
55-74	66	18.3	161	6	9	15	25	36	40	65	8	12.5	173	2	4	9	15	35	42	42
75 +	6	16.8	46	11	13	14	22	27	28	28										
ALL AGES	342	17.7	144	6	10	15	23	33	43	84	19	16.1	174	3	6	14	19	40	45	47
SUBTOTAL	**684**	**17.4**	**156**	**5**	**9**	**15**	**23**	**34**	**43**	**76**	**39**	**14.4**	**161**	**2**	**4**	**13**	**19**	**35**	**45**	**47**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	76.0	541	51	58	80	93	97	97	97										
13-17	7	19.6	14	15	18	20	24	78	99 +	99 +	1	67.0		67	67	67	67	67	67	67
18-24	42	21.3	178	6	11	17	30	40	45	58	7	19.7	269	5	8	12	30	47	50	50
25-34	69	13.9	81	3	7	12	19	25	31	39	4	9.8	58	4	5	7	14	21	21	21
35-54	47	14.8	92	5	7	14	19	26	35	48	4	10.8	89	1	3	9	18	23	23	23
55-74	12	19.3	177	1	6	19	29	36	40	41										
75 +											1	6.0		6	6	6	6	6	6	6
ALL AGES	180	17.4	183	5	8	15	23	34	41	92	17	17.2	320	4	6	11	21	47	61	67
B. FEMALE																				
0-12 YRS.	1	18.0		18	18	18	18	18	18	18										
13-17	4	23.3	512	4	9	16	37	56	56	56										
18-24	15	20.0	288	6	9	15	33	65	90	99 +										
25-34	36	19.2	123	7	11	17	30	36	45	99 +	3	10.7	159	1	2	6	20	25	25	25
35-54	30	16.8	176	5	6	12	20	35	46	56	4	4.5	17	1	1	4	8	9	9	9
55-74	15	18.7	154	6	9	16	26	40	42	43	1	4.0		4	4	4	4	4	4	4
75 +	3	17.3	32	12	13	17	21	23	23	23	1	5.0		5	5	5	5	5	5	5
ALL AGES	104	18.6	171	6	9	16	28	38	48	99 +	9	6.6	55	1	1	5	7	19	25	25
SUBTOTAL	**284**	**17.9**	**176**	**5**	**8**	**15**	**23**	**36**	**44**	**99**	**26**	**13.5**	**250**	**1**	**5**	**7**	**20**	**32**	**53**	**67**
GRAND TOTAL	**968**	**17.6**	**160**	**5**	**9**	**15**	**23**	**35**	**44**	**80**	**65**	**14.0**	**194**	**1**	**4**	**10**	**19**	**33**	**47**	**64**

MANIC DIS, SINGL EPISODE (296.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	20.0		20	20	20	20	20	20	20										
18-24																				
25-34	7	11.7	68	4	5	11	15	25	27	27	1	33.0		33	33	33	33	33	33	33
35-54	8	13.4	143	3	5	8	20	33	38	38	1	11.0		11	11	11	11	11	11	11
55-74	5	9.0	22	1	7	11	12	12	12	12	2	22.0	450	7	7	22	37	37	37	37
75 +																				
ALL AGES	21	12.1	81	3	5	11	17	23	32	38	4	22.0	231	7	9	22	35	37	37	37
B. FEMALE																				
0-12 YRS.	1	27.0		27	27	27	27	27	27	27										
13-17	2	27.5	265	16	16	27	39	39	39	39										
18-24	1	48.0		48	48	48	48	48	48	48	1	8.0		8	8	8	8	8	8	8
25-34	10	15.4	107	7	11	12	16	30	43	43	2	4.5	1	4	4	4	5	5	5	5
35-54	18	18.2	165	5	12	14	24	35	47	54	2	14.5	1	14	14	14	15	15	15	15
55-74	15	21.7	229	3	10	20	31	46	50	52	1	18.0		18	18	18	18	18	18	18
75 +	1	13.0		13	13	13	13	13	13	13	1	7.0		7	7	7	7	7	7	7
ALL AGES	48	19.8	181	5	11	16	26	42	48	54	7	10.1	31	4	5	8	15	17	18	18
SUBTOTAL	**69**	**17.4**	**164**	**4**	**8**	**14**	**22**	**37**	**46**	**54**	**11**	**14.5**	**121**	**5**	**7**	**11**	**17**	**35**	**37**	**37**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	33.0		33	33	33	33	33	33	33
18-24	4	22.5	127	8	14	23	30	35	35	35										
25-34	3	13.3	292	3	3	4	26	33	33	33										
35-54	4	12.3	75	6	6	9	18	25	25	25	1	3.0		3	3	3	3	3	3	3
55-74	1	7.0		7	7	7	7	7	7	7										
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	13	14.8	133	4	6	8	25	33	35	35	2	18.0	450	3	3	18	33	33	33	33
B. FEMALE																				
0-12 YRS.																				
13-17	1	13.0		13	13	13	13	13	13	13										
18-24																				
25-34	3	11.0	25	6	7	11	15	16	16	16	1	2.0		2	2	2	2	2	2	2
35-54	6	12.0	58	5	6	10	14	25	26	26										
55-74	3	34.0	292	16	21	36	46	50	50	50										
75 +																				
ALL AGES	13	16.9	173	6	9	13	19	39	48	50	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**26**	**15.9**	**147**	**5**	**7**	**11**	**25**	**35**	**39**	**50**	**3**	**12.7**	**309**	**2**	**2**	**3**	**25**	**33**	**33**	**33**
GRAND TOTAL	**95**	**17.0**	**158**	**5**	**7**	**14**	**23**	**36**	**45**	**53**	**14**	**14.1**	**142**	**3**	**5**	**9**	**18**	**34**	**36**	**37**

MANIC, RECURRENT EPISODE (296.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	11.0		11	11	11	11	11	11	11
18-24	2	43.0	2450	8	8	43	78	78	78	78										
25-34	8	12.0	117	3	5	7	17	30	35	35										
35-54	5	14.4	94	4	5	17	20	28	28	28										
55-74	3	6.3	10	3	4	7	8	9	9	9	1	12.0		12	12	12	12	12	12	12
75 +																				
ALL AGES	18	15.2	324	3	6	8	17	33	61	78	2	11.5	1	11	11	11	12	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	3	16.3	356	4	5	7	30	38	38	38										
25-34	5	14.2	69	4	10	13	18	27	27	27										
35-54	10	10.7	58	2	5	8	19	22	22	22										
55-74	8	18.5	195	6	7	16	25	41	46	46										
75 +	2	9.5	13	7	7	9	12	12	12	12										
ALL AGES	28	14.1	118	4	7	11	19	30	39	46										
SUBTOTAL	**46**	**14.5**	**194**	**4**	**6**	**9**	**19**	**31**	**40**	**78**	**2**	**11.5**	**1**	**11**	**11**	**11**	**12**	**12**	**12**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	8.0		8	8	8	8	8	8	8	1	20.0		20	20	20	20	20	20	20
25-34											1	14.0		14	14	14	14	14	14	14
35-54	5	10.6	98	3	4	4	19	25	25	25										
55-74	2	15.0	72	9	9	15	21	21	21	21										
75 +	1	19.0		19	19	19	19	19	19	19										
ALL AGES	9	12.2	70	3	4	9	19	23	25	25	2	17.0	18	14	14	17	20	20	20	20
B. FEMALE																				
0-12 YRS.																				
13-17	1	17.0		17	17	17	17	17	17	17										
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	2	18.0	242	7	7	18	29	29	29	29										
35-54	12	18.5	63	10	12	16	25	30	33	33										
55-74	2	28.5	613	11	11	28	46	46	46	46										
75 +																				
ALL AGES	18	18.6	117	8	11	16	28	32	41	46										
SUBTOTAL	**27**	**16.4**	**110**	**4**	**9**	**15**	**22**	**29**	**35**	**46**	**2**	**17.0**	**18**	**14**	**14**	**17**	**20**	**20**	**20**	**20**
GRAND TOTAL	**73**	**15.2**	**162**	**4**	**7**	**12**	**20**	**30**	**38**	**71**	**4**	**14.3**	**14**	**11**	**11**	**13**	**17**	**20**	**20**	**20**

DEPR PSYCH, SINGL EPISOD (296.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	32	25.6	238	8	15	22	35	49	52	69	14	29.4	301	10	16	32	51	96	99+	99+
13-17	131	20.9	240	3	10	19	30	40	61	99+	37	30.1	350	5	14	29	41	63	65	69
18-24	144	12.8	98	2	6	11	18	25	32	44	17	20.1	270	3	6	18	30	39	55	62
25-34	235	11.9	91	3	5	9	16	24	29	48	13	7.5	58	1	1	4	13	20	22	22
35-54	417	13.4	87	4	7	11	18	26	32	45	33	11.5	77	2	6	9	16	25	31	35
55-74	249	17.2	133	4	9	15	23	34	37	51	22	14.9	149	1	6	12	24	31	42	43
75 +	99	17.6	123	5	9	17	23	30	37	58	8	9.6	56	2	4	8	15	21	21	21
ALL AGES	1307	15.2	128	3	7	13	21	30	37	59	144	19.1	267	2	6	14	29	43	62	99+
B. FEMALE																				
0-12 YRS.	16	21.4	272	5	10	15	30	49	57	60	13	43.5	831	7	20	36	73	78	83	84
13-17	270	20.5	273	5	9	15	28	42	55	88	54	28.1	240	6	15	30	39	49	52	98
18-24	220	12.7	125	2	5	10	18	27	35	55	25	11.4	106	1	3	9	18	25	36	36
25-34	481	13.4	107	3	6	11	19	27	33	50	56	11.9	174	2	4	8	14	26	41	65
35-54	728	14.0	98	3	7	12	19	26	32	50	103	10.9	77	3	4	8	16	21	27	43
55-74	517	18.1	140	5	10	16	24	35	41	56	38	12.4	202	2	4	9	16	25	31	82
75 +	232	18.5	125	5	10	17	25	32	38	60	12	10.3	39	4	5	9	13	21	23	23
ALL AGES	2464	15.8	141	4	7	13	21	31	38	58	301	15.8	244	2	5	11	21	36	49	79
SUBTOTAL	**3771**	**15.6**	**136**	**3**	**7**	**13**	**21**	**31**	**37**	**58**	**445**	**16.9**	**252**	**2**	**5**	**12**	**24**	**39**	**53**	**82**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	38	28.1	303	10	16	25	38	67	83	99+	9	55.7	447	32	41	54	81	97	99+	99+
13-17	220	28.5	344	6	14	26	42	52	61	94	27	33.0	273	14	22	31	47	56	59	60
18-24	186	13.4	127	3	6	10	17	26	35	57	19	8.8	72	1	3	7	11	22	30	33
25-34	409	13.5	103	3	6	12	19	26	30	48	23	12.3	86	3	5	7	21	27	29	30
35-54	569	14.1	92	4	7	12	19	25	33	45	42	10.7	54	3	6	9	15	20	24	37
55-74	180	18.4	147	5	10	16	24	34	42	58	14	13.1	82	4	7	10	18	25	34	36
75 +	55	19.0	173	5	10	16	25	37	48	60	5	16.8	86	7	8	18	22	30	30	30
ALL AGES	1657	16.7	174	4	7	14	21	35	42	71	139	18.4	300	3	7	12	26	45	56	95
B. FEMALE																				
0-12 YRS.	17	36.3	371	6	28	38	50	72	91	99+	2	49.0	450	34	34	49	64	64	64	64
13-17	313	27.0	383	5	12	24	42	56	70	99+	24	26.5	465	5	7	29	51	95	99+	99+
18-24	271	16.2	160	4	7	13	22	34	41	64	16	14.6	179	2	5	8	26	34	42	45
25-34	632	14.7	117	4	7	13	20	28	35	56	39	12.7	107	3	7	10	15	26	36	51
35-54	761	15.9	135	4	8	13	21	30	37	62	64	11.3	110	2	4	8	14	26	34	51
55-74	330	18.8	124	6	11	17	25	33	38	55	31	15.1	151	4	7	11	19	28	45	59
75 +	109	17.4	106	6	10	16	21	29	36	54	11	20.4	425	6	9	14	22	55	72	74
ALL AGES	2433	17.6	182	4	8	14	23	35	42	69	187	15.4	217	3	6	10	20	38	53	99+
SUBTOTAL	**4090**	**17.3**	**177**	**4**	**8**	**14**	**22**	**35**	**42**	**70**	**326**	**16.7**	**253**	**3**	**6**	**11**	**23**	**42**	**55**	**99+**
GRAND TOTAL	**7861**	**16.5**	**158**	**4**	**7**	**14**	**22**	**33**	**41**	**64**	**771**	**16.8**	**253**	**3**	**6**	**11**	**24**	**41**	**54**	**92**

DEPR PSYCH, RECUR EPISOD (296.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	36.8	223	26	27	31	46	59	59	59	1	9.0		9	9	9	9	9	9	9
13-17	34	20.5	430	3	7	14	24	55	90	99 +	8	33.5	557	6	16	28	53	66	70	70
18-24	76	16.0	322	3	5	10	19	40	58	99	1	7.0		7	7	7	7	7	7	7
25-34	151	13.0	95	4	7	11	17	22	30	57	7	15.9	318	3	5	7	23	47	52	52
35-54	309	14.7	95	5	8	12	19	28	35	50	21	11.7	93	2	5	10	14	25	34	43
55-74	213	19.4	149	7	10	17	27	37	43	55	7	13.3	47	5	7	14	20	22	22	22
75 +	87	19.8	225	5	11	16	23	37	52	80	12	16.3	124	5	8	15	17	37	40	40
ALL AGES	874	16.5	162	5	8	13	21	33	41	68	57	16.3	221	3	7	11	19	39	51	69
B. FEMALE																				
0-12 YRS.											1	21.0		21	21	21	21	21	21	21
13-17	58	22.6	217	6	10	21	30	43	53	63	11	32.5	165	19	21	29	43	52	56	56
18-24	111	14.2	167	4	6	10	17	30	43	62	4	7.5	35	2	2	7	12	14	14	14
25-34	320	13.0	100	3	6	11	17	23	32	48	15	9.9	60	2	3	9	14	19	26	29
35-54	703	15.1	126	4	7	12	20	31	38	53	49	18.3	165	4	9	15	27	38	51	99 +
55-74	697	19.0	147	7	10	16	24	36	43	62	47	20.4	179	6	11	19	25	34	44	77
75 +	262	22.3	171	8	13	21	29	40	45	65	18	19.7	112	7	13	19	23	33	43	49
ALL AGES	2151	17.1	148	5	8	14	23	33	41	57	145	19.1	170	4	10	17	25	38	46	78
SUBTOTAL	**3025**	**16.9**	**153**	**5**	**8**	**14**	**22**	**33**	**41**	**59**	**202**	**18.3**	**185**	**4**	**9**	**15**	**24**	**38**	**49**	**73**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	31.5	255	21	21	25	41	55	55	55										
13-17	56	24.6	359	5	10	22	33	56	76	99	2	31.5	1625	3	3	31	60	60	60	60
18-24	129	18.6	254	5	7	14	26	43	54	78	1	7.0		7	7	7	7	7	7	7
25-34	289	13.9	101	4	7	12	18	28	35	47	9	16.1	159	1	3	20	27	30	30	30
35-54	440	13.1	91	4	6	11	18	25	29	48	21	16.7	191	4	8	12	24	37	49	52
55-74	164	18.3	146	6	10	15	24	34	44	71	8	24.6	710	5	10	19	23	69	88	88
75 +	44	23.8	164	9	14	23	30	39	44	69	2	3.0		3	3	3	3	3	3	3
ALL AGES	1126	15.7	150	4	7	13	21	31	41	64	43	17.9	309	3	5	12	25	34	55	88
B. FEMALE																				
0-12 YRS.	5	34.4	1122	9	11	18	55	89	89	89	2	61.5	2245	28	28	61	95	95	95	95
13-17	105	26.2	417	6	14	23	33	68	92	99 +	3	35.7	843	8	14	33	58	66	66	66
18-24	197	16.5	195	4	7	14	22	36	42	93	7	11.6	172	1	2	8	14	34	39	39
25-34	540	15.0	129	3	7	13	20	29	37	53	23	18.0	533	1	3	9	20	60	76	81
35-54	759	15.8	133	4	8	13	21	30	37	55	24	20.3	262	3	7	14	33	39	50	63
55-74	412	19.6	171	6	10	17	26	36	45	67	26	18.7	230	2	7	16	25	35	45	71
75 +	137	20.1	169	7	11	18	24	39	43	74	3	17.3	246	3	6	15	29	34	34	34
ALL AGES	2155	17.2	171	4	8	14	23	33	42	74	88	19.9	388	2	5	14	31	39	66	90
SUBTOTAL	**3281**	**16.7**	**164**	**4**	**8**	**14**	**22**	**32**	**42**	**70**	**131**	**1[illegible]2**	**362**	**2**	**5**	**14**	**29**	**39**	**63**	**89**
GRAND TOTAL	**6306**	**16.8**	**158**	**4**	**8**	**14**	**22**	**33**	**41**	**66**	**333**	**18.7**	**252**	**3**	**7**	**15**	**25**	**39**	**51**	**82**

BIPOLAR AFFECTIVE, MANIC (296.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	36.0		36	36	36	36	36	36	36
13-17	6	20.3	416	8	10	12	20	57	61	61	1	51.0		51	51	51	51	51	51	51
18-24	61	20.3	243	7	10	17	24	42	56	80	2	9.0	32	5	5	9	13	13	13	13
25-34	141	17.4	188	4	8	13	23	36	49	64	8	13.4	32	5	10	12	18	21	21	21
35-54	184	16.0	137	4	7	13	21	33	40	52	9	12.2	33	6	8	11	14	21	25	25
55-74	103	20.2	132	6	12	18	28	36	41	50	7	14.7	96	5	7	10	21	30	32	32
75 +	11	25.7	126	7	22	27	33	39	41	41										
ALL AGES	506	18.0	169	5	8	15	24	36	43	62	28	15.2	11[illegible]	[illegible]	9	12	19	30	37	51
B. FEMALE																				
0-12 YRS.																				
13-17	11	21.8	326	3	9	17	32	52	57	57	2	20.5	113	13	13	20	28	28	28	28
18-24	56	20.0	273	7	10	15	23	39	59	88	1	6.0		6	6	6	6	6	6	6
25-34	153	17.7	173	5	9	14	23	41	50	98	8	15.8	141	8	9	12	16	36	44	44
35-54	412	17.4	152	5	8	15	23	35	44	57	18	15.2	105	4	7	13	21	28	37	43
55-74	274	20.7	184	7	11	17	29	38	44	71	8	17.9	74	8	11	15	27	29	29	29
75 +	38	22.7	216	7	11	20	27	48	51	61	1	12.0		12	12	12	12	12	12	12
ALL AGES	944	18.8	179	6	9	15	24	38	47	64	38	15.8	99	6	9	13	21	29	38	44
SUBTOTAL	**1450**	**18.5**	**176**	**5**	**9**	**15**	**24**	**37**	**46**	**64**	**66**	**15.5**	**104**	**6**	**9**	**13**	**20**	**29**	**37**	**50**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	16.0		16	16	16	16	16	16	16
13-17	7	41.7	505	9	24	41	61	65	65	65										
18-24	21	15.5	91	5	10	14	19	30	34	38	2	19.5	545	3	3	19	36	36	36	36
25-34	63	14.2	81	5	7	13	19	24	31	43	3	7.0	4	5	5	7	8	9	9	9
35-54	67	15.8	91	5	8	14	22	29	39	90	3	16.7	119	8	9	13	25	29	29	29
55-74	36	18.6	141	6	9	16	24	37	43	48										
75 +	1	30.0		30	30	30	30	30	30	30										
ALL AGES	195	16.8	133	6	8	14	22	32	41	64	9	14.0	128	4	6	9	19	33	36	36
B. FEMALE																				
0-12 YRS.																				
13-17	3	31.0	277	12	18	38	42	43	43	43										
18-24	18	23.1	198	11	12	18	28	46	57	61										
25-34	50	14.7	100	5	8	12	21	26	35	52	3	19.7	348	6	7	12	34	41	41	41
35-54	76	17.0	164	3	8	15	24	32	40	71	3	15.7	81	6	9	17	22	24	24	24
55-74	48	22.5	256	6	10	20	28	48	54	75	5	13.8	37	3	12	17	17	17	17	17
75 +	9	19.8	123	8	10	14	29	35	37	37										
ALL AGES	204	18.6	180	5	9	16	24	35	46	67	11	15.9	108	5	8	17	17	31	40	41
SUBTOTAL	**399**	**17.7**	**158**	**5**	**9**	**15**	**24**	**34**	**42**	**64**	**20**	**15.1**	**110**	**4**	**7**	**14**	**17**	**32**	**38**	**41**
GRAND TOTAL	**1849**	**18.4**	**170**	**5**	**9**	**15**	**24**	**37**	**45**	**64**	**86**	**15.4**	**104**	**5**	**9**	**13**	**18**	**29**	**37**	**48**

BIPOLAR AFFECT, DEPRESS (296.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	21.7	52	16	17	19	27	30	30	30	1	49.0		49	49	49	49	49	49	49
18-24	10	11.8	70	4	5	9	15	25	29	29	1	20.0		20	20	20	20	20	20	20
25-34	56	12.3	98	4	5	9	16	26	37	44	5	5.8	24	1	1	6	10	12	12	12
35-54	78	13.3	67	5	7	12	18	24	31	37	5	14.8	113	4	5	13	24	29	29	29
55-74	59	19.4	271	6	9	16	24	34	54	94	2	6.5	5	5	5	6	8	8	8	8
75 +	5	18.0	99	7	8	22	25	29	29	29	1	25.0		25	25	25	25	25	25	25
ALL AGES	211	14.9	140	4	7	12	20	28	34	65	15	14.0	170	1	5	9	21	29	44	49
B. FEMALE																				
0-12 YRS.																				
13-17	13	23.5	165	7	14	22	30	40	50	52	2	18.5	85	12	12	18	25	25	25	25
18-24	19	13.4	61	4	7	13	17	26	29	30	1	14.0		14	14	14	14	14	14	14
25-34	89	13.8	99	4	7	12	18	26	31	53	5	11.2	82	3	4	9	17	25	25	25
35-54	171	14.6	122	4	8	13	19	27	34	54	12	10.8	50	3	5	10	13	23	25	25
55-74	108	18.8	161	5	10	17	23	39	47	56	5	13.6	81	3	10	12	17	28	28	28
75 +	23	22.6	183	7	11	20	37	42	45	46	1	3.0		3	3	3	3	3	3	3
ALL AGES	423	16.2	134	5	8	13	21	30	39	54	26	11.8	60	3	4	11	14	25	26	28
SUBTOTAL	**634**	**15.8**	**135**	**5**	**8**	**13**	**21**	**30**	**38**	**55**	**41**	**12.6**	**99**	**3**	**5**	**11**	**16**	**25**	**28**	**49**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	8	32.6	258	14	18	32	43	55	59	59										
18-24	19	10.9	69	1	5	10	16	25	27	27										
25-34	63	12.6	58	3	7	11	17	24	27	32	2	11.0	162	2	2	11	20	20	20	20
35-54	67	15.6	108	4	8	14	21	31	38	45	2	19.5	61	14	14	19	25	25	25	25
55-74	29	15.9	78	7	11	12	21	25	38	43										
75 +	4	25.5	399	9	12	19	39	54	54	54	1	26.0		26	26	26	26	26	26	26
ALL AGES	190	15.1	110	4	8	13	20	28	38	51	5	17.4	97	2	11	20	25	26	26	26
B. FEMALE																				
0-12 YRS.																				
13-17	13	20.6	76	12	14	22	30	39	86	99 +										
18-24	24	20.8	381	4	8	13	28	49	65	84	2	16.0	50	11	11	16	21	21	21	21
25-34	69	14.0	101	4	7	11	19	31	35	42	2	12.5	85	6	6	12	19	19	19	19
35-54	106	15.8	99	5	9	13	20	30	37	45	3	24.3	675	6	8	13	44	54	54	54
55-74	42	23.2	274	9	14	19	28	39	55	97	2	33.5	421	19	19	33	48	48	48	48
75 +	13	24.1	132	12	16	23	29	43	48	49										
ALL AGES	267	17.6	162	5	9	14	24	33	41	80	9	21.9	304	6	10	19	28	52	54	54
SUBTOTAL	**457**	**16.5**	**144**	**5**	**9**	**14**	**22**	**32**	**40**	**59**	**14**	**20.3**	**221**	**5**	**11**	**19**	**25**	**49**	**53**	**54**
GRAND TOTAL	**1091**	**16.1**	**139**	**5**	**8**	**13**	**21**	**30**	**38**	**57**	**55**	**14.6**	**137**	**3**	**6**	**12**	**21**	**26**	**43**	**54**

BIPOLAR AFFECTIVE, MIXED (296.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	29.5	1405	3	3	29	56	56	56	56										
13-17	7	20.0	156	6	8	18	30	37	39	39	2	9.0	72	3	3	9	15	15	15	15
18-24	12	15.1	122	3	6	13	21	32	37	38	2	21.0	72	15	15	21	27	27	27	27
25-34	40	18.5	171	5	9	17	23	38	46	53	3	12.3	22	8	9	12	16	17	17	17
35-54	76	18.4	153	4	11	15	24	34	43	65	8	11.4	69	5	6	8	16	25	26	26
55-74	31	18.2	41	12	13	16	23	28	29	35										
75 +	5	17.6	76	11	12	12	24	31	31	31										
ALL AGES	173	18.3	139	6	10	16	24	35	42	55	15	12.5	62	4	7	10	17	26	27	27
B. FEMALE																				
0-12 YRS.	1	11.0		11	11	11	11	11	11	11										
13-17	9	19.4	38	12	13	20	24	27	28	28	2	34.5	421	20	20	34	49	49	49	49
18-24	27	13.8	85	3	5	13	21	26	29	35	3	12.0	67	5	6	10	18	21	21	21
25-34	87	15.3	119	5	8	13	20	26	46	51	5	12.0	49	3	7	12	17	21	21	21
35-54	143	16.8	117	5	9	15	22	29	39	64	8	22.0	149	12	13	17	29	42	46	46
55-74	107	21.1	162	8	12	19	28	36	50	66	4	31.3	488	15	15	24	47	62	62	62
75 +	8	21.9	261	8	11	17	26	49	58	58	1	7.0		7	7	7	7	7	7	7
ALL AGES	382	17.6	134	6	9	15	23	31	41	57	23	20.6	221	7	11	15	25	47	54	62
SUBTOTAL	**555**	**17.8**	**136**	**6**	**10**	**15**	**23**	**32**	**41**	**56**	**38**	**17.4**	**171**	**5**	**8**	**14**	**21**	**33**	**48**	**62**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	17	25.6	148	9	19	25	36	40	45	48										
18-24	22	16.6	112	8	9	13	21	33	40	49										
25-34	50	14.8	93	4	8	13	21	27	34	44	2	3.5	1	3	3	3	4	4	4	4
35-54	57	13.5	49	5	8	13	18	23	26	31	4	24.8	34	16	21	26	28	30	30	30
55-74	16	16.3	120	6	8	12	22	30	40	44										
75 +	4	24.5	530	12	12	13	36	59	59	59										
ALL AGES	166	16.1	106	6	9	14	21	30	36	49	6	17.7	141	3	4	21	27	30	30	30
B. FEMALE																				
0-12 YRS.	1	19.0		19	19	19	19	19	19	19										
13-17	7	22.9	421	1	9	16	39	54	56	56	2	38.0	512	22	22	38	54	54	54	54
18-24	13	22.2	412	8	11	14	27	49	73	78	2	12.5	145	4	4	12	21	21	21	21
25-34	48	16.3	97	5	9	14	22	32	36	42	6	14.3	162	2	3	10	29	31	31	31
35-54	85	17.6	144	4	9	16	23	32	38	61										
55-74	31	17.2	183	5	7	15	18	35	45	66	1	38.0		38	38	38	38	38	38	38
75 +	5	21.0	46	12	16	21	27	28	28	28										
ALL AGES	190	17.8	161	5	9	15	23	34	42	65	11	20.5	271	3	5	21	30	44	53	54
SUBTOTAL	**356**	**17.0**	**136**	**5**	**9**	**14**	**22**	**32**	**41**	**59**	**17**	**19.5**	**216**	**3**	**4**	**21**	**29**	**37**	**48**	**54**
GRAND TOTAL	**911**	**17.5**	**136**	**5**	**9**	**15**	**23**	**32**	**41**	**57**	**55**	**18.0**	**184**	**4**	**8**	**15**	**26**	**33**	**48**	**62**

BIPOLAR AFFECTIVE NOS (296.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	78.0		78	78	78	78	78	78	78	2	64.0	450	49	49	64	79	79	79	79
13-17	11	28.9	261	12	19	25	39	55	56	56	3	27.0	139	17	20	32	70	99 +	99 +	99 +
18-24	29	23.8	444	4	8	18	33	56	72	86	4	21.3	157	10	12	18	30	39	39	39
25-34	47	17.0	139	4	8	14	22	33	41	54	3	12.3	62	6	7	10	18	21	21	21
35-54	64	13.8	108	3	8	12	17	24	37	53	5	9.4	20	2	8	10	12	14	14	14
55-74	16	19.4	193	2	7	25	30	45	81	99 +	1	19.0		19	19	19	19	19	19	19
75 +	6	15.3	62	7	9	14	18	28	29	29	1	10.0		10	10	10	10	10	10	10
ALL AGES	174	18.2	224	4	8	14	24	38	52	84	19	21.4	347	8	10	16	31	64	89	99 +
B. FEMALE																				
0-12 YRS.	1	44.0		44	44	44	44	44	44	44										
13-17	18	18.3	139	3	10	17	26	31	41	48	4	36.0	603	5	25	43	73	99 +	99 +	99 +
18-24	22	13.8	39	7	8	13	17	22	25	29	5	20.8	596	5	9	10	27	64	64	64
25-34	56	16.5	131	4	7	14	21	32	38	51	6	7.8	32	4	5	6	7	18	19	19
35-54	103	15.7	135	4	7	14	20	29	34	62	21	14.8	64	8	10	13	17	23	33	43
55-74	65	17.7	97	6	11	16	22	33	37	42	11	15.7	167	3	7	12	23	36	43	44
75 +	10	21.9	196	5	10	20	32	41	50	50	2	22.5	5	21	21	22	24	24	24	24
ALL AGES	275	16.7	122	5	8	15	22	31	37	51	49	16.8	198	5	8	13	22	43	64	99 +
SUBTOTAL	**449**	**17.3**	**161**	**4**	**8**	**15**	**22**	**33**	**42**	**71**	**68**	**18.1**	**239**	**5**	**9**	**13**	**22**	**44**	**64**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	48.0	1039	11	24	63	68	70	70	70										
13-17	24	17.7	212	6	8	15	25	34	78	99 +	4	38.8	170	30	30	34	47	58	58	58
18-24	29	16.8	174	2	9	17	21	37	61	99 +										
25-34	53	15.4	133	4	8	13	20	28	46	51	6	9.0	21	4	5	9	12	15	15	15
35-54	71	15.4	140	3	6	13	21	28	45	50	3	11.0	39	6	7	9	16	18	18	18
55-74	16	16.6	256	2	5	11	25	35	53	61										
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	197	16.4	183	3	7	14	21	33	49	86	13	18.6	256	5	6	12	30	41	55	58
B. FEMALE																				
0-12 YRS.	2	19.5	61	14	14	19	25	25	25	25										
13-17	27	25.4	564	7	11	19	31	47	97	98	3	28.7	342	8	14	34	41	44	44	44
18-24	23	23.4	422	4	10	16	35	63	90	99 +	3	16.0	112	8	9	12	24	28	28	28
25-34	71	13.2	90	3	6	12	19	28	30	45	3	32.0	813	3	10	33	53	60	60	60
35-54	75	16.1	102	6	9	13	21	31	39	44	7	9.4	30	2	5	12	12	16	17	17
55-74	32	16.3	158	4	7	15	21	32	36	64										
75 +	4	17.8	69	7	11	19	24	25	25	25										
ALL AGES	234	17.1	201	4	8	14	22	33	42	97	16	18.5	278	3	8	12	33	57	86	99 +
SUBTOTAL	**431**	**16.8**	**192**	**4**	**8**	**14**	**21**	**33**	**46**	**97**	**29**	**18.6**	**256**	**4**	**7**	**12**	**30**	**51**	**60**	**99 +**
GRAND TOTAL	**880**	**17.0**	**178**	**4**	**8**	**14**	**22**	**33**	**44**	**77**	**97**	**18.2**	**243**	**5**	**8**	**13**	**24**	**44**	**64**	**99 +**

MANIC-DEPRESSIVE NEC/NOS (296.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	28.5	556	6	7	22	50	62	63	63										
13-17	28	21.7	183	5	9	25	29	32	41	64										
18-24	13	9.2	24	3	7	9	12	16	17	17										
25-34	21	10.5	46	3	5	9	14	20	25	25	2	15.0	338	2	2	15	28	28	28	28
35-54	35	15.7	118	4	7	14	25	31	34	41	2	24.0	242	13	13	24	35	35	35	35
55-74	14	20.6	270	4	5	17	27	49	54	55	2	17.0	8	15	15	17	19	19	19	19
75 +	6	19.7	89	8	10	20	28	32	32	32										
ALL AGES	123	16.9	165	4	7	14	26	31	40	63	6	18.7	134	3	13	17	28	34	35	35
B. FEMALE																				
0-12 YRS.	5	14.2	11	12	12	13	15	20	20	20										
13-17	57	17.4	128	5	9	14	24	32	40	55										
18-24	16	12.3	56	2	6	12	18	23	24	24										
25-34	33	15.0	88	4	8	14	22	26	33	41	4	8.8	64	2	3	6	14	20	20	20
35-54	57	13.1	79	5	6	11	18	24	31	41	6	13.5	119	1	2	14	24	25	25	25
55-74	39	18.4	126	6	9	15	23	36	40	49	3	17.7	155	5	8	18	27	30	30	30
75 +	7	27.6	581	3	9	17	49	60	62	62	2	21.5	41	17	17	21	26	26	26	26
ALL AGES	214	15.9	122	5	8	13	22	30	37	52	15	14.1	101	2	4	17	23	26	29	30
SUBTOTAL	**337**	**16.3**	**136**	**4**	**8**	**14**	**23**	**31**	**38**	**57**	**21**	**15.4**	**109**	**2**	**5**	**17**	**24**	**29**	**32**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	29.7	33	24	26	32	68	99 +	99 +	99 +										
13-17	31	17.9	220	6	8	14	22	37	59	65	1	4.0		4	4	4	4	4	4	4
18-24	27	14.5	145	2	4	9	24	33	34	37										
25-34	39	13.0	67	4	7	11	19	24	27	39	2	4.5	25	1	1	4	8	8	8	8
35-54	52	13.5	82	3	6	12	19	26	29	42	4	11.0	71	1	4	12	18	18	18	18
55-74	14	14.5	85	5	7	11	24	27	28	28	1	20.0		20	20	20	20	20	20	20
75 +	1	33.0	-	33	33	33	33	33	33	33										
ALL AGES	167	14.9	118	3	7	13	22	29	35	64	8	9.6	63	1	3	7	18	19	20	20
B. FEMALE																				
0-12 YRS.	2	12.0	2	11	11	12	13	13	13	13										
13-17	51	16.8	124	7	9	15	25	46	99 +	99 +	1	18.0		18	18	18	18	18	18	18
18-24	44	13.5	83	3	6	11	19	28	30	33										
25-34	79	12.8	97	3	5	9	19	27	33	41	1	6.0		6	6	6	6	6	6	6
35-54	76	14.8	128	3	6	11	19	34	38	50	3	15.0	31	10	11	14	19	21	21	21
55-74	31	19.4	144	10	12	16	25	29	30	70										
75 +	12	19.6	234	8	10	16	21	39	60	64	1	2.0		2	2	2	2	2	2	2
ALL AGES	295	15.1	120	4	7	13	21	30	38	99 +	6	11.8	53	2	6	12	18	21	21	21
SUBTOTAL	**462**	**15.0**	**119**	**4**	**7**	**13**	**22**	**29**	**36**	**95**	**14**	**10.6**	**54**	**1**	**4**	**9**	**18**	**20**	**21**	**21**
GRAND TOTAL	**799**	**15.5**	**128**	**4**	**7**	**13**	**22**	**30**	**37**	**64**	**35**	**13.5**	**90**	**2**	**4**	**14**	**20**	**26**	**29**	**35**

AFFECT PSYCHOSES NEC/NOS (296.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	23.0		23	23	23	23	23	23	23										
13-17	2	23.5	841	3	3	23	44	44	44	44										
18-24	1	5.0		5	5	5	5	5	5	5										
25-34	4	34.0	938	8	12	25	55	77	77	77										
35-54	14	11.9	82	5	7	11	13	18	36	41										
55-74	8	15.5	159	2	6	12	25	34	36	36										
75 +	4	23.3	152	7	14	25	32	36	36	36										
ALL AGES	34	17.5	249	5	7	11	23	37	43	77										
B. FEMALE																				
0-12 YRS.																				
13-17	2	5.5	13	3	3	5	8	8	8	8										
18-24	1	3.0		3	3	3	3	3	3	3										
25-34	10	12.4	196	1	2	6	21	35	43	43										
35-54	22	17.9	124	3	9	18	23	33	39	46	1	29.0		29	29	29	29	29	29	29
55-74	20	15.5	158	2	10	14	18	23	43	61	1	14.0		14	14	14	14	14	14	14
75 +	7	18.6	225	3	11	12	23	43	48	48										
ALL AGES	62	15.7	153	2	6	13	22	29	44	59	2	21.5	113	14	14	21	29	29	29	29
SUBTOTAL	**96**	**16.3**	**187**	**3**	**6**	**13**	**22**	**34**	**44**	**70**	**2**	**21.5**	**113**	**14**	**14**	**21**	**29**	**29**	**29**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14										
13-17	3	7.3	43	1	2	7	12	14	14	14										
18-24	3	10.0	21	6	7	9	13	15	15	15	1	2.0		2	2	2	2	2	2	2
25-34	19	14.2	69	4	9	11	20	27	29	30	1	14.0		14	14	14	14	14	14	14
35-54	18	14.7	99	5	7	12	23	30	33	34										
55-74	14	17.1	110	5	6	18	27	30	32	33	2	6.0	50	1	1	6	11	11	11	11
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	59	14.3	85	4	6	12	21	28	31	34	4	7.0	42	1	1	6	12	14	14	14
B. FEMALE																				
0-12 YRS.	1	22.0		22	22	22	22	22	22	22										
13-17	3	20.7	131	14	14	14	29	34	34	34	1	8.0		8	8	8	8	8	8	8
18-24	15	12.7	101	1	4	11	19	29	32	33										
25-34	29	15.1	82	6	10	12	21	29	32	39	1	41.0		41	41	41	41	41	41	41
35-54	23	12.0	58	3	6	12	16	22	27	31										
55-74	19	20.9	393	7	9	14	27	37	70	92	2	3.0	8	1	1	3	5	5	5	5
75 +	5	11.8	93	2	6	7	19	26	26	26	1	14.0		14	14	14	14	14	14	14
ALL AGES	95	15.2	148	3	8	13	20	29	33	70	5	13.8	254	1	4	8	21	41	41	41
SUBTOTAL	**154**	**14.9**	**122**	**4**	**7**	**13**	**20**	**28**	**32**	**43**	**9**	**10.8**	**155**	**1**	**2**	**8**	**14**	**30**	**41**	**41**
GRAND TOTAL	**250**	**15.4**	**148**	**3**	**7**	**13**	**21**	**30**	**34**	**61**	**11**	**12.7**	**155**	**1**	**3**	**11**	**14**	**34**	**40**	**41**

PARANOID STATE, SIMPLE (297.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	11.0		11	11	11	11	11	11	11										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	11.0		11	11	11	11	11	11	11										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	11.0		11	11	11	11	11	11	11										
55-74																				
75 +																				
ALL AGES	1	11.0		11	11	11	11	11	11	11										
SUBTOTAL	**2**	**11.0**		**11**	**11**	**11**	**11**	**11**	**11**	**11**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	7.0	32	3	3	7	11	11	11	11										
55-74																				
75 +																				
ALL AGES	2	7.0	32	3	3	7	11	11	11	11										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	20.0	128	12	12	20	28	28	28	28										
55-74																				
75 +																				
ALL AGES	2	20.0	128	12	12	20	28	28	28	28										
SUBTOTAL	**4**	**13.5**	**110**	**3**	**7**	**11**	**20**	**28**	**28**	**28**										
GRAND TOTAL	**6**	**12.7**	**66**	**4**	**11**	**11**	**12**	**26**	**28**	**28**										

PARANOIA (297.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	17.0		17	17	17	17	17	17	17	1	14.0		14	14	14	14	14	14	14
25-34	6	12.7	140	1	4	9	20	32	33	33										
35-54	6	8.2	30	4	5	6	8	18	19	19										
55-74	7	22.7	303	5	15	16	38	48	49	49										
75 +	2	27.5	1	27	27	27	28	28	28	28										
ALL AGES	22	16.2	175	3	6	15	20	37	47	49	1	14.0		14	14	14	14	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
35-54	6	9.3	22	3	6	9	14	15	15	15										
55-74	10	15.2	46	6	11	15	21	24	27	27	1	1.0		1	1	1	1	1	1	1
75 +	10	21.1	224	3	7	22	31	41	51	51	1	2.0		2	2	2	2	2	2	2
ALL AGES	27	15.7	122	4	7	14	21	30	35	51	3	2.3	3	1	1	2	3	4	4	4
SUBTOTAL	**49**	**15.9**	**144**	**4**	**7**	**14**	**21**	**32**	**45**	**51**	**4**	**5.3**	**35**	**1**	**1**	**3**	**9**	**14**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	30.0		30	30	30	30	30	30	30										
18-24																				
25-34	8	18.0	90	5	12	18	25	30	31	31										
35-54	8	18.0	113	7	10	16	26	34	35	35										
55-74	3	14.7	251	5	5	6	26	33	33	33										
75 +	3	13.7	63	6	8	13	20	22	22	22	1	2.0		2	2	2	2	2	2	2
ALL AGES	23	17.5	105	6	9	16	27	32	34	35	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.	1	25.0		25	25	25	25	25	25	25										
13-17	2	16.5	41	12	12	16	21	21	21	21										
18-24	2	10.5	1	10	10	10	11	11	11	11										
25-34	2	5.0	2	4	4	5	6	6	6	6										
35-54	2	13.0	98	6	6	13	20	20	20	20										
55-74	4	15.5	155	7	8	10	22	34	34	34										
75 +	5	13.8	49	4	8	17	19	20	20	20	4	8.3	33	5	5	6	11	17	17	17
ALL AGES	18	13.7	66	5	7	11	20	24	30	34	4	8.3	33	5	5	6	11	17	17	17
SUBTOTAL	**41**	**15.8**	**90**	**5**	**8**	**13**	**21**	**31**	**33**	**35**	**5**	**7.0**	**34**	**2**	**4**	**5**	**9**	**17**	**17**	**17**
GRAND TOTAL	**90**	**15.9**	**117**	**4**	**7**	**14**	**21**	**31**	**34**	**50**	**9**	**6.2**	**31**	**1**	**2**	**5**	**8**	**16**	**17**	**17**

PARAPHRENIA (297.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5										
75 +	3	11.0	271	1	1	2	23	30	30	30										
ALL AGES	4	9.5	190	1	1	3	17	30	30	30										
SUBTOTAL	**4**	**9.5**	**190**	**1**	**1**	**3**	**17**	**30**	**30**	**30**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	22.0		22	22	22	22	22	22	22										
75 +																				
ALL AGES	1	22.0		22	22	22	22	22	22	22										
B. FEMALE																				
0-12 YRS.																				
13-17	1	28.0		28	28	28	28	28	28	28										
18-24																				
25-34																				
35-54	1	8.0		8	8	8	8	8	8	8										
55-74	1	10.0		10	10	10	10	10	10	10										
75 +																				
ALL AGES	3	15.3	123	8	8	10	23	28	28	28										
SUBTOTAL	**4**	**17.0**	**92**	**8**	**9**	**16**	**25**	**28**	**28**	**28**										
GRAND TOTAL	**8**	**13.3**	**135**	**1**	**3**	**9**	**25**	**29**	**30**	**30**										

SHARED PARANOID DISORDER (297.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	23.0		23	23	23	23	23	23	23										
75 +																				
ALL AGES	1	23.0		23	23	23	23	23	23	23										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	23.0		23	23	23	23	23	23	23										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	23.0		23	23	23	23	23	23	23										

PARANOID STATES NEC (297.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	3	10.0	108	4	4	4	18	22	22	22										
55-74																				
75 +																				
ALL AGES	3	10.0	108	4	4	4	18	22	22	22										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	22.0		22	22	22	22	22	22	22	1	9.0		9	9	9	9	9	9	9
55-74																				
75 +																				
ALL AGES	1	22.0		22	22	22	22	22	22	22	1	9.0		9	9	9	9	9	9	9
SUBTOTAL	**4**	**13.0**	**108**	**4**	**4**	**13**	**22**	**22**	**22**	**22**	**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	3	12.0	3	10	11	13	13	13	13	13										
35-54											2	13.0	18	10	10	13	16	16	16	16
55-74	1	18.0		18	18	18	18	18	18	18										
75 +																				
ALL AGES	4	13.5	11	10	11	13	16	18	18	18	2	13.0	18	10	10	13	16	16	16	16
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	6.0	2	5	5	6	7	7	7	7										
55-74	3	6.0	7	3	4	7	8	8	8	8										
75 +	1	31.0		31	31	31	31	31	31	31										
ALL AGES	6	10.2	107	3	5	7	8	29	31	31										
SUBTOTAL	**10**	**11.5**	**66**	**4**	**7**	**9**	**13**	**24**	**31**	**31**	**2**	**13.0**	**18**	**10**	**10**	**13**	**16**	**16**	**16**	**16**
GRAND TOTAL	**14**	**11.9**	**72**	**4**	**5**	**9**	**18**	**23**	**29**	**31**	**3**	**11.7**	**13**	**9**	**9**	**10**	**14**	**16**	**16**	**16**

PARANOID STATE NOS (297.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	11.3	9	8	9	13	13	13	13	13										
18-24	5	8.8	43	3	3	7	14	18	18	18	1	1.0		1	1	1	1	1	1	1
25-34	17	10.2	33	3	5	9	15	18	19	19										
35-54	37	19.1	252	3	10	15	24	33	59	73	1	13.0		13	13	13	13	13	13	13
55-74	13	16.2	156	5	8	13	18	42	43	43	2	3.0	8	1	1	3	5	5	5	5
75 +	8	17.8	112	8	9	16	21	35	40	40										
ALL AGES	83	15.8	167	3	8	13	19	28	41	73	4	5.0	32	1	1	3	9	13	13	13
B. FEMALE																				
0-12 YRS.	2	13.0	50	8	8	13	18	18	18	18										
13-17	2	10.5	61	5	5	10	16	16	16	16										
18-24	3	15.3	58	11	11	11	21	24	24	24	1	4.0		4	4	4	4	4	4	4
25-34	18	8.8	40	2	4	7	15	18	20	20	1	15.0		15	15	15	15	15	15	15
35-54	30	12.4	79	2	8	10	15	23	29	43	1	8.0		8	8	8	8	8	8	8
55-74	50	15.8	118	4	7	14	20	27	32	59	5	9.6	51	3	5	6	14	21	21	21
75 +	26	19.1	145	7	10	16	26	40	46	48	3	4.7	10	1	2	6	7	7	7	7
ALL AGES	131	14.6	107	3	7	13	19	27	32	51	11	8.1	34	2	4	6	11	17	21	21
SUBTOTAL	**214**	**15.0**	**132**	**3**	**7**	**13**	**19**	**28**	**39**	**64**	**15**	**7.3**	**32**	**1**	**3**	**6**	**11**	**15**	**19**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-17																				
18-24	5	19.4	151	6	8	19	30	35	35	35	1	8.0		8	8	8	8	8	8	8
25-34	19	9.5	25	4	6	8	14	17	19	19										
35-54	25	11.2	54	4	5	9	15	21	25	30	1	2.0		2	2	2	2	2	2	2
55-74	10	19.8	224	3	7	19	26	42	50	50	2	11.0	98	4	4	11	18	18	18	18
75 +	5	18.8	205	5	7	17	27	41	41	41										
ALL AGES	65	13.2	99	4	6	10	18	26	35	49	4	8.0	51	2	3	6	13	18	18	18
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	22.0		22	22	22	22	22	22	22										
25-34	4	6.3	4	3	5	7	8	8	8	8	1	6.0		6	6	6	6	6	6	6
35-54	18	11.9	126	5	6	7	13	24	40	50	1	15.0		15	15	15	15	15	15	15
55-74	11	16.1	34	9	12	14	21	24	25	25	3	16.3	2	16	16	16	17	17	17	17
75 +	12	16.7	65	9	11	14	20	27	36	38										
ALL AGES	46	13.9	82	6	7	12	18	24	28	50	5	14.0	21	6	13	16	16	17	17	17
SUBTOTAL	**111**	**13.5**	**91**	**4**	**7**	**11**	**18**	**25**	**35**	**50**	**9**	**11.3**	**40**	**3**	**5**	**15**	**16**	**18**	**18**	**18**
GRAND TOTAL	**325**	**14.5**	**118**	**4**	**7**	**13**	**19**	**27**	**35**	**52**	**24**	**8.8**	**38**	**1**	**4**	**7**	**15**	**17**	**19**	**21**

REACT DEPRESS PSYCHOSIS (298.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	10.0	98	3	3	10	17	17	17	17										
25-34	3	14.3	32	9	10	14	18	20	20	20										
35-54	2	7.5	41	3	3	7	12	12	12	12										
55-74	1	11.0		11	11	11	11	11	11	11										
75 +	3	11.0	49	6	6	8	16	19	19	19										
ALL AGES	11	11.1	35	3	6	11	16	19	20	20										
B. FEMALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-24	2	4.0	18	1	1	4	7	7	7	7										
25-34	7	11.7	93	3	6	8	18	27	29	29										
35-54	5	11.2	89	4	4	7	18	26	26	26	2	8.5	61	3	3	8	14	14	14	14
55-74	4	27.5	12	24	25	27	30	32	32	32	4	30.8	1099	3	11	20	50	79	79	79
75 +	1	33.0		33	33	33	33	33	33	33										
ALL AGES	19	15.2	128	3	6	9	26	31	33	33	7	20.3	736	2	3	14	21	67	79	79
SUBTOTAL	**30**	**13.7**	**96**	**3**	**6**	**10**	**21**	**28**	**32**	**33**	**7**	**20.3**	**736**	**2**	**3**	**14**	**21**	**67**	**79**	**79**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	8.5	61	3	3	8	14	14	14	14										
18-24	3	8.3	21	4	5	8	12	13	13	13										
25-34	3	6.0	4	4	4	6	7	8	8	8										
35-54	4	9.3	50	3	4	7	14	19	19	19										
55-74	6	23.8	516	3	8	20	26	62	66	66										
75 +	1	20.0		20	20	20	20	20	20	20										
ALL AGES	19	13.7	215	3	4	8	18	26	48	66										
B. FEMALE																				
0-12 YRS.	1	7.0		7	7	7	7	7	7	7										
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	5	18.0	193	8	9	15	22	42	42	42										
35-54	4	20.3	160	11	12	15	28	39	39	39										
55-74	2	21.5	421	7	7	21	36	36	36	36										
75 +																				
ALL AGES	13	17.1	176	6	8	14	22	40	42	42										
SUBTOTAL	**32**	**15.1**	**195**	**3**	**6**	**10**	**18**	**37**	**42**	**66**										
GRAND TOTAL	**62**	**14.4**	**146**	**3**	**6**	**10**	**20**	**30**	**37**	**63**	**7**	**20.3**	**736**	**2**	**3**	**14**	**21**	**67**	**79**	**79**

EXCITATIV TYPE PSYCHOSIS (298.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	30.0		30	30	30	30	30	30	30										
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	1	3.0		3	3	3	3	3	3	3	1	12.0		12	12	12	12	12	12	12
55-74	1	3.0		3	3	3	3	3	3	3	2	10.0	8	8	8	10	12	12	12	12
75 +																				
ALL AGES	4	9.3	191	1	1	3	17	30	30	30	3	10.7	4	8	9	12	12	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54	1	6.0		6	6	6	6	6	6	6										
55-74	5	5.6	15	1	2	6	8	11	11	11	1	2.0		2	2	2	2	2	2	2
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	8	5.0	10	1	2	5	7	10	11	11	2	2.0		2	2	2	2	2	2	2
SUBTOTAL	**12**	**6.4**	**64**	**1**	**2**	**4**	**7**	**17**	**28**	**30**	**5**	**7.2**	**25**	**2**	**2**	**8**	**12**	**12**	**12**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34											1	6.0		6	6	6	6	6	6	6
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	2	4.0	18	1	1	4	7	7	7	7										
75 +																				
ALL AGES	4	2.8	8	1	1	2	4	7	7	7	1	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	17.0	32	13	13	17	21	21	21	21										
35-54	3	3.3	6	2	2	2	5	6	6	6	2	1.0		1	1	1	1	1	1	1
55-74	2	22.5	13	20	20	22	25	25	25	25										
75 +																				
ALL AGES	7	12.7	92	2	3	13	21	24	25	25	2	1.0		1	1	1	1	1	1	1
SUBTOTAL	**11**	**9.1**	**82**	**1**	**2**	**6**	**18**	**23**	**25**	**25**	**3**	**2.7**	**8**	**1**	**1**	**1**	**5**	**6**	**6**	**6**
GRAND TOTAL	**23**	**7.7**	**71**	**1**	**2**	**4**	**10**	**22**	**27**	**30**	**8**	**5.5**	**22**	**1**	**1**	**4**	**10**	**12**	**12**	**12**

REACTIVE CONFUSION (298.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17											1	2.0		2	2	2	2	2	2	2
18-24																				
25-34	1	11.0		11	11	11	11	11	11	11										
35-54																				
55-74											2	2.0	2	1	1	2	3	3	3	3
75 +																				
ALL AGES	2	6.0	50	1	1	6	11	11	11	11	3	2.0	1	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	21.0		21	21	21	21	21	21	21										
35-54	1	15.0		15	15	15	15	15	15	15										
55-74	2	2.0		2	2	2	2	2	2	2										
75 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	5	8.2	85	1	2	2	16	21	21	21										
SUBTOTAL	**7**	**7.6**	**65**	**1**	**1**	**2**	**14**	**20**	**21**	**21**	**3**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	1	7.0		7	7	7	7	7	7	7										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54	1	2.0		2	2	2	2	2	2	2										
55-74	1	2.0		2	2	2	2	2	2	2										
75 +	1	5.0		5	5	5	5	5	5	5	1	9.0		9	9	9	9	9	[illegible]	9
ALL AGES	3	3.0	3	2	2	2	4	5	5	5	2	5.5	25	2	2	5	9	[illegible]	[illegible]	9
SUBTOTAL	**4**	**4.0**	**6**	**2**	**2**	**4**	**6**	**7**	**7**	**7**	**2**	**5.5**	**25**	**2**	**2**	**5**	**9**	**9**	[illegible]	**9**
GRAND TOTAL	**11**	**6.3**	**44**	**1**	**2**	**2**	**10**	**17**	**21**	**21**	**5**	**3.4**	**10**	**1**	**2**	**2**	**4**	**9**	**9**	**9**

ACUTE PARANOID REACTION (298.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	5.0		5	5	5	5	5	5	5
13-17	1	11.0		11	11	11	11	11	11	11										
18-24																				
25-34	5	8.0	14	5	5	7	10	14	14	14										
35-54	2	12.0	18	9	9	12	15	15	15	15										
55-74	1	15.0		15	15	15	15	15	15	15	1	4.0		4	4	4	4	4	4	4
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	9	10.0	16	5	7	9	14	15	15	15	3	3.7	2	2	2	4	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17	1	15.0		15	15	15	15	15	15	15										
18-24																				
25-34	1	22.0		22	22	22	22	22	22	22										
35-54	3	9.3	7	7	7	9	11	12	12	12	1	11.0		11	11	11	11	11	11	11
55-74	2	15.5	181	6	6	15	25	25	25	25	2	8.5	85	2	2	8	15	15	15	15
75 +	4	15.3	61	7	9	14	21	25	25	25	1	24.0		24	24	24	24	24	24	24
ALL AGES	11	14.3	51	6	8	12	21	25	25	25	4	13.0	83	2	6	13	19	24	24	24
SUBTOTAL	**20**	**12.4**	**38**	**6**	**7**	**11**	**15**	**23**	**25**	**25**	**7**	**9.0**	**67**	**2**	**3**	**5**	**14**	**22**	**24**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	13.0		13	13	13	13	13	13	13										
35-54	5	14.8	110	6	7	13	20	32	32	32										
55-74	2	16.5	61	11	11	16	22	22	22	22										
75 +																				
ALL AGES	8	15.0	73	6	9	13	19	29	32	32										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	45.0		45	45	45	45	45	45	45										
25-34	2	15.0	2	14	14	15	16	16	16	16										
35-54	2	32.0	1568	4	4	32	60	60	60	60										
55-74	2	31.5	61	26	26	31	37	37	37	37										
75 +	2	6.0	2	5	5	6	7	7	7	7										
ALL AGES	9	23.8	389	4	[illegible]	16	39	54	60	60										
SUBTOTAL	**17**	**19.6**	**249**	**5**	**7**	**14**	**27**	**43**	**55**	**60**										
GRAND TOTAL	**37**	**15.7**	**144**	**5**	**7**	**13**	**19**	**31**	**42**	**60**	**7**	**9.0**	**67**	**2**	**3**	**5**	**14**	**22**	**24**	**24**

REACT PSYCHOSIS NEC/NOS (298.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	22.0		22	22	22	22	22	22	22										
13-17	4	9.8	136	1	3	5	16	27	27	27	2	8.5	1	8	8	8	9	9	9	9
18-24	11	11.4	29	4	7	12	14	19	21	21	1	15.0		15	15	15	15	15	15	15
25-34	10	8.1	40	1	4	6	14	18	20	20										
35-54	20	9.3	49	3	5	8	10	20	28	28										
55-74	2	9.5	41	5	5	9	14	14	14	14	1	6.0		6	6	6	6	6	6	6
75 +	2	11.5	1	11	11	11	12	12	12	12	1	6.0		6	6	6	6	6	6	6
ALL AGES	50	9.9	46	2	5	8	13	20	27	28	5	8.8	14	6	6	8	10	15	15	15
B. FEMALE																				
0-12 YRS.	4	16.0	333	4	5	8	27	43	43	43										
13-17	2	10.5	5	9	9	10	12	12	12	12	1	5.0		5	5	5	5	5	5	5
18-24	8	10.3	42	4	5	8	15	20	21	21	1	13.0		13	13	13	13	13	13	13
25-34	27	9.8	69	2	5	9	12	23	30	34	1	13.0		13	13	13	13	13	13	13
35-54	43	11.6	79	3	6	9	14	23	28	48	2	6.5	61	1	1	6	12	12	12	12
55-74	18	10.2	63	2	4	8	14	23	29	31	4	6.8	12	2	4	7	9	10	10	10
75 +	6	12.7	86	3	7	11	16	28	29	29	2	6.0	8	4	4	6	8	8	8	8
ALL AGES	108	11.0	76	3	5	9	14	24	29	45	11	7.5	19	1	4	8	11	13	13	13
SUBTOTAL	**158**	**10.6**	**68**	**2**	**5**	**9**	**14**	**22**	**28**	**42**	**16**	**7.9**	**17**	**2**	**5**	**8**	**11**	**13**	**14**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	21.0		21	21	21	21	21	21	21										
13-17	2	26.5	613	9	9	26	44	44	44	44										
18-24	19	21.2	237	9	12	17	29	36	56	72										
25-34	25	12.3	149	3	4	7	16	28	40	50										
35-54	14	10.6	69	3	5	8	13	22	31	33	4	6.0	13	3	3	6	9	10	10	10
55-74	1	17.0		17	17	17	17	17	17	17										
75 +	1	17.0		17	17	17	17	17	17	17										
ALL AGES	63	15.3	176	4	6	11	20	33	40	69	4	6.0	13	3	3	6	9	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17	2	12.0	72	6	6	12	18	18	18	18										
18-24	13	11.0	34	3	8	11	14	18	23	24										
25-34	29	12.6	60	4	7	13	16	20	22	42										
35-54	24	10.5	48	5	5	9	13	21	24	29										
55-74	7	13.7	153	5	6	7	20	35	38	38	3	8.7	29	3	4	9	13	14	14	14
75 +	1	31.0		31	31	31	31	31	31	31										
ALL AGES	76	12.0	62	5	6	11	16	21	27	41	3	8.7	29	3	4	9	13	14	14	14
SUBTOTAL	**139**	**13.5**	**115**	**4**	**6**	**11**	**17**	**28**	**36**	**52**	**7**	**7.1**	**19**	**3**	**3**	**8**	**10**	**13**	**14**	**14**
GRAND TOTAL	**297**	**12.0**	**91**	**3**	**6**	**9**	**15**	**24**	**31**	**46**	**23**	**7.7**	**16**	**3**	**4**	**8**	**10**	**13**	**14**	**15**

PSYCHOSIS NOS (298.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	14.4	101	3	5	17	20	28	28	28	5	5.0	54	1	1	2	7	18	18	18
13-17	15	16.1	218	4	8	12	19	31	54	62	6	16.7	257	1	1	13	33	37	38	38
18-24	26	15.2	175	2	5	12	24	44	56	99 +	4	15.3	373	1	1	9	29	42	42	42
25-34	31	10.6	99	1	2	9	15	23	28	46										
35-54	46	11.1	74	2	5	9	15	22	29	40	5	5.2	25	1	2	2	10	12	12	12
55-74	59	10.0	79	2	4	8	13	20	24	52	18	9.6	117	3	4	7	8	16	37	50
75 +	57	7.7	59	2	3	5	10	15	18	51	33	7.9	32	3	4	6	9	16	23	25
ALL AGES	239	10.8	99	2	4	8	14	22	29	56	71	9.1	92	2	3	6	11	19	33	48
B. FEMALE																				
0-12 YRS.	5	10.6	205	1	1	3	18	35	35	35	6	5.0	36	1	1	2	8	15	16	16
13-17	11	14.8	102	2	8	14	26	52	93	99 +	3	5.3	6	4	4	4	7	8	8	8
18-24	31	14.0	225	3	5	9	20	39	64	99 +	4	3.0	5	1	1	3	5	5	5	5
25-34	55	11.8	60	2	6	11	16	22	27	33	9	6.9	13	2	4	7	10	12	12	12
35-54	87	10.8	63	2	4	10	14	22	27	36	12	3.9	9	1	1	3	6	9	9	9
55-74	104	11.4	93	3	5	8	15	23	28	55	25	6.3	32	1	2	5	8	13	20	25
75 +	86	8.5	50	2	4	6	12	18	20	35	60	6.0	28	2	3	5	6	11	16	31
ALL AGES	379	11.0	84	2	5	9	15	22	29	57	119	5.7	26	1	2	5	7	11	15	27
SUBTOTAL	**618**	**10.9**	**90**	**2**	**4**	**8**	**15**	**22**	**29**	**57**	**190**	**7.0**	**52**	**1**	**3**	**5**	**8**	**14**	**21**	**40**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	24.4	540	3	9	14	40	61	61	61	1	28.0		28	28	28	28	28	28	28
13-17	18	30.3	526	10	16	22	38	72	77	79	1	1.0		1	1	1	1	1	1	1
18-24	37	17.7	329	3	6	12	23	37	60	86	3	18.3	576	4	4	5	36	46	46	46
25-34	49	13.2	159	1	4	9	22	28	39	61	4	24.3	210	7	13	24	35	41	41	41
35-54	55	12.2	175	2	3	9	15	29	38	72	7	10.7	24	5	6	11	15	17	17	17
55-74	43	12.2	85	3	5	9	17	26	29	43	10	10.1	85	1	5	6	19	25	26	26
75 +	25	12.4	60	5	7	12	14	22	32	36	11	4.5	13	1	2	3	7	10	13	13
ALL AGES	232	15.0	221	3	5	11	20	30	43	75	37	11.0	126	1	4	6	16	28	37	46
B. FEMALE																				
0-12 YRS.	3	14.7	103	3	7	19	21	22	22	22	1	3.0		3	3	3	3	3	3	3
13-17	9	35.2	681	9	15	29	55	76	76	76										
18-24	19	12.2	131	2	4	8	18	30	37	43	1	1.0		1	1	1	1	1	1	1
25-34	61	13.0	140	4	6	11	15	24	42	65	5	8.2	17	3	4	9	12	12	12	12
35-54	67	12.6	67	4	6	12	17	23	27	45	7	8.0	40	3	3	7	9	19	21	21
55-74	38	14.2	80	5	8	13	19	27	35	43	9	6.4	42	1	3	4	8	18	19	19
75 +	49	12.2	97	3	6	9	14	24	37	49	13	7.3	32	3	3	4	12	15	19	20
ALL AGES	246	13.7	134	4	6	11	17	27	37	67	36	7.1	30	2	3	5	10	16	20	21
SUBTOTAL	**478**	**14.3**	**177**	**3**	**6**	**11**	**18**	**29**	**40**	**74**	**73**	**9.1**	**81**	**2**	**3**	**6**	**12**	**20**	**28**	**45**
GRAND TOTAL	**1096**	**12.4**	**130**	**3**	**5**	**10**	**16**	**25**	**33**	**66**	**263**	**7.6**	**61**	**1**	**3**	**5**	**9**	**17**	**24**	**42**

INFANTILE AUTISM (299.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	31.8	1119	2	4	18	62	77	77	77	2	7.5	85	1	1	7	14	14	14	14
13-17											1	95.0		95	95	95	95	95	95	95
18-24	1	7.0		7	7	7	7	7	7	7										
25-34	3	27.3	332	14	15	20	41	48	48	48										
35-54																				
55-74																				
75 +																				
ALL AGES	9	27.6	703	3	6	18	50	69	77	77	3	36.7	2591	1	4	14	75	95	95	95
B. FEMALE																				
0-12 YRS.	1	71.0		71	71	71	71	71	71	71										
13-17	1	3.0		3	3	3	3	3	3	3										
18-24																				
25-34	1	19.0		19	19	19	19	19	19	19										
35-54																				
55-74																				
75 +																				
ALL AGES	3	31.0	1264	3	7	19	58	71	71	71										
SUBTOTAL	**12**	**28.4**	**747**	**3**	**6**	**18**	**52**	**73**	**76**	**77**	**3**	**36.7**	**2591**	**1**	**4**	**14**	**75**	**95**	**95**	**95**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	12.7	136	4	5	8	21	26	26	26										
13-17	1	1.0		1	1	1	1	1	1	1	1	22.0		22	22	22	22	22	22	22
18-24	2	8.5	61	3	3	8	14	14	14	14										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	6	9.3	89	1	3	6	14	25	26	26	1	22.0		22	22	22	22	22	22	22
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**6**	**9.3**	**89**	**1**	**3**	**6**	**14**	**25**	**26**	**26**	**1**	**22.0**		**22**	**22**	**22**	**22**	**22**	**22**	**22**
GRAND TOTAL	**18**	**22.1**	**592**	**2**	**4**	**14**	**26**	**67**	**75**	**77**	**4**	**33.0**	**1783**	**1**	**7**	**18**	**58**	**95**	**95**	**95**

EARLY CHLD PSYCHOSES NEC (299.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	27.4	271	15	20	23	56	96	99 +	99 +										
13-17	1	11.0		11	11	11	11	11	11	11	1	27.0		27	27	27	27	27	27	27
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	6	24.7	259	12	15	23	48	91	99 +	99 +	1	27.0		27	27	27	27	27	27	27
B. FEMALE																				
0-12 YRS.																				
13-17	2	16.0	288	4	10	28	82	99 +	99 +	99 +										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	16.0	288	4	10	28	82	99 +	99 +	99 +										
SUBTOTAL	**8**	**22.5**	**244**	**7**	**14**	**23**	**56**	**99 +**	**99 +**	**99 +**	**1**	**27.0**		**27**	**27**	**27**	**27**	**27**	**27**	**27**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	27.0	392	13	13	27	41	41	41	41	1	77.0		77	77	77	77	77	77	77
13-17	5	23.0	914	7	9	10	27	77	77	77										
18-24											1	26.0		26	26	26	26	26	26	26
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	7	24.1	681	8	10	11	34	70	77	77	2	51.5	1301	26	26	51	77	77	77	77
B. FEMALE																				
0-12 YRS.	1	49.0		49	49	49	49	49	49	49										
13-17	1	7.0		7	7	7	7	7	7	7										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	28.0	882	7	7	28	49	49	49	49										
SUBTOTAL	**9**	**25.0**	**622**	**7**	**9**	**11**	**43**	**66**	**77**	**77**	**2**	**51.5**	**1301**	**26**	**39**	**77**	**94**	**99 +**	**99 +**	**99 +**
GRAND TOTAL	**17**	**23.8**	**420**	**7**	**10**	**20**	**47**	**91**	**99 +**	**99 +**	**3**	**43.3**	**855**	**26**	**26**	**52**	**88**	**99 +**	**99 +**	**99 +**

EARLY CHLD PSYCHOSIS NOS (299.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	16.5	5	15	15	16	18	18	18	18	1	4.0		4	4	4	4	4	4	4
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	16.5	5	15	15	16	18	18	18	18	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.	1	26.0		26	26	26	26	26	26	26	1	2.0		2	2	2	2	2	2	2
13-17	1	56.0		56	56	56	56	56	56	56										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	41.0	450	26	26	41	56	56	56	56	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**4**	**28.8**	**348**	**15**	**16**	**22**	**41**	**56**	**56**	**56**	**2**	**3.0**	**2**	**2**	**2**	**3**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**4**	**28.8**	**348**	**15**	**16**	**22**	**41**	**56**	**56**	**56**	**2**	**3.0**	**2**	**2**	**2**	**3**	**4**	**4**	**4**	**4**

ANXIETY STATES (300.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	1.8	1	1	1	2	2	3	3	3										
13-17	8	8.6	57	1	2	7	15	19	20	20	1	1.0		1	1	1	1	1	1	1
18-24	17	3.1	21	1	1	2	3	5	15	20	8	4.9	55	1	1	1	6	18	22	22
25-34	34	5.5	35	1	1	3	8	15	19	22	13	3.9	50	1	1	2	3	9	24	27
35-54	47	4.1	17	1	1	2	5	9	14	20	34	2.1	3	1	1	1	3	4	6	7
55-74	33	3.8	13	1	2	3	4	8	11	18	13	3.3	9	1	2	2	4	7	11	12
75 +	6	4.0	9	1	2	3	6	9	9	9	3	4.0	7	2	2	3	6	7	7	7
ALL AGES	149	4.4	23	1	1	3	5	11	17	20	72	3.0	18	1	1	2	3	6	9	26
B. FEMALE																				
0-12 YRS.	4	3.5	4	1	2	3	5	6	6	6	3	17.7	736	1	1	3	37	49	49	49
13-17	2	12.0	200	2	2	12	22	22	22	22	1	3.0		3	3	3	3	3	3	3
18-24	14	3.0	5	1	1	2	4	7	7	7	10	2.0	1	1	1	2	2	3	4	4
25-34	50	3.7	22	1	1	2	5	8	17	21	15	3.3	11	1	1	2	4	6	12	14
35-54	89	6.5	43	1	2	3	10	16	22	27	45	2.9	5	1	1	2	3	6	8	11
55-74	66	6.9	68	1	2	5	8	17	19	51	31	2.7	5	1	1	2	3	5	8	11
75 +	27	10.1	135	2	2	4	14	28	40	41	25	3.4	10	1	2	3	3	6	11	16
ALL AGES	252	6.2	56	1	2	3	7	16	21	40	130	3.3	22	1	1	2	3	6	9	23
SUBTOTAL	**401**	**5.6**	**44**	**1**	**1**	**3**	**7**	**14**	**19**	**29**	**202**	**3.2**	**21**	**1**	**1**	**2**	**3**	**6**	**9**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	6.0		6	6	6	76	99 +	99 +	99 +	2	1.0		1	1	1	1	1	1	1
18-24	11	8.5	27	3	4	7	10	17	19	19	2	6.5	5	5	5	6	8	8	8	8
25-34	30	6.4	51	2	2	4	7	13	28	32	6	4.2	14	1	1	2	9	9	9	9
35-54	47	9.1	52	2	2	7	14	18	22	30	11	3.1	5	1	1	2	5	7	8	8
55-74	30	11.3	69	3	4	10	15	24	29	33	7	3.6	3	1	2	4	5	6	6	6
75 +	2	4.0	18	1	1	4	7	7	7	7										
ALL AGES	122	8.8	54	2	3	6	14	19	26	51	28	3.5	7	1	1	3	5	8	9	9
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	4	7.0	75	2	2	3	12	20	20	20	4	7.8	147	1	1	2	14	26	26	26
18-24	17	14.3	90	4	8	12	24	29	30	30	4	5.8	57	1	1	2	10	17	17	17
25-34	69	8.7	59	1	3	6	11	21	24	34	13	3.5	12	1	1	3	4	7	13	14
35-54	74	9.2	91	2	3	6	11	20	27	53	18	5.4	32	1	2	3	8	14	18	21
55-74	57	13.0	90	3	5	10	19	24	33	41	15	2.7	2	1	2	2	4	5	6	6
75 +	26	11.9	116	1	4	9	18	24	33	47	8	5.8	25	1	2	4	8	14	16	16
ALL AGES	248	10.5	87	2	4	8	14	23	29	42	62	4.6	27	1	2	3	5	13	16	25
SUBTOTAL	**370**	**9.9**	**77**	**2**	**4**	**7**	**14**	**22**	**28**	**42**	**90**	**4.2**	**21**	**1**	**1**	**3**	**5**	**9**	**14**	**24**
GRAND TOTAL	**771**	**7.7**	**64**	**1**	**2**	**5**	**10**	**19**	**24**	**39**	**292**	**3.5**	**21**	**1**	**1**	**2**	**4**	**7**	**11**	**24**

HYSTERIA (300.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	11	3.5	3	1	2	3	5	6	7	7	2	6.0	8	4	4	6	8	8	8	8
13-17	7	3.0	2	1	2	3	4	5	5	5	6	6.7	131	1	1	2	4	27	30	30
18-24	7	3.9	9	1	1	3	6	9	9	9	3	3.0	3	2	2	2	4	5	5	5
25-34	12	3.4	10	1	1	2	4	8	11	12	8	4.1	18	1	2	3	4	11	14	14
35-54	9	2.9	3	1	2	2	4	5	5	5	4	4.8	3	2	3	5	6	6	6	6
55-74	5	5.6	9	2	3	6	8	9	9	9	4	2.8	1	2	2	3	3	4	4	4
75 +	2	2.5	5	1	1	2	4	4	4	4	3	3.3	7	1	1	3	5	6	6	6
ALL AGES	53	3.5	6	1	2	3	4	7	9	12	30	4.5	30	1	2	3	5	7	14	30
B. FEMALE																				
0-12 YRS.	17	9.5	448	1	2	4	7	10	63	91	4	4.0	9	1	1	4	6	7	7	7
13-17	13	5.2	30	2	2	4	5	13	19	21	10	11.6	745	1	1	2	6	48	89	89
18-24	16	5.9	17	1	3	5	8	11	14	15	7	6.0	54	1	1	2	8	19	21	21
25-34	43	10.2	250	2	3	5	10	32	57	99 +	8	4.1	10	1	2	3	7	9	9	9
35-54	51	8.2	67	2	3	6	10	17	22	48	22	4.1	4	1	2	4	6	7	8	9
55-74	12	5.4	21	2	3	4	6	12	17	18	4	1.8	1	1	1	2	2	3	3	3
75 +	5	9.8	185	2	3	5	12	34	34	34	1	5.0		5	5	5	5	5	5	5
ALL AGES	157	8.2	149	2	3	4	9	17	32	91	56	5.5	141	1	2	3	6	8	9	85
SUBTOTAL	**210**	**7.0**	**117**	**1**	**2**	**4**	**7**	**14**	**27**	**90**	**86**	**5.2**	**101**	**1**	**2**	**3**	**6**	**8**	**10**	**68**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	2.0	1	1	1	2	3	3	3	3	1	23.0		23	23	23	23	23	23	23
13-17	5	20.0	360	2	7	15	30	51	51	51	3	2.0	1	1	1	2	3	3	3	3
18-24	5	9.6	139	1	2	5	14	30	30	30	1	4.0		4	4	4	4	4	4	4
25-34	13	5.3	13	1	3	4	8	11	12	12										
35-54	10	8.3	65	2	3	5	15	21	25	25	1	3.0		3	3	3	3	3	3	3
55-74	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
75 +	2	9.5	85	3	3	9	16	16	16	16										
ALL AGES	39	8.4	99	1	2	5	11	21	28	51	7	5.6	60	1	2	3	4	19	23	23
B. FEMALE																				
0-12 YRS.	2	4.5	13	2	2	4	7	7	7	7	2	8.0	72	2	2	8	14	14	14	14
13-17	9	15.1	952	2	3	4	8	62	97	97	4	5.0	1	4	4	5	6	6	6	6
18-24	6	11.3	121	3	4	14	64	99 +	99 +	99 +	2	5.5	41	1	1	5	10	10	10	10
25-34	52	10.2	238	1	2	5	12	21	42	91	6	7.3	59	2	2	5	8	21	22	22
35-54	44	11.8	229	2	3	5	16	26	42	80	4	6.3	4	4	4	6	8	9	9	9
55-74	18	6.7	25	2	2	6	8	13	18	20	1	3.0		3	3	3	3	3	3	3
75 +	3	4.3	3	3	3	4	5	6	6	6	3	8.0	19	3	5	10	11	11	11	11
ALL AGES	134	10.4	236	2	3	5	13	22	43	99 +	22	6.5	24	2	3	5	9	12	17	22
SUBTOTAL	**173**	**10.0**	**204**	**2**	**3**	**5**	**12**	**22**	**42**	**99**	**29**	**6.3**	**30**	**2**	**3**	**4**	**8**	**13**	**22**	**23**
GRAND TOTAL	**383**	**8.4**	**157**	**2**	**3**	**4**	**9**	**19**	**31**	**95**	**115**	**5.4**	**84**	**1**	**2**	**3**	**6**	**9**	**14**	**51**

PHOBIC DISORDERS (300.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	8.0	32	4	4	8	12	12	12	12										
13-17																				
18-24																				
25-34	2	12.0	50	7	7	12	17	17	17	17	1	1.0		1	1	1	1	1	1	1
35-54																				
55-74	2	3.0	2	2	2	3	4	4	4	4										
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	6	7.7	32	2	4	6	12	16	17	17	2	2.0	2	1	1	1	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	6	5.8	25	1	1	5	9	13	13	13										
25-34	6	11.5	195	1	1	7	15	35	37	37										
35-54	9	10.4	26	5	8	10	12	18	20	20	1	4.0		4	4	4	4	4	4	4
55-74	3	5.7	10	2	3	7	8	8	8	8	3	3.3	1	3	3	3	4	4	4	4
75 +																				
ALL AGES	24	9.0	63	1	2	8	12	16	25	37	4	3.5		3	3	3	4	4	4	4
SUBTOTAL	**30**	**8.7**	**56**	**1**	**3**	**8**	**12**	**16**	**20**	**37**	**6**	**3.0**	**1**	**1**	**3**	**3**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	16.0	32	12	12	16	20	20	20	20										
13-17	1	52.0		52	52	52	52	52	52	52										
18-24	1	17.0		17	17	17	17	17	17	17										
25-34	6	20.3	92	10	13	19	23	36	37	37										
35-54	5	15.0	133	2	3	18	24	28	28	28										
55-74																				
75 +																				
ALL AGES	15	19.9	156	4	12	18	23	37	48	52										
B. FEMALE																				
0-12 YRS.	1	15.0		15	15	15	15	15	15	15										
13-17	1	7.0		7	7	7	7	7	7	7										
18-24																				
25-34	12	11.6	87	3	5	9	14	27	34	35	2	12.5	85	6	6	12	19	19	19	19
35-54	15	9.9	25	2	6	10	13	14	20	22	1	4.0		4	4	4	4	4	4	4
55-74	7	9.7	134	2	3	7	9	30	35	35										
75 +	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
ALL AGES	37	10.2	63	2	5	9	13	21	31	35	4	8.0	55	3	3	5	12	19	19	19
SUBTOTAL	**52**	**13.0**	**107**	**3**	**5**	**11**	**17**	**25**	**35**	**52**	**4**	**8.0**	**55**	**3**	**3**	**5**	**12**	**19**	**19**	**19**
GRAND TOTAL	**82**	**11.4**	**93**	**2**	**4**	**10**	**15**	**23**	**35**	**47**	**10**	**5.0**	**26**	**1**	**3**	**4**	**4**	**12**	**19**	**19**

OBSESSIVE-COMPULSIVE DIS (300.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	21.0	307	4	8	20	34	39	39	39										
18-24	4	22.3	849	6	7	8	37	66	66	66	1	18.0		18	18	18	18	18	18	18
25-34																				
35-54	2	8.0	50	3	3	8	13	13	13	13										
55-74	1	14.0		14	14	14	14	14	14	14										
75 +																				
ALL AGES	10	18.2	393	3	6	11	20	52	66	66	1	18.0		18	18	18	18	18	18	18
B. FEMALE																				
0-12 YRS.											1	46.0		46	46	46	46	46	46	46
13-17	1	3.0		3	3	3	3	3	3	3										
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	7	6.0	18	1	2	5	9	12	13	13										
35-54	7	9.6	75	3	3	5	14	24	26	26										
55-74	1	2.0		2	2	2	2	2	2	2										
75 +	2	22.0	8	20	20	22	24	24	24	24										
ALL AGES	19	8.4	62	2	3	5	13	22	25	26	1	46.0		46	46	46	46	46	46	46
SUBTOTAL	**29**	**11.8**	**188**	**2**	**3**	**8**	**14**	**25**	[illegible]	**66**	**2**	**32.0**	**392**	**18**	**18**	**32**	**46**	**46**	**46**	**46**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	5	24.8	125	8	17	29	32	37	37	37										
18-24	3	24.3	957	6	6	7	47	60	60	60	1	14.0		14	14	14	14	14	14	14
25-34	10	18.8	[illegible]	2	6	11	33	46	57	57	1	3.0		3	3	3	3	3	3	3
35-54	6	15.5	119	3	7	14	20	33	34	34										
55-74	1	19.0		19	19	19	19	19	19	19										
75 +																				
ALL AGES	25	19.9	260	3	7	15	31	37	58	60	2	8.5	61	3	3	8	14	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17	1	28.0		28	28	28	28	28	28	28										
18-24	3	8.3	50	1	3	9	13	15	15	15	1	1.0		1	1	1	1	1	1	1
25-34	6	13.8	87	2	10	13	17	28	29	29										
35-54	2	19.5	145	11	11	19	28	28	28	28										
55-74	4	21.0	253	6	10	17	32	43	43	43										
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	16	16.2	126	2	9	14	24	29	39	43	2	2.0	2	1	1	2	3	3	3	3
SUBTOTAL	**41**	**18.4**	**209**	**3**	**7**	**15**	**28**	**36**	**49**	**60**	**4**	**5.3**	**34**	**1**	**2**	**3**	**9**	**14**	**14**	**14**
GRAND TOTAL	**70**	**15.7**	**207**	**2**	**5**	**12**	**21**	**35**	**43**	**65**	**6**	**14.2**	**289**	**1**	**3**	**9**	**18**	**43**	**46**	**46**

NEUROTIC DEPRESSION (300.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	20	25.6	169	11	15	22	35	46	50	50	3	19.3	474	3	5	11	36	44	44	44
13-17	62	18.4	173	3	7	14	29	38	40	46	1	21.0		21	21	60	99 +	99 +	99 +	99 +
18-24	57	9.6	122	1	3	5	12	24	39	97	6	9.3	45	2	6	7	16	19	19	19
25-34	68	6.9	30	1	3	6	10	14	20	24	2	1.0		1	1	1	1	1	1	1
35-54	73	9.1	42	2	4	8	13	19	21	30	13	7.5	40	2	3	5	12	18	20	20
55-74	28	10.5	88	1	4	8	14	21	30	44	8	4.1	18	1	1	3	5	11	14	14
75 +	10	8.6	37	1	3	8	13	17	21	21	3	2.7	1	2	2	2	4	4	4	4
ALL AGES	318	11.7	118	2	4	8	15	28	37	50	36	7.7	75	1	2	4	12	20	36	99 +
B. FEMALE																				
0-12 YRS.	12	19.3	72	8	10	23	26	28	30	30										
13-17	162	20.0	217	4	8	17	31	40	45	80	11	14.8	144	1	3	20	21	30	38	39
18-24	75	7.4	40	1	3	6	10	14	20	32	6	5.8	37	1	1	3	10	15	16	16
25-34	115	7.9	42	1	3	7	11	17	21	31	9	8.9	80	1	2	3	18	22	22	22
35-54	138	9.0	40	2	4	8	13	17	22	25	29	4.0	10	1	2	3	6	9	11	13
55-74	68	8.2	40	2	4	6	10	18	20	32	18	5.0	12	2	3	4	7	8	13	16
75 +	37	11.5	55	4	6	8	17	23	27	30	10	6.7	57	1	2	5	7	17	27	27
ALL AGES	607	11.8	116	2	4	8	15	27	35	46	83	6.6	53	1	2	4	8	20	22	35
SUBTOTAL	**925**	**11.8**	**116**	**2**	**4**	**8**	**15**	**28**	**35**	**47**	**119**	**6.9**	**60**	**1**	**2**	**4**	**8**	**20**	**22**	**61**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	60	22.9	306	7	11	17	31	47	54	91	5	31.8	302	17	19	23	45	58	58	58
13-17	185	22.5	255	6	10	18	32	46	61	99 +	1	38.0		38	38	38	38	38	38	38
18-24	113	16.8	293	2	5	11	22	34	62	81	2	2.5	1	2	2	2	3	3	3	3
25-34	152	10.1	64	2	4	8	15	21	25	34	7	9.1	240	2	2	3	6	36	44	44
35-54	164	10.7	84	2	4	8	14	23	29	45	12	5.1	23	1	2	3	8	13	14	14
55-74	26	11.5	21	6	9	11	14	18	19	21	4	8.3	109	3	3	3	14	24	[illegible]	24
75 +	12	11.5	18	7	8	10	14	18	19	19	2	7.0	32	3	3	7	11	11	11	11
ALL AGES	712	15.7	201	3	6	11	21	35	46	75	33	11.3	213	2	2	3	15	39	44	58
B. FEMALE																				
0-12 YRS.	29	23.8	144	9	14	23	32	37	41	54	1	8.0		8	8	8	8	8	8	8
13-17	245	23.3	323	6	11	18	33	51	67	99 +	5	14.8	133	2	7	9	26	28	28	28
18-24	147	11.9	137	2	5	10	16	23	30	99 +	5	4.4	4	3	3	4	5	8	8	8
25-34	241	11.0	76	3	5	9	14	22	29	51	11	8.5	62	2	3	7	12	20	28	29
35-54	225	12.7	98	3	6	10	16	27	30	53	16	8.4	183	1	2	3	6	37	43	44
55-74	75	12.0	68	3	7	10	15	27	30	36	8	7.0	29	2	3	5	10	15	17	17
75 +	24	12.7	49	4	7	11	16	22	26	32	3	3.7		3	3	4	4	4	4	4
ALL AGES	986	15.1	177	3	6	12	20	32	43	91	49	8.1	94	1	3	4	9	22	30	44
SUBTOTAL	**1698**	**15.3**	**189**	**3**	**6**	**12**	**20**	**33**	**45**	**84**	**82**	**9.4**	**142**	**2**	**3**	**4**	**11**	**27**	**40**	**54**
GRAND TOTAL	**2623**	**14.1**	**165**	**3**	**5**	**10**	**19**	**31**	**41**	**78**	**201**	**8.0**	**93**	**1**	**2**	**4**	**9**	**20**	**28**	**51**

NEURASTHENIA (300.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24																				
25-34											1	3.0		3	3	3	3	3	3	3
35-54	1	3.0		3	3	3	3	3	3	3										
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	3	3.0	1	2	2	3	4	4	4	4	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-24																				
25-34	1	5.0		5	5	5	5	5	5	5	1	1.0		1	1	1	1	1	1	1
35-54	5	5.0	2	4	4	5	6	7	7	7	2	14.5	313	2	2	14	27	27	27	27
55-74											1	3.0		3	3	3	3	3	3	3
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	8	5.1	3	3	4	5	6	8	8	8	4	8.3	156	1	1	2	15	27	27	27
SUBTOTAL	**11**	**4.5**	**4**	**2**	**3**	**4**	**5**	**7**	**8**	**8**	**5**	**7.2**	**123**	**1**	**2**	**3**	**9**	**27**	**27**	**27**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.	2	36.0	2048	4	4	36	68	68	68	68										
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	1	8.0		8	8	8	8	8	8	3	3	5.0	9	2	3	5	7	8	8	8
55-74																				
75 +																				
ALL AGES	4	20.5	1009	2	3	6	38	68	68	68	3	5.0	9	2	3	5	7	8	8	8
SUBTOTAL	**4**	**20.5**	**1009**	**2**	**3**	**6**	**38**	**68**	**68**	**68**	**3**	**5.0**	**9**	**2**	**3**	**5**	**7**	**8**	**8**	**8**
GRAND TOTAL	**15**	**8.8**	**272**	**2**	**3**	**4**	**7**	**8**	**53**	**68**	**8**	**6.4**	**74**	**1**	**2**	**3**	**6**	**21**	**27**	**27**

DEPERSONALIZATION SYND (300.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	11.0		11	11	11	11	11	11	11										
35-54																				
55-74																				
75 +																				
ALL AGES	1	11.0		11	11	11	11	11	11	11										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	6.0		6	6	6	6	6	6	6										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6										
SUBTOTAL	**2**	**8.5**	**13**	**6**	**6**	**8**	**11**	**11**	**11**	**11**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	29.0		29	29	29	29	29	29	29										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	29.0		29	29	29	29	29	29	29										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	**2**	**15.0**	**392**	**1**	**1**	**15**	**29**	**29**	**29**	**29**										
GRAND TOTAL	**4**	**11.8**	**147**	**1**	**3**	**8**	**20**	**29**	**29**	**29**										

HYPOCHONDRIASIS (300.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	1	4.0		4	4	4	4	4	4	4										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	2	5.0	8	3	3	5	7	7	7	7										
SUBTOTAL	**3**	**4.7**	**4**	**3**	**3**	**4**	**6**	**7**	**7**	**7**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	3	20.7	32	14	16	23	24	25	25	25										
75 +																				
ALL AGES	3	20.7	32	14	16	23	24	25	25	25										
SUBTOTAL	**4**	**16.0**	**110**	**2**	**8**	**18**	**24**	**25**	**25**	**25**										
GRAND TOTAL	**7**	**11.1**	**94**	**2**	**3**	**7**	**21**	**25**	**25**	**25**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

NEUROTIC DISORDERS NEC (300.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS			PERCENTILES							HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS			PERCENTILES						
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	2	20.5	365	7	7	20	34	34	34	34										
18-24											1	5.0		5	5	5	5	5	5	5
25-34	3	5.0	28	1	1	3	9	11	11	11										
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	8	7.6	126	1	1	3	9	27	34	34	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	2	4.0	2	3	3	4	5	5	5	5										
18-24											2	4.5	5	3	3	4	6	6	6	6
25-34	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
35-54	6	9.7	9	5	7	10	12	13	13	13	1	20.0		20	20	20	20	20	20	20
55-74	2	3.5	1	3	3	3	4	4	4	4										
75 +	4	10.3	40	1	6	12	14	15	15	15										
ALL AGES	16	7.3	24	1	3	6	12	14	15	15	4	7.5	74	1	2	4	13	20	20	20
SUBTOTAL	**24**	**7.4**	**54**	**1**	**2**	**5**	**11**	**14**	**21**	**34**	**5**	**7.0**	**57**	**1**	**2**	**5**	**9**	**20**	**20**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17	2	11.0	200	1	1	11	21	21	21	21										
18-24																				
25-34	3	4.7	6	2	3	5	6	7	7	7										
35-54	3	5.7	32	1	2	4	10	12	12	12										
55-74	6	11.5	10	8	8	12	14	15	15	15										
75 +	1	11.0		11	11	11	11	11	11	11										
ALL AGES	15	8.9	33	1	4	8	13	15	19	21	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.											1	6.0		6	6	6	6	6	6	6
13-17	2	8.0	72	2	2	8	14	14	14	14										
18-24	2	16.5	181	7	7	16	26	26	26	26										
25-34	3	15.7	228	5	6	9	27	33	33	33										
35-54	17	11.9	58	3	6	13	16	20	27	31										
55-74	1	24.0		24	24	62	99+	99+	99+	99+	4	6.5	8	3	4	6	8	10	10	10
75 +	2	13.0	8	11	11	13	15	15	15	15										
ALL AGES	27	12.9	72	3	6	13	18	29	40	99+	5	6.4	6	3	5	6	8	10	10	10
SUBTOTAL	**42**	**11.5**	**60**	**2**	**5**	**11**	**15**	**24**	**32**	**99+**	**6**	**5.7**	**8**	**2**	**3**	**6**	**7**	**10**	**10**	**10**
GRAND TOTAL	**66**	**10.0**	**61**	**1**	**3**	**9**	**14**	**21**	**31**	**89**	**11**	**6.3**	**27**	**2**	**3**	**6**	**7**	**14**	**19**	**20**

NEUROTIC DISORDER NOS (300.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	2.2		2	2	2	3	3	3	3	4	1.3		1	1	1	2	2	2	2
13-17	14	5.9	33	1	2	4	7	14	20	22	2	3.5	13	1	1	3	6	6	6	6
18-24	3	5.0	48	1	1	1	10	13	13	13	4	1.3		1	1	1	2	2	2	2
25-34	7	9.0	77	1	1	5	16	21	22	22	3	2.0	1	1	1	2	3	3	3	3
35-54	8	2.3	10	1	1	1	1	8	10	10	2	2.5	1	2	2	2	3	3	3	3
55-74	13	7.2	26	1	3	7	11	13	17	18	3	11.3	73	5	6	8	18	21	21	21
75 +	6	6.3	25	1	4	5	9	14	15	15	7	4.9	4	2	3	4	7	8	8	8
ALL AGES	56	5.7	32	1	1	3	9	15	17	22	25	3.8	18	1	1	2	5	8	11	21
B. FEMALE																				
0-12 YRS.	5	14.0	692	1	2	2	18	61	61	61										
13-17	16	7.1	80	1	2	4	6	20	30	34	3	1.7	1	1	1	1	3	3	3	3
18-24	5	2.0	3	1	1	1	3	5	5	5	4	2.0	4	1	1	1	3	5	5	5
25-34	7	7.1	46	1	1	5	13	16	17	17	2	1.0		1	1	1	1	1	1	1
35-54	11	12.0	839	1	2	2	6	45	94	99	9	3.1	17	1	1	2	3	10	14	14
55-74	19	7.6	50	2	3	6	8	19	24	28	4	3.5	9	2	2	2	5	8	8	8
75 +	16	7.3	36	3	4	6	8	10	23	28	9	4.0	7	1	2	3	6	8	8	8
ALL AGES	79	8.1	187	1	2	5	8	17	28	88	31	3.0	9	1	1	2	3	7	8	14
SUBTOTAL	**135**	**7.1**	**124**	**1**	**2**	**4**	**8**	**16**	**22**	**67**	**56**	**3.4**	**13**	**1**	**1**	**2**	**4**	**8**	**8**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	8.7	33	2	4	11	12	13	13	13										
13-17	19	8.5	24	2	5	8	13	14	16	17	1	1.0		1	1	1	1	1	1	1
18-24	16	6.9	65	1	1	2	12	19	24	26	8	1.5		1	1	1	2	2	2	2
25-34	18	6.3	55	1	1	2	12	15	23	27	6	1.7	1	1	1	1	2	3	3	3
35-54	22	9.5	74	1	2	6	14	26	27	28	5	2.6	1	1	2	3	3	4	4	4
55-74	5	7.6	14	3	5	7	10	13	13	13	4	3.3		2	2	3	4	4	4	4
75 +	4	11.0	43	3	7	11	15	19	19	19	9	8.0	35	2	3	6	11	18	19	19
ALL AGES	87	8.1	50	1	2	6	13	17	26	28	33	3.7	17	1	1	2	4	8	15	19
B. FEMALE																				
0-12 YRS.	8	9.5	126	1	2	5	15	29	31	31										
13-17	36	7.3	59	1	3	5	7	16	28	34	6	1.3	1	1	1	1	1	3	3	3
18-24	18	10.1	79	1	3	8	15	25	29	30	6	2.7	13	1	1	1	2	9	10	10
25-34	19	8.6	83	1	2	6	12	22	30	36	8	1.9	2	1	1	1	2	4	5	5
35-54	21	13.6	246	1	3	9	22	32	47	64	9	1.7	1	1	1	1	2	4	4	4
55-74	8	9.5	114	1	1	4	18	26	27	27	1	3.0		3	3	3	3	3	3	3
75 +	8	7.8	16	4	5	6	11	14	15	15	5	7.8	44	2	4	5	11	19	19	19
ALL AGES	118	9.4	104	1	3	6	12	26	31	45	35	2.7	13	1	1	1	3	5	9	19
SUBTOTAL	**205**	**8.8**	**82**	**1**	**2**	**6**	**13**	**22**	**28**	**35**	**68**	**3.2**	**15**	**1**	**1**	**2**	**3**	**7**	**11**	**19**
GRAND TOTAL	**340**	**8.1**	**99**	**1**	**2**	**5**	**11**	**19**	**27**	**38**	**124**	**3.3**	**13**	**1**	**1**	**2**	**4**	**8**	**9**	**20**

PARANOID PERSONALITY (301.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	7.0		7	7	7	7	7	7	7										
25-34																				
35-54	2	3.0	2	2	2	3	4	4	4	4										
55-74	1	23.0		23	23	23	23	23	23	23										
75 +																				
ALL AGES	4	9.0	91	2	3	5	15	23	23	23										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	12.5	181	3	3	12	22	22	22	22										
35-54	4	11.5	24	6	7	11	15	17	17	17										
55-74	1	16.0		16	16	16	16	16	16	16										
75 +	1	10.0		10	10	10	10	10	10	10	1	26.0		26	26	26	26	26	26	26
ALL AGES	8	12.1	40	4	7	12	16	20	22	22	1	26.0		26	26	26	26	26	26	26
SUBTOTAL	**12**	**11.1**	**52**	**3**	**5**	**9**	**16**	**22**	**23**	**23**	**1**	**26.0**		**26**	**26**	**26**	**26**	**26**	**26**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4										
25-34	1	34.0		34	34	34	34	34	34	34										
35-54	3	5.7	20	1	2	6	9	10	10	10										
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	6	10.3	144	1	4	6	10	32	34	34										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54	2	15.0		15	15	15	15	15	15	15										
55-74																				
75 +	1	25.0		25	25	25	25	25	25	25										
ALL AGES	3	18.3	35	15	15	15	23	25	25	25	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**9**	**13.0**	**114**	**2**	**5**	**10**	**18**	**30**	**34**	**34**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**21**	**11.9**	**75**	**3**	**5**	**10**	**16**	**24**	**29**	**34**	**2**	**13.5**	**313**	**1**	**1**	**13**	**26**	**26**	**26**	**26**

AFFECTIVE PERSONALITY (301.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	38.0	1250	13	13	38	63	63	63	63										
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	3	7.0	49	2	2	4	12	15	15	15										
35-54	2	5.5	13	3	3	5	8	8	8	8										
55-74																				
75 +																				
ALL AGES	8	13.6	425	1	2	6	14	49	63	63										
B. FEMALE																				
0-12 YRS.																				
13-17											1	62.0		62	62	62	62	62	62	62
18-24																				
25-34	5	12.2	62	2	5	16	17	21	21	21										
35-54	2	11.0	200	1	1	10	21	21	21	21										
55-74																				
75 +																				
ALL AGES	7	11.9	74	1	3	16	20	21	21	21	1	62.0		62	62	62	62	62	62	62
SUBTOTAL	**15**	**12.8**	**245**	**1**	**2**	**8**	**16**	**21**	**53**	**63**	**1**	**62.0**		**62**	**62**	**62**	**62**	**62**	**62**	**62**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	36.5	1301	11	11	36	62	62	62	62										
13-17	10	20.5	415	7	9	12	23	55	71	71										
18-24	4	19.0	350	3	7	13	30	46	46	46										
25-34	5	9.0	28	3	4	11	13	15	15	15										
35-54	7	7.4	37	1	4	7	8	18	20	20	1	32.0		32	32	32	32	32	32	32
55-74																				
75 +																				
ALL AGES	28	16.1	306	3	6	11	15	44	63	71	1	32.0		32	32	32	32	32	32	32
B. FEMALE																				
0-12 YRS.	1	19.0		19	19	19	19	19	19	19										
13-17	5	27.4	176	7	19	31	36	42	42	42										
18-24	11	8.5	56	2	3	7	16	47	92	99 +										
25-34	14	10.7	29	6	7	9	13	16	24	26	1	4.0		4	4	4	4	4	4	4
35-54	9	10.8	115	2	3	6	14	29	35	35										
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	41	12.3	100	3	5	9	19	32	38	99 +	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**69**	**13.8**	**185**	**3**	**6**	**10**	**15**	**34**	**46**	**94**	**2**	**18.0**	**392**	**4**	**4**	**18**	**32**	**32**	**32**	**32**
GRAND TOTAL	**84**	**13.6**	**194**	**3**	**5**	**10**	**16**	**34**	**50**	**90**	**3**	**32.7**	**838**	**4**	**11**	**32**	**54**	**62**	**62**	**62**

SCHIZOID PERSONALITY (301.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-17	2	11.5	41	7	7	11	16	16	16	16										
18-24	3	17.7	5	15	16	18	19	20	20	20	1	8.0		8	8	8	8	8	8	8
25-34	6	6.5	24	1	4	5	11	14	14	14	1	5.0		5	5	5	5	5	5	5
35-54	1	6.0		6	6	6	6	6	6	6										
55-74	4	20.0	101	14	14	15	25	35	35	35										
75 +																				
ALL AGES	17	12.4	65	4	6	14	16	20	30	35	2	6.5	5	5	5	6	8	8	8	8
B. FEMALE																				
0-12 YRS.	1	16.0		16	16	16	16	16	16	16										
13-17	1	11.0		11	11	11	11	11	11	11	1	3.0		3	3	3	3	3	3	3
18-24	1	42.0		42	42	42	42	42	42	42										
25-34	2	9.5	5	8	8	9	11	11	11	11	1	17.0		17	17	17	17	17	17	17
35-54	1	20.0		20	20	20	20	20	20	20										
55-74																				
75 +																				
ALL AGES	6	18.0	156	8	11	14	20	40	42	42	2	10.0	98	3	3	10	17	17	17	17
SUBTOTAL	**23**	**13.8**	**91**	**4**	**7**	**14**	**16**	**23**	**37**	**42**	**4**	**8.3**	**37**	**3**	**4**	**6**	**12**	**17**	**17**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	9.7	1	8	8	10	11	11	11	11										
13-17	2	28.5	761	9	9	28	48	48	48	48										
18-24	3	21.3	436	3	6	17	37	44	44	44										
25-34	4	20.8	209	7	8	19	33	37	37	37										
35-54																				
55-74	2	8.0	2	7	7	8	9	9	9	9										
75 +																				
ALL AGES	14	17.8	227	6	8	10	29	44	47	48										
B. FEMALE																				
0-12 YRS.	1	77.0		77	77	77	77	77	77	77										
13-17																				
18-24	4	22.3	118	6	15	27	29	29	29	29										
25-34	4	31.5	842	11	11	21	51	73	73	73										
35-54	1	7.0		7	7	7	7	7	7	7										
55-74																				
75 +																				
ALL AGES	10	29.9	653	6	11	27	30	75	77	77										
SUBTOTAL	**24**	**22.8**	**423**	**7**	**8**	**12**	**30**	**50**	**74**	**77**										
GRAND TOTAL	**47**	**18.4**	**275**	**5**	**8**	**12**	**24**	**41**	**52**	**77**	**4**	**8.3**	**37**	**3**	**4**	**6**	**12**	**17**	**17**	**17**

EXPLOSIVE PERSONALITY (301.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	19.7	154	7	10	20	29	32	32	32										
18-24	3	5.0	3	3	4	6	6	6	6	6										
25-34	2	28.0	162	19	19	28	37	37	37	37										
35-54	1	23.0		23	23	23	23	23	23	23										
55-74	1	21.0		21	21	21	21	21	21	21										
75 +																				
ALL AGES	10	17.4	136	4	6	19	23	34	37	37										
B. FEMALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24	1	3.0		3	3	3	3	3	3	3										
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7										
55-74	1	17.0		17	17	17	17	17	17	17										
75 +																				
ALL AGES	4	7.3	46	2	2	5	12	17	17	17										
SUBTOTAL	**14**	**14.5**	**128**	**3**	**6**	**12**	**21**	**32**	**36**	**37**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	18.0		18	18	18	18	18	18	18										
13-17	1	13.0		13	13	13	13	13	13	13										
18-24	5	11.4	56	2	5	12	18	20	20	20										
25-34	7	11.4	77	3	6	10	15	26	28	28										
35-54	1	21.0		21	21	21	21	21	21	21	1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	15	12.6	57	2	6	12	18	21	26	28	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14										
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54											1	8.0		8	8	8	8	8	8	8
55-74																				
75 +																				
ALL AGES	2	8.0	72	2	2	8	14	14	14	14	1	8.0		8	8	8	8	8	8	8
SUBTOTAL	**17**	**12.1**	**56**	**2**	**6**	**12**	**17**	**21**	**26**	**28**	**2**	**5.5**	**13**	**3**	**3**	**5**	**8**	**8**	**8**	**8**
GRAND TOTAL	**31**	**13.2**	**86**	**2**	**6**	**12**	**20**	**25**	**32**	**37**	**2**	**5.5**	**13**	**3**	**3**	**5**	**8**	**8**	**8**	**8**

COMPULSIVE PERSONALITY (301.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	12.0	18	9	9	12	15	15	15	15										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	12.0	18	9	9	12	15	15	15	15										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**12.0**	**18**	**9**	**9**	**12**	**15**	**15**	**15**	**15**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	47.0		47	47	47	47	47	47	47										
18-24																				
25-34																				
35-54	2	24.5	25	21	21	24	28	28	28	28										
55-74	1	9.0		9	9	9	9	9	9	9										
75 +																				
ALL AGES	4	26.3	249	9	15	24	37	47	47	47										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	4	16.5	212	2	6	14	27	36	36	36										
25-34																				
35-54																				
55-74	1	55.0		55	55	55	55	55	55	55										
75 +																				
ALL AGES	5	24.2	455	2	8	18	41	55	55	55										
SUBTOTAL	**9**	**25.1**	**324**	**5**	**10**	**21**	**39**	**52**	**55**	**55**										
GRAND TOTAL	**11**	**22.7**	**290**	**6**	**9**	**18**	**34**	**50**	**55**	**55**										

HISTRIONIC PERSONALITY (301.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	25.0		25	25	25	25	25	25	25
35-54																				
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7	1	25.0		25	25	25	25	25	25	25
B. FEMALE																				
0-12 YRS.											1	6.0		6	6	6	6	6	6	6
13-17	1	12.0		12	12	12	12	12	12	12										
18-24	2	4.0	2	3	3	4	5	5	5	5										
25-34	4	5.3	16	1	2	5	8	10	10	10										
35-54	3	3.0	1	2	2	3	4	4	4	4	2	12.5	61	7	7	12	18	18	18	18
55-74	1	12.0		12	12	12	12	12	12	12										
75 +																				
ALL AGES	11	5.6	17	2	3	4	9	12	12	12	3	10.3	45	6	6	7	15	18	18	18
SUBTOTAL	**12**	**5.8**	**14**	**2**	**3**	**4**	**9**	**12**	**12**	**12**	**4**	**14.0**	**83**	**6**	**6**	**12**	**21**	**25**	**25**	**25**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	7.5	41	3	3	7	12	12	12	12										
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	1	7.0		7	7	7	7	7	7	7	1	4.0		4	4	4	4	4	4	4
55-74																				
75 +																				
ALL AGES	4	6.3	17	3	3	5	9	12	12	12	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	2	6.0	2	5	5	6	7	7	7	7										
18-24	1	2.0		2	2	2	2	2	2	2	1	6.0		6	6	6	6	6	6	6
25-34	4	7.3	42	3	3	4	11	17	17	17										
35-54	4	8.0	15	3	5	8	11	12	12	12										
55-74																				
75 +																				
ALL AGES	11	6.8	21	2	3	5	9	14	17	17	1	6.0		6	6	6	6	6	6	6
SUBTOTAL	**15**	**6.7**	**18**	**3**	**3**	**5**	**9**	**12**	**16**	**17**	**2**	**5.0**	**2**	**4**	**4**	**5**	**6**	**6**	**6**	**6**
GRAND TOTAL	**27**	**6.3**	**16**	**2**	**3**	**5**	**9**	**12**	**13**	**17**	**6**	**11.0**	**72**	**4**	**6**	**7**	**18**	**24**	**25**	**25**

DEPENDENT PERSONALITY (301.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	8.0		8	8	8	8	8	8	8										
35-54																				
55-74	1	22.0		22	22	22	22	22	22	22										
75 +																				
ALL AGES	2	15.0	98	8	8	15	22	22	22	22										
B. FEMALE																				
0-12 YRS.																				
13-17	2	9.0	2	8	8	9	10	10	10	10										
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	1	12.0		12	12	12	12	12	12	12										
35-54	1	41.0		41	41	41	41	41	41	41										
55-74																				
75 +																				
ALL AGES	5	14.6	232	2	6	10	19	41	41	41										
SUBTOTAL	**7**	**14.7**	**171**	**3**	**8**	**10**	**19**	**37**	**41**	**41**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	4	10.0	216	2	2	3	18	32	32	32										
25-34											1	12.0		12	12	12	12	12	12	12
35-54	4	15.0	97	2	7	17	22	24	24	24										
55-74																				
75 +																				
ALL AGES	8	12.5	141	2	2	8	22	30	32	32	1	12.0		12	12	12	12	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	10.0		10	10	10	10	10	10	10										
25-34											1	7.0		7	7	7	7	7	7	7
35-54	4	13.3	173	3	4	9	22	32	32	32										
55-74	1	11.0		11	11	11	11	11	11	11										
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	7	11.7	92	3	6	10	12	28	32	32	1	7.0		7	7	7	7	7	7	7
SUBTOTAL	**15**	**12.1**	**111**	**2**	**3**	**10**	**19**	**32**	**32**	**32**	**2**	**9.5**	**13**	**7**	**7**	**9**	**12**	**12**	**12**	**12**
GRAND TOTAL	**22**	**13.0**	**123**	**2**	**4**	**10**	**21**	**32**	**36**	**41**	**2**	**9.5**	**13**	**7**	**7**	**9**	**12**	**12**	**12**	**12**

ANTISOCIAL PERSONALITY (301.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	4.5	13	2	2	4	7	7	7	7										
18-24	2	1.5	1	1	1	1	2	2	2	2	1	5.0		5	5	5	5	5	5	5
25-34	3	7.0	91	1	1	2	14	18	18	18										
35-54																				
55-74																				
75 +																				
ALL AGES	7	4.7	39	1	1	2	6	16	18	18	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	1	36.0		36	36	36	36	36	36	36										
18-24	2	38.5	1105	15	15	38	62	62	62	62										
25-34																				
35-54																				
55-74																				
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	5	23.4	659	1	2	15	42	62	62	62										
SUBTOTAL	**12**	**12.5**	**353**	**1**	**1**	**3**	**16**	**44**	**59**	**62**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	34.5	1301	9	9	34	60	60	60	60										
18-24	8	7.8	38	2	3	6	11	18	20	20	1	5.0		5	5	5	5	5	5	5
25-34	12	5.3	20	1	2	4	7	13	15	15	1	36.0		36	36	36	36	36	36	36
35-54	2	7.5	85	1	1	7	14	14	14	14										
55-74																				
75 +																				
ALL AGES	24	8.8	145	1	2	6	11	15	32	60	2	20.5	481	5	5	20	36	36	36	36
B. FEMALE																				
0-12 YRS.																				
13-17	1	17.0		17	17	17	17	17	17	17										
18-24	2	47.0	3528	5	5	47	89	89	89	89										
25-34	2	12.5	265	1	1	12	24	24	24	24										
35-54	1	6.0		6	6	6	6	6	6	6										
55-74																				
75 +																				
ALL AGES	6	23.7	1096	1	5	11	24	82	89	89										
SUBTOTAL	**30**	**11.7**	**342**	**1**	**3**	**6**	**12**	**22**	**60**	**89**	**2**	**20.5**	**481**	**5**	**5**	**20**	**36**	**36**	**36**	**36**
GRAND TOTAL	**42**	**12.0**	**335**	**1**	**2**	**6**	**14**	**28**	**61**	**89**	**3**	**15.3**	**322**	**5**	**5**	**5**	**28**	**36**	**36**	**36**

OTHER PERSONALITY DIS (301.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	23.4	358	1	10	22	34	52	52	52	2	66.0	162	57	57	66	75	75	75	75
13-17	5	30.4	261	11	26	32	53	95	99 +	99 +	1	31.0		31	31	31	31	31	31	31
18-24	7	15.0	234	1	4	14	16	41	47	47										
25-34	10	9.7	57	1	3	9	15	20	23	23										
35-54	8	11.8	127	3	4	6	18	31	35	35	2	19.0	162	10	10	19	28	28	28	28
55-74	1	21.0		21	21	21	21	21	21	21										
75 +	3	10.7	68	4	5	8	17	20	20	20										
ALL AGES	39	15.8	196	2	5	14	22	42	52	99 +	5	40.2	660	10	23	31	61	75	75	75
B. FEMALE																				
0-12 YRS.	3	15.0	91	6	8	14	22	25	25	25	1	22.0		22	22	22	22	22	22	22
13-17	11	14.9	166	2	3	11	27	32	37	37	3	37.7	1003	4	13	42	61	67	67	67
18-24	34	10.1	62	2	4	8	14	21	27	30	2	4.5	1	4	4	4	5	5	5	5
25-34	43	10.9	88	2	4	9	16	24	25	47	3	7.7	6	5	6	8	9	10	10	10
35-54	30	11.7	76	2	4	10	15	24	31	33	2	4.5	5	3	3	4	6	6	6	6
55-74	1	27.0		27	27	27	27	27	27	27										
75 +	2	7.0	72	1	1	7	13	13	13	13										
ALL AGES	124	11.4	85	2	4	9	16	25	29	40	11	16.0	421	3	4	6	19	52	66	67
SUBTOTAL	**163**	**12.4**	**115**	**2**	**4**	**10**	**19**	**27**	**34**	**53**	**16**	**23.6**	**589**	**4**	**5**	**10**	**36**	**66**	**73**	**75**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	63.0		63	63	63	63	63	63	63										
13-17	17	22.6	471	4	8	11	37	55	71	78	1	5.0		5	5	5	5	5	5	5
18-24	16	10.1	54	2	4	8	14	22	24	25										
25-34	25	9.6	97	1	2	7	13	28	30	32										
35-54	12	6.1	20	2	3	5	6	14	17	17	1	2.0		2	2	2	2	2	2	2
55-74	1	14.0		14	14	14	14	14	14	14										
75 +																				
ALL AGES	72	13.0	225	2	4	8	16	32	41	75	2	3.5	5	2	2	3	5	5	5	5
B. FEMALE																				
0-12 YRS.	2	40.5	685	22	22	40	59	59	59	59	1	36.0		36	36	36	36	36	36	36
13-17	18	21.7	549	3	6	14	36	78	93	99 +										
18-24	45	14.6	205	2	5	10	25	30	53	99 +	1	22.0		22	22	22	22	22	22	22
25-34	64	11.5	117	2	3	8	18	25	36	50										
35-54	31	13.5	271	1	3	8	16	38	47	75	3	26.3	24	21	23	29	29	29	29	29
55-74	2	17.5	61	12	12	17	23	23	23	23										
75 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	163	14.3	230	2	4	10	21	36	49	97	5	27.4	37	21	22	29	36	94	99 +	99 +
SUBTOTAL	**235**	**13.9**	**228**	**2**	**4**	**9**	**20**	**34**	**48**	**86**	**7**	**20.6**	**160**	**3**	**13**	**25**	**33**	**81**	**99 +**	**99 +**
GRAND TOTAL	**398**	**13.3**	**182**	**2**	**4**	**9**	**20**	**29**	**42**	**81**	**23**	**22.7**	**447**	**4**	**5**	**21**	**33**	**68**	**82**	**99 +**

PERSONALITY DISORDER NOS (301.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	4	8.5	42	1	3	8	13	16	16	16										
25-34	5	5.8	44	1	1	1	12	14	14	14										
35-54	3	5.7	4	4	4	5	7	8	8	8										
55-74																				
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	13	6.2	30	1	1	5	11	14	16	16	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17	1	12.0		12	12	12	12	12	12	12	3	5.7	12	2	3	6	8	9	9	9
18-24	4	5.5	34	1	2	3	9	14	14	14										
25-34	2	7.5	85	1	1	7	14	14	14	14										
35-54	5	10.6	67	2	5	7	17	22	22	22	1	5.0		5	5	5	5	5	5	5
55-74																				
75 +	1	22.0		22	22	22	22	22	22	22										
ALL AGES	13	9.5	59	1	3	7	15	22	22	22	4	5.5	8	2	3	5	7	9	9	9
SUBTOTAL	**26**	**7.9**	**45**	**1**	**1**	**6**	**14**	**16**	**22**	**22**	**5**	**4.6**	**10**	**1**	**2**	**5**	**7**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	18.0	512	2	2	18	34	34	34	34										
13-17											2	32.5	1513	5	5	32	60	60	60	60
18-24	4	8.5	15	5	6	7	11	14	14	14	1	1.0		1	1	1	1	1	1	1
25-34	4	20.0	302	1	6	19	34	40	40	40										
35-54	5	3.4	9	1	1	2	6	8	8	8	2	19.5	1	19	19	19	20	20	20	20
55-74	2	9.0	98	2	2	9	16	16	16	16	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	17	10.9	146	1	2	7	14	33	38	40	6	17.8	498	1	2	12	20	56	60	60
B. FEMALE																				
0-12 YRS.																				
13-17	4	19.5	52	11	15	22	46	99 +	99 +	99 +	1	7.0		7	7	7	7	7	7	7
18-24	5	6.8	38	2	2	6	9	17	17	17										
25-34	7	24.1	416	2	9	16	41	54	56	56	5	3.8	2	2	3	4	5	6	6	6
35-54	3	8.7	20	6	6	6	12	14	14	14										
55-74																				
75 +																				
ALL AGES	19	16.2	217	2	6	13	25	50	78	99 +	6	4.3	4	2	3	4	6	7	7	7
SUBTOTAL	**36**	**13.7**	**185**	**1**	**4**	**8**	**18**	**39**	**52**	**99 +**	**12**	**11.1**	**277**	**2**	**3**	**5**	**13**	**32**	**56**	**60**
GRAND TOTAL	**62**	**11.2**	**135**	**1**	**2**	**8**	**16**	**29**	**41**	**94**	**17**	**9.2**	**202**	**1**	**2**	**5**	**7**	**20**	**46**	**60**

PEDOPHILIA (302.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	61.0		61	61	61	61	61	61	61
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	61.0		61	61	61	61	61	61	61
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											1	61.0		61	61	61	61	61	61	61
GRAND TOTAL											1	61.0		61	61	61	61	61	61	61

TRANS-SEXUALISM (302.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											32	10.8	84	2	4	8	16	24	32	36
35-54	2	11.0	98	4	4	11	18	18	18	18	24	11.4	61	2	5	10	15	22	29	30
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	3	8.7	64	4	4	4	15	18	18	18	56	11.1	72	2	4	9	16	23	29	36
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	13.0	50	8	8	13	18	18	18	18										
25-34	3	13.7	59	5	8	16	19	20	20	20	4	16.8	96	8	11	14	23	31	31	31
35-54	4	22.3	9	19	20	21	24	27	27	27										
55-74																				
75 +																				
ALL AGES	9	17.3	49	6	14	19	21	25	27	27	4	16.8	96	8	11	14	23	31	31	31
SUBTOTAL	**12**	**15.2**	**61**	**4**	**6**	**18**	**20**	**23**	**26**	**27**	**60**	**11.4**	**76**	**2**	**5**	**9**	**16**	**25**	**30**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**										
GRAND TOTAL	**13**	**14.4**	**64**	**4**	**5**	**18**	**20**	**23**	**26**	**27**	**60**	**11.4**	**76**	**2**	**5**	**9**	**16**	**25**	**30**	**36**

PSYCHOSEXUAL DYSFUNCTION (302.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	4	3.3	2	1	2	3	4	5	5	5	1	2.0		2	2	2	2	2	2	2
55-74	10	1.7		1	1	2	2	3	3	3	5	1.6	1	1	1	1	2	3	3	3
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	15	2.1	2	1	1	2	3	4	5	5	6	1.7	1	1	1	2	2	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	15	2.1	2	1	1	2	3	4	5	5	6	1.7	1	1	1	2	2	3	3	3
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	15	2.1	2	1	1	2	3	4	5	5	6	1.7	1	1	1	2	2	3	3	3

AC ALCOHOL INTOXICATION (303.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	12	8.6	237	1	1	2	3	41	43	43	4	1.0		1	1	1	1	1	1	1
18-24	74	5.9	67	1	1	1	4	21	21	26	12	3.3	32	1	1	2	3	9	19	21
25-34	176	5.9	58	1	1	2	5	21	21	30	35	4.8	43	1	1	3	4	11	24	26
35-54	359	7.2	62	1	2	3	10	21	21	32	100	4.2	31	1	2	2	4	8	22	27
55-74	133	6.2	46	1	2	3	6	16	21	30	42	4.0	21	1	2	3	4	6	9	30
75 +	11	5.7	30	1	1	5	6	16	17	17	6	4.7	30	1	1	2	7	14	15	15
ALL AGES	765	6.6	61	1	2	3	7	21	21	32	199	4.2	30	1	2	2	4	8	21	28
B. FEMALE																				
0-12 YRS.																				
13-17	6	1.0		1	1	1	1	1	1	1	2	1.0		1	1	1	1	1	1	1
18-24	14	4.1	34	1	1	2	3	14	19	21	8	1.6	1	1	1	1	2	3	4	4
25-34	58	4.9	40	1	1	3	4	17	21	27	17	3.6	8	1	1	3	4	9	10	10
35-54	82	7.5	88	1	2	3	8	25	31	34	21	5.3	54	1	1	2	6	16	24	28
55-74	39	7.7	68	1	2	4	10	19	28	30	19	5.5	31	1	2	3	8	16	17	17
75 +	4	10.5	72	2	4	9	16	22	22	22	2	2.5	1	2	2	2	3	3	3	3
ALL AGES	203	6.4	66	1	1	3	7	21	26	33	69	4.3	28	1	1	2	4	12	17	27
SUBTOTAL	**968**	**6.5**	**63**	**1**	**2**	**3**	**7**	**21**	**21**	**32**	**268**	**4.2**	**30**	**1**	**1**	**2**	**4**	**9**	**18**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	13	6.2	135	1	1	2	3	24	38	41	4	17.0	307	1	6	12	27	42	42	42
18-24	74	6.8	78	1	1	2	8	21	27	29	33	10.9	110	1	2	5	21	28	31	32
25-34	253	8.4	83	1	2	3	20	21	24	31	156	10.1	108	1	2	5	21	28	29	33
35-54	442	6.8	58	1	2	3	7	21	24	30	245	6.6	56	1	2	4	6	21	25	33
55-74	137	8.2	73	2	3	4	11	22	29	35	75	9.0	99	2	3	4	10	29	30	36
75 +	5	10.0	49	1	5	10	14	20	20	20	4	11.0	72	3	6	9	16	23	23	23
ALL AGES	924	7.4	71	1	2	3	10	21	26	31	517	8.4	86	1	2	4	10	25	29	34
B. FEMALE																				
0-12 YRS.																				
13-17	4	14.3	221	1	1	13	27	30	30	30	1	1.0		1	1	1	1	1	1	1
18-24	23	4.3	37	1	1	2	4	11	22	24	13	12.1	134	1	2	10	23	30	32	32
25-34	102	7.0	61	1	2	3	8	21	21	30	55	9.5	78	2	3	5	17	24	26	29
35-54	104	6.8	56	1	2	3	7	21	24	28	77	6.4	57	1	3	4	6	16	29	31
55-74	47	8.4	71	2	3	6	10	21	30	32	27	7.6	46	1	3	6	11	15	24	30
75 +	2	15.5	365	2	2	15	29	29	29	29	6	7.7	110	2	2	4	5	27	29	29
ALL AGES	282	7.1	63	1	2	3	8	21	24	31	179	8.0	69	1	3	4	10	24	29	31
SUBTOTAL	**1206**	**7.4**	**68**	**1**	**2**	**3**	**9**	**21**	**25**	**31**	**696**	**8.3**	**81**	**1**	**2**	**4**	**10**	**24**	**29**	**33**
GRAND TOTAL	**2174**	**7.0**	**66**	**1**	**2**	**3**	**8**	**21**	**24**	**32**	**964**	**7.1**	**71**	**1**	**2**	**4**	**7**	**23**	**28**	**32**

ALCOHOL DEPEND NEC/NOS (303.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	28.0		28	28	28	28	28	28	28	1	38.0		38	38	38	38	38	38	38
13-17	69	24.9	205	2	14	28	35	42	46	61	49	26.8	176	8	13	29	36	43	46	50
18-24	188	17.9	108	2	8	21	27	28	29	42	106	19.0	99	3	13	21	27	30	31	41
25-34	562	16.2	107	2	5	19	27	28	29	30	327	17.3	95	3	8	21	25	29	30	32
35-54	991	14.9	103	2	5	14	25	28	29	33	622	16.6	108	2	5	20	26	29	30	36
55-74	373	15.7	91	3	6	16	25	28	28	32	171	15.5	125	3	4	14	28	30	31	36
75 +	22	15.1	204	3	4	9	21	28	43	64	13	11.5	116	1	4	6	20	29	30	30
ALL AGES	2206	16.0	107	2	5	16	26	28	29	39	1289	17.2	113	3	6	20	27	29	31	40
B. FEMALE																				
0-12 YRS.											2	20.0	392	6	6	20	34	34	34	34
13-17	37	25.2	142	4	21	27	35	37	41	48	33	28.2	151	10	22	29	39	42	44	50
18-24	68	16.3	121	2	7	15	27	29	32	45	35	20.9	93	4	14	21	29	32	36	44
25-34	194	13.0	81	3	4	11	21	28	28	30	104	14.3	112	2	4	14	23	28	29	38
35-54	296	15.4	102	2	6	15	26	28	29	34	136	15.2	112	2	5	14	27	29	30	46
55-74	94	17.2	101	3	7	20	26	28	30	36	50	16.6	116	2	5	18	28	30	30	32
75 +	5	14.0	94	3	6	15	20	28	28	28	4	9.3	10	6	7	8	11	14	14	14
ALL AGES	694	15.5	109	3	6	14	26	28	30	37	364	16.8	130	2	5	18	27	30	33	44
SUBTOTAL	**2900**	**15.9**	**107**	**2**	**5**	**16**	**26**	**28**	**29**	**38**	**1653**	**17.1**	**117**	**3**	**6**	**20**	**27**	**29**	**32**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	35.0	32	31	31	35	39	39	39	39	1	3.0		3	3	3	3	3	3	3
13-17	240	26.9	184	8	17	28	35	41	47	70	161	26.4	154	9	19	28	34	43	47	51
18-24	505	19.4	110	4	12	21	27	28	31	49	220	21.5	101	4	14	23	29	31	34	42
25-34	1119	16.7	92	3	8	20	25	28	29	32	525	19.0	101	3	10	21	28	29	30	39
35-54	1138	14.7	93	3	5	15	22	28	28	33	428	16.9	108	3	6	18	27	29	31	35
55-74	230	15.9	79	4	9	15	23	28	29	33	57	16.6	92	4	7	18	24	29	31	34
75 +	21	13.7	34	6	11	14	14	22	27	30	14	14.8	94	3	5	14	24	26	31	32
ALL AGES	3255	17.1	111	3	8	18	26	28	31	43	1406	19.5	115	3	10	21	28	30	34	44
B. FEMALE																				
0-12 YRS.	5	29.0	149	11	19	35	38	40	40	40	2	34.0	18	31	31	34	37	37	37	37
13-17	141	31.3	248	10	22	30	40	49	63	88	114	28.8	147	14	21	29	37	42	44	68
18-24	178	17.3	98	3	7	21	25	28	30	42	81	18.1	118	3	9	21	28	30	34	40
25-34	357	15.3	98	3	6	14	24	28	29	33	200	17.5	99	3	10	20	27	29	30	36
35-54	305	15.8	95	3	7	16	24	28	30	34	120	18.0	118	3	9	21	27	30	31	48
55-74	114	15.6	75	4	8	14	21	28	28	39	34	15.6	127	3	5	12	28	30	32	35
75 +	11	11.9	50	4	6	14	14	20	27	28	3	18.0	589	3	3	5	36	46	46	46
ALL AGES	1111	17.9	139	3	8	18	27	30	37	53	554	20.0	138	4	10	21	28	32	39	46
SUBTOTAL	**4366**	**17.3**	**118**	**3**	**8**	**18**	**26**	**29**	**32**	**47**	**1960**	**19.6**	**123**	**3**	**10**	**21**	**28**	**30**	**35**	**45**
GRAND TOTAL	**7266**	**16.7**	**116**	**3**	**7**	**17**	**26**	**28**	**30**	**42**	**3613**	**18.5**	**120**	**3**	**7**	**21**	**28**	**30**	**34**	**43**

OPIOID TYPE DEPENDENCE (304.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS												HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS											
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES									TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES								
				10TH	25TH	50TH	75TH	90TH	95TH	99TH						10TH	25TH	50TH	75TH	90TH	95TH	99TH		
1. PSYCH PRIN, NO 2ND PSYCH DX																								
A. MALE																								
0-12 YRS.																								
13-17																								
18-24	4	8.0	11	4	5	8	10	12	12	12			3	9.7	48	3	4	9	15	17	17	17		
25-34	23	10.3	112	1	2	4	21	28	28	28			10	14.4	102	2	3	21	22	24	24	24		
35-54	42	9.1	43	3	3	7	14	18	21	28			15	7.9	81	1	2	4	13	17	30	34		
55-74	4	8.5	30	3	4	8	13	15	15	15			2	6.5	5	5	5	6	8	8	8	8		
75 +	1	11.0		11	11	11	11	11	11	11														
ALL AGES	74	9.4	60	2	3	7	14	21	28	28			30	10.2	83	2	2	6	17	23	24	34		
B. FEMALE																								
0-12 YRS.																								
13-17																								
18-24	3	15.3	162	4	6	13	25	29	29	29			1	6.0		6	6	6	6	6	6	6		
25-34	21	9.6	96	1	2	4	15	23	32	36			9	12.8	64	5	6	11	17	26	28	28		
35-54	22	13.0	89	3	5	10	20	28	28	29			10	10.8	78	2	4	8	16	25	27	27		
55-74	5	12.6	114	2	6	10	18	30	30	30			3	3.7	5	1	2	5	5	5	5	5		
75 +																								
ALL AGES	51	11.7	95	2	3	9	18	28	29	36			23	10.4	66	3	5	7	15	25	27	28		
SUBTOTAL	**125**	**10.3**	**76**	**2**	**3**	**8**	**15**	**27**	**28**	**31**			**53**	**10.3**	**74**	**2**	**3**	**7**	**16**	**24**	**27**	**34**		
2. PSYCH PRIN, 2ND PSYCH DX(S)																								
A. MALE																								
0-12 YRS.																								
13-17																								
18-24	11	14.4	131	1	2	14	27	29	29	29			3	19.7	127	7	11	23	27	29	29	29		
25-34	80	15.1	111	3	5	12	22	28	30	49			47	12.1	110	3	4	6	21	29	32	35		
35-54	111	13.7	145	3	5	10	21	27	29	66			66	13.2	111	3	4	7	22	28	32	42		
55-74	7	17.1	49	9	11	18	21	27	28	28			3	20.7	84	10	14	25	26	27	27	27		
75 +																								
ALL AGES	209	14.4	127	3	5	11	21	28	29	50			119	13.1	111	3	4	7	22	28	32	38		
B. FEMALE																								
0-12 YRS.																								
13-17																								
18-24	5	14.8	65	8	9	11	21	27	27	27			2	4.0		4	4	4	4	4	4	4		
25-34	55	14.9	89	3	6	14	23	28	29	32			25	11.0	73	3	4	9	18	21	28	29		
35-54	31	13.4	87	3	5	9	21	27	28	30			23	12.9	92	4	5	7	21	28	29	29		
55-74	1	27.0		27	27	27	27	27	27	27			1	28.0		28	28	28	28	28	28	28		
75 +	2	9.0	50	4	4	9	14	14	14	14														
ALL AGES	94	14.4	86	3	6	13	22	28	28	31			51	11.9	84	3	4	7	20	28	29	29		
SUBTOTAL	**303**	**14.4**	**114**	**3**	**5**	**12**	**21**	**28**	**29**	**42**			**170**	**12.8**	**101**	**3**	**4**	**7**	**21**	**28**	**29**	**36**		
GRAND TOTAL	**428**	**13.2**	**106**	**3**	**4**	**10**	**21**	**28**	**28**	**36**			**223**	**12.2**	**96**	**3**	**4**	**7**	**21**	**28**	**29**	**35**		

BARBITURATE DEPENDENCE (304.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54	6	11.5	59	4	5	10	15	23	24	24	2	5.0	2	4	4	5	6	6	6	6
55-74	1	18.0		18	18	18	18	18	18	18	1	31.0		31	31	31	31	31	31	31
75 +																				
ALL AGES	7	12.4	56	4	5	14	17	23	24	24	4	10.8	183	2	3	5	18	31	31	31
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	3.0		3	3	3	3	3	3	3
25-34	6	18.0	76	8	10	18	26	28	28	28	3	11.7	280	1	1	3	24	31	31	31
35-54	9	13.7	94	3	5	10	22	28	28	28	10	22.6	111	7	14	24	30	35	39	39
55-74	3	15.0	57	8	9	14	21	23	23	23	1	11.0		11	11	11	11	11	11	11
75 +	2	19.0	98	12	12	19	26	26	26	26										
ALL AGES	20	15.7	76	5	9	13	24	27	28	28	15	18.3	156	3	6	20	30	31	37	39
SUBTOTAL	**27**	**14.9**	**69**	**4**	**8**	**14**	**23**	**27**	**28**	**28**	**19**	**16.7**	**163**	**2**	**4**	**14**	**30**	**31**	**36**	**39**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	11.5	221	1	1	11	22	22	22	22										
25-34	12	16.5	100	6	8	14	28	30	32	32	6	15.3	168	2	3	15	27	29	29	29
35-54	13	13.2	91	2	5	11	22	26	28	28	6	20.7	54	9	16	23	26	28	28	28
55-74	9	17.9	87	7	13	14	27	31	33	33										
75 +	4	13.5	67	3	8	14	19	23	23	23										
ALL AGES	40	15.2	89	3	7	14	23	28	30	33	12	18.0	109	3	7	23	26	28	29	29
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	4	11.8	51	6	6	10	17	21	21	21	5	6.8	56	2	3	4	9	20	20	20
25-34	20	14.0	89	3	5	12	22	27	28	28	6	17.7	139	4	7	18	29	29	29	29
35-54	28	18.9	288	2	9	15	27	29	65	73	13	19.8	138	3	7	28	30	31	32	32
55-74	21	15.7	61	8	12	14	19	28	32	35	4	18.5	179	5	7	19	30	30	30	30
75 +	5	17.4	17	14	14	17	19	24	24	24	1	9.0		9	9	9	9	9	9	9
ALL AGES	78	16.3	147	3	9	14	22	28	30	70	29	16.6	135	3	5	10	29	30	30	32
SUBTOTAL	**118**	**15.9**	**128**	**3**	**9**	**14**	**23**	**28**	**30**	**67**	**41**	**17.0**	**125**	**3**	**6**	**20**	**28**	**30**	**30**	**32**
GRAND TOTAL	**145**	**15.7**	**117**	**3**	**8**	**14**	**23**	**28**	**29**	**64**	**60**	**16.9**	**135**	**3**	**5**	**18**	**29**	**30**	**31**	**38**

COCAINE DEPENDENCE (304.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	12.8	221	3	4	6	21	35	35	35										
18-24	86	13.3	99	2	5	11	21	28	29	38	47	16.1	128	2	3	19	23	28	31	50
25-34	323	14.1	87	3	5	13	22	28	28	30	204	15.2	97	2	5	14	23	28	29	36
35-54	151	14.5	87	3	5	14	21	28	29	32	102	14.6	100	2	4	15	23	28	29	33
55-74	3	19.3	24	14	16	21	22	23	23	23	1	27.0		27	27	27	27	27	27	27
75 +																				
ALL AGES	567	14.1	89	3	5	14	21	28	28	31	354	15.2	101	2	[illegible]	15	23	28	30	35
B. FEMALE																				
0-12 YRS.																				
13-17	7	19.4	214	3	8	21	26	41	45	45	3	33.0	1093	4	9	26	58	69	69	69
18-24	92	10.4	73	2	3	7	14	26	28	30	52	8.8	65	3	4	5	12	21	23	42
25-34	194	11.6	81	2	3	9	19	28	28	29	126	11.6	93	3	4	6	21	28	28	34
35-54	40	13.5	87	2	4	12	21	26	27	28	24	17.0	422	3	3	10	26	33	55	98
55-74																				
75 +																				
ALL AGES	333	11.7	83	2	3	9	20	27	28	29	205	11.9	142	3	4	6	21	28	29	54
SUBTOTAL	**900**	**13.2**	**88**	**3**	**4**	**11**	**21**	**28**	**28**	**31**	**559**	**14.0**	**118**	**2**	**4**	**13**	**22**	**28**	**30**	**39**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	26	23.0	85	6	17	26	28	30	38	40	14	28.1	154	11	20	29	37	43	48	49
18-24	261	16.7	108	3	8	18	26	28	30	38	145	18.4	124	4	7	21	28	29	31	49
25-34	719	14.8	79	3	7	14	21	28	28	30	444	17.4	114	3	5	21	28	28	31	35
35-54	380	14.7	80	3	7	14	21	28	28	33	322	18.6	112	3	7	21	28	29	32	37
55-74	7	16.7	10	13	14	16	19	21	21	21	4	16.8	167	5	5	17	28	28	28	28
75 +																				
ALL AGES	1393	15.3	86	3	7	14	21	28	28	33	929	18.2	114	3	7	21	28	29	31	40
B. FEMALE																				
0-12 YRS.																				
13-17	23	26.3	108	11	21	28	30	37	44	53	10	31.9	106	17	26	34	40	41	42	42
18-24	156	13.4	83	3	6	11	21	28	28	33	74	13.9	118	3	4	10	23	30	31	41
25-34	358	12.2	62	3	6	11	17	25	28	30	194	13.4	113	3	4	9	26	28	30	38
35-54	106	13.1	67	3	6	12	20	26	28	33	58	15.4	131	3	5	14	27	32	35	41
55-74																				
75 +																				
ALL AGES	643	13.1	77	3	6	12	21	27	28	33	336	14.4	126	3	4	10	27	29	33	41
SUBTOTAL	**2036**	**14.6**	**84**	**3**	**7**	**14**	**21**	**28**	**28**	**33**	**1265**	**17.2**	**120**	**3**	**5**	**17**	**28**	**29**	**32**	**41**
GRAND TOTAL	**2936**	**14.2**	**85**	**3**	**6**	**14**	**21**	**28**	**28**	**32**	**1824**	**16.2**	**122**	**3**	**5**	**15**	**27**	**29**	**31**	**40**

CANNABIS DEPENDENCE (304.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	17.0		17	17	17	17	17	17	17
13-17	38	24.2	104	9	19	25	29	40	42	42	18	30.3	167	9	19	36	41	42	46	48
18-24	17	18.7	85	6	10	20	27	28	30	31	7	16.4	203	2	2	21	29	33	34	34
25-34	14	13.8	96	1	3	15	21	27	28	28	9	13.1	114	4	4	10	19	31	33	33
35-54	6	21.8	26	15	20	21	26	28	28	28	2	13.0	32	9	9	13	17	17	17	17
55-74																				
75 +																				
ALL AGES	75	20.8	106	7	14	21	28	31	40	42	37	22.2	204	4	9	21	36	42	42	48
B. FEMALE																				
0-12 YRS.																				
13-17	7	15.0	131	3	7	14	20	33	36	36	7	27.0	212	6	14	28	40	42	42	42
18-24	5	11.8	79	3	6	9	17	26	26	26	2	16.0	18	13	13	16	19	19	19	19
25-34	5	21.6	19	15	19	22	24	27	27	27	1	3.0		3	3	3	3	3	3	3
35-54	1	28.0		28	28	28	28	28	28	28										
55-74																				
75 +																				
ALL AGES	18	16.7	91	4	7	16	23	28	33	36	10	22.4	211	4	10	23	34	42	42	42
SUBTOTAL	**93**	**20.0**	**105**	**6**	**13**	**21**	**28**	**30**	**39**	**42**	**47**	**22.2**	**203**	**4**	**9**	**21**	**35**	**42**	**42**	**48**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	79	28.1	206	13	21	28	33	41	61	78	97	32.3	146	14	28	32	42	46	49	57
18-24	100	20.3	97	8	12	21	27	29	32	52	40	23.5	94	6	21	27	29	32	35	42
25-34	55	17.3	71	5	10	20	24	27	28	36	29	19.7	113	3	10	25	28	29	30	33
35-54	21	15.1	101	2	6	16	23	28	28	28	6	19.2	128	3	7	24	28	28	28	28
55-74																				
75 +																				
ALL AGES	255	21.6	147	7	13	22	28	33	40	67	172	27.7	154	8	21	29	36	43	47	56
B. FEMALE																				
0-12 YRS.																				
13-17	31	27.6	270	6	13	30	37	40	42	81	22	26.8	178	5	19	28	36	43	45	46
18-24	11	23.0	122	5	17	27	28	34	42	43	6	22.7	191	5	10	25	30	41	42	42
25-34	20	17.0	104	5	10	16	24	28	35	42	11	22.3	80	6	21	25	29	30	30	30
35-54	6	19.5	113	4	10	24	28	28	28	28	5	17.8	186	2	3	25	28	30	30	30
55-74	1	21.0		21	21	21	21	21	21	21										
75 +																				
ALL AGES	69	23.0	195	5	10	25	31	40	42	74	44	24.1	154	4	19	26	30	42	43	46
SUBTOTAL	**324**	**21.9**	**157**	**7**	**13**	**22**	**28**	**35**	**40**	**69**	**216**	**26.9**	**159**	**7**	**21**	**28**	**34**	**42**	**46**	**54**
GRAND TOTAL	**417**	**21.5**	**145**	**7**	**13**	**22**	**28**	**35**	**40**	**63**	**263**	**26.1**	**167**	**6**	**18**	**28**	**34**	**42**	**45**	**52**

AMPHETAMINE DEPENDENCE (304.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	28.0		28	28	28	28	28	28	28
25-34	1	3.0		3	3	3	3	3	3	3	2	8.0	50	3	3	8	13	13	13	13
35-54	1	15.0		15	15	15	15	15	15	15	2	21.5	113	14	14	21	29	29	29	29
55-74																				
75 +																				
ALL AGES	2	9.0	72	3	3	9	15	15	15	15	5	17.4	121	3	10	14	28	29	29	29
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	2.0		2	2	2	2	2	2	2	1	12.0		12	12	12	12	12	12	12
35-54	2	8.0	8	6	6	8	10	10	10	10	1	28.0		28	28	28	28	28	28	28
55-74																				
75 +																				
ALL AGES	4	5.0	15	2	2	4	8	10	10	10	2	20.0	128	12	12	20	28	28	28	28
SUBTOTAL	**6**	**6.3**	**28**	**2**	**2**	**4**	**10**	**14**	**15**	**15**	**7**	**18.1**	**106**	**5**	**12**	**14**	**28**	**29**	**29**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	26.5	61	21	21	26	32	32	32	32										
18-24	3	8.0	109	1	1	3	16	20	20	20	3	20.7	108	10	13	21	28	31	31	31
25-34	15	13.6	108	2	2	13	24	27	30	31	15	20.9	101	4	11	24	29	30	30	30
35-54	7	18.1	119	3	10	20	28	29	29	29	3	11.3	235	2	2	3	22	29	29	29
55-74																				
75 +																				
ALL AGES	27	15.1	116	1	3	13	25	29	31	32	21	19.5	117	3	8	23	29	30	31	31
B. FEMALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24	3	21.0	49	13	16	24	25	26	26	26	2	22.0	128	14	14	22	30	30	30	30
25-34	6	17.0	160	3	5	16	28	32	33	33	4	29.5	46	23	25	28	34	39	39	39
35-54	2	24.5	145	16	16	24	33	33	33	33	1	28.0		28	28	28	28	28	28	28
55-74																				
75 +																				
ALL AGES	12	18.0	129	3	7	19	27	33	33	33	7	27.1	60	16	24	28	30	37	39	39
SUBTOTAL	**39**	**16.0**	**118**	**2**	**4**	**16**	**26**	**30**	**32**	**33**	**28**	**21.4**	**111**	**3**	**12**	**25**	**29**	**30**	**32**	**39**
GRAND TOTAL	**45**	**14.7**	**116**	**2**	**3**	**13**	**24**	**29**	**32**	**33**	**35**	**20.7**	**110**	**3**	**12**	**24**	**29**	**30**	**31**	**39**

HALLUCINOGEN DEPENDENCE (304.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	22.0		22	22	22	22	22	22	22										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	22.0		22	22	22	22	22	22	22										
B. FEMALE																				
0-12 YRS.																				
13-17	1	67.0		67	67	67	67	67	67	67										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	67.0		67	67	67	67	67	67	67										
SUBTOTAL	**2**	**44.5**	**1013**	**22**	**22**	**44**	**67**	**67**	**67**	**67**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	37.0	72	31	31	37	43	43	43	43	2	29.0	50	24	24	29	34	34	34	34
18-24	8	16.1	104	2	8	15	26	28	28	28	1	1.0		1	1	1	1	1	1	1
25-34	1	22.0		22	22	22	22	22	22	22										
35-54																				
55-74																				
75 +																				
ALL AGES	11	20.5	148	3	13	22	28	36	42	43	3	19.7	284	1	6	24	31	34	34	34
B. FEMALE																				
0-12 YRS.																				
13-17	4	36.8	947	3	14	34	59	76	76	76	3	23.3	215	8	12	25	34	37	37	37
18-24	1	1.0		1	1	1	1	1	1	1	1	13.0		13	13	13	13	13	13	13
25-34	1	4.0		4	4	4	4	4	4	4	1	25.0		25	25	25	25	25	25	25
35-54																				
55-74																				
75 +																				
ALL AGES	6	25.3	887	1	3	14	43	73	76	76	5	21.6	130	8	12	25	28	37	37	37
SUBTOTAL	**17**	**22.2**	**375**	**2**	**4**	**22**	**29**	**43**	**65**	**76**	**8**	**20.9**	**156**	**2**	**10**	**24**	**30**	**36**	**37**	**37**
GRAND TOTAL	**19**	**24.5**	**441**	**2**	**6**	**22**	**30**	**57**	**72**	**76**	**8**	**20.9**	**156**	**2**	**10**	**24**	**30**	**36**	**37**	**37**

DRUG DEPENDENCE NEC (304.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1	2	24.0	128	16	16	24	32	32	32	32
18-24	4	10.3	210	2	2	3	18	32	32	32										
25-34	1	15.0		15	15	15	15	15	15	15	3	10.7	91	2	4	9	18	21	21	21
35-54	1	2.0		2	2	2	2	2	2	2	1	21.0		21	21	21	21	21	21	21
55-74	1	8.0		8	8	8	8	8	8	8										
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	9	7.7	102	1	2	3	10	25	32	32	6	16.8	111	3	9	18	21	31	32	32
B. FEMALE																				
0-12 YRS.																				
13-17											1	35.0		35	35	35	35	35	35	35
18-24																				
25-34	1	28.0		28	28	28	28	28	28	28	3	18.0	196	2	7	24	27	28	28	28
35-54	1	26.0		26	26	26	26	26	26	26	1	25.0		25	25	25	25	25	25	25
55-74	2	23.0	18	20	20	23	26	26	26	26	1	27.0		27	27	27	27	27	27	27
75 +	1	5.0		5	5	5	5	5	5	5	1	32.0		32	32	32	32	32	32	32
ALL AGES	5	21.0	89	5	16	26	27	28	28	28	7	24.7	116	6	24	27	31	34	35	35
SUBTOTAL	**14**	**12.4**	**135**	**1**	**2**	**6**	**26**	**28**	**31**	**32**	**13**	**21.1**	**119**	**2**	**14**	**24**	**29**	**33**	**35**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	1	26.0		26	26	26	26	26	26	26	3	22.7	23	18	19	22	26	28	28	28
18-24	2	3.5	1	3	3	3	4	4	4	4	1	24.0		24	24	24	24	24	24	24
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2	2	19.5	421	5	5	19	34	34	34	34
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	6	7.3	88	2	2	3	7	24	26	26	6	21.8	100	6	18	23	28	33	34	34
B. FEMALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-17											1	29.0		29	29	29	29	29	29	29
18-24											2	15.5	61	10	10	15	21	21	21	21
25-34	6	12.2	78	3	5	10	21	24	24	24	3	4.0	3	3	3	3	5	6	6	6
35-54	8	5.5	20	2	3	3	8	13	14	14	2	20.5	685	2	2	20	39	39	39	39
55-74											1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	15	8.4	49	3	3	5	13	21	23	24	9	13.1	180	2	3	6	23	35	39	39
SUBTOTAL	**21**	**8.1**	**56**	**2**	**3**	**5**	**12**	**22**	**25**	**26**	**15**	**16.6**	**157**	**3**	**5**	**18**	**27**	**34**	**38**	**39**
GRAND TOTAL	**35**	**9.8**	**90**	**2**	**3**	**5**	**15**	**26**	**28**	**32**	**28**	**18.7**	**139**	**2**	**6**	**21**	**28**	**33**	**35**	**39**

OPIOID/OTHER DRUG DEPEND (304.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	8	[illegible]	75	5	6	13	21	26	28	28	3	13.7	64	5	7	15	19	21	21	21
25-34	26	15.7	101	3	5	17	28	28	29	29	2	15.0	338	2	2	15	28	28	28	28
35-54	40	13.7	86	3	5	12	21	28	28	34	4	12.0	141	2	3	9	21	28	28	28
55-74	1	12.0		12	12	12	12	12	12	12	1	27.0		27	27	27	27	27	27	27
75 +																				
ALL AGES	75	14.4	89	3	6	13	22	28	28	33	10	14.6	120	2	4	14	27	28	28	28
B. FEMALE																				
0-12 YRS.																				
13-17	1	64.0		64	64	64	64	64	64	64										
18-24	2	9.0	32	5	5	9	13	13	13	13										
25-34	15	12.7	83	3	5	7	20	25	27	28										
35-54	5	12.2	55	4	7	9	19	21	21	21	2	26.5	5	25	25	26	28	28	28	28
55-74																				
75 +																				
ALL AGES	23	14.5	182	4	5	9	20	26	41	64	2	26.5	5	25	25	26	28	28	28	28
SUBTOTAL	**98**	**14.4**	**110**	**3**	**6**	**13**	**21**	**28**	**28**	**50**	**12**	**16.6**	**119**	**2**	**4**	**18**	**27**	**28**	**28**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	22.0	436	8	9	12	37	46	46	46										
18-24	8	17.9	130	2	9	18	28	31	31	31										
25-34	41	16.8	92	4	9	17	28	28	29	31	2	22.5	5	21	21	22	24	24	24	24
35-54	43	12.9	67	3	6	12	18	26	28	31	7	18.9	117	4	8	25	27	30	30	30
55-74	2	15.5	61	10	10	15	21	21	21	21										
75 +																				
ALL AGES	97	15.3	92	3	8	14	21	28	30	39	9	19.7	91	4	13	24	26	29	30	30
B. FEMALE																				
0-12 YRS.																				
13-17	1	78.0		78	78	78	78	78	78	78										
18-24	4	14.3	170	1	3	15	25	26	26	26										
25-34	19	16.6	139	3	5	14	28	31	33	33										
35-54	14	16.0	84	4	7	18	22	27	31	32										
55-74																				
75 +	1	11.0		11	11	11	11	11	11	11										
ALL AGES	39	17.6	207	3	5	18	26	31	33	78										
SUBTOTAL	**136**	**15.9**	**127**	**3**	**6**	**15**	**25**	**29**	**31**	**50**	**9**	**19.7**	**91**	**4**	**13**	**24**	**26**	**29**	**30**	**30**
GRAND TOTAL	**234**	**15.3**	**119**	**3**	**6**	**14**	**22**	**28**	**30**	**49**	**21**	**17.9**	**105**	**3**	**6**	**21**	**27**	**28**	**29**	**30**

COMB DRUG DEPENDENCE NEC (304.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	95	36.4	308	7	29	35	44	59	70	77										
18-24	32	17.8	102	3	10	17	25	28	31	49	2	19.5	25	16	16	19	23	23	23	23
25-34	47	14.0	102	1	3	14	22	28	29	33	4	12.3	3	10	10	12	14	14	14	14
35-54	27	12.8	78	1	3	14	20	23	28	28	1	30.0		30	30	30	30	30	30	30
55-74											1	8.0		8	8	8	8	8	8	8
75 +																				
ALL AGES	201	25.0	314	2	10	22	35	50	59	77	8	15.8	52	9	10	14	19	28	30	30
B. FEMALE																				
0-12 YRS.	1	60.0		60	60	60	60	60	60	60										
13-17	64	37.1	229	9	34	36	41	57	60	79	1	41.0		41	41	41	41	41	41	41
18-24	14	13.3	96	3	4	13	21	27	28	28	1	15.0		15	15	15	15	15	15	15
25-34	25	13.3	101	1	4	14	22	27	29	33	1	29.0		29	29	29	29	29	29	29
35-54	8	7.0	88	1	1	3	9	23	28	28	1	8.0		8	8	8	8	8	8	8
55-74	2	21.5	113	14	14	21	29	29	29	29										
75 +																				
ALL AGES	114	26.8	326	4	9	29	37	53	59	70	4	23.3	213	8	11	22	35	41	41	41
SUBTOTAL	**315**	**25.7**	**316**	**3**	**10**	**27**	**36**	**51**	**59**	**77**	**12**	**18.3**	**105**	**8**	**10**	**15**	**26**	**33**	**40**	**41**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	33.5	1013	11	11	33	56	56	56	56										
13-17	99	39.9	270	19	32	37	48	62	71	88	1	16.0		16	16	16	16	16	16	16
18-24	34	22.0	120	6	15	24	28	31	42	50	1	5.0		5	5	5	5	5	5	5
25-34	44	16.3	104	1	8	16	24	28	29	42	14	18.9	32	13	16	18	24	25	29	30
35-54	29	15.1	79	2	7	17	21	27	28	31	3	13.7	89	4	6	14	21	23	23	23
55-74	1	14.0		14	14	14	14	14	14	14										
75 +																				
ALL AGES	209	28.4	309	5	16	27	38	52	62	80	19	17.2	46	6	14	17	22	24	27	30
B. FEMALE																				
0-12 YRS.																				
13-17	81	42.6	426	13	33	39	60	69	87	99 +										
18-24	18	14.7	134	2	3	13	28	30	31	31	3	19.7	50	15	15	16	25	28	28	28
25-34	20	14.3	95	3	5	12	25	28	28	28	5	8.0	64	2	4	5	10	22	22	22
35-54	7	17.1	108	5	8	16	25	32	33	33	1	15.0		15	15	15	15	15	15	15
55-74	2	9.0		9	9	9	9	9	9	9										
75 +																				
ALL AGES	128	32.3	492	5	13	32	47	67	73	99 +	9	12.7	77	3	5	15	17	26	28	28
SUBTOTAL	**337**	**29.9**	**380**	**5**	**14**	**28**	**41**	**60**	**68**	**89**	**28**	**15.8**	**56**	**5**	**10**	**16**	**21**	**24**	**28**	**30**
GRAND TOTAL	**652**	**27.8**	**357**	**4**	**13**	**28**	**38**	**56**	**64**	**85**	**40**	**16.5**	**72**	**5**	**10**	**16**	**22**	**28**	**30**	**41**

DRUG DEPENDENCE NOS (304.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	38	35.7	235	12	32	36	41	59	72	99+	3	6.7	96	1	1	1	14	18	18	18
18-24	6	27.7	368	3	3	38	42	42	42	42	6	16.3	108	3	4	21	21	27	28	28
25-34	8	12.6	73	3	4	13	18	24	26	26	7	23.4	112	6	21	27	30	33	33	33
35-54	9	11.6	161	1	2	6	18	33	35	35	6	18.7	69	4	21	21	21	26	26	26
55-74																				
75 +																				
ALL AGES	61	28.3	317	3	13	34	39	51	65	97	22	17.9	112	2	4	21	26	30	32	33
B. FEMALE																				
0-12 YRS.																				
13-17	31	35.3	322	11	32	35	39	61	72	87										
18-24	2	1.0		1	1	1	1	1	1	1	2	11.5	181	2	2	11	21	21	21	21
25-34	8	6.0	48	1	2	4	7	18	22	22	3	8.7	115	1	2	4	17	21	21	21
35-54	4	3.3	10	1	1	2	5	8	8	8	3	6.7		6	6	7	7	7	7	7
55-74																				
75 +																				
ALL AGES	45	25.7	438	1	4	34	37	41	66	87	8	8.6	64	1	3	6	14	21	21	21
SUBTOTAL	**106**	**27.2**	**366**	**3**	**9**	**34**	**38**	**48**	**65**	**93**	**30**	**15.4**	**115**	**1**	**4**	**21**	**21**	**28**	**31**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	37	35.9	242	14	30	36	43	64	71	99+	1	34.0		34	34	34	34	34	34	34
18-24	6	18.7	171	2	4	21	28	34	35	35	2	34.0	32	30	30	34	38	38	38	38
25-34	10	13.7	113	2	4	12	22	30	31	31	4	8.0	22	1	5	10	11	11	11	11
35-54	11	14.5	137	1	3	12	28	29	30	30	4	17.0	862	1	1	3	32	61	61	61
55-74	1	23.0		23	23	23	23	23	23	23										
75 +																				
ALL AGES	65	27.1	293	4	12	29	38	46	66	96	11	18.4	384	1	2	10	33	47	60	61
B. FEMALE																				
0-12 YRS.	1	88.0		88	88	88	88	88	88	88										
13-17	19	37.7	440	9	32	35	49	80	97	99+										
18-24	2	24.5	41	20	20	24	29	29	29	29	1	24.0		24	24	24	24	24	24	24
25-34	9	11.9	88	2	5	9	21	26	28	28	3	16.7	311	5	6	8	30	37	37	37
35-54	8	11.0	87	4	5	8	15	27	29	29	1	3.0		3	3	3	3	3	3	3
55-74											1	29.0		29	29	29	29	29	29	29
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	39	26.9	506	5	8	25	36	63	91	99+	7	15.6	198	3	4	8	28	35	37	37
SUBTOTAL	**104**	**27.0**	**370**	**4**	**10**	**29**	**37**	**53**	**68**	**99+**	**18**	**17.3**	**298**	**1**	**3**	**10**	**30**	**38**	**52**	**61**
GRAND TOTAL	**210**	**27.1**	**366**	**3**	**9**	**31**	**38**	**51**	**67**	**99+**	**48**	**16.1**	**180**	**1**	**3**	**19**	**25**	**32**	**37**	**61**

ALCOHOL ABUSE (305.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	7	1.7	1	1	1	1	2	4	4	4	5	1.2		1	1	1	1	2	2	2
13-17	46	6 9	79	1	1	2	10	22	24	31	30	2.0	3	1	1	1	2	5	6	7
18-24	69	3.1	37	1	1	1	2	5	18	29	32	2.0	20	1	1	1	1	2	4	26
25-34	67	3.9	43	1	1	1	3	9	22	29	26	3.8	44	1	1	2	3	6	23	29
35-54	77	5.5	77	1	1	2	4	23	30	33	58	5.1	42	1	2	2	5	12	25	28
55-74	26	4.7	34	1	2	3	5	11	18	28	10	6.1	69	1	2	3	6	18	29	29
75 +	2	1.5	1	1	1	1	2	2	2	2	3	2.7	2	1	1	3	4	4	4	4
ALL AGES	294	4.6	55	1	1	1	3	17	24	31	164	3.6	32	1	1	2	3	7	17	29
B. FEMALE																				
0-12 YRS.	2	2.5	1	2	2	2	3	3	3	3	2	1.0		1	1	1	1	1	1	1
13-17	36	8.8	117	1	1	2	18	24	33	38	27	1.1		1	1	1	1	2	2	3
18-24	26	3.8	51	1	1	1	2	9	26	29	10	1.0		1	1	1	1	1	1	1
25-34	36	4.3	48	1	1	1	3	19	23	25	13	6.3	77	1	1	3	7	23	28	29
35-54	24	3.3	26	1	1	2	3	7	16	24	17	3.5	58	1	1	1	2	4	23	33
55-74	9	3.3	20	1	1	2	3	11	15	15	9	5.8	56	1	1	2	7	19	22	22
75 +	2	3.5	13	1	1	3	6	6	6	6	1	1.0		1	1	1	1	1	1	1
ALL AGES	135	5.1	64	1	1	1	4	20	24	36	79	3.0	34	1	1	1	2	5	18	32
SUBTOTAL	**429**	**4.8**	**57**	**1**	**1**	**1**	**3**	**18**	**24**	**31**	**243**	**3.4**	**33**	**1**	**1**	**1**	**3**	**6**	**17**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	58	20.1	221	2	7	20	28	34	50	66	9	13.4	340	1	1	2	24	44	54	54
18-24	50	10.2	129	1	1	3	21	28	30	30	12	10.9	117	1	1	6	21	26	29	29
25-34	59	6.8	77	1	1	3	6	23	27	29	32	6.6	53	1	1	3	10	17	22	28
35-54	59	5.2	36	1	2	3	6	13	19	28	37	7.1	96	1	2	3	7	25	33	35
55-74	21	3.9	23	1	1	2	4	9	16	22	8	5.4	21	2	3	4	6	13	16	16
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	248	10.0	139	1	2	4	18	28	30	52	98	7.8	101	1	1	3	10	24	29	45
B. FEMALE																				
0-12 YRS.	2	24.5	1	24	24	24	25	25	25	25	1	1.0		1	1	1	1	1	1	1
13-17	48	16.6	175	1	3	16	28	32	39	45	10	6.3	172	1	1	1	2	26	43	43
18-24	22	5.0	89	1	1	1	2	17	32	37	6	6.0	118	1	1	1	4	26	28	28
25-34	25	4.6	36	1	1	2	6	10	17	29	15	3.5	14	1	1	2	4	12	12	12
35-54	29	5.0	80	1	1	1	3	22	28	33	22	7.7	93	1	2	3	8	27	28	29
55-74	9	3.0	5	1	1	2	5	6	7	7	7	3.4	8	1	1	3	5	8	9	9
75 +	2	10.0	18	7	7	10	13	13	13	13	2	8.5	61	3	3	8	14	14	14	14
ALL AGES	137	9.2	134	1	1	2	15	28	32	42	63	5.8	74	1	1	2	5	16	28	41
SUBTOTAL	**385**	**9.7**	**137**	**1**	**1**	**3**	**17**	**28**	**30**	**46**	**161**	**7.0**	**91**	**1**	**1**	**3**	**8**	**23**	**28**	**42**
GRAND TOTAL	**814**	**7.1**	**101**	**1**	**1**	**2**	**7**	**24**	**29**	**39**	**404**	**4.9**	**58**	**1**	**1**	**2**	**4**	**15**	**25**	**33**

TOBACCO USE DISORDER (305.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2	3	4.3	25	1	1	2	8	10	10	10
35-54	1	6.0		6	6	6	6	6	6	6										
55-74																				
75 +																				
ALL AGES	2	4.0	8	2	2	4	6	6	6	6	3	4.3	25	1	1	2	8	10	10	10
SUBTOTAL	**2**	**4.0**	**8**	**2**	**2**	**4**	**6**	**6**	**6**	**6**	**3**	**4.3**	**25**	**1**	**1**	**2**	**8**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5										
55-74	1	7.0		7	7	7	7	7	7	7	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	2	6.0	2	5	5	6	7	7	7	7	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**6.0**	**2**	**5**	**5**	**6**	**7**	**7**	**7**	**7**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**4**	**5.0**	**5**	**2**	**3**	**5**	**6**	**7**	**7**	**7**	**4**	**4.0**	**17**	**1**	**1**	**2**	**6**	**10**	**10**	**10**

CANNABIS ABUSE (305.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	8	29.0	42	21	24	28	35	37	37	37										
18-24	3	17.7	69	8	11	22	23	23	23	23	1	21.0		21	21	21	21	21	21	21
25-34	2	29.5	5	28	28	29	31	31	31	31	2	13.0	128	5	5	13	21	21	21	21
35-54	2	22.0		22	22	22	22	22	22	22										
55-74																				
75 +																				
ALL AGES	15	25.9	53	21	22	26	30	37	37	37	3	15.7	84	5	9	21	21	21	21	21
B. FEMALE																				
0-12 YRS.																				
13-17	5	5.4	97	1	1	1	7	23	23	23	2	30.0	288	18	18	30	42	42	42	42
18-24	2	14.0	128	6	6	14	22	22	22	22	2	8.0	98	1	1	8	15	15	15	15
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74																				
75 +																				
ALL AGES	8	7.1	93	1	1	2	14	23	23	23	4	19.0	290	1	8	16	30	42	42	42
SUBTOTAL	**23**	**19.3**	**150**	**1**	**6**	**22**	**28**	**35**	**37**	**37**	**7**	**17.6**	**175**	**2**	**7**	**18**	**21**	**38**	**42**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	31	22.7	277	5	9	21	30	36	60	80	6	15.0	146	6	9	11	14	36	39	39
18-24	10	11.5	76	1	2	12	21	21	21	21	2	14.0		14	14	14	14	14	14	14
25-34	12	15.4	108	3	6	16	26	28	29	29	2	2.0	2	1	1	2	3	3	3	3
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	54	18.6	220	2	6	19	27	32	37	79	10	12.2	110	2	6	11	14	27	39	39
B. FEMALE																				
0-12 YRS.																				
13-17	21	29.3	334	5	13	30	41	57	60	63	1	26.0		26	26	26	26	26	26	26
18-24	5	11.6	102	1	1	14	20	22	22	22	1	11.0		11	11	11	11	11	11	11
25-34	3	13.7	20	11	11	11	17	19	19	19										
35-54	2	28.0		28	28	28	28	28	28	28										
55-74																				
75 +																				
ALL AGES	31	24.9	291	3	11	22	34	52	58	63	2	18.5	113	11	11	18	26	26	26	26
SUBTOTAL	**85**	**20.9**	**252**	**2**	**7**	**20**	**29**	**37**	**57**	**74**	**12**	**13.3**	**105**	**2**	**7**	**11**	**14**	**30**	**38**	**39**
GRAND TOTAL,	**108**	**20.6**	**227**	**2**	**7**	**21**	**28**	**37**	**50**	**70**	**19**	**14.8**	**130**	**2**	**7**	**14**	**20**	**34**	**41**	**42**

HALLUCINOGEN ABUSE (305.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											2	1.0		1	1	1	1	1	1	1
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											2	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	19.3	256	1	7	27	29	30	30	30										
18-24	2	5.5	25	2	2	5	9	9	9	9										
25-34											1	22.0		22	22	22	22	22	22	22
35-54																				
55-74																				
75 +																				
ALL AGES	5	13.8	191	1	2	9	28	30	30	30	1	22.0		22	22	22	22	22	22	22
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**5**	**13.8**	**191**	**1**	**2**	**9**	**28**	**30**	**30**	**30**	**1**	**22.0**		**22**	**22**	**22**	**22**	**22**	**22**	**22**
GRAND TOTAL	**5**	**13.8**	**191**	**1**	**2**	**9**	**28**	**30**	**30**	**30**	**3**	**8.0**	**147**	**1**	**1**	**1**	**17**	**22**	**22**	**22**

BARBITURATE ABUSE (305.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +																				
ALL AGES	2	1.5	1	1	1	1	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7	1	4.0		4	4	4	4	4	4	4
55-74	1	14.0		14	14	14	14	14	14	14										
75 +																				
ALL AGES	2	10.5	25	7	7	10	14	14	14	14	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**4**	**6.0**	**35**	**1**	**1**	**4**	**10**	**14**	**14**	**14**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	2	28.0		28	28	28	28	28	28	28										
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	4	15.5	208	3	3	15	28	28	28	28	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	3.0		3	3	3	3	3	3	3										
25-34	4	13.8	192	1	2	11	25	31	31	31										
35-54	3	10.0	21	5	6	11	13	14	14	14										
55-74	1	7.0		7	7	7	7	7	7	7	1	8.0		8	8	8	8	8	8	8
75 +																				
ALL AGES	9	10.6	91	2	4	7	15	26	31	31	1	8.0		8	8	8	8	8	8	8
SUBTOTAL	**13**	**12.1**	**118**	**2**	**3**	**7**	**21**	**29**	**31**	**31**	**2**	**4.5**	**25**	**1**	**1**	**4**	**8**	**8**	**8**	**8**
GRAND TOTAL	**17**	**10.6**	**104**	**1**	**3**	**7**	**15**	**28**	**30**	**31**	**3**	**4.3**	**13**	**1**	**2**	**4**	**7**	**8**	**8**	**8**

OPIOID ABUSE (305.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	3.0		3	3	3	3	3	3	3
25-34	2	14.0	72	8	8	14	20	20	20	20										
35-54	3	3.0	3	2	2	2	4	5	5	5										
55-74																				
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	5	7.4	56	2	2	5	11	20	20	20	2	3.5	1	3	3	3	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	4.0		4	4	4	4	4	4	4
35-54																				
55-74																				
75 +																				
ALL AGES											1	4.0		4	4	4	4	4	4	4
SUBTOTAL	5	7.4	56	2	2	5	11	20	20	20	3	3.7		3	3	4	4	4	4	4
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2	1	8.0		8	8	8	8	8	8	8
35-54	2	5.5	1	5	5	5	6	6	6	6	6	4.2	46	1	1	1	3	16	18	18
55-74	1	31.0		31	31	31	31	31	31	31										
75 +																				
ALL AGES	4	11.0	181	2	3	5	18	31	31	31	7	4.7	41	1	1	1	7	16	18	18
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34											1	29.0		29	29	29	29	29	29	29
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	2	15.0	392	1	1	15	29	29	29	29
SUBTOTAL	5	9.2	152	2	2	5	12	31	31	31	9	7.0	100	1	1	1	10	25	29	29
GRAND TOTAL	10	8.3	93	2	2	5	8	25	31	31	12	6.2	75	1	1	3	6	21	28	29

COCAINE ABUSE (305.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	6.7	52	2	2	3	12	15	15	15										
18-24	13	8.8	92	1	1	3	20	23	25	25	2	13.0	200	3	3	13	23	23	23	23
25-34	22	7.5	75	1	2	2	14	22	23	25	18	7.9	112	1	2	3	9	23	32	38
35-54	6	10.0	46	1	5	10	12	20	21	21	4	15.0	237	2	2	12	27	34	34	34
55-74																				
75 +																				
ALL AGES	44	8.2	71	1	2	3	14	22	23	25	24	9.5	131	1	2	3	20	25	35	38
B. FEMALE																				
0-12 YRS.																				
13-17	1	13.0		13	13	13	13	13	13	13	1	2.0		2	2	2	2	2	2	2
18-24	7	8.7	111	1	1	3	17	26	27	27	4	8.0	57	1	1	8	14	15	15	15
25-34	11	7.4	77	1	1	3	12	23	25	25	9	7.2	55	1	2	2	15	18	19	19
35-54	4	6.0	18	1	2	6	9	10	10	10	1	14.0		14	14	14	14	14	14	14
55-74																				
75 +																				
ALL AGES	23	7.8	70	1	1	4	12	23	26	27	15	7.5	49	1	2	2	14	17	18	19
SUBTOTAL	**67**	**8.1**	**69**	**1**	**2**	**3**	**14**	**22**	**25**	**27**	**39**	**8.7**	**99**	**1**	**2**	**3**	**15**	**22**	**29**	**38**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	6	19.0	120	4	7	22	27	31	31	31	1	48.0		48	48	48	48	48	48	48
18-24	22	8.5	73	2	3	5	8	21	26	33	3	9.7	36	3	5	11	14	15	15	15
25-34	41	12.6	87	2	4	10	21	27	28	29	15	3.0	18	1	1	2	3	4	14	18
35-54	15	11.8	149	1	2	4	25	31	32	32	3	24.0	27	21	21	21	28	30	30	30
55-74																				
75 +																				
ALL AGES	84	11.8	101	2	3	7	21	27	30	33	22	8.8	149	1	1	3	15	24	37	48
B. FEMALE																				
0-12 YRS.																				
13-17	6	35.7	68	27	28	34	41	48	49	49	1	3.0		3	3	3	3	3	3	3
18-24	8	12.3	138	2	3	7	20	31	34	34	6	11.0	174	1	3	3	28	28	28	28
25-34	21	11.8	87	1	4	9	19	26	29	29	7	4.0	29	1	1	2	4	14	16	16
35-54	2	3.0	2	2	2	3	4	4	4	4	2	25.0	50	20	20	25	30	30	30	30
55-74																				
75 +																				
ALL AGES	37	15.3	172	2	4	10	26	34	40	49	16	9.2	122	1	2	3	18	[illegible]	29	30
SUBTOTAL	**121**	**12.9**	**123**	**2**	**3**	**8**	**21**	**29**	**32**	**43**	**38**	**9.0**	**134**	**1**	**1**	**3**	**16**	[illegible]	**30**	**48**
GRAND TOTAL	**188**	**11.2**	**108**	**1**	**3**	**6**	**20**	**27**	**30**	**39**	**77**	**8.9**	**114**	**1**	**2**	**3**	**15**	**24**	**30**	**45**

AMPHETAMINE ABUSE (305.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	2.0	2	1	1	2	3	3	3	3										
25-34																				
35-54	2	15.0	288	3	3	15	27	27	27	27										
55-74																				
75 +																				
ALL AGES	4	8.5	153	1	2	3	15	27	27	27										
B. FEMALE																				
0-12 YRS.																				
13-17											1	24.0		24	24	24	24	24	24	24
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	24.0		24	24	24	24	24	24	24
SUBTOTAL	**4**	**8.5**	**153**	**1**	**2**	**3**	**15**	**27**	**27**	**27**	**1**	**24.0**		**24**	**24**	**24**	**24**	**24**	**24**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	1	30.0		30	30	30	30	30	30	30										
25-34	1	3.0		3	3	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4
35-54																				
55-74																				
75 +																				
ALL AGES	3	11.3	263	1	1	3	23	30	30	30	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	2	25.5	145	17	17	25	34	34	34	34										
18-24	1	27.0		27	27	27	27	27	27	27										
25-34	2	15.5	13	13	13	15	18	18	18	18	1	26.0		26	26	26	26	26	26	26
35-54	3	27.7	294	14	16	22	41	47	47	47	2	15.0	392	1	1	15	29	29	29	29
55-74																				
75 +																				
ALL AGES	8	24.0	135	13	15	20	30	43	47	47	3	18.7	234	1	7	26	28	29	29	29
SUBTOTAL	**11**	**20.5**	**184**	**2**	**13**	**18**	**29**	**39**	**46**	**47**	**4**	**15.0**	**211**	**1**	**2**	**15**	**27**	**29**	**29**	**29**
GRAND TOTAL	**15**	**17.3**	**195**	**1**	**3**	**17**	**27**	**34**	**44**	**47**	**5**	**16.8**	**175**	**1**	**3**	**24**	**27**	**29**	**29**	**29**

ANTIDEPRESSANT ABUSE (305.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +																				
ALL AGES	2	1.0		1	1	1	1	1	1	1										
SUBTOTAL	2	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	2	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1

DRUG ABUSE NEC/NOS (305.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	85.0		85	85	85	85	85	85	85
13-17	29	28.1	325	5	12	28	39	53	64	65	4	13.3	320	1	1	7	25	39	39	39
18-24	17	17.5	141	1	7	20	27	30	35	38	2	14.0		14	14	14	14	14	14	14
25-34	20	16.4	115	1	4	20	25	28	28	28	4	14.8	232	1	1	15	28	28	28	28
35-54	13	12.4	108	1	3	12	23	27	29	29	2	15.5	313	3	3	15	28	28	28	28
55-74																				
75 +																				
ALL AGES	79	20.3	228	2	6	20	28	39	45	65	13	19.7	550	1	2	14	28	48	78	85
B. FEMALE																				
0-12 YRS.																				
13-17	12	32.0	704	7	12	26	41	75	90	93	3	10.3	235	1	1	2	21	28	28	28
18-24	6	6.8	89	2	3	3	4	24	26	26	1	2.0		2	2	2	2	2	2	2
25-34	11	5.8	90	1	1	1	3	24	29	29	4	15.0	262	1	1	15	29	30	30	30
35-54	6	11.8	110	2	3	11	19	25	26	26	2	2.0	2	1	1	1	3	3	3	3
55-74	4	6.0	25	2	2	4	9	13	13	13	2	19.5	145	11	11	19	28	28	28	28
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	40	14.8	382	1	2	5	20	38	55	93	12	11.3	169	1	1	3	28	29	30	30
SUBTOTAL	**119**	**18.4**	**286**	**1**	**3**	**16**	**28**	**38**	**45**	**75**	**25**	**15.7**	**370**	**1**	**1**	**11**	**28**	**30**	**50**	**85**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	23	22.2	157	6	12	23	32	35	40	48	6	22.8	299	2	11	23	36	42	43	43
18-24	14	12.6	237	1	2	4	20	31	49	54	4	17.3	168	2	6	18	28	30	30	30
25-34	39	12.0	101	1	3	8	21	27	30	30	6	14.5	208	3	4	7	28	36	37	37
35-54	9	11.8	77	1	3	12	17	25	27	27	2	5.0	18	2	2	5	8	8	8	8
55-74	2	5.5	25	2	2	5	9	9	9	9	2	3.0	2	2	2	3	4	4	4	4
75 +																				
ALL AGES	87	14.6	151	1	3	13	24	31	35	52	20	15.5	205	2	3	10	29	36	40	43
B. FEMALE																				
0-12 YRS.	3	16.3	162	2	7	21	25	26	26	26										
13-17	18	24.5	189	3	13	28	35	39	41	42	3	23.7	419	1	8	29	38	41	41	41
18-24	5	3.8	23	1	1	1	6	12	12	12										
25-34	20	12.4	115	1	3	9	20	27	33	37	7	21.7	452	1	5	18	27	57	64	64
35-54	9	12.1	138	1	2	7	23	30	32	32	3	21.0	13	18	18	20	24	25	25	25
55-74	2	13.0	8	11	11	13	15	15	15	15	1	11.0		11	11	11	11	11	11	11
75 +	1	15.0		15	15	15	15	15	15	15										
ALL AGES	58	15.6	165	1	3	14	26	35	38	42	14	21.2	285	1	11	19	29	43	59	64
SUBTOTAL	**145**	**15.0**	**156**	**1**	**3**	**13**	**24**	**32**	**36**	**48**	**34**	**17.8**	**240**	**2**	**4**	**14**	**29**	**37**	**43**	**64**
GRAND TOTAL	**264**	**16.6**	**214**	**1**	**3**	**14**	**26**	**35**	**40**	**65**	**59**	**16.9**	**291**	**1**	**2**	**11**	**28**	**37**	**42**	**83**

PSYCHOGEN MUSCULSKEL DIS (306.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	5.0		5	5	5	5	5	5	5
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
55-74	1	2.0		2	2	2	2	2	2	2										
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	3	2.0		2	2	2	2	2	2	2	2	3.5	5	2	2	3	5	5	5	5
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	1	4.0		4	4	4	4	4	4	4
13-17	1	5.0		5	5	5	5	5	5	5										
18-24																				
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	3	3.0	3	2	2	2	4	5	5	5	2	3.5	1	3	3	3	4	4	4	4
SUBTOTAL	6	2.5	2	2	2	2	2	5	5	5	4	3.5	2	2	2	3	4	5	5	5
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24	1	4.0		4	4	4	4	4	4	4										
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74																				
75 +																				
ALL AGES	3	2.7	1	2	2	2	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	4	2.5	1	2	2	2	3	4	4	4										
GRAND TOTAL	10	2.5	1	2	2	2	2	4	5	5	4	3.5	2	2	2	3	4	5	5	5

PSYCHOGENIC RESPIR DIS (306.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	2.0	2	1	1	2	3	3	3	3	1	3.0		3	3	3	3	3	3	3
13-17	1	1.0		1	1	1	1	1	1	1	2	2.0	2	1	1	2	3	3	3	3
18-24											1	1.0		1	1	1	1	1	1	1
25-34	2	1.5	1	1	1	1	2	2	2	2	2	1.5	1	1	1	1	2	2	2	2
35-54	6	2.5	4	1	1	2	3	6	6	6	4	1.8	1	1	1	1	2	3	3	3
55-74	2	1.5	1	1	1	1	2	2	2	2	1	1.0		1	1	1	1	1	1	1
75 +	1	3.0		3	3	3	3	3	3	3	2	2.5	5	1	1	2	4	4	4	4
ALL AGES	14	2.1	2	1	1	2	3	4	5	6	13	1.8	1	1	1	1	3	3	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1	2	2.5	1	2	2	2	3	3	3	3
18-24	3	2.0	1	1	1	2	3	3	3	3	2	2.5	5	1	1	2	4	4	4	4
25-34	1	2.0		2	2	2	2	2	2	2	5	1.4	1	1	1	1	2	3	3	3
35-54	11	2.9	3	1	1	3	4	6	6	6	6	2.7	1	1	2	3	3	4	4	4
55-74	5	4.0	4	2	3	3	5	7	7	7	4	2.0	1	1	1	2	3	3	3	3
75 +	3	4.3	13	1	2	4	7	8	8	8	6	6.0	15	2	3	5	7	12	13	13
ALL AGES	24	3.1	4	1	2	3	4	6	7	8	25	3.1	7	1	1	3	4	6	8	13
SUBTOTAL	**38**	**2.7**	**3**	**1**	**1**	**2**	**3**	**6**	**7**	**8**	**38**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**7**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											2	1.5	1	1	1	1	2	2	2	2
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	3	7.3	26	2	3	8	11	12	12	12	3	1.3		1	1	1	2	2	2	2
35-54	1	3.0		3	3	3	3	3	3	3	4	4.5	9	2	2	4	7	8	8	8
55-74	2	2.5	1	2	2	2	3	3	3	3	2	2.5	1	2	2	2	3	3	3	3
75 +	2	3.0	8	1	1	3	5	5	5	5										
ALL AGES	9	4.1	14	1	2	3	6	10	12	12	11	2.7	5	1	1	2	3	7	8	8
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
13-17	1	1.0		1	1	1	1	1	1	1										
18-24											1	1.0		1	1	1	1	1	1	1
25-34	2	5.5	1	5	5	5	6	6	6	6	4	2.8	3	1	1	2	4	5	5	5
35-54	5	2.4	1	1	1	2	3	4	4	4	3	2.0		2	2	2	2	2	2	2
55-74	8	5.8	55	1	2	3	5	18	24	24	4	3.5	1	2	3	4	4	4	4	4
75 +	2	4.5	1	4	4	4	5	5	5	5	3	2.3	1	2	2	2	3	3	3	3
ALL AGES	19	4.3	25	1	2	3	5	6	16	24	16	2.6	1	1	2	2	3	4	5	5
SUBTOTAL	**28**	**4.2**	**21**	**1**	**2**	**3**	**5**	**7**	**13**	**24**	**27**	**2.7**	**3**	**1**	**2**	**2**	**3**	**5**	**6**	**8**
GRAND TOTAL	**66**	**3.3**	**11**	**1**	**1**	**3**	**4**	**6**	**8**	**22**	**65**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**12**

PSYCHOGEN CARDIOVASC DIS (306.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	4	2.5	3	1	1	2	4	5	5	5	2	2.5	1	2	2	2	3	3	3	3
55-74																				
75 +																				
ALL AGES	4	2.5	3	1	1	2	4	5	5	5	2	2.5	1	2	2	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	4.0		4	4	4	4	4	4	4										
35-54	1	3.0		3	3	3	3	3	3	3	3	3.3	2	2	2	4	4	4	4	4
55-74	2	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
75 +											2	3.5	5	2	2	3	5	5	5	5
ALL AGES	5	3.0	1	2	2	3	4	4	4	4	6	3.0	2	1	2	3	4	5	5	5
SUBTOTAL	**9**	**2.8**	**2**	**1**	**2**	**2**	**4**	**5**	**5**	**5**	**8**	**2.9**	**2**	**1**	**2**	**3**	**4**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	2.0	2	1	1	2	3	3	3	3										
55-74	2	1.5	1	1	1	1	2	2	2	2										
75 +																				
ALL AGES	4	1.8	1	1	1	2	2	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											2	2.0		2	2	2	2	2	2	2
55-74	3	5.0	13	2	2	4	8	9	9	9	2	7.0	72	1	1	7	13	13	13	13
75 +	2	4.5	1	4	4	4	5	5	5	5										
ALL AGES	5	4.8	7	2	3	4	6	9	9	9	4	4.5	32	1	1	2	8	13	13	13
SUBTOTAL	**9**	**3.4**	**7**	**1**	**2**	**3**	**4**	**7**	**9**	**9**	**4**	**4.5**	**32**	**1**	**1**	**2**	**8**	**13**	**13**	**13**
GRAND TOTAL	**18**	**3.1**	**4**	**1**	**2**	**3**	**4**	**5**	**7**	**9**	**12**	**3.4**	**11**	**1**	**2**	**2**	**4**	**7**	**12**	**13**

PSYCHOGENIC GI DISEASE (306.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17																				
18-24	1	6.0		6	6	6	6	6	6	6										
25-34											2	2.0	2	1	1	2	3	3	3	3
35-54	2	3.5	13	1	1	3	6	6	6	6	1	1.0		1	1	1	1	1	1	1
55-74	1	8.0		8	8	8	8	8	8	8	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	5	4.6	9	1	1	6	7	8	8	8	4	2.3	2	1	1	2	3	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
18-24											1	7.0		7	7	7	7	7	7	7
25-34	3	2.7	4	1	1	2	4	5	5	5	2	5.0		5	5	5	5	5	5	5
35-54	3	13.0	300	3	3	3	26	33	33	33	1	3.0		3	3	3	3	3	3	3
55-74	2	6.5	41	2	2	6	11	11	11	11	2	5.5	5	4	4	5	7	7	7	7
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	9	6.9	105	1	2	3	6	24	33	33	8	4.4	4	2	3	4	6	7	7	7
SUBTOTAL	**14**	**6.1**	**68**	**1**	**2**	**3**	**6**	**13**	**29**	**33**	**12**	**3.7**	**4**	**1**	**2**	**4**	**5**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	1	4.0		4	4	4	4	4	4	4	1	28.0		28	28	28	28	28	28	28
18-24																				
25-34																				
35-54																				
55-74	4	6.3	7	4	4	6	8	10	10	10	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	6	5.3	7	3	4	4	7	10	10	10	2	16.0	288	4	4	16	28	28	28	28
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	1	5.0		5	5	5	5	5	5	5	5	25.8	455	1	9	27	38	57	57	57
18-24	1	4.0		4	4	4	4	4	4	4	3	32.7	83	22	26	37	38	39	39	39
25-34	2	5.5	5	4	4	5	7	7	7	7										
35-54	3	3.7	1	3	3	3	5	5	5	5										
55-74											1	8.0		8	8	8	8	8	8	8
75 +	2	6.5	1	6	6	6	7	7	7	7	3	6.7	14	4	4	5	9	11	11	11
ALL AGES	10	4.5	4	2	3	4	6	7	7	7	12	21.3	300	3	6	17	34	44	55	57
SUBTOTAL	**16**	**4.8**	**5**	**3**	**3**	**4**	**6**	**7**	**9**	**10**	**14**	**20.5**	**282**	**3**	**5**	**17**	**32**	**41**	**53**	**57**
GRAND TOTAL	**30**	**5.4**	**34**	**1**	**3**	**4**	**6**	**9**	**11**	**33**	**26**	**12.7**	**223**	**1**	**3**	**5**	**22**	**36**	**43**	**57**

PSYCHOGENIC GU DISEASE (306.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											2	6.5	61	1	1	6	12	12	12	12
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											2	6.5	61	1	1	6	12	12	12	12
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
SUBTOTAL											3	4.7	40	1	1	1	9	12	12	12
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54																				
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
SUBTOTAL	1	3.0		3	3	3	3	3	3	3										
GRAND TOTAL	1	3.0		3	3	3	3	3	3	3	3	4.7	40	1	1	1	9	12	12	12

PSYCHOGENIC SENSORY DIS (306.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17																				
18-24																				
25-34																				
35-54											1	5.0		5	5	5	5	5	5	5
55-74																				
75 +																				
ALL AGES											2	3.5	5	2	2	3	5	5	5	5
SUBTOTAL											2	3.5	5	2	2	3	5	5	5	5
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES											1	5.0		5	5	5	5	5	5	5
SUBTOTAL											1	5.0		5	5	5	5	5	5	5
GRAND TOTAL											3	4.0	3	2	3	5	5	5	5	5

PSYCHOGENIC DISORDER NEC (306.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	4.0	18	1	1	4	7	7	7	7										
75 +																				
ALL AGES	2	4.0	18	1	1	4	7	7	7	7										
B. FEMALE																				
0-12 YRS.																				
13-17											1	3.0		3	3	3	3	3	3	3
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54																				
55-74																				
75 +	1	18.0		18	18	18	18	18	18	18										
ALL AGES	2	11.0	98	4	4	11	18	18	18	18	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**4**	**7.5**	**55**	**1**	**2**	**5**	**12**	**18**	**18**	**18**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	4.0		4	4	4	4	4	4	4
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	6.0		6	6	6	6	6	6	6										
35-54	1	5.0		5	5	5	5	5	5	5	1	6.0		6	6	6	6	6	6	6
55-74	1	10.0		10	10	10	10	10	10	10										
75 +																				
ALL AGES	3	7.0	7	5	5	6	9	10	10	10	1	6.0		6	6	6	6	6	6	6
SUBTOTAL	**3**	**7.0**	**7**	**5**	**5**	**6**	**9**	**10**	**10**	**10**	**2**	**5.0**	**2**	**4**	**4**	**5**	**6**	**6**	**6**	**6**
GRAND TOTAL	**7**	**7.3**	**30**	**2**	**4**	**6**	**9**	**16**	**18**	**18**	**3**	**4.3**	**3**	**3**	**3**	**4**	**5**	**6**	**6**	**6**

PSYCHOGENIC DISORDER NOS (306.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-17																				
18-24																				
25-34																				
35-54	2	2.0	2	1	1	2	3	3	3	3	1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	3	4.0	13	1	1	3	7	8	8	8	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	2.0		2	2	2	2	2	2	2
55-74	2	2.5	1	2	2	2	3	3	3	3										
75 +																				
ALL AGES	2	2.5	1	2	2	2	3	3	3	3	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**5**	**3.4**	**7**	**1**	**2**	**3**	**4**	**8**	**8**	**8**	**2**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
B. FEMALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24											1	14.0		14	14	14	14	14	14	14
25-34																				
35-54	4	11.3	128	1	1	10	21	23	23	23										
55-74	2	7.5	85	1	1	7	14	14	14	14										
75 +																				
ALL AGES	7	8.9	90	1	1	2	18	22	23	23	1	14.0		14	14	14	14	14	14	14
SUBTOTAL	**8**	**8.4**	**80**	**1**	**1**	**4**	**16**	**22**	**23**	**23**	**1**	**14.0**		**14**	**14**	**14**	**14**	**14**	**14**	**14**
GRAND TOTAL	**13**	**6.5**	**55**	**1**	**2**	**3**	**9**	**20**	**22**	**23**	**3**	**6.0**	**48**	**2**	**2**	**2**	**11**	**14**	**14**	**14**

STAMMERING & STUTTERING (307.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
SUBTOTAL	2	5.0		5	5	5	5	5	5	5										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	10.0		10	10	10	10	10	10	10
75 +																				
ALL AGES											1	10.0		10	10	10	10	10	10	10
SUBTOTAL											1	10.0		10	10	10	10	10	10	10
GRAND TOTAL	2	5.0		5	5	5	5	5	5	5	1	10.0		10	10	10	10	10	10	10

ANOREXIA NERVOSA (307.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	35.5	265	24	24	35	47	47	47	47										
13-17	4	25.3	723	6	9	15	41	65	65	65	3	11.3	105	4	5	7	19	23	23	23
18-24																				
25-34																				
35-54																				
55-74											1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	6	28.7	514	7	12	21	47	63	65	65	4	10.0	77	4	5	6	15	23	23	23
B. FEMALE																				
0-12 YRS.	5	45.6	955	22	24	36	60	98	98	98										
13-17	44	24.6	353	4	10	22	34	46	59	86	16	33.8	638	10	14	30	45	72	90	97
18-24	23	21.1	305	2	6	22	31	43	56	68	6	6.2	32	1	1	5	9	15	16	16
25-34	5	17.4	126	3	8	18	26	31	31	31	2	9.5	61	4	4	9	15	15	15	15
35-54	5	27.6	305	5	15	37	44	94	99 +	99 +	2	21.5	545	5	5	21	38	38	38	38
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	83	24.5	369	4	7	23	35	47	71	99	26	24.6	568	2	5	17	37	55	79	97
SUBTOTAL	**89**	**24.7**	**378**	**4**	**7**	**23**	**36**	**48**	**68**	**99**	**30**	**22.6**	**526**	**3**	**5**	**15**	**32**	**53**	**74**	**97**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	30.5	1741	1	1	30	60	60	60	60	1	73.0		73	73	73	73	73	73	73
18-24																				
25-34	1	61.0		61	61	61	61	61	61	61										
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	4	31.3	1137	1	1	31	60	61	61	61	1	73.0		73	73	73	73	73	73	73
B. FEMALE																				
0-12 YRS.	3	38.7	348	17	33	49	75	99 +	99 +	99 +	1	36.0		36	36	36	36	36	36	36
13-17	18	24.9	270	3	14	23	32	47	58	65	5	23.0	791	4	5	17	71	97	99 +	99 +
18-24	27	26.7	302	4	11	27	37	48	55	64	5	31.2	833	1	5	30	53	71	71	71
25-34	23	27.5	376	7	12	23	42	68	79	99 +	6	26.0	369	4	6	28	35	53	55	55
35-54	9	29.8	410	7	16	24	44	60	70	70	1	12.0		12	12	12	12	12	12	12
55-74	2	9.5	5	8	8	9	11	11	11	11										
75 +	1	23.0		23	23	23	23	23	23	23										
ALL AGES	83	26.8	318	6	12	23	40	52	68	99 +	18	26.4	518	4	6	25	44	71	87	99 +
SUBTOTAL	**87**	**27.0**	**344**	**5**	**12**	**23**	**43**	**58**	**68**	**99 +**	**19**	**28.8**	**607**	**4**	**6**	**27**	**51**	**72**	**86**	**99 +**
GRAND TOTAL	**176**	**25.9**	**357**	**4**	**11**	**23**	**38**	**51**	**68**	**99 +**	**49**	**25.0**	**555**	**4**	**6**	**19**	**37**	**71**	**74**	**99 +**

TICS (307.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY.	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	24.3	1433	2	2	3	52	68	68	68	2	1.5	1	1	1	1	2	2	2	2
13-17	1	14.0		14	14	14	14	14	14	14	1	3.0		3	3	3	3	3	3	3
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	21.8	977	2	2	8	41	68	68	68	3	2.0	1	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	1	6.0		6	6	6	6	6	6	6										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	4.0	8	2	2	4	6	6	6	6										
SUBTOTAL	**6**	**15.8**	**675**	**2**	**2**	**4**	**14**	**63**	**68**	**68**	**3**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	19.3	258	3	7	20	31	35	35	35	1	1.0		1	1	1	1	1	1	1
13-17	3	9.3	53	1	3	13	14	14	14	14										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	6	14.3	155	1	3	13	20	33	35	35	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.	1	16.0		16	16	16	16	16	16	16										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	16.0		16	16	16	16	16	16	16										
SUBTOTAL	**7**	**14.6**	**127**	**1**	**5**	**14**	**19**	**32**	**35**	**35**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**13**	**15.2**	**344**	**1**	**3**	**13**	**17**	**42**	**63**	**68**	**4**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**3**

STEREOTYPED MOVEMENTS (307.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	2	3.0	2	2	2	3	4	4	4	4
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	2	3.0	2	2	2	3	4	4	4	4
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	2	1.0		1	1	1	1	1	1	1	2	3.0	2	2	2	3	4	4	4	4
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	2	1.0		1	1	1	1	1	1	1	2	3.0	2	2	2	3	4	4	4	4

NONORGANIC SLEEP DISORD (307.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	1.5	1	1	1	1	2	2	2	2	1	3.0		3	3	3	3	3	3	3
13-17	1	3.0		3	3	3	3	3	3	3										
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54																				
55-74	1	7.0		7	7	7	7	7	7	7	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	5	3.4	5	1	2	3	5	7	7	7	2	3.5	1	3	3	3	4	4	4	4
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3	3	2.0		2	2	2	2	2	2	2
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3	3	2.0		2	2	2	2	2	2	2
SUBTOTAL	**6**	**3.3**	**5**	**1**	**2**	**3**	**4**	**7**	**7**	**7**	**5**	**2.6**	**1**	**2**	**2**	**2**	**3**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	24.0		24	24	24	24	24	24	24										
35-54																				
55-74																				
75 +																				
ALL AGES	1	24.0		24	24	24	24	24	24	24										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	12.0		12	12	12	12	12	12	12										
35-54																				
55-74																				
75 +																				
ALL AGES	1	12.0		12	12	12	12	12	12	12										
SUBTOTAL	**2**	**18.0**	**72**	**12**	**12**	**18**	**24**	**24**	**24**	**24**										
GRAND TOTAL	**8**	**7.0**	**59**	**1**	**2**	**4**	**9**	**20**	**24**	**24**	**5**	**2.6**	**1**	**2**	**2**	**2**	**3**	**4**	**4**	**4**

EATING DISORDERS NEC/NOS (307.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	12.3	74	3	4	12	18	23	24	24	3	6.0	1	5	5	6	7	7	7	7
13-17	2	12.0	200	2	2	12	22	22	22	22										
18-24	1	31.0		31	31	31	31	31	31	31	2	18.0	512	2	2	18	34	34	34	34
25-34	1	8.0		8	8	8	8	8	8	8										
35-54	2	16.5	313	4	4	16	29	29	29	29										
55-74																				
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	13	13.4	111	3	4	8	22	29	31	31	5	10.8	172	2	4	6	14	34	34	34
B. FEMALE																				
0-12 YRS.	4	25.8	47	18	20	25	31	34	34	34	4	9.8	282	1	1	2	18	35	35	35
13-17	19	17.4	[illegible]	3	6	15	20	38	46	50	4	23.0	181	11	14	19	32	42	42	42
18-24	27	16.9	97	3	7	16	25	29	31	34	9	18.7	85	6	10	20	26	30	32	32
25-34	10	16.2	111	3	6	16	25	29	32	32	1	4.0		4	4	4	4	4	4	4
35-54	7	25.3	180	4	19	29	30	41	44	44										
55-74	1	21.0		21	21	21	21	21	21	21										
75 +	1	7.0		7	7	7	7	7	7	7	1	7.0		7	7	7	7	7	7	7
ALL AGES	69	18.2	127	3	7	18	27	31	35	49	19	16.3	152	2	5	[illegible]	25	34	39	42
SUBTOTAL	**82**	**17.[illegible]**	**128**	**3**	**7**	**17**	**27**	**31**	**34**	**48**	**24**	**15.2**	**152**	**2**	**5**	**11**	**24**	**34**	**37**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	[illegible]	265	4	6	15	31	40	40	40										
13-17	1	2.0		2	2	2	2	2	2	2										
18-24	1	28.0		28	28	28	28	28	28	28	1	5.0		5	5	5	5	5	5	5
25-34	1	19.0		19	19	19	19	19	19	19										
35-54											1	21.0		21	21	21	21	21	21	21
55-74																				
75 +																				
ALL AGES	7	17.6	191	2	5	19	26	38	40	40	2	13.0	128	5	5	13	21	21	21	21
B. FEMALE																				
0-12 YRS.	4	13.5	96	2	6	13	21	25	25	25										
13-17	27	24.9	213	5	11	25	35	45	49	52	9	31.0	165	11	24	32	41	43	43	43
18-24	46	24.5	212	7	15	25	30	41	53	73	17	23.8	262	4	9	23	35	49	53	54
25-34	25	17.2	134	2	7	17	25	32	38	43	12	19.0	161	4	7	17	29	36	41	42
35-54	17	21.9	90	8	14	28	29	30	33	35	3	17.3	158	5	8	17	27	30	30	30
55-74	2	42.5	41	38	38	42	47	47	47	47										
75 +																				
ALL AGES	121	22.7	183	6	12	23	30	40	46	70	41	23.5	211	4	10	25	33	42	47	54
SUBTOTAL	**128**	**22.4**	**184**	**5**	**12**	**22**	**30**	**39**	**45**	**70**	**43**	**23.0**	**210**	**4**	**9**	**23**	**33**	**42**	**46**	**54**
GRAND TOTAL	**210**	**20.4**	**169**	**4**	**10**	**20**	**29**	**35**	**43**	**59**	**67**	**20.2**	**201**	**3**	**6**	**20**	**31**	**40**	**43**	**53**

ENURESIS (307.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	28.0		28	28	28	28	28	28	28										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	28.0		28	28	28	28	28	28	28										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	28.0		28	28	28	28	28	28	28										
GRAND TOTAL	1	28.0		28	28	28	28	28	28	28										

ENCOPRESIS (307.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	3.6	7	1	2	3	5	8	8	8	1	5.0		5	5	5	5	5	5	5
13-17	1	3.0		3	3	3	3	3	3	3										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	6	3.5	6	1	2	3	5	8	8	8	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.	4	21.5	1142	1	4	8	79	99 +	99 +	99 +										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	21.5	1142	1	4	8	79	99 +	99 +	99 +										
SUBTOTAL	10	10.7	470	1	2	4	8	83	99	99 +	1	5.0		5	5	5	5	5	5	5
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	21.0		21	21	21	21	21	21	21	2	6.5	41	2	2	6	11	11	11	11
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	21.0		21	21	21	21	21	21	21	2	6.5	41	2	2	6	11	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	21.0		21	21	21	21	21	21	21	2	6.5	41	2	2	6	11	11	11	11
GRAND TOTAL	11	11.6	434	1	2	4	15	80	97	99 +	3	6.0	21	2	3	5	9	11	11	11

PSYCHALGIA (307.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
13-17											1	4.0		4	4	4	4	4	4	4
18-24	3	8.3	122	1	1	3	16	21	21	21	1	2.0		2	2	2	2	2	2	2
25-34	6	6.2	63	1	2	3	6	20	22	22	1	3.0		3	3	3	3	3	3	3
35-54	3	6.7	32	2	3	5	11	13	13	13	9	3.2	2	1	2	3	4	5	6	6
55-74	4	5.5	8	2	3	5	7	9	9	9	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	18	6.0	41	1	2	3	6	19	22	22	14	3.1	2	2	2	3	4	5	6	6
B. FEMALE																				
0-12 YRS.	6	3.2	2	2	2	3	4	6	6	6										
13-17	2	2.5	1	2	2	2	3	3	3	3	1	3.0		3	3	3	3	3	3	3
18-24	2	1.5	1	1	1	1	2	2	2	2	1	5.0		5	5	5	5	5	5	5
25-34	10	6.7	50	1	3	5	7	18	25	25	12	3.3	5	1	2	3	5	6	7	7
35-54	12	6.4	70	1	2	3	8	18	28	30	22	2.9	2	1	2	3	4	5	6	6
55-74	7	3.7	5	1	2	3	6	7	7	7	8	3.6	5	1	2	3	4	7	8	8
75 +	4	5.8	40	1	1	3	10	15	15	15	2	2.5	5	1	1	2	4	4	4	4
ALL AGES	43	5.1	36	1	2	3	6	12	18	30	46	3.2	3	1	2	3	4	6	6	8
SUBTOTAL	**61**	**5.4**	**37**	**1**	**2**	**3**	**6**	**13**	**21**	**29**	**60**	**3.2**	**2**	**1**	**2**	**3**	**4**	**6**	**6**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17																				
18-24											1	26.0		26	26	26	26	26	26	26
25-34	4	4.0	9	1	1	3	6	8	8	8	2	4.5	5	3	3	4	6	6	6	6
35-54	5	8.8	30	3	4	9	13	16	16	16	2	3.0	8	1	1	2	5	5	5	5
55-74	1	4.0		4	4	4	4	4	4	4	1	3.0		3	3	3	3	3	3	3
75 +	1	10.0		10	10	10	10	10	10	10	1	1.0		1	1	1	1	1	1	1
ALL AGES	12	6.3	22	1	3	4	9	13	16	16	7	6.4	78	1	1	3	6	22	26	26
B. FEMALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-24	4	9.8	78	4	4	6	15	23	23	23	4	3.8	4	1	2	4	5	6	6	6
25-34	6	4.2	17	1	1	2	9	10	10	10	6	4.5	9	1	1	5	7	8	8	8
35-54	15	6.0	33	1	2	3	10	13	19	21	4	7.3	29	2	2	7	12	12	12	12
55-74	7	6.9	11	2	4	7	10	11	11	11	5	4.8		4	4	5	5	5	5	5
75 +	4	3.8		3	3	4	4	5	5	5	1	3.0		3	3	3	3	3	3	3
ALL AGES	36	6.0	28	1	2	4	9	12	19	23	21	4.8	9	1	3	5	6	9	12	12
SUBTOTAL	**48**	**6.1**	**25**	**1**	**3**	**4**	**9**	**12**	**16**	**23**	**28**	**5.2**	**25**	**1**	**2**	**4**	**6**	**11**	**14**	**26**
GRAND TOTAL	**109**	**5.7**	**32**	**1**	**2**	**4**	**7**	**12**	**21**	**27**	**88**	**3.8**	**10**	**1**	**2**	**3**	**5**	**6**	**8**	**21**

SPECIAL SYMPTOM NEC/NOS (307.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17											1	3.0		3	3	3	3	3	3	3
18-24																				
25-34	1	21.0		21	21	21	21	21	21	21										
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +											2	1.5	1	1	1	1	2	2	2	2
ALL AGES	3	8.7	115	1	2	4	17	21	21	21	3	2.0	1	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5	2	1.0		1	1	1	1	1	1	1
13-17																				
18-24	2	2.0	2	1	1	1	3	3	3	3										
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74	2	6.5	41	2	2	6	11	11	11	11	1	2.0		2	2	2	2	2	2	2
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	6	4.2	13	1	2	3	5	10	11	11	4	1.3		1	1	1	2	2	2	2
SUBTOTAL	**9**	**5.7**	**42**	**1**	**2**	**3**	**6**	**17**	**21**	**21**	**7**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	4.5	1	4	4	4	5	5	5	5										
13-17																				
18-24																				
25-34	2	6.0	18	3	3	6	9	9	9	9										
35-54	2	21.0	800	1	1	21	41	41	41	41										
55-74	1	13.0		13	13	13	13	13	13	13	1	9.0		9	9	9	9	9	9	9
75 +	1	36.0		36	36	36	36	36	36	36	3	3.7	2	2	2	4	5	5	5	5
ALL AGES	8	14.0	244	2	3	7	24	39	41	41	4	5.0	9	2	3	4	7	9	9	9
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17																				
18-24	1	6.0		6	6	6	6	6	6	6										
25-34											2	2.0		2	2	2	2	2	2	2
35-54											1	1.0		1	1	1	1	1	1	1
55-74	1	12.0		12	12	12	12	12	12	12	1	2.0		2	2	2	2	2	2	2
75 +	3	7.3	7	5	5	7	9	10	10	10	1	1.0		1	1	1	1	1	1	1
ALL AGES	5	8.0	9	5	6	7	10	12	12	12	6	1.8	1	1	1	2	2	3	3	3
SUBTOTAL	**13**	**11.7**	**154**	**3**	**5**	**7**	**12**	**37**	**40**	**41**	**10**	**3.1**	**6**	**1**	**2**	**2**	**4**	**7**	**9**	**9**
GRAND TOTAL	**22**	**9.2**	**114**	**1**	**3**	**5**	**11**	**25**	**38**	**41**	**17**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**8**	**9**

STRESS REACT, EMOTIONAL (308.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54	8	3.6	6	1	2	3	5	7	8	8	2	2.0	2	1	1	1	3	3	3	3
55-74	1	1.0		1	1	1	1	1	1	1	2	2.0	2	1	1	2	3	3	3	3
75 +																				
ALL AGES	9	3.3	6	1	2	2	5	7	8	8	5	1.8	1	1	1	1	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	2	3.5	13	1	1	3	6	6	6	6	1	1.0		1	1	1	1	1	1	1
18-24	2	3.0	2	2	2	3	4	4	4	4	3	3.0	1	2	2	3	4	4	4	4
25-34	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
35-54	7	2.0	1	1	1	2	3	4	4	4	4	3.3	3	2	2	3	4	6	6	6
55-74	3	3.7	6	1	2	4	5	6	6	6	6	2.2		1	2	2	3	3	3	3
75 +	2	5.5	1	5	5	5	6	6	6	6	1	1.0		1	1	1	1	1	1	1
ALL AGES	17	2.9	4	1	1	2	4	6	6	6	16	2.4	2	1	1	2	3	4	5	6
SUBTOTAL	**26**	**3.1**	**4**	**1**	**1**	**2**	**4**	**6**	**7**	**8**	**21**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	22.0		22	22	22	22	22	22	22										
18-24	1	3.0		3	3	3	3	3	3	3	1	3.0		3	3	3	3	3	3	3
25-34																				
35-54	6	5.3	27	1	2	3	7	14	15	15	1	2.0		2	2	2	2	2	2	2
55-74	3	6.3	31	1	2	6	10	12	12	12										
75 +																				
ALL AGES	11	6.9	45	1	2	4	11	18	22	22	2	2.5	1	2	2	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	2	7.5	13	5	5	7	10	10	10	10										
18-24	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
25-34	8	4.0	2	2	3	4	5	6	7	7	4	2.8	1	2	2	3	3	4	4	4
35-54	5	5.2	16	1	2	6	7	11	11	11	3	2.0	1	1	1	2	3	3	3	3
55-74	2	4.0	2	3	3	4	5	5	5	5	1	5.0		5	5	5	5	5	5	5
75 +	1	2.0		2	2	2	2	2	2	2	1	10.0		10	10	10	10	10	10	10
ALL AGES	19	4.4	8	1	2	4	6	9	11	11	10	3.3	7	1	2	3	4	7	10	10
SUBTOTAL	**30**	**5.3**	**22**	**1**	**2**	**4**	**6**	**11**	**15**	**22**	**12**	**3.2**	**6**	**1**	**2**	**3**	**4**	**6**	**9**	**10**
GRAND TOTAL	**56**	**4.3**	**15**	**1**	**2**	**3**	**6**	**8**	**12**	**22**	**33**	**2.6**	**3**	**1**	**1**	**2**	**3**	**4**	**6**	**10**

STRESS REACTION, FUGUE (308.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES											1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**

STRESS REACT, PSYCHOMOT (308.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES											1	1.0		1	1	1	1	1	1	1
SUBTOTAL											1	1.0		1	1	1	1	1	1	1
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	8.0		8	8	8	8	8	8	8										
35-54	1	4.0		4	4	4	4	4	4	4										
55-74																				
75 +																				
ALL AGES	2	6.0	8	4	4	6	8	8	8	8										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
SUBTOTAL	3	5.3	6	4	4	4	7	8	8	8										
GRAND TOTAL	3	5.3	6	4	4	4	7	8	8	8	1	1.0		1	1	1	1	1	1	1

ACUTE STRESS REACT NEC (308.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	26.0	777	8	8	14	43	67	67	67										
13-17	2	8.5	61	3	3	8	14	14	14	14										
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	3	7.0	4	5	5	7	8	9	9	9	1	1.0		1	1	1	1	1	1	1
55-74	1	14.0		14	14	14	14	14	14	14	2	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	12	13.3	316	1	4	8	14	34	62	67	3	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17	7	13.6	256	2	4	7	18	42	47	47	1	4.0		4	4	4	4	4	4	4
18-24	9	6.0	35	1	2	3	12	15	15	15										
25-34	7	15.4	199	2	5	12	26	37	39	39	1	20.0		20	20	20	20	20	20	20
35-54	7	15.1	179	2	6	11	20	37	41	41	1	2.0		2	2	2	2	2	2	2
55-74	2	7.5	61	2	2	7	13	13	13	13										
75 +	2	3.5	5	2	2	3	5	5	5	5	1	2.0		2	2	2	2	2	2	2
ALL AGES	34	11.3	146	1	2	7	15	31	41	47	4	7.0	76	2	2	3	12	20	20	20
SUBTOTAL	**46**	**11.8**	**186**	**1**	**3**	**8**	**15**	**29**	**42**	**67**	**7**	**4.4**	**49**	**1**	**1**	**2**	**4**	**17**	**20**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	11	32.6	670	5	15	24	49	76	77	77										
13-17	2	12.0	50	7	7	12	17	17	17	17										
18-24	3	8.3	3	7	7	8	9	10	10	10										
25-34	6	10.7	87	1	3	9	14	26	27	27										
35-54	7	7.7	20	2	5	7	11	13	14	14	2	9.0	32	5	5	9	13	13	13	13
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	30	17.6	390	3	5	11	23	46	76	77	2	9.0	32	5	7	13	78	99 +	99 +	99 +
B. FEMALE																				
0-12 YRS.	3	31.7	111	20	23	34	39	41	41	41										
13-17	5	16.0	409	4	7	8	52	95	99 +	99 +	1	2.0		2	2	2	2	2	2	2
18-24	4	20.3	501	1	2	15	37	50	50	50										
25-34	13	10.4	128	1	3	5	16	28	36	38	2	3.5	5	2	2	3	5	5	5	5
35-54	15	11.4	181	1	2	5	14	31	42	46	3	13.3	388	1	1	3	28	36	36	36
55-74	8	10.6	151	1	2	6	18	31	32	32	2	4.0	2	3	3	4	5	5	5	5
75 +	1	3.0		3	3	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4
ALL AGES	49	13.3	209	1	3	7	25	39	50	99 +	9	6.8	122	1	2	3	5	24	36	36
SUBTOTAL	**79**	**14.9**	**279**	**1**	**4**	**8**	**23**	**41**	**52**	**93**	**11**	**7.2**	**101**	**2**	**2**	**4**	**9**	**55**	**94**	**99 +**
GRAND TOTAL	**125**	**13.8**	**244**	**1**	**3**	**8**	**17**	**39**	**50**	**82**	**18**	**6.1**	**79**	**1**	**2**	**3**	**5**	**30**	**71**	**99 +**

STRESS REACT, MIXED DIS (308.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	2	1.5	1	1	1	1	2	2	2	2	1	1.0		1	1	1	1	1	1	1
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	4.0		4	4	4	4	4	4	4
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	1	3.0		3	3	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	3	2.0	1	1	1	2	3	3	3	3	2	2.5	5	1	1	2	4	4	4	4

ACUTE STRESS REACT NOS (308.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	27.0		27	27	27	27	27	27	27	1	3.0		3	3	3	3	3	3	3
13-17	1	6.0		6	6	6	6	6	6	6										
18-24	1	6.0		6	6	6	6	6	6	6										
25-34	4	3.5	19	1	1	1	6	10	10	10	1	2.0		2	2	2	2	2	2	2
35-54	4	4.3	10	2	2	3	6	9	9	9	4	2.3	1	1	1	2	3	4	4	4
55-74																				
75 +																				
ALL AGES	11	6.4	56	1	2	3	8	17	26	27	6	2.3	1	1	2	2	3	4	4	4
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	5	4.4	8	2	3	3	6	9	9	9										
18-24	4	3.0	11	1	1	2	5	8	8	8	1	3.0		3	3	3	3	3	3	3
25-34	6	5.8	7	4	4	5	6	10	11	11										
35-54	4	2.8	1	1	2	3	4	4	4	4	2	1.0		1	1	1	1	1	1	1
55-74	1	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	21	4.1	7	1	2	3	5	8	10	11	4	1.8	1	1	1	2	2	3	3	3
SUBTOTAL	**32**	**4.9**	**24**	**1**	**2**	**3**	**6**	**9**	**11**	**27**	**10**	**2.1**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24	1	4.0		4	4	4	4	4	4	4										
25-34	2	5.5	1	5	5	5	6	6	6	6	1	10.0		10	10	10	10	10	10	10
35-54	4	2.8	1	2	2	3	3	4	4	4	1	3.0		3	3	3	3	3	3	3
55-74											1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	8	3.8	1	2	3	4	5	6	6	6	3	5.7	14	3	3	4	8	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17	1	10.0		10	10	10	10	10	10	10										
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	5	3.0	5	1	1	3	4	6	6	6										
35-54	8	4.6	5	2	3	5	6	7	7	7										
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	16	4.2	7	1	2	4	6	7	9	10										
SUBTOTAL	**24**	**4.0**	**5**	**1**	**2**	**4**	**6**	**7**	**8**	**10**	**3**	**5.7**	**14**	**3**	**3**	**4**	**8**	**10**	**10**	**10**
GRAND TOTAL	**56**	**4.5**	**16**	**1**	**2**	**4**	**6**	**9**	**10**	**26**	**13**	**2.9**	**6**	**1**	**2**	**2**	**3**	**5**	**9**	**10**

BRIEF DEPRESSIVE REACT (309.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	11	17.9	188	2	6	15	27	36	46	47	1	1.0		1	1	1	1	1	1	1
13-17	51	10.1	92	1	3	6	15	23	32	42	2	11.0	98	4	4	11	18	18	18	18
18-24	116	5.3	43	1	1	3	7	11	16	35	6	4.2	7	2	2	3	5	9	9	9
25-34	111	5.9	30	1	3	5	7	12	15	29	5	5.8	6	3	4	6	7	9	9	9
35-54	119	6.7	44	2	2	5	9	13	15	42	10	4.2	13	1	1	3	6	10	12	12
55-74	19	4.6	10	2	3	4	6	9	12	14	3	2.7	4	1	1	2	4	5	5	5
75 +	15	11.6	61	1	7	10	16	25	26	26	2	12.0	32	8	8	12	16	16	16	16
ALL AGES	442	6.9	53	1	2	5	9	15	21	40	29	5.2	19	1	2	4	7	11	16	18
B. FEMALE																				
0-12 YRS.	14	12.6	159	3	4	7	15	29	43	47	1	13.0		13	13	13	13	13	13	13
13-17	141	10.2	83	2	4	7	14	25	30	38	10	14.6	318	2	4	6	15	47	51	51
18-24	154	5.5	29	1	2	4	7	11	15	22	7	3.3	4	1	2	3	4	6	7	7
25-34	161	6.2	32	1	2	4	8	14	18	27	11	2.8	3	1	2	3	3	5	7	7
35-54	170	6.2	46	1	2	5	8	13	16	23	20	4.2	21	1	2	3	4	7	15	22
55-74	30	8.9	52	1	3	7	13	19	23	31	5	5.4	13	2	3	4	8	11	11	11
75 +	16	10.0	48	4	6	8	10	19	28	31										
ALL AGES	686	7.2	53	1	3	5	9	15	22	34	54	6.0	83	1	2	3	5	11	21	51
SUBTOTAL	**1128**	**7.1**	**53**	**1**	**2**	**5**	**9**	**15**	**21**	**37**	**83**	**5.7**	**60**	**1**	**2**	**3**	**6**	**11**	**17**	**49**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	9	13.3	168	3	4	5	22	33	41	41										
13-17	59	15.9	401	2	4	9	21	32	66	94										
18-24	146	9.9	104	2	3	7	13	22	29	83	7	12.0	138	2	3	5	19	30	33	33
25-34	189	6.9	29	2	3	6	9	14	18	26	3	5.3	5	3	4	6	7	7	7	7
35-54	155	7.4	33	2	3	6	10	17	20	25	10	8.3	85	1	1	5	10	23	30	30
55-74	21	9.7	31	3	6	8	13	15	20	26	2	5.0	2	4	4	5	6	6	6	6
75 +	10	13.0	68	4	8	10	19	25	31	31										
ALL AGES	589	9.0	95	2	3	6	11	19	24	42	22	8.8	83	1	2	5	10	23	31	33
B. FEMALE																				
0-12 YRS.	5	23.8	332	6	7	26	35	50	50	50										
13-17	132	14.6	199	2	4	9	23	36	43	75	3	21.3	618	1	3	14	40	49	49	49
18-24	165	8.1	81	2	3	6	10	15	24	33	4	6.8	19	2	3	7	10	11	11	11
25-34	202	7.5	42	2	3	5	10	15	19	33	10	5.5	19	2	3	4	6	12	17	17
35-54	181	8.4	51	2	4	6	11	17	25	35	10	5.3	22	2	2	3	7	13	14	14
55-74	34	13.2	78	4	5	11	19	24	31	37	1	8.0		8	8	8	8	8	8	8
75 +	16	17.5	250	6	9	11	21	32	58	69	1	5.0		5	5	5	5	5	5	5
ALL AGES	735	9.7	98	2	4	7	12	22	31	47	29	7.3	83	2	2	4	8	14	19	49
SUBTOTAL	**1324**	**9.4**	**97**	**2**	**3**	**7**	**12**	**21**	**29**	**44**	**51**	**7.9**	**83**	**2**	**2**	**5**	**10**	**17**	**29**	**49**
GRAND TOTAL	**2452**	**8.3**	**78**	**1**	**3**	**6**	**10**	**18**	**25**	**42**	**134**	**6.6**	**68**	**1**	**2**	**4**	**7**	**14**	**20**	**49**

PROLONG DEPRESSIVE REACT (309.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	2.7	2	1	1	3	4	4	4	4										
18-24	4	10.5	15	5	8	11	13	14	14	14										
25-34	7	6.9	38	2	2	3	12	16	17	17										
35-54	7	4.3	2	3	3	4	5	7	7	7	1	10.0		10	10	10	10	10	10	10
55-74	2	8.0	50	3	3	8	13	13	13	13	1	3.0		3	3	3	3	3	3	3
75 +	4	19.5	58	12	13	18	25	29	29	29										
ALL AGES	27	8.2	49	2	3	5	13	17	23	29	2	6.5	25	3	3	6	10	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17	5	9.4	32	4	6	8	11	19	19	19										
18-24	6	7.2	38	1	2	5	13	16	16	16										
25-34	11	4.8	10	2	2	4	7	10	10	10										
35-54	7	13.4	73	5	6	9	22	23	23	23										
55-74	5	6.4	69	1	2	3	9	21	21	21	1	4.0		4	4	4	4	4	4	4
75 +	4	15.0	59	4	10	17	20	22	22	22	1	7.0		7	7	7	7	7	7	7
ALL AGES	38	8.7	49	2	3	6	13	21	22	23	2	5.5	5	4	4	5	7	7	7	7
SUBTOTAL	**65**	**8.5**	**48**	**2**	**3**	**5**	**13**	**21**	**22**	**28**	**4**	**6.0**	**10**	**3**	**3**	**5**	**8**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	18.0	32	14	14	18	22	22	22	22										
13-17	6	15.3	253	1	1	13	19	41	44	44										
18-24	2	14.0		14	14	14	14	14	14	14										
25-34	9	10.7	90	2	4	7	17	26	29	29										
35-54	6	8.2	28	2	2	9	13	14	14	14	1	16.0		16	16	16	16	16	16	16
55-74	3	22.3	33	17	18	22	26	28	28	28										
75 +	3	21.0	36	15	16	21	25	27	27	27	1	2.0		2	2	2	2	2	2	2
ALL AGES	31	13.9	100	1	5	14	20	27	29	44	2	9.0	98	2	2	9	16	16	16	16
B. FEMALE																				
0-12 YRS.	1	24.0		24	24	24	24	24	24	24										
13-17	7	11.6	28	4	8	12	14	19	20	20										
18-24	9	7.0	29	3	3	5	10	16	19	19	1	1.0		1	1	1	1	1	1	1
25-34	11	14.3	345	1	2	6	16	50	51	51										
35-54	8	9.3	28	2	5	10	11	17	19	19										
55-74	2	25.0		25	25	25	25	25	25	25										
75 +	7	21.9	97	11	15	21	25	38	41	41										
ALL AGES	45	13.4	138	3	4	10	19	25	43	51	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**76**	**13.6**	**121**	**2**	**4**	**12**	**19**	**25**	**37**	**51**	**3**	**6.3**	**71**	**1**	**1**	**2**	**12**	**16**	**16**	**16**
GRAND TOTAL	**141**	**11.2**	**94**	**2**	**3**	**9**	**16**	**23**	**27**	**50**	**7**	**6.1**	**29**	**1**	**2**	**4**	**9**	**15**	**16**	**16**

ADJUST REACT/OTH EMOTION (309.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	7	14.9	85	7	8	14	16	31	34	34	6	14.2	120	2	3	13	25	28	28	28
13-17	23	11.7	102	3	5	8	16	31	61	99 +	7	29.1	261	6	21	29	41	50	51	51
18-24	61	9.6	215	1	2	4	8	35	47	64	4	4.5	10	1	2	4	7	8	8	8
25-34	58	6.5	71	1	2	4	8	15	17	53	5	14.8	127	3	7	10	25	30	30	30
35-54	59	6.4	19	1	3	6	9	14	15	16	2	4.0		4	4	4	4	4	4	4
55-74	18	8.6	53	2	4	7	10	17	27	32	3	4.0	7	2	2	3	6	7	7	7
75 +	4	12.8	60	1	8	16	17	17	17	17	2	9.0		9	9	9	9	9	9	9
ALL AGES	230	8.3	102	1	2	6	10	16	32	61	29	14.4	188	2	3	9	25	32	44	51
B. FEMALE																				
0-12 YRS.	9	14.2	237	2	3	6	30	37	39	39										
13-17	54	12.1	77	3	6	9	16	26	29	42	3	21.7	559	7	7	9	39	49	49	49
18-24	51	6.5	47	1	2	4	9	15	22	32	8	8.4	132	1	1	2	15	28	30	30
25-34	60	6.8	40	1	2	5	8	15	17	33	5	9.2	135	1	2	4	15	29	29	29
35-54	84	7.0	30	2	3	6	9	14	16	28	11	11.5	132	1	3	5	24	28	29	29
55-74	28	10.2	58	2	4	8	16	19	27	27	4	9.8	181	3	3	3	17	30	30	30
75 +	12	11.5	69	3	6	8	19	25	26	26	2	2.5	1	2	2	2	3	3	3	3
ALL AGES	298	8.5	58	2	3	6	11	18	26	35	33	10.6	156	1	2	4	18	29	30	49
SUBTOTAL	**528**	**8.4**	**77**	**1**	**3**	**6**	**11**	**18**	**27**	**46**	**62**	**12.4**	**171**	**1**	**3**	**7**	**23**	**30**	**37**	**51**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	6	14.3	143	4	5	11	20	33	35	35	2	15.5	365	2	2	15	29	29	29	29
13-17	29	10.5	61	3	5	9	15	24	32	99 +	2	18.0	162	9	9	18	27	27	27	27
18-24	79	10.1	223	2	3	6	12	23	62	99 +										
25-34	76	6.9	49	2	4	6	9	13	16	22	2	8.0	72	2	2	8	14	14	14	14
35-54	77	8.1	33	2	4	6	11	17	21	24	4	5.3	10	2	2	5	8	9	9	9
55-74	11	9.2	32	2	5	9	11	18	21	21										
75 +	3	30.3	527	12	15	23	48	56	56	56										
ALL AGES	281	9.0	97	2	4	7	11	18	24	99	10	10.4	102	2	2	8	14	28	29	29
B. FEMALE																				
0-12 YRS.	8	18.3	81	8	12	18	22	32	36	36	1	19.0		19	19	19	19	19	19	19
13-17	46	17.1	176	3	7	12	27	34	45	57	1	26.0		26	26	26	26	26	26	26
18-24	63	7.7	57	2	3	6	10	15	22	43	5	9.8	130	3	4	5	13	30	30	30
25-34	85	9.1	58	1	3	7	13	20	22	38										
35-54	97	8.0	54	2	3	6	9	18	24	35	6	4.8	7	2	3	4	6	9	9	9
55-74	34	11.6	39	4	6	10	17	21	21	25	2	18.0	18	15	15	18	21	21	21	21
75 +	10	16.5	81	5	8	17	25	28	30	30	1	24.0		24	24	24	24	24	24	24
ALL AGES	343	10.3	82	2	4	7	14	22	29	44	16	11.4	92	3	4	7	20	26	29	30
SUBTOTAL	**624**	**9.7**	**89**	**2**	**4**	**7**	**13**	**21**	**29**	**56**	**26**	**11.0**	**92**	**2**	**3**	**7**	**19**	**27**	**29**	**30**
GRAND TOTAL	**1152**	**9.1**	**84**	**2**	**3**	**7**	**12**	**20**	**28**	**53**	**88**	**12.0**	**147**	**2**	**3**	**7**	**22**	**29**	**31**	**50**

ADJUST REACT-CONDUCT DIS (309.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	18.8	416	1	5	10	31	52	52	52										
13-17	14	14.1	135	4	5	9	20	33	38	40	2	3.5	5	2	2	3	5	5	5	5
18-24	6	7.7	26	1	4	7	11	15	15	15										
25-34	3	9.7	55	2	4	10	15	17	17	17										
35-54	2	9.0	50	4	4	9	14	14	14	14										
55-74	2	3.5	5	2	2	3	5	5	5	5										
75 +																				
ALL AGES	32	12.3	137	2	4	9	16	27	39	52	2	3.5	5	2	2	3	5	5	5	5
B. FEMALE																				
0-12 YRS.	5	6.2	23	2	3	5	9	14	14	14										
13-17	14	9.9	85	2	3	6	15	28	29	29	2	20.0	8	18	18	20	22	22	22	22
18-24	3	10.0	36	4	5	10	14	16	16	16										
25-34	3	5.3	3	4	4	5	6	7	7	7										
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	26	8.3	57	2	3	5	13	16	28	29	2	20.0	8	18	18	20	22	22	22	22
SUBTOTAL	**58**	**10.5**	**104**	**2**	**4**	**7**	**15**	**25**	**31**	**51**	**4**	**11.8**	**93**	**2**	**3**	**11**	**20**	**22**	**22**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	13.3	6	11	11	13	15	17	17	17										
13-17	11	10.7	80	2	5	9	13	27	27	27										
18-24	10	5.1	24	1	1	3	8	13	14	14										
25-34	7	7.0	34	1	2	6	9	16	18	18										
35-54	3	6.3	10	3	4	7	8	9	9	9										
55-74																				
75 +																				
ALL AGES	35	8.3	45	1	3	7	12	17	25	27										
B. FEMALE																				
0-12 YRS.																				
13-17	5	17.0	79	5	12	15	24	28	28	28										
18-24	2	11.5	113	4	4	11	19	19	19	19										
25-34	2	24.0	32	20	20	24	28	28	28	28										
35-54	3	8.0	75	3	3	3	14	18	18	18										
55-74																				
75 +																				
ALL AGES	12	15.0	87	3	4	16	21	28	28	28										
SUBTOTAL	**47**	**10.6**	**63**	**1**	**3**	**8**	**14**	**22**	**27**	**28**										
GRAND TOTAL	**105**	**10.3**	**85**	**2**	**4**	**7**	**14**	**24**	**28**	**45**	**4**	**11.8**	**93**	**2**	**3**	**11**	**20**	**22**	**22**	**22**

ADJ REACT-EMOTION/CONDUC (309.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	13	15.2	155	4	6	9	25	37	38	38	2	39.5	181	30	30	39	49	49	49	49
13-17	35	14.0	145	2	6	10	22	28	39	52	5	14.2	97	2	8	11	22	27	27	27
18-24	20	5.3	13	1	3	4	6	11	14	16	1	3.0		3	3	3	3	3	3	3
25-34	25	7.6	157	1	2	4	6	33	66	99 +										
35-54	33	7.1	54	2	4	6	8	12	15	43										
55-74	8	16.1	70	8	9	14	23	28	29	29										
75 +	2	19.0	8	17	17	19	21	21	21	21										
ALL AGES	136	10.2	113	2	3	6	13	26	36	63	8	19.1	255	2	6	16	28	43	49	49
B. FEMALE																				
0-12 YRS.	10	10.3	86	4	5	6	8	27	31	31	1	28.0		28	28	28	28	28	28	28
13-17	54	12.4	180	2	4	8	16	29	34	80	4	28.3	311	2	17	35	39	40	40	40
18-24	33	6.3	26	1	2	5	10	14	15	18	2	3.0	2	2	2	3	4	4	4	4
25-34	18	8.7	102	2	4	5	9	17	35	45	1	1.0		1	1	1	1	1	1	1
35-54	21	7.2	68	1	2	3	13	18	25	32	1	4.0		4	4	4	4	4	4	4
55-74	6	11.2	47	4	7	9	15	22	23	23										
75 +	4	23.5	126	7	17	27	30	32	32	32										
ALL AGES	146	9.9	115	2	3	6	14	24	31	46	9	16.9	298	1	2	4	34	39	40	40
SUBTOTAL	**282**	**10.0**	**114**	**2**	**3**	**6**	**14**	**25**	**33**	**55**	**17**	**17.9**	**264**	**2**	**3**	**11**	**31**	**40**	**40**	**49**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	10	17.0	164	3	6	16	27	34	41	41	1	82.0		82	82	82	82	82	82	82
13-17	31	12.3	128	2	4	9	18	31	38	40	3	3.7	1	3	3	3	5	5	5	5
18-24	49	10.9	134	2	4	7	12	27	35	60										
25-34	54	7.5	45	2	3	5	10	16	26	29	2	3.0		3	3	3	3	3	3	3
35-54	37	7.6	36	2	3	6	10	18	21	22	2	7.0	18	4	4	7	10	10	10	10
55-74	5	5.8	23	1	1	7	9	12	12	12										
75 +	3	7.7	9	5	5	7	10	11	11	11										
ALL AGES	189	9.6	91	2	3	7	12	22	28	42	8	14.1	759	3	3	4	7	60	82	82
B. FEMALE																				
0-12 YRS.	5	10.8	12	8	8	9	14	15	15	15										
13-17	73	10.5	83	2	5	8	12	22	25	49	1	9.0		9	9	9	9	9	9	9
18-24	40	9.0	83	1	2	7	11	24	31	34	1	5.0		5	5	5	5	5	5	5
25-34	31	7.3	39	1	2	6	11	17	26	99 +	3	13.3	83	4	6	14	20	22	22	22
35-54	37	8.3	96	2	3	4	10	17	34	45	3	4.7	10	1	2	6	7	7	7	7
55-74	3	14.7	408	2	2	4	29	38	38	38										
75 +	3	13.7	99	4	6	13	21	24	24	24										
ALL AGES	192	9.4	80	1	3	7	12	22	28	48	8	8.5	44	2	4	6	11	20	22	22
SUBTOTAL	**381**	**9.5**	**85**	**2**	**3**	**7**	**12**	**22**	**29**	**44**	**16**	**11.3**	**383**	**3**	**3**	**5**	**9**	**21**	**64**	**82**
GRAND TOTAL	**663**	**9.7**	**98**	**2**	**3**	**7**	**12**	**23**	**30**	**50**	**33**	**14.7**	**323**	**2**	**3**	**6**	**23**	**38**	**48**	**82**

OTHER ADJUST REACTION (309.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	10	19.7	311	3	7	14	29	49	54	54										
13-17	5	8.0	1	7	7	8	8	9	9	9	1	2.0		2	2	2	2	2	2	2
18-24	6	7.2	77	1	1	4	8	22	24	24										
25-34	1	8.0		8	8	8	8	8	8	8										
35-54	5	16.6	51	10	12	21	23	28	28	28	1	25.0		25	25	25	25	25	25	25
55-74											1	10.0		10	10	10	10	10	10	10
75 +																				
ALL AGES	27	14.1	166	1	7	8	21	29	45	54	3	12.3	138	2	4	10	21	25	25	25
B. FEMALE																				
0-12 YRS.	8	13.4	154	3	6	9	16	35	41	41	1	3.0		3	3	51	99 +	99 +	99 +	99 +
13-17	14	6.9	52	1	2	5	9	22	23	23										
18-24	3	3.3	7	1	1	3	5	6	6	6										
25-34	7	10.3	29	5	6	9	13	19	20	20										
35-54	7	11.1	34	4	7	10	16	19	19	19	2	15.5	313	3	3	15	28	28	28	28
55-74																				
75 +																				
ALL AGES	39	9.3	66	2	3	7	12	21	23	41	3	11.3	209	3	3	16	64	99 +	99 +	99 +
SUBTOTAL	**66**	**11.3**	**110**	**2**	**5**	**8**	**14**	**23**	**31**	**52**	**6**	**11.8**	**139**	**2**	**3**	**10**	**27**	**86**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	40.3	2006	14	14	15	73	92	92	92										
13-17	7	21.1	250	4	6	25	33	41	43	43										
18-24	8	10.5	95	2	5	6	15	27	30	30	1	1.0		1	1	1	1	1	1	1
25-34	15	8.9	57	1	2	9	14	22	23	24										
35-54	19	10.4	54	2	4	8	16	21	23	24										
55-74	2	9.5	25	6	6	9	13	13	13	13										
75 +																				
ALL AGES	54	13.0	210	1	5	9	16	25	33	90	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.	5	21.2	258	2	7	23	33	42	42	42										
13-17	15	12.5	126	2	5	8	16	28	38	42										
18-24	14	18.1	577	2	3	11	23	42	82	93	1	1.0		1	1	1	1	1	1	1
25-34	24	15.6	254	3	5	10	20	30	60	64										
35-54	14	15.9	181	3	6	16	28	42	85	99 +										
55-74											1	2.0		2	2	2	2	2	2	2
75 +	1	52.0		52	52	52	52	52	52	52										
ALL AGES	73	16.4	279	2	5	11	23	42	57	98	2	1.5	1	1	1	1	2	2	2	2
SUBTOTAL	**127**	**14.9**	**253**	**2**	**5**	**10**	**20**	**33**	**44**	**95**	**3**	**1.3**		**1**	**1**	**1**	**2**	**2**	**2**	**2**
GRAND TOTAL	**193**	**13.7**	**205**	**2**	**5**	**9**	**19**	**30**	**42**	**93**	**9**	**8.3**	**115**	**1**	**2**	**3**	**25**	**64**	**99 +**	**99 +**

ADJUSTMENT REACTION NOS (309.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	3.3	15	1	1	2	3	10	11	11	1	5.0		5	5	5	5	5	5	5
13-17	9	8.9	66	1	2	7	15	22	22	22	1	5.0		5	5	5	5	5	5	5
18-24	9	5.1	17	1	1	6	6	11	14	14	4	2.5	2	1	1	2	3	4	4	4
25-34	6	2.5	4	1	1	2	3	6	6	6	1	1.0		1	1	1	1	1	1	1
35-54	8	6.5	32	1	2	6	10	15	17	17	2	1.0		1	1	1	1	1	1	1
55-74	3	8.3	5	6	7	9	10	10	10	10										
75 +	2	10.0	8	8	8	10	12	12	12	12										
ALL AGES	43	6.0	30	1	2	4	9	13	18	22	9	2.6	3	1	1	2	4	5	5	5
B. FEMALE																				
0-12 YRS.	5	8.0	79	1	1	2	16	20	20	20	1	10.0		10	10	10	10	10	10	10
13-17	27	6.9	72	1	1	4	8	22	27	33	4	2.0	4	1	1	1	3	5	5	5
18-24	22	4.1	19	1	1	2	6	10	15	18	7	2.3	2	1	1	2	4	4	4	4
25-34	6	1.8	2	1	1	1	3	4	4	4	5	3.8	6	1	2	4	5	7	7	7
35-54	6	2.2	2	1	1	2	3	4	4	4	2	5.0	32	1	1	5	9	9	9	9
55-74	2	5.0	2	4	4	5	6	6	6	6	1	1.0		1	1	1	1	1	1	1
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	69	5.1	43	1	1	2	6	14	20	32	20	3.2	8	1	1	2	5	8	9	10
SUBTOTAL	**112**	**5.5**	**37**	**1**	**1**	**3**	**7**	**14**	**20**	**29**	**29**	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**9**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	5.8	11	1	3	6	8	9	9	9										
13-17	12	11.5	281	2	3	5	10	39	55	58										
18-24	22	7.0	60	1	2	4	8	19	25	32	1	7.0		7	7	7	7	7	7	7
25-34	18	9.7	76	2	3	8	12	19	30	37	2	7.5	61	2	2	7	13	13	13	13
35-54	21	6.9	62	1	2	4	8	19	27	29	2	3.0	8	1	1	3	5	5	5	5
55-74	5	7.4	40	1	1	6	14	14	14	14	1	8.0		8	8	8	8	8	8	8
75 +																				
ALL AGES	82	8.2	90	1	2	5	10	19	30	51	6	6.0	19	1	2	6	8	12	13	13
B. FEMALE																				
0-12 YRS.	3	3.3	5	1	2	4	5	5	5	5										
13-17	19	12.4	223	1	2	4	22	41	45	45	1	6.0		6	6	6	6	6	6	6
18-24	23	8.7	75	1	2	4	16	21	25	29	3	3.0	7	1	1	2	5	6	6	6
25-34	15	4.3	5	2	2	4	6	7	8	8	3	5.7	14	3	3	4	8	10	10	10
35-54	17	6.4	30	1	3	5	8	17	19	19	5	4.4	8	2	3	3	6	9	9	9
55-74	5	12.0	52	5	6	10	19	21	21	21	1	2.0		2	2	2	2	2	2	2
75 +	2	9.0	2	8	8	9	10	10	10	10										
ALL AGES	84	8.3	87	1	2	5	10	21	26	45	13	4.3	8	2	2	3	6	9	10	10
SUBTOTAL	**166**	**8.2**	**89**	**1**	**2**	**5**	**10**	**19**	**29**	**45**	**19**	**4.8**	**12**	**1**	**2**	**4**	**7**	**10**	**12**	**13**
GRAND TOTAL	**278**	**7.1**	**70**	**1**	**2**	**4**	**9**	**18**	**24**	**42**	**48**	**3.7**	**9**	**1**	**1**	**3**	**5**	**9**	**10**	**13**

FRONTAL LOBE SYNDROME (310.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	11.0	98	4	4	11	18	18	18	18										
55-74	2	20.0	18	17	17	20	23	23	23	23										
75 +																				
ALL AGES	4	15.5	66	4	10	17	20	23	23	23										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	17.0		17	17	17	17	17	17	17										
75 +																				
ALL AGES	1	17.0		17	17	17	17	17	17	17										
SUBTOTAL	**5**	**15.8**	**50**	**4**	**14**	**17**	**19**	**23**	**23**	**23**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	19.0		19	19	19	19	19	19	19										
18-24																				
25-34																				
35-54	1	17.0		17	17	17	17	17	17	17										
55-74	1	10.0		10	10	10	10	10	10	10										
75 +																				
ALL AGES	3	15.3	24	10	12	17	18	19	19	19										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**3**	**15.3**	**24**	**10**	**12**	**17**	**18**	**19**	**19**	**19**										
GRAND TOTAL	**8**	**15.6**	**36**	**6**	**13**	**17**	**18**	**22**	**23**	**23**										

ORGANIC PERSONALITY SYND (310.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4	3	26.3	509	10	12	17	43	52	52	52
13-17	1	21.0		21	21	21	21	21	21	21	2	32.0	392	18	18	32	46	46	46	46
18-24	3	22.7	730	1	4	14	43	53	53	53										
25-34																				
35-54	6	15.5	169	6	7	10	20	38	40	40										
55-74	15	13.0	41	3	8	14	18	19	24	26										
75 +	5	10.4	76	3	4	8	14	25	25	25										
ALL AGES	31	14.0	121	3	7	11	18	25	39	53	5	28.6	361	10	15	18	47	52	52	52
B. FEMALE																				
0-12 YRS.	1	28.0		28	28	28	28	28	28	28										
13-17																				
18-24	1	50.0		50	50	50	50	50	50	50										
25-34	2	20.5	113	13	13	20	28	28	28	28										
35-54	6	10.7	37	4	5	11	12	20	21	21	1	19.0		19	19	19	19	19	19	19
55-74	11	17.5	80	8	15	16	20	29	39	40										
75 +	13	15.7	179	2	5	14	24	37	43	44	1	6.0		6	6	6	6	6	6	6
ALL AGES	34	17.0	145	4	8	15	22	35	43	50	2	12.5	85	6	6	12	19	19	19	19
SUBTOTAL	**65**	**15.6**	**133**	**3**	**7**	**14**	**20**	**28**	**41**	**53**	**7**	**24.0**	**316**	**7**	**12**	**18**	**39**	**51**	**52**	**52**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14	1	27.0		27	27	27	27	27	27	27
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	6	18.7	82	10	13	16	20	34	36	36										
25-34	5	17.8	29	14	14	16	20	27	27	27										
35-54	6	11.5	62	3	3	12	14	23	24	24	2	22.0	338	9	9	22	35	35	35	35
55-74	2	21.5	113	14	14	21	29	29	29	29										
75 +	5	19.4	189	8	9	17	26	42	42	42	1	19.0		19	19	19	19	19	19	19
ALL AGES	26	16.3	91	4	12	14	20	29	37	42	4	22.5	124	9	14	23	31	35	35	35
B. FEMALE																				
0-12 YRS.	1	27.0		27	27	27	27	27	27	27										
13-17	1	26.0		26	26	26	26	26	26	26										
18-24	2	13.5	113	6	6	13	21	21	21	21										
25-34	2	22.0	8	20	20	22	24	24	24	24	1	9.0		9	9	9	9	9	9	9
35-54	2	13.0	50	8	8	13	18	18	18	18	1	7.0		7	7	7	7	7	7	7
55-74	7	25.0	441	3	10	15	46	53	54	54	1	29.0		29	29	29	29	29	29	29
75 +	5	11.2	23	7	7	10	15	18	18	18										
ALL AGES	20	19.1	194	6	8	16	25	42	52	54	3	15.0	148	7	7	9	24	29	29	29
SUBTOTAL	**46**	**17.5**	**135**	**6**	**10**	**15**	**21**	**33**	**44**	**54**	**7**	**19.3**	**127**	**7**	**9**	**19**	**28**	**34**	**35**	**35**
GRAND TOTAL	**111**	**16.4**	**133**	**4**	**8**	**14**	**21**	**31**	**42**	**53**	**14**	**21.6**	**213**	**7**	**9**	**18**	**29**	**47**	**51**	**52**

POSTCONCUSSION SYNDROME (310.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	18	1.3	1	1	1	1	1	2	3	4	18	1.9	2	1	1	1	2	4	5	5
13-17	8	1.6	1	1	1	2	2	3	3	3	13	1.8	1	1	1	2	2	3	3	3
18-24	12	3.2	3	1	2	3	4	6	7	7	20	3.4	6	1	2	3	4	7	9	10
25-34	7	3.0	2	2	2	3	3	5	6	6	6	2.0	2	1	1	2	3	4	4	4
35-54	12	5.2	19	2	3	4	6	12	16	17	14	2.8	4	1	1	2	3	5	7	8
55-74	3	8.0	28	4	4	6	12	14	14	14	6	11.8	559	1	1	3	3	54	60	60
75 +	1	6.0		6	6	5	6	6	6	6	4	3.8	7	1	1	3	6	7	7	7
ALL AGES	61	3.1	9	1	1	2	4	6	8	17	81	3.2	44	1	1	2	3	5	7	44
B. FEMALE																				
0-12 YRS.	7	1.9	2	1	1	1	3	5	5	5	13	1.5	2	1	1	1	2	3	5	6
13-17	4	2.3	1	1	1	2	3	3	3	3	4	1.3		1	1	1	2	2	2	2
18-24	11	3.5	6	1	2	3	5	7	9	9	14	3.1	6	1	1	2	4	7	9	9
25-34	13	3.5	4	1	2	3	5	7	8	8	15	2.0	1	1	1	2	3	3	5	5
35-54	16	6.2	18	2	4	5	7	12	17	19	16	4.7	13	2	2	4	6	8	14	16
55-74	8	3.6	4	1	2	3	5	6	6	6	5	5.0	9	2	3	4	7	9	9	9
75 +	7	5.3	13	2	3	5	5	11	13	13	7	7.0	11	2	4	7	10	11	11	11
ALL AGES	66	4.1	10	1	2	4	5	7	10	18	74	3.3	9	1	1	2	5	7	9	15
SUBTOTAL	**127**	**3.6**	**10**	**1**	**1**	**3**	**5**	**7**	**9**	**17**	**155**	**3.3**	**27**	**1**	**1**	**2**	**4**	**7**	**9**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											2	1.5	1	1	1	1	2	2	2	2
18-24	1	1.0		1	1	1	1	1	1	1	3	3.0	7	1	1	2	5	6	6	6
25-34	4	6.3	30	1	1	6	11	12	12	12	1	2.0		2	2	2	2	2	2	2
35-54	7	12.0	227	1	3	4	14	38	44	44	3	2.7	8	1	1	1	5	6	6	6
55-74											1	2.0		2	2	2	2	2	2	2
75 +	2	5.0	2	4	4	5	6	6	6	6										
ALL AGES	14	8.6	126	1	2	4	12	18	38	44	10	2.4	4	1	1	2	2	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											2	3.5	1	3	3	3	4	4	4	4
25-34	2	8.0	18	5	5	8	11	11	11	11	3	4.0	1	3	3	4	5	5	5	5
35-54	2	10.0	98	3	3	10	17	17	17	17										
55-74	2	5.5	1	5	5	5	6	6	6	6	1	13.0		13	13	13	13	13	13	13
75 +	1	7.0		7	7	7	7	7	7	7	1	9.0		9	9	9	9	9	9	9
ALL AGES	7	7.7	23	3	5	6	10	16	17	17	7	5.9	14	3	3	4	8	12	13	13
SUBTOTAL	**21**	**8.3**	**89**	**1**	**3**	**5**	**11**	**16**	**29**	**44**	**17**	**3.8**	**11**	**1**	**2**	**3**	**5**	**8**	**12**	**13**
GRAND TOTAL	**148**	**4.3**	**23**	**1**	**2**	**3**	**5**	**8**	**13**	**19**	**172**	**3.3**	**26**	**1**	**1**	**2**	**4**	**7**	**9**	**15**

NONPSYCHOT BRAIN SYN NEC (310.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-24	2	5.0	18	2	2	5	8	8	8	8										
25-34																				
35-54																				
55-74	1	4.0		4	4	4	4	4	4	4										
75 +											2	7.5	61	2	2	7	13	13	13	13
ALL AGES	4	4.3	6	2	2	3	6	8	8	8	2	7.5	61	2	2	7	13	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	1	4.0		4	4	4	4	4	4	4										
SUBTOTAL	**5**	**4.2**	**5**	**2**	**3**	**4**	**5**	**8**	**8**	**8**	**2**	**7.5**	**61**	**2**	**2**	**7**	**13**	**13**	**13**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54	1	15.0		15	15	15	15	15	15	15										
55-74	1	19.0		19	19	19	19	19	19	19										
75 +																				
ALL AGES	3	11.7	88	1	4	15	18	19	19	19										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	3	6.0	19	1	3	8	9	9	9	9										
35-54																				
55-74	2	9.0		9	9	9	9	9	9	9										
75 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	6	6.2	16	1	1	8	9	9	9	9										
SUBTOTAL	**9**	**8.0**	**40**	**1**	**1**	**9**	**11**	**17**	**19**	**19**										
GRAND TOTAL	**14**	**6.6**	**30**	**1**	**2**	**6**	**9**	**15**	**18**	**19**	**2**	**7.5**	**61**	**2**	**2**	**7**	**13**	**13**	**13**	**13**

NONPSYCHOT BRAIN SYN NOS (310.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	29.0		29	29	29	29	29	29	29										
13-17	1	4.0		4	4	4	4	4	4	4										
18-24	3	14.3	58	10	10	10	20	23	23	23										
25-34	3	18.7	644	3	3	5	37	48	48	48	1	4.0		4	4	4	4	4	4	4
35-54	6	14.0	98	2	7	12	24	27	27	27	2	13.0	72	7	7	13	19	19	19	19
55-74	17	14.5	103	3	7	10	23	29	32	33	7	4.9	4	3	3	5	5	8	9	9
75 +	44	10.5	83	4	5	7	14	24	29	46	17	5.1	19	2	3	4	6	9	16	20
ALL AGES	75	12.3	106	3	5	8	17	28	31	47	27	5.6	20	2	3	4	7	16	28	99 +
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	2	16.5	145	8	8	16	25	25	25	25	1	3.0		3	3	3	3	3	3	3
18-24																				
25-34											1	4.0		4	4	4	4	4	4	4
35-54	7	9.0	38	3	4	6	14	17	18	18	1	8.0		8	8	8	8	8	8	8
55-74	16	9.7	60	2	4	7	13	23	27	29	6	7.0	13	4	5	6	7	13	14	14
75 +	56	9.5	175	2	4	6	9	19	32	84	38	8.6	104	2	4	6	8	17	28	58
ALL AGES	82	9.5	138	2	4	6	12	19	27	74	47	8.2	86	2	4	6	8	15	26	58
SUBTOTAL	**157**	**10.9**	**123**	**2**	**4**	**7**	**14**	**25**	**29**	**48**	**74**	**7.2**	**64**	**2**	**3**	**5**	**8**	**15**	**24**	**89**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24	1	10.0		10	10	10	10	10	10	10										
25-34	5	12.8	38	4	8	16	17	19	19	19	1	12.0		12	12	12	12	12	12	12
35-54	12	8.2	18	3	5	7	12	13	16	16	2	8.0	72	2	2	8	14	14	14	14
55-74	18	9.3	20	4	5	9	14	14	16	17	4	7.3	46	1	3	5	11	17	17	17
75 +	24	9.8	44	4	5	8	13	18	24	29	13	7.6	72	1	3	5	10	18	29	32
ALL AGES	61	9.5	30	4	5	9	13	16	18	28	20	7.8	58	1	2	5	12	16	24	32
B. FEMALE																				
0-12 YRS.																				
13-17	2	32.0	128	24	24	32	40	40	40	40										
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	1	4.0		4	4	4	4	4	4	4										
35-54	1	6.0		6	6	6	6	6	6	6	1	10.0		10	10	10	10	10	10	10
55-74	9	12.4	118	3	5	11	15	31	35	35	4	9.0	11	5	6	9	11	13	13	13
75 +	31	10.1	44	2	4	9	14	21	24	24	8	6.1	16	3	4	4	8	13	13	13
ALL AGES	45	11.1	80	2	4	9	14	24	27	40	13	7.3	15	3	4	5	11	13	13	13
SUBTOTAL	**106**	**10.2**	**51**	**3**	**5**	**9**	**13**	**19**	**24**	**37**	**33**	**7.6**	**40**	**2**	**4**	**5**	**12**	**14**	**17**	**32**
GRAND TOTAL	**263**	**10.6**	**94**	**3**	**4**	**8**	**14**	**24**	**28**	**46**	**107**	**7.3**	**56**	**2**	**3**	**5**	**8**	**15**	**21**	**76**

DEPRESSIVE DISORDER NEC (311.)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	13.0	117	6	6	8	19	29	29	29	4	26.3	533	3	11	32	67	99 +	99 +	99 +
13-17	20	10.7	129	1	3	6	14	31	38	40	6	9.0	161	1	1	2	16	30	32	32
18-24	18	4.7	31	1	2	3	5	20	65	99 +	2	3.0	2	2	2	3	4	4	4	4
25-34	37	7.7	85	1	2	5	10	17	20	51	5	7.0	29	2	3	4	11	15	15	15
35-54	38	10.4	89	1	4	7	15	21	25	48	8	5.3	16	2	2	3	8	12	13	13
55-74	26	10.8	119	1	4	6	16	32	36	39	10	6.4	16	3	3	5	9	13	13	13
75 +	8	10.3	144	1	2	5	17	30	31	31	10	9.2	148	2	4	6	7	27	43	43
ALL AGES	151	9.2	96	1	3	6	13	22	33	51	45	8.8	128	2	3	4	11	30	46	99 +
B. FEMALE																				
0-12 YRS.	6	14.2	199	2	2	9	27	34	35	35	2	20.5	545	4	4	20	37	37	37	37
13-17	31	13.8	204	1	2	9	23	34	37	55	6	5.7	109	1	1	1	2	24	27	27
18-24	30	9.7	167	1	2	5	10	29	47	50	9	2.1	2	1	1	2	3	5	5	5
25-34	53	9.5	96	1	3	6	11	25	34	47	17	3.9	9	1	2	2	7	8	9	10
35-54	63	10.6	99	1	2	7	17	24	31	41	24	3.7	5	1	2	3	6	7	8	8
55-74	61	9.9	97	1	4	7	13	23	26	56	17	5.4	9	2	2	6	8	10	11	11
75 +	23	20.2	342	3	4	14	37	48	55	62	14	8.6	60	3	4	6	10	18	29	32
ALL AGES	267	11.4	146	1	3	7	16	28	36	54	89	5.2	35	1	2	4	7	9	12	35
SUBTOTAL	**418**	**10.6**	**129**	**1**	**3**	**6**	**15**	**26**	**35**	**53**	**134**	**6.4**	**68**	**1**	**2**	**4**	**7**	**13**	**30**	**63**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	13	23.7	403	3	8	18	42	54	59	60	1	44.0		44	44	44	44	44	44	44
13-17	45	22.3	490	2	5	19	32	54	81	83	2	17.0	338	4	4	17	30	30	30	30
18-24	32	11.1	214	1	2	8	14	21	25	81	1	12.0		12	12	12	12	12	12	12
25-34	65	9.3	78	1	2	7	14	22	29	39	6	10.8	212	1	1	3	21	34	36	36
35-54	46	11.0	103	2	4	8	13	26	30	52	11	6.8	44	1	2	5	9	19	21	21
55-74	23	14.5	131	3	4	12	20	33	37	42	7	3.9	7	1	2	2	6	8	8	8
75 +	7	18.0	128	7	7	22	24	34	36	36	2	2.5	5	1	1	2	4	4	4	4
ALL AGES	231	14.0	230	2	3	9	19	32	42	81	30	8.7	124	1	2	4	10	26	36	44
B. FEMALE																				
0-12 YRS.	4	20.3	252	6	6	19	34	36	36	36										
13-17	60	19.7	291	3	6	16	28	43	58	98	2	2.0		2	2	2	2	2	2	2
18-24	52	11.3	108	1	3	7	18	29	31	39	4	6.0	75	1	1	2	11	19	19	19
25-34	72	12.7	181	2	4	8	17	25	40	69	4	2.3	6	1	1	1	4	6	6	6
35-54	76	10.8	126	1	4	7	15	20	29	66	17	6.9	40	1	2	4	9	16	21	23
55-74	35	15.1	136	1	6	14	21	32	38	51	6	7.5	65	1	3	4	12	21	22	22
75 +	16	18.4	290	4	7	13	21	53	58	59	2	4.0		4	4	4	4	4	4	4
ALL AGES	315	14.0	186	2	4	10	19	32	43	73	35	5.9	40	1	2	3	8	16	21	23
SUBTOTAL	**546**	**14.0**	**204**	**2**	**4**	**9**	**19**	**32**	**43**	**80**	**65**	**7.2**	**79**	**1**	**2**	**4**	**9**	**21**	**25**	**43**
GRAND TOTAL	**964**	**12.5**	**175**	**1**	**3**	**8**	**17**	**30**	**40**	**70**	**199**	**6.7**	**71**	**1**	**2**	**4**	**7**	**16**	**28**	**50**

UNSOCIALIZED AGGRESSION (312.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	21	15.7	217	2	4	11	23	34	46	58	8	29.3	425	1	13	29	43	57	60	60
13-17	23	26.3	651	5	8	19	39	77	99	99+	3	18.3	16	14	15	20	21	21	21	21
18-24	2	2.5	5	1	1	2	4	4	4	4	1	24.0		24	24	24	24	24	24	24
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	46	20.4	458	3	5	13	30	58	79	99+	12	26.1	298	1	17	24	33	53	59	60
B. FEMALE																				
0-12 YRS.	2	7.5	85	1	3	14	78	99+	99+	99+	3	38.7	352	18	24	43	52	55	55	55
13-17	7	20.0	426	2	6	16	46	88	99+	99+	2	8.5	41	4	4	8	13	13	13	13
18-24	1	11.0		11	11	11	11	11	11	11										
25-34											1	7.0		7	7	7	7	7	7	7
35-54																				
55-74																				
75 +																				
ALL AGES	10	16.6	324	1	6	14	46	99+	99+	99+	6	23.3	435	4	7	15	43	54	55	55
SUBTOTAL	**56**	**19.7**	**431**	**2**	**5**	**14**	**31**	**62**	**99**	**99+**	**18**	**25.2**	**321**	**3**	**13**	**22**	**37**	**53**	**58**	**60**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	15	28.1	421	5	14	27	37	81	95	99+	6	43.5	467	19	23	41	68	69	69	69
13-17	37	21.1	215	4	10	19	35	46	80	99+	8	46.3	725	8	26	50	64	81	84	84
18-24																				
25-34	1	11.0		11	11	11	11	11	11	11										
35-54																				
55-74																				
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	53	22.9	274	5	10	20	36	50	95	99+	15	42.3	649	5	20	46	64	75	82	84
B. FEMALE																				
0-12 YRS.	2	11.5	113	4	4	11	19	19	19	19	1	22.0		22	22	22	22	22	22	22
13-17	8	25.3	373	5	14	21	30	57	67	67	4	53.3	757	28	30	73	86	99+	99+	99+
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	10	22.5	339	4	9	20	26	51	67	67	5	47.0	769	23	28	52	81	98	99+	99+
SUBTOTAL	**63**	**22.8**	**281**	**4**	**10**	**20**	**35**	**50**	**88**	**99+**	**20**	**43.5**	**642**	**11**	**23**	**46**	**70**	**82**	**91**	**99+**
GRAND TOTAL	**119**	**21.4**	**348**	**3**	**8**	**19**	**35**	**58**	**99**	**99+**	**38**	**34.8**	**565**	**5**	**18**	**30**	**53**	**74**	**83**	**99+**

UNSOCIALIZ, UNAGGRESSIVE (312.1)

	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	7.7	26	2	4	9	11	12	12	12										
13-17	4	33.8	919	7	9	28	58	71	71	71										
18-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	8	19.9	627	1	4	10	29	63	71	71										
B. FEMALE																				
0-12 YRS.	2	31.0	1458	4	4	31	58	58	58	58										
13-17	2	34.5	2113	2	2	34	67	67	67	67										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	32.8	1190	2	3	31	62	67	67	67										
SUBTOTAL	**12**	**24.2**	**764**	**2**	**3**	**10**	**52**	**68**	**71**	**71**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	7	17.9	266	3	5	10	29	44	47	47										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	7	17.9	266	3	5	10	29	44	47	47										
B. FEMALE																				
0-12 YRS.																				
13-17	7	22.3	404	4	7	19	30	56	62	62										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	7	22.3	404	4	7	19	30	56	62	62										
SUBTOTAL	**14**	**20.1**	**314**	**4**	**5**	**16**	**31**	**48**	**59**	**62**										
GRAND TOTAL	**26**	**22.0**	**503**	**2**	**5**	**11**	**33**	**62**	**68**	**71**										

SOCIALIZED CONDUCT DIS (312.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	3.5	7	1	1	3	5	7	7	7										
13-17	22	16.1	210	3	5	12	21	33	50	60	1	5.0		5	5	5	5	5	5	5
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	26	14.2	197	2	4	9	21	28	47	60	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.	1	12.0		12	12	12	12	12	12	12										
13-17	6	13.5	238	2	4	9	12	41	44	44	2	16.0	18	13	13	16	19	19	19	19
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	7	13.3	198	2	5	11	12	38	44	44	2	16.0	18	13	13	16	19	19	19	19
SUBTOTAL	**33**	**14.0**	**192**	**2**	**4**	**9**	**19**	**31**	**44**	**60**	**3**	**12.3**	**51**	**5**	**7**	**13**	**17**	**19**	**19**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	21.8	103	11	14	20	29	35	35	35										
13-17	35	18.7	205	5	8	16	28	39	52	57	1	39.0		39	39	69	99 +	99 +	99 +	99 +
18-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	40	18.6	195	4	8	16	28	38	48	57	1	39.0		39	39	69	99 +	99 +	99 +	99 +
B. FEMALE																				
0-12 YRS.	4	34.0	1470	8	12	18	55	91	91	91	1	81.0		81	81	81	81	81	81	81
13-17	27	20.6	360	1	8	16	33	59	77	99 +										
18-24	1	5.0		5	5	5	5	5	5	5										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	32	21.8	473	2	8	16	31	67	89	99 +	1	81.0		81	81	81	81	81	81	81
SUBTOTAL	**72**	**20.0**	**317**	**4**	**8**	**16**	**28**	**41**	**64**	**98**	**2**	**60.0**	**882**	**39**	**49**	**81**	**95**	**99 +**	**99 +**	**99 +**
GRAND TOTAL	**105**	**18.1**	**284**	**2**	**7**	**13**	**27**	**40**	**58**	**95**	**5**	**31.4**	**927**	**6**	**13**	**29**	**81**	**98**	**99 +**	**99 +**

IMPULSE CONTROL DIS NEC (312.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	9	30.6	931	7	9	18	51	80	95	95	2	37.5	365	24	24	37	51	51	51	51
13-17	30	24.5	423	7	10	16	34	45	74	93	4	29.3	768	5	7	41	72	99 +	99 +	99 +
18-24	15	17.1	472	2	4	10	23	26	73	89	1	1.0		1	1	1	1	1	1	1
25-34	6	12.3	151	1	2	9	22	30	31	31	1	5.0		5	5	5	5	5	5	5
35-54	7	15.9	165	1	5	14	27	34	35	35	1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	67	21.6	459	3	7	15	28	46	76	95	9	22.3	559	1	5	16	51	81	99 +	99 +
B. FEMALE																				
0-12 YRS.	2	7.5	5	6	6	7	9	9	9	9										
13-17	12	17.1	192	4	6	13	25	40	44	45	1	14.0		14	14	14	14	14	14	14
18-24	1	11.0		11	11	11	11	11	11	11										
25-34	3	19.3	634	1	2	9	38	48	48	48										
35-54	1	17.0		17	17	17	17	17	17	17										
55-74											1	13.0		13	13	13	13	13	13	13
75 +																				
ALL AGES	19	16.1	201	3	6	11	20	42	47	48	2	13.5	1	13	13	13	14	14	14	14
SUBTOTAL	**86**	**20.4**	**404**	**3**	**7**	**14**	**27**	**45**	**61**	**94**	**11**	**20.7**	**460**	**2**	**5**	**13**	**46**	**74**	**96**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	13	27.5	138	8	21	29	37	39	44	45	3	3.7	1	3	3	3	5	5	5	5
13-17	66	25.1	227	7	14	21	35	43	57	67										
18-24	27	24.4	522	4	8	16	30	63	73	92										
25-34	13	10.2	46	2	5	10	14	21	23	23	1	4.0		4	4	4	4	4	4	4
35-54	6	7.7	14	3	5	8	12	83	99 +	99 +										
55-74	2	9.0	2	8	8	9	10	10	10	10										
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	128	22.5	277	5	10	18	32	43	60	[illegible]	4	3.8		3	3	4	4	5	5	5
B. FEMALE																				
0-12 YRS.	3	24.3	117	12	16	30	31	31	31	31										
13-17	38	22.5	317	5	9	21	34	41	76	99 +										
18-24	3	23.0	351	2	9	29	36	38	38	38										
25-34	6	10.8	45	4	5	10	15	20	21	21	1	69.0		69	69	69	69	69	69	69
35-54																				
55-74																				
75 +																				
ALL AGES	50	21.2	280	4	9	19	31	39	47	99 +	1	69.0		69	69	84	99 +	99 +	99 +	99 +
SUBTOTAL	**178**	**22.1**	**278**	**5**	**9**	**18**	**31**	**42**	**58**	**99 +**	**5**	**16.8**	**852**	**3**	**3**	**4**	**69**	**97**	**99 +**	**99 +**
GRAND TOTAL	**264**	**21.6**	**316**	**4**	**9**	**16**	**30**	**44**	**58**	**98**	**16**	**19.5**	**537**	**3**	**4**	**10**	**51**	**90**	**99 +**	**99 +**

MIX DIS CONDUCT/EMOTION (312.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	19.0	200	9	9	19	29	29	29	29										
13-17	6	9.7	86	2	3	6	15	25	26	26										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	8	12.0	109	2	3	8	20	28	29	29										
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	2	27.5	25	24	24	27	31	31	31	31	2	35.5	181	26	26	35	45	45	45	45
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	19.0	229	2	7	24	29	31	31	31	2	35.5	181	26	26	35	45	45	45	45
SUBTOTAL	**11**	**13.9**	**133**	**2**	**3**	**9**	**25**	**30**	**31**	**31**	**2**	**35.5**	**181**	**26**	**26**	**35**	**45**	**45**	**45**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-17	4	24.5	140	13	15	23	34	39	39	39										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	21.2	159	8	12	17	31	39	39	39										
B. FEMALE																				
0-12 YRS.																				
13-17	2	11.0	18	8	8	11	14	14	14	14										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	11.0	18	8	8	11	14	14	14	14										
SUBTOTAL	**7**	**18.3**	**133**	**8**	**9**	**14**	**26**	**37**	**39**	**39**										
GRAND TOTAL	**18**	**15.6**	**131**	**2**	**8**	**13**	**26**	**30**	**36**	**39**	**2**	**35.5**	**181**	**26**	**26**	**35**	**45**	**45**	**45**	**45**

OTHER CONDUCT DISTURB (312.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	21.3	250	4	5	20	37	41	42	42	6	3.0	5	1	2	2	4	7	7	7
13-17	7	10.9	30	3	6	11	16	18	18	18										
18-24																				
25-34	2	4.0		4	4	4	4	4	4	4	1	1.0		1	1	1	1	1	1	1
35-54	2	2.5	5	1	1	2	4	4	4	4										
55-74	1	3.0		3	3	3	3	3	3	3	1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	18	12.2	139	3	4	8	18	32	40	42	8	3.0	5	1	1	2	4	6	7	7
B. FEMALE																				
0-12 YRS.	6	6.0	12	1	4	6	9	10	10	10	2	1.5	1	1	1	1	2	2	2	2
13-17	8	10.6	75	1	5	9	13	24	29	29	1	7.0		7	7	7	7	7	7	7
18-24																				
25-34	3	4.7	6	2	3	5	6	7	7	7	1	1.0		1	1	1	1	1	1	1
35-54	1	24.0		24	24	24	24	24	24	24										
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	19	8.6	54	1	4	7	11	20	27	29	4	2.8	8	1	1	1	4	7	7	7
SUBTOTAL	**37**	**10.4**	**95**	**2**	**4**	**7**	**13**	**23**	**34**	**42**	**12**	**2.9**	**5**	**1**	**1**	**2**	**4**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	26.8	257	9	16	25	37	48	48	48										
13-17	15	13.9	135	3	5	9	22	27	38	42	1	5.0		5	5	5	5	5	5	5
18-24																				
25-34	2	15.5	113	8	8	15	23	23	23	23										
35-54																				
55-74																				
75 +	2	8.5	113	1	1	8	16	16	16	16										
ALL AGES	23	15.8	161	3	6	9	23	30	44	48	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.	1	20.0		20	20	20	20	20	20	20										
13-17	10	12.9	145	1	4	8	23	32	33	33	1	4.0		4	4	4	4	4	4	4
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74																				
75 +																				
ALL AGES	12	12.6	134	2	3	8	21	32	33	33	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**35**	**14.7**	**150**	**2**	**5**	**9**	**23**	**32**	**40**	**48**	**2**	**4.5**	**1**	**4**	**4**	**4**	**5**	**5**	**5**	**5**
GRAND TOTAL	**72**	**12.5**	**125**	**2**	**4**	**8**	**20**	**28**	**37**	**47**	**14**	**3.1**	**5**	**1**	**1**	**2**	**5**	**7**	**7**	**7**

CONDUCT DISTURBANCE NOS (312.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	26	13.5	155	3	4	8	22	33	38	48	4	1.8	1	1	1	2	27	99 +	99 +	99 +
13-17	44	11.7	91	4	5	8	16	26	31	42	4	43.8	196	30	33	41	54	63	63	63
18-24	4	12.8	139	3	4	9	21	29	29	29	1	2.0		2	2	2	2	2	2	2
25-34																				
35-54																				
55-74	1	9.0		9	9	9	9	9	9	9										
75 +											1	7.0		7	7	7	7	7	7	7
ALL AGES	75	12.4	111	3	5	8	18	28	33	46	10	19.1	520	1	2	7	43	78	98	99 +
B. FEMALE																				
0-12 YRS.	10	7.5	62	1	3	5	11	20	27	27	1	1.0		1	1	1	1	1	1	1
13-17	31	14.6	234	1	4	9	21	39	46	59	1	12.0		12	12	12	12	12	12	12
18-24																				
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7										
55-74	1	1.0		1	1	1	1	1	1	1										
75 +																				
ALL AGES	43	12.4	195	1	3	7	15	36	43	59	2	6.5	61	1	1	6	12	12	12	12
SUBTOTAL	**118**	**12.4**	**140**	**2**	**4**	**8**	**17**	**29**	**37**	**52**	**12**	**17.0**	**455**	**1**	**2**	**7**	**39**	**70**	**94**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	29	15.9	248	2	4	7	22	41	47	57										
13-17	55	20.6	270	3	7	21	30	42	76	99 +	1	16.0		16	16	16	16	16	16	16
18-24	3	4.7	2	3	3	5	6	6	6	6										
25-34	1	35.0		35	35	35	35	35	35	35										
35-54	1	4.0		4	4	4	4	4	4	4										
55-74																				
75 +																				
ALL AGES	89	18.5	262	3	5	14	30	42	53	99 +	1	16.0		16	16	16	16	16	16	16
B. FEMALE																				
0-12 YRS.	7	5.3	21	1	2	5	6	13	15	15										
13-17	39	23.4	310	3	8	20	35	50	55	73	1	1.0		1	1	1	1	1	1	1
18-24	1	1.0		1	1	1	1	1	1	1	2	2.5	5	1	1	2	4	4	4	4
25-34																				
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5	1	7.0		7	7	7	7	7	7	7
75 +																				
ALL AGES	48	19.9	308	2	5	15	34	46	54	73	4	3.3	8	1	1	3	5	7	7	7
SUBTOTAL	**137**	**19.0**	**276**	**3**	**5**	**14**	**30**	**42**	**54**	**99 +**	**5**	**5.8**	**39**	**1**	**1**	**4**	**9**	**16**	**16**	**16**
GRAND TOTAL	**255**	**15.9**	**225**	**2**	**5**	**10**	**26**	**37**	**47**	**87**	**17**	**13.7**	**351**	**1**	**1**	**5**	**30**	**58**	**85**	**99 +**

OVERANXIOUS DISORDER (313.0)

	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	24.3	115	13	16	26	32	34	34	34										
13-17	2	17.5	181	8	8	17	27	27	27	27										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	21.6	115	8	12	26	29	34	34	34										
B. FEMALE																				
0-12 YRS.	1	15.0		15	15	15	15	15	15	15										
13-17	3	11.3	115	2	4	9	19	23	23	23										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	12.3	78	2	5	12	19	23	23	23										
SUBTOTAL	**9**	**17.4**	**114**	**4**	**9**	**15**	**26**	**31**	**34**	**34**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	10	27.0	632	5	14	16	40	71	71	71										
13-17	3	14.3	14	11	12	14	17	18	18	18										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	13	24.1	506	6	13	14	24	71	71	71										
B. FEMALE																				
0-12 YRS.	6	44.7	596	24	29	33	63	84	86	86										
13-17	1	7.0		7	7	7	7	7	7	7										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	7	39.3	701	10	25	31	56	81	86	86										
SUBTOTAL	**20**	**29.4**	**597**	**7**	**14**	**18**	**37**	**71**	**79**	**86**										
GRAND TOTAL	**29**	**25.7**	**468**	**7**	**12**	**18**	**32**	**68**	**72**	**86**										

MISERY & UNHAPPINESS DIS (313.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17	1	15.0		15	15	15	15	15	15	15										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	15.0		15	15	15	15	15	15	15										
SUBTOTAL	1	15.0		15	15	15	15	15	15	15										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	15.0		15	15	15	15	15	15	15										

SENSITIVITY & WITHDRAWAL (313.2)

	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	14.0	162	5	5	14	23	23	23	23										
13-17	2	17.0	162	8	8	17	26	26	26	26										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	15.5	111	5	6	15	24	26	26	26										
B. FEMALE																				
0-12 YRS.	1	22.0		22	22	22	22	22	22	22										
13-17	1	16.0		16	16	16	16	16	16	16										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	19.0	18	16	16	19	22	22	22	22										
SUBTOTAL	**6**	**16.7**	**72**	**5**	**8**	**19**	**23**	**26**	**26**	**26**										
GRAND TOTAL	**6**	**16.7**	**72**	**5**	**8**	**19**	**23**	**26**	**26**	**26**										

OTH EMOTIONAL DIS CHILD (313.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	31	25.2	482	4	7	18	43	51	69	89	2	3.0	2	2	2	3	4	4	4	4
13-17	32	19.5	340	6	8	14	26	38	52	95										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	63	22.3	412	5	8	17	31	46	61	94	2	3.0	2	2	2	3	4	4	4	4
B. FEMALE																				
0-12 YRS.	12	23.4	253	3	11	24	35	46	49	49										
13-17	37	16.4	160	4	6	13	28	35	37	51	3	17.0	475	2	3	7	33	42	42	42
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	49	18.1	188	4	7	14	28	37	45	51	3	17.0	475	2	3	7	33	42	42	42
SUBTOTAL	**112**	**20.5**	**314**	**4**	**7**	**15**	**30**	**46**	**51**	**91**	**5**	**11.4**	**297**	**2**	**2**	**4**	**16**	**42**	**42**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	44	27.8	204	12	17	28	36	40	47	85	3	21.3	354	10	10	11	35	43	43	43
13-17	47	19.0	268	5	7	15	24	36	51	85	3	42.7	178	29	32	43	53	56	56	56
18-24	2	11.5	41	7	7	11	16	16	16	16										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	93	23.0	252	5	13	20	32	38	48	85	6	32.0	350	10	11	36	43	55	56	56
B. FEMALE																				
0-12 YRS.	13	24.2	168	11	16	30	35	99 +	99 +	99 +	2	45.5	685	27	27	45	64	64	64	64
13-17	44	18.6	315	4	7	14	21	42	57	91										
18-24	1	29.0		29	29	29	29	29	29	29										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	58	20.0	281	4	10	16	[illegible]	52	76	99 +	2	45.5	685	27	27	45	64	64	64	64
SUBTOTAL	**151**	**21.8**	**265**	**5**	**11**	**18**	**30**	**41**	**55**	**99 +**	**8**	**35.4**	**385**	**10**	**19**	**36**	**50**	**62**	**64**	**64**
GRAND TOTAL	**263**	**21.3**	**283**	**5**	**8**	**17**	**30**	**45**	**53**	**94**	**13**	**26.2**	**470**	**2**	**6**	**27**	**43**	**58**	**63**	**64**

EMOTIONAL DIS CHILD NOS (313.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	1	19.0		19	19	19	19	19	19	19										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	11.5	113	4	4	11	19	19	19	19										
B. FEMALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	9.0		9	9	9	9	9	9	9										
SUBTOTAL	3	10.7	57	4	5	9	16	19	19	19										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	3	10.7	57	4	5	9	16	19	19	19										

ATTENTION DEFICIT DIS (314.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	35	24.6	514	3	12	18	29	51	83	96	12	24.1	524	2	4	25	38	85	97	99 +
13-17	22	15.9	468	1	6	9	15	42	68	97	2	23.5	13	21	21	23	26	26	26	26
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	57	21.2	507	2	8	14	24	49	82	97	14	24.0	445	2	7	25	34	81	95	99 +
B. FEMALE																				
0-12 YRS.	3	44.3	799	22	25	35	66	76	76	76	4	11.8	269	1	1	5	22	36	36	36
13-17	1	43.0		43	43	43	43	43	43	43	6	42.2	286	19	30	42	56	64	65	65
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	44.0	530	22	28	39	59	76	76	76	10	30.0	498	1	8	33	42	60	65	65
SUBTOTAL	**61**	**22.7**	**532**	**2**	**8**	**15**	**28**	**50**	**81**	**97**	**24**	**26.5**	**455**	**2**	**7**	**26**	**42**	**65**	**86**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	54	25.4	415	4	12	22	44	80	99 +	99 +	12	24.6	484	10	12	21	32	90	98	99 +
13-17	26	26.8	404	6	12	17	39	52	65	87	2	38.5	1013	16	16	38	61	61	61	61
18-24	2	7.0		7	7	7	7	7	7	7										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	82	25.4	405	5	11	21	41	64	99 +	99 +	14	26.6	512	11	13	21	35	88	97	99 +
B. FEMALE																				
0-12 YRS.	11	26.3	214	13	15	27	48	99 +	99 +	99 +										
13-17	8	14.4	145	2	6	12	20	34	38	38										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	19	21.3	211	6	12	16	39	70	99 +	99 +										
SUBTOTAL	**101**	**24.6**	**370**	**5**	**12**	**20**	**40**	**64**	**99 +**	**99 +**	**14**	**26.6**	**512**	**11**	**13**	**21**	**35**	**88**	**97**	**99 +**
GRAND TOTAL	**162**	**23.9**	**428**	**4**	**10**	**18**	**38**	**63**	**96**	**99 +**	**38**	**26.5**	**465**	**3**	**12**	**23**	**39**	**73**	**94**	**99 +**

HYPERKINETIC CONDUCT DIS (314.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOU[illegible]IATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	[illegible]PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	[illegible]	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	23.0		23	23	23	23	23	23	23										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	23.0		23	23	23	23	23	23	23										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**23.0**		**23**	**23**	**23**	**23**	**23**	**23**	**23**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**										
GRAND TOTAL	**2**	**12.5**	**221**	**2**	**2**	**12**	**23**	**23**	**23**	**23**										

OTHER HYPERKINETIC SYND (314.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	26.0		26	26	26	26	26	26	26
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	26.0		26	26	26	26	26	26	26
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											1	26.0		26	26	26	26	26	26	26
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	22.0	3	20	21	23	23	23	23	23										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	22.0	3	20	21	23	23	23	23	23										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	3	22.0	3	20	21	23	23	23	23	23										
GRAND TOTAL	3	22.0	3	20	21	23	23	23	23	23	1	26.0		26	26	26	26	26	26	26

HYPERKINETIC SYND NOS (314.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54																				
55-74	1	10.0		10	10	10	10	10	10	10										
75 +																				
ALL AGES	1	10.0		10	10	10	10	10	10	10	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	10.0		10	10	10	10	10	10	10	1	2.0		2	2	2	2	2	2	2
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	10.0		10	10	10	10	10	10	10	1	2.0		2	2	2	2	2	2	2

Appendix

Appendix A: Table 1

HOSPITAL CHARACTERISTICS

SHORT-TERM, NONFEDERAL HOSPITALS[1]

	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS			HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS			TOTAL		
	U.S.[2] Total	LOS Sample	% of U.S.[3] Total	U.S. Total	LOS Sample	% of U.S. Total	U.S.	LOS Sample	% of U.S.
All Hospitals	1,427	306	21.4	4,078	643	15.8	5,505	949	17.2
Control									
Public	237	39	16.5	1,276	159	12.5	1,513	198	13.1
Private	1,187	264	22.2	2,802	484	17.3	3,989	748	18.8
Unavailable	3	3					3	3	
Bedsize									
<100 Beds	127	36	28.3	2,605	403	15.5	2,732	439	16.1
100-199	322	76	23.6	834	134	16.1	1,156	210	18.2
200-299	321	64	19.9	404	56	13.9	725	120	16.6
300-399	263	55	20.9	138	30	21.7	401	85	21.2
400-499	152	30	19.7	55	10	18.2	207	40	19.3
500+	242	45	18.6	42	10	23.8	284	55	19.4
Teaching Intensity									
Low	748	154	20.6	3,724	552	14.8	4,472	706	15.8
Medium	419	100	23.9	293	69	23.5	712	169	23.7
High	254	46	18.1	54	15	27.8	308	61	19.8
Unavailable	6	6		7	7		13	13	
Location									
Rural	283	66	23.3	2,292	347	15.1	2,575	413	16.0
Urban	1,144	240	21.0	1,786	296	16.6	2,930	536	18.3

---

[1] Hospitals with average stay less than 30 days.

[2] 1988 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

[3] The percent of hospitals may be underestimated since the 1989 sample is compared to the universe of hospitals in 1988.

Appendix A: Table 2

HOSPITAL CHARACTERISTICS

HOSPITALS WITH PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx [1]	% [2]
All Hospitals	306	100.0	151,586	100.0
Control				
Public	39	12.7	17,008	11.2
Private	264	86.3	134,210	88.5
Unavailable	3	1.0	368	.2
Bedsize				
<100 Beds	36	11.8	4,924	3.2
100-199	76	24.8	27,459	18.1
200-299	64	20.9	27,959	18.4
300-399	55	18.0	35,071	23.1
400-499	30	9.8	19,334	12.8
500+	45	14.7	36,839	24.3
Program Intensity				
Low	154	50.3	61,388	40.5
Medium	100	32.7	60,629	40.0
High	46	15.0	28,789	19.0
Unavailable	6	2.0	780	.5
Location				
Rural	66	21.6	21,650	14.3
Urban	240	78.4	129,936	85.7

---

[1] This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

[2] The denominator used to calculate the percentages is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

Appendix A: Table 3

HOSPITAL CHARACTERISTICS

HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx[1]	%[2]
All Hospitals	643	100.0	49,399	100.0
Control				
Public	159	24.7	5,981	12.1
Private	484	75.3	43,418	87.9
Bedsize				
<100 Beds	403	62.7	16,982	34.4
100-199	134	20.8	14,521	29.4
200-299	56	8.7	8,596	17.4
300-399	30	4.7	2,870	5.8
400-499	10	1.6	3,110	6.3
500+	10	1.6	3,320	6.7
Program Intensity				
Low	552	85.8	35,848	72.6
Medium	69	10.7	10,539	21.3
High	15	2.3	2,296	4.6
Unavailable	7	1.1	716	1.6
Location				
Rural	347	54.0	15,670	31.7
Urban	296	46.0	33,729	68.3

---

[1] This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

[2] The denominator used to calculate the percentages is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

APPENDIX B

DESCRIPTION OF HOSPITAL CHARACTERISTICS

Hospitals With or Without a Psychiatric Unit or Beds

Nonfederal, short-term general hospitals that reported a psychiatric acute care unit or beds are included in the hospitals with psychiatric unit/beds category.[1] Nonfederal, short-term general hospitals that did not indicate having a psychiatric acute care unit or beds are included in the hospitals without a psychiatric unit/beds category.

Hospitals in both categories can, however, offer the following services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization.

Location: Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1988 AHA Annual Survey of Hospitals magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai.[2] The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Healthcare Organizations
- Residency approved by Accreditation Council for Graduate Medical Education
- Medical School Affiliation reported by American Medical Association
- Hospital-controlled professional nursing school, reported by National League for Nursing
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals

2. Medium Teaching Intensity Hospitals

3. High Teaching Intensity Hospitals

Control: Public/Private Hospitals

A public hospital is a nonfederal, government-operated hospital, e.g., state, county, city, or hospital authority. A private hospital includes both nongovernment not-for-profit and investor-owned (for-profit) facilities.

---

[1] 1988 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

[2] Phillip, P.J., and Hai, Abdul, An Index of Programs for Hospitals, American Hospital Association, Chicago, Illinois, 1976.

APPENDIX C

STATE INCLUSIONS BY REGION

Northeast
Connecticut
Maine
Massachusetts
New Hampshire
New Jersey
New York
Pennsylvania
Rhode Island
Vermont

North Central
Illinois
Indiana
Iowa
Kansas
Michigan
Minnesota
Missouri
Nebraska
North Dakota
Ohio
South Dakota
Wisconsin

South
Alabama
Arkansas
Delaware
District of Columbia
Florida
Georgia
Kentucky
Louisiana
Maryland
Mississippi
North Carolina
Oklahoma
South Carolina
Tennessee
Texas
Virginia
West Virginia

West
Alaska
Arizona
California
Colorado
Hawaii
Idaho
Montana
Nevada
New Mexico
Oregon
Utah
Washington
Wyoming


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South

** Includes Alaska and Hawaii

APPENDIX D

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
	All psychiatric diagnosis codes (Summary Table)	2
290	**Senile and presenile organic psychotic conditions**	
290.0	Senile dementia, uncomplicated	3
290.1	Presenile dementia	4
290.10	Presenile dementia, uncomplicated	4
290.11	Presenile dementia with delirium	4
290.12	Presenile dementia with delusional features	4
290.13	Presenile dementia with depressive features	4
290.2	Senile dementia with delusional or depressive features	5
290.20	Senile dementia with delusional features	5
290.21	Senile dementia with depressive features	5
290.3	Senile dementia with delirium	6
290.4	Arteriosclerotic dementia	7
290.40	Arteriosclerotic dementia, uncomplicated	7
290.41	Arteriosclerotic dementia with delirium	7
290.42	Arteriosclerotic dementia with delusional features	7
290.43	Arteriosclerotic dementia with depressive features	7
290.8	Other specified senile psychotic conditions	8
290.9	Unspecified senile psychotic condition	9
291	**Alcoholic psychoses**	
291.0	Alcohol withdrawal delirium	10
291.1	Alcohol amnestic syndrome	11
291.2	Other alcoholic dementia	12
291.3	Alcohol withdrawal hallucinosis	13
291.4	Idiosyncratic alcohol intoxication	14
291.5	Alcoholic jealousy	15
291.8	Other specified alcoholic psychosis	16
291.9	Unspecified alcoholic psychosis	17
292	**Drug psychoses**	
292.0	Drug withdrawal syndrome	18
292.1	Paranoid and/or hallucinatory states induced by drugs	19
292.11	Drug-induced organic delusional syndrome	19
292.12	Drug-induced hallucinosis	19
292.2	Pathological drug intoxication	20
292.8	Other specified drug-induced mental disorders	21
292.81	Drug-induced delirium	21
292.82	Drug-induced dementia	21
292.83	Drug-induced amnestic syndrome	21
292.84	Drug-induced organic affective syndrome	21
292.89	Other specified drug-induced mental disorders	21
292.9	Unspecified drug-induced mental disorder	22
293	**Transient organic psychotic conditions**	
293.0	Acute delirium	23
293.1	Subacute delirium	24
293.8	Other specified transient organic mental disorders	25
293.81	Organic delusional syndrome	25
293.82	Organic hallucinosis syndrome	25

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
293.83	Organic affective syndrome	25
293.89	Other specified transient organic mental disorders	25
293.9	Unspecified transient organic mental disorder	26
294	**Other organic psychotic conditions (chronic)**	
294.0	Amnestic syndrome	27
294.1	Dementia in conditions classified elsewhere	28
294.8	Other specified organic brain syndromes (chronic)	29
294.9	Unspecified organic brain syndrome (chronic)	30
295	**Schizophrenic disorders**	
	Fifth-digit subclassification for use with 295:	
	0 Unspecified state	
	1 Subchronic state	
	2 Chronic state	
	3 Subchronic state with acute exacerbation	
	4 Chronic state with acute exacerbation	
	5 In remission	
295.0	Simple type schizophrenia	31
295.1	Disorganized type schizophrenia	32
295.2	Catatonic type schizophrenia	33
295.3	Paranoid type schizophrenia	34
295.4	Acute schizophrenic episode	35
295.5	Latent schizophrenia	36
295.6	Residual schizophrenia	37
295.7	Schizo-affective type schizophrenia	38
295.8	Other specified types of schizophrenia	39
295.9	Unspecified schizophrenia	40
296	**Affective psychoses**	
	Fifth-digit subclassification for use with 296.0-296.6:	
	0 Unspecified degree	
	1 Mild degree	
	2 Moderate degree	
	3 Severe degree, without mention of psychotic behavior	
	4 Severe degree, specified as with psychotic behavior	
	5 In partial or unspecified remission	
	6 In full remission	
296.0	Manic disorder, single episode	41
296.1	Manic disorder, recurrent episode	42
296.2	Major depressive disorder, single episode	43
296.3	Major depressive disorder, recurrent episode	44
296.4	Bipolar affective disorder, manic	45
296.5	Bipolar affective disorder, depressed	46
296.6	Bipolar affective disorder, mixed	47
296.7	Bipolar affective disorder, unspecified	48
296.8	Manic-depressive psychosis, other and unspecified	49
296.80	Manic-depressive psychosis, unspecified	49
296.81	Atypical manic disorder	49
296.82	Atypical depressive disorder	49
296.89	Other manic-depressive psychosis	49
296.9	Other and unspecified affective psychoses	50
296.90	Unspecified affective psychosis	50

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
296.99	Other specified affective psychoses	50
297	**Paranoid states**	
297.0	Paranoid state, simple	51
297.1	Paranoia	52
297.2	Paraphrenia	53
297.3	Shared paranoid disorder	54
297.8	Other specified paranoid states	55
297.9	Unspecified paranoid state	56
298	**Other nonorganic psychoses**	
298.0	Depressive type psychosis	57
298.1	Excitative type psychosis	58
298.2	Reactive confusion	59
298.3	Acute paranoid reaction	60
298.8	Other and unspecified reactive psychosis	61
298.9	Unspecified psychosis	62
299	**Psychoses with origin specific to childhood** Fifth-digit subclassification for use with 299: 0 Current or active 1 Residual state	
299.0	Infantile autism	63
299.8	Other specified early childhood psychoses	64
299.9	Unspecified childhood psychosis	65
300	**Neurotic disorders**	
300.0	Anxiety states	66
300.00	Anxiety state, unspecified	66
300.01	Panic disorder	66
300.02	Generalized anxiety disorder	66
300.09	Other anxiety states	66
300.1	Hysteria	67
300.10	Hysteria, unspecified	67
300.11	Conversion disorder	67
300.12	Psychogenic amnesia	67
300.13	Psychogenic fugue	67
300.14	Multiple personality	67
300.15	Dissociative disorder or reaction, unspecified	67
300.16	Factitious illness with psychological symptoms	67
300.19	Other and unspecified factitious illness	67
300.2	Phobic disorders	68
300.20	Phobia, unspecified	68
300.21	Agoraphobia with panic attacks	68
300.22	Agoraphobia without mention of panic attacks	68
300.23	Social phobia	68
300.29	Other isolated or simple phobias	68
300.3	Obsessive-compulsive disorders	69
300.4	Neurotic depression	70
300.5	Neurasthenia	71
300.6	Depersonalization syndrome	72
300.7	Hypochondriasis	73
300.8	Other neurotic disorders	74
300.81	Somatization disorder	74

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
300.89	Other neurotic disorders	74
300.9	Unspecified neurotic disorder	75
301	**Personality disorders**	
301.0	Paranoid personality disorder	76
301.1	Affective personality disorder	77
301.10	Affective personality disorder, unspecified	77
301.11	Chronic hypomanic personality disorder	77
301.12	Chronic depressive personality disorder	77
301.13	Cyclothymic disorder	77
301.2	Schizoid personality disorder	78
301.20	Schizoid personality disorder, unspecified	78
301.21	Introverted personality	78
301.22	Schizotypal personality	78
301.3	Explosive personality disorder	79
301.4	Compulsive personality disorder	80
301.5	Histrionic personality disorder	81
301.50	Histrionic personality disorder, unspecified	81
301.51	Chronic factitious illness with physical symptoms	81
301.59	Other histrionic personality disorder	81
301.6	Dependent personality disorder	82
301.7	Antisocial personality disorder	83
301.8	Other personality disorders	84
301.81	Narcissistic personality	84
301.82	Avoidant personality	84
301.83	Borderline personality	84
301.84	Passive-aggressive personality	84
301.89	Other personality disorders	84
301.9	Unspecified personality disorder	85
302	**Sexual deviations and disorders**	
302.2	Pedophilia	86
302.5	Trans-sexualism	87
302.50	Trans-sexualism with unspecified sexual history	87
302.51	Trans-sexualism with asexual history	87
302.52	Trans-sexualism with homosexual history	87
302.53	Trans-sexualism with heterosexual history	87
302.7	Psychosexual dysfunction	88
302.70	Psychosexual dysfunction, unspecified	88
302.71	Psychosexual dysfunction with inhibited sexual desire	88
302.72	Psychosexual dysfunction with inhibited sexual excitement	88
302.73	Psychosexual dysfunction with inhibited female orgasm	88
302.74	Psychosexual dysfunction with inhibited male orgasm	88
302.75	Psychosexual dysfunction with premature ejaculation	88
302.76	Psychosexual dysfunction with functional dyspareunia	88
302.79	Psychosexual dysfunction with other specified psychosexual dysfunctions	88
303	**Alcohol dependence syndrome** Fifth-digit subclassification for use with 303: 0 Unspecified 1 Continuous 2 Episodic 3 In remission	

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
303.0	Acute alcoholic intoxication	89
303.9	Other and unspecified alcohol dependence	90
304	**Drug dependence**	
	Fifth-digit subclassification for use with 304:	
	0 Unspecified	
	1 Continuous	
	2 Episodic	
	3 In remission	
304.0	Opioid type dependence	91
304.1	Barbiturate and similarly acting sedative or hypnotic dependence	92
304.2	Cocaine dependence	93
304.3	Cannabis dependence	94
304.4	Amphetamine and other psychostimulant dependence	95
304.5	Hallucinogen dependence	96
304.6	Other specified drug dependence	97
304.7	Combinations of opioid type drug with any other drug dependence	98
304.8	Combinations of drug dependence excluding opioid type drug	99
304.9	Unspecified drug dependence	100
305	**Nondependent abuse of drugs**	
	Fifth-digit subclassification for use with 305:	
	0 Unspecified	
	1 Continuous	
	2 Episodic	
	3 In remission	
305.0	Alcohol abuse	101
305.1	Tobacco use disorder	102
305.2	Cannabis abuse	103
305.3	Hallucinogen abuse	104
305.4	Barbiturate and similarly acting sedative or hypnotic abuse	105
305.5	Opioid abuse	106
305.6	Cocaine abuse	107
305.7	Amphetamine or related acting sympathomimetic abuse	108
305.8	Antidepressant type abuse	109
305.9	Other, mixed, or unspecified drug abuse	110
306	**Physiological malfunction arising from mental factors**	
306.0	Musculoskeletal malfunction arising from mental factors	111
306.1	Respiratory malfunction arising from mental factors	112
306.2	Cardiovascular malfunction arising from mental factors	113
306.4	Gastrointestinal malfunction arising from mental factors	114
306.5	Genitourinary malfunction arising from mental factors	115
306.50	Psychogenic genitourinary malfunction, unspecified	115
306.51	Psychogenic vaginismus	115
306.52	Psychogenic dysmenorrhea	115
306.53	Psychogenic dysuria	115
306.59	Other genitourinary malfunction arising from mental factors	115
306.7	Disorder of organs of special sense arising from mental factors	116
306.8	Other specified psychophysiological malfunction	117
306.9	Unspecified psychophysiological malfunction	118
307	**Special symptoms or syndromes, not elsewhere classified**	
307.0	Stammering and stuttering	119

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
307.1	Anorexia nervosa	120
307.2	Tics	121
307.20	Tic disorder, unspecified	121
307.21	Transient tic disorder of childhood	121
307.22	Chronic motor tic disorder	121
307.23	Gilles de la Tourette's disorder	121
307.3	Stereotyped repetitive movements	122
307.4	Specific disorders of sleep of nonorganic origin	123
307.40	Nonorganic sleep disorder, unspecified	123
307.41	Transient disorder of initiating or maintaining sleep	123
307.42	Persistent disorder of initiating or maintaining sleep	123
307.43	Transient disorder of initiating or maintaining wakefulness	123
307.44	Persistent disorder of initiating or maintaining wakefulness	123
307.45	Phase-shift disruption of 24-hour sleep-wake cycle	123
307.46	Somnambulism or night terrors	123
307.47	Other dysfunctions of sleep stages or arousal from sleep	123
307.48	Repetitive intrusions of sleep	123
307.49	Other specific disorders of sleep of nonorganic origin	123
307.5	Other and unspecified disorders of eating	124
307.50	Eating disorder, unspecified	124
307.51	Bulimia	124
307.52	Pica	124
307.53	Psychogenic rumination	124
307.54	Psychogenic vomiting	124
307.59	Other disorders of eating	124
307.6	Enuresis	125
307.7	Encopresis	126
307.8	Psychalgia	127
307.80	Psychogenic pain, site unspecified	127
307.81	Tension headache	127
307.89	Other psychalgia	127
307.9	Other and unspecified special symptoms or syndromes, not elsewhere classified	128
308	**Acute reaction to stress**	
308.0	Predominant disturbance of emotions	129
308.1	Predominant disturbance of consciousness	130
308.2	Predominant psychomotor disturbance	131
308.3	Other acute reactions to stress	132
308.4	Mixed disorders as reaction to stress	133
308.9	Unspecified acute reaction to stress	134
309	**Adjustment reaction**	
309.0	Adjustment reaction with brief depressive reaction	135
309.1	Adjustment reaction with prolonged depressive reaction	136
309.2	Adjustment reaction with predominant disturbance of other emotions	137
309.21	Separation anxiety disorder	137
309.22	Emancipation disorder of adolescence and early adult life	137
309.23	Specific academic or work inhibition	137
309.24	Adjustment reaction with anxious mood	137
309.28	Adjustment reaction with mixed emotional features	137
309.29	Other adjustment reactions with predominant disturbance of other emotions	137
309.3	Adjustment reaction with predominant disturbance of conduct	138
309.4	Adjustment reaction with mixed disturbance of emotions and conduct	139
309.8	Other specified adjustment reactions	140

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
309.81	Prolonged posttraumatic stress disorder	140
309.82	Adjustment reaction with physical symptoms	140
309.83	Adjustment reaction with withdrawal	140
309.89	Other specified adjustment reactions	140
309.9	Unspecified adjustment reaction	141
310	**Specific nonpsychotic mental disorders due to organic brain damage**	
310.0	Frontal lobe syndrome	142
310.1	Organic personality syndrome	143
310.2	Postconcussion syndrome	144
310.8	Other specified nonpsychotic mental disorders following organic brain damage	145
310.9	Unspecified nonpsychotic mental disorder following organic brain damage	146
311	**Depressive disorder, not elsewhere classified**	147
312	**Disturbance of conduct, not elsewhere classified** Fifth-digit subclassification for use with 312.0-312.2: 0 Unspecified degree 1 Mild degree 2 Moderate degree 3 Severe degree	
312.0	Undersocialized conduct disorder, aggressive type	148
312.1	Undersocialized conduct disorder, unaggressive type	149
312.2	Socialized conduct disorder	150
312.3	Disorders of impulse control, not elsewhere classified	151
312.30	Impulse control disorder, unspecified	151
312.31	Pathological gambling	151
312.32	Kleptomania	151
312.33	Pyromania	151
312.34	Intermittent explosive disorder	151
312.35	Isolated explosive disorder	151
312.39	Other disorders of impulse control	151
312.4	Mixed disturbance of conduct and emotions	152
312.8	Other specified disturbances of conduct, not elsewhere classified	153
312.9	Unspecified disturbance of conduct	154
313	**Disturbance of emotions specific to childhood and adolescence**	
313.0	Overanxious disorder specific to childhood and adolescence	155
313.1	Misery and unhappiness disorder specific to childhood and adolescence	156
313.2	Sensitivity, shyness, and social withdrawal disorder specific to childhood and adolescence	157
313.21	Shyness disorder of childhood	157
313.22	Introverted disorder of childhood	157
313.23	Elective mutism specific to childhood and adolescence	157
313.8	Other or mixed emotional disturbances of childhood or adolescence	158
313.81	Oppositional disorder of childhood or adolescence	158
313.82	Identity disorder of childhood or adolescence	158
313.83	Academic underachievement disorder of childhood or adolescence	158
313.89	Other emotional disturbances of childhood or adolescence	158
313.9	Unspecified emotional disturbance of childhood or adolescence	159

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
314	**Hyperkinetic syndrome of childhood**	
314.0	Attention deficit disorder of childhood	160
314.00	Attention deficit disorder of childhood without mention of hyperactivity	160
314.01	Attention deficit disorder of childhood with hyperactivity	160
314.2	Hyperkinetic conduct disorder of childhood	161
314.8	Other specified manifestations of hyperkinetic syndrome of childhood	162
314.9	Unspecified hyperkinetic syndrome of childhood	163

APPENDIX E

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Academic underachievement disorder of childhood or adolescence	313.83	158
Acute alcoholic intoxication	303.0	89
Acute delirium	293.0	23
Acute paranoid reaction	298.3	60
Acute reaction to stress	308.0-308.9	129-134
Acute schizophrenic episode	295.4	35
Adjustment reaction	309.0-309.9	135-141
Adjustment reaction with anxious mood	309.24	137
Adjustment reaction with brief depressive reaction	309.0	135
Adjustment reaction with mixed emotional features	309.28	137
Adjustment reaction with mixed disturbance of emotions and conduct	309.4	139
Adjustment reaction with physical symptoms	309.82	140
Adjustment reaction with predominant disturbance of other emotions	309.2	137
Adjustment reaction with predominant disturbance of conduct	309.3	138
Adjustment reaction with prolonged depressive reaction	309.1	136
Adjustment reaction with withdrawal	309.83	140
Affective personality disorder	301.1	77
Affective personality disorder, unspecified	301.10	77
Affective psychoses	296.0-296.9	41-50
Fifth-digit subclassification for use with 296.0-296.6:		
0 Unspecified degree		
1 Mild degree		
2 Moderate degree		
3 Severe degree, without mention of psychotic behavior		
4 Severe degree, specified as with psychotic behavior		
5 In partial or unspecified remission		
6 In full remission		
Agoraphobia with panic attacks	300.21	68
Agoraphobia without mention of panic attacks	300.22	68
Alcohol abuse	305.0	101
Alcohol amnestic syndrome	291.1	11
Alcohol dependence syndrome	303.0-303.9	89-90
Fifth-digit subclassification for use with 303:		
0 Unspecified		
1 Continuous		
2 Episodic		
3 In remission		
Alcohol withdrawal delirium	291.0	10
Alcohol withdrawal hallucinosis	291.3	13
Alcoholic jealousy	291.5	15
Alcoholic psychoses	291.0-291.9	10-17
Amnestic syndrome	294.0	27
Amphetamine and other psychostimulant dependence	304.4	95
Amphetamine or related acting sympathomimetic abuse	305.7	108
Anorexia nervosa	307.1	120
Antidepressant type abuse	305.8	109
Antisocial personality disorder	301.7	83
Anxiety state, unspecified	300.00	66
Anxiety states	300.0	66
Arteriosclerotic dementia	290.4	7
Arteriosclerotic dementia with delirium	290.41	7

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Arteriosclerotic dementia with delusional features	290.42	7
Arteriosclerotic dementia with depressive features	290.43	7
Arteriosclerotic dementia, uncomplicated	290.40	7
Attention deficit disorder of childhood	314.0	160
Attention deficit disorder of childhood without mention of hyperactivity	314.00	160
Attention deficit disorder of childhood with hyperactivity	314.01	160
Atypical depressive disorder	296.82	49
Atypical manic disorder	296.81	49
Avoidant personality	301.82	84
Barbiturate and similarly acting sedative or hypnotic dependence	304.1	92
Barbiturate and similarly acting sedative or hypnotic abuse	305.4	105
Bipolar affective disorder, depressed	296.5	46
Bipolar affective disorder, manic	296.4	45
Bipolar affective disorder, mixed	296.6	47
Bipolar affective disorder, unspecified	296.7	48
Borderline personality	301.83	84
Bulimia	307.51	124
Cannabis abuse	305.2	103
Cannabis dependence	304.3	94
Cardiovascular malfunction arising from mental factors	306.2	113
Catatonic type schizophrenia	295.2	33
Chronic depressive personality disorder	301.12	77
Chronic factitious illness with physical symptoms	301.51	81
Chronic hypomanic personality disorder	301.11	77
Chronic motor tic disorder	307.22	121
Cocaine abuse	305.6	107
Cocaine dependence	304.2	93
Combinations of drug dependence excluding opioid type drug	304.8	99
Combinations of opioid type drug with any other drug dependence	304.7	98
Compulsive personality disorder	301.4	80
Conversion disorder	300.11	67
Cyclothymic disorder	301.13	77
Dementia in conditions classified elsewhere	[illegible]94.1	28
Dependent personality disorder	301.6	82
Depersonalization syndrome	300.6	72
Depressive disorder, not elsewhere classified	311	147
Depressive type psychosis	298.0	57
Disorder of organs of special sense arising from mental factors	306.7	116
Disorders of impulse control, not elsewhere classified	312.3	151
Disorganized type schizophrenia	295.1	32
Dissociative disorder or reaction, unspecified	300.15	67
Disturbance of conduct, not elsewhere classified	312.0-312.9	148-154
Fifth-digit subclassification for use with 312.0-312.2:		
0 Unspecified degree		
1 Mild degree		
2 Moderate degree		
3 Severe degree		
Disturbance of emotions specific to childhood and adolescence	313.0-313.9	155-159

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Drug dependence	304.0-304.9	91-100
Fifth-digit subclassification for use with 304:		
0 Unspecified		
1 Continuous		
2 Episodic		
3 In remission		
Drug psychoses	292.0-292.9	18-22
Drug withdrawal syndrome	292.0	18
Drug-induced amnestic syndrome	292.83	21
Drug-induced delirium	292.81	21
Drug-induced dementia	292.82	21
Drug-induced hallucinosis	292.12	19
Drug-induced organic affective syndrome	292.84	21
Drug-induced organic delusional syndrome	292.11	19
Eating disorder, unspecified	307.50	124
Elective mutism specific to childhood and adolescence	313.23	157
Emancipation disorder of adolescence and early adult life	309.22	137
Encopresis	307.7	126
Enuresis	307.6	125
Excitative type psychosis	298.1	58
Explosive personality disorder	301.3	79
Factitious illness with psychological symptoms	300.16	67
Frontal lobe syndrome	310.0	142
Gastrointestinal malfunction arising from mental factors	306.4	114
Generalized anxiety disorder	300.02	66
Genitourinary malfunction arising from mental factors	306.5	115
Gilles de la Tourette's disorder	307.23	121
Hallucinogen abuse	305.3	104
Hallucinogen dependence	304.5	96
Histrionic personality disorder	301.5	81
Histrionic personality disorder, unspecified	301.50	81
Hyperkinetic conduct disorder of childhood	314.2	161
Hyperkinetic syndrome of childhood	314.0-314.9	160-163
Hypochondriasis	300.7	73
Hysteria	300.1	67
Hysteria, unspecified	300.10	67
Identity disorder of childhood or adolescence	313.82	158
Idiosyncratic alcohol intoxication	291.4	14
Impulse control disorder, unspecified	312.30	151
Infantile autism	299.0	63
Intermittent explosive disorder	312.34	151
Introverted disorder of childhood	313.22	157
Introverted personality	301.21	78
Isolated explosive disorder	312.35	151
Kleptomania	312.32	151
Latent schizophrenia	295.5	36

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Major depressive disorder, recurrent episode	296.3	44
Major depressive disorder, single episode	296.2	43
Manic disorder, recurrent episode	296.1	42
Manic disorder, single episode	296.0	41
Manic-depressive psychosis, other and unspecified	296.8	49
Manic-depressive psychosis, unspecified	296.80	49
Misery and unhappiness disorder specific to childhood and adolescence	313.1	156
Mixed disorders as reaction to stress	308.4	133
Mixed disturbance of conduct and emotions	312.4	152
Multiple personality	300.14	67
Musculoskeletal malfunction arising from mental factors	306.0	111
Narcissistic personality	301.81	84
Neurasthenia	300.5	71
Neurotic depression	300.4	70
Neurotic disorders	300.0-300.9	66-75
Nondependent abuse of drugs	305.0-305.9	101-110
Fifth-digit subclassification for use with 305: 0 Unspecified 1 Continuous 2 Episodic 3 In remission		
Nonorganic sleep disorder, unspecified	307.40	123
Obsessive-compulsive disorders	300.3	69
Opioid abuse	305.5	106
Opioid type dependence	304.0	91
Oppositional disorder of childhood or adolescence	313.81	158
Organic affective syndrome	293.83	25
Organic delusional syndrome	293.81	25
Organic hallucinosis syndrome	293.82	25
Organic personality syndrome	310.1	143
Other acute reactions to stress	308.3	132
Other adjustment reactions with predominant disturbance of other emotions	309.29	137
Other alcoholic dementia	291.2	12
Other and unspecified affective psychoses	296.9	50
Other and unspecified alcohol dependence	303.9	90
Other and unspecified disorders of eating	307.5	124
Other and unspecified factitious illness	300.19	67
Other and unspecified reactive psychosis	298.8	61
Other and unspecified special symptoms or syndromes, not elsewhere classified	307.9	128
Other anxiety states	300.09	66
Other disorders of eating	307.59	124
Other disorders of impulse control	312.39	151
Other dysfunctions of sleep stages or arousal from sleep	307.47	123
Other emotional disturbances of childhood or adolescence	313.89	158
Other genitourinary malfunction arising from mental factors	306.59	115
Other histrionic personality disorder	301.59	81
Other isolated or simple phobias	300.29	68
Other manic-depressive psychosis	296.89	49
Other neurotic disorders	300.8	74
Other neurotic disorders	300.89	74
Other nonorganic psychoses	298.0-298.9	57-62

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Other or mixed emotional disturbances of childhood or adolescence	313.8	158
Other organic psychotic conditions (chronic)	294.0-294.9	27-30
Other personality disorders	301.8	84
Other personality disorders	301.89	84
Other psychalgia	307.89	127
Other specific disorders of sleep of nonorganic origin	307.49	123
Other specified adjustment reactions	309.8	140
Other specified adjustment reactions	309.89	140
Other specified affective psychoses	296.99	50
Other specified alcoholic psychosis	291.8	16
Other specified disturbances of conduct, not elsewhere classified	312.8	153
Other specified drug dependence	304.6	97
Other specified drug-induced mental disorders	292.8	21
Other specified drug-induced mental disorders	292.89	21
Other specified early childhood psychoses	299.8	64
Other specified manifestations of hyperkinetic syndrome of childhood	314.8	162
Other specified nonpsychotic mental disorders following organic brain damage	310.8	145
Other specified organic brain syndromes (chronic)	294.8	29
Other specified paranoid states	297.8	55
Other specified psychophysiological malfunction	306.8	117
Other specified senile psychotic conditions	290.8	8
Other specified transient organic mental disorders	293.8	25
Other specified transient organic mental disorders	293.89	25
Other specified types of schizophrenia	295.8	39
Other, mixed, or unspecified drug abuse	305.9	110
Overanxious disorder specific to childhood and adolescence	313.0	155
Panic disorder	300.01	66
Paranoia	297.1	52
Paranoid and/or hallucinatory states induced by drugs	292.1	19
Paranoid personality disorder	301.0	76
Paranoid state, simple	297.0	51
Paranoid states	297.0-297.9	51-56
Paranoid type schizophrenia	295.3	34
Paraphrenia	297.2	53
Passive-aggressive personality	301.84	84
Pathological drug intoxication	292.2	20
Pathological gambling	312.31	151
Pedophilia	302.2	86
Persistent disorder of initiating or maintaining sleep	307.42	123
Persistent disorder of initiating or maintaining wakefulness	307.44	123
Personality disorders	301.0-301.9	76-85
Phase-shift disruption of 24-hour sleep-wake cycle	307.45	123
Phobia, unspecified	300.20	68
Phobic disorders	300.2	68
Physiological malfunction arising from mental factors	306.0-306.9	111-118
Pica	307.52	124
Postconcussion syndrome	310.2	144
Predominant disturbance of consciousness	308.1	130
Predominant disturbance of emotions	308.0	129
Predominant psychomotor disturbance	308.2	131
Presenile dementia	290.1	4
Presenile dementia with delirium	290.11	4
Presenile dementia with delusional features	290.12	4

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Presenile dementia with depressive features	290.13	4
Presenile dementia, uncomplicated	290.10	4
Prolonged posttraumatic stress disorder	309.81	140
Psychalgia	307.8	127
Psychogenic amnesia	300.12	67
Psychogenic dysmenorrhea	306.52	115
Psychogenic dysuria	306.53	115
Psychogenic fugue	300.13	67
Psychogenic genitourinary malfunction, unspecified	306.50	115
Psychogenic pain, site unspecified	307.80	127
Psychogenic rumination	307.53	124
Psychogenic vaginismus	306.51	115
Psychogenic vomiting	307.54	124
Psychoses with origin specific to childhood	299.0-299.9	63-65
Fifth-digit subclassification for use with 299:		
0 Current or active		
1 Residual state		
Psychosexual dysfunction	302.7	88
Psychosexual dysfunction with inhibited sexual desire	302.71	88
Psychosexual dysfunction with inhibited sexual excitement	302.72	88
Psychosexual dysfunction with inhibited female orgasm	302.73	88
Psychosexual dysfunction with inhibited male orgasm	302.74	88
Psychosexual dysfunction with premature ejaculation	302.75	88
Psychosexual dysfunction with functional dyspareunia	302.76	88
Psychosexual dysfunction with other specified psychosexual dysfunctions	302.79	88
Psychosexual dysfunction, unspecified	302.70	88
Pyromania	312.33	151
Reactive confusion	298.2	59
Repetitive intrusions of sleep	307.48	123
Residual schizophrenia	295.6	37
Respiratory malfunction arising from mental factors	306.1	112
Schizo-affective type schizophrenia	295.7	38
Schizoid personality disorder	301.2	78
Schizoid personality disorder, unspecified	301.20	78
Schizophrenic disorders	295.0-295.9	31-40
Fifth-digit subclassification for use with 295:		
0 Unspecified state		
1 Subchronic state		
2 Chronic state		
3 Subchronic state with acute exacerbation		
4 Chronic state with acute exacerbation		
5 In remission		
Schizotypal personality	301.22	78
Senile and presenile organic psychotic conditions	290.0-290.9	3-9
Senile dementia with delirium	290.3	6
Senile dementia with delusional or depressive features	290.2	5
Senile dementia with delusional features	290.20	5
Senile dementia with depressive features	290.21	5
Senile dementia, uncomplicated	290.0	3
Sensitivity, shyness, and social withdrawal disorder specific to childhood and adolescence	313.2	157
Separation anxiety disorder	309.21	137

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Sexual deviations and disorders	302.2-302.7	86-88
Shared paranoid disorder	297.3	54
Shyness disorder of childhood	313.21	157
Simple type schizophrenia	295.0	31
Social phobia	300.23	68
Socialized conduct disorder	312.2	150
Somatization disorder	300.81	74
Somnambulism or night terrors	307.46	123
Special symptoms or syndromes, not elsewhere classified	307.0-307.9	119-128
Specific academic or work inhibition	309.23	137
Specific disorders of sleep of nonorganic origin	307.4	123
Specific nonpsychotic mental disorders due to organic brain damage	310.0-310.9	142-146
Stammering and stuttering	307.0	119
Stereotyped repetitive movements	307.3	122
Subacute delirium	293.1	24
Tension headache	307.81	127
Tic disorder, unspecified	307.20	121
Tics	307.2	121
Tobacco use disorder	305.1	102
Trans-sexualism	302.5	87
Trans-sexualism with asexual history	302.51	87
Trans-sexualism with heterosexual history	302.53	87
Trans-sexualism with homosexual history	302.52	87
Trans-sexualism with unspecified sexual history	302.50	87
Transient disorder of initiating or maintaining sleep	307.41	123
Transient disorder of initiating or maintaining wakefulness	307.43	123
Transient organic psychotic conditions	293.0-293.9	23-26
Transient tic disorder of childhood	307.21	121
Undersocialized conduct disorder, aggressive type	312.0	148
Undersocialized conduct disorder, unaggressive type	312.1	149
Unspecified acute reaction to stress	308.9	134
Unspecified adjustment reaction	309.9	141
Unspecified affective psychosis	296.90	50
Unspecified alcoholic psychosis	291.9	17
Unspecified childhood psychosis	299.9	65
Unspecified disturbance of conduct	312.9	154
Unspecified drug dependence	304.9	100
Unspecified drug-induced mental disorder	292.9	22
Unspecified emotional disturbance of childhood or adolescence	313.9	159
Unspecified hyperkinetic syndrome of childhood	314.9	163
Unspecified neurotic disorder	300.9	75
Unspecified nonpsychotic mental disorder following organic brain damage	310.9	146
Unspecified organic brain syndrome (chronic)	294.9	30
Unspecified paranoid state	297.9	56
Unspecified personality disorder	301.9	85
Unspecified psychophysiological malfunction	306.9	118
Unspecified psychosis	298.9	62
Unspecified schizophrenia	295.9	40
Unspecified senile psychotic condition	290.9	9
Unspecified transient organic mental disorder	293.9	26

APPENDIX F

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

This is a crosswalk or translation from *DSM-III-R* to *ICD-9-CM*.[1] It was developed in response to a need expressed by medical records administrators for a standardized means by which to translate the codes and rubrics of *DSM-III-R* (widely used by clinicians) to *ICD-9-CM* (which is often used for medical record coding, insurance reporting, and reporting to Federal Agencies). This crosswalk has been specifically developed to facilitate such coding and is not intended for research purposes. A thorough code-by-code discussion of present psychiatric nosology, to be used for research purposes, has been prepared by the American Psychiatric Association and is available through the APA Office of Research.

INSTRUCTIONS FOR USING THE CROSSWALK

DSM-III-R codes are listed in numerical order in the left hand column, followed from left to right by the *ICD-9-CM* code and the combined *DSM-III-R/ICD-9-CM* narrative. In order to find the *ICD-9-CM* code which corresponds to a *DSM-III-R* code, go directly across the page. Words in all capital letters are from the titles of aggregate code groups, added to clarify incomplete titles such as "other." Except in rare instances, discussed in the footnotes, the *ICD-9-CM* and *DSM-III-R* narrative terms are equivalent.

This is only a *DSM-III-R* to *ICD-9-CM* crosswalk. It is not an *ICD-9-CM* to *DSM-III-R* crosswalk and should not be used as such.

Nonsubstantive zeros in *DSM-III-R* which are not found in *ICD-9-CM* are highlighted in this crosswalk by an underscore (e.g., 316.00). These have no "content" and do not affect the crosswalk.

DSM-III-R contains only codes which are found in *ICD-9-CM*; *ICD-9-CM* is the more inclusive system. However, since one of its primary purposes is to serve as a complete list of medical terms to assist in the coding of medical records, there are many codes and rubrics in *ICD-9-CM* which are not found in *DSM-III-R*. When a term is encountered in a medical record which is found in *ICD-9-CM*, but not in *DSM-III-R*, the coder should be guided by *ICD-9-CM*.

See Footnote One (following the Crosswalk) for general notes about the crosswalk.

---

[1] Developed by J. Thompson and H.A. Pincus, Office of Research, American Psychiatric Association.

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
290.00	290.0	Senile [onset] dementia [primary degenerative] [of the Alzheimer type], uncomplicated [senile dementia, not otherwise specified]	2, 3
290.10	290.10	Presenile [onset] dementia [primary degenerative] [of the Alzheimer type], uncomplicated [presenile dementia, not otherwise specified]	2, 3
		Presenile [onset] dementia [primary degenerative] [of the Alzheimer type],	2
290.11	290.11	with delirium	
290.12	290.12	with delusional features [delusions]	
290.13	290.13	with depressive features [depression]	
		Senile [onset] dementia [primary degenerative] [of the Alzheimer type],	2
290.20	290.20	with delusional features [delusions]	
290.21	290.21	with depressive features [depression]	
290.30	290.3	with delirium	
		Arteriosclerotic [multi-infarct] dementia,	
290.40	290.40	uncomplicated	3
290.41	290.41	with delirium	3
290.42	290.42	with delusional features [delusions]	3
290.43	290.43	with depressive features [depression]	3
291.00	291.0	Alcohol withdrawal delirium	
291.10	291.1	Alcohol amnestic syndrome	
291.20	291.2	Other alcoholic dementia [associated with alcoholism]	
291.30	291.3	Alcohol withdrawal hallucinosis	3
291.40	291.4	Idiosyncratic alcohol intoxication	
291.80	291.8	Other specified alcohol psychosis [uncomplicated alcohol withdrawal]	3
292.00	292.0	Drug [amphetamine or similarly acting sympathomimetic] [cocaine] [nicotine] [opioid] [sedative, hypnotic, or anxiolytic delirium] [uncomplicated sedative, hypnotic, or anxiolytic] [other or unspecified psychoactive substance] withdrawal syndrome	4
292.11	292.11	Drug-induced [amphetamine or similarly acting sympathomimetic] [cannabis] [cocaine] [hallucinogen] [phencyclidine (PCP) or similarly acting arylcyclohexylamine] [other or unspecified substance] organic delusional syndrome [disorder]	5, 6
292.12	292.12	Drug-induced [other or unspecified psychoactive substance] hallucinosis	
292.81	292.81	OTHER SPECIFIED drug-induced [amphetamine or similarly acting sympathomimetic] [cocaine] [other or unspecified psychoactive substance] [phencyclidine (PCP) or similarly acting arylcyclohexylamine] delirium	
292.82	292.82	OTHER SPECIFIED drug-induced [other or unspecified psychoactive substance] dementia	8

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
292.83	292.83	OTHER SPECIFIED drug-induced [sedative, hypnotic, or anxiolytic] [other or unspecified psychoactive substance] amnestic disorder	8
292.84	292.84	OTHER SPECIFIED drug-induced [hallucinogen] [phencyclidine (PCP) or similarly acting arylcyclohexylamine] [other or unspecified psychoactive substance] organic affective [mood] syndrome [disorder]	6, 8, 9
292.89	292.89	Other specified drug-induced [other or unspecified [psychoactive] substance] organic mental [anxiety] [personality] disorder [posthallucinogen perception disorder]	3, 8, 10
292.90	292.9	Unspecified drug-induced [phencyclidine (PCP) or similarly acting arylcyclohexylamine] [other or unspecified psychoactive substance] organic mental disorder [not otherwise specified]	7, 11
293.00	293.0	Acute delirium [etiology noted on Axis III or is unknown]	12
293.81	293.81	Organic delusional syndrome [disorder]	
293.82	293.82	Organic hallucinosis syndrome	
293.83	293.83	Organic affective syndrome [mood disorder]	
294.00	294.0	Amnestic syndrome [disorder]	
294.10	294.1	Dementia in conditions classified elsewhere	
294.80	294.8	Other specified organic brain syndrome (chronic) [organic anxiety disorder]	13
294.80	294.9	Other specified organic brain syndrome (chronic) [organic mental disorder not otherwise specified]	14
		Schizophrenic disorder [schizophrenia], disorganized type,	
295.10	295.10	unspecified	
295.11	295.11	subchronic	
295.12	295.12	chronic	
295.13	295.13	subchronic with acute exacerbation	
295.14	295.14	chronic with acute exacerbation	
295.15	295.15	in remission	15
		Schizophrenic disorder [schizophrenia], catatonic type,	
295.20	295.20	unspecified	
295.21	295.21	subchronic	
295.22	295.22	chronic	
295.23	295.23	subchronic with acute exacerbation	
295.24	295.24	chronic with acute exacerbation	
295.25	295.25	in remission	15

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
		Schizophrenic disorder [schizophrenia], paranoid type,	
295.30	295.30	unspecified	
295.31	295.31	subchronic	
295.32	295.32	chronic	
295.33	295.33	subchronic with acute exacerbation	
295.34	295.34	chronic with acute exacerbation	
295.35	295.35	in remission	15
295.40	295.40	Acute schizophrenic episode, unspecified [schizophreniform disorder]	3
		Residual schizophrenia [schizophrenic disorder] [schizophrenia],	16
295.60	295.60	unspecified	
295.61	295.61	subchronic	
295.62	295.62	chronic	
295.70	295.70	Schizophrenic disorder, schizo-affective type, unspecified [schizoaffective disorder]	17
		Unspecified schizophrenia [schizophrenic disorder, undifferentiated type],	3, 18
295.90	295.90	unspecified	15
295.91	295.91	subchronic	
295.92	295.92	chronic	
295.93	295.93	subchronic with acute exacerbation	
295.94	295.94	chronic with acute exacerbation	
295.95	295.95	in remission	19
		Major depressive disorder [depression], single episode	
296.20	296.20	unspecified	
296.21	296.21	mild	
296.22	296.22	moderate	
296.23	296.23	severe, without mention of psychotic behavior [features]	
296.24	296.24	severe, specified as with psychotic behavior [features]	
296.25	296.25	in partial remission	
296.26	296.26	in full remission	
		Major depressive disorder [depression], recurrent	20
296.30	296.30	unspecified	
296.31	296.31	mild	
296.32	296.32	moderate	
296.33	296.33	severe, without mention of psychotic behavior [features]	
296.34	296.34	severe, specified as with psychotic behavior [features]	
296.35	296.35	in partial remission	
296.36	296.36	in full remission	
		Bipolar affective disorder, manic,	20
296.40	296.40	unspecified	
296.41	296.41	mild	
296.42	296.42	moderate	
296.43	296.43	severe, without mention of psychotic behavior [features]	
296.44	296.44	severe, specified as with psychotic behavior [features]	
296.45	296.45	in partial remission	

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
		Bipolar affective disorder, manic,	20
296.46	296.46	in full remission	
		Bipolar affective disorder, depressed,	20
296.50	296.50	unspecified	
296.51	296.51	mild	
296.52	296.52	moderate	
296.53	296.53	severe, without mention of psychotic behavior [features]	
296.54	296.54	severe, specified as with psychotic behavior [features]	
296.55	296.55	in partial remission	
296.56	296.56	in full remission	
		Bipolar affective disorder, mixed,	20
296.60	296.60	unspecified	
296.61	296.61	mild	
296.62	296.62	moderate	
296.63	296.63	severe, without mention of psychotic behavior [features]	
296.64	296.64	severe, specified as with psychotic behavior [features]	
296.65	296.65	in partial remission	
296.66	296.66	in full remission	
296.70	296.7	Bipolar affective disorder, unspecified [not otherwise specified]	
297.10	297.1	Paranoia [delusional disorder]	21
297.30	297.3	Shared paranoid disorder [included psychotic disorder]	22
298.80	298.8	Other and unspecified [brief] reactive psychosis	3
298.90	298.9	Unspecified psychosis [psychotic disorder not otherwise specified]	3
299.00	299.00	Infantile autism, current or active state [autistic disorder]	
299.80	299.80	Other specified early childhood psychoses current or active state [pervasive developmental disorder, not otherwise specified]	3
300.00	300.00	Anxiety state [disorder], unspecified [not otherwise specified]	
300.01	300.01	Panic disorder [without agoraphobia]	23
300.02	300.02	Generalized anxiety disorder	
300.11	300.11	Conversion disorder [or hysterical neurosis, conversion type]	
300.12	300.12	Psychogenic amnesia	
300.13	300.13	Psychogenic fugue	
300.14	300.14	Multiple personality [disorder]	
300.15	300.15	Dissociative disorder or reaction, unspecified [not otherwise specified]	
300.16	300.16	Factitious illness [disorder] with psychological symptoms	
300.19	300.19	Other and unspecified factitious illness [disorder, with physical symptoms [not otherwise specified]	3
300.21	300.21	Agoraphobia with panic attacks [panic disorder, with agoraphobia]	24, 25
300.22	300.22	Agoraphobia without [without history of panic disorder] mention of panic attacks	25
300.23	300.23	Social phobia	
300.29	300.29	Other isolated or simple phobias	
300.30	300.3	Obsessive-compulsive disorder [obsessive compulsive neurosis]	

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
300.40	300.4	Neurotic depression [dysthymic disorder or depressive neurosis]	
300.60	300.6	Depersonalization syndrome [disorder] [or depersonalization neurosis]	
300.70	300.7	Hypochondriasis neurotic disorder [body dysmorphic disorder] [somatoform disorder, not otherwise specified] [undifferentiated somatoform disorder]	3, 26, 27
300.81	300.81	Somatization disorder	
300.90	300.9	Unspecified neurotic [mental] disorder [nonpsychotic]	28
301.00	301.0	Paranoid personality disorder	
301.13	301.13	Cyclothymic disorder [cyclothymia]	
301.20	301.20	Schizoid personality disorder, unspecified	
301.22	301.22	Schizotypal personality [disorder]	
301.40	301.4	[Obsessive] compulsive personality disorder	
301.50	301.50	Histrionic personality disorder, unspecified	
301.51	301.51	Chronic factitious illness [disorder] with physical symptoms	
301.60	301.6	Dependent personality disorder	
301.70	301.7	Antisocial personality disorder	
301.81	301.81	Narcissistic personality [disorder]	
301.82	301.82	Avoidant personality [disorder]	
301.83	301.83	Borderline personality [disorder]	
301.84	301.84	Passive-aggressive personality [disorder]	
301.90	301.90	Unspecified personality disorder [not otherwise specified]	
302.20	302.2	Pedophilia	
302.30	302.3	Transvestism [transvestic fetishism]	29
302.40	302.4	Exhibitionism	
302.50	302.50	TRANSSEXUALISM with unspecified sexual history	30
302.60	302.6	Disorders of psychosexual identity [gender identity disorder of childhood]	3
302.70	302.70	Psychosexual [sexual] dysfunction, unspecified [not otherwise specified]	
302.71	302.71	Psychosexual dysfunction with inhibited [hypoactive] sexual desire	
302.72	302.72	Psychosexual dysfunction with inhibited sexual excitement [female sexual arousal disorder]	
302.72	302.72	Psychosexual dysfunction with inhibited sexual excitement [male erectile disorder]	31
302.73	302.73	Psychosexual dysfunction with inhibited female orgasm	
302.74	302.74	Psychosexual dysfunction with inhibited male orgasm	
302.75	302.75	Psychosexual dysfunction with premature ejaculation	
302.76	302.76	Psychosexual dysfunction with functional dyspareunia	
302.79	302.79	Psychosexual dysfunction with other specified psychosexual dysfunction [sexual aversion disorder]	32
302.81	302.81	Fetishism	
302.82	302.82	Voyeurism	

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
302.83	302.83	Sexual masochism	
302.84	302.84	Sexual sadism	
302.85	302.85	Gender identity disorder of adolescent or adult life [of adolescence or adulthood, nontranssexual type] [not otherwise specified]	33
302.89	302.89	Other SPECIFIED PSYCHOSEXUAL DISORDER [Frotteurism]	34
302.90	302.9	Unspecified psychosexual disorder [atypical paraphilia] [sexual disorder, not otherwise specified] [paraphilia, not otherwise specified]	
303.00	303.00	Acute alcoholic [alcohol] intoxication, unspecified	35
303.90	303.90	Other and unspecified alcohol dependence, unspecified [alcohol dependence]	
304.00	304.00	Opioid type dependence, unspecified	
304.10	304.10	Barbiturate and [or] similarly acting sedative or hypnotic dependence, unspecified [sedative, hypnotic, or anxiolytic dependence]	
304.20	304.20	Cocaine dependence, unspecified	
304.30	304.30	Cannabis dependence, unspecified	
304.40	304.40	Amphetamine and [or] other psychostimulant [similarly acting sympathomimetc] dependence, unspecified	
304.50	304.50	Hallucinogen dependence, unspecified [phencyclidine (PCP) or similarly acting arycyclohexlyamine dependence]	3
304.60	304.60	Other specified drug [substance] dependence, unspecified [inhalant dependence]	3, 36, 37
304.90	304.90	Unspecified drug dependence, unspecified [polysubstance dependence] [psychoactive substance dependence, not otherwise specified]	38
305.00	305.00	Alcohol abuse, unspecified	35
305.10	305.10	Tobacco use disorder [nicotine dependence], unspecified	3, 39
305.20	305.20	Cannabis abuse [intoxication], unspecified	40
305.30	305.30	Hallucinogen abuse, unspecified	40
305.30	292.12	Drug-induced hallucinosis [hallucinosis]	41
305.40	305.40	Barbiturate and similarly acting sedative or hypnotic abuse, unspecified [sedative, hypnotic, or anxiolytic abuse] [intoxication]	40
305.50	305.50	Opioid abuse [intoxication], unspecified	40
305.60	305.60	Cocaine abuse [intoxication], unspecified	40
305.70	305.70	Amphetamine or related acting sympathomimetic abuse [intoxication], unspecified	40
305.90	305.90	Other, mixed, or unspecified [psychoactive] drug [substance] abuse [intoxication], unspecified, [caffeine intoxication], [phencyclidine (PCP) or similarly acting arylcyclohexylamine abuse or intoxication] [inhalant abuse] [inhalant intoxication] [polysubstance abuse] [psychoactive substance abuse, not otherwise specified]	5, 40, 42

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
306.51	306.51	Psychogenic vaginismus	3
307.00	307.0	Stammering and stuttering [cluttering]	3
307.10	307.1	Anorexia nervosa	
307.20	307.20	Tic disorder, unspecified [not otherwise specified]	43
307.21	307.21	Transient tic disorder of childhood	
307.22	307.22	Chronic motor [or vocal] tic disorder	44
307.23	307.23	Gilles de la Tourette's disorder	
307.30	307.3	Stereotyped repetitive movements [stereotype] [disorder]	
307.30	307.9	Other or unspecified special symptoms or syndromes, not elsewhere classified [habit disorder]	3, 45
307.40	307.40	Nonorganic sleep disorder, unspecified [dyssomnia, not otherwise specified]	46
307.40	307.47	Other dysfunctions of sleep stages or arousal from sleep [parasomnia, not otherwise specified]	47
307.42	307.42	Persistent disorder or initiating or maintaining sleep [insomnia related to another mental disorder, nonorganic] [primary insomnia]	3, 48
307.44	307.44	Persistent disorder of initiating or maintaining wakefulness [hypersomnia related to another mental disorder, nonorganic]	3, 48
307.45	307.45	Phase-shift disruption of 24-hour sleep-wake cycle [sleep-wake schedule disorder]	3
307.46	307.46	Somnambulism or night terrors, pavor nocturnus [sleepwalking disorder] [sleep terror disorder]	
307.47	307.47	Other dysfunctions of sleep stages or arousal from sleep [dream anxiety disorder] [nightmare disorder]	3
307.50	307.50	Eating disorder, unspecified [not otherwise specified]	
307.51	307.51	Bulimia [bulimia nervosa]	
307.52	307.52	Pica	
307.53	307.53	Psychogenic rumination [disorder of infancy]	
307.60	307.6	[Functional] enuresis	
307.70	307.7	[Functional] encopresis	
307.80	307.80	Psychogenic [somatoform] pain [disorder], site unspecified	
309.00	309.0	Brief depressive reaction [adjustment disorder with depressed mood]	3
309.21	309.21	Separation anxiety disorder	
309.23	309.23	Specific [adjustment disorder with] academic or work inhibition	
309.24	309.24	Adjustment reaction [disorder] with anxious mood	
309.28	309.28	Adjustment reaction [disorder] with mixed emotional features	
309.30	309.3	ADJUSTMENT REACTION [disorder] with predominant disturbance of conduct	
309.40	309.4	ADJUSTMENT REACTION [disorder] with mixed disturbance of emotions and conduct	
309.83	309.83	Adjustment reaction [disorder] with withdrawal	
309.89	308.3	Other acute reactions to stress [post-traumatic stress disorder]	3

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
309.90	309.9	Unspecified adjustment reaction [disorder] [not otherwise specified]	3
310.10	310.1	Organic personality syndrome [disorder]	
311.00	311	Atypical depressive disorder [depressive disorder, not otherwise specified]	
312.00	312.00	Undersocialized conduct disorder, [solitary] aggressive type, unspecified	
312.20	312.20	Socialized conduct disorder [group type], unspecified	3
312.31	312.31	Pathological gambling	
312.32	312.32	Kleptomania	
312.33	312.33	Pyromania	
312.34	312.34	Intermittent explosive disorder	
312.39	312.39	DISORDERS OF IMPULSE CONTROL, NOT ELSEWHERE CLASSIFIED [trichotillomania]	49
312.39	312.30	DISORDERS OF IMPULSE CONTROL, NOT ELSEWHERE CLASSIFIED [not otherwise specified]	50
312.90	312.9	Unspecified disturbance of conduct [disorder] [Undifferentiated type]	51
313.00	313.0	Overanxious disorder OF CHILDHOOD AND ADOLESCENCE	
313.21	313.21	Shyness [avoidant] disorder of childhood (or adolescence)	3
313.23	313.23	Elective mutism OF CHILDHOOD AND ADOLESCENCE	
313.81	313.81	Oppositional [defiant] disorder of CHILDHOOD AND ADOLESCENCE	
313.82	313.82	Identity disorder OF CHILDHOOD AND ADOLESCENCE	
313.89	313.89	Other EMOTIONAL DISTURBANCES OF CHILDHOOD AND ADOLESCENCE [reactive attachment disorder of infancy or early childhood]	3
314.00	314.00	[Undifferentiated] attention deficit disorder, without mention of hyperactivity	
314.01	314.01	Attention deficit disorder, with hyperactivity	
315.00	315.00	[Developmental] reading disorder, unspecified	
315.10	315.1	[Developmental] specific arithmetic disorder	
315.31	315.31	Developmental [expressive] [receptive] language disorder	
315.39	315.39	Other DEVELOPMENTAL SPEECH OR LANGUAGE [articulation disorder]	3
315.40	315.4	[Developmental] coordination disorder	3
315.90	315.9	Unspecified delay in development [disorder, not otherwise specified]	52
315.90	315.9	Other specified delays in development [specific developmental disorder, not otherwise specified]	52
316.00	316	Psychic [psychological] factors associated with diseases classified elsewhere [affecting physical condition]	3

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
317.00	317	Mild mental retardation	
318.00	318.0	Moderate mental retardation	
318.10	318.1	Severe mental retardation	
318.20	318.2	Profound mental retardation	
319.00	319	Unspecified mental retardation	
780.50	780.54	Other hypersomnia [related to a known organic factor]	53
780.50	780.52	Other insomnia [related to a known organic factor]	53
780.54	307.44	Persistent disorder or initiating or maintaining wakefulness [primary hypersomnia]	54
799.90	799.9	Other unknown and unspecified cause [diagnosis or condition deferred]	
V15.81	V15.81	Noncompliance with medical treatment	
V40.00	V62.89	Other PSYCHOLOGICAL OR PHYSICAL STRESS, NOT ELSEWHERE CLASSIFIED [borderline intellectual functioning]	55
V61.10	V61.1	Marital problems	
V61.20	V61.20	Parent-child problem, unspecified	
V61.80	V61.8	Other specified family circumstances	
V62.20	V62.2	Other occupational circumstances or maladjustment [problems]	
V62.30	V62.3	Educational circumstances [academic problem]	3
V62.81	V62.81	[Other] interpersonal problems, not elsewhere classified	
V62.82	V62.82	Bereavement, uncomplicated	
V62.89	V62.89	Other PSYCHOLOGICAL OR PHYSICAL STRESS, NOT ELSEWHERE CLASSIFIED [phase of life problem or other life circumstance problem]	3
V65.20	V65.2	Person feigning illness [malingering]	3
V71.01	V71.01	Adult antisocial behavior	
V71.02	V71.02	Childhood or adolescent antisocial behavior	
V71.09	V71.09	Other suspected mental condition [no diagnosis or condition]	56

Diagnostic Categories Needing Further Study (See page 367 *DSM-III-R*)

300.90	300.90	Unspecified neurotic disorder, nonpsychotic [late luteal phase dysphoric disorder]	57
301.90	301.89	Other personality disorders, other [sadistic personality disorder]	58
301.90	301.89	Other personality disorders, other [selfdefeating personality disorder]	58

FOOTNOTES FOR CROSSWALK FROM *DSM-III* and *DSM-III-R* TO *ICD-9-CM*

1. General Notes

   a. This crosswalk was prepared with the assistance of the text and index of *DSM-III-R*, and the text glossary, and index of the *ICD-9-CM*. Also included are the *ICD-9-CM* Errata, printed in March 1979, the *ICD-9-CM* Addenda, published in *Medical Record News*, May 15, 1979, and the *ICD-9-CM* Official Authorized Addendum, NCHS, DHHS, October 1, 1987.

   b. When this crosswalk is used for submission to Federal agencies or intermediaries for reimbursement, only one code should be reported. Multiple codes are not accepted.

   c. In *ICD-9-CM* drug abuse codes, specific substances are not specified. These may be indicated by the use of an "E" code. (Only submit the non-"E" code for reimbursement purposes, however.)

   d. Nonsubstantive zeros in *DSM-III-R* which are not found in *ICD-9-CM* are highlighted in this crosswalk by an underscore (e.g., 316.00). These have no "content," and do not affect the crosswalk to *ICD-9-CM*. These final zeros (indicated in the crosswalk by an underscore) may be suppressed to arrive at the *ICD-9-CM* code.

   e. Some *DSM-III-R* codes contain several rubrics, which are in effect inclusion terms. These have been used in the same way as inclusion terms in *ICD-9-CM*.

   f. Note that this is not an *ICD-9-CM* to *DSM-III-R* crosswalk, and should not be used as such. There are many *ICD-9-CM* codes which are not included in *DSM-III-R*, and are not included in this crosswalk.

   g. "Not otherwise specified" in *ICD-9-CM* is equivalent to "unspecified" in *DSM-III-R* (page xxiii in *ICD-9-CM*).

2. *ICD-9-CM* includes the "Alzheimer's" rubric for only presenile dementia, while *DSM-III-R* includes Alzheimer's as an inclusion term for both presenile and senile dementia. The reason is that recent evidence indicates that the pathology for the senile and presenile conditions is the same, and is of the Alzheimer type. This may cause confusion in coding, since Alzheimer's leads the *ICD-9-CM* coder to only presenile dementia. The controlling rubric, however, is senile/presenile, rather than the Alzheimer's designation. If Alzheimer's is indicated without reference to whether the condition is presenile or senile, the *ICD-9-CM* convention should be observed (i.e., the condition coded to presenile dementia).

3. The *DSM-III-R* term is a subterm or inclusion term in *ICD-9-CM*.

4. *ICD-9-CM* includes all drug withdrawal syndromes in 292.0, whether or not the drug is specified, and whether or not delirium is present. Other *ICD-9-CM* categories include only effects **induced** by drugs (292.2 to 292.9). The *ICD-9-CM* 293 series (transient organic psychotic conditions, including delirium) specifically excludes disorders associated with alcohol or drugs.

5. *ICD-9-CM* includes all specific drug induced disorders under a single code which defines the nature of the disorder (e.g., delusional syndromes, hallucinosis, affective (mood) syndromes, etc.), whereas *DSM-III-R* includes a designation as to the drug class.

6. The term "organic" is not included in *DSM-III- R*, but that an organic mental disorder is present is clear.

7. PCP and/or caffeine are included in these *ICD-9-CM* categories, as per the *ICD-9-CM* index. (In the case of PCP dependence, 304.5, the original publication of *ICD-9-CM* had Phencyclidine as an inclusion term, but in the index led the coder to 304.6. In later printings, this inclusion term in 304.5 was eliminated.)

8. "Specified" in *ICD-9-CM* refers to the mental disorder, while "unspecified" in *DSM-III-R* refers to the drug.

9. The term "affective" is not used in *DSM-III-R*.

10. Posthallucinogen perception disorder is specified drug-induced organic mental disorder which is not delirium, dementia, amnestic, or affective. It is not a withdrawal syndrome or intoxication, and is not a hallucinatory state induced by drugs, since the drug is no longer present. It therefore goes to the residual category "other specified" drug-induced organic mental disorder category in *ICD-9-CM* (292.89).

11. "Unspecified" in *ICD-9-CM* and "not otherwise specified" in *DSM-III-R* refers to "disorder."

12. *ICD-9-CM* uses the word "acute," while *DSM-III-R* does not. The discussion on "course" in *DSM-III-R* (p. 101-102), however, makes it clear that the conditions are one and the same.

13. The word "chronic" is included in the *ICD-9-CM* 294.8 code title, but not in *DSM-III-R*. "Chronic" does not completely define the *ICD-9-CM* category; however, as "acute" cases are also included as per the *ICD-9-CM* index, and "mixed" is an inclusion term. The *DSM-III-R* "organic anxiety disorder" is "another specified" organic brain syndrome, and crosswalks to 294.8.

14. The *DSM-III-R* "not otherwise specified" rubric crosswalks to the *ICD-9-CM* "unspecified" category, 294.9.

15. This code is not found in Appendix G (alphabetic list) or Appendix H (numeric list) of *DSM-III-R*, but is a valid *DSM-III-R* code.

16. Codes 295.63 and 295.64 are found in Appendix G (alphabetic list) and Appendix H (numeric list) of *DSM-III-R*, but are **not** valid *DSM-III-R* codes. (See page 198 in *DSM-III-R*.)

17. *DSM-III-R* questions whether this is a schizophrenic disorder. Both *DSM-III-R* (p. 208-210) and *ICD-9-CM* (p. 1119) agree, however, that this category contains the conditions in which affective and schizophrenic symptoms are both pronounced.

18. The *DSM-III-R* term "undifferentiated" appears as an inclusion term in *ICD-9-CM* for both 295.8x and 295.9x. The state referred to in 295.8x is "acute;" however, and is similar to 295.40 in *DSM-III-R*. (The 295.8x codes are not used in *DSM-III-R*.) Code 295.9x in *DSM-III-R* is a residual category, and is correctly crosswalked to 295.9x in *ICD-9-CM* ("undifferentiated, not otherwise specified").

19. Appendix G (alphabetic list) and Appendix H (numeric list) in *DSM-III-R* incorrectly shows the rubric as "unspecified."

20. Terminology for the 5th digit differs in *DSM-III-R* and *ICD-9-CM*, but study of the two documents reveals that the terminology is equivalent. *DSM-III-R* drops the word "severe" from the .x4 rubric, although severity is clearly implied; uses the word "features" instead of "behavior" to describe psychosis; does not include "unspecified" in the .x5 rubric; and drops the term "affective" from the bipolar disorders.

21. *DSM-III-R* uses the term "delusional" instead of paranoia. This is clearly within the intent of *ICD-9-CM*, however, which indicates that this category includes cases in which "delusions ... are the main symptoms."

22. The *DSM-III-R* terminology simply stresses that the disorder is induced by another person. The outcome is the same, however, in that the two persons share the same disorder.

23. *ICD-9-CM* does not specifically mention the absence of agoraphobia, but this is implicit, since the combination of agoraphobia and panic would go to 300.21 in *ICD-9-CM*, and this category is the only other possibility for panic disorder in *ICD-9-CM*.

24. *ICD-9-CM* considers agoraphobia the primary condition, while *DSM-III-R* considers panic disorder to be the primary condition. The contents of the category are the same, however.

25. The *DSM-III-R* category is theoretically more restrictive, in that panic disorder (rather than mention of panic attacks) should be present. This is not problematic in a *DSM-III-R* to *ICD-9-CM* crosswalk, however, since the contents of the *DSM-III-R* category would go in toto to the *ICD-9-CM* category.

26. Body dysmorphic disorder is a new *DSM-III-R* rubric, and is clearly a somatoform disorder according to *DSM-III-R*.

27. All somatoform disorders go to 300.7 in *ICD-9-CM*. *ICD-9-CM's* 300.9 (Unspecified neurotic disorder) would be incorrect, since the neurotic disorder is indeed specified as somatoform.

28. The *DSM-III-R* "nonpsychotic" is broader than the *ICD-9-CM* "unspecified neurotic." However, the presence of residual categories in *DSM-III-R* which cover all other conditions, and the absence of another appropriate *DSM-III-R* category for unspecified neurotic disorders, makes this the correct crosswalk in actual practice. Also, the *DSM-III-R* title is included in the *ICD-9-CM* index for this code.

29. Although there is a category for "fetishism" in the "other" category of *ICD-9-CM*, the greater specificity in the term "transvestic fetishism" in *DSM-III-R* makes 300.3 the correct one.

30. *ICD-9-CM* contains codes for sexual orientation, while *DSM-III-R* does not. (The sexual orientation can be specified in *DSM-III-R*, but all transsexualism goes into the 302.50 category.) If sexual orientation is specified in *DSM-III-R*, the crosswalk to *ICD-9-CM* would be 302.51 (asexual), 302.52 (homosexual), or 302.53 (heterosexual).

31. *ICD-9-CM* inclusions are "frigidity" and "impotence," which is equivalent terminology to that in *DSM-III-R*.

32. Sexual aversion disorder is an "other specified psychosexual dysfunction" as defined by *ICD-9-CM*.

33. The addition of "nontranssexual type" in *DSM-III-R* adds some confusion to where this disorder should be placed in *ICD-9-CM*, since there is no such exclusion in *ICD-9-CM*. The primary category is gender identity disorder, however, rather than transsexualism, which crosswalks to 302.85 in *ICD-9-CM*. In addition, the "not otherwise specified" rubric in *DSM-III-R* correctly crosswalks to this category in *ICD-9-CM*, since this refers specifically to gender identity disorder, rather than serving as a more general NOS category for psychosexual disorders.

34. Frotteurism is an "other specified psychosexual disorder," as per the *ICD-9-CM* definition.

35. *ICD-9-CM* recognizes intoxication in a person dependent on alcohol (303.0x) and in a person not dependent (305.0x). *DSM-III-R* recognizes intoxication without regard to dependence (303.00), and abuse without dependence (305.0x). In clinical practice most patients coming to care intoxicated will also be dependent, making the 303.00 to 303.00 crosswalk correct. "Abuse" is similarly defined in *ICD-9-CM* (p. 1089-1090) and *DSM-III-R* (p. 169 and 0. 173), making the 305.0x to 305.0 crosswalk correct.

36. Inhalants are an "other specified" substance, as per the *ICD-9-CM* definition.

37. "Specified" and "unspecified" as used here are only an apparent contradiction in the *ICD-9-CM* and *DSM-III-R* codes. "Specified" refers to the drug, and "unspecified" refers to the pattern of the condition.

38. The two combination categories in *ICD-9-CM* are dependent on identification of use or non-use of opioid drugs (304.7 and 304.8). *DSM-III-R* does not use this distinction, and so *DSM-III-R* combination categories for drugs would have to go to the "unspecified" category (304.9), since opioid is not specified.

39. In spite of the overall category rubric in *ICD-9-CM* ("Nondependent abuse of drugs"), tobacco dependence is an *ICD-9-CM* inclusion term in 305.1. The *DSM-III-R* use of "nicotine" reflects the addicting substance in tobacco, and tobacco is the only clinically important manner in which nicotine is abused.

40. *ICD-9-CM* is not entirely clear as to where most intoxication without dependence should be placed. Intoxication is implied in "abuse," however, as the glossary reads the abuse is "a maladaptive effect of a drug on which he is not dependent" (p. 1089). In addition, alcohol intoxication without dependence (drunkenness) is included in this group (the 305 series), as is acute intoxication from hallucinogens. The crosswalk listed is therefore correct.

41. Hallucinosis is the *DSM-III-R* term for intoxication. The "hallucinosis" rubric in *ICD-9-CM* leads one to 292.12, however. If this term is used in *DSM-III-R*, the 292.12 crosswalk should be used.

42. Polysubstance abuse in *DSM-III-R* is equivalent to "mixed" in *ICD-9-CM*.

43. This *ICD-9-CM* code is the only residual category for tic disorder, and so is the correct crosswalk for the "not otherwise specified" *DSM-III-R* rubric.

44. The key word is "or" in the *DSM-III-R* rubric, as either motor or verbal tics, but not both, may be present (page 81, *DSM-III-R*). If both are present, Tourette's is the proper diagnosis.

45. The term "habit" in a non-tic condition is indexed in *ICD-9-CM* to 307.9, and some of the examples in *DSM-III-R* are inclusion terms in *ICD-9-CM* 307.9. If "habit" is included in the rubric, therefore, the crosswalk is to 307.9.

46. Dyssomnia is a rubric unique to *DSM-III-R*, but has the meaning of any insomnia, hypersomnia, or disorder of the sleep-wake cycle (page 298). This crosswalks in *ICD-9-CM* to the 307.40 "unspecified" code of *ICD-9-CM*.

47. Parasomnia of nonorganic origin crosswalk to 307.47 as per the *ICD-9-CM* index.

48. *DSM-III-R* considers the contents of 307.42 to be insomnia which does not have an organic etiology or which is related only to another mental disorder. The inclusion terms in *ICD-9-CM* clarify that this is the content of the *ICD-9-CM* category also. The *ICD-9-CM* category "transient disorder of initiating or maintaining sleep" (307.41) does not meet the *DSM-III-R* definition of an insomnia-type mental disorder, because of the transient nature of the condition (see pages 299-300 in *DSM-III-R*). Similar reasoning applies to the hypersomnia category (307.44).

49. Trichotillomania is another specified disorder of impulse control, as per the *ICD-9-CM* definition.

50. The "not otherwise classified" rubric in *DSM-III-R* crosswalks to 312.30 ("unspecified") in *ICD-9-CM*.

51. Because the disorder is undifferentiated (as in *DSM-III-R*), it cannot be specified, yielding the "unspecified" rubric of *ICD-9-CM*.

52. The "specified" in the *DSM-III-R* rubric for 315.90 is contradictory to the "not otherwise specified" rubric (which means "unspecified"). The "not otherwise specified" rubric should be taken as the primary rubric, which crosswalks to *ICD-9-CM* 315.90. The other *DSM-III-R* rubric "unspecified" unambiguously goes to *ICD-9-CM* 315.90.

53. *DSM-III-R* considers the contents of these categories to be hypersomnia which has an organic etiology. The closest *ICD-9-CM* categories are 780.54 and 780.52. (If apnea is specified, the crosswalk is to 780.53 or 780.51 in *ICD-9-CM*).

54. This *DSM-III-R* category is for hypersomnia with no known organic etiology or related only to another mental disorder. This crosswalks to 307.44 in *ICD-9-CM*.

55. The inclusion "borderline intellectual functioning" was added to *ICD-9-CM* V62.89 in an update. The crosswalk is therefore to V62.89 in *ICD-9-CM*.

56. *ICD-9-CM* includes this code under "observations for suspected mental condition," while *DSM-III-R* indicates that this code is to be used when no diagnosis or condition is present "following an examination." Assuming that the *ICD-9-CM* code represents a final "diagnosis," both refer to a person with a negative workup for a mental disorder or condition. A "V" code by definition is not to be used if a disease is thought to be present (*ICD-9-CM*, p. 880). This is distinguished from 799.90 (*DSM-III-R*) and 799.9 (*ICD-9-CM*) which refer to cases in which a disease is present but unspecified, or in which a disease is thought to be present but the diagnosis is deferred.

57. Code 307.90 is incorrectly attached to this rubric in the Alphabetic List (Appendix G) and Numeric List (Appendix H) of *DSM-III-R*.

58. This is an "other specified" personality disorder, as per the *ICD-9-CM* definition, and crosswalks to 301.89.

B4465-2.3-

LOS

PSYCHIATRIC

LENGTH OF STAY

Psychiatric Length of Stay
by Diagnosis
Northeastern Region, 1989

LOS

PSYCHIATRIC

LENGTH OF STAY

Psychiatric Length of Stay by Diagnosis
United States, Northeastern Region, 1989

Healthcare Knowledge Resources
Ann Arbor, Michigan
November, 1990

PSYCHIATRIC LENGTH OF STAY

This publication represents one volume in the Psychiatric Length of Stay by Diagnosis series:

Psychiatric Length of Stay by Diagnosis, United States, 1989
ISSN 0898-0543

Psychiatric Length of Stay by Diagnosis, Northeastern Region, 1989
ISSN 0898-0527

Psychiatric Length of Stay by Diagnosis, North Central Region, 1989
ISSN 0898-249X

Psychiatric Length of Stay by Diagnosis, Southern Region, 1989
ISSN 0898-0519

Psychiatric Length of Stay by Diagnosis, Western Region, 1989
ISSN 0898-0535

For further information, please contact Healthcare Knowledge Resources, P.O. Box 303, Ann Arbor, Michigan 48106-0303, or call 800-521-6210.

Copyright 1990 by Healthcare Knowledge Resources, Ann Arbor, Michigan, based on data from the Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a database or retrieval system, without the prior written permission of the publisher.

Statistics reported in this volume are drawn from individual patient discharge records for the time period January 1, 1989 through December 31, 1989. Neither CPHA nor Healthcare Knowledge Resources assume any liability for any use, furnishing, analysis, interpretation, conclusions, or utilization review decisions based on data reported herein. Any such liability shall be the responsibility of the user of the data, who agrees to hold CPHA or Healthcare Knowledge Resources harmless from any damages, litigation, liability or claimed liability, claims, and any expenses including legal expenses incident thereto resulting from any such use, furnishing, analysis, interpretation, conclusions, or utilization review decisions.

CONTENTS

Introduction v

Description of the Database vi
Source of the Data
Data Quality
Hospital Characteristics

Organization of the Tables viii
Diagnosis Classification Categories
Hospital Service Type
Patient Data Stratification

Explanation of the Statistics x
Total Number of Patients
Average Length of Stay
Variance
Percentiles
Subtotal and Grand Total

Using the Tables xi

Psychiatric Length of Stay Tables 1

Appendix A
1989 Hospital Characteristics 165
Table 1: Universe of Hospitals
Table 2: Hospitals With Psychiatric Units
Table 3: Hospitals Without Psychiatric Units

Appendix B
Description of Hospital Characteristics 168

Appendix C
State Inclusions By Region 169

Appendix D
Numeric Listing of *ICD-9-CM* Psychiatric Diagnosis Codes 170

Appendix E
Alphabetic Listing of *ICD-9-CM* Psychiatric Diagnosis Codes 178

Appendix F
Crosswalk From *DSM-III-R* to *ICD-9-CM* 186

ACKNOWLEDGEMENTS

1989 PSYCHIATRIC LENGTH OF STAY BY DIAGNOSIS

PROJECT TEAM:

Jennifer Goewey, Publication Specialist
Linda E. Vanek, Assistant Manager, Normative Publications
Joyce Beach, Senior Programmer Analyst
Lale A. Olson, Senior Electronic Publishing Analyst

The following individuals made valuable contributions to the development of this publication:

Robert Seeman, Senior Nosologist, Commission on Professional and Hospital Activities (CPHA),
Nancy Ramirez, Medical Systems Specialist, Healthcare Knowledge Resources,
Robert Travis, Librarian.

We offer a special thank-you to the following individuals for their assistance:

Ruth Blumenauer, Fran Metz, Peggy Meyer, Connie Prouty, Kris Reutter, and Sally Smith.

Finally, we gratefully acknowledge the hospitals and state organizations that support this and other publications by making their data available.

INTRODUCTION

Healthcare Knowledge Resources is the official developer and distributor of products derived from the clinical research and classification development activities of the Commission on Professional and Hospital Activities (CPHA). Now in its fourth decade as a reliable source for clinical record information, CPHA retains ownership of its databases and classification systems while Healthcare Knowledge Resources develops and markets high quality, information-oriented products and services to the healthcare industry and related fields.

Healthcare Knowledge Resources offers a range of information products, available through books, magnetic media, and educational seminars. The Psychiatric Length of Stay series is one of a number of data reference tools providing performance guidelines for a variety of healthcare settings.

The Psychiatric Length of Stay series is a unique annual publication. The series incorporates length of stay and demographic data on psychiatric patients treated in nonfederal, short-term general hospitals in the United States during 1989. This book is one volume in a set of five books. The complete set is the latest in a series of publications on psychiatric length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from other organizations contributing to CPHA are also included in the 1989 series.

In addition to *Psychiatric Length of Stay by Diagnosis*, other titles in the Cost Containment Series include: *Length of Stay by Diagnosis and Operation* and *Length of Stay by DRG and Payment Source*. Each series is available on an annual basis for the United States, Northeastern, North Central, Southern, and Western regions. *Pediatric Length of Stay* (19 years and under) and *Geriatric Length of Stay* (65 years and over) are also available in the Diagnosis and Operation series for the United States.

These statistics, also available on magnetic tape and diskette, provide a valuable perspective for utilization review, quality assurance professionals, physicians, consultants, hospital administrators, third party payors, and researchers interested in cost containment and quality care.

DESCRIPTION OF THE DATABASE

SOURCE OF THE DATA

Data in the Length of Stay tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer or magnetic tape.

2. The disk or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data undergo a comprehensive editing process and errors are corrected.

4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.

5. Data are standardized to create an aggregated patient record base.

Annually these data are utilized to create the Length of Stay series and other reference tools.

DATA QUALITY

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Over 600 automated checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, and unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, numerous edits are done to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death, stillborn
2. admission from other short-term hospital
3. discharge to other short-term hospital
4. discharge against medical advice

HOSPITAL CHARACTERISTICS

Data chosen for inclusion in the Psychiatric Length of Stay series are from general, nonfederal, short-term hospitals in the United States. The American Hospital Association (AHA)[1] defines these characteristics in the following manner:

General – The primary function of the institution is to provide patient services, diagnostic and therapeutic, for a variety of medical conditions.

Nonfederal – Controlled by state, county, city, city-county, hospital district or authority, church.

Short-term – The average length of stay for all patients is less than 30 days, or over 50 percent of all patients are admitted to units where the average length of stay is less than 30 days.

Most data used in the Length of Stay tables are from hospitals participating in PAS. In addition, the following organizations have sent data: Colorado Hospital Association, Hospital Association of New York State, Michigan Hospital Association, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), New Hampshire Hospital Association, Oregon Hospital Association, Southern Kaiser Foundation Hospitals, Vermont Hospital Association, and Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data for special studies.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

The characteristics of all hospitals with discharge data included in the Length of Stay tables are displayed in the tables in Appendix A. Definitions of hospital characteristics are provided in Appendix B and the states included in each region are listed in Appendix C.

---

[1] American Hospital Association Guide to the Health Care Field, 1989.

ORGANIZATION OF THE TABLES

DIAGNOSIS CLASSIFICATION CATEGORIES

The tables in each regional and national volume are categorized by the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.[1] This system includes both diagnosis and procedure numerical codes of three to five digits. The psychiatric length of stay tables are categorized by *ICD-9-CM* diagnosis code, beginning with code 290 and ending with code 314.9, expressed to the fourth digit. Diagnosis codes within the specified range with five digits are collapsed and incorporated into the four digit *ICD-9-CM* diagnosis codes. Appendix D lists, in numerical order, the *ICD-9-CM* diagnosis codes in the tables, their accompanying description, and the page number of the table. Appendix E lists, in alphabetical order, the *ICD-9-CM* psychiatric diagnoses description and accompanying numerical codes along with the page number of the table. (A crosswalk from *DSM-III-R* to *ICD-9-CM* is included in Appendix F.)

HOSPITAL SERVICE TYPE

The tables are also categorized by hospital service unit.[2] The divisions are:

a. **Hospitals with a psychiatric unit/beds** – nonfederal, short-term general hospitals reporting a psychiatric acute care unit or beds set-up.

b. **Hospitals without a psychiatric unit/beds** – nonfederal, short-term general hospitals that do not report a psychiatric acute care unit or beds set-up.

Hospitals in both groups can offer the following additional services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization.

PATIENT DATA STRATIFICATION

The psychiatric length of stay data are stratified into two patient groups, by sex, and by seven age ranges:

Patient Groups

Patients in the tables are grouped by *ICD-9-CM* psychiatric principal diagnosis and by the presence or absence of a psychiatric secondary diagnosis. The principal diagnosis code is the diagnosis that, after study, explains why the patient was admitted to the hospital.

Psychiatric Principal Diagnosis, Without Any Psychiatric Secondary Diagnosis (Psych Prin, No Psych 2nd Dx)

This group includes patients having a psychiatric principal diagnosis code only (*ICD-9-CM* 290-314.9) or patients having the specified psychiatric principal diagnosis code and a nonpsychiatric secondary diagnosis. For example, this group may include a patient having the principal psychiatric diagnosis code specified in the table as their only diagnosis. Alternatively, a patient with the same principal psychiatric diagnosis and a secondary diagnosis of diabetes (*ICD-9-CM* code 250.0), a nonpsychiatric secondary diagnosis, is also included in this category.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1989.

[2] 1988 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Psychiatric Principal Diagnosis, With One or More Psychiatric Secondary Diagnoses (Psych Prin, Psych 2nd Dx(s))

This group includes patients having a psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) and one or more psychiatric secondary diagnoses (*ICD-9-CM* 290-314.9).

Sex

Patients are distinguished as either male or female.

Age

Patients are in one of the following age groups recorded in years:

0-12 (includes newborns)
13-17
18-24
25-34
35-54
55-74
75+

The "all ages" group summarizes all the age groups by sex.

EXPLANATION OF THE STATISTICS

Data are categorized by total number of patients, average length of stay, variance, and distribution percentiles. In addition, two subtotals and a grand total are included.

TOTAL NUMBER OF PATIENTS

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

AVERAGE LENGTH OF STAY

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the lengths of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

VARIANCE

The variance is a measure of the spread of the data around the average. The smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

DISTRIBUTION PERCENTILES

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

SUBTOTAL AND GRAND TOTAL

The subtotal represents the total patients in each of the two patient groups. The Grand Total represents the total number of patients in the specified psychiatric diagnosis category within one of the two hospital service type categories.

USING THE TABLES

The Psychiatric Length of Stay series can be used as a valuable supplement and reference in a variety of healthcare settings. Use of hospital stay data as an inpatient utilization measure allows the healthcare professional to compare regional and national norms to an individual institution or special population. The Length of Stay series assists in:

- projecting extended stay reviews;
- identifying candidates for utilization review;
- establishing baselines;
- developing forecasts; and
- service planning.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay by using one of the Length of Stay regional or national volumes:

Step 1: Consult the Appendix at the back of the book for the particular diagnosis to be reviewed.

Step 2: Find the corresponding table in the Length of Stay tables; the *ICD-9-CM* diagnosis code number follows the English title of each table.

Step 3: Find the appropriate portion of the table for review:

- Hospital Service Type
- Patient Group
- Sex
- Age

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total stratified patient sample and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps can be followed, with more specific applications, by healthcare professionals in many diverse settings.

Psychiatric Length of Stay Diagnosis Tables

SUMMARY OF ALL PATIENTS WITH PSYCHIATRIC CODES

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	213	25.4	560	1	4	22	44	72	99+	99+	71	11.6	164	1	2	4	20	29	34	58
13-17	282	13.8	206	1	2	9	20	32	[illegible]	76	106	5.7	92	1	1	2	4	21	25	49
18-24	613	15.1	244	2	4	10	20	38	52	77	216	8.9	101	1	2	4	12	28	28	31
25-34	1246	13.7	174	2	5	9	19	30	41	76	566	8.9	84	1	3	5	10	28	28	33
35-54	1751	12.9	143	3	5	8	18	29	37	63	753	7.6	64	2	3	5	7	26	28	28
55-74	905	16.4	215	3	6	13	22	37	48	90	432	8.9	113	2	3	5	11	24	28	99+
75 +	392	19.2	306	3	7	15	27	52	72	99+	294	13.3	230	2	4	8	17	36	63	99+
ALL AGES	5402	14.9	213	2	5	10	21	35	48	90	2438	9.0	107	1	3	5	11	28	28	67
B. FEMALE																				
0-12 YRS.	119	22.2	507	1	3	18	35	59	65	99	59	13.0	167	1	2	8	19	30	36	55
13-17	480	15.2	225	2	4	11	21	37	49	97	140	7.7	121	1	1	2	7	25	32	45
18-24	663	12.3	160	1	4	8	16	29	39	80	194	9.6	116	1	2	5	14	28	31	45
25-34	1522	14.4	186	2	5	10	20	32	43	75	375	7.9	70	1	3	5	8	23	28	30
35-54	2293	16.0	192	3	6	13	21	34	46	80	506	7.6	65	2	3	5	8	18	28	36
55-74	1757	20.2	246	4	9	17	27	41	56	99+	435	9.8	133	2	3	6	13	22	35	98
75 +	980	20.4	265	4	8	16	29	46	64	99+	594	14.8	293	3	4	9	19	40	66	99+
ALL AGES	7814	16.9	224	3	6	13	23	37	50	98	2303	10.2	157	2	3	6	13	27	35	87
SUBTOTAL	**13216**	**16.1**	**220**	**3**	**6**	**12**	**22**	**36**	**49**	**95**	**4741**	**9.6**	**131**	**1**	**3**	**5**	**12**	**28**	**29**	**82**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	93	36.8	744	2	20	29	58	82	89	99+	81	25.9	207	5	14	27	34	45	51	60
13-17	318	21.0	395	3	5	18	29	55	81	99+	96	10.0	115	1	2	5	17	28	29	48
18-24	914	12.9	177	2	4	8	19	30	36	80	464	9.5	71	2	4	6	13	27	28	29
25-34	2185	11.0	105	2	4	7	15	26	29	48	1758	8.1	47	3	4	6	8	20	28	28
35-54	2461	11.0	111	3	5	6	14	26	30	53	2464	7.0	32	3	5	5	7	14	20	28
55-74	737	14.0	161	3	5	10	20	32	40	71	534	8.0	70	3	4	5	8	18	22	47
75 +	179	20.4	362	4	7	16	30	55	83	99+	108	14.4	288	3	5	9	17	38	65	93
ALL AGES	6887	12.6	166	3	5	7	18	28	36	78	5505	8.2	58	3	5	5	8	18	28	34
B. FEMALE																				
0-12 YRS.	47	36.8	672	7	16	35	60	89	99+	99+	35	23.3	181	4	14	24	33	40	45	54
13-17	362	20.0	359	2	6	15	29	55	73	99+	140	18.2	252	2	3	15	28	40	48	76
18-24	778	15.1	252	2	5	10	20	35	52	83	324	11.6	141	2	4	7	17	28	30	67
25-34	1608	14.1	189	3	5	10	20	31	41	88	810	9.4	75	2	4	6	11	25	28	38
35-54	1888	14.4	172	3	5	11	20	31	42	79	732	8.3	57	2	4	6	10	19	27	39
55-74	795	18.8	235	4	7	15	26	39	51	97	331	9.1	74	2	4	6	12	20	25	52
75 +	352	19.0	243	4	8	15	27	41	54	99	238	13.3	176	2	4	10	19	29	46	99+
ALL AGES	5830	15.8	224	3	5	12	22	35	49	97	2610	10.4	105	2	4	6	14	27	28	52
SUBTOTAL	**12717**	**14.1**	**194**	**3**	**5**	**9**	**20**	**31**	**42**	**88**	**8115**	**8.9**	**74**	**3**	**4**	**6**	**9**	**21**	**28**	**43**
GRAND TOTAL	**25933**	**15.1**	**209**	**3**	**5**	**11**	**21**	**34**	**47**	**90**	**12856**	**9.1**	**96**	**2**	**4**	**6**	**10**	**24**	**28**	**54**

SENILE DEMENTIA UNCOMP (290.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5	3	10.3	59	2	7	14	58	99+	99+	99+
75 +	20	22.3	376	5	10	14	36	62	85	99+	16	11.9	172	3	6	8	20	86	99+	99+
ALL AGES	21	21.5	370	5	6	14	35	61	83	99+	19	11.6	152	3	6	9	20	99+	99+	99+
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	10.5	113	3	7	18	79	99+	99+	99+	4	14.0	205	4	5	8	23	35	35	35
75 +	34	18.9	327	5	7	11	37	66	91	99+	27	18.6	483	4	6	10	23	66	92	99+
ALL AGES	36	18.4	316	4	7	11	38	70	99+	99+	31	18.0	442	4	6	10	23	56	89	99+
SUBTOTAL	**57**	**19.5**	**334**	**4**	**7**	**13**	**37**	**69**	**99+**	**99+**	**50**	**15.6**	**335**	**4**	**6**	**10**	**20**	**75**	**99+**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	40.0		40	40	40	40	40	40	40										
75 +	2	17.5	265	6	12	29	82	99+	99+	99+	1	63.0		63	63	63	63	63	63	63
ALL AGES	3	25.0	301	6	17	34	70	99+	99+	99+	1	63.0		63	63	63	63	63	63	63
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	4	27.5	428	12	15	20	39	58	58	58										
75 +	12	21.3	590	3	7	13	26	52	85	91	7	15.9	115	3	8	11	27	27	27	27
ALL AGES	16	22.8	529	4	9	17	26	56	81	91	7	15.9	115	3	8	11	27	27	27	27
SUBTOTAL	**19**	**23.2**	**472**	**4**	**9**	**19**	**33**	**74**	**95**	**99+**	**8**	**21.8**	**375**	**3**	**8**	**19**	**27**	**52**	**63**	**63**
GRAND TOTAL	**76**	**20.4**	**366**	**5**	**7**	**14**	**36**	**69**	**99+**	**99+**	**58**	**16.4**	**341**	**4**	**6**	**10**	**27**	**66**	**99+**	**99+**

PRESENILE DEMENTIA (290.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74	13	24.2	335	4	9	23	37	53	57	58	14	19.9	426	3	7	17	38	97	99 +	99 +
75 +	34	23.2	477	7	10	17	42	99 +	99 +	99 +	31	15.3	212	3	4	9	32	58	99 +	99 +
ALL AGES	48	23.0	431	5	9	17	37	92	99 +	99 +	45	16.7	276	3	5	10	35	88	99 +	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	3	26.0	327	7	12	28	39	43	43	43										
55-74	24	26.6	687	3	9	15	41	87	92	99 +	13	22.0	929	2	3	7	51	98	99 +	99 +
75 +	60	20.7	469	4	8	13	27	56	85	99 +	72	20.0	557	3	6	10	33	90	99 +	99 +
ALL AGES	87	22.5	521	4	8	13	33	68	89	99 +	85	20.3	605	2	5	10	33	92	99 +	99 +
SUBTOTAL	**135**	**22.7**	**485**	**4**	**8**	**14**	**34**	**77**	**98**	**99 +**	**130**	**19.1**	**489**	**3**	**5**	**10**	**34**	**92**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	18.0		18	18	18	18	18	18	18	1	4.0		4	4	4	4	4	4	4
55-74	3	10.0	49	2	5	13	14	15	15	15	4	13.0	241	2	4	7	22	36	36	36
75 +	4	16.0	135	2	7	16	25	29	29	29	7	6.3	23	1	2	6	10	13	14	14
ALL AGES	8	14.0	83	2	7	14	19	27	29	29	12	8.3	91	2	3	6	9	21	34	36
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	8	25.5	333	7	10	22	36	54	60	60	2	3.0		3	3	3	3	3	3	3
75 +	7	23.1	186	4	11	24	35	38	38	38	16	17.5	332	3	6	11	24	36	63	74
ALL AGES	15	24.4	247	6	10	23	35	41	55	60	18	15.9	314	3	4	10	20	35	59	74
SUBTOTAL	**23**	**20.8**	**209**	**3**	**10**	**21**	**31**	**39**	**48**	**60**	**30**	**12.9**	**232**	**2**	**3**	**7**	**14**	**32**	**37**	**74**
GRAND TOTAL	**158**	**22.4**	**445**	**4**	**8**	**15**	**33**	**64**	**92**	**99 +**	**160**	**17.9**	**446**	**2**	**5**	**9**	**29**	**78**	**99 +**	**99 +**

SENILE DELUSION/DEPRESS (290.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	6	26.8	1111	8	9	19	75	99	99+	99+	2	37.0	2048	5	5	37	69	69	69	69
75 +	15	19.4	289	4	7	18	21	49	61	65	10	12.8	62	3	4	15	18	22	23	23
ALL AGES	21	21.5	492	5	9	18	22	74	96	99+	12	16.8	327	3	5	15	20	37	64	69
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	15	27.9	551	6	11	19	65	94	99+	99+	2	7.0	2	6	6	7	8	8	8	8
75 +	43	24.7	289	8	12	19	35	55	60	63	14	22.9	595	3	4	16	39	60	79	84
ALL AGES	58	25.5	352	7	12	19	40	63	68	99+	16	20.9	546	3	4	10	31	55	76	84
SUBTOTAL	**79**	**24.4**	**388**	**6**	**11**	**19**	**37**	**63**	**79**	**99+**	**28**	**19.2**	**438**	**3**	**5**	**13**	**22**	**52**	**70**	**84**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	14.5	85	8	8	14	21	21	21	21										
75 +	7	25.4	701	7	12	15	27	72	83	83	1	12.0		12	12	12	12	12	12	12
ALL AGES	9	23.0	558	7	10	15	23	62	83	83	1	12.0		12	12	12	12	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	16.0	18	13	13	16	19	19	19	19										
75 +	6	16.2	117	3	7	15	25	31	32	32	5	22.2	677	5	8	15	68	97	99+	99+
ALL AGES	8	16.1	88	4	10	15	22	30	32	32	5	22.2	677	5	8	15	68	97	99+	99+
SUBTOTAL	**17**	**19.8**	**328**	**6**	**10**	**15**	**22**	**32**	**65**	**83**	**6**	**20.5**	**559**	**6**	**9**	**13**	**55**	**94**	**99+**	**99+**
GRAND TOTAL	**96**	**23.6**	**377**	**6**	**11**	**19**	**33**	**63**	**77**	**99+**	**34**	**19.4**	**445**	**3**	**5**	**13**	**23**	**68**	**80**	**99+**

SENILE DELIRIUM (290.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	5	9.4	9	6	7	9	12	13	13	13	1	14.0		14	14	14	14	14	14	14
75 +	24	16.9	296	2	5	13	30	48	76	99 +	30	15.7	194	3	7	12	17	32	50	61
ALL AGES	29	15.6	253	2	6	11	16	44	68	99 +	31	15.7	186	3	7	12	17	32	49	61
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	3	15.3	43	8	15	20	99 +	99 +	99 +	99 +	6	28.8	646	4	8	23	48	64	66	66
75 +	46	20.2	337	6	9	17	40	99 +	99 +	99 +	32	24.6	656	3	6	11	36	72	82	87
ALL AGES	49	19.9	319	6	9	17	40	99 +	99 +	99 +	38	25.3	638	3	6	11	40	69	80	87
SUBTOTAL	**78**	**18.3**	**295**	**4**	**8**	**14**	**35**	**99 +**	**99 +**	**99 +**	**69**	**21.0**	**452**	**3**	**7**	**12**	**29**	**54**	**71**	**86**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	20.0	392	6	6	20	34	34	34	34	1	5.0		5	5	5	5	5	5	5
75 +	7	41.1	934	5	15	35	72	79	79	79	1	11.0		11	11	11	11	11	11	11
ALL AGES	9	36.4	837	4	10	34	59	79	79	79	2	8.0	18	5	5	8	11	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	46.5	2665	10	10	46	83	83	83	83	2	9.5	13	7	7	9	12	12	12	12
75 +	3	26.3	264	9	19	35	70	99 +	99 +	99 +	3	18.7	3	16	18	20	60	99 +	99 +	99 +
ALL AGES	5	34.4	919	9	10	35	83	98	99 +	99 +	5	15.0	31	7	12	18	20	92	99 +	99 +
SUBTOTAL	**14**	**35.7**	**798**	**6**	**10**	**34**	**72**	**83**	**96**	**99 +**	**7**	**13.0**	**35**	**6**	**9**	**14**	**20**	**76**	**99 +**	**99 +**
GRAND TOTAL	**92**	**20.9**	**405**	**4**	**8**	**15**	**40**	**99 +**	**99 +**	**99 +**	**76**	**20.2**	**420**	**4**	**7**	**12**	**28**	**54**	**74**	**96**

ARTERIOSCLEROT DEMENTIA (290.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	4.0		4	4	4	4	4	4	4
55-74	13	15.5	145	5	6	13	24	48	88	99+	8	13.8	86	4	5	12	22	27	27	27
75 +	25	20.9	426	5	8	14	28	83	99+	99+	22	21.8	438	8	10	14	31	93	99+	99+
ALL AGES	38	19.1	328	5	8	14	28	74	99+	99+	31	19.2	346	4	9	13	26	65	99	99+
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	19	28.8	258	10	18	25	38	51	60	63	9	17.3	555	1	4	15	16	89	99+	99+
75 +	51	19.1	186	6	10	18	28	45	95	99+	37	18.1	327	4	8	12	20	52	77	99+
ALL AGES	70	21.7	222	6	12	19	31	46	76	99+	46	17.9	362	4	8	14	20	61	87	99+
SUBTOTAL	**108**	**20.8**	**258**	**6**	**10**	**18**	**31**	**56**	**97**	**99+**	**77**	**18.4**	**352**	**4**	**8**	**13**	**25**	**60**	**95**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	3	42.3	2177	12	14	19	77	96	96	96	5	20.8	718	2	3	5	38	64	64	64
75 +	6	15.8	106	4	6	15	23	30	31	31	10	20.5	535	3	4	10	26	59	72	72
ALL AGES	9	24.7	782	5	10	17	25	70	96	96	15	20.6	549	3	3	7	29	64	70	72
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	7	21.4	157	7	12	17	33	38	39	39	8	20.3	390	7	11	15	18	54	68	68
75 +	8	28.4	428	5	10	24	49	54	56	56	7	16.9	220	4	6	14	21	42	47	47
ALL AGES	15	25.1	296	6	12	17	38	49	54	56	15	18.7	293	5	8	15	19	47	63	68
SUBTOTAL	**24**	**25.0**	**450**	**6**	**11**	**17**	**33**	**50**	**68**	**96**	**30**	**19.6**	**409**	**3**	**5**	**14**	**26**	**56**	**68**	**72**
GRAND TOTAL	**132**	**21.5**	**295**	**6**	**10**	**18**	**31**	**54**	**92**	**99+**	**107**	**18.8**	**362**	**4**	**7**	**13**	**25**	**60**	**86**	**99+**

SENILE PSYCHOSIS NEC (290.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +											1	10.0		10	10	10	10	10	10	10
ALL AGES											1	10.0		10	10	10	10	10	10	10
SUBTOTAL											**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL											**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**

SENILE PSYCHOT COND NOS (290.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5										
75 +	3	21.7	110	12	14	20	30	33	33	33										
ALL AGES	4	17.5	144	5	8	16	26	33	33	33										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	5	24.8	369	8	15	20	30	58	58	58										
ALL AGES	5	24.8	369	8	15	20	30	58	58	58										
SUBTOTAL	**9**	**21.6**	**251**	**6**	**11**	**20**	**23**	**48**	**58**	**58**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	43.0		43	43	43	43	43	43	43	3	12.3	103	3	5	11	20	23	23	23
75 +	1	27.0		27	27	27	27	27	27	27										
ALL AGES	2	35.0	128	27	27	35	43	43	43	43	3	12.3	103	3	5	11	20	23	23	23
SUBTOTAL	**2**	**35.0**	**128**	**27**	**27**	**35**	**43**	**43**	**43**	**43**	**3**	**12.3**	**103**	**3**	**5**	**11**	**20**	**23**	**23**	**23**
GRAND TOTAL	**11**	**24.0**	**245**	**7**	**13**	**20**	**31**	**49**	**57**	**58**	**3**	**12.3**	**103**	**3**	**5**	**11**	**20**	**23**	**23**	**23**

DELIRIUM TREMENS (291.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2	1	4.0		4	4	4	4	4	4	4
25-34	3	4.7		4	4	5	5	5	5	5	1	2.0		2	2	2	2	2	2	2
35-54	10	11.6	49	3	7	10	18	21	23	23	18	5.8	7	2	4	6	7	9	11	12
55-74	6	10.7	27	5	7	15	16	83	99 +	99 +	11	12.8	149	4	7	11	13	28	46	48
75 +											1	9.0		9	9	9	9	9	9	9
ALL AGES	20	9.8	40	3	5	7	15	21	58	99 +	32	8.1	65	3	4	6	9	13	14	48
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	3.0		3	3	3	3	3	3	3										
25-34																				
35-54	6	17.2	869	2	3	5	11	70	77	77	1	7.0		7	7	7	7	7	7	7
55-74	2	5.5	13	3	3	5	8	8	8	8										
75 +																				
ALL AGES	9	13.0	585	2	3	3	9	51	77	77	1	7.0		7	7	7	7	7	7	7
SUBTOTAL	**29**	**10.8**	**196**	**3**	**3**	**7**	**15**	**21**	**77**	**99 +**	**33**	**8.1**	**63**	**3**	**5**	**7**	**9**	**12**	**14**	**48**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17																				
18-24	3	7.0	39	2	3	5	12	14	14	14	1	7.0		7	7	7	7	7	7	7
25-34	26	5.6	7	3	3	6	7	9	11	13	15	6.0	3	4	4	6	7	8	10	10
35-54	73	7.7	55	3	4	6	8	12	24	43	72	6.2	29	2	3	5	7	10	12	36
55-74	36	8.4	45	3	4	6	10	16	21	36	41	11.8	68	4	6	9	16	23	32	36
75 +											4	26.5	748	3	7	19	45	65	65	65
ALL AGES	138	7.5	43	3	4	6	9	14	22	37	134	8.5	70	3	4	6	10	17	26	43
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	5	6.0	12	1	4	6	8	10	10	10	7	6.9	38	2	3	5	8	18	20	20
35-54	15	4.7	5	2	3	4	6	8	9	10	17	6.4	14	2	4	5	9	12	14	15
55-74	8	5.8	12	3	4	5	6	12	14	14	9	9.3	74	2	4	5	13	24	26	26
75 +											1	77.0		77	77	77	77	77	77	77
ALL AGES	28	5.3	7	2	3	5	6	9	11	14	34	9.3	177	2	4	5	9	20	25	77
SUBTOTAL	**166**	**7.1**	**38**	**3**	**4**	**6**	**8**	**13**	**18**	**35**	**168**	**8.6**	**92**	**3**	**4**	**6**	**9**	**18**	**26**	**60**
GRAND TOTAL	**195**	**7.6**	**63**	**3**	**4**	**6**	**9**	**15**	**22**	**63**	**201**	**8.6**	**85**	**3**	**4**	**6**	**9**	**16**	**25**	**56**

ALCOHOL AMNESTIC SYND (291.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	14.0		14	14	14	14	14	14	14	3	5.7	6	3	4	6	7	8	8	8
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	1	14.0		14	14	14	14	14	14	14	4	5.5	4	3	4	5	7	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	16.0		16	16	16	16	16	16	16										
75 +																				
ALL AGES	1	16.0		16	16	16	16	16	16	16										
SUBTOTAL	**2**	**15.0**	**2**	**14**	**14**	**15**	**16**	**16**	**16**	**16**	**4**	**5.5**	**4**	**3**	**4**	**5**	**7**	**8**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	8.5	5	7	7	8	10	10	10	10										
55-74	9	19.2	140	4	11	20	27	36	37	37	5	13.4	175	1	4	14	34	93	99 +	99 +
75 +	1	27.0		27	27	27	27	27	27	27	1	5.0		5	5	5	5	5	5	5
ALL AGES	12	18.1	126	4	8	17	25	36	37	37	6	12.0	152	2	4	10	30	87	99 +	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											2	14.5	265	3	3	14	26	26	26	26
55-74	2	15.0	50	10	10	15	20	20	20	20										
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	3	12.7	40	8	8	10	17	20	20	20	2	14.5	265	3	3	14	26	26	26	26
SUBTOTAL	**15**	**17.0**	**110**	**5**	**8**	**15**	**23**	**35**	**36**	**37**	**8**	**12.6**	**148**	**2**	**4**	**10**	**28**	**74**	**99 +**	**99 +**
GRAND TOTAL	**17**	**16.8**	**96**	**5**	**9**	**15**	**22**	**33**	**36**	**37**	**12**	**10.3**	**106**	**2**	**4**	**6**	**20**	**47**	**90**	**99 +**

ALCOHOLIC DEMENTIA NEC (291.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	5	13.6	38	4	9	16	18	19	19	19	1	19.0		19	19	19	19	19	19	19
55-74	8	15.1	91	4	7	14	23	28	29	29	3	13.3	116	1	5	19	20	20	20	20
75 +																				
ALL AGES	13	14.5	67	4	8	16	19	27	29	29	4	14.8	82	1	9	19	20	20	20	20
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	7.0		7	7	7	7	7	7	7
55-74	1	12.0		12	12	56	99 +	99 +	99 +	99 +	1	34.0		34	34	67	99 +	99 +	99 +	99 +
75 +																				
ALL AGES	1	12.0		12	12	56	99 +	99 +	99 +	99 +	2	20.5	365	7	14	34	83	99 +	99 +	99 +
SUBTOTAL	**14**	**14.4**	**60**	**4**	**9**	**16**	**19**	**29**	**82**	**99 +**	**6**	**16.7**	**131**	**1**	**10**	**19**	**30**	**87**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											3	4.3	1	4	4	4	5	5	5	5
55-74	12	17.8	205	3	4	19	29	58	92	99 +	8	24.8	1117	2	4	7	44	81	85	85
75 +	2	4.0		4	4	4	4	4	4	4	2	8.0	2	7	7	8	9	9	9	9
ALL AGES	14	15.9	196	3	4	13	28	48	87	99 +	13	17.5	745	3	4	7	11	74	83	85
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	4.5	25	1	1	4	8	8	8	8	2	11.5	181	2	2	11	21	21	21	21
55-74	4	26.0	467	12	13	20	68	99 +	99 +	99 +	3	34.0	252	22	23	28	46	52	52	52
75 +	1	9.0		9	9	9	9	9	9	9	1	3.0		3	3	3	3	3	3	3
ALL AGES	7	17.4	355	3	8	13	39	87	99 +	99 +	6	21.3	341	2	3	21	28	50	52	52
SUBTOTAL	**21**	**16.4**	**235**	**3**	**4**	**13**	**28**	**66**	**99 +**	**99 +**	**19**	**18.7**	**595**	**2**	**4**	**7**	**22**	**63**	**79**	**85**
GRAND TOTAL	**35**	**15.6**	**162**	**3**	**7**	**13**	**27**	**55**	**99 +**	**99 +**	**25**	**18.2**	**475**	**2**	**4**	**8**	**22**	**69**	**88**	**99 +**

ALCOHOL HALLUCINOSIS (291.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	10.0	2	9	9	10	11	11	11	11										
35-54	3	7.0	9	4	5	7	9	10	10	10	1	5.0		5	5	5	5	5	5	5
55-74	1	9.0		9	9	9	9	9	9	9	2	2.5	1	2	2	2	3	3	3	3
75 +																				
ALL AGES	6	8.3	7	4	7	9	10	11	11	11	3	3.3	3	2	2	3	4	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	23.0		23	23	23	23	23	23	23	2	5.0	18	2	2	5	8	8	8	8
55-74																				
75 +																				
ALL AGES	1	23.0		23	23	23	23	23	23	23	2	5.0	18	2	2	5	8	8	8	8
SUBTOTAL	**7**	**10.4**	**37**	**5**	**7**	**9**	**11**	**21**	**23**	**23**	**5**	**4.0**	**7**	**2**	**2**	**3**	**6**	**8**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											3	3.7	9	1	1	3	6	7	7	7
25-34	6	8.2	36	2	3	6	14	17	17	17	18	5.3	2	3	5	5	5	7	9	10
35-54	18	7.4	16	3	4	6	11	13	15	15	59	5.8	32	5	5	5	5	6	7	44
55-74	3	4.0	9	1	2	4	6	7	7	7	15	5.7	2	5	5	5	6	7	9	10
75 +	1	7.0		7	7	7	7	7	7	7	2	4.5	1	4	4	4	5	5	5	5
ALL AGES	28	7.2	19	2	4	6	10	14	15	17	97	5.6	21	5	5	5	5	7	7	30
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											2	6.0	2	5	5	6	7	7	7	7
25-34	5	4.8	2	3	4	5	6	6	6	6	4	7.3	46	1	3	5	11	17	17	17
35-54	1	2.0		2	2	2	2	2	2	2	8	5.8	11	3	4	5	5	11	14	14
55-74	2	54.5	1301	29	29	54	80	80	80	80	2	8.0	50	3	3	8	13	13	13	13
75 +																				
ALL AGES	8	16.9	726	2	3	5	18	65	80	80	16	6.4	20	3	4	5	6	14	16	17
SUBTOTAL	**36**	**9.4**	**176**	**2**	**4**	**6**	**10**	**15**	**25**	**80**	**113**	**5.7**	**20**	**4**	**5**	**5**	**5**	**7**	**9**	**28**
GRAND TOTAL	**43**	**9.5**	**153**	**3**	**4**	**6**	**11**	**15**	**25**	**80**	**118**	**5.7**	**19**	**4**	**5**	**5**	**5**	**7**	**9**	**27**

PATHOLOGIC ALCOHOL INTOX (291.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24	2	1.0		1	1	1	1	1	1	1										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	1.3		1	1	1	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	4	1.3		1	1	1	1	2	2	2										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	1	17.0		17	17	17	17	17	17	17										
35-54																				
55-74	1	10.0		10	10	10	10	10	10	10										
75 +																				
ALL AGES	3	9.7	55	2	4	10	15	17	17	17										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	3	9.7	55	2	4	10	15	17	17	17										
GRAND TOTAL	7	4.9	39	1	1	2	8	16	17	17										

ALCOHOLIC JEALOUSY (291.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	9.0		9	9	9	9	9	9	9										
55-74																				
75 +																				
ALL AGES	1	9.0		9	9	9	9	9	9	9										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	4.0		4	4	4	4	4	4	4
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	4.0		4	4	4	4	4	4	4
SUBTOTAL	1	9.0		9	9	9	9	9	9	9	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	1	9.0		9	9	9	9	9	9	9	1	4.0		4	4	4	4	4	4	4

ALCOHOLIC PSYCHOSIS NEC (291.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4										
25-34	26	5.0	10	2	3	5	5	10	14	14	12	2.8	3	1	2	3	4	5	6	6
35-54	58	5.6	9	2	4	5	6	11	13	14	36	4.6	6	1	3	4	6	8	10	11
55-74	31	6.4	13	4	5	5	6	12	16	17	20	4.8	8	2	3	4	7	9	10	11
75 +	3	7.0	12	5	5	5	10	11	11	11	2	4.0	2	3	3	4	5	5	5	5
ALL AGES	119	5.7	10	2	4	5	5	11	13	16	70	4.3	7	1	3	4	5	8	10	11
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24																				
25-34	5	6.2	23	2	3	5	9	14	14	14	1	1.0		1	1	1	1	1	1	1
35-54	18	5.7	11	2	4	5	6	12	13	13	7	3.1	10	1	1	2	5	8	9	9
55-74	11	9.6	71	5	5	6	9	24	30	31	8	16.4	332	3	5	8	27	46	48	48
75 +	1	22.0		22	22	22	22	22	22	22										
ALL AGES	35	7.5	38	3	4	5	8	14	21	31	17	9.1	200	1	1	5	9	37	46	48
SUBTOTAL	**154**	**6.1**	**17**	**3**	**4**	**5**	**6**	**12**	**14**	**22**	**87**	**5.3**	**46**	**1**	**2**	**4**	**6**	**9**	**11**	**46**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	5.0		5	5	5	5	5	5	5
13-17	1	5.0		5	5	5	5	5	5	5										
18-24	19	6.4	17	3	5	5	5	14	14	14	24	5.5	3	4	5	6	7	7	8	8
25-34	136	6.4	15	2	5	5	6	14	14	16	310	5.4	2	4	5	5	6	7	8	12
35-54	251	6.3	24	3	4	5	7	13	14	28	904	5.4	4	4	5	5	5	7	8	14
55-74	73	6.7	17	3	5	5	8	14	15	20	166	5.5	6	4	5	5	6	8	9	13
75 +	5	9.2	7	6	7	9	11	13	13	13	6	14.8	392	5	5	7	10	50	55	55
ALL AGES	485	6.4	20	3	5	5	7	14	14	20	1411	5.4	6	4	5	5	5	7	8	14
B. FEMALE																				
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17																				
18-24	7	7.3	21	4	4	5	12	14	14	14	5	5.0	2	3	4	5	6	7	7	7
25-34	36	7.2	19	3	5	5	14	14	14	14	45	5.1	5	2	4	5	6	7	9	13
35-54	65	7.6	32	2	4	5	12	14	16	29	93	5.2	3	3	5	5	6	7	7	10
55-74	27	8.9	83	2	3	5	9	25	33	34	37	6.2	21	3	4	5	6	13	16	23
75 +	5	26.8	1350	2	4	14	39	91	91	91	2	4.0	18	1	1	3	7	7	7	7
ALL AGES	140	8.4	88	3	4	5	13	14	22	40	183	5.4	6	3	5	5	6	7	9	16
SUBTOTAL	**625**	**6.9**	**35**	**3**	**5**	**5**	**7**	**14**	**14**	**28**	**1594**	**5.4**	**6**	**4**	**5**	**5**	**6**	**7**	**8**	**14**
GRAND TOTAL	**.779**	**6.7**	**32**	**3**	**4**	**5**	**7**	**14**	**14**	**28**	**1681**	**5.4**	**8**	**4**	**5**	**5**	**6**	**7**	**9**	**14**

ALCOHOLIC PSYCHOSIS NOS (291.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
SUBTOTAL											1	1.0		1	1	1	1	1	1	1
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	6.0		6	6	6	6	6	6	6										
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	2	4.0	8	2	2	4	6	6	6	6										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	11.0		11	11	11	11	11	11	11										
55-74																				
75 +																				
ALL AGES	1	11.0		11	11	11	11	11	11	11										
SUBTOTAL	3	6.3	21	2	3	6	10	11	11	11										
GRAND TOTAL	3	6.3	21	2	3	6	10	11	11	11	1	1.0		1	1	1	1	1	1	1

DRUG WITHDRAWAL SYNDROME (292.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	6.0		6	6	6	6	6	6	6	5	5.8	15	1	2	7	8	11	11	11
35-54	2	3.0	8	1	1	3	5	5	5	5	6	4.8	6	2	4	4	5	9	9	9
55-74	2	7.0	8	5	5	7	9	9	9	9	3	2.7	4	1	1	2	4	5	5	5
75 +																				
ALL AGES	5	5.2	8	1	4	5	7	9	9	9	14	4.7	9	1	2	4	7	9	11	11
B. FEMALE																				
0-12 YRS.											1	5.0		5	5	5	5	5	5	5
13-17																				
18-24	1	14.0		14	14	14	14	14	14	14										
25-34	6	8.2	40	3	3	5	14	18	18	18	3	3.0	4	1	1	3	4	5	5	5
35-54	3	7.3	3	6	6	7	8	9	9	9	3	3.3	3	2	2	3	4	5	5	5
55-74	1	10.0		10	10	10	10	10	10	10	2	5.5	25	2	2	5	9	9	9	9
75 +	1	1.0		1	1	1	1	1	1	1	2	12.0	32	8	8	12	16	16	16	16
ALL AGES	12	8.0	27	2	4	7	12	15	18	18	11	5.4	18	1	2	5	7	12	16	16
SUBTOTAL	**17**	**7.2**	**22**	**2**	**4**	**6**	**9**	**14**	**17**	**18**	**25**	**5.0**	**13**	**1**	**2**	**5**	**7**	**9**	**12**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	2	8.5	61	3	3	8	14	14	14	14	30	7.3	10	5	5	6	8	13	14	14
25-34	7	6.3	29	1	2	4	12	14	14	14	102	7.2	14	4	5	7	8	12	14	23
35-54	9	12.3	34	3	11	14	14	19	22	22	110	7.7	11	4	5	7	9	13	14	15
55-74	3	16.3	496	3	3	4	32	42	42	42	5	7.2	42	1	3	6	10	18	18	18
75 +																				
ALL AGES	22	10.1	88	2	3	9	14	17	30	42	247	7.4	13	4	5	7	9	13	14	18
B. FEMALE																				
0-12 YRS.																				
13-17											2	5.5	1	5	5	5	6	6	6	6
18-24	6	10.2	35	1	4	14	14	14	14	14	8	6.3	10	2	4	6	8	11	12	12
25-34	12	7.7	27	1	2	8	12	14	14	14	27	7.2	14	4	5	7	9	12	15	19
35-54	6	6.7	24	1	2	6	12	12	12	12	21	8.8	18	4	6	7	12	14	17	20
55-74	7	10.4	86	2	3	7	20	23	23	23	10	6.8	23	2	3	5	12	14	15	15
75 +											2	10.0	8	8	8	10	12	12	12	12
ALL AGES	31	8.6	39	1	3	9	13	14	22	23	70	7.6	15	3	5	7	10	13	14	20
SUBTOTAL	**53**	**9.2**	**59**	**1**	**3**	**9**	**14**	**14**	**23**	**41**	**317**	**7.5**	**12**	**4**	**5**	**7**	**9**	**13**	**14**	**19**
GRAND TOTAL	**70**	**8.7**	**51**	**1**	**3**	**7**	**14**	**14**	**22**	**38**	**342**	**7.3**	**13**	**4**	**5**	**6**	**9**	**13**	**14**	**19**

DRUG PARANOID/HALLUCINOS (292.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24	1	58.0		58	58	58	58	58	58	58										
25-34																				
35-54											1	1.0		1	1	1	1	1	1	1
55-74	3	6.3	25	3	3	4	10	12	12	12	5	3.4	1	2	3	4	5	90	99+	99+
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	6	14.7	464	2	3	6	12	53	58	58	6	3.0	2	1	2	3	5	81	99+	99+
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
13-17																				
18-24	3	11.7	55	4	6	12	17	19	19	19										
25-34											1	2.0		2	2	2	2	2	2	2
35-54																				
55-74	1	12.0		12	12	12	12	12	12	12	1	6.0		6	6	6	6	6	6	6
75 +	3	10.7	1	9	9	11	12	12	12	12	4	4.8	4	2	3	5	6	7	7	7
ALL AGES	8	10.3	24	3	6	11	12	17	19	19	7	4.0	6	1	2	4	6	7	7	7
SUBTOTAL	**14**	**12.1**	**199**	**3**	**4**	**10**	**12**	**23**	**50**	**58**	**13**	**3.5**	**4**	**1**	**2**	**3**	**6**	**16**	**81**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	10.0		10	10	10	10	10	10	10										
18-24	11	10.2	77	2	4	8	14	22	31	32										
25-34	9	12.4	188	4	4	5	18	36	43	43	1	13.0		13	13	13	13	13	13	13
35-54	5	8.8	13	4	5	10	12	12	12	12	1	3.0		3	3	3	3	3	3	3
55-74	3	20.0	112	12	13	16	28	32	32	32	1	8.0		8	8	8	8	8	8	8
75 +																				
ALL AGES	29	11.7	100	4	4	10	14	29	33	43	3	8.0	25	3	4	8	12	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	3	8.0	91	2	2	3	15	19	19	19	1	1.0		1	1	1	1	1	1	1
25-34	10	12.8	148	3	5	7	20	31	42	42	1	1.0		1	1	1	1	1	1	1
35-54	3	13.3	74	5	7	13	20	22	22	22	3	8.0	76	2	2	4	14	18	18	18
55-74	3	17.7	85	7	11	22	23	24	24	24	1	2.0		2	2	2	2	2	2	2
75 +	1	9.0		9	9	9	9	9	9	9	4	9.5	34	2	5	10	14	15	15	15
ALL AGES	20	12.7	104	3	5	8	20	23	33	42	10	6.6	42	1	2	3	13	16	18	18
SUBTOTAL	**49**	**12.1**	**100**	**3**	**5**	**9**	**15**	**25**	**33**	**43**	**13**	**6.9**	**36**	**1**	**2**	**4**	**13**	**16**	**18**	**18**
GRAND TOTAL	**63**	**12.1**	**119**	**3**	**4**	**9**	**15**	**24**	**36**	**56**	**26**	**5.2**	**22**	**1**	**2**	**4**	**8**	**15**	**30**	**99+**

PATHOLOGIC DRUG INTOX (292.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	14.0		14	14	14	14	14	14	14
75 +																				
ALL AGES											1	14.0		14	14	14	14	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	10.0		10	10	10	10	10	10	10
55-74																				
75 +																				
ALL AGES											1	10.0		10	10	10	10	10	10	10
SUBTOTAL											**2**	**12.0**	**8**	**10**	**10**	**12**	**14**	**14**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17											1	1.0		1	1	1	1	1	1	1
18-24																				
25-34																				
35-54	1	73.0		73	73	73	73	73	73	73										
55-74																				
75 +																				
ALL AGES	2	37.0	2592	1	1	36	73	73	73	73	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
SUBTOTAL	**3**	**26.3**	**1640**	**1**	**1**	**5**	**56**	**73**	**73**	**73**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**3**	**26.3**	**1640**	**1**	**1**	**5**	**56**	**73**	**73**	**73**	**3**	**8.3**	**45**	**1**	**3**	**10**	**13**	**14**	**14**	**14**

OTHER DRUG MENTAL DIS (292.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	2.5	5	1	1	2	4	4	4	4										
13-17	2	4.5	1	4	4	4	5	5	5	5	1	1.0		1	1	1	1	1	1	1
18-24	1	20.0		20	20	20	20	20	20	20	1	1.0		1	1	1	1	1	1	1
25-34	2	5.5	13	3	3	5	8	8	8	8										
35-54	5	6.2	29	1	2	[illegible]	11	13	13	13	1	7.0		7	7	7	7	7	7	7
55-74	11	8.8	37	2	4	7	15	17	17	17	7	5.1	8	3	3	4	7	10	10	10
75 +	3	5.3	27	1	2	7	55	99 +	99 +	99 +	9	15.4	430	3	3	9	15	51	67	67
ALL AGES	26	7.3	33	1	3	4	13	17	32	99 +	19	9.7	226	2	3	5	9	21	49	67
B. FEMALE																				
0-12 YRS.	2	2.5	5	1	1	2	4	4	4	4										
13-17																				
18-24	1	12.0		12	12	12	12	12	12	12										
25-34	2	7.0	50	2	2	7	12	12	12	12										
35-54	9	9.0	118	1	2	3	17	26	32	32	5	7.8	13	5	6	6	9	14	14	14
55-74	9	9.2	57	3	4	6	12	21	27	27	10	9.5	55	2	5	8	10	22	26	26
75 +	12	10.8	72	3	5	8	13	26	29	30	22	9.1	33	3	5	7	15	16	19	20
ALL AGES	35	9.3	70	2	3	6	12	24	29	32	37	9.1	33	3	5	7	[illegible]	17	20	26
SUBTOTAL	**61**	**8.4**	**55**	**2**	**3**	**5**	**12**	**19**	**28**	**92**	**56**	**9.3**	**96**	**3**	**3**	**7**	**11**	**18**	**24**	**65**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	6.0		6	6	6	6	6	6	6
13-17	1	6.0		6	6	6	6	6	6	6										
18-24	12	15.8	614	4	5	7	15	40	85	93										
25-34	16	8.9	43	2	4	8	12	14	24	28	2	5.5	41	1	1	5	10	10	10	10
35-54	13	12.0	66	3	5	11	20	22	26	27										
55-74	1	6.0		6	6	6	6	6	6	6										
75 +	3	9.3	38	4	5	8	14	16	16	16	3	30.3	113	20	22	30	38	41	41	41
ALL AGES	46	11.5	193	4	4	8	14	21	27	93	6	18.0	235	1	6	15	30	40	41	41
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	4	9.5	12	6	7	9	12	14	14	14										
25-34	13	7.8	15	3	5	8	10	13	15	15										
35-54	4	8.0	21	3	6	8	35	99 +	99 +	99 +										
55-74	5	12.2	100	3	4	7	22	24	24	24	8	11.5	71	4	5	7	17	25	27	27
75 +	18	16.6	239	4	8	10	22	47	55	55	9	14.9	135	2	6	13	28	66	99 +	99 +
ALL AGES	44	12.1	126	3	6	9	14	24	54	99 +	17	13.3	102	3	6	11	27	31	73	99 +
SUBTOTAL	**90**	**11.8**	**158**	**3**	**5**	**8**	**14**	**22**	**30**	**97**	**23**	**14.5**	**132**	**2**	**6**	**11**	**27**	**33**	**59**	**99 +**
GRAND TOTAL	**151**	**10.4**	**119**	**2**	**4**	**8**	**13**	**22**	**29**	**99 +**	**79**	**10.8**	**111**	**2**	**4**	**8**	**14**	**27**	**31**	**90**

DRUG MENTAL DISORDER NOS (292.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1	1	18.0		18	18	18	18	18	18	18
55-74	2	7.0	72	1	1	7	13	13	13	13										
75 +																				
ALL AGES	3	5.0	48	1	1	1	10	13	13	13	1	18.0		18	18	18	18	18	18	18
B. FEMALE																				
0-12 YRS.																				
13-17	1	7.0		7	7	7	7	7	7	7										
18-24																				
25-34	1	7.0		7	7	7	7	7	7	7										
35-54																				
55-74	1	10.0		10	10	10	10	10	10	10	1	7.0		7	7	7	7	7	7	7
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	4	6.8	7	3	5	7	9	10	10	10	1	7.0		7	7	7	7	7	7	7
SUBTOTAL	**7**	**6.0**	**21**	**1**	**2**	**7**	**9**	**12**	**13**	**13**	**2**	**12.5**	**61**	**7**	**7**	**12**	**18**	**18**	**18**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	40.0	2888	2	2	40	78	78	78	78										
18-24	1	17.0		17	17	17	17	17	17	17										
25-34	3	13.3	16	9	10	15	16	16	16	16										
35-54	1	10.0		10	10	10	10	10	10	10										
55-74																				
75 +																				
ALL AGES	7	21.0	659	3	9	15	17	66	78	78										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	2	17.5	5	16	16	17	19	19	19	19										
55-74	1	44.0		44	44	44	44	44	44	44	1	4.0		4	4	4	4	4	4	4
75 +	2	9.0	50	4	4	9	14	14	14	14										
ALL AGES	6	16.5	227	2	4	15	19	41	44	44	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**13**	**18.9**	**430**	**2**	**8**	**15**	**17**	**51**	**73**	**78**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
GRAND TOTAL	**20**	**14.4**	**318**	**1**	**3**	**10**	**16**	**31**	**61**	**78**	**3**	**9.7**	**53**	**4**	**5**	**7**	**15**	**18**	**18**	**18**

ACUTE DELIRIUM (293.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
18-24	1	17.0		17	17	17	17	17	17	17										
25-34	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
35-54	4	3.8	5	2	2	3	5	7	7	7	5	3.4	7	1	2	3	4	8	8	8
55-74	30	9.5	64	2	4	6	12	23	28	28	11	4.2	9	1	2	4	8	36	91	99 +
75 +	22	12.5	307	2	3	6	15	23	48	84	25	14.6	571	2	3	8	13	84	91	99 +
ALL AGES	60	9.9	151	2	3	6	12	22	26	78	43	10.0	360	1	2	4	9	45	92	99 +
B. FEMALE																				
0-12 YRS.	1	7.0		7	7	7	7	7	7	7	2	9.5	145	1	1	9	18	18	18	18
13-17																				
18-24																				
25-34	1	23.0		23	23	23	23	23	23	23	2	11.0	32	7	7	11	15	15	15	15
35-54	11	7.1	59	1	2	3	9	19	26	27	2	4.0	8	2	2	4	6	6	6	6
55-74	17	7.9	183	2	3	4	7	13	43	59	19	5.2	14	1	2	4	7	11	13	15
75 +	32	13.1	282	4	5	8	16	28	85	99 +	45	8.8	49	3	4	6	15	21	23	99 +
ALL AGES	62	10.7	211	2	3	7	13	24	48	99	70	7.8	41	2	3	5	10	20	21	85
SUBTOTAL	**122**	**10.3**	**180**	**2**	**3**	**6**	**13**	**23**	**28**	**95**	**113**	**8.6**	**162**	**2**	**3**	**5**	**10**	**20**	**40**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2	1	15.0		15	15	15	15	15	15	15
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2	1	25.0		25	25	25	25	25	25	25
55-74	11	9.0	50	2	3	6	14	20	23	23	3	3.0	1	2	2	3	4	4	4	4
75 +	8	30.8	813	8	10	24	39	77	92	92	9	15.3	476	3	6	8	12	51	72	72
ALL AGES	21	16.6	445	2	4	10	19	39	64	92	14	13.4	329	2	4	7	15	30	63	72
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	3	2.3	3	1	1	2	3	4	4	4										
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	7	11.6	60	3	6	10	16	24	25	25	12	10.9	205	2	3	7	12	27	50	54
75 +	16	10.9	263	1	3	6	12	58	88	99 +	23	8.4	63	2	3	5	11	22	29	30
ALL AGES	28	9.5	172	1	3	5	12	27	68	99 +	35	9.3	108	2	3	5	12	21	29	54
SUBTOTAL	**49**	**12.5**	**296**	**1**	**3**	**7**	**13**	**37**	**66**	**99 +**	**49**	**10.4**	**171**	**2**	**3**	**6**	**12**	**23**	**31**	**72**
GRAND TOTAL	**171**	**10.9**	**213**	**2**	**3**	**6**	**13**	**24**	**41**	**98**	**162**	**9.2**	**163**	**2**	**3**	**5**	**10**	**21**	**34**	**99 +**

SUBACUTE DELIRIUM (293.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	3.0	2	2	2	3	4	4	4	4										
55-74																				
75 +																				
ALL AGES	2	3.0	2	2	2	3	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	1.0		1	1	1	1	1	1	1										
75 +	1	5.0		5	5	5	5	5	5	5	1	14.0		14	14	14	14	14	14	14
ALL AGES	2	3.0	8	1	1	2	5	5	5	5	1	14.0		14	14	14	14	14	14	14
SUBTOTAL	**4**	**3.0**	**3**	**1**	**1**	**3**	**4**	**5**	**5**	**5**	**1**	**14.0**		**14**	**14**	**14**	**14**	**14**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74	1	8.0		8	8	8	8	8	8	8										
75 +																				
ALL AGES	1	8.0		8	8	8	8	8	8	8	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	51.0		51	51	51	51	51	51	51										
ALL AGES	1	51.0		51	51	51	51	51	51	51										
SUBTOTAL	**2**	**29.5**	**925**	**8**	**8**	**29**	**51**	**51**	**51**	**51**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**6**	**11.8**	**375**	**1**	**2**	**4**	**8**	**47**	**51**	**51**	**2**	**8.5**	**61**	**3**	**3**	**8**	**14**	**14**	**14**	**14**

OTH TRANSIENT ORG MENTAL (293.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	27.0		27	27	27	27	27	27	27										
18-24	5	21.4	211	10	11	13	32	44	44	44										
25-34	4	8.0	102	2	2	5	42	99+	99+	99+										
35-54	9	9.8	16	4	6	10	13	15	15	15										
55-74	5	32.0	887	7	8	20	54	77	77	77	1	23.0		23	23	23	23	23	23	23
75 +	6	22.5	320	9	9	14	42	47	48	48	3	3.7	2	2	2	4	5	5	5	5
ALL AGES	30	18.3	299	4	9	12	26	47	76	99+	4	8.5	95	2	3	4	14	23	23	23
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	3	17.3	88	11	11	13	24	28	28	28										
25-34	10	19.6	367	6	7	11	25	48	68	68										
35-54	6	22.3	225	12	13	17	25	48	51	51	1	2.0		2	2	2	2	2	2	2
55-74	15	23.3	254	2	10	21	39	43	47	49	1	1.0		1	1	1	1	1	1	1
75 +	20	16.7	146	7	9	12	19	39	44	47	2	15.5	221	5	5	15	26	26	26	26
ALL AGES	54	19.7	216	7	9	14	26	42	49	67	4	8.5	139	1	1	3	15	26	26	26
SUBTOTAL	**84**	**19.2**	**243**	**6**	**9**	**13**	**26**	**44**	**49**	**92**	**8**	**8.5**	**100**	**1**	**2**	**4**	**14**	**25**	**26**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	38.0		38	38	38	38	38	38	38										
18-24	2	12.0	98	5	5	12	19	19	19	19										
25-34	15	11.5	73	3	4	10	17	26	27	28										
35-54	16	14.7	73	7	8	12	21	29	30	30										
55-74	12	24.0	271	5	12	19	37	51	51	51	1	17.0		17	17	17	17	17	17	17
75 +	3	13.7	32	7	9	17	17	17	17	17										
ALL AGES	49	16.3	143	4	7	14	21	33	41	51	1	17.0		17	17	17	17	17	17	17
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	4	11.3	60	4	4	11	18	19	19	19	1	18.0		18	18	18	18	18	18	18
25-34	10	13.2	114	4	5	10	21	30	37	37										
35-54	8	18.1	101	5	12	18	24	32	34	34	3	8.3	73	2	3	11	59	99+	99+	99+
55-74	13	22.6	234	11	14	16	25	53	55	55										
75 +	15	23.6	368	5	8	18	33	55	62	64	5	13.8	131	3	4	9	25	28	28	28
ALL AGES	51	19.0	227	4	9	16	22	42	55	64	9	12.4	96	2	5	13	24	64	99+	99+
SUBTOTAL	**100**	**17.7**	**185**	**4**	**7**	**15**	**21**	**36**	**51**	**60**	**10**	**12.9**	**86**	**3**	**5**	**17**	**23**	**57**	**96**	**99+**
GRAND TOTAL	**184**	**18.4**	**210**	**5**	**8**	**14**	**23**	**42**	**51**	**74**	**18**	**10.9**	**93**	**2**	**3**	**5**	**22**	**27**	**68**	**99+**

TRANSIENT ORG MENTAL NOS (293.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	4	5.8	1	4	5	6	7	7	7	7										
55-74	4	12.3	190	5	5	6	19	33	33	33	3	10.7	39	7	7	7	15	18	18	18
75 +	2	2.5	5	1	1	2	4	4	4	4	6	14.8	140	2	4	13	26	30	31	31
ALL AGES	10	7.7	82	2	4	5	6	20	33	33	9	13.4	102	3	6	10	20	29	31	31
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74	2	10.5	25	7	7	10	14	14	14	14	2	15.0	128	7	7	15	23	23	23	23
75 +	5	6.8	29	1	2	7	10	15	15	15	3	11.0	139	1	3	8	20	24	24	24
ALL AGES	8	7.3	25	2	3	7	11	15	15	15	5	12.6	106	1	5	8	23	24	24	24
SUBTOTAL	**18**	**7.5**	**54**	**2**	**4**	**6**	**7**	**15**	**26**	**33**	**14**	**13.1**	**96**	**2**	**7**	**9**	**23**	**26**	**30**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-24																				
25-34																				
35-54	1	4.0		4	4	4	4	4	4	4										
55-74																				
75 +											2	5.5	13	3	3	5	8	8	8	8
ALL AGES	2	2.5	5	1	1	2	4	4	4	4	2	5.5	13	3	3	5	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	3.0		3	3	3	3	3	3	3
35-54																				
55-74	1	33.0		33	33	33	33	33	33	33	1	7.0		7	7	7	7	7	7	7
75 +	2	5.5	25	2	2	5	9	9	9	9	2	4.0	18	1	1	4	7	7	7	7
ALL AGES	3	14.7	263	2	4	9	27	33	33	33	4	4.5	9	1	2	5	7	7	7	7
SUBTOTAL	**5**	**9.8**	**178**	**1**	**2**	**4**	**15**	**33**	**33**	**33**	**6**	**4.8**	**9**	**1**	**3**	**5**	**7**	**8**	**8**	**8**
GRAND TOTAL	**23**	**8.0**	**75**	**1**	**3**	**6**	**8**	**19**	**33**	**33**	**20**	**10.7**	**81**	**2**	**4**	**7**	**17**	**25**	**28**	**31**

AMNESTIC SYNDROME (294.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	13.0		13	13	13	13	13	13	13	1	17.0		17	17	17	17	17	17	17
75 +																				
ALL AGES	1	13.0		13	13	13	13	13	13	13	1	17.0		17	17	17	17	17	17	17
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5	1	1.0		1	1	1	1	1	1	1
75 +											2	3.0	2	2	2	3	4	4	4	4
ALL AGES	1	5.0		5	5	5	5	5	5	5	3	2.3	3	1	1	2	3	4	4	4
SUBTOTAL	**2**	**9.0**	**32**	**5**	**5**	**9**	**13**	**13**	**13**	**13**	**4**	**6.0**	**55**	**1**	**1**	**3**	**10**	**17**	**17**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	22.0		22	22	22	22	22	22	22										
75 +																				
ALL AGES	1	22.0		22	22	22	22	22	22	22										
SUBTOTAL	**2**	**12.0**	**200**	**2**	**2**	**12**	**22**	**22**	**22**	**22**										
GRAND TOTAL	**4**	**10.5**	**80**	**2**	**3**	**9**	**17**	**22**	**22**	**22**	**4**	**6.0**	**55**	**1**	**1**	**3**	**10**	**17**	**17**	**17**

DEMENTIA IN OTH DISEASES (294.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											2	8.5	61	3	3	8	14	14	14	14
55-74	2	34.5	365	21	21	34	48	48	48	48	2	10.5	1	10	10	10	11	11	11	11
75 +	3	24.7	34	19	20	24	29	31	31	31	1	6.0		6	6	6	6	6	6	6
ALL AGES	5	28.6	138	19	20	24	35	48	48	48	5	8.8	19	3	5	10	12	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	41.0	242	30	30	41	52	52	52	52	1	22.0		22	22	22	22	22	22	22
35-54	2	11.0	8	9	9	11	13	13	13	13										
55-74	4	7.8	21	3	4	7	11	14	14	14	1	26.0		26	26	26	26	26	26	26
75 +	5	13.6	24	7	12	15	19	92	99 +	99 +	3	12.0	31	6	8	13	16	17	17	17
ALL AGES	13	15.6	168	6	8	13	19	57	90	99 +	5	16.8	61	6	11	17	23	26	26	26
SUBTOTAL	**18**	**19.2**	**188**	**6**	**10**	**18**	**28**	**50**	**78**	**99 +**	**10**	**12.8**	**53**	**4**	**6**	**12**	**17**	**24**	**26**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	39.0		39	39	39	39	39	39	39										
55-74	2	27.0	200	17	17	27	37	37	37	37										
75 +	2	24.5	145	16	16	24	33	33	33	33	1	19.0		19	19	19	19	19	19	19
ALL AGES	5	28.4	123	16	17	33	37	39	39	39	1	19.0		19	19	19	19	19	19	19
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	17.0		17	17	17	17	17	17	17
75 +											1	76.0		76	76	76	76	76	76	76
ALL AGES											2	46.5	1741	17	17	46	76	76	76	76
SUBTOTAL	**5**	**28.4**	**123**	**16**	**17**	**33**	**37**	**39**	**39**	**39**	**3**	**37.3**	**1126**	**17**	**17**	**19**	**62**	**76**	**76**	**76**
GRAND TOTAL	**23**	**21.2**	**182**	**7**	**12**	**18**	**32**	**48**	**66**	**99 +**	**13**	**18.5**	**341**	**5**	**9**	**14**	**20**	**36**	**68**	**76**

ORGANIC BRAIN SYND NEC (294.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	22.0		22	22	22	22	22	22	22										
13-17																				
18-24																				
25-34	2	31.5	1861	1	1	31	62	62	62	62										
35-54																				
55-74	2	17.0	392	3	3	17	31	31	31	31										
75 +	2	14.5	13	12	12	14	17	17	17	17	1	15.0		15	15	15	15	15	15	15
ALL AGES	7	21.1	436	1	5	17	29	56	62	62	1	15.0		15	15	15	15	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	7.5	85	1	1	7	14	14	14	14										
35-54	3	25.7	98	18	19	22	33	37	37	37										
55-74	6	27.0	190	14	17	21	40	47	48	48										
75 +	8	23.8	381	2	10	21	30	55	65	65	2	8.0		8	8	8	8	8	8	8
ALL AGES	19	23.4	250	3	14	20	31	45	57	65	2	8.0		8	8	8	8	8	8	8
SUBTOTAL	**26**	**22.8**	**284**	**1**	**13**	**19**	**31**	**47**	**63**	**65**	**3**	**10.3**	**17**	**8**	**8**	**8**	**13**	**15**	**15**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	10.0		10	10	10	10	10	10	10										
35-54	1	7.0		7	7	7	7	7	7	7										
55-74	1	8.0		8	8	8	8	8	8	8										
75 +	2	24.5	265	13	13	24	36	36	36	36										
ALL AGES	5	14.8	146	7	8	10	19	36	36	36										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	14.0		14	14	14	14	14	14	14	1	5.0		5	5	5	5	5	5	5
75 +	1	18.0		18	18	18	18	18	18	18										
ALL AGES	2	16.0	8	14	14	16	18	18	18	18	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**7**	**15.1**	**100**	**7**	**8**	**13**	**17**	**32**	**36**	**36**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**
GRAND TOTAL	**33**	**21.2**	**250**	**3**	**11**	**18**	**29**	**42**	**60**	**65**	**4**	**9.0**	**18**	**5**	**6**	**8**	**12**	**15**	**15**	**15**

ORGANIC BRAIN SYND NOS (294.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	9.0		9	9	9	9	9	9	9										
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	3	19.3	292	3	7	18	32	37	37	37										
55-74	5	10.6	75	1	4	8	18	22	22	22	2	46.0	2738	9	9	46	83	83	83	83
75 +	5	13.8	84	6	7	11	18	29	29	29										
ALL AGES	15	12.9	104	3	5	9	18	29	35	37	2	46.0	2738	9	9	46	83	83	83	83
B. FEMALE																				
0-12 YRS.											1	17.0		17	17	17	17	17	17	17
13-17																				
18-24																				
25-34	2	7.0		7	7	7	7	7	7	7										
35-54	2	27.0	450	12	12	27	42	42	42	42										
55-74	3	31.7	513	11	15	28	49	56	56	56										
75 +	6	17.7	39	9	14	17	22	26	27	27	2	18.0	8	16	16	18	20	20	20	20
ALL AGES	13	20.7	213	7	10	15	27	45	54	56	3	17.7	3	16	16	17	19	20	20	20
SUBTOTAL	**28**	**16.5**	**165**	**5**	**7**	**13**	**22**	**35**	**43**	**56**	**5**	**29.0**	**928**	**9**	**14**	**17**	**36**	**83**	**83**	**83**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	3	28.3	1719	1	3	8	59	76	76	76										
35-54	3	6.7	17	2	3	8	9	10	10	10										
55-74	2	40.5	2665	4	4	40	77	77	77	77										
75 +	1	20.0		20	20	20	20	20	20	20	3	36.0	2044	6	8	14	69	88	88	88
ALL AGES	9	22.9	954	1	3	8	34	77	77	77	3	36.0	2044	6	8	14	69	88	88	88
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	9.0		9	9	9	9	9	9	9
55-74	5	19.8	483	2	4	6	39	51	51	51										
75 +	2	14.5	13	12	12	14	17	17	17	17	1	28.0		28	28	28	28	28	28	28
ALL AGES	7	18.3	330	3	5	12	30	48	51	51	2	18.5	181	9	9	18	28	28	28	28
SUBTOTAL	**16**	**20.9**	**646**	**2**	**4**	**9**	**27**	**73**	**77**	**77**	**5**	**29.0**	**1159**	**6**	**8**	**14**	**43**	**88**	**88**	**88**
GRAND TOTAL	**44**	**18.1**	**334**	**3**	**6**	**11**	**22**	**43**	**62**	**77**	**10**	**29.0**	**927**	**7**	**9**	**16**	**28**	**85**	**88**	**88**

SIMPLE SCHIZOPHRENIA (295.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	7.0		7	7	7	7	7	7	7
35-54	1	9.0		9	9	9	9	9	9	9										
55-74	1	42.0		42	42	42	42	42	42	42										
75 +																				
ALL AGES	2	25.5	545	9	9	25	42	42	42	42	1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	19.5	61	14	14	19	25	25	25	25										
55-74	1	8.0		8	8	8	8	8	8	8										
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	4	12.8	82	4	6	11	19	25	25	25										
SUBTOTAL	**6**	**17.0**	**202**	**4**	**8**	**11**	**25**	**40**	**42**	**42**	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	18.0		18	18	18	18	18	18	18										
35-54																				
55-74																				
75 +																				
ALL AGES	1	18.0		18	18	18	18	18	18	18										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**18.0**		**18**	**18**	**18**	**18**	**18**	**18**	**18**										
GRAND TOTAL	**7**	**17.1**	**171**	**5**	**8**	**14**	**23**	**39**	**42**	**42**	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**

HEBEPHRENIA (295.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24	2	5.5	1	5	5	5	6	6	6	6										
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	1	11.0		11	11	11	11	11	11	11										
55-74	1	32.0		32	32	32	32	32	32	32										
75 +																				
ALL AGES	6	9.8	129	1	4	5	11	30	32	32										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	35.0		35	35	35	35	35	35	35										
25-34	4	7.3	27	1	5	7	35	99 +	99 +	99 +										
35-54	2	21.5	5	20	20	21	23	23	23	23										
55-74	2	34.5	1105	11	11	34	58	58	58	58										
75 +																				
ALL AGES	9	19.6	310	4	7	17	35	79	99 +	99 +										
SUBTOTAL	**15**	**15.7**	**247**	**2**	**5**	**11**	**27**	**56**	**87**	**99 +**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	12.0		12	12	12	12	12	12	12
25-34	1	15.0		15	15	15	15	15	15	15										
35-54	1	13.0		13	13	13	13	13	13	13	1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	2	14.0	2	13	13	15	79	99 +	99 +	99 +	2	7.5	41	3	3	7	12	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	26.0	18	23	23	26	29	29	29	29										
35-54	1	5.0		5	5	5	5	5	5	5	2	13.0	2	12	12	13	14	14	14	14
55-74																				
75 +																				
ALL AGES	3	19.0	156	5	9	23	27	29	29	29	2	13.0	2	12	12	13	14	14	14	14
SUBTOTAL	**5**	**17.0**	**86**	**6**	**13**	**19**	**29**	**93**	**99 +**	**99 +**	**4**	**10.3**	**23**	**3**	**7**	**12**	**13**	**14**	**14**	**14**
GRAND TOTAL	**20**	**16.0**	**201**	**3**	**6**	**13**	**29**	**70**	**99 +**	**99 +**	**4**	**10.3**	**23**	**3**	**7**	**12**	**13**	**14**	**14**	**14**

CATATONIC SCHIZOPHRENIA (295.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS											HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-24	2	22.5	925	1	1	22	44	44	44	44										
25-34	4	20.8	23	16	17	19	24	28	28	28										
35-54	4	9.8	14	6	6	9	13	14	14	14	1	3.0		3	3	3	3	3	3	3
55-74											1	5.0		5	5	5	5	5	5	5
75 +																						
ALL AGES	10	16.7	153	3	7	15	20	36	44	44	2	4.0	2	3	3	4	5	5	5	5
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34	4	20.8	173	8	9	20	32	35	35	35										
35-54	7	22.0	293	7	10	20	26	51	57	57	1	1.0		1	1	1	1	1	1	1
55-74	6	20.8	293	6	7	14	37	46	47	47										
75 +	2	14.0	200	4	4	14	24	24	24	24										
ALL AGES	19	20.5	226	6	8	16	29	43	52	57	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**29**	**19.2**	**197**	**6**	**8**	**16**	**28**	**41**	**47**	**57**	**3**	**3.0**	**4**	**1**	**1**	**3**	**4**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-24											1	22.0		22	22	22	22	22	22	22
25-34	1	32.0		32	32	32	32	32	32	32										
35-54	1	29.0		29	29	29	29	29	29	29	1	6.0		6	6	6	6	6	6	6
55-74	2	23.5	481	8	8	23	39	39	39	39										
75 +																						
ALL AGES	4	27.0	178	8	18	30	35	39	39	39	2	14.0	128	6	6	14	22	22	22	22
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34	2	26.0	32	22	22	26	30	30	30	30										
35-54	4	4.5	49	1	1	1	8	15	15	15										
55-74																						
75 +	1	26.0		26	26	26	26	26	26	26	1	3.0		3	3	3	3	3	3	3
ALL AGES	7	13.7	162	1	1	15	25	29	30	30	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**11**	**18.5**	**197**	**1**	**3**	**22**	**30**	**35**	**39**	**39**	**3**	**10.3**	**105**	**3**	**4**	**6**	**18**	**22**	**22**	**22**
GRAND TOTAL	**40**	**19.0**	**193**	**3**	**7**	**16**	**28**	**38**	**45**	**57**	**6**	**6.7**	**59**	**1**	**3**	**4**	**6**	**20**	**22**	**22**

PARANOID SCHIZOPHRENIA (295.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	1	34.0		34	34	34	34	34	34	34										
18-24	58	22.3	313	4	9	19	31	48	67	98	5	3.4	5	1	2	3	5	7	7	7
25-34	145	21.8	264	5	9	18	31	51	57	99+	8	9.4	38	3	4	7	15	18	19	19
35-54	158	18.5	229	5	8	14	26	37	50	75	12	9.6	41	1	4	9	15	17	20	20
55-74	24	19.6	155	4	10	17	29	38	41	46	3	18.0	81	9	11	18	25	27	27	27
75 +	2	41.0	338	28	28	41	54	54	54	54										
ALL AGES	389	20.5	252	5	9	16	29	43	55	81	28	9.3	49	1	3	8	15	19	21	27
B. FEMALE																				
0-12 YRS.																				
13-17	2	9.5	145	1	1	9	18	18	18	18	1	1.0		1	1	1	1	1	1	1
18-24	15	24.1	253	12	14	22	31	95	99+	99+	1	23.0		23	23	23	23	23	23	23
25-34	129	19.6	265	5	9	15	25	43	54	95	2	6.0	50	1	1	6	11	11	11	11
35-54	152	20.8	203	7	11	19	27	37	55	99	10	19.0	399	4	7	11	22	54	66	66
55-74	103	24.2	306	8	13	18	31	52	66	99+	7	16.9	116	4	10	17	19	34	38	38
75 +	14	29.5	346	12	17	28	38	77	94	99+	3	21.0	19	16	18	23	24	24	24	24
ALL AGES	415	21.6	259	7	11	18	29	47	62	99+	24	17.0	216	3	7	14	22	38	49	66
SUBTOTAL	**804**	**21.1**	**254**	**5**	**9**	**17**	**29**	**45**	**57**	**99+**	**52**	**12.8**	**140**	**2**	**4**	**10**	**17**	**23**	**37**	**65**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	3.0		3	3	3	3	3	3	3
18-24	30	17.8	124	3	10	19	26	36	39	99+										
25-34	102	16.4	173	4	8	14	22	28	38	78	2	3.5	13	1	1	3	6	6	6	6
35-54	83	19.5	304	4	7	14	26	51	64	94	7	9.1	36	1	3	11	14	15	15	15
55-74	15	21.1	216	12	14	16	27	59	88	99+	2	8.0	2	7	7	8	9	9	9	9
75 +	2	39.5	481	24	24	39	55	55	55	55										
ALL AGES	232	18.2	220	4	8	15	24	37	56	99+	12	7.5	27	1	2	8	12	14	15	15
B. FEMALE																				
0-12 YRS.																				
13-17	1	25.0		25	25	25	25	25	25	25										
18-24	8	29.6	419	5	12	29	43	58	63	63										
25-34	38	19.2	267	3	8	17	26	38	60	72										
35-54	31	17.5	95	6	9	19	22	30	37	42	3	6.0	7	4	4	5	8	9	9	9
55-74	22	18.4	103	6	9	18	29	34	62	99+	5	19.8	482	1	1	10	43	44	44	44
75 +	1	30.0		30	30	30	30	30	30	30	2	14.0	162	5	5	14	23	23	23	23
ALL AGES	101	19.5	189	5	9	18	26	38	47	85	10	14.5	273	1	4	7	23	43	44	44
SUBTOTAL	**333**	**18.6**	**210**	**4**	**9**	**15**	**24**	**37**	**54**	**99+**	**22**	**10.7**	**144**	**1**	**3**	**8**	**13**	**29**	**43**	**44**
GRAND TOTAL	**1137**	**20.3**	**245**	**5**	**9**	**16**	**28**	**42**	**57**	**99+**	**74**	**12.2**	**139**	**1**	**4**	**9**	**16**	**23**	**41**	**61**

AC SCHIZOPHRENIC EPISODE (295.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	62.0		62	62	62	62	62	62	62										
13-17	2	23.5	41	19	19	23	28	28	28	28										
18-24	7	12.1	19	7	9	11	15	18	19	19										
25-34	10	16.2	110	3	9	12	27	29	29	29										
35-54											1	4.0		4	4	4	4	4	4	4
55-74																				
75 +																				
ALL AGES	20	17.8	179	6	9	13	26	29	46	62	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	2	22.5	221	12	17	33	83	99 +	99 +	99 +										
18-24	6	22.5	264	3	12	20	32	46	48	48										
25-34	5	32.8	687	6	13	25	52	72	72	72	1	1.0		1	1	1	1	1	1	1
35-54	8	22.1	509	3	6	16	30	60	70	70										
55-74	4	26.8	189	14	17	23	36	46	46	46	1	3.0		3	3	3	3	3	3	3
75 +											2	5.0	2	4	4	5	6	6	6	6
ALL AGES	25	25.1	370	4	12	21	38	68	78	99 +	4	3.5	4	1	2	3	5	6	6	6
SUBTOTAL	**45**	**21.9**	**291**	**6**	**10**	**18**	**29**	**48**	**70**	**99 +**	**5**	**3.6**	**3**	**1**	**2**	**4**	**5**	**6**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	3	29.7	89	21	23	28	37	40	40	40										
25-34	5	15.0	118	1	5	20	23	26	26	26										
35-54	2	22.5	113	15	15	22	30	30	30	30										
55-74	1	19.0		19	19	19	19	19	19	19										
75 +																				
ALL AGES	11	20.7	119	4	16	21	27	34	39	40										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	14.5	25	11	11	14	18	18	18	18										
25-34	2	19.5	221	9	9	19	30	30	30	30										
35-54	2	10.5	25	7	7	10	14	14	14	14	1	17.0		17	17	17	17	17	17	17
55-74																				
75 +																				
ALL AGES	6	14.8	71	7	9	12	18	29	30	30	1	17.0		17	17	17	17	17	17	17
SUBTOTAL	**17**	**18.6**	**106**	**6**	**10**	**19**	**26**	**30**	**37**	**40**	**1**	**17.0**		**17**	**17**	**17**	**17**	**17**	**17**	**17**
GRAND TOTAL	**62**	**21.0**	**239**	**6**	**10**	**19**	**28**	**45**	**65**	**96**	**6**	**5.8**	**33**	**1**	**3**	**4**	**6**	**16**	**17**	**17**

LATENT SCHIZOPHRENIA (295.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	12.0		12	12	12	12	12	12	12
35-54																				
55-74																				
75 +																				
ALL AGES											1	12.0		12	12	12	12	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	18.0		18	18	18	18	18	18	18										
55-74																				
75 +																				
ALL AGES	1	18.0		18	18	18	18	18	18	18										
SUBTOTAL	1	18.0		18	18	18	18	18	18	18	1	12.0		12	12	12	12	12	12	12
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	18.0		18	18	18	18	18	18	18	1	12.0		12	12	12	12	12	12	12

RESIDUAL SCHIZOPHRENIA (295.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	19	20.2	265	6	8	12	27	48	55	56	1	19.0		19	19	19	19	19	19	19
25-34	65	15.6	110	3	8	14	21	29	39	45	3	9.0	12	5	6	11	11	11	11	11
35-54	62	17.6	219	5	9	14	21	33	50	74	1	5.0		5	5	5	5	5	5	5
55-74	13	13.5	60	3	9	12	18	23	29	30										
75 +	1	32.0		32	32	32	32	32	32	32										
ALL AGES	160	16.8	169	4	8	14	21	32	41	63	5	10.2	33	5	5	11	13	19	19	19
B. FEMALE																				
0-12 YRS.																				
13-17	1	21.0		21	21	21	21	21	21	21										
18-24	12	12.3	83	1	5	12	15	26	32	33										
25-34	44	21.2	384	4	7	14	32	53	64	75	3	3.3	1	3	3	3	4	4	4	4
35-54	72	18.4	264	3	8	13	23	38	48	82	3	4.0	4	2	2	4	5	6	6	6
55-74	36	17.7	115	6	11	16	22	29	42	51	3	15.0	21	10	11	16	18	19	19	19
75 +	1	19.0		19	19	19	19	19	19	19	2	47.5	265	36	36	47	59	59	59	59
ALL AGES	166	18.5	251	4	7	14	23	40	51	77	11	14.7	321	2	3	6	18	45	58	59
SUBTOTAL	**326**	**17.7**	**210**	**4**	**8**	**14**	**22**	**37**	**46**	**75**	**16**	**13.3**	**227**	**3**	**4**	**8**	**17**	**34**	**52**	**59**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	14	23.9	482	3	11	16	33	53	78	85										
25-34	44	12.8	101	3	6	8	18	28	34	39	2	1.5	1	1	1	1	2	2	2	2
35-54	34	15.6	144	4	6	10	26	33	38	40	1	1.0		1	1	1	1	1	1	1
55-74	9	17.8	70	10	12	15	21	32	36	36	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	101	15.8	170	4	6	11	23	33	37	67	4	1.8	1	1	1	2	2	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	4	30.0	2073	3	4	9	55	98	98	98	1	38.0		38	38	38	38	38	38	38
25-34	24	18.5	267	6	8	12	24	35	64	66										
35-54	27	15.8	99	7	10	13	19	26	34	53	2	9.0	18	6	6	9	12	12	12	12
55-74	11	27.6	446	12	17	22	38	88	98	99 +	2	20.5	181	11	11	20	30	30	30	30
75 +	2	21.0	722	2	11	40	85	99 +	99 +	99 +										
ALL AGES	68	19.6	326	6	9	15	24	49	83	99 +	5	19.4	191	6	10	12	32	38	38	38
SUBTOTAL	**169**	**17.3**	**236**	**4**	**8**	**13**	**24**	**34**	**50**	**99**	**9**	**11.6**	**181**	**1**	**2**	**6**	**16**	**35**	**38**	**38**
GRAND TOTAL	**495**	**17.6**	**217**	**4**	**8**	**14**	**23**	**35**	**46**	**84**	**25**	**12.7**	**203**	**2**	**3**	**6**	**17**	**36**	**43**	**59**

SCHIZOAFFECTIVE TYPE (295.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	55.5	545	39	39	55	72	72	72	72										
18-24	34	23.6	354	6	10	18	33	50	59	86	4	16.5	24	11	13	16	20	23	23	23
25-34	111	20.6	276	5	8	15	29	42	57	76	8	4.9	16	1	1	4	8	11	11	11
35-54	130	21.0	213	7	10	17	31	42	49	70	5	10.4	107	2	3	8	14	28	28	28
55-74	15	25.3	369	4	10	26	33	43	68	76	5	12.8	65	2	6	15	19	21	21	21
75 +	2	22.5	1	22	22	22	23	23	23	23										
ALL AGES	294	21.6	267	6	9	17	31	43	55	76	22	10.0	63	2	2	9	16	22	25	28
B. FEMALE																				
0-12 YRS.																				
13-17	3	21.7	47	15	16	21	27	29	29	29										
18-24	29	23.6	446	5	8	16	38	72	80	99 +	1	2.0		2	2	2	2	2	2	2
25-34	141	21.4	215	7	13	18	28	39	57	99 +	7	4.7	15	1	2	4	8	11	11	11
35-54	247	21.7	268	6	10	17	28	48	60	91	16	8.9	36	2	3	9	13	16	21	23
55-74	94	21.9	253	6	10	17	33	46	55	89	12	14.2	50	5	8	14	19	23	27	28
75 +	6	32.8	381	4	15	40	48	50	50	50	1	2.0		2	2	2	2	2	2	2
ALL AGES	520	21.9	259	6	11	17	29	47	60	99 +	37	9.5	47	2	4	9	13	19	22	28
SUBTOTAL	**814**	**21.8**	**261**	**6**	**10**	**17**	**30**	**46**	**58**	**87**	**59**	**9.7**	**52**	**2**	**3**	**9**	**15**	**20**	**23**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	18.5	5	17	17	18	20	20	20	20										
18-24	32	23.9	528	2	5	17	37	51	71	97	4	18.3	128	3	9	21	27	28	28	28
25-34	70	17.8	235	3	7	14	20	43	55	62	10	8.6	66	2	3	4	11	23	23	23
35-54	58	20.8	301	4	8	16	29	40	52	85										
55-74	6	32.2	463	10	10	31	53	57	58	58										
75 +	1	39.0		39	39	39	39	39	39	39										
ALL AGES	169	20.6	323	4	7	16	28	43	58	85	14	11.4	95	3	3	7	23	26	28	28
B. FEMALE																				
0-12 YRS.																				
13-17	1	26.0		26	26	26	26	26	26	26										
18-24	24	17.1	163	4	8	14	24	33	44	55	1	3.0		3	3	3	3	3	3	3
25-34	79	21.2	347	5	8	16	30	52	74	99 +	7	12.3	75	4	7	8	18	26	28	28
35-54	81	21.1	320	5	8	16	30	43	51	88	4	16.3	51	6	11	18	21	22	22	22
55-74	35	22.2	184	8	12	20	30	40	48	62	1	12.0		12	12	12	12	12	12	12
75 +	4	37.3	448	19	24	31	50	68	68	68										
ALL AGES	224	21.2	293	5	8	16	30	44	63	97	13	12.8	63	3	7	12	19	23	27	28
SUBTOTAL	**393**	**20.9**	**307**	**5**	**8**	**16**	**29**	**44**	**59**	**95**	**27**	**12.0**	**79**	**3**	**4**	**9**	**20**	**25**	**28**	**28**
GRAND TOTAL	**1207**	**21.5**	**276**	**5**	**10**	**17**	**29**	**45**	**58**	**92**	**86**	**10.4**	**61**	**2**	**3**	**9**	**16**	**23**	**26**	**28**

SCHIZOPHRENIA NEC (295.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	4	7.3	6	5	5	6	9	11	11	11										
25-34	5	18.2	361	2	3	18	49	95	99+	99+										
35-54	6	16.5	222	3	3	13	27	38	39	39										
55-74	2	67.5	1301	42	42	57	93	93	93	93										
75 +																				
ALL AGES	17	20.8	571	3	5	14	39	80	97	99+										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	12.0		12	12	12	12	12	12	12										
25-34	6	17.3	208	7	8	12	19	42	45	45										
35-54	6	35.0	868	19	23	24	25	88	95	95	1	1.0		1	1	1	1	1	1	1
55-74	5	13.2	198	1	2	10	21	36	36	36	1	7.0		7	7	7	7	7	7	7
75 +																				
ALL AGES	18	21.8	458	4	9	17	24	42	75	95	2	4.0	18	1	1	3	7	7	7	7
SUBTOTAL	**35**	**21.3**	**498**	**3**	**6**	**17**	**26**	**49**	**94**	**99+**	**2**	**4.0**	**18**	**1**	**1**	**3**	**7**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	40.0	578	23	23	40	57	57	57	57										
25-34	4	31.0	998	12	13	49	99+	99+	99+	99+	1	1.0		1	1	1	1	1	1	1
35-54	6	15.2	69	5	11	14	19	28	29	29	1	7.0		7	7	7	7	7	7	7
55-74	2	25.5	313	13	13	25	38	38	38	38										
75 +																				
ALL AGES	14	24.7	417	11	13	20	47	98	99+	99+	2	4.0	18	1	1	4	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	10.0		10	10	10	10	10	10	10										
25-34	3	20.3	34	14	16	22	24	25	25	25										
35-54	2	21.5	421	7	7	21	36	36	36	36	1	17.0		17	17	17	17	17	17	17
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	7	16.9	128	5	8	14	24	34	36	36	1	17.0		17	17	17	17	17	17	17
SUBTOTAL	**21**	**22.1**	**324**	**6**	**12**	**19**	**34**	**82**	**99+**	**99+**	**3**	**8.3**	**66**	**1**	**2**	**7**	**14**	**17**	**17**	**17**
GRAND TOTAL	**56**	**21.6**	**426**	**4**	**8**	**18**	**28**	**70**	**98**	**99+**	**5**	**6.6**	**43**	**1**	**1**	**7**	**10**	**17**	**17**	**17**

SCHIZOPHRENIA NOS (295.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	68.0		68	68	84	99 +	99 +	99 +	99 +										
13-17	4	15.3	96	2	9	16	21	26	26	26										
18-24	35	31.5	472	9	12	28	43	65	76	84	2	6.0	50	1	1	6	11	11	11	11
25-34	41	15.6	153	3	8	11	20	34	47	48	2	2.5	5	1	1	2	4	4	4	4
35-54	40	18.3	167	6	9	14	24	34	44	64	3	2.3	2	1	1	3	3	3	3	3
55-74	6	16.0	10	12	14	16	17	21	21	21										
75 +	1	29.0		29	29	29	29	29	29	29										
ALL AGES	128	21.3	291	6	10	17	28	48	64	87	7	3.4	13	1	1	3	4	10	11	11
B. FEMALE																				
0-12 YRS.	1	59.0		59	59	59	59	59	59	59										
13-17	5	22.2	348	3	5	25	33	49	49	49	1	2.0		2	2	2	2	2	2	2
18-24	19	27.6	310	9	13	23	46	57	80	99 +	1	2.0		2	2	2	2	2	2	2
25-34	35	22.1	301	4	8	20	32	42	60	75	1	2.0		2	2	2	2	2	2	2
35-54	45	23.4	437	4	7	16	31	54	70	82	3	9.0	49	4	4	6	14	17	17	17
55-74	28	23.4	290	3	10	21	29	43	61	76	5	10.0	66	1	2	12	15	21	21	21
75 +	3	26.0	181	15	17	22	36	41	41	41										
ALL AGES	136	23.9	344	4	9	20	34	51	64	84	11	7.5	50	1	2	4	13	19	21	21
SUBTOTAL	**264**	**22.6**	**321**	**4**	**10**	**19**	**30**	**49**	**64**	**84**	**18**	**5.9**	**38**	**1**	**2**	**3**	**11**	**16**	**19**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	6.8	57	1	2	4	11	18	18	18										
18-24	15	27.9	327	6	13	29	46	57	87	99 +	1	1.0		1	1	1	1	1	1	1
25-34	19	17.5	142	5	8	16	21	35	44	49	3	12.3	162	1	2	10	22	26	26	26
35-54	11	15.9	207	3	5	9	26	40	41	41	2	8.5	41	4	4	8	13	13	13	13
55-74	3	13.3	46	9	9	10	18	21	21	21										
75 +																				
ALL AGES	52	19.1	225	4	7	16	29	43	54	99	6	9.2	91	1	1	7	13	25	26	26
B. FEMALE																				
0-12 YRS.																				
13-17	2	35.0	1152	11	11	35	59	59	59	59	1	3.0		3	3	3	3	3	3	3
18-24	9	33.4	424	13	24	28	36	66	81	81										
25-34	15	20.1	156	6	9	15	31	35	44	47										
35-54	20	18.9	271	3	6	14	24	43	55	64	1	14.0		14	14	14	14	14	14	14
55-74	4	24.8	207	6	14	26	35	40	40	40										
75 +																				
ALL AGES	50	23.0	290	6	9	20	32	45	59	81	2	8.5	61	3	3	8	14	14	14	14
SUBTOTAL	**102**	**21.0**	**259**	**4**	**8**	**17**	**31**	**45**	**55**	**90**	**8**	**9.0**	**74**	**1**	**2**	**7**	**13**	**22**	**26**	**26**
GRAND TOTAL	**366**	**22.2**	**301**	**4**	**9**	**18**	**30**	**49**	**61**	**84**	**26**	**6.9**	**48**	**1**	**2**	**4**	**12**	**17**	**22**	**26**

MANIC DIS, SINGL EPISODE (296.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	15.0		15	15	15	15	15	15	15										
25-34	5	12.8	255	2	4	8	16	41	41	41										
35-54	2	5.0	32	1	1	5	9	9	9	9	1	7.0		7	7	7	7	7	7	7
55-74	2	4.5	1	4	4	4	5	5	5	5	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	10	9.8	136	1	4	6	9	28	41	41	2	5.0	8	3	3	5	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17	1	10.0		10	10	10	10	10	10	10										
18-24																				
25-34	3	11.7	29	8	8	9	16	18	18	18	1	8.0		8	8	8	8	8	8	8
35-54	3	20.3	186	12	12	13	30	36	36	36										
55-74	7	14.3	148	2	4	12	20	34	37	37	3	1.7		1	1	2	2	2	2	2
75 +	1	32.0		32	32	32	32	32	32	32										
ALL AGES	15	15.9	123	2	9	12	20	36	37	37	4	3.3	10	1	1	2	5	8	8	8
SUBTOTAL	**25**	**13.4**	**134**	**2**	**5**	**10**	**16**	**36**	**38**	**41**	**6**	**3.8**	**9**	**1**	**2**	**3**	**7**	**8**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	6.0		6	6	6	6	6	6	6
25-34																				
35-54	1	6.0		6	6	6	6	6	6	6										
55-74											1	3.0		3	3	3	3	3	3	3
75 +	1	40.0		40	40	40	40	40	40	40										
ALL AGES	2	23.0	578	6	6	23	40	40	40	40	2	4.5	5	3	3	4	6	6	6	6
SUBTOTAL	**3**	**17.0**	**397**	**5**	**5**	**6**	**31**	**40**	**40**	**40**	**2**	**4.5**	**5**	**3**	**3**	**4**	**6**	**6**	**6**	**6**
GRAND TOTAL	**28**	**13.8**	**149**	**2**	**5**	**9**	**17**	**37**	**40**	**41**	**8**	**4.0**	**7**	**1**	**2**	**3**	**6**	**8**	**8**	**8**

MANIC, RECURRENT EPISODE (296.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	16.0		16	16	16	16	16	16	16										
18-24																				
25-34	1	7.0		7	7	7	7	7	7	7										
35-54	2	8.0	2	7	7	8	9	9	9	9										
55-74	2	11.5	25	8	8	11	15	15	15	15										
75 +																				
ALL AGES	6	10.3	17	7	7	8	15	16	16	16										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	3	25.0	1519	2	2	3	53	70	70	70	1	4.0		4	4	4	4	4	4	4
35-54	2	50.0	4608	2	2	50	98	98	98	98	5	3.4	1	2	3	4	4	4	4	4
55-74	3	34.7	409	21	22	25	50	58	58	58	1	3.0		3	3	3	3	3	3	3
75 +	2	33.5	841	13	13	33	54	54	54	54	1	8.0		8	8	8	8	8	8	8
ALL AGES	10	34.6	1118	2	3	23	58	84	98	98	8	4.0	3	2	3	4	4	7	8	8
SUBTOTAL	**16**	**25.5**	**824**	**2**	**7**	**14**	**39**	**69**	**90**	**98**	**8**	**4.0**	**3**	**2**	**3**	**4**	**4**	**7**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	6.0		6	6	6	6	6	6	6										
35-54	1	12.0		12	12	12	12	12	12	12										
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	2	9.0	18	6	6	9	12	12	12	12	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.	1	43.0		43	43	43	43	43	43	43										
13-17																				
18-24																				
25-34	1	23.0		23	23	23	23	23	23	23										
35-54	1	19.0		19	19	19	19	19	19	19										
55-74	2	40.0	450	25	25	40	55	55	55	55	1	5.0		5	5	5	5	5	5	5
75 +	1	17.0		17	17	17	17	17	17	17	1	1.0		1	1	1	1	1	1	1
ALL AGES	6	30.3	234	17	19	24	43	54	55	55	2	3.0	8	1	1	3	5	5	5	5
SUBTOTAL	**8**	**25.0**	**265**	**8**	**14**	**21**	**34**	**51**	**55**	**55**	**3**	**2.3**	**6**	**1**	**1**	**1**	**4**	**5**	**5**	**5**
GRAND TOTAL	**24**	**25.3**	**620**	**3**	**8**	**16**	**34**	**59**	**78**	**98**	**11**	**3.5**	**4**	**1**	**2**	**4**	**4**	**6**	**8**	**8**

DEPR PSYCH, SINGL EPISOD (296.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	7	13.0	66	3	8	13	20	24	25	25	7	16.1	99	2	9	16	24	28	29	29
13-17	38	23.9	356	4	12	19	30	57	64	74	4	21.5	570	1	7	14	35	56	56	56
18-24	31	14.5	208	2	4	11	18	39	47	58	3	5.0	3	4	4	4	6	7	7	7
25-34	69	16.0	95	5	8	14	23	29	35	89	4	7.0	22	4	5	5	35	99 +	99 +	99 +
35-54	100	17.8	134	4	9	16	25	32	39	55	6	5.7	19	2	2	5	6	13	14	14
55-74	93	20.9	183	7	10	18	27	41	47	61	14	17.4	231	2	4	13	27	35	51	55
75 +	40	20.0	252	4	10	16	26	42	60	67	13	12.1	155	2	4	5	26	31	36	37
ALL AGES	378	18.7	184	4	9	16	26	36	47	65	51	13.3	172	2	4	8	20	33	53	99
B. FEMALE																				
0-12 YRS.	10	24.0	174	3	21	25	30	41	41	41	8	29.6	179	14	20	28	36	50	55	55
13-17	56	22.6	296	4	8	21	36	58	90	99 +	6	20.5	126	3	17	21	26	35	36	36
18-24	64	15.5	174	3	6	11	22	33	39	65	6	9.3	50	1	3	9	14	19	20	20
25-34	137	15.6	147	3	7	13	20	29	43	58	10	7.0	25	2	4	5	10	15	17	17
35-54	213	16.7	167	4	8	14	22	32	41	70	14	5.7	14	2	3	5	6	12	14	15
55-74	203	20.7	162	6	11	19	29	36	48	86	25	10.6	53	3	4	9	14	21	25	29
75 +	134	21.0	185	5	11	20	29	40	48	99 +	29	17.2	147	5	6	16	24	37	42	50
ALL AGES	817	18.6	181	4	9	16	26	36	47	83	98	13.6	126	3	5	10	20	29	37	53
SUBTOTAL	**1195**	**18.6**	**183**	**4**	**9**	**16**	**26**	**36**	**47**	**72**	**149**	**13.4**	**143**	**3**	**4**	**10**	**20**	**29**	**37**	**56**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	9	21.3	159	1	16	25	28	35	38	38	16	31.8	136	17	26	30	37	47	57	61
13-17	23	22.3	249	4	15	21	29	58	73	99 +	9	22.2	96	9	15	21	29	35	37	37
18-24	58	15.9	212	3	6	13	20	37	45	76	2	18.0	578	1	1	18	35	35	35	35
25-34	92	17.8	190	4	8	14	23	36	46	69	6	4.8	11	1	2	4	8	9	9	9
35-54	144	16.2	187	5	7	12	21	30	38	67	6	12.8	113	2	8	11	15	30	32	32
55-74	56	19.8	184	7	11	15	26	35	52	64	8	12.5	113	3	5	9	17	30	35	35
75 +	25	24.6	300	5	9	25	32	43	88	99 +	3	22.7	250	13	13	27	70	99 +	99 +	99 +
ALL AGES	407	18.0	203	4	8	15	25	36	47	81	50	20.4	197	3	8	19	31	40	47	99 +
B. FEMALE																				
0-12 YRS.	5	23.6	13	20	20	24	26	28	28	28	5	21.6	47	14	15	23	27	29	29	29
13-17	33	21.1	354	2	10	17	31	59	97	99 +	17	27.8	370	8	14	22	39	52	69	77
18-24	80	20.7	35[illegible]	4	8	16	27	47	66	99	7	21.9	673	2	5	10	42	63	66	66
25-34	139	19.3	[illegible]	4	8	15	26	39	50	89	8	4.4	4	2	3	4	6	7	7	7
35-54	194	17.1	137	5	9	15	22	31	43	64	12	11.3	216	1	3	6	14	30	51	54
55-74	70	22.5	315	7	11	18	28	41	83	99	15	6.9	38	2	3	4	10	18	19	20
75 +	42	18.4	138	7	10	15	23	35	41	52	15	16.6	270	4	6	12	18	43	57	62
ALL AGES	563	19.2	236	4	9	16	25	39	51	96	79	15.9	285	2	4	11	20	43	54	74
SUBTOTAL	**970**	**18.7**	**222**	**4**	**9**	**15**	**25**	**37**	**49**	**93**	**129**	**17.6**	**256**	**3**	**5**	**13**	**27**	**41**	**53**	**82**
GRAND TOTAL	**2165**	**18.7**	**198**	**4**	**9**	**16**	**26**	**37**	**47**	**87**	**278**	**15.4**	**197**	**3**	**5**	**12**	**22**	**35**	**48**	**74**

DEPR PSYCH, RECUR EPISOD (296.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	8	19.5	173	2	13	22	31	77	99 +	99 +										
18-24	31	16.5	166	5	7	14	23	31	34	66	2	3.0	2	2	- 2	3	4	4	4	4
25-34	62	14.0	108	4	7	12	16	27	33	52	8	17.9	131	4	8	20	22	34	39	39
35-54	108	18.7	174	5	8	16	28	40	48	99 +	10	7.3	31	1	3	6	12	15	18	18
55-74	185	23.7	252	6	13	21	32	47	56	85	17	14.2	80	5	6	13	21	27	31	33
75 +	59	23.2	248	7	12	20	33	57	65	99 +	15	14.4	185	3	4	13	19	25	48	56
ALL AGES	453	20.5	219	5	10	18	29	42	55	99 +	52	13.1	114	3	5	11	20	24	32	56
B. FEMALE																				
0-12 YRS.	1	21.0		21	21	21	21	21	21	21										
13-17	15	24.0	566	6	9	13	38	71	76	78	1	23.0		23	23	23	23	23	23	23
18-24	47	12.5	66	4	8	11	15	25	28	42	3	7.7	37	1	3	9	12	13	13	13
25-34	144	15.2	187	4	7	10	20	33	47	88	22	9.2	56	2	4	5	14	21	23	24
35-54	315	16.6	134	5	8	14	22	34	37	65	36	9.0	67	1	3	7	13	19	30	32
55-74	447	23.0	252	7	13	20	29	42	59	90	42	14.9	106	3	6	13	21	29	38	41
75 +	221	25.2	222	8	15	23	34	46	56	76	36	11.9	71	2	5	11	18	21	30	34
ALL AGES	1190	20.4	218	5	10	17	27	40	50	88	140	11.6	82	2	4	10	17	24	30	41
SUBTOTAL	**1643**	**20.4**	**219**	**5**	**10**	**17**	**27**	**41**	**51**	**88**	**192**	**12.0**	**91**	**2**	**4**	**10**	**18**	**24**	**31**	**41**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											3	30.7	201	15	20	34	41	43	43	43
13-17	6	23.5	1031	3	8	12	19	81	88	88	4	17.5	699	1	3	6	32	57	57	57
18-24	23	23.6	232	8	13	21	29	55	57	58	3	21.0	196	5	10	27	30	31	31	31
25-34	96	15.2	148	4	7	13	22	29	37	65	8	9.1	61	2	3	7	14	21	23	23
35-54	134	16.6	148	3	8	14	23	34	40	56	14	5.0	13	1	1	4	7	10	12	12
55-74	92	21.2	141	7	13	21	28	40	55	99 +	15	15.9	133	2	6	15	21	30	40	44
75 +	20	30.7	567	9	15	24	57	96	99 +	99 +	5	11.8	47	3	6	13	17	20	20	20
ALL AGES	371	18.7	198	4	8	16	25	36	53	99 +	52	12.8	155	2	3	8	19	30	42	57
B. FEMALE																				
0-12 YRS.											1	34.0		34	34	34	34	34	34	34
13-17	12	20.1	116	8	12	18	33	49	90	99 +	6	15.2	127	3	7	12	28	29	29	29
18-24	60	18.7	261	5	7	15	27	43	63	97	6	5.2	19	1	1	4	9	11	11	11
25-34	153	17.3	241	3	7	14	23	36	44	91	15	8.4	41	1	3	8	13	18	20	21
35-54	251	20.4	269	5	8	16	29	46	57	99 +	45	10.5	92	2	3	7	16	26	27	45
55-74	183	21.6	191	7	12	20	27	42	46	72	13	13.6	110	3	5	9	21	26	34	36
75 +	60	22.1	220	7	10	21	29	40	49	75	18	17.6	158	5	9	14	23	40	45	46
ALL AGES	719	20.0	239	5	9	17	27	41	52	99 +	104	12.0	108	2	4	9	17	26	33	45
SUBTOTAL	**1090**	**19.6**	**224**	**5**	**9**	**16**	**27**	**40**	**52**	**99 +**	**156**	**12.3**	**122**	**2**	**4**	**9**	**18**	**27**	**34**	**46**
GRAND TOTAL	**2733**	**20.1**	**220**	**5**	**9**	**17**	**27**	**40**	**52**	**97**	**348**	**12.1**	**105**	**2**	**4**	**9**	**18**	**26**	**32**	**45**

BIPOLAR AFFECTIVE, MANIC (296.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	9.0		9	9	54	99 +	99 +	99 +	99 +										
18-24	37	25.5	264	7	15	21	35	51	57	62	1	14.0		14	14	14	14	14	14	14
25-34	77	20.4	211	6	9	17	27	38	50	71	3	8.7	73	1	2	7	15	18	18	18
35-54	111	15.8	101	5	8	14	22	29	36	46	6	7.2	14	4	4	5	11	13	13	13
55-74	46	24.9	359	8	13	19	31	52	62	92										
75 +	15	29.3	720	5	9	21	43	67	89	96	2	15.0	200	5	5	15	25	25	25	25
ALL AGES	287	20.4	240	6	10	17	26	40	53	89	12	9.4	49	3	4	6	13	20	24	25
B. FEMALE																				
0-12 YRS.																				
13-17	3	7.0		7	7	7	7	7	7	7										
18-24	23	20.5	131	6	14	19	24	38	45	45	3	26.3	228	9	15	35	35	35	35	35
25-34	109	20.5	221	7	11	17	26	36	51	92	5	5.2	7	3	3	4	[illegible]	9	9	9
35-54	208	20.2	210	6	11	16	24	43	53	77	6	11.7	177	2	3	6	16	35	37	37
55-74	149	22.3	203	8	13	19	30	42	50	68	9	14.0	146	3	7	13	[illegible]	33	43	43
75 +	14	19.4	55	11	14	19	21	30	35	36	2	18.5	5	17	17	18	20	20	20	20
ALL AGES	506	20.8	202	7	12	17	26	41	50	78	25	13.5	144	3	4	9	17	35	38	43
SUBTOTAL	**793**	**20.7**	**214**	**6**	**11**	**17**	**26**	**40**	**51**	**81**	**37**	**12.2**	**114**	**3**	**4**	**9**	**16**	**33**	**36**	**43**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	44.5	221	34	34	44	55	55	55	55	1	3.0		3	3	3	3	3	3	3
18-24	14	19.2	131	5	9	19	25	35	40	41										
25-34	43	18.6	160	5	8	16	27	38	43	50										
35-54	43	15.9	86	6	9	14	22	31	35	39	6	10.0	52	1	3	10	15	19	20	20
55-74	17	25.5	128	13	16	26	35	42	45	46										
75 +	2	10.0	50	5	5	10	15	15	15	15										
ALL AGES	121	18.9	144	6	9	16	27	36	41	51	7	9.0	50	1	3	9	14	19	20	20
B. FEMALE																				
0-12 YRS.																				
13-17	1	39.0		39	39	39	39	39	39	39										
18-24	9	33.0	465	10	15	24	53	64	70	70										
25-34	30	22.6	373	7	11	18	29	43	63	95	2	22.0	800	2	2	22	42	42	42	42
35-54	46	18.3	128	7	10	17	25	31	48	99 +	3	8.7	16	4	5	10	11	12	12	12
55-74	15	19.9	187	4	14	22	37	99 +	99 +	99 +	3	12.0	39	7	8	10	17	19	19	19
75 +	9	21.7	223	7	11	18	33	77	99 +	99 +	2	17.5	221	7	7	17	28	28	28	28
ALL AGES	110	21.4	243	7	11	19	29	54	89	99 +	10	14.1	154	3	7	10	19	35	42	42
SUBTOTAL	**231**	**20.1**	**192**	**6**	**10**	**17**	**28**	**39**	**54**	**99 +**	**17**	**12.0**	**112**	**2**	**4**	**10**	**16**	**26**	**37**	**42**
GRAND TOTAL	**1024**	**20.5**	**211**	**6**	**11**	**17**	**27**	**40**	**52**	**93**	**54**	**12.1**	**112**	**3**	**4**	**9**	**15**	**29**	**37**	**43**

BIPOLAR AFFECT, DEPRESS (296.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	52.0		52	52	52	52	52	52	52										
13-17	3	13.3	43	6	8	16	17	18	18	18										
18-24	11	18.8	112	2	15	18	22	34	38	38										
25-34	28	18.6	121	6	11	15	23	35	42	44	1	3.0		3	3	3	3	3	3	3
35-54	33	19.6	240	6	10	17	22	40	56	78	7	11.6	62	4	7	9	15	25	27	27
55-74	26	24.5	232	7	14	22	35	50	54	59	3	14.0	109	2	6	19	20	21	21	21
75 +	6	26.0	140	12	21	22	34	44	45	45										
ALL AGES	108	20.9	193	6	12	18	25	39	51	67	11	11.5	67	3	4	9	18	23	27	27
B. FEMALE																				
0-12 YRS.																				
13-17	2	8.5	25	5	5	8	12	12	12	12										
18-24	12	15.0	202	5	7	10	21	63	93	99 +	1	14.0		14	14	14	14	14	14	14
25-34	46	17.0	156	4	7	16	22	32	47	56	3	5.3	5	3	4	6	7	7	7	7
35-54	83	18.1	174	5	8	15	25	36	48	89	7	10.3	40	1	5	13	14	18	19	19
55-74	83	25.5	295	7	14	22	32	51	60	84	8	18.5	329	4	6	14	21	49	60	60
75 +	26	28.3	256	11	17	24	40	50	59	66	5	32.2	1155	4	14	20	44	91	91	91
ALL AGES	252	21.1	240	5	10	18	28	46	54	87	24	17.1	396	4	5	13	19	31	69	91
SUBTOTAL	**360**	**21.1**	**222**	**6**	**10**	**18**	**28**	**43**	**53**	**78**	**35**	**15.3**	**296**	**3**	**5**	**13**	**19**	**27**	**52**	**91**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	24.0		24	24	24	24	24	24	24										
13-17																				
18-24	3	9.3	103	3	3	4	17	21	21	21										
25-34	21	16.9	221	4	6	11	23	40	52	56	2	17.0	200	7	7	17	27	27	27	27
35-54	18	17.7	212	4	7	16	22	34	52	63	3	12.0	7	9	10	13	14	14	14	14
55-74	12	21.4	138	8	12	19	29	40	41	41										
75 +	3	28.3	552	11	13	19	46	55	55	55	3	8.0	61	3	3	4	14	17	17	17
ALL AGES	58	18.4	203	4	7	15	24	38	52	62	8	11.8	61	3	5	11	15	24	27	27
B. FEMALE																				
0-12 YRS.																				
13-17	2	37.0	450	22	22	37	52	52	52	52										
18-24	5	16.8	143	5	11	14	20	37	37	37	1	5.0		5	5	5	5	5	5	5
25-34	25	21.2	187	5	12	18	34	42	64	99 +	1	20.0		20	20	20	20	20	20	20
35-54	51	17.1	212	4	7	14	23	32	40	75	9	13.7	63	1	7	16	20	22	24	24
55-74	34	26.5	333	7	12	25	37	65	71	99 +	1	21.0		21	21	21	21	21	21	21
75 +	7	34.7	515	16	21	25	44	74	80	80	1	34.0		34	34	34	34	34	34	34
ALL AGES	124	21.8	275	5	10	18	30	45	69	99 +	13	15.6	87	2	7	17	20	26	32	34
SUBTOTAL	**182**	**20.7**	**254**	**5**	**9**	**17**	**28**	**41**	**58**	**93**	**21**	**14.1**	**79**	**3**	**6**	**14**	**20**	**25**	**30**	**34**
GRAND TOTAL	**542**	**21.0**	**231**	**5**	**10**	**18**	**28**	**43**	**54**	**80**	**56**	**14.9**	**210**	**3**	**5**	**13**	**20**	**26**	**32**	**89**

BIPOLAR AFFECTIVE, MIXED (296.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	20.0		20	20	20	20	20	20	20										
13-17	5	19.0	68	8	12	22	25	28	28	28	1	31.0		31	31	31	31	31	31	31
18-24	15	21.2	420	4	8	13	33	59	66	69										
25-34	20	17.7	71	8	11	16	22	30	35	37	1	2.0		2	2	2	2	2	2	2
35-54	39	17.5	135	4	8	14	25	36	39	41	6	14.3	131	2	5	13	19	32	33	33
55-74	21	19.1	273	6	9	15	21	42	58	73										
75 +	4	22.5	255	3	12	22	33	42	42	42	1	4.0		4	4	4	4	4	4	4
ALL AGES	105	18.7	183	6	9	15	24	37	41	71	9	13.7	147	2	4	9	22	32	33	33
B. FEMALE																				
0-12 YRS.	1	26.0		26	26	26	26	26	26	26										
13-17	6	23.2	300	12	15	16	22	54	58	58										
18-24	13	14.3	72	5	7	15	22	25	28	29	1	11.0		11	11	11	11	11	11	11
25-34	50	16.9	162	5	8	13	23	31	41	60	2	12.0	50	7	7	12	17	17	17	17
35-54	89	18.8	184	6	9	14	28	38	43	88	5	8.0	6	6	7	7	9	12	12	12
55-74	56	23.1	268	7	14	20	26	51	65	99	5	19.4	166	5	6	22	31	33	33	33
75 +	7	19.7	133	8	15	21	56	99+	99+	99+	1	1.0		1	1	1	1	1	1	1
ALL AGES	222	19.4	196	6	9	16	26	41	58	99+	14	12.4	92	5	7	8	17	30	32	33
SUBTOTAL	**327**	**19.2**	**191**	**6**	**9**	**16**	**26**	**39**	**52**	**99+**	**23**	**12.9**	**108**	**2**	**5**	**8**	**19**	**31**	**33**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	15.0	73	7	9	14	21	24	24	24										
18-24	6	34.2	987	9	14	25	37	89	95	95	1	14.0		14	14	14	14	14	14	14
25-34	27	13.9	81	5	7	12	17	25	37	40	3	15.7	225	6	6	8	27	33	33	33
35-54	20	14.8	126	4	6	11	19	28	38	48										
55-74	7	18.0	300	1	7	15	19	47	54	54										
75 +	2	11.5	113	4	4	11	19	19	19	19										
ALL AGES	65	16.5	213	4	7	14	19	29	42	89	4	15.3	150	6	7	11	23	33	33	33
B. FEMALE																				
0-12 YRS.																				
13-17	5	28.4	389	9	13	26	40	59	59	59										
18-24	9	29.1	666	7	11	15	48	71	74	74										
25-34	18	14.4	98	5	7	13	19	26	37	43	1	6.0		6	6	6	6	6	6	6
35-54	28	18.8	199	6	10	14	22	39	48	63	6	15.3	247	2	4	11	18	42	45	45
55-74	15	20.5	180	6	11	21	25	30	52	60	1	9.0		9	9	9	9	9	9	9
75 +	7	26.7	128	15	18	26	31	45	48	48										
ALL AGES	82	20.5	239	6	10	16	26	42	59	72	8	13.4	188	3	5	9	15	37	45	45
SUBTOTAL	**147**	**18.7**	**231**	**6**	**8**	**15**	**23**	**37**	**49**	**75**	**12**	**14.0**	**163**	**3**	**6**	**9**	**16**	**37**	**44**	**45**
GRAND TOTAL	**474**	**19.0**	**204**	**6**	**9**	**15**	**25**	**39**	**52**	**93**	**35**	**13.3**	**122**	**2**	**6**	**9**	**18**	**33**	**33**	**45**

BIPOLAR AFFECTIVE NOS (296.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	15.5	421	1	1	15	30	30	30	30										
18-24	3	21.0	37	17	17	18	25	28	28	28										
25-34	7	17.6	200	2	5	13	29	37	39	39										
35-54	14	14.8	106	1	5	16	22	27	30	31										
55-74	10	13.7	41	7	8	11	20	22	23	23	1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	36	15.6	103	2	7	16	23	30	31	39	1	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS.	1	18.0		18	18	18	18	18	18	18										
13-17	7	20.7	265	4	9	17	32	46	49	49										
18-24	4	24.0	373	2	11	22	36	49	49	49										
25-34	34	17.1	157	4	8	16	21	34	40	62	2	11.0	98	4	4	11	18	18	18	18
35-54	49	15.0	79	5	9	14	20	27	30	43	5	10.6	33	3	7	10	15	18	18	18
55-74	28	20.0	318	6	8	17	25	37	45	95	4	10.0	75	2	2	10	17	18	18	18
75 +	4	45.5	1132	14	20	39	71	90	90	90										
ALL AGES	127	18.3	216	5	8	16	22	36	44	91	11	10.5	45	2	3	10	17	18	18	18
SUBTOTAL	**163**	**17.7**	**191**	**4**	**8**	**16**	**22**	**31**	**40**	**86**	**12**	**10.1**	**43**	**3**	**4**	**9**	**17**	**18**	**18**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	64.0		64	64	64	64	64	64	64										
13-17	3	40.0	559	13	31	53	78	99 +	99 +	99 +										
18-24	3	20.0	127	13	13	14	28	33	33	33	1	2.0		2	2	2	2	2	2	2
25-34	10	14.2	129	1	5	12	22	31	37	37	1	10.0		10	10	10	10	10	10	10
35-54	15	12.1	78	2	6	11	14	23	32	35										
55-74	4	19.0	179	2	8	21	29	32	32	32										
75 +	3	21.3	60	13	15	23	27	28	28	28										
ALL AGES	39	18.2	223	2	9	13	26	43	60	99 +	2	6.0	32	2	2	6	10	10	10	10
B. FEMALE																				
0-12 YRS.	1	21.0		21	21	21	21	21	21	21										
13-17	3	7.3	35	3	3	5	12	14	14	14										
18-24	5	23.4	455	1	8	16	39	55	55	55	1	4.0		4	4	4	4	4	4	4
25-34	17	17.8	291	6	7	10	21	52	58	58										
35-54	30	21.0	139	4	16	18	29	37	39	45										
55-74	16	25.1	241	11	14	20	31	41	61	70										
75 +	4	21.0	714	1	4	11	38	60	60	60	1	5.0		5	5	5	5	5	5	5
ALL AGES	76	20.8	230	5	10	17	29	41	56	67	2	4.5	1	4	4	4	5	5	5	5
SUBTOTAL	**115**	**19.9**	**228**	**3**	**10**	**16**	**28**	**41**	**57**	**80**	**4**	**5.3**	**11**	**2**	**3**	**4**	**7**	**10**	**10**	**10**
GRAND TOTAL	**278**	**18.6**	**207**	**4**	**8**	**16**	**24**	**37**	**49**	**84**	**16**	**8.9**	**38**	**2**	**3**	**7**	**15**	**18**	**18**	**18**

MANIC-DEPRESSIVE NEC/NOS (296.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	36.5	2521	1	1	36	72	72	72	72										
13-17	1	77.0		77	77	77	77	77	77	77										
18-24	4	15.3	139	4	8	12	22	32	32	32										
25-34	5	10.0	89	1	5	8	13	26	26	26	1	27.0		27	27	27	27	27	27	27
35-54	11	16.0	129	6	8	12	20	32	44	45	4	11.3	69	2	4	11	18	21	21	21
55-74	5	20.2	23	13	17	20	24	25	25	25	3	10.7	53	5	6	8	16	19	19	19
75 +	3	15.0	192	7	7	7	25	31	31	31										
ALL AGES	31	18.8	322	5	7	13	24	37	71	77	8	13.0	78	3	6	11	20	25	27	27
B. FEMALE																				
0-12 YRS.																				
13-17	4	9.0	65	4	4	5	13	21	21	21										
18-24	6	21.0	214	5	10	17	38	39	39	39										
25-34	12	14.7	236	1	4	10	21	65	93	99 +	1	9.0		9	9	9	9	9	9	9
35-54	29	14.3	111	4	7	12	18	26	31	54	5	4.8	13	1	1	6	7	9	9	9
55-74	20	20.2	127	5	13	18	31	35	37	38										
75 +	6	16.8	224	7	11	12	12	43	47	47	4	10.5	27	7	7	9	14	18	18	18
ALL AGES	77	16.4	147	4	7	13	21	35	44	88	10	7.5	23	1	6	7	9	14	18	18
SUBTOTAL	**108**	**17.1**	**195**	**4**	**7**	**13**	**22**	**35**	**47**	**86**	**18**	**9.9**	**53**	**1**	**6**	**8**	**15**	**20**	**25**	**27**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	21.5	1	21	21	21	22	22	22	22										
13-17	1	21.0		21	21	21	21	21	21	21										
18-24	6	22.7	307	7	7	21	24	52	55	55										
25-34	12	10.8	50	2	3	12	16	20	21	21										
35-54	17	13.8	113	4	6	11	18	28	38	43	2	6.0	32	2	2	6	10	10	10	10
55-74	3	22.3	165	14	14	16	32	37	37	37	3	13.0	364	1	1	3	27	35	35	35
75 +	2	14.5	113	7	7	14	22	22	22	22	1	3.0		3	3	3	3	3	3	3
ALL AGES	43	15.3	126	3	7	14	21	25	39	55	6	9.0	172	1	2	3	10	32	35	35
B. FEMALE																				
0-12 YRS.																				
13-17	3	20.3	94	10	13	22	27	29	29	29										
18-24	5	25.4	737	1	9	13	41	70	70	70										
25-34	12	18.1	191	4	9	15	21	43	46	47	3	5.0	21	1	2	4	8	10	10	10
35-54	23	19.6	251	5	8	14	32	52	71	99 +	1	7.0		7	7	7	7	7	7	7
55-74	11	30.0	812	8	13	19	31	82	94	95	1	4.0		4	4	4	4	4	4	4
75 +											2	31.0	288	19	19	31	43	43	43	43
ALL AGES	54	22.0	375	6	10	15	30	51	73	99 +	7	12.6	213	2	4	7	17	38	43	43
SUBTOTAL	**97**	**19.0**	**274**	**4**	**8**	**15**	**23**	**42**	**57**	**98**	**13**	**10.9**	**183**	**1**	**3**	**4**	**12**	**37**	**42**	**43**
GRAND TOTAL	**205**	**18.0**	**232**	**4**	**7**	**14**	**22**	**38**	**54**	**97**	**31**	**10.4**	**102**	**1**	**3**	**7**	**14**	**23**	**35**	**43**

AFFECT PSYCHOSES NEC/NOS (296.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	26.0		26	26	26	26	26	26	26										
18-24	1	4.0		4	4	4	4	4	4	4										
25-34	4	7.3	14	3	4	7	10	11	11	11										
35-54	2	11.0	32	7	7	11	15	15	15	15										
55-74	2	17.0	2	16	16	17	18	18	18	18										
75 +																				
ALL AGES	10	11.5	53	3	5	10	16	22	26	26										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	16.0	18	13	13	16	19	19	19	19										
25-34	4	19.3	347	1	6	15	32	45	45	45										
35-54	9	11.8	31	4	8	12	16	19	21	21										
55-74	7	14.4	69	5	9	15	17	27	30	30										
75 +	1	61.0		61	61	61	61	61	61	61	2	8.0	8	6	6	8	10	10	10	10
ALL AGES	23	16.4	180	4	9	13	18	33	51	61	2	8.0	8	6	6	8	10	10	10	10
SUBTOTAL	**33**	**14.9**	**145**	**4**	**8**	**13**	**17**	**27**	**43**	**61**	**2**	**8.0**	**8**	**6**	**6**	**8**	**10**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	5.0		5	5	5	5	5	5	5
18-24	2	9.5	61	4	4	9	15	15	15	15										
25-34	3	10.3	25	7	7	8	14	16	16	16										
35-54	2	13.0	50	8	8	13	18	18	18	18										
55-74											1	14.0		14	14	14	14	14	14	14
75 +																				
ALL AGES	7	10.9	28	5	7	8	16	18	18	18	2	9.5	41	5	5	9	14	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	8.0		8	8	8	8	8	8	8										
25-34																				
35-54	12	21.8	168	8	12	17	33	43	44	44										
55-74	1	45.0		45	45	45	45	45	45	45	2	7.0	18	4	4	7	10	10	10	10
75 +	3	20.0	277	8	9	13	32	39	39	39	4	8.3	10	5	5	8	11	12	12	12
ALL AGES	17	22.0	198	8	10	17	38	44	45	45	6	7.8	11	4	5	8	10	12	12	12
SUBTOTAL	**24**	**18.8**	**170**	**8**	**8**	**15**	**23**	**42**	**44**	**45**	**8**	**8.3**	**13**	**4**	**5**	**8**	**11**	**13**	**14**	**14**
GRAND TOTAL	**57**	**16.5**	**158**	**4**	**8**	**14**	**18**	**39**	**44**	**60**	**10**	**8.2**	**12**	**4**	**5**	**8**	**10**	**13**	**14**	**14**

PARANOID STATE, SIMPLE (297.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	29.0		29	29	29	29	29	29	29										
35-54																				
55-74																				
75 +											1	24.0		24	24	24	24	24	24	24
ALL AGES	1	29.0		29	29	29	29	29	29	29	1	24.0		24	24	24	24	24	24	24
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	3	11.0	39	4	6	13	15	16	16	16										
55-74	2	13.0	50	8	8	13	18	18	18	18	1	2.0		2	2	2	2	2	2	2
75 +	2	32.0		32	32	32	32	32	32	32										
ALL AGES	7	17.6	118	5	9	16	28	32	32	32	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	8	19.0	119	5	10	17	30	32	32	32	2	13.0	242	2	2	13	24	24	24	24
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	8	19.0	119	5	10	17	30	32	32	32	2	13.0	242	2	2	13	24	24	24	24

PARANOIA (297.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	5.0		5	5	5	5	5	5	5										
25-34	1	18.0		18	18	59	99 +	99 +	99 +	99 +										
35-54	4	12.0	35	7	7	10	16	20	20	20	1	15.0		15	15	15	15	15	15	15
55-74	7	19.1	75	12	14	17	21	34	37	37										
75 +	4	34.8	600	15	17	27	52	69	69	69										
ALL AGES	17	20.2	234	7	13	17	22	59	88	99 +	1	15.0		15	15	15	15	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	4	19.3	114	8	10	18	28	32	32	32										
35-54	12	13.2	194	3	4	10	16	29	50	54										
55-74	7	21.9	92	8	18	24	31	80	99 +	99 +	4	14.5	23	10	10	14	18	20	20	20
75 +	10	23.1	259	2	8	23	35	45	48	48	2	25.5	61	20	20	25	31	31	31	31
ALL AGES	33	18.8	187	4	8	17	28	43	53	99 +	6	18.2	57	10	11	18	20	30	31	31
SUBTOTAL	**50**	**19.3**	**198**	**4**	**9**	**17**	**27**	**44**	**67**	**99 +**	**7**	**17.7**	**50**	**10**	**12**	**17**	**20**	**29**	**31**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	17.0	98	10	10	17	24	24	24	24										
25-34	3	4.3	18	1	1	3	7	9	9	9										
35-54	5	14.4	46	8	11	13	16	26	26	26										
55-74											1	16.0		16	16	16	16	16	16	16
75 +	2	21.0	2	20	20	21	22	22	22	22										
ALL AGES	12	13.4	65	2	8	12	21	25	26	26	1	16.0		16	16	16	16	16	16	16
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	23.0		23	23	23	23	23	23	23										
25-34	1	10.0		10	10	10	10	10	10	10										
35-54	5	11.0	22	4	8	12	13	17	17	17	1	2.0		2	2	2	2	2	2	2
55-74	1	8.0		8	8	8	8	8	8	8										
75 +	4	28.3	387	10	15	23	41	56	56	56	3	19.7	4	17	18	20	21	22	22	22
ALL AGES	12	17.4	193	7	10	12	21	36	53	56	4	15.3	80	2	9	18	21	22	22	22
SUBTOTAL	**24**	**15.4**	**127**	**4**	**9**	**12**	**21**	**26**	**36**	**56**	**5**	**15.4**	**62**	**2**	**12**	**17**	**20**	**22**	**22**	**22**
GRAND TOTAL	**74**	**18.0**	**178**	**4**	**9**	**16**	**24**	**37**	**55**	**99 +**	**12**	**16.8**	**49**	**8**	**13**	**17**	**20**	**25**	**30**	**31**

PARAPHRENIA (297.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	15.0		15	15	15	15	15	15	15
25-34											1	10.0		10	10	10	10	10	10	10
35-54																				
55-74																				
75 +																				
ALL AGES											2	12.5	13	10	10	12	15	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	17.0		17	17	17	17	17	17	17
55-74	1	41.0		41	41	41	41	41	41	41	1	22.0		22	22	22	22	22	22	22
75 +	1	29.0		29	29	29	29	29	29	29	1	14.0		14	14	14	14	14	14	14
ALL AGES	2	35.0	72	29	29	35	41	41	41	41	3	17.7	15	14	15	17	21	22	22	22
SUBTOTAL	**2**	**35.0**	**72**	**29**	**29**	**35**	**41**	**41**	**41**	**41**	**5**	**15.6**	**19**	**10**	**13**	**15**	**18**	**22**	**22**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	18.0		18	18	18	18	18	18	18
75 +																				
ALL AGES											1	18.0		18	18	18	18	18	18	18
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	6.0		6	6	6	6	6	6	6
75 +											1	23.0		23	23	61	99 +	99 +	99 +	99 +
ALL AGES											2	14.5	145	6	10	23	81	99 +	99 +	99 +
SUBTOTAL											**3**	**15.7**	**75**	**6**	**12**	**20**	**61**	**99 +**	**99 +**	**99 +**
GRAND TOTAL	**2**	**35.0**	**72**	**29**	**29**	**35**	**41**	**41**	**41**	**41**	**8**	**15.6**	**34**	**8**	**13**	**17**	**22**	**69**	**99 +**	**99 +**

SHARED PARANOID DISORDER (297.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	9.0		9	9	9	9	9	9	9										
35-54																				
55-74																				
75 +																				
ALL AGES	1	9.0		9	9	9	9	9	9	9										
SUBTOTAL	1	9.0		9	9	9	9	9	9	9										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES											1	4.0		4	4	4	4	4	4	4
SUBTOTAL											1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	1	9.0		9	9	9	9	9	9	9	1	4.0		4	4	4	4	4	4	4

PARANOID STATES NEC (297.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	25.5	841	5	5	25	46	46	46	46										
55-74																				
75 +																				
ALL AGES	2	25.5	841	5	5	25	46	46	46	46										
SUBTOTAL	**2**	**25.5**	**841**	**5**	**5**	**25**	**46**	**46**	**46**	**46**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	16.0		16	16	16	16	16	16	16										
75 +																				
ALL AGES	1	16.0		16	16	16	16	16	16	16										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	3.0		3	3	3	3	3	3	3										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
SUBTOTAL	**2**	**9.5**	**85**	**3**	**3**	**9**	**16**	**16**	**16**	**16**										
GRAND TOTAL	**4**	**17.5**	**394**	**3**	**4**	**10**	**31**	**46**	**46**	**46**										

PARANOID STATE NOS (297.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	7.0		7	7	7	7	7	7	7	1	27.0		27	27	27	27	27	27	27
18-24	1	7.0		7	7	7	7	7	7	7										
25-34	4	15.3	158	4	6	12	24	33	33	33										
35-54	5	12.8	152	1	3	7	25	28	28	28	2	7.0	18	4	4	7	10	10	10	10
55-74	6	18.3	233	5	7	13	29	42	43	43										
75 +	2	14.0	50	9	9	14	19	19	19	19										
ALL AGES	19	14.6	139	4	7	9	23	31	38	43	3	13.7	141	4	5	10	23	27	27	27
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	2.0		2	2	2	2	2	2	2
25-34	3	6.0	21	1	2	7	9	10	10	10										
35-54	18	17.4	104	6	8	21	24	36	73	99 +										
55-74	9	16.7	49	8	11	17	21	27	29	29										
75 +	10	11.9	70	3	6	10	15	24	31	31	2	2.0	2	1	1	2	3	3	3	3
ALL AGES	40	15.0	85	5	7	15	21	29	35	99 +	3	2.0	1	1	1	2	3	3	3	3
SUBTOTAL	**59**	**14.9**	**99**	**4**	**7**	**13**	**22**	**29**	**37**	**94**	**6**	**7.8**	**99**	**1**	**2**	**3**	**10**	**25**	**27**	**27**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	6	7.0	30	1	3	6	10	15	16	16	1	1.0		1	1	1	1	1	1	1
35-54	6	24.2	283	2	3	33	36	37	37	37										
55-74	3	12.3	124	2	4	11	21	24	24	24										
75 +	5	20.0	114	7	13	20	25	36	36	36	2	18.5	1	18	18	18	19	19	19	19
ALL AGES	20	16.2	173	2	4	13	28	36	37	37	3	12.7	101	1	5	18	19	19	19	19
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	8.0		8	8	8	8	8	8	8										
25-34	1	15.0		15	15	15	15	15	15	15										
35-54	3	19.0	25	14	15	19	23	24	24	24	2	4.0	2	3	3	4	5	5	5	5
55-74	6	17.7	208	6	7	11	28	41	42	42	4	13.5	46	7	9	12	18	23	23	23
75 +	5	20.8	55	11	16	19	27	30	30	30	2	25.5	5	24	24	25	27	27	27	27
ALL AGES	16	18.1	99	7	10	17	25	30	38	42	8	14.1	88	4	6	12	23	26	27	27
SUBTOTAL	**36**	**17.1**	**135**	**3**	**7**	**15**	**25**	**36**	**37**	**42**	**11**	**13.7**	**83**	**2**	**5**	**13**	**22**	**25**	**27**	**27**
GRAND TOTAL	**95**	**15.7**	**114**	**4**	**7**	**15**	**23**	**32**	**37**	**74**	**17**	**11.6**	**92**	**1**	**3**	**10**	**20**	**26**	**27**	**27**

REACT DEPRESS PSYCHOSIS (298.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	3.0		3	3	3	3	3	3	3
18-24	1	7.0		7	7	7	7	7	7	7										
25-34	1	14.0		14	14	14	14	14	14	14										
35-54	2	20.0	162	11	11	20	29	29	29	29	1	5.0		5	5	5	5	5	5	5
55-74											1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	4	15.3	90	7	10	14	47	99 +	99 +	99 +	3	3.7	1	3	3	3	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17											1	7.0		7	7	7	7	7	7	7
18-24	1	3.0		3	3	3	3	3	3	3										
25-34	1	12.0		12	12	12	12	12	12	12										
35-54	4	4.0	13	1	1	4	7	8	8	8	3	2.0	1	1	1	2	3	3	3	3
55-74	4	24.8	416	4	12	21	37	53	53	53	1	3.0		3	3	3	3	3	3	3
75 +	2	11.5	61	6	6	11	17	17	17	17										
ALL AGES	12	12.8	211	1	3	7	18	31	50	53	5	3.2	5	1	1	3	4	7	7	7
SUBTOTAL	**16**	**13.4**	**175**	**2**	**5**	**11**	**20**	**48**	**84**	**99 +**	**8**	**3.4**	**3**	**1**	**2**	**3**	**4**	**6**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	5.0		5	5	5	5	5	5	5										
25-34	3	7.0	36	1	2	7	11	13	13	13	1	1.0		1	1	1	1	1	1	1
35-54	1	10.0		10	10	10	10	10	10	10										
55-74																				
75 +	1	42.0		42	42	42	42	42	42	42										
ALL AGES	6	13.0	219	1	5	8	13	39	42	42	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	4.5	1	4	4	4	5	5	5	5										
25-34	1	36.0		36	36	36	36	36	36	36										
35-54	3	15.3	11	12	13	16	17	18	18	18										
55-74	3	5.3	7	3	3	5	7	8	8	8	1	27.0		27	27	27	27	27	27	27
75 +	2	21.5	221	11	11	21	32	32	32	32										
ALL AGES	11	13.6	127	4	5	11	17	34	36	36	1	27.0		27	27	27	27	27	27	27
SUBTOTAL	**17**	**13.4**	**147**	**3**	**5**	**10**	**16**	**35**	**40**	**42**	**2**	**14.0**	**338**	**1**	**1**	**14**	**27**	**27**	**27**	**27**
GRAND TOTAL	**33**	**13.4**	**156**	**3**	**5**	**10**	**18**	**37**	**51**	**99 +**	**10**	**5.5**	**60**	**1**	**2**	**3**	**5**	**17**	**27**	**27**

EXCITATIV TYPE PSYCHOSIS (298.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	7.0		7	7	7	7	7	7	7										
35-54	1	8.0		8	8	8	8	8	8	8	1	3.0		3	3	3	3	3	3	3
55-74	1	4.0		4	4	4	4	4	4	4	1	8.0		8	8	8	8	8	8	8
75 +											1	18.0		18	18	18	18	18	18	18
ALL AGES	3	6.3	5	4	5	7	8	8	8	8	3	9.7	57	3	4	8	15	18	18	18
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4										
25-34	1	5.0		5	5	5	5	5	5	5										
35-54																				
55-74	1	4.0		4	4	4	4	4	4	4	1	1.0		1	1	1	1	1	1	1
75 +	1	8.0		8	8	8	8	8	8	8	1	17.0		17	17	17	17	17	17	17
ALL AGES	4	5.3	3	4	4	5	6	8	8	8	2	9.0	128	1	1	9	17	17	17	17
SUBTOTAL	**7**	**5.7**	**4**	**4**	**4**	**5**	**8**	**8**	**8**	**8**	**5**	**9.4**	**61**	**1**	**2**	**8**	**17**	**18**	**18**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	10.0		10	10	10	10	10	10	10	1	1.0		1	1	1	1	1	1	1
35-54											1	4.0		4	4	4	4	4	4	4
55-74											1	4.0		4	4	4	4	4	4	4
75 +	1	11.0		11	11	11	11	11	11	11										
ALL AGES	2	10.5	1	10	10	10	11	11	11	11	3	3.0	3	1	1	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	5.0		5	5	5	5	5	5	5										
25-34	1	4.0		4	4	4	4	4	4	4	1	1.0		1	1	1	1	1	1	1
35-54	1	9.0		9	9	9	9	9	9	9	4	8.5	48	2	3	7	13	18	18	18
55-74	3	12.7	21	9	9	11	16	18	18	18	1	30.0		30	30	30	30	30	30	30
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	7	9.0	22	4	5	9	11	17	18	18	6	10.8	127	1	2	7	18	29	30	30
SUBTOTAL	**9**	**9.3**	**17**	**4**	**6**	**9**	**11**	**15**	**18**	**18**	**9**	**8.2**	**95**	**1**	**2**	**4**	**11**	**25**	**30**	**30**
GRAND TOTAL	**16**	**7.8**	**13**	**4**	**5**	**7**	**10**	**11**	**16**	**18**	**14**	**8.6**	**78**	**1**	**2**	**5**	**17**	**19**	**28**	**30**

REACTIVE CONFUSION (298.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +											1	7.0		7	7	7	7	7	7	7
ALL AGES											1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +											1	21.0		21	21	21	21	21	21	21
ALL AGES	2	1.0		1	1	1	1	1	1	1	1	21.0		21	21	21	21	21	21	21
SUBTOTAL	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**	**2**	**14.0**	**98**	**7**	**7**	**14**	**21**	**21**	**21**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
SUBTOTAL	**2**	**2.0**	**2**	**1**	**1**	**1**	**3**	**3**	**3**	**3**										
GRAND TOTAL	**4**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**2**	**14.0**	**98**	**7**	**7**	**14**	**21**	**21**	**21**	**21**

ACUTE PARANOID REACTION (298.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4										
25-34	3	5.7	17	1	2	7	8	9	9	9										
35-54																				
55-74											1	15.0		15	15	15	15	15	15	15
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	5	4.6	11	1	1	4	7	9	9	9	1	15.0		15	15	15	15	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	11.0		11	11	11	11	11	11	11										
55-74	1	7.0		7	7	7	7	7	7	7	2	11.0	98	4	4	11	18	18	18	18
75 +	1	20.0		20	20	20	20	20	20	20	1	40.0		40	40	40	40	40	40	40
ALL AGES	3	12.7	43	7	8	11	18	20	20	20	3	20.7	327	4	7	18	34	40	40	40
SUBTOTAL	**8**	**7.6**	**37**	**1**	**3**	**7**	**10**	**17**	**20**	**20**	**4**	**19.3**	**225**	**4**	**9**	**16**	**29**	**40**	**40**	**40**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	18.0		18	18	18	18	18	18	18										
35-54	1	15.0		15	15	15	15	15	15	15										
55-74																				
75 +																				
ALL AGES	2	16.5	5	15	15	16	18	18	18	18										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	1	11.0		11	11	11	11	11	11	11										
55-74	1	10.0		10	10	10	10	10	10	10										
75 +											1	10.0		10	10	10	10	10	10	10
ALL AGES	3	7.3	31	1	3	10	11	11	11	11	1	10.0		10	10	10	10	10	10	10
SUBTOTAL	**5**	**11.0**	**42**	**1**	**8**	**11**	**16**	**18**	**18**	**18**	**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**
GRAND TOTAL	**13**	**8.9**	**39**	**1**	**3**	**9**	**12**	**18**	**20**	**20**	**5**	**17.4**	**188**	**4**	**8**	**15**	**23**	**40**	**40**	**40**

REACT PSYCHOSIS NEC/NOS (298.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	2.0		2	2	2	2	2	2	2										
18-24	8	24.9	345	9	12	14	42	53	53	53										
25-34	4	9.5	51	2	4	8	14	19	19	19										
35-54	14	8.3	14	5	5	7	11	13	16	17	1	7.0		7	7	7	7	7	7	7
55-74	1	7.0		7	7	7	7	7	7	7	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	29	12.6	160	3	5	9	13	26	53	53	2	4.5	13	2	2	4	7	7	7	7
B. FEMALE																				
0-12 YRS.	1	43.0		43	43	43	43	43	43	43										
13-17	2	23.0	338	10	10	23	36	36	36	36	1	3.0		3	3	3	3	3	3	3
18-24	7	13.1	164	1	3	12	17	34	38	38	1	1.0		1	1	1	1	1	1	1
25-34	13	13.2	39	7	8	12	16	22	27	28										
35-54	25	10.1	42	3	5	9	14	19	23	28	1	7.0		7	7	7	7	7	7	7
55-74	8	16.8	87	7	9	13	27	29	29	29	4	3.8	4	2	2	4	5	6	6	6
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	56	13.2	88	4	7	11	16	28	34	43	8	3.8	4	1	2	3	5	7	7	7
SUBTOTAL	**85**	**13.0**	**111**	**4**	**6**	**10**	**15**	**28**	**36**	**53**	**10**	**3.9**	**5**	**1**	**2**	**3**	**6**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	10.0		10	10	10	10	10	10	10	1	3.0		3	3	3	3	3	3	3
18-24	2	11.0	98	4	4	11	18	18	18	18	2	10.5	181	1	1	10	20	20	20	20
25-34	7	6.7	8	3	4	7	9	11	11	11										
35-54	7	6.1	11	2	3	5	9	10	10	10	2	5.5	41	1	1	5	10	10	10	10
55-74	2	11.5	41	7	7	11	16	16	16	16										
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	19	7.6	19	3	4	7	10	14	17	18	6	6.7	53	1	1	4	10	19	20	20
B. FEMALE																				
0-12 YRS.																				
13-17	2	27.5	1013	5	5	27	50	50	50	50										
18-24	2	11.5	181	2	2	11	21	21	21	21										
25-34	10	15.2	100	4	10	13	21	30	37	37										
35-54	10	18.5	150	4	7	18	23	36	44	44	1	2.0		2	2	2	2	2	2	2
55-74											3	8.0	9	5	6	8	10	11	11	11
75 +	1	17.0		17	17	17	17	17	17	17										
ALL AGES	25	17.3	157	4	7	16	23	37	45	50	4	6.5	15	2	3	6	9	11	11	11
SUBTOTAL	**44**	**13.1**	**119**	**3**	**5**	**10**	**18**	**24**	**39**	**50**	**10**	**6.6**	**35**	**1**	**2**	**5**	**10**	**15**	**20**	**20**
GRAND TOTAL	**129**	**13.0**	**114**	**3**	**6**	**10**	**16**	**28**	**37**	**53**	**20**	**5.3**	**20**	**1**	**2**	**4**	**7**	**10**	**15**	**20**

PSYCHOSIS NOS (298.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	2	8.0	18	5	5	8	11	11	11	11
13-17	5	18.6	248	4	6	19	25	44	44	44	1	7.0		7	7	7	7	7	7	7
18-24	20	17.4	405	1	4	14	24	66	86	99 +										
25-34	24	15.3	374	4	5	11	18	29	51	98	5	13.2	230	1	4	7	20	39	39	39
35-54	24	16.5	490	2	5	9	23	68	96	99 +	2	3.0	8	1	1	3	5	5	5	5
55-74	18	10.4	129	1	4	6	13	23	39	48	12	13.9	263	2	4	6	19	43	51	52
75 +	18	17.6	541	4	5	9	18	61	79	83	22	11.9	103	2	4	9	17	31	34	36
ALL AGES	110	15.5	376	2	5	9	19	42	74	99 +	44	11.9	146	1	4	7	15	32	39	52
B. FEMALE																				
0-12 YRS.	1	16.0		16	16	16	16	16	16	16	1	50.0		50	50	50	50	50	50	50
13-17	4	36.3	470	14	18	35	54	60	60	60										
18-24	19	15.6	91	4	7	16	21	23	33	41	2	4.0	2	3	3	4	5	5	5	5
25-34	23	14.0	146	4	5	9	20	30	39	53	4	5.8	25	1	2	4	9	13	13	13
35-54	49	15.5	97	3	9	14	23	32	48	99 +	6	16.3	320	5	7	10	15	48	52	52
55-74	40	17.1	296	2	5	9	24	45	56	68	13	5.5	35	1	2	3	9	29	84	99 +
75 +	36	17.8	418	4	6	11	30	87	99 +	99 +	34	10.3	112	3	4	7	14	22	47	99 +
ALL AGES	172	16.6	229	3	7	13	23	42	63	99 +	60	10.0	137	2	4	5	13	29	51	99 +
SUBTOTAL	**282**	**16.2**	**285**	**3**	**5**	**11**	**22**	**42**	**68**	**99 +**	**104**	**10.8**	**140**	**1**	**4**	**7**	**14**	**32**	**48**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	41.0	722	22	22	41	60	60	60	60	1	53.0		53	53	53	53	53	53	53
13-17	3	8.3	25	5	5	6	12	14	14	14										
18-24	14	8.6	57	3	4	6	10	16	28	32	1	5.0		5	5	5	5	5	5	5
25-34	20	12.0	60	3	7	11	15	22	29	33	4	2.0	1	1	1	2	3	3	3	3
35-54	19	14.7	99	6	7	13	21	25	37	45	5	2.6	2	1	2	2	3	5	5	5
55-74	8	12.5	32	5	8	12	16	20	21	21	6	5.7	15	2	2	5	9	11	11	11
75 +	9	12.3	52	5	7	12	18	63	99 +	99 +	6	7.5	20	2	2	9	11	12	12	12
ALL AGES	75	12.8	94	4	6	11	16	26	33	90	23	6.9	114	1	2	3	9	11	26	53
B. FEMALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-17	2	7.5	85	1	1	7	14	14	14	14	1	31.0		31	31	31	31	31	31	31
18-24	11	15.5	144	3	7	11	27	34	35	35	1	4.0		4	4	4	4	4	4	4
25-34	16	16.7	185	4	8	13	19	41	50	53										
35-54	29	17.8	266	3	7	15	24	43	78	99 +	1	3.0		3	3	3	3	3	3	3
55-74	14	17.0	169	4	7	11	32	34	36	37	4	10.5	63	3	4	9	16	21	21	21
75 +	10	13.6	31	7	8	13	20	20	20	20	8	17.5	231	3	7	14	22	43	50	50
ALL AGES	83	16.3	178	4	7	13	21	35	43	92	15	14.7	174	3	4	11	20	31	45	50
SUBTOTAL	**158**	**14.6**	**141**	**4**	**7**	**12**	**19**	**32**	**42**	**98**	**38**	**9.9**	**150**	**2**	**2**	**5**	**11**	**24**	**42**	**53**
GRAND TOTAL	**440**	**15.6**	**234**	**3**	**6**	**12**	**21**	**35**	**60**	**99 +**	**142**	**10.6**	**141**	**2**	**3**	**6**	**13**	**30**	**49**	**99 +**

INFANTILE AUTISM (299.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	36.0	1250	11	23	61	90	99+	99+	99+										
13-17																				
18-24	1	31.0		31	31	31	31	31	31	31										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	34.3	637	11	21	46	80	99+	99+	99+										
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	4	26.0	700	1	8	31	71	99+	99+	99+										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	4	26.0	700	1	8	31	71	99+	99+	99+										

EARLY CHLD PSYCHOSES NEC (299.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	8	35.6	583	11	20	32	43	74	87	87	1	21.0		21	21	21	21	21	21	21
13-17																				
18-24	2	10.5	41	6	6	10	15	15	15	15										
25-34											2	9.5	5	8	8	9	11	11	11	11
35-54																				
55-74																				
75 +																				
ALL AGES	10	30.6	569	7	15	25	42	65	87	87	3	13.3	48	8	9	11	18	21	21	21
B. FEMALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**10**	**30.6**	**569**	**7**	**15**	**25**	**42**	**65**	**87**	**87**	**4**	**10.5**	**63**	**2**	**5**	**9**	**16**	**21**	**21**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	27.0		27	27	27	27	27	27	27										
13-17																				
18-24	1	24.0		24	24	24	24	24	24	24										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	25.5	5	24	24	25	27	27	27	27										
B. FEMALE																				
0-12 YRS.	2	32.5	761	13	13	32	52	52	52	52										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	32.5	761	13	13	32	52	52	52	52										
SUBTOTAL	**4**	**29.0**	**271**	**13**	**18**	**25**	**39**	**52**	**52**	**52**										
GRAND TOTAL	**14**	**30.1**	**460**	**8**	**15**	**25**	**42**	**55**	**80**	**87**	**4**	**10.5**	**63**	**2**	**5**	**9**	**16**	**21**	**21**	**21**

EARLY CHLD PSYCHOSIS NOS (299.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	1.0		1	1	1	1	1	1	1										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	41.0	72	35	35	41	47	47	47	47										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	41.0	72	35	35	41	47	47	47	47										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	2	41.0	72	35	35	41	47	47	47	47										
GRAND TOTAL	3	27.7	567	1	9	35	44	47	47	47										

ANXIETY STATES (300.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17	2	1.5	1	1	1	1	2	2	2	2	1	2.0		2	2	2	2	2	2	2
18-24	4	18.8	314	1	6	15	31	43	43	43	3	3.7	2	2	2	4	5	5	5	5
25-34	9	4.4	12	2	2	3	6	10	12	12	7	1.7	1	1	1	1	2	4	4	4
35-54	25	4.0	11	1	2	3	6	8	11	16	24	2.3	4	1	1	2	3	4	8	9
55-74	17	5.0	21	1	2	4	6	13	16	17	18	4.9	15	1	2	4	6	12	13	13
75 +	5	6.2	25	1	2	6	10	13	13	13	8	5.9	34	1	2	3	10	15	15	15
ALL AGES	62	5.4	42	1	2	3	6	12	16	40	62	3.5	12	1	1	2	4	9	12	15
B. FEMALE																				
0-12 YRS.	2	2.0		2	2	2	2	2	2	2										
13-17																				
18-24	5	13.8	110	5	6	12	19	31	31	31	6	1.3		1	1	1	2	2	2	2
25-34	17	11.5	171	2	4	5	15	32	44	49	8	1.8		1	1	2	2	3	3	3
35-54	26	8.1	96	1	2	5	9	15	36	43	32	3.3	6	1	2	3	4	6	8	14
55-74	35	8.0	52	2	3	6	10	19	24	33	32	3.7	5	1	2	3	5	6	7	11
75 +	13	4.8	32	1	1	3	5	11	20	22	21	5.0	25	1	2	3	5	14	16	17
ALL AGES	98	8.4	85	1	3	5	10	19	32	46	99	3.5	10	1	2	3	4	7	12	16
SUBTOTAL	**160**	**7.2**	**71**	**1**	**2**	**4**	**8**	**16**	**24**	**43**	**161**	**3.5**	**11**	**1**	**2**	**2**	**4**	**7**	**12**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	51.0		51	51	51	51	51	51	51
13-17	3	16.0	67	7	10	18	22	23	23	23										
18-24	7	8.3	20	4	5	8	10	16	17	17										
25-34	19	9.7	64	2	4	6	16	20	26	29	4	2.0	1	1	1	2	3	3	3	3
35-54	30	10.1	83	2	3	8	14	20	27	42	7	5.3	18	2	2	4	6	13	14	14
55-74	8	13.0	158	1	2	11	20	32	36	36	6	2.2	1	1	1	2	3	4	4	4
75 +	3	16.3	214	1	5	18	27	30	30	30	2	6.5	25	3	3	6	10	10	10	10
ALL AGES	70	10.7	81	2	3	8	16	22	29	41	20	6.1	122	1	2	3	5	12	32	51
B. FEMALE																				
0-12 YRS.	1	58.0		58	58	58	58	58	58	58	1	30.0		30	30	30	30	30	30	30
13-17																				
18-24	11	9.4	71	2	3	6	16	23	27	27	1	1.0		1	1	1	1	1	1	1
25-34	20	10.8	86	2	4	8	13	26	33	35	6	2.0	1	1	1	2	3	3	3	3
35-54	48	9.8	65	1	4	8	14	19	23	39	8	4.6	16	1	1	4	7	11	12	12
55-74	18	14.9	204	4	7	10	19	39	51	55	15	4.9	21	2	2	4	6	10	17	19
75 +	13	10.5	137	1	4	7	12	22	42	46	9	5.8	25	1	2	4	8	14	15	15
ALL AGES	111	11.3	119	2	5	8	14	22	35	56	40	5.1	34	1	2	3	6	12	17	30
SUBTOTAL	**181**	**11.0**	**105**	**2**	**4**	**8**	**16**	**22**	**32**	**52**	**60**	**5.5**	**61**	**1**	**2**	**3**	**5**	**12**	**17**	**49**
GRAND TOTAL	**341**	**9.2**	**93**	**1**	**3**	**6**	**12**	**20**	**30**	**46**	**221**	**4.1**	**25**	**1**	**2**	**3**	**4**	**9**	**13**	**22**

HYSTERIA (300.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	18.3	354	2	2	17	34	37	37	37	3	3.0	4	1	1	3	4	5	5	5
13-17											2	2.0		2	2	2	2	2	2	2
18-24	3	7.3	26	2	3	8	11	12	12	12	3	1.7	1	1	1	1	3	3	3	3
25-34	4	4.5	16	1	1	3	7	10	10	10	3	1.3		1	1	1	2	2	2	2
35-54	4	4.5	16	1	1	4	8	8	8	8	5	5.0	8	2	3	5	7	9	9	9
55-74	1	9.0		9	9	9	9	9	9	9	5	2.0	1	1	1	2	2	3	3	3
75 +																				
ALL AGES	16	8.8	114	1	2	6	9	30	35	37	21	2.7	4	1	1	2	3	6	7	9
B. FEMALE																				
0-12 YRS.	3	16.0	507	3	3	3	32	42	42	42	7	2.4	5	1	1	2	3	6	7	7
13-17	10	9.5	75	3	4	5	13	24	30	30	5	2.4	1	2	2	2	3	4	4	4
18-24	12	5.8	32	1	1	3	10	15	16	16	13	2.7	4	1	1	2	3	5	7	8
25-34	16	5.7	23	1	2	5	7	11	17	19	6	7.7	79	1	2	3	14	22	23	23
35-54	29	7.4	70	1	3	5	9	16	26	40	18	4.8	12	1	2	4	6	9	13	15
55-74	9	4.6	20	1	2	2	7	12	14	14	8	5.0	6	3	3	4	6	9	10	10
75 +	2	49.0	3200	9	9	49	89	89	89	89	2	2.0	2	1	1	2	3	3	3	3
ALL AGES	81	8.1	144	1	2	5	9	17	27	74	59	4.1	15	1	2	3	5	8	12	22
SUBTOTAL	**97**	**8.2**	**138**	**1**	**2**	**5**	**9**	**18**	**31**	**67**	**80**	**3.7**	**13**	**1**	**2**	**3**	**4**	**8**	**10**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											3	3.3	7	1	1	3	5	6	6	6
18-24	1	2.0		2	2	2	2	2	2	2	1	4.0		4	4	4	4	4	4	4
25-34	3	7.3	18	4	4	6	10	12	12	12										
35-54	4	3.8	4	1	2	4	5	6	6	6	4	2.3	1	1	1	2	3	3	3	3
55-74	2	4.0	18	1	1	4	7	7	7	7	2	5.0	32	1	1	5	9	9	9	9
75 +																				
ALL AGES	10	4.7	11	1	2	4	6	9	12	12	10	3.3	6	1	1	3	4	7	9	9
B. FEMALE																				
0-12 YRS.	1	73.0		73	73	73	73	73	73	73	1	1.0		1	1	1	1	1	1	1
13-17	2	7.0	18	4	4	7	10	10	10	10	3	3.3	7	1	1	3	5	6	6	6
18-24	12	12.2	70	4	6	11	15	24	32	33	2	6.0	18	3	3	6	9	9	9	9
25-34	22	16.2	345	1	3	11	20	41	59	74	3	5.3	5	3	4	6	7	7	7	7
35-54	21	13.5	151	3	5	11	19	40	70	99 +	7	4.6	11	1	1	5	7	9	9	9
55-74	6	13.0	20	7	9	13	16	19	19	19	3	3.0	12	1	1	1	6	7	7	7
75 +	1	41.0		41	41	41	41	41	41	41	1	2.0		2	2	2	2	2	2	2
ALL AGES	65	15.3	241	2	5	12	19	38	55	96	20	4.1	9	1	1	3	7	8	9	9
SUBTOTAL	**75**	**13.9**	**223**	**2**	**4**	**9**	**17**	**36**	**50**	**93**	**30**	**3.8**	**8**	**1**	**1**	**3**	**6**	**8**	**9**	**9**
GRAND TOTAL	**172**	**10.7**	**182**	**1**	**3**	**7**	**13**	**26**	**40**	**86**	**110**	**3.8**	**11**	**1**	**2**	**3**	**5**	**8**	**9**	**18**

PHOBIC DISORDERS (300.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	19.0		19	19	19	19	19	19	19
18-24	1	20.0		20	20	20	20	20	20	20										
25-34	5	10.6	56	2	6	9	15	22	22	22										
35-54	1	6.0		6	6	6	6	6	6	6										
55-74																				
75 +											1	9.0		9	9	9	9	9	9	9
ALL AGES	7	11.3	55	3	6	9	18	22	22	22	2	14.0	50	9	9	14	19	19	19	19
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	4	16.0	350	2	3	9	28	43	43	43										
35-54	5	14.6	128	2	3	16	25	26	26	26										
55-74	2	7.5	41	3	3	7	12	12	12	12										
75 +																				
ALL AGES	11	13.8	171	2	3	12	23	33	42	43										
SUBTOTAL	**18**	**12.8**	**122**	**2**	**4**	**10**	**20**	**26**	**36**	**43**	**2**	**14.0**	**50**	**9**	**9**	**14**	**19**	**19**	**19**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4										
25-34																				
35-54	5	27.4	132	14	20	26	34	45	45	45										
55-74																				
75 +																				
ALL AGES	6	23.5	197	5	14	24	30	43	45	45										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	23.0	98	16	16	23	30	30	30	30										
25-34	3	9.0	61	4	4	5	15	18	18	18										
35-54	8	14.5	60	2	9	15	20	24	25	25	1	1.0		1	1	1	1	1	1	1
55-74	2	22.5	41	18	18	22	27	27	27	27	1	16.0		16	16	16	16	16	16	16
75 +	2	17.5	5	16	16	17	19	19	19	19										
ALL AGES	17	15.8	66	4	10	16	20	27	29	30	2	8.5	113	1	1	8	16	16	16	16
SUBTOTAL	**23**	**17.8**	**105**	**4**	**12**	**18**	**24**	**30**	**35**	**45**	**2**	**8.5**	**113**	**1**	**1**	**8**	**16**	**16**	**16**	**16**
GRAND TOTAL	**41**	**15.6**	**116**	**3**	**6**	**15**	**22**	**28**	**36**	**45**	**4**	**11.3**	**63**	**1**	**5**	**12**	**17**	**19**	**19**	**19**

OBSESSIVE-COMPULSIVE DIS (300.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	7	33.7	883	3	9	30	54	79	84	84										
35-54	5	21.6	492	6	8	12	31	60	60	60										
55-74	1	58.0		58	58	58	58	58	58	58	1	7.0		7	7	7	7	7	7	7
75 +	1	36.0		36	36	36	36	36	36	36										
ALL AGES	15	29.3	667	2	7	21	54	60	78	84	1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.	1	85.0		85	85	85	85	85	85	85										
13-17	1	5.0		5	5	5	5	5	5	5										
18-24	3	14.7	48	8	9	14	20	22	22	22										
25-34	7	19.3	183	6	11	16	24	42	46	46										
35-54	3	14.0	309	1	2	7	27	34	34	34										
55-74	3	20.0	301	9	9	11	33	40	40	40										
75 +	3	19.3	272	7	8	13	32	38	38	38										
ALL AGES	21	20.4	381	5	8	13	27	42	64	85										
SUBTOTAL	**36**	**24.1**	**505**	**5**	**8**	**14**	**37**	**58**	**77**	**85**	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	7	23.7	957	4	7	11	23	78	92	92										
25-34	6	11.8	112	2	2	9	21	27	28	28	3	6.3	6	5	5	5	8	9	9	9
35-54	6	13.8	56	6	8	12	20	24	25	25										
55-74	1	36.0		36	36	36	36	36	36	36										
75 +																				
ALL AGES	20	17.8	392	3	7	11	22	32	64	92	3	6.3	6	5	5	5	8	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	4	16.3	455	3	3	7	29	48	48	48										
35-54	4	39.5	1580	8	10	28	69	94	94	94										
55-74	1	34.0		34	34	34	34	34	34	34										
75 +	2	27.5	421	13	13	27	42	42	42	42										
ALL AGES	12	26.1	757	2	6	12	43	62	89	94										
SUBTOTAL	**32**	**20.9**	**526**	**3**	**7**	**11**	**26**	**45**	**88**	**94**	**3**	**6.3**	**6**	**5**	**5**	**5**	**8**	**9**	**9**	**9**
GRAND TOTAL	**68**	**22.6**	**510**	**3**	**7**	**13**	**34**	**55**	**84**	**94**	**4**	**6.5**	**4**	**5**	**5**	**6**	**8**	**9**	**9**	**9**

NEUROTIC DEPRESSION (300.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	45.0	1189	6	36	70	99+	99+	99+	99+	1	27.0		27	27	27	27	27	27	27
13-17	7	21.1	229	2	8	24	35	39	39	39	1	44.0		44	44	44	44	44	44	44
18-24	10	13.8	121	4	5	10	21	31	36	36	2	6.5	41	2	2	6	11	11	11	11
25-34	12	6.1	12	2	3	5	9	10	11	11	2	1.5	1	1	1	1	2	2	2	2
35-54	34	8.7	51	1	4	6	11	23	25	28	7	3.7	14	1	2	2	4	10	12	12
55-74	13	11.4	62	3	5	10	18	22	27	28	12	5.3	10	2	3	4	8	10	11	11
75 +	4	11.0	93	3	5	8	17	25	25	25	5	6.4	16	1	4	6	9	12	12	12
ALL AGES	84	12.2	177	2	4	8	17	28	42	99+	30	7.0	77	1	2	4	8	12	27	44
B. FEMALE																				
0-12 YRS.	3	43.3	789	11	23	59	60	60	60	60	2	25.0	18	22	22	25	28	28	28	28
13-17	29	17.8	442	3	6	8	24	45	61	93	5	8.0	118	1	2	3	12	27	27	27
18-24	27	10.3	91	3	5	7	11	26	31	43	5	2.6	2	1	1	3	4	4	4	4
25-34	26	7.1	38	1	3	6	10	13	17	29	6	5.5	46	1	2	3	5	18	19	19
35-54	64	11.8	154	1	3	8	18	25	29	73	13	3.8	3	2	2	4	6	6	6	6
55-74	31	13.7	155	3	5	11	14	32	46	53	34	8.2	149	2	3	4	7	18	43	57
75 +	19	10.9	204	2	5	7	12	16	44	67	22	10.4	171	2	3	6	11	21	46	58
ALL AGES	199	12.6	200	2	4	8	14	28	44	73	87	8.0	120	2	3	4	8	19	29	58
SUBTOTAL	**283**	**12.5**	**192**	**2**	**4**	**8**	**14**	**28**	**43**	**90**	**117**	**7.7**	**109**	**1**	**2**	**4**	**8**	**17**	**28**	**57**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	16	59.5	482	23	52	57	82	88	96	99+	5	31.6	30	27	27	30	35	40	40	40
13-17	13	47.5	913	7	28	65	86	99+	99+	99+	2	1.5	1	1	1	1	2	2	2	2
18-24	59	16.7	133	4	8	14	21	32	35	55	1	1.0		1	1	1	1	1	1	1
25-34	99	16.1	94	2	7	20	21	27	28	47	3	2.7	2	1	1	3	4	4	4	4
35-54	88	15.0	81	2	7	15	21	27	28	35	8	4.8	15	1	2	3	7	11	12	12
55-74	24	14.5	53	4	7	16	21	21	23	24	6	4.3	2	2	4	4	5	6	6	6
75 +	6	7.0	49	3	3	4	7	20	21	21	1	6.0		6	6	6	6	6	6	6
ALL AGES	305	19.2	278	3	7	20	22	34	61	99+	26	9.2	136	1	2	4	10	30	35	40
B. FEMALE																				
0-12 YRS.	7	69.7	255	51	50	73	88	98	99+	99+	3	23.3	132	14	15	20	32	36	36	36
13-17	16	26.3	370	5	17	25	49	99+	99+	99+	12	16.8	91	3	8	19	24	28	28	28
18-24	52	18.1	241	3	8	13	23	32	51	82	8	5.1	26	1	1	3	9	13	13	13
25-34	98	14.4	93	3	7	14	21	27	34	72	10	4.5	17	1	1	3	7	11	13	13
35-54	103	16.1	254	3	6	12	21	29	45	92	14	6.0	13	2	3	5	9	11	12	12
55-74	34	18.6	251	5	8	14	25	38	57	72	9	8.0	18	3	5	8	12	14	14	14
75 +	10	10.1	14	5	7	9	13	15	16	16	4	7.5	28	2	3	7	12	13	13	13
ALL AGES	320	17.7	264	3	7	13	22	38	61	99+	60	9.1	64	1	3	7	13	22	26	35
SUBTOTAL	**625**	**18.4**	**272**	**3**	**7**	**16**	**22**	**36**	**61**	**99+**	**86**	**9.1**	**85**	**1**	**3**	**5**	**12**	**25**	**29**	**39**
GRAND TOTAL	**908**	**16.6**	**253**	**3**	**6**	**12**	**21**	**33**	**57**	**99+**	**203**	**8.3**	**99**	**1**	**3**	**4**	**11**	**22**	**28**	**53**

NEURASTHENIA (300.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54											1	6.0		6	6	6	6	6	6	6
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	2	4.0	8	2	2	4	6	6	6	6
SUBTOTAL	1	2.0		2	2	2	2	2	2	2	2	4.0	8	2	2	4	6	6	6	6
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	11.0		11	11	11	11	11	11	11										
75 +																				
ALL AGES	1	11.0		11	11	11	11	11	11	11										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34											1	1.0		1	1	1	1	1	1	1
35-54											2	5.5	13	3	3	5	8	8	8	8
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	3	4.0	13	1	1	3	7	8	8	8
SUBTOTAL	2	6.0	50	1	1	6	11	11	11	11	3	4.0	13	1	1	3	7	8	8	8
GRAND TOTAL	3	4.7	30	1	1	2	9	11	11	11	5	4.0	9	1	2	3	6	8	8	8

DEPERSONALIZATION SYND (300.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	1	2.0		2	2	2	2	2	2	2										
GRAND TOTAL	1	2.0		2	2	2	2	2	2	2										

HYPOCHONDRIASIS (300.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	19.0		19	19	19	19	19	19	19										
18-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	3	8.3	87	2	2	4	15	19	19	19										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	4.0	8	2	2	4	6	6	6	6										
35-54																				
55-74	1	22.0		22	22	22	22	22	22	22										
75 +																				
ALL AGES	3	10.0	112	2	3	6	18	22	22	22										
SUBTOTAL	**6**	**9.2**	**79**	**2**	**2**	**5**	**19**	**22**	**22**	**22**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	6.0		6	6	6	6	6	6	6										
55-74																				
75 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	9.0		9	9	9	9	9	9	9										
35-54																				
55-74											1	15.0		15	15	15	15	15	15	15
75 +											2	19.0	18	16	16	19	22	22	22	22
ALL AGES	1	9.0		9	9	9	9	9	9	9	3	17.7	13	15	15	16	20	22	22	22
SUBTOTAL	**2**	**7.5**	**5**	**6**	**6**	**7**	**9**	**9**	**9**	**9**	**3**	**17.7**	**13**	**15**	**15**	**16**	**20**	**22**	**22**	**22**
GRAND TOTAL	**8**	**8.8**	**57**	**2**	**3**	**6**	**14**	**21**	**22**	**22**	**3**	**17.7**	**13**	**15**	**15**	**16**	**20**	**22**	**22**	**22**

NEUROTIC DISORDERS NEC (300.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	38.0	63	29	32	41	43	44	44	44	1	17.0		17	17	17	17	17	17	17
13-17																				
18-24																				
25-34																				
35-54	2	18.5	313	6	6	18	31	31	31	31										
55-74	1	8.0		8	8	8	8	8	8	8	1	6.0		6	6	6	6	6	6	6
75 +											1	11.0		11	11	11	11	11	11	11
ALL AGES	6	26.5	261	6	8	30	41	44	44	44	3	11.3	31	6	7	11	15	17	17	17
B. FEMALE																				
0-12 YRS.	2	14.5	85	8	8	14	21	21	21	21										
13-17											1	61.0		61	61	61	61	61	61	61
18-24																				
25-34	1	6.0		6	6	6	6	6	6	6	1	6.0		6	6	6	6	6	6	6
35-54	1	13.0		13	13	13	13	13	13	13	2	11.5	85	5	5	11	18	18	18	18
55-74	1	5.0		5	5	5	5	5	5	5										
75 +	2	8.0	50	3	3	8	13	13	13	13										
ALL AGES	7	9.9	38	3	5	8	13	19	21	21	4	22.5	694	5	5	12	39	61	61	61
SUBTOTAL	**13**	**17.5**	**204**	**5**	**6**	**13**	**29**	**42**	**44**	**44**	**7**	**17.7**	**393**	**5**	**6**	**11**	**18**	**52**	**61**	**61**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	21.0		21	21	21	21	21	21	21
13-17																				
18-24	1	42.0		42	42	42	42	42	42	42										
25-34	2	10.5	25	7	7	10	14	14	14	14										
35-54											1	9.0		9	9	9	9	9	9	9
55-74	2	5.0	2	4	4	5	6	6	6	6	2	3.5	1	3	3	3	4	4	4	4
75 +																				
ALL AGES	5	14.6	249	4	5	7	21	42	42	42	4	9.3	67	3	3	6	15	21	21	21
B. FEMALE																				
0-12 YRS.											1	28.0		28	28	28	28	28	28	28
13-17																				
18-24	2	12.0	242	1	1	12	23	23	23	23										
25-34	3	20.0	3	18	19	21	21	21	21	21										
35-54	2	22.0	242	11	11	22	33	33	33	33	1	2.0		2	2	2	2	2	2	2
55-74	1	26.0		26	26	26	26	26	26	26	1	13.0		13	13	13	13	13	13	13
75 +	1	16.0		16	16	16	16	16	16	16										
ALL AGES	9	18.9	83	5	15	21	24	30	33	33	3	14.3	172	2	5	13	24	28	28	28
SUBTOTAL	**14**	**17.4**	**131**	**4**	**7**	**17**	**23**	**34**	**40**	**42**	**7**	**11.4**	**99**	**2**	**3**	**9**	**19**	**27**	**28**	**28**
GRAND TOTAL	**27**	**17.4**	**161**	**4**	**6**	**14**	**25**	**39**	**42**	**44**	**14**	**14.6**	**236**	**3**	**5**	**10**	**18**	**31**	**54**	**61**

NEUROTIC DISORDER NOS (300.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	1.5	1	1	1	1	2	2	2	2										
13-17	2	1.5	1	1	1	1	2	2	2	2	1	1.0		1	1	1	1	1	1	1
18-24	2	1.0		1	1	1	1	1	1	1										
25-34	1	6.0		6	6	6	6	6	6	6										
35-54	5	9.6	46	1	5	8	14	19	19	19	3	6.0	31	1	2	5	10	12	12	12
55-74	7	8.4	57	2	3	4	15	20	20	20	6	6.2	14	2	3	5	10	11	11	11
75 +	2	9.5	25	6	6	9	13	13	13	13	4	9.0	86	1	2	6	15	22	22	22
ALL AGES	21	6.7	39	1	2	4	9	18	19	20	14	6.6	34	1	2	5	10	13	20	22
B. FEMALE																				
0-12 YRS.	3	16.0	279	1	3	13	29	34	34	34	1	2.0		2	2	2	2	2	2	2
13-17	4	16.5	668	1	1	5	31	55	55	55	3	1.0		1	1	1	1	1	1	1
18-24	4	6.8	81	1	1	3	12	20	20	20	2	2.0		2	2	2	2	2	2	2
25-34	3	5.0	21	1	1	4	8	10	10	10	1	19.0		19	19	19	19	19	19	19
35-54	2	5.0	8	3	3	5	7	7	7	7	2	5.0	8	3	3	5	7	7	7	7
55-74	2	8.5	1	8	8	8	9	9	9	9	5	8.4	112	2	2	4	12	27	27	27
75 +	10	11.3	99	2	6	8	10	29	34	34	13	21.8	504	3	5	13	37	59	61	62
ALL AGES	28	10.6	155	1	2	8	10	31	36	55	27	13.4	331	1	2	5	15	52	59	62
SUBTOTAL	**49**	**8.9**	**108**	**1**	**2**	**6**	**10**	**20**	**34**	**55**	**41**	**11.1**	**237**	**1**	**2**	**5**	**13**	**28**	**57**	**62**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8	2	5.5	5	4	4	5	7	7	7	7
13-17	9	7.6	34	1	3	7	12	16	18	18	2	2.5	1	2	2	2	3	3	3	3
18-24	10	5.5	43	1	1	3	6	17	21	21	4	2.8	1	2	2	3	3	4	4	4
25-34	14	12.7	109	2	4	12	16	26	36	39	3	2.0	1	1	1	2	3	3	3	3
35-54	8	9.9	77	3	5	7	11	25	30	30	6	3.2	8	1	2	2	3	8	9	9
55-74	3	4.3	11	2	2	3	7	8	8	8	4	10.5	190	2	2	4	18	31	31	31
75 +	4	8.5	86	1	3	5	14	22	22	22	2	7.5	13	5	5	7	10	10	10	10
ALL AGES	49	8.9	68	1	3	6	13	21	25	39	23	4.7	39	1	2	3	5	9	17	31
B. FEMALE																				
0-12 YRS.											2	4.0		4	4	4	4	4	4	4
13-17	14	7.9	39	2	3	6	10	20	22	22	3	3.3	3	2	2	3	4	5	5	5
18-24	12	7.3	51	1	2	6	9	18	25	26	5	1.8	1	1	1	2	2	3	3	3
25-34	14	10.6	80	2	5	8	20	26	27	27	8	2.0	1	1	1	2	3	4	4	4
35-54	16	12.6	149	3	3	7	19	35	37	38	8	1.9	1	1	1	2	3	3	3	3
55-74	3	14.0	7	11	12	15	16	16	16	16	5	8.8	16	5	6	7	12	14	14	14
75 +	1	11.0		11	11	11	11	11	11	11	4	4.8	2	3	3	4	6	7	7	7
ALL AGES	60	10.0	80	2	3	7	13	25	27	38	35	3.5	8	1	1	3	4	7	11	14
SUBTOTAL	**109**	**9.5**	**74**	**1**	**3**	**6**	**13**	**22**	**27**	**38**	**58**	**4.0**	**20**	**1**	**2**	**3**	**4**	**7**	**11**	**30**
GRAND TOTAL	**158**	**9.3**	**84**	**1**	**3**	**6**	**13**	**22**	**28**	**39**	**99**	**6.9**	**121**	**1**	**2**	**3**	**7**	**14**	**29**	**60**

PARANOID PERSONALITY (301.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	13.0		13	13	13	13	13	13	13										
35-54	2	8.5	25	5	5	8	12	12	12	12										
55-74																				
75 +	1	7.0		7	7	7	7	7	7	7	1	10.0		10	10	10	10	10	10	10
ALL AGES	4	9.3	14	5	6	9	12	13	13	13	1	10.0		10	10	10	10	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	6.0		6	6	6	6	6	6	6
55-74																				
75 +	1	35.0		35	35	35	35	35	35	35										
ALL AGES	1	35.0		35	35	35	35	35	35	35	1	6.0		6	6	6	6	6	6	6
SUBTOTAL	**5**	**14.4**	**144**	**5**	**6**	**12**	**18**	**35**	**35**	**35**	**2**	**8.0**	**8**	**6**	**6**	**8**	**10**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	12.0	2	11	11	12	13	13	13	13										
25-34	2	9.0		9	9	9	9	9	9	9										
35-54	2	27.5	545	11	11	27	44	44	44	44										
55-74	1	17.0		17	17	17	17	17	17	17	1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	7	16.3	156	9	10	11	16	39	44	44	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	7.0		7	7	7	7	7	7	7										
25-34																				
35-54	1	31.0		31	31	31	31	31	31	31	1	4.0		4	4	4	4	4	4	4
55-74																				
75 +																				
ALL AGES	2	19.0	288	7	7	19	31	31	31	31	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**9**	**16.9**	**155**	**8**	**9**	**11**	**20**	**39**	**44**	**44**	**2**	**2.5**	**5**	**1**	**1**	**2**	**4**	**4**	**4**	**4**
GRAND TOTAL	**14**	**16.0**	**141**	**7**	**9**	**12**	**17**	**36**	**42**	**44**	**4**	**5.3**	**14**	**1**	**2**	**5**	**8**	**10**	**10**	**10**

AFFECTIVE PERSONALITY (301.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	6.0		6	6	6	6	6	6	6										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6										
B. FEMALE																				
0-12 YRS.																				
13-17	2	17.5	1	17	17	17	18	18	18	18										
18-24																				
25-34	1	22.0		22	22	22	22	22	22	22	1	5.0		5	5	5	5	5	5	5
35-54	2	16.0	128	8	8	16	24	24	24	24	1	20.0		20	20	20	20	20	20	20
55-74	1	14.0		14	14	14	14	14	14	14										
75 +																				
ALL AGES	6	17.2	32	9	14	17	22	24	24	24	2	12.5	113	5	5	12	20	20	20	20
SUBTOTAL	**7**	**15.6**	**44**	**6**	**9**	**17**	**21**	**24**	**24**	**24**	**2**	**12.5**	**113**	**5**	**5**	**12**	**20**	**20**	**20**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	28.0		28	28	28	28	28	28	28										
18-24	2	7.5	13	5	5	7	10	10	10	10										
25-34	2	6.0	2	5	5	6	7	7	7	7										
35-54																				
55-74											1	9.0		9	9	9	9	9	9	9
75 +																				
ALL AGES	5	11.0	95	5	5	7	14	28	28	28	1	9.0		9	9	9	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	37.0	968	15	15	37	59	59	59	59										
25-34	2	11.0	128	3	3	11	19	19	19	19										
35-54	1	32.0		32	32	32	32	32	32	32										
55-74																				
75 +																				
ALL AGES	5	25.6	456	3	12	19	39	59	59	59										
SUBTOTAL	**10**	**18.3**	**304**	**4**	**5**	**12**	**28**	**45**	**59**	**59**	**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**
GRAND TOTAL	**17**	**17.2**	**189**	**5**	**7**	**15**	**22**	**31**	**50**	**59**	**3**	**11.3**	**61**	**5**	**6**	**9**	**17**	**20**	**20**	**20**

SCHIZOID PERSONALITY (301.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	57.0		57	57	57	57	57	57	57										
13-17																				
18-24	2	19.0	50	14	14	19	24	24	24	24										
25-34	1	12.0		12	12	12	12	12	12	12										
35-54	1	39.0		39	39	39	39	39	39	39										
55-74																				
75 +																				
ALL AGES	5	29.2	356	12	13	24	43	57	57	57										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	4.5	5	3	3	4	6	6	6	6										
35-54	1	4.0		4	4	4	4	4	4	4										
55-74	1	33.0		33	33	33	33	33	33	33										
75 +																				
ALL AGES	4	11.5	207	3	3	5	19	33	33	33										
SUBTOTAL	**9**	**21.3**	**344**	**3**	**5**	**14**	**34**	**50**	**57**	**57**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	4	10.0	19	6	7	9	13	16	16	16										
25-34	5	8.2	65	2	2	3	16	18	18	18										
35-54																				
55-74																				
75 +																				
ALL AGES	9	9.0	41	2	3	8	16	17	18	18										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	14.5	61	9	9	14	20	20	20	20										
35-54																				
55-74																				
75 +																				
ALL AGES	2	14.5	61	9	9	14	20	20	20	20										
SUBTOTAL	**11**	**10.0**	**43**	**2**	**4**	**9**	**16**	**19**	**20**	**20**										
GRAND TOTAL	**20**	**15.1**	**201**	**2**	**5**	**11**	**19**	**36**	**48**	**57**										

EXPLOSIVE PERSONALITY (301.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	7.0		7	7	7	7	7	7	7										
13-17	1	21.0		21	21	21	21	21	21	21										
18-24	3	4.7	16	1	2	4	8	9	9	9										
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	6	7.2	56	1	1	5	9	20	21	21										
B. FEMALE																				
0-12 YRS.																				
13-17											2	2.5	1	2	2	2	3	3	3	3
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	1	6.0		6	6	6	6	6	6	6	2	2.5	1	2	2	2	3	3	3	3
SUBTOTAL	7	7.0	47	1	2	6	8	19	21	21	2	2.5	1	2	2	2	3	3	3	3
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	33.0		33	33	33	33	33	33	33	1	2.0		2	2	2	2	2	2	2
18-24	4	10.0	35	2	6	11	14	16	16	16										
25-34	4	11.5	81	4	4	10	19	22	22	22										
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																				
75 +	1	16.0		16	16	16	16	16	16	16										
ALL AGES	11	12.7	87	3	4	12	16	26	32	33	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	11	12.7	87	3	4	12	16	26	32	33	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	18	10.5	76	1	4	8	16	22	29	33	3	2.3	1	2	2	2	3	3	3	3

COMPULSIVE PERSONALITY (301.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	11.0		11	11	11	11	11	11	11										
35-54	2	29.0	578	12	12	29	46	46	46	46										
55-74											1	7.0		7	7	7	7	7	7	7
75 +																				
ALL AGES	3	23.0	397	11	11	12	37	46	46	46	1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.	1	63.0		63	63	63	63	63	63	63										
13-17																				
18-24																				
25-34	2	3.0	2	2	2	3	4	4	4	4										
35-54	1	47.0		47	47	47	47	47	47	47										
55-74																				
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	5	24.4	814	2	3	6	51	63	63	63										
SUBTOTAL	**8**	**23.9**	**578**	**3**	**5**	**11**	**46**	**58**	**63**	**63**	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	49.0		49	49	49	49	49	49	49										
55-74																				
75 +																				
ALL AGES	1	49.0		49	49	49	49	49	49	49										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	10.0		10	10	10	10	10	10	10										
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																				
75 +																				
ALL AGES	2	7.5	13	5	5	7	10	10	10	10										
SUBTOTAL	**3**	**21.3**	**582**	**5**	**6**	**10**	**39**	**49**	**49**	**49**										
GRAND TOTAL	**11**	**23.2**	**522**	**3**	**5**	**11**	**47**	**55**	**62**	**63**	1	7.0		7	7	7	7	7	7	7

HISTRIONIC PERSONALITY (301.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	25.0		25	25	25	25	25	25	25	1	9.0		9	9	9	9	9	9	9
35-54	1	42.0		42	42	42	42	42	42	42	1	4.0		4	4	4	4	4	4	4
55-74																				
75 +	1	17.0		17	17	17	17	17	17	17										
ALL AGES	3	28.0	163	17	19	25	38	42	42	42	2	6.5	13	4	4	6	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	35.0		35	35	35	35	35	35	35										
35-54	2	16.0	128	8	8	16	24	24	24	24										
55-74																				
75 +																				
ALL AGES	3	22.3	187	8	12	24	32	35	35	35										
SUBTOTAL	**6**	**25.2**	**147**	**9**	**17**	**24**	**35**	**41**	**42**	**42**	**2**	**6.5**	**13**	**4**	**4**	**6**	**9**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	17.0		17	17	17	17	17	17	17										
55-74																				
75 +																				
ALL AGES	1	17.0		17	17	17	17	17	17	17										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	3	10.3	15	6	7	12	13	13	13	13										
25-34	1	1.0		1	1	1	1	1	1	1										
35-54											1	20.0		20	20	20	20	20	20	20
55-74	1	29.0		29	29	29	29	29	29	29										
75 +																				
ALL AGES	5	12.2	112	1	5	12	17	29	29	29	1	20.0		20	20	20	20	20	20	20
SUBTOTAL	**6**	**13.0**	**93**	**1**	**6**	**12**	**17**	**28**	**29**	**29**	**1**	**20.0**		**20**	**20**	**20**	**20**	**20**	**20**	**20**
GRAND TOTAL	**12**	**19.1**	**150**	**4**	**10**	**17**	**27**	**37**	**41**	**42**	**3**	**11.0**	**67**	**4**	**5**	**9**	**17**	**20**	**20**	**20**

DEPENDENT PERSONALITY (301.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	5.0		5	5	5	5	5	5	5										
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	15.0		15	15	15	15	15	15	15	1	5.0		5	5	5	5	5	5	5
35-54	2	2.0	2	1	1	2	3	3	3	3										
55-74																				
75 +																				
ALL AGES	3	6.3	58	1	1	3	12	15	15	15	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**4**	**6.0**	**39**	**1**	**2**	**4**	**10**	**15**	**15**	**15**	**2**	**4.0**	**2**	**3**	**3**	**4**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	84.0		84	84	84	84	84	84	84										
55-74	1	6.0		6	6	6	6	6	6	6										
75 +																				
ALL AGES	2	45.0	3042	6	6	45	84	84	84	84										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	10.5	25	7	7	10	14	14	14	14	1	2.0		2	2	2	2	2	2	2
35-54																				
55-74																				
75 +																				
ALL AGES	2	10.5	25	7	7	10	14	14	14	14	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**4**	**27.8**	**1415**	**6**	**6**	**10**	**49**	**84**	**84**	**84**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**8**	**16.9**	**759**	**2**	**4**	**6**	**14**	**63**	**84**	**84**	**3**	**3.3**	**3**	**2**	**2**	**3**	**4**	**5**	**5**	**5**

ANTISOCIAL PERSONALITY (301.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	11.0		11	11	11	11	11	11	11										
18-24	1	3.0		3	3	3	3	3	3	3										
25-34	1	14.0		14	14	14	14	14	14	14										
35-54	1	4.0		4	4	4	4	4	4	4										
55-74																				
75 +																				
ALL AGES	4	8.0	29	3	3	7	12	14	14	14										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	**5**	**6.8**	**29**	**2**	**3**	**4**	**12**	**14**	**14**	**14**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	3	7.7	41	3	3	5	12	15	15	15										
25-34	19	10.2	100	3	4	7	14	16	33	47	1	2.0		2	2	2	2	2	2	2
35-54	11	9.2	74	2	3	7	13	21	31	32										
55-74	1	11.0		11	11	11	11	11	11	11										
75 +																				
ALL AGES	34	9.6	82	3	4	7	13	16	29	47	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-24	2	6.5	41	2	2	6	11	11	11	11										
25-34	1	9.0		9	9	9	9	9	9	9										
35-54	1	10.0		10	10	10	10	10	10	10										
55-74																				
75 +																				
ALL AGES	5	7.0	18	2	3	9	10	11	11	11										
SUBTOTAL	**39**	**9.3**	**73**	**2**	**4**	**7**	**12**	**16**	**25**	**47**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**44**	**9.0**	**68**	**2**	**4**	**7**	**12**	**15**	**21**	**47**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**

OTHER PERSONALITY DIS (301.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	6.0		6	6	53	99 +	99 +	99 +	99 +										
13-17																				
18-24	3	6.7	2	5	5	7	8	8	8	8										
25-34	7	14.7	103	4	6	17	20	29	31	31										
35-54	3	22.7	455	4	7	18	39	46	46	46										
55-74	1	1.0		1	1	1	1	1	1	1										
75 +																				
ALL AGES	15	13.2	154	3	5	7	20	44	84	99 +										
B. FEMALE																				
0-12 YRS.																				
13-17	5	12.8	35	4	10	12	17	20	20	20	1	2.0		2	2	2	2	2	2	2
18-24	22	8.6	90	1	2	6	10	19	34	39	1	4.0		4	4	4	4	4	4	4
25-34	29	11.6	170	2	3	6	15	28	47	53	2	13.0	8	11	11	13	15	15	15	15
35-54	21	11.9	113	4	6	7	13	30	39	45	2	15.5	145	7	7	15	24	24	24	24
55-74	3	15.3	298	3	4	8	28	35	35	35										
75 +																				
ALL AGES	80	11.1	124	2	4	7	13	28	37	51	6	10.5	66	2	4	9	15	23	24	24
SUBTOTAL	**95**	**11.4**	**128**	**2**	**4**	**7**	**14**	**31**	**43**	**78**	**6**	**10.5**	**66**	**2**	**4**	**9**	**15**	**23**	**24**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	6.3	22	1	3	9	9	9	9	9										
18-24	17	7.4	40	1	3	6	10	18	21	22	1	5.0		5	5	5	5	5	5	5
25-34	19	7.0	36	2	4	5	9	22	62	99 +	1	3.0		3	3	3	3	3	3	3
35-54	21	8.0	37	2	4	6	10	17	22	26	2	8.5	61	3	3	8	14	14	14	14
55-74	2	17.0	450	2	2	17	32	32	32	32										
75 +																				
ALL AGES	62	7.7	45	2	3	6	9	18	25	91	4	6.3	27	3	3	4	9	14	14	14
B. FEMALE																				
0-12 YRS.											1	35.0		35	35	35	35	35	35	35
13-17	8	17.3	176	3	9	13	24	38	43	43	2	19.5	181	10	10	19	29	29	29	29
18-24	29	20.4	483	3	5	13	29	68	89	99 +	1	2.0		2	2	2	2	2	2	2
25-34	54	13.9	146	4	5	10	21	37	54	99 +	4	4.3	22	1	1	3	7	11	11	11
35-54	30	11.8	198	2	3	6	16	31	38	62	7	8.3	40	2	3	5	15	16	16	16
55-74	2	3.5	5	2	2	3	5	5	5	5										
75 +																				
ALL AGES	123	15.0	243	2	5	10	23	38	62	99 +	15	10.1	107	1	2	5	15	29	33	35
SUBTOTAL	**185**	**12.5**	**190**	**2**	**4**	**8**	**17**	**32**	**44**	**99 +**	**19**	**9.3**	**90**	**1**	**3**	**5**	**14**	**24**	**32**	**35**
GRAND TOTAL	**280**	**12.2**	**167**	**2**	**4**	**8**	**15**	**32**	**43**	**99 +**	**25**	**9.6**	**82**	**2**	**3**	**5**	**14**	**24**	**30**	**35**

PERSONALITY DISORDER NOS (301.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	18.0		18	18	18	18	18	18	18										
25-34	4	7.5	15	3	4	7	10	12	12	12										
35-54	5	5.2	6	1	4	6	7	7	7	7										
55-74																				
75 +																				
ALL AGES	10	7.4	23	1	5	6	9	15	18	18										
B. FEMALE																				
0-12 YRS.											1	6.0		6	6	6	6	6	6	6
13-17	1	4.0		4	4	4	4	4	4	4										
18-24	2	2.5	5	1	1	2	4	4	4	4										
25-34	6	6.5	14	3	3	6	8	12	13	13	1	2.0		2	2	2	2	2	2	2
35-54	5	3.2	4	1	2	3	4	6	6	6	1	1.0		1	1	1	1	1	1	1
55-74	2	8.5	1	8	8	8	9	9	9	9	1	2.0		2	2	2	2	2	2	2
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	17	5.1	10	1	3	4	7	9	12	13	4	2.8	5	1	1	2	4	6	6	6
SUBTOTAL	**27**	**6.0**	**15**	**1**	**3**	**6**	**8**	**11**	**14**	**18**	**4**	**2.8**	**5**	**1**	**1**	**2**	**4**	**6**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	3	4.3	11	2	2	3	7	8	8	8	1	2.0		2	2	2	2	2	2	2
25-34	6	8.8	24	3	4	9	13	15	15	15										
35-54	3	4.0		4	4	4	4	4	4	4										
55-74																				
75 +																				
ALL AGES	12	6.5	18	3	3	4	9	14	15	15	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17											2	9.5	85	3	3	9	16	16	16	16
18-24	5	14.2	268	2	3	5	26	40	40	40	1	7.0		7	7	7	7	7	7	7
25-34	6	6.3	19	2	2	6	10	12	12	12	1	6.0		6	6	6	6	6	6	6
35-54	2	12.5	145	4	4	12	21	21	21	21	1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	13	10.3	124	2	3	5	14	25	37	40	5	6.8	31	2	3	6	9	16	16	16
SUBTOTAL	**25**	**8.5**	**74**	**2**	**3**	**4**	**11**	**21**	**26**	**40**	**6**	**6.0**	**28**	**2**	**2**	**4**	**7**	**15**	**16**	**16**
GRAND TOTAL	**52**	**7.2**	**44**	**2**	**3**	**5**	**9**	**14**	**20**	**40**	**10**	**4.7**	**20**	**1**	**2**	**3**	**6**	**11**	**16**	**16**

PEDOPHILIA (302.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	7.0		7	7	7	7	7	7	7
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											1	7.0		7	7	7	7	7	7	7
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL											1	7.0		7	7	7	7	7	7	7

EXHIBITIONISM (302.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	14.0		14	14	14	14	14	14	14										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	14.0		14	14	14	14	14	14	14										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	14.0		14	14	14	14	14	14	14										
GRAND TOTAL	1	14.0		14	14	14	14	14	14	14										

TRANS-SEXUALISM (302.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	5.0		5	5	5	5	5	5	5	1	9.0		9	9	9	9	9	9	9
35-54											1	9.0		9	9	9	9	9	9	9
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5	2	9.0		9	9	9	9	9	9	9
SUBTOTAL	1	5.0		5	5	5	5	5	5	5	2	9.0		9	9	9	9	9	9	9
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	5.0		5	5	5	5	5	5	5	2	9.0		9	9	9	9	9	9	9

PSYCHOSEX IDENTITY DIS (302.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											1	1.0		1	1	1	1	1	1	1
GRAND TOTAL											1	1.0		1	1	1	1	1	1	1

PSYCHOSEXUAL DYSFUNCTION (302.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	9.0		9	9	9	9	9	9	9										
35-54	4	2.5	2	1	1	2	3	4	4	4	8	3.8	7	1	2	3	4	8	10	10
55-74	5	3.0	2	1	2	3	4	4	4	4	10	3.0	2	2	2	3	3	5	7	7
75 +											3	2.3	2	1	1	3	3	3	3	3
ALL AGES	10	3.4	5	1	2	3	4	7	9	9	21	3.2	4	1	2	3	3	6	8	10
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	10	3.4	5	1	2	3	4	7	9	9	21	3.2	4	1	2	3	3	6	8	10
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	11	3.3	5	1	2	3	4	6	9	9	22	3.1	4	1	2	3	3	6	8	10

PSYCHOSEXUAL DIS NEC (302.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	48.0		48	48	48	48	48	48	48										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	48.0		48	48	48	48	48	48	48										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	4.0		4	4	4	4	4	4	4
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	4.0		4	4	4	4	4	4	4
SUBTOTAL	1	48.0		48	48	48	48	48	48	48	1	4.0		4	4	4	4	4	4	4
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	4.0		4	4	4	4	4	4	4
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	1	48.0		48	48	48	48	48	48	48	2	4.0		4	4	4	4	4	4	4

AC ALCOHOL INTOXICATION (303.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS —										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	1.0		1	1	1	1	1	1	1	5	1.0		1	1	1	1	1	1	1
18-24	4	3.8	7	1	1	3	6	7	7	7	5	1.0		1	1	1	1	1	1	1
25-34	40	5.1	9	2	3	5	6	7	8	21	34	2.5	3	1	1	2	3	4	7	9
35-54	84	6.0	40	1	3	6	7	8	15	42	50	3.2	9	1	1	2	4	6	11	14
55-74	29	5.1	31	1	2	4	6	8	20	27	36	6.5	123	1	1	3	6	22	49	99 +
75 +	2	2.0		2	2	2	2	2	2	2	8	6.4	94	1	2	3	5	23	30	30
ALL AGES	162	5.4	29	1	3	5	6	7	12	26	138	3.9	44	1	1	2	4	7	14	66
B. FEMALE																				
0-12 YRS.																				
13-17	2	1.5	1	1	1	1	2	2	2	2	1	1.0		1	1	1	1	1	1	1
18-24	3	2.3	6	1	1	1	4	5	5	5	4	1.5		1	1	1	2	2	2	2
25-34	20	3.8	5	1	2	3	6	7	8	8	11	3.2	8	1	1	2	4	7	11	11
35-54	26	5.4	10	1	3	5	6	10	11	16	17	3.0	2	1	2	3	4	5	6	6
55-74	8	7.5	24	2	4	7	9	15	17	17	10	4.1	10	1	1	3	7	9	10	10
75 +											2	3.5	13	1	1	3	6	6	6	6
ALL AGES	59	4.8	12	1	2	5	6	8	11	17	45	3.1	6	1	1	2	4	6	8	11
SUBTOTAL	**221**	**5.2**	**25**	**1**	**3**	**5**	**6**	**8**	**11**	**23**	**183**	**3.7**	**35**	**1**	**1**	**2**	**4**	**7**	**11**	**51**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	10	13.4	224	1	3	6	29	37	39	39	7	3.4	5	1	2	2	6	6	6	6
18-24	49	7.9	61	1	5	6	6	23	30	31	28	4.8	8	1	2	5	7	8	9	12
25-34	185	5.8	22	2	4	6	6	8	13	31	157	6.5	26	1	3	5	8	11	20	24
35-54	299	6.7	31	3	4	6	7	9	17	34	235	7.3	35	2	3	6	8	15	21	29
55-74	85	6.6	28	2	3	6	7	11	14	32	78	7.6	45	2	3	6	10	18	22	36
75 +	6	18.0	298	3	4	12	32	44	45	45	4	10.5	54	5	5	8	15	21	21	21
ALL AGES	634	6.7	38	2	4	6	6	10	18	34	509	6.9	33	2	3	6	8	13	20	28
B. FEMALE																				
0-12 YRS.																				
13-17	11	22.6	391	2	3	29	39	48	49	49	2	3.5	13	1	1	3	6	6	6	6
18-24	10	5.9	69	1	2	4	5	17	29	29	10	6.7	18	1	4	6	11	13	13	13
25-34	75	6.8	39	3	4	6	6	10	19	35	63	7.3	36	2	3	6	9	17	21	27
35-54	102	5.7	23	2	3	5	6	9	13	32	80	6.4	38	1	3	5	8	11	17	37
55-74	24	9.7	86	2	3	6	12	27	31	31	30	6.9	11	3	5	7	9	11	14	15
75 +	4	7.3	26	4	4	5	10	15	15	15	3	7.3	35	3	3	5	12	14	14	14
ALL AGES	226	7.3	67	2	4	6	6	14	31	43	188	6.8	31	2	3	6	9	13	19	28
SUBTOTAL	**860**	**6.9**	**45**	**2**	**4**	**6**	**6**	**11**	**25**	**36**	**697**	**6.9**	**32**	**2**	**3**	**6**	**8**	**13**	**20**	**28**
GRAND TOTAL	**1081**	**6.5**	**42**	**2**	**4**	**6**	**6**	**10**	**18**	**35**	**880**	**6.2**	**35**	**1**	**3**	**5**	**8**	**12**	**20**	**29**

NORTHEASTERN REGION, JANUARY-DECEMBER 1989

ALCOHOL DEPEND NEC/NOS (303.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6	1	2.0		2	2	2	2	2	2	2
13-17	3	4.0	3	2	3	5	5	5	5	5	6	7.2	50	2	2	5	7	20	21	21
18-24	44	8.9	53	2	4	6	13	21	26	28	82	14.8	142	2	3	9	28	28	28	33
25-34	222	8.7	51	3	5	6	9	23	27	28	260	12.4	114	2	4	7	27	28	28	31
35-54	399	8.3	50	3	5	6	9	19	27	31	368	9.9	90	3	3	5	14	28	28	28
55-74	118	8.9	42	4	5	6	13	17	22	33	108	9.7	87	2	4	6	14	28	28	36
75 +	5	9.0	19	4	5	10	13	13	13	13	9	10.3	200	3	4	5	9	33	47	47
ALL AGES	792	8.5	49	3	5	6	9	20	27	29	834	11.1	106	2	4	6	21	28	28	30
B. FEMALE																				
0-12 YRS.																				
13-17	2	9.0	128	1	1	9	17	17	17	17	2	4.5	1	4	4	4	5	5	5	5
18-24	25	9.6	69	4	5	5	14	27	27	28	21	17.0	145	2	4	25	28	28	28	28
25-34	100	8.1	45	3	5	5	8	21	25	29	72	11.5	103	3	3	7	24	28	28	28
35-54	119	8.8	53	3	5	6	9	24	27	28	132	9.8	79	2	3	6	14	27	28	29
55-74	49	10.7	46	4	6	8	14	21	28	99 +	38	9.7	63	3	4	6	14	25	28	28
75 +											3	8.7	1	7	7	9	10	10	10	10
ALL AGES	295	8.9	52	4	5	6	12	22	27	29	268	10.7	91	2	3	7	16	28	28	28
SUBTOTAL	**1087**	**8.6**	**50**	**3**	**5**	**6**	**10**	**21**	**27**	**29**	**1102**	**11.0**	**102**	**2**	**4**	**6**	**20**	**28**	**28**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	14.0		14	14	14	14	14	14	14
13-17	47	24.6	179	3	23	28	30	35	41	69	23	11.3	93	2	4	6	21	28	28	28
18-24	165	12.5	109	2	4	7	21	28	31	35	174	12.4	101	3	4	7	21	28	28	28
25-34	518	10.2	85	3	4	5	14	27	28	31	618	10.6	82	3	4	6	16	28	28	28
35-54	605	9.5	76	3	4	5	12	26	28	31	603	9.1	60	3	5	6	11	22	28	28
55-74	115	10.3	111	3	5	5	13	27	30	48	109	8.6	46	3	5	7	10	18	21	35
75 +	6	10.7	126	4	4	6	11	31	33	33	7	9.9	27	4	5	11	13	17	18	18
ALL AGES	1456	10.6	97	3	4	5	15	28	29	34	1535	10.1	73	3	4	6	14	28	28	28
B. FEMALE																				
0-12 YRS.																				
13-17	28	18.6	242	1	2	20	30	38	43	52	11	15.6	103	4	6	13	27	28	28	28
18-24	55	10.9	89	3	4	6	16	28	28	35	95	12.3	85	3	5	8	21	28	28	28
25-34	168	10.9	82	3	4	6	16	27	29	32	251	11.4	84	3	5	7	18	28	28	28
35-54	204	10.7	96	3	4	5	17	27	28	32	187	10.4	68	3	5	7	14	27	28	30
55-74	48	11.0	148	3	4	5	14	29	35	63	52	9.2	45	3	4	7	[illegible]	20	22	30
75 +	2	7.0	72	1	1	6	13	13	13	13	3	15.3	172	3	6	14	25	29	29	29
ALL AGES	505	11.3	105	3	4	5	18	27	30	37	599	11.1	78	3	5	7	17	28	28	28
SUBTOTAL	**1961**	**10.8**	**99**	**3**	**4**	**5**	**16**	**28**	**29**	**35**	**2134**	**10.4**	**74**	**3**	**4**	**7**	**14**	**28**	**28**	**28**
GRAND TOTAL	**3048**	**10.0**	**83**	**3**	**5**	**6**	**13**	**27**	**28**	**34**	**3236**	**10.6**	**84**	**3**	**4**	**6**	**14**	**28**	**28**	**28**

OPIOID TYPE DEPENDENCE (304.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											5	4.8	3	3	4	4	6	7	7	7
25-34	2	7.5	41	3	3	7	12	12	12	12	20	4.2	27	2	3	3	4	5	15	26
35-54	8	7.9	55	2	3	6	9	20	25	25	24	7.7	108	3	3	4	6	15	34	50
55-74	1	21.0		21	21	21	21	21	21	21										
75 +	1	19.0		19	19	19	19	19	19	19										
ALL AGES	12	9.8	63	2	4	8	15	22	25	25	49	6.0	65	3	3	4	5	9	26	50
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											4	4.3	2	3	3	4	5	6	6	6
25-34	4	7.8	19	4	4	6	11	14	14	14	12	5.0	4	3	3	4	6	8	9	9
35-54	4	9.0	9	6	7	8	11	13	13	13	9	7.2	23	2	3	5	12	13	14	14
55-74	1	12.0		12	12	12	12	12	12	12	2	6.5	13	4	4	6	9	9	9	9
75 +	1	24.0		24	24	24	24	24	24	24										
ALL AGES	10	10.3	34	4	6	9	13	19	24	24	27	5.7	11	3	3	5	8	11	13	14
SUBTOTAL	**22**	**10.0**	**48**	**3**	**5**	**8**	**13**	**22**	**24**	**25**	**76**	**5.9**	**46**	**3**	**3**	**4**	**6**	**10**	**14**	**44**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	8.0		8	8	8	8	8	8	8
18-24	8	6.4	45	2	2	4	7	18	22	22	18	6.3	12	3	5	6	7	8	14	18
25-34	18	14.1	116	2	3	12	24	30	33	35	91	7.6	30	4	5	6	8	12	21	28
35-54	15	11.7	91	3	5	7	17	29	30	30	85	7.7	19	4	5	7	9	14	16	26
55-74											1	28.0		28	28	28	28	28	28	28
75 +																				
ALL AGES	41	11.7	98	2	3	9	19	28	30	35	196	7.6	26	4	5	6	8	13	19	28
B. FEMALE																				
0-12 YRS.																				
13-17											1	6.0		6	6	6	6	6	6	6
18-24	2	11.5	1	11	11	11	12	12	12	12	19	10.7	57	4	6	8	15	24	28	28
25-34	12	11.5	36	4	6	12	16	20	21	21	52	9.2	56	3	5	6	10	22	28	30
35-54	13	11.2	93	4	5	7	13	28	34	36	27	8.4	34	4	5	7	9	18	22	28
55-74	2	14.0	18	11	11	14	17	17	17	17	7	14.9	71	7	8	13	22	27	28	28
75 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	30	11.6	52	4	6	11	14	20	26	36	106	9.6	53	4	5	7	11	22	28	29
SUBTOTAL	**71**	**11.7**	**76**	**3**	**5**	**10**	**15**	**26**	**30**	**36**	**302**	**8.3**	**36**	**4**	**5**	**7**	**9**	**17**	**24**	**28**
GRAND TOTAL	**93**	**11.3**	**70**	**3**	**5**	**9**	**14**	**24**	**29**	**36**	**378**	**7.8**	**39**	**3**	**4**	**6**	**8**	**15**	**23**	**28**

BARBITURATE DEPENDENCE (304.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											2	10.0	18	7	7	10	13	13	13	13
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	1	15.0		15	15	15	15	15	15	15										
75 +																				
ALL AGES	2	8.0	98	1	1	8	15	15	15	15	2	10.0	18	7	7	10	13	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	2	5.0	32	1	1	5	9	9	9	9										
35-54	4	21.8	84	14	14	19	29	34	34	34	2	15.5	25	12	12	15	19	19	19	19
55-74	3	16.3	12	14	14	15	19	20	20	20										
75 +											3	11.3	23	6	8	13	14	15	15	15
ALL AGES	10	14.8	97	1	9	14	20	29	34	34	5	13.0	23	6	10	13	16	19	19	19
SUBTOTAL	**12**	**13.7**	**94**	**1**	**5**	**14**	**18**	**27**	**33**	**34**	**7**	**12.1**	**21**	**6**	**8**	**13**	**15**	**18**	**19**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	19.0		19	19	19	19	19	19	19
25-34	7	6.4	44	2	3	4	6	18	21	21	12	11.8	50	3	6	11	15	21	26	27
35-54	7	13.7	124	7	7	7	21	32	34	34	11	10.5	46	5	6	7	15	21	26	26
55-74	3	9.0	1	8	8	9	10	10	10	10	1	8.0		8	8	8	8	8	8	8
75 +																				
ALL AGES	17	9.9	74	3	5	7	9	24	31	34	25	11.4	45	4	7	10	16	19	26	27
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											2	17.5	221	7	7	17	28	28	28	28
25-34	5	18.6	162	1	7	27	28	28	28	28	19	12.6	28	6	8	14	17	20	21	21
35-54	6	9.8	105	1	2	7	12	27	29	29	20	11.4	53	4	7	9	14	23	27	30
55-74	9	18.9	182	4	7	14	33	37	39	39	6	8.5	13	5	6	7	13	13	13	13
75 +	2	20.5	365	7	7	20	34	34	34	34	1	15.0		15	15	15	15	15	15	15
ALL AGES	22	16.5	160	2	7	12	28	34	37	39	48	11.8	42	6	7	11	15	21	24	30
SUBTOTAL	**39**	**13.6**	**131**	**2**	**6**	**8**	**24**	**33**	**35**	**39**	**73**	**11.7**	**42**	**5**	**7**	**10**	**15**	**20**	**26**	**30**
GRAND TOTAL	**51**	**13.6**	**121**	**2**	**6**	**9**	**21**	**33**	**34**	**39**	**80**	**11.7**	**41**	**5**	**7**	**11**	**15**	**20**	**25**	**29**

COCAINE DEPENDENCE (304.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	7.0	1	6	6	7	8	8	8	8	4	7.5	82	2	2	3	12	21	21	21
18-24	14	9.7	29	4	6	8	14	15	20	21	28	6.4	26	2	4	6	7	10	16	28
25-34	20	7.3	19	2	5	6	9	15	15	16	103	7.2	33	3	5	6	7	11	27	30
35-54	8	9.8	13	6	6	10	14	66	99 +	99 +	48	6.0	6	3	5	6	7	7	13	14
55-74											3	5.3	1	5	5	5	6	6	6	6
75 +																				
ALL AGES	45	8.5	20	3	6	7	14	15	17	99 +	186	6.7	26	3	5	6	7	9	15	28
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	23	9.3	21	2	6	10	13	15	16	17	47	9.3	64	3	5	6	9	22	28	28
25-34	26	8.3	24	3	6	6	13	14	16	21	77	7.6	35	4	5	6	7	16	25	28
35-54	1	6.0		6	6	6	6	6	6	6	23	7.7	42	4	5	5	7	17	23	32
55-74											1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	50	8.7	22	3	6	7	13	14	16	21	148	8.1	46	3	5	6	7	20	28	28
SUBTOTAL	**95**	**8.6**	**21**	**3**	**6**	**7**	**13**	**14**	**16**	**64**	**334**	**7.4**	**34**	**3**	**5**	**6**	**7**	**14**	**22**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	6	28.7	220	8	27	28	30	51	53	53	3	12.3	67	5	6	11	18	21	21	21
18-24	54	10.2	66	3	5	6	14	21	28	34	93	6.4	16	3	5	6	7	9	16	24
25-34	84	10.5	72	3	4	6	14	26	28	33	264	7.0	23	4	5	6	7	12	18	28
35-54	24	9.0	48	3	4	6	14	25	44	99 +	197	6.8	23	4	5	5	7	12	17	28
55-74	1	21.0		21	21	21	21	21	21	21	6	5.0		4	5	5	5	6	6	6
75 +																				
ALL AGES	169	10.9	82	3	5	6	14	26	28	49	563	6.9	21	4	5	6	7	11	17	28
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-24	30	8.3	56	3	4	6	10	17	21	38	67	9.2	56	3	5	6	11	21	27	30
25-34	59	9.7	54	3	4	6	14	20	24	34	154	8.3	36	4	5	6	7	19	21	28
35-54	11	9.1	43	2	4	6	14	18	23	23	30	8.6	41	4	5	7	8	19	26	29
55-74											2	6.0	8	4	4	6	8	8	8	8
75 +																				
ALL AGES	101	9.2	51	3	4	6	14	20	22	36	253	8.5	42	4	5	6	7	20	23	28
SUBTOTAL	**270**	**10.2**	**72**	**3**	**4**	**6**	**14**	**24**	**28**	**37**	**816**	**7.4**	**28**	**4**	**5**	**6**	**7**	**14**	**21**	**28**
GRAND TOTAL	**365**	**9.8**	**59**	**3**	**5**	**6**	**14**	**21**	**28**	**37**	**1150**	**7.4**	**30**	**4**	**5**	**6**	**7**	**14**	**21**	**28**

NORTHEASTERN REGION, JANUARY-DECEMBER 1989

CANNABIS DEPENDENCE (304.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	21.0		21	21	21	21	21	21	21	3	12.3	192	2	3	7	23	28	28	28
25-34											1	4.0		4	4	4	4	4	4	4
35-54																				
55-74																				
75 +																				
ALL AGES	1	21.0		21	21	21	21	21	21	21	4	10.3	143	2	3	5	17	28	28	28
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	6.0		6	6	6	6	6	6	6	2	24.5	25	21	21	24	28	28	28	28
35-54											1	11.0		11	11	11	11	11	11	11
55-74																				
75 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6	3	20.0	73	11	13	21	26	28	28	28
SUBTOTAL	**2**	**13.5**	**113**	**6**	**6**	**13**	**21**	**21**	**21**	**21**	**7**	**14.4**	**125**	**2**	**5**	**11**	**26**	**28**	**28**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	20	26.0	336	4	16	27	30	36	62	89	6	18.2	65	6	14	19	22	28	29	29
18-24	9	13.8	102	3	5	10	22	27	28	28	11	10.6	57	2	4	7	18	20	21	21
25-34	17	15.4	95	4	7	14	25	29	31	32	7	7.7	22	3	5	6	11	15	16	16
35-54	1	28.0		28	28	28	28	28	28	28	3	13.7	45	6	8	16	18	19	19	19
55-74																				
75 +																				
ALL AGES	47	19.9	221	4	6	21	28	32	35	89	27	11.9	57	2	6	12	18	21	23	29
B. FEMALE																				
0-12 YRS.	1	36.0		36	36	36	36	36	36	36										
13-17	7	28.7	139	10	28	29	34	41	43	43	1	14.0		14	14	14	14	14	14	14
18-24	6	21.5	135	4	13	25	30	33	33	33	1	5.0		5	5	5	5	5	5	5
25-34	2	17.0	512	1	1	17	33	33	33	33	2	6.0		6	6	6	6	6	6	6
35-54	2	13.0	128	5	5	13	21	21	21	21										
55-74																				
75 +																				
ALL AGES	18	23.7	164	4	13	28	33	36	40	43	4	7.8	17	5	5	6	10	14	14	14
SUBTOTAL	**65**	**20.9**	**207**	**4**	**7**	**23**	**29**	**35**	**36**	**82**	**31**	**11.4**	**53**	**3**	**6**	**7**	**18**	**21**	**22**	**29**
GRAND TOTAL	**67**	**20.7**	**203**	**4**	**6**	**21**	**29**	**34**	**36**	**81**	**38**	**11.9**	**66**	**3**	**6**	**9**	**18**	**22**	**28**	**29**

AMPHETAMINE DEPENDENCE (304.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	5.0		5	5	5	5	5	5	5
35-54																				
55-74																				
75 +																				
ALL AGES											1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	14.0		14	14	14	14	14	14	14
35-54																				
55-74																				
75 +																				
ALL AGES											1	14.0		14	14	14	14	14	14	14
SUBTOTAL											2	9.5	41	5	5	9	14	14	14	14
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	30.0		30	30	30	30	30	30	30										
18-24																				
25-34	2	13.5	181	4	4	13	23	23	23	23	1	14.0		14	14	14	14	14	14	14
35-54																				
55-74																				
75 +																				
ALL AGES	3	19.0	181	4	9	23	28	30	30	30	1	14.0		14	14	14	14	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	6.0		6	6	6	6	6	6	6
25-34											1	5.0		5	5	5	5	5	5	5
35-54																				
55-74																				
75 +																				
ALL AGES											2	5.5	1	5	5	5	6	6	6	6
SUBTOTAL	3	19.0	181	4	9	23	28	30	30	30	3	8.3	25	5	5	6	12	14	14	14
GRAND TOTAL	3	19.0	181	4	9	23	28	30	30	30	5	8.8	23	5	5	6	14	14	14	14

HALLUCINOGEN DEPENDENCE (304.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4	1	6.0		6	6	6	6	6	6	6
25-34											1	6.0		6	6	6	6	6	6	6
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4	2	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**	**2**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**
GRAND TOTAL	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**	**2**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**

DRUG DEPENDENCE NEC (304.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	8.0	18	5	5	8	11	11	11	11										
55-74																				
75 +																				
ALL AGES	2	8.0	18	5	5	8	11	11	11	11										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	2.0		2	2	2	2	2	2	2
25-34	1	15.0		15	15	15	15	15	15	15	4	5.0	7	2	3	5	7	8	8	8
35-54																				
55-74																				
75 +																				
ALL AGES	1	15.0		15	15	15	15	15	15	15	5	4.4	7	2	2	4	6	8	8	8
SUBTOTAL	**3**	**10.3**	**26**	**5**	**6**	**11**	**14**	**15**	**15**	**15**	**5**	**4.4**	**7**	**2**	**2**	**4**	**6**	**8**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	34.0		34	34	34	34	34	34	34										
25-34											1	4.0		4	4	4	4	4	4	4
35-54	1	12.0		12	12	12	12	12	12	12	2	8.0	18	5	5	8	11	11	11	11
55-74											1	8.0		8	8	8	8	8	8	8
75 +																				
ALL AGES	2	23.0	242	12	12	23	34	34	34	34	4	7.0	10	4	4	6	9	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	22.0		22	22	22	22	22	22	22	1	2.0		2	2	2	2	2	2	2
35-54	1	9.0		9	9	9	9	9	9	9	2	16.5	85	10	10	16	23	23	23	23
55-74	1	10.0		10	10	10	10	10	10	10	1	1.0		1	1	1	1	1	1	1
75 +											1	9.0		9	9	9	9	9	9	9
ALL AGES	3	13.7	51	9	9	10	19	22	22	22	5	9.0	78	1	1	9	13	23	23	23
SUBTOTAL	**5**	**17.4**	**113**	**9**	**10**	**12**	**25**	**34**	**34**	**34**	**9**	**8.1**	**44**	**1**	**3**	**8**	**10**	**18**	**23**	**23**
GRAND TOTAL	**8**	**14.8**	**83**	**6**	**9**	**11**	**18**	**30**	**34**	**34**	**14**	**6.8**	**32**	**1**	**2**	**5**	**9**	**12**	**21**	**23**

OPIOID/OTHER DRUG DEPEND (304.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1	1	6.0		6	6	6	6	6	6	6
25-34	2	9.0	8	7	7	9	11	11	11	11	9	5.0	22	1	3	4	5	12	17	17
35-54	5	12.0	106	2	3	12	17	28	28	28	13	10.9	117	2	4	5	24	28	28	28
55-74																				
75 +																				
ALL AGES	8	9.9	76	1	3	9	13	24	28	28	23	8.4	80	2	3	4	7	26	28	28
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											4	3.5		3	3	3	4	4	4	4
25-34	7	13.6	137	2	3	8	25	29	30	30	8	12.9	133	3	4	6	26	28	28	28
35-54	2	19.0	128	11	11	19	27	27	27	27	6	9.7	94	3	3	5	13	26	28	28
55-74																				
75 +																				
ALL AGES	9	14.8	125	2	4	11	26	29	30	30	18	9.7	97	3	3	4	13	28	28	28
SUBTOTAL	**17**	**12.5**	**102**	**2**	**4**	**11**	**22**	**28**	**29**	**30**	**41**	**9.0**	**85**	**3**	**3**	**4**	**9**	**27**	**28**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	3.0		3	3	3	3	3	3	3	11	19.2	79	4	15	21	26	28	28	28
25-34	7	13.3	116	3	4	11	24	28	28	28	33	13.3	83	3	6	12	20	28	28	28
35-54	4	22.3	88	8	17	26	27	28	28	28	26	15.7	107	4	7	11	28	29	29	29
55-74																				
75 +																				
ALL AGES	12	15.4	123	3	4	12	27	28	28	28	70	15.1	94	4	6	14	26	28	28	29
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1	6	14.8	85	6	6	14	20	27	28	28
25-34	3	21.7	1	21	21	21	23	23	23	23	28	12.6	92	3	5	8	21	28	28	30
35-54	2	5.0	8	3	3	5	7	7	7	7	5	9.4	101	2	3	7	12	27	27	27
55-74																				
75 +																				
ALL AGES	6	12.7	100	1	3	14	21	23	23	23	39	12.6	88	3	5	7	21	28	28	30
SUBTOTAL	**18**	**14.5**	**111**	**3**	**4**	**12**	**26**	**28**	**28**	**28**	**109**	**14.2**	**92**	**3**	**6**	**10**	**24**	**28**	**28**	**30**
GRAND TOTAL	**35**	**13.5**	**105**	**2**	**4**	**11**	**25**	**28**	**28**	**30**	**150**	**12.8**	**95**	**3**	**4**	**7**	**23**	**28**	**28**	**29**

COMB DRUG DEPENDENCE NEC (304.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											3	18.7	184	3	8	25	27	28	28	28
25-34											5	8.8	105	3	3	5	11	27	27	27
35-54																				
55-74																				
75 +																				
ALL AGES											8	12.5	139	3	3	5	26	28	28	28
B. FEMALE																				
0-12 YRS.																				
13-17											1	5.0		5	5	5	5	5	5	5
18-24											2	6.5	1	6	6	6	7	7	7	7
25-34	3	9.0	112	1	2	5	17	21	21	21	5	22.2	75	8	17	26	28	29	29	29
35-54																				
55-74																				
75 +																				
ALL AGES	3	9.0	112	1	2	5	17	21	21	21	8	16.1	114	5	6	14	27	29	29	29
SUBTOTAL	**3**	**9.0**	**112**	**1**	**2**	**5**	**17**	**21**	**21**	**21**	**16**	**14.3**	**122**	**3**	**5**	**7**	**26**	**28**	**29**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	9.0		9	9	9	9	9	9	9
18-24	1	2.0		2	2	2	2	2	2	2	11	14.5	87	4	6	18	21	27	28	28
25-34	4	9.0	85	2	2	6	15	22	22	22	15	14.6	89	3	7	14	25	28	28	28
35-54	3	12.3	82	2	6	17	18	18	18	18	6	26.7	9	21	28	28	28	28	28	28
55-74																				
75 +																				
ALL AGES	8	9.4	70	2	2	6	17	21	22	22	33	16.6	92	5	7	18	28	28	28	28
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											8	14.4	77	4	6	15	21	25	27	27
25-34											6	12.8	195	1	3	6	28	32	33	33
35-54	2	19.0	128	11	11	19	27	27	27	27	2	28.0	98	21	21	28	35	35	35	35
55-74											2	13.0	128	5	5	13	21	21	21	21
75 +																				
ALL AGES	2	19.0	128	11	11	19	27	27	27	27	18	15.2	125	3	5	15	21	31	34	35
SUBTOTAL	**10**	**11.3**	**86**	**2**	**2**	**10**	**18**	**24**	**27**	**27**	**51**	**16.1**	**102**	**3**	**6**	**18**	**27**	**28**	**28**	**35**
GRAND TOTAL	**13**	**10.8**	**83**	**2**	**2**	**9**	**19**	**23**	**26**	**27**	**67**	**15.7**	**105**	**3**	**6**	**14**	**27**	**28**	**29**	**35**

DRUG DEPENDENCE NOS (304.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	6.0		6	6	6	6	6	6	6										
25-34	2	9.5	113	2	2	9	17	17	17	17										
35-54																				
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	4	7.3	44	2	3	5	11	17	17	17										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54																				
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
SUBTOTAL	**5**	**6.8**	**35**	**2**	**3**	**5**	**9**	**17**	**17**	**17**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	3[illegible]		35	35	35	35	35	35	35	2	13.0	72	7	7	13	19	19	19	19
25-34											1	18.0		18	18	18	18	18	18	18
35-54	4	11.8	27	6	7	11	16	18	18	18	2	7.5	1	7	7	7	8	8	8	8
55-74											1	17.0		17	17	17	17	17	17	17
75 +																				
ALL AGES	5	16.4	129	6	8	14	22	35	35	35	6	12.7	34	7	7	12	18	19	19	19
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	7.0		7	7	7	7	7	7	7
25-34	2	17.0	242	6	6	17	28	28	28	28	2	12.5	145	4	4	12	21	21	21	21
35-54	1	41.0		41	41	41	41	41	41	41	3	10.7	11	7	8	11	13	14	14	14
55-74																				
75 +																				
ALL AGES	3	25.0	313	6	11	28	38	41	41	41	6	10.7	37	4	7	9	14	20	21	21
SUBTOTAL	**8**	**19.6**	**184**	**6**	**8**	**16**	**31**	**39**	**41**	**41**	**12**	**11.7**	**33**	**6**	**7**	**9**	**17**	**20**	**21**	**21**
GRAND TOTAL	**13**	**14.7**	**160**	**4**	**5**	**9**	**20**	**36**	**40**	**41**	**12**	**11.7**	**33**	**6**	**7**	**9**	**17**	**20**	**21**	**21**

ALCOHOL ABUSE (305.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	5	2.0	2	1	1	2	3	4	4	4
13-17	25	1.5	1	1	1	1	2	2	4	7	43	1.3	1	1	1	1	1	2	3	6
18-24	16	1.3		1	1	1	1	2	3	3	26	1.3		1	1	1	1	2	3	3
25-34	19	5.2	55	1	1	2	4	18	25	28	15	2.0	3	1	1	1	3	5	5	5
35-54	18	8.6	75	1	2	5	13	21	26	29	24	2.4	3	1	1	1	4	5	6	7
55-74	12	6.3	30	1	2	4	8	15	18	19	12	2.1	1	1	1	2	3	4	5	5
75 +	2	4.0	18	1	1	4	7	7	7	7	1	3.0		3	3	3	3	3	3	3
ALL AGES	93	4.2	37	1	1	2	4	13	20	29	126	1.7	2	1	1	1	2	4	5	6
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	3	1.3		1	1	1	2	2	2	2
13-17	23	2.1	14	1	1	1	2	3	9	19	32	1.3		1	1	1	2	2	2	3
18-24	15	1.5	1	1	1	1	1	3	4	5	8	1.1		1	1	1	1	2	2	2
25-34	6	3.3	33	1	1	1	1	14	15	15	6	2.2	4	1	1	1	2	6	6	6
35-54	9	5.3	49	1	1	2	6	18	21	21	8	1.4		1	1	1	2	3	3	3
55-74	7	2.0	2	1	1	1	3	4	4	4	9	4.2	9	2	3	3	5	9	11	11
75 +	2	6.0	2	5	5	6	7	7	7	7	1	80.0		80	80	80	80	80	80	80
ALL AGES	63	2.6	16	1	1	1	2	5	14	21	67	2.9	94	1	1	1	2	3	6	68
SUBTOTAL	**156**	**3.6**	**29**	**1**	**1**	**1**	**3**	**10**	**19**	**28**	**193**	**2.1**	**34**	**1**	**1**	**1**	**2**	**4**	**5**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
~~0-12 YRS.~~	1	27.0		27	27	27	27	27	27	27										
13-17	11	21.0	403	1	1	28	37	46	53	54	2	1.0		1	1	1	1	1	1	1
18-24	14	6.1	23	1	2	4	12	13	13	13	5	12.4	203	2	2	2	28	28	28	28
25-34	33	6.7	80	1	2	3	7	13	31	41	14	3.3	8	1	1	2	5	7	9	9
35-54	26	7.0	40	1	2	5	13	16	20	21	16	3.0	10	1	1	2	4	7	11	13
55-74	5	15.6	503	3	3	4	23	55	55	55	3	5.3	15	1	2	7	8	8	8	8
75 +																				
ALL AGES	90	9.1	140	1	2	4	13	27	38	55	40	4.4	38	1	1	2	5	8	20	28
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	9	11.8	420	1	1	2	12	49	59	59	10	1.6	1	1	1	1	2	3	3	3
18-24	6	4.3	10	1	3	4	5	9	10	10	4	2.8	5	1	1	2	4	6	6	6
25-34	23	5.5	22	1	1	4	7	13	14	14	8	2.3	2	1	1	2	3	4	5	5
35-54	18	5.9	34	1	1	3	13	13	17	19	7	2.1	3	1	1	1	3	5	5	5
55-74	7	10.1	139	2	3	6	10	31	36	36	6	3.8	31	1	1	2	3	14	15	15
75 +	1	3.0		3	3	3	3	3	3	3	2	3.0		3	3	3	3	3	3	3
ALL AGES	65	6.8	89	1	2	4	9	13	22	56	37	2.4	6	1	1	2	3	4	6	15
SUBTOTAL	**155**	**8.2**	**119**	**1**	**2**	**4**	**12**	**19**	**35**	**55**	**77**	**3.4**	**24**	**1**	**1**	**2**	**3**	**7**	**12**	**28**
GRAND TOTAL	**311**	**5.9**	**79**	**1**	**1**	**2**	**6**	**14**	**21**	**46**	**270**	**2.5**	**31**	**1**	**1**	**1**	**2**	**4**	**7**	**25**

TOBACCO USE DISORDER (305.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	2.0		2	2	2	2	2	2	2										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54																				
55-74																				
75 +																				
ALL AGES											1	2.0		2	2	2	2	2	2	2
SUBTOTAL											1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2

CANNABIS ABUSE (305.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	1.0		1	1	1	1	1	1	1										
18-24	1	13.0		13	13	13	13	13	13	13										
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7	1	8.0		8	8	8	8	8	8	8
55-74																				
75 +																				
ALL AGES	4	5.5	33	1	1	4	10	13	13	13	1	8.0		8	8	8	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17											1	5.0		5	5	5	5	5	5	5
18-24	1	16.0		16	16	16	16	16	16	16										
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +																				
ALL AGES	2	8.5	113	1	1	8	16	16	16	16	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**6**	**6.5**	**45**	**1**	**1**	**4**	**13**	**16**	**16**	**16**	**2**	**6.5**	**5**	**5**	**5**	**6**	**8**	**8**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	18.3	442	2	4	11	34	42	42	42	1	1.0		1	1	1	1	1	1	1
18-24	1	31.0		31	31	31	31	31	31	31	1	2.0		2	2	2	2	2	2	2
25-34											3	4.0	1	3	3	4	5	5	5	5
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																				
75 +																				
ALL AGES	5	18.2	305	2	4	11	34	42	42	42	5	3.0	3	1	2	3	4	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17	1	50.0		50	50	50	50	50	50	50	1	1.0		1	1	1	1	1	1	1
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	50.0		50	50	50	50	50	50	50	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**6**	**23.5**	**412**	**2**	**5**	**21**	**42**	**49**	**50**	**50**	**6**	**2.7**	**2**	**1**	**1**	**2**	**4**	**5**	**5**	**5**
GRAND TOTAL	**12**	**15.0**	**287**	**1**	**2**	**9**	**23**	**44**	**49**	**50**	**8**	**3.6**	**6**	**1**	**2**	**3**	**5**	**7**	**8**	**8**

HALLUCINOGEN ABUSE (305.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	1.0		1	1	1	1	1	1	1										
18-24											2	1.0		1	1	1	1	1	1	1
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	1.0		1	1	1	1	1	1	1	2	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**4**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**	**3**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	16.0	392	2	9	30	82	99 +	99 +	99 +	1	1.0		1	1	1	1	1	1	1
18-24	1	5.0		5	5	5	5	5	5	5										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	12.3	238	2	3	17	65	99 +	99 +	99 +	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	41.0		41	41	41	41	41	41	41										
55-74																				
75 +																				
ALL AGES	1	41.0		41	41	41	41	41	41	41										
SUBTOTAL	**4**	**19.5**	**363**	**2**	**4**	**30**	**56**	**99 +**	**99 +**	**99 +**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**8**	**10.3**	**252**	**1**	**1**	**2**	**33**	**76**	**99 +**	**99 +**	**4**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

BARBITURATE ABUSE (305.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24											1	7.0		7	7	7	7	7	7	7
25-34																				
35-54	1	4.0		4	4	4	4	4	4	4										
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4	2	4.0	18	1	1	4	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**	**2**	**4.0**	**18**	**1**	**1**	**4**	**7**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24											1	2.0		2	2	2	2	2	2	2
25-34	1	4.0		4	4	4	4	4	4	4	1	11.0		11	11	11	11	11	11	11
35-54	1	8.0		8	8	8	8	8	8	8	3	9.0	19	6	6	7	12	14	14	14
55-74																				
75 +																				
ALL AGES	2	6.0	8	4	4	6	8	8	8	8	6	6.8	26	1	2	6	11	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	10.5	181	1	1	10	20	20	20	20	1	6.0		6	6	6	6	6	6	6
35-54	2	14.0	72	8	8	14	20	20	20	20	5	8.8	4	6	7	9	10	11	11	11
55-74																				
75 +																				
ALL AGES	4	12.3	87	1	4	14	20	20	20	20	6	8.3	5	6	6	8	10	11	11	11
SUBTOTAL	**6**	**10.2**	**64**	**1**	**4**	**8**	**20**	**20**	**20**	**20**	**12**	**7.6**	**14**	**2**	**6**	**7**	**10**	**12**	**14**	**14**
GRAND TOTAL	**7**	**9.3**	**59**	**1**	**4**	**8**	**17**	**20**	**20**	**20**	**14**	**7.1**	**15**	**1**	**6**	**7**	**10**	**12**	**13**	**14**

OPIOID ABUSE (305.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	8.0		8	8	8	8	8	8	8
75 +																				
ALL AGES											1	8.0		8	8	8	8	8	8	8
SUBTOTAL											**2**	**4.5**	**25**	**1**	**1**	**4**	**8**	**8**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	3.0		3	3	3	3	3	3	3										
25-34	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
35-54	3	13.3	118	1	5	18	20	21	21	21	3	7.7	36	2	3	7	12	14	14	14
55-74																				
75 +																				
ALL AGES	5	9.2	90	1	2	3	19	21	21	21	4	6.0	35	1	1	4	10	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	6.5	25	3	3	6	10	10	10	10	1	7.0		7	7	7	7	7	7	7
35-54																				
55-74																				
75 +																				
ALL AGES	2	6.5	25	3	3	6	10	10	10	10	1	7.0		7	7	7	7	7	7	7
SUBTOTAL	**7**	**8.4**	**67**	**1**	**3**	**3**	**16**	**20**	**21**	**21**	**5**	**6.2**	**27**	**1**	**2**	**7**	**9**	**14**	**14**	**14**
GRAND TOTAL	**7**	**8.4**	**67**	**1**	**3**	**3**	**16**	**20**	**21**	**21**	**7**	**5.7**	**23**	**1**	**1**	**7**	**8**	**13**	**14**	**14**

COCAINE ABUSE (305.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	3	2.7		2	2	3	3	3	3	3	2	1.5	1	1	1	1	2	2	2	2
25-34	8	3.8	15	1	1	2	4	11	13	13	5	3.8	5	1	2	5	5	6	6	6
35-54	3	7.0	108	1	1	1	15	19	19	19	1	5.0		5	5	5	5	5	5	5
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	14	4.2	28	1	1	2	3	14	18	19	9	3.2	4	1	2	2	5	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17	1	14.0		14	14	14	14	14	14	14										
18-24											1	1.0		1	1	1	1	1	1	1
25-34	4	8.8	34	3	4	8	13	16	16	16	3	4.0	4	2	2	4	5	6	6	6
35-54																				
55-74																				
75 +																				
ALL AGES	5	9.8	32	3	4	11	14	16	16	16	4	3.3	4	1	1	3	5	6	6	6
SUBTOTAL	**19**	**5.7**	**33**	**1**	**2**	**3**	**10**	**15**	**18**	**19**	**13**	**3.2**	**4**	**1**	**2**	**2**	**5**	**6**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	12.0	244	2	2	4	23	30	30	30										
18-24	8	5.6	24	1	2	4	9	13	14	14	3	4.0	3	3	3	3	5	6	6	6
25-34	7	8.7	70	1	3	6	10	23	26	26	6	6.2	1	4	6	6	7	7	7	7
35-54	9	8.4	45	2	4	6	12	19	23	23	7	4.9	7	1	3	5	7	9	9	9
55-74																				
75 +																				
ALL AGES	27	8.1	58	2	3	6	12	21	27	30	16	5.2	4	2	4	5	7	7	9	9
B. FEMALE																				
0-12 YRS.																				
13-17	2	22.5	145	14	14	22	31	31	31	31										
18-24	6	11.3	86	3	4	9	14	27	28	28	5	3.8	9	1	2	2	7	7	7	7
25-34	7	10.1	110	1	1	4	20	24	25	25	4	3.8	6	1	2	3	5	7	7	7
35-54	2	7.0	8	5	5	7	9	9	9	9	4	6.5	1	5	6	7	7	7	7	7
55-74																				
75 +																				
ALL AGES	17	11.6	97	1	4	9	18	27	30	31	13	4.6	7	1	2	5	7	7	7	7
SUBTOTAL	**44**	**9.5**	**73**	**2**	**3**	**6**	**13**	**25**	**29**	**31**	**29**	**4.9**	**6**	**1**	**3**	**5**	**7**	**7**	**8**	**9**
GRAND TOTAL	**63**	**8.3**	**64**	**1**	**2**	**5**	**13**	**21**	**27**	**31**	**42**	**4.4**	**5**	**1**	**2**	**5**	**7**	**7**	**7**	**9**

AMPHETAMINE ABUSE (305.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	7.0		7	7	7	7	7	7	7
55-74																				
75 +																				
ALL AGES											1	7.0		7	7	7	7	7	7	7
SUBTOTAL											**2**	**4.0**	**18**	**1**	**1**	**4**	**7**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17	1	14.0		14	14	14	14	14	14	14										
18-24											1	6.0		6	6	6	6	6	6	6
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	14.0		14	14	14	14	14	14	14	1	6.0		6	6	6	6	6	6	6
SUBTOTAL	**1**	**14.0**		**14**	**14**	**14**	**14**	**14**	**14**	**14**	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**
GRAND TOTAL	**1**	**14.0**		**14**	**14**	**14**	**14**	**14**	**14**	**14**	**3**	**4.7**	**10**	**1**	**2**	**6**	**7**	**7**	**7**	**7**

ANTIDEPRESSANT ABUSE (305.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES											1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											1	2.0		2	2	2	2	2	2	2
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	8.0		8	8	8	8	8	8	8										
25-34	1	6.0		6	6	6	6	6	6	6										
35-54	1	10.0		10	10	10	10	10	10	10										
55-74																				
75 +																				
ALL AGES	3	8.0	4	6	6	8	9	10	10	10										
SUBTOTAL	3	8.0	4	6	6	8	9	10	10	10										
GRAND TOTAL	3	8.0	4	6	6	8	9	10	10	10	1	2.0		2	2	2	2	2	2	2

DRUG ABUSE NEC/NOS (305.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24	7	16.1	83	5	8	20	22	27	28	28										
25-34	4	7.5	86	1	1	4	13	21	21	21										
35-54	8	12.0	98	1	3	10	21	25	26	26										
55-74																				
75 +																				
ALL AGES	19	12.6	90	1	4	9	21	25	27	28	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17											1	5.0		5	5	5	5	5	5	5
18-24	1	5.0		5	5	5	5	5	5	5										
25-34	1	26.0		26	26	26	26	26	26	26	3	1.3		1	1	1	2	2	2	2
35-54											1	1.0		1	1	1	1	1	1	1
55-74																				
75 +	1	6.0		6	6	6	6	6	6	6	2	8.0	18	5	5	8	11	11	11	11
ALL AGES	3	12.3	142	5	5	6	21	26	26	26	7	3.7	14	1	1	2	5	10	11	11
SUBTOTAL	**22**	**12.5**	**92**	**1**	**5**	**9**	**21**	**26**	**27**	**28**	**8**	**3.4**	**12**	**1**	**1**	**2**	**5**	**9**	**11**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											2	2.0		2	2	2	2	2	2	2
18-24	7	5.0	13	1	1	6	8	10	10	10	1	8.0		8	8	8	8	8	8	8
25-34	8	6.9	34	1	1	6	11	15	16	16	2	3.5	1	3	3	3	4	4	4	4
35-54	7	14.6	461	1	1	4	19	52	60	60	3	6.0	7	3	4	7	8	8	8	8
55-74																				
75 +																				
ALL AGES	22	8.7	165	1	1	6	10	17	37	60	8	4.6	7	2	2	4	7	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17	4	12.0	78	1	5	12	18	22	22	22	2	3.0		3	3	3	3	3	3	3
18-24	3	21.3	60	13	15	23	27	28	28	28	2	1.5	1	1	1	1	2	2	2	2
25-34	4	11.0	22	4	8	13	14	14	14	14	4	5.5	16	2	2	4	8	11	11	11
35-54	6	10.3	90	3	5	6	14	27	28	28	1	2.0		2	2	2	2	2	2	2
55-74																				
75 +											1	10.0		10	10	10	10	10	10	10
ALL AGES	17	12.8	72	3	5	13	17	27	28	28	10	4.3	12	1	2	3	6	10	11	11
SUBTOTAL	**39**	**10.5**	**125**	**1**	**2**	**7**	**14**	**23**	**28**	**60**	**18**	**4.4**	**10**	**2**	**2**	**3**	**7**	**9**	**11**	**11**
GRAND TOTAL	**61**	**11.2**	**113**	**1**	**3**	**8**	**17**	**24**	**28**	**56**	**26**	**4.1**	**10**	**1**	**2**	**3**	**6**	**10**	**11**	**11**

PSYCHOGEN MUSCULSKEL DIS (306.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	3	8.3	141	1	1	2	17	22	22	22	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	3	8.3	141	1	1	2	17	22	22	22	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**3**	**8.3**	**141**	**1**	**1**	**2**	**17**	**22**	**22**	**22**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	6.0		6	6	6	6	6	6	6										
75 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**										
GRAND TOTAL	**4**	**7.8**	**94**	**1**	**1**	**4**	**14**	**22**	**22**	**22**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**

PSYCHOGENIC RESPIR DIS (306.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											2	2.0		2	2	2	2	2	2	2
13-17	2	1.5	1	1	1	1	2	2	2	2										
18-24											1	2.0		2	2	2	2	2	2	2
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	3	3.7	4	2	2	3	5	6	6	6	3	1.7		1	1	2	2	2	2	2
55-74											5	2.4		2	2	2	3	3	3	3
75 +																				
ALL AGES	6	2.5	4	1	1	2	3	6	6	6	11	2.1		1	2	2	2	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17											3	2.7	4	1	1	2	4	5	5	5
18-24	2	2.5	1	2	2	2	3	3	3	3	1	6.0		6	6	6	6	6	6	6
25-34	1	1.0		1	1	1	1	1	1	1	2	2.0	2	1	1	2	3	3	3	3
35-54	2	2.0	2	1	1	2	3	3	3	3	6	3.2	6	1	1	2	5	7	7	7
55-74	6	3.7	19	1	1	2	5	11	12	12	6	3.2	1	1	3	3	4	4	4	4
75 +	6	5.0	5	2	4	5	7	8	8	8	9	2.8	1	1	2	3	3	5	5	5
ALL AGES	17	3.6	10	1	1	3	5	8	11	12	27	3.0	3	1	2	3	4	5	6	7
SUBTOTAL	**23**	**3.3**	**8**	**1**	**1**	**2**	**5**	**7**	**9**	**12**	**38**	**2.7**	**2**	**1**	**2**	**2**	**3**	**5**	**6**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											2	1.5	1	1	1	1	2	2	2	2
35-54	1	4.0		4	4	4	4	4	4	4	2	3.0	2	2	2	3	4	4	4	4
55-74	2	1.5	1	1	1	1	2	2	2	2	3	3.0	1	2	2	3	4	4	4	4
75 +											1	12.0		12	12	12	12	12	12	12
ALL AGES	3	2.3	3	1	1	2	3	4	4	4	8	3.8	12	1	2	3	4	10	12	12
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	8.5	85	2	2	8	15	15	15	15	1	1.0		1	1	1	1	1	1	1
35-54	2	4.0	2	3	3	4	5	5	5	5	3	3.0	1	2	2	3	4	4	4	4
55-74	5	5.4	29	2	3	3	7	15	15	15	3	5.7	4	4	4	5	7	8	8	8
75 +	2	8.0	50	3	3	8	13	13	13	13	8	2.9	1	1	2	3	4	5	5	5
ALL AGES	11	6.2	28	2	3	3	11	15	15	15	15	3.3	3	1	2	3	4	5	7	8
SUBTOTAL	**14**	**5.4**	**24**	**2**	**2**	**3**	**5**	**15**	**15**	**15**	**23**	**3.5**	**6**	**1**	**2**	**3**	**4**	**6**	**9**	**12**
GRAND TOTAL	**37**	**4.1**	**15**	**1**	**2**	**3**	**5**	**11**	**14**	**15**	**61**	**3.0**	**4**	**1**	**2**	**3**	**4**	**5**	**6**	**12**

PSYCHOGEN CARDIOVASC DIS (306.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	4.5	25	1	1	4	8	8	8	8	1	1.0		1	1	1	1	1	1	1
55-74	1	17.0		17	17	17	17	17	17	17	1	14.0		14	14	14	14	14	14	14
75 +	2	4.0	18	1	1	4	7	7	7	7	1	8.0		8	8	8	8	8	8	8
ALL AGES	5	6.8	43	1	1	7	10	17	17	17	3	7.7	42	1	2	8	12	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	3.0		3	3	3	3	3	3	3
35-54											4	4.3	4	2	2	4	6	6	6	6
55-74											5	3.8	7	1	2	4	5	8	8	8
75 +											2	8.5	41	4	4	8	13	13	13	13
ALL AGES											12	4.7	10	2	2	4	6	9	12	13
SUBTOTAL	**5**	**6.8**	**43**	**1**	**1**	**7**	**10**	**17**	**17**	**17**	**15**	**5.3**	**16**	**1**	**2**	**4**	**7**	**13**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	2	1.5	1	1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54																				
55-74											3	4.0		4	4	4	4	4	4	4
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	1	4.0		4	4	4	4	4	4	4	4	3.8		3	3	4	4	4	4	4
SUBTOTAL	**2**	**2.5**	**5**	**1**	**1**	**2**	**4**	**4**	**4**	**4**	**6**	**3.0**	**2**	**1**	**2**	**3**	**4**	**4**	**4**	**4**
GRAND TOTAL	**7**	**5.6**	**34**	**1**	**1**	**4**	**8**	**15**	**17**	**17**	**21**	**4.6**	**13**	**1**	**2**	**4**	**6**	**10**	**13**	**14**

PSYCHOGENIC GI DISEASE (306.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	2.8	5	1	1	2	4	6	6	6	1	2.0		2	2	2	2	2	2	2
13-17																				
18-24																				
25-34																				
35-54	2	1.5	1	1	1	1	2	2	2	2										
55-74											1	1.0		1	1	1	1	1	1	1
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	7	2.4	3	1	1	2	3	5	6	6	2	1.5	1	1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4	1	3.0		3	3	3	3	3	3	3
13-17	1	18.0		18	18	18	18	18	18	18	5	8.4	65	1	3	7	11	22	22	22
18-24	1	4.0		4	4	4	4	4	4	4										
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2	3	7.0	3	6	6	6	8	9	9	9
55-74	1	6.0		6	6	6	6	6	6	6	3	5.0	13	2	2	4	8	9	9	9
75 +	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
ALL AGES	6	6.0	37	2	2	4	6	17	18	18	13	6.4	29	2	3	6	8	12	20	22
SUBTOTAL	**13**	**4.1**	**20**	**1**	**2**	**2**	**5**	**9**	**16**	**18**	**15**	**5.7**	**28**	**1**	**2**	**4**	**8**	**9**	**19**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	5.0		5	5	5	5	5	5	5
13-17																				
18-24	2	6.0	32	2	2	6	10	10	10	10										
25-34	2	4.5	5	3	3	4	6	6	6	6										
35-54																				
55-74																				
75 +											2	7.0	2	6	6	7	8	8	8	8
ALL AGES	4	5.3	12	2	2	4	8	10	10	10	3	6.3	3	5	5	6	7	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17	1	17.0		17	17	17	17	17	17	17										
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4	1	5.0		5	5	5	5	5	5	5
35-54	1	8.0		8	8	8	8	8	8	8	1	11.0		11	11	11	11	11	11	11
55-74											4	3.3	4	1	2	3	5	6	6	6
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	3	9.7	43	4	5	8	15	17	17	17	7	4.4	12	1	2	3	6	10	11	11
SUBTOTAL	**7**	**7.1**	**28**	**2**	**3**	**6**	**9**	**16**	**17**	**17**	**10**	**5.0**	**9**	**1**	**3**	**5**	**6**	**9**	**11**	**11**
GRAND TOTAL	**20**	**5.2**	**23**	**1**	**2**	**3**	**6**	**13**	**17**	**18**	**25**	**5.4**	**20**	**1**	**2**	**5**	**7**	**9**	**14**	**22**

PSYCHOGENIC GU DISEASE (306.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	6.0		6	6	6	6	6	6	6										
55-74																				
75 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6										
SUBTOTAL	1	6.0		6	6	6	6	6	6	6										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	6.0		6	6	6	6	6	6	6										

PSYCHOGENIC SENSORY DIS (306.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	3.0		3	3	3	3	3	3	3
35-54																				
55-74																				
75 +																				
ALL AGES											1	3.0		3	3	3	3	3	3	3
SUBTOTAL											1	3.0		3	3	3	3	3	3	3
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL											1	3.0		3	3	3	3	3	3	3

PSYCHOGENIC DISORDER NEC (306.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	9.0		9	9	9	9	9	9	9
35-54																				
55-74											1	10.0		10	10	10	10	10	10	10
75 +																				
ALL AGES											2	9.5	1	9	9	9	10	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	4.0		4	4	4	4	4	4	4
25-34											1	12.0		12	12	12	12	12	12	12
35-54	1	6.0		6	6	6	6	6	6	6										
55-74	2	8.5	13	6	6	8	11	11	11	11										
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	4	7.3	5	6	6	6	9	11	11	11	2	8.0	32	4	4	8	12	12	12	12
SUBTOTAL	4	7.3	5	6	6	6	9	11	11	11	4	8.8	10	4	6	9	11	12	12	12
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	2.0		2	2	2	2	2	2	2
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	2	3.0		3	3	3	3	3	3	3	2	1.5	1	1	1	1	2	2	2	2
SUBTOTAL	2	3.0		3	3	3	3	3	3	3	2	1.5	1	1	1	1	2	2	2	2
GRAND TOTAL	6	5.8	9	3	3	6	6	11	11	11	6	6.3	22	1	2	6	10	12	12	12

PSYCHOGENIC DISORDER NOS (306.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	7.0		7	7	7	7	7	7	7										
13-17	1	5.0		5	5	5	5	5	5	5										
18-24	1	48.0		48	48	48	48	48	48	48										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	20.0	589	5	5	7	38	48	48	48										
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-24																				
25-34											1	5.0		5	5	5	5	5	5	5
35-54	1	7.0		7	7	7	7	7	7	7										
55-74	1	42.0		42	42	42	42	42	42	42										
75 +																				
ALL AGES	3	16.7	489	1	2	7	33	42	42	42	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	6	18.3	437	1	5	7	42	47	48	48	1	5.0		5	5	5	5	5	5	5
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	10.0		10	10	10	10	10	10	10										
25-34	1	13.0		13	13	13	13	13	13	13										
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	3	8.7	25	3	5	10	12	13	13	13										
SUBTOTAL	4	6.8	31	1	2	6	11	13	13	13										
GRAND TOTAL	10	13.7	288	1	3	7	13	45	48	48	1	5.0		5	5	5	5	5	5	5

ANOREXIA NERVOSA (307.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17																				
18-24											2	31.0	2	30	30	31	32	32	32	32
25-34	1	91.0		91	91	91	91	91	91	91	1	35.0		35	35	35	35	35	35	35
35-54	2	4.0		4	4	4	4	4	4	4										
55-74																				
75 +																				
ALL AGES	4	25.5	1907	3	3	4	48	91	91	91	3	32.3	10	30	30	32	34	35	35	35
B. FEMALE																				
0-12 YRS.	7	33.6	768	6	15	35	64	96	99 +	99 +	3	9.7	13	7	7	8	12	14	14	14
13-17	31	22.5	213	7	12	21	28	46	66	99 +	28	15.9	180	2	5	12	27	36	42	43
18-24	22	17.3	291	2	7	13	23	36	53	78	15	23.9	199	4	14	27	36	48	85	99 +
25-34	4	16.3	397	3	5	8	27	46	46	46	12	20.2	303	2	3	17	33	45	50	51
35-54	6	8.0	46	2	3	5	16	17	17	17	10	21.6	137	6	14	22	28	37	39	39
55-74											1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	70	20.3	309	4	7	17	28	45	77	99 +	69	18.8	196	2	5	17	29	39	43	90
SUBTOTAL	**74**	**20.6**	**371**	**3**	**7**	**16**	**28**	**46**	**85**	**99 +**	**72**	**19.3**	**198**	**2**	**6**	**19**	**30**	**39**	**43**	**89**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	67.0		67	67	67	67	67	67	67	1	29.0		29	29	29	29	29	29	29
18-24	1	5.0		5	5	5	5	5	5	5	1	13.0		13	13	13	13	13	13	13
25-34	1	21.0		21	21	21	21	21	21	21										
35-54											1	23.0		23	23	23	23	23	23	23
55-74																				
75 +																				
ALL AGES	3	31.0	1036	5	9	21	55	67	67	67	3	21.7	63	13	15	23	27	29	29	29
B. FEMALE																				
0-12 YRS.											3	22.3	183	7	12	28	31	32	32	32
13-17	12	36.6	680	8	12	42	59	86	97	99 +	28	29.3	257	11	17	29	38	47	52	76
18-24	11	40.4	679	3	17	50	61	72	72	72	24	28.5	460	6	13	28	40	72	88	99 +
25-34	11	29.2	1144	1	6	13	65	99	99 +	99 +	8	26.3	133	11	15	28	34	41	43	43
35-54	10	16.3	182	3	4	17	33	62	97	99 +	3	26.7	202	11	16	30	37	39	39	39
55-74											2	18.5	265	7	7	18	30	30	30	30
75 +											1	6.0		6	6	6	6	6	6	6
ALL AGES	44	31.1	718	2	7	28	58	80	99 +	99 +	69	27.6	299	7	14	28	37	48	72	97
SUBTOTAL	**47**	**31.1**	**716**	**2**	**6**	**26**	**58**	**77**	**99 +**	**99 +**	**72**	**27.4**	**287**	**7**	**14**	**28**	**37**	**48**	**71**	**96**
GRAND TOTAL	**121**	**24.7**	**525**	**3**	**7**	**19**	**40**	**69**	**93**	**99 +**	**144**	**23.4**	**255**	**4**	**10**	**23**	**35**	**43**	**50**	**99 +**

TICS (307.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17											1	3.0		3	3	3	3	3	3	3
18-24	1	14.0		14	14	14	14	14	14	14										
25-34																				
35-54	1	8.0		8	8	8	8	8	8	8										
55-74											1	8.0		8	8	8	8	8	8	8
75 +																				
ALL AGES	2	11.0	18	8	8	11	14	14	14	14	3	4.3	11	2	2	3	7	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	2	11.0	18	8	8	11	14	14	14	14	3	4.3	11	2	2	3	7	8	8	8
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	42.0		42	42	42	42	42	42	42
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	42.0		42	42	42	42	42	42	42
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
SUBTOTAL	1	5.0		5	5	5	5	5	5	5	1	42.0		42	42	42	42	42	42	42
GRAND TOTAL	3	9.0	21	5	6	8	12	14	14	14	4	13.8	360	2	2	5	25	42	42	42

STEREOTYPED MOVEMENTS (307.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.	3	1.3		1	1	1	2	2	2	2										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	1.3		1	1	1	2	2	2	2										
SUBTOTAL	4	1.3		1	1	1	1	2	2	2										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	4	1.3		1	1	1	1	2	2	2										

NONORGANIC SLEEP DISORD (307.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	56.0		56	56	56	56	56	56	56										
13-17	1	3.0		3	3	3	3	3	3	3										
18-24																				
25-34																				
35-54											1	9.0		9	9	9	9	9	9	9
55-74																				
75 +																				
ALL AGES	2	29.5	1405	3	3	29	56	56	56	56	1	9.0		9	9	9	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	2	29.5	1405	3	3	29	56	56	56	56	1	9.0		9	9	9	9	9	9	9
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	2	12.5	221	2	2	12	23	23	23	23
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	1	2.0		2	2	2	2	2	2	2	3	9.7	133	2	2	4	18	23	23	23
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES											1	2.0		2	2	2	2	2	2	2
SUBTOTAL	1	2.0		2	2	2	2	2	2	2	4	7.8	103	2	2	3	13	23	23	23
GRAND TOTAL	3	20.3	956	2	2	3	43	56	56	56	5	8.0	79	2	2	4	12	23	23	23

EATING DISORDERS NEC/NOS (307.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	10.3	25	7	7	8	14	16	16	16	1	6.0		6	6	6	6	6	6	6
13-17	1	4.0		4	4	4	4	4	4	4	3	2.7	8	1	1	1	5	6	6	6
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	1	6.0		6	6	6	6	6	6	6										
35-54	2	4.5	1	4	4	4	5	5	5	5										
55-74																				
75 +																				
ALL AGES	8	6.5	18	3	4	5	7	14	16	16	4	3.5	8	1	1	3	6	6	6	6
B. FEMALE																				
0-12 YRS.	4	17.3	705	2	2	5	32	57	57	57	3	13.7	84	3	7	19	19	19	19	19
13-17	11	20.9	274	5	9	13	35	46	50	50	6	16.5	130	2	3	20	25	29	29	29
18-24	17	9.4	89	1	2	7	13	23	31	36	11	21.6	142	4	9	27	30	33	34	34
25-34	2	16.5	313	4	4	16	29	29	29	29	1	27.0		27	27	27	27	27	27	27
35-54	2	34.0	882	13	13	34	55	55	55	55	2	5.0	2	4	4	5	6	6	6	6
55-74																				
75 +																				
ALL AGES	36	15.5	262	2	4	8	22	43	53	57	23	18.0	132	3	5	21	28	30	33	34
SUBTOTAL	**44**	**13.9**	**228**	**2**	**4**	**7**	**15**	**38**	**51**	**57**	**27**	**15.9**	**138**	**2**	**4**	**19**	**27**	**30**	**32**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	52.0		52	52	52	52	52	52	52	2	30.0	2	29	29	30	31	31	31	31
25-34											1	11.0		11	11	11	11	11	11	11
35-54	1	8.0		8	8	8	8	8	8	8										
55-74																				
75 +																				
ALL AGES	2	30.0	968	8	8	30	52	52	52	52	3	23.7	119	11	15	29	30	31	31	31
B. FEMALE																				
0-12 YRS.	1	52.0		52	52	52	52	52	52	52	3	31.3	143	24	24	25	40	45	45	45
13-17	18	48.2	152	31	43	48	57	72	90	99 +	14	27.5	152	12	20	28	30	47	49	49
18-24	29	26.8	479	3	4	28	43	65	78	99 +	9	28.0	64	18	24	26	31	39	45	45
25-34	16	32.0	838	3	10	27	42	86	96	99	11	37.5	120	24	30	37	42	52	61	62
35-54	10	23.2	166	7	14	24	29	40	51	51	2	34.0	50	29	29	34	39	39	39	39
55-74																				
75 +	1	3.0		3	3	3	3	3	3	3	1	10.0		10	10	10	10	10	10	10
ALL AGES	75	32.6	507	3	14	30	48	63	85	99 +	40	30.5	135	17	24	29	39	45	48	62
SUBTOTAL	**77**	**32.5**	**508**	**3**	**13**	**30**	**48**	**63**	**84**	**99 +**	**43**	**30.0**	**136**	**15**	**24**	**29**	**38**	**45**	**48**	**62**
GRAND TOTAL	**121**	**25.7**	**486**	**3**	**7**	**23**	**43**	**56**	**71**	**99 +**	**70**	**24.6**	**181**	**4**	**19**	**26**	**31**	**42**	**45**	**59**

ENURESIS (307.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-17											1	33.0		33	33	33	33	33	33	33
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	33.0		33	33	33	33	33	33	33
SUBTOTAL	1	3.0		3	3	3	3	3	3	3	1	33.0		33	33	33	33	33	33	33
GRAND TOTAL	1	3.0		3	3	3	3	3	3	3	1	33.0		33	33	33	33	33	33	33

ENCOPRESIS (307.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	8	8.9	130	2	3	4	11	29	34	34	3	23.3	69	14	17	27	28	29	29	29
13-17											2	19.5	41	15	15	19	24	24	24	24
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	8	8.9	130	2	3	4	11	29	34	34	5	21.8	48	14	15	24	27	29	29	29
B. FEMALE																				
0-12 YRS.											1	18.0		18	18	18	18	18	18	18
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	18.0		18	18	18	18	18	18	18
SUBTOTAL	**8**	**8.9**	**130**	**2**	**3**	**4**	**11**	**29**	**34**	**34**	**6**	**21.2**	**39**	**14**	**15**	**21**	**27**	**29**	**29**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	10.0		10	10	10	10	10	10	10	3	26.7	10	23	24	27	29	30	30	30
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	10.0		10	10	10	10	10	10	10	3	26.7	10	23	24	27	29	30	30	30
B. FEMALE																				
0-12 YRS.	1	7.0		7	7	7	7	7	7	7	4	29.5	90	21	21	28	37	40	40	40
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7	4	29.5	90	21	21	28	37	40	40	40
SUBTOTAL	**2**	**8.5**	**5**	**7**	**7**	**8**	**10**	**10**	**10**	**10**	**7**	**28.3**	**50**	**21**	**22**	**27**	**34**	**39**	**40**	**40**
GRAND TOTAL	**10**	**8.8**	**102**	**2**	**3**	**4**	**10**	**26**	**34**	**34**	**13**	**25.0**	**56**	**15**	**20**	**24**	**29**	**36**	**39**	**40**

PSYCHALGIA (307.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6	1	2.0		2	2	2	2	2	2	2
13-17	1	3.0		3	3	3	3	3	3	3	2	1.5	1	1	1	1	2	2	2	2
18-24	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
25-34	2	2.0	2	1	1	2	3	3	3	3	6	3.0	12	1	1	2	2	9	10	10
35-54	3	1.3		1	1	1	2	2	2	2	2	1.5	1	1	1	1	2	2	2	2
55-74	1	8.0		8	8	8	8	8	8	8	4	3.0	7	1	1	2	5	7	7	7
75 +	1	4.0		4	4	4	4	4	4	4	1	5.0		5	5	5	5	5	5	5
ALL AGES	10	3.0	6	1	1	2	4	7	8	8	17	2.6	6	1	1	2	2	7	9	10
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4	2	9.0	18	6	6	9	12	12	12	12
13-17	4	6.0	38	2	2	4	10	15	15	15	2	2.5	1	2	2	2	3	3	3	3
18-24	2	2.0		2	2	2	2	2	2	2	2	3.5	13	1	1	3	6	6	6	6
25-34	3	1.3		1	1	1	2	2	2	2	5	2.8	5	1	1	2	4	6	6	6
35-54	13	5.8	33	2	2	4	6	15	20	21	9	2.2		2	2	2	3	3	3	3
55-74	7	4.0	18	1	1	2	5	11	13	13	8	4.1	5	2	2	3	6	8	8	8
75 +	3	10.0	37	3	5	13	14	14	14	14	5	8.6	41	3	4	5	15	17	17	17
ALL AGES	33	5.1	27	1	2	3	5	14	15	21	33	4.2	14	2	2	3	5	9	14	17
SUBTOTAL	**43**	**4.6**	**23**	**1**	**2**	**3**	**5**	**13**	**15**	**21**	**50**	**3.7**	**12**	**1**	**2**	**2**	**4**	**8**	**12**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	1	7.0		7	7	7	7	7	7	7										
18-24																				
25-34	1	26.0		26	26	26	26	26	26	26										
35-54	1	4.0		4	4	4	4	4	4	4	2	6.5	25	3	3	6	10	10	10	10
55-74	1	32.0		32	32	32	32	32	32	32	1	7.0		7	7	7	7	7	7	7
75 +																				
ALL AGES	5	14.0	197	1	3	7	27	32	32	32	3	6.7	12	3	4	7	9	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17											1	3.0		3	3	3	3	3	3	3
18-24	3	3.7		3	3	4	4	4	4	4										
25-34	4	9.5	42	3	4	9	15	16	16	16	2	2.0		2	2	2	2	2	2	2
35-54	3	11.3	291	1	1	2	24	31	31	31	7	5.7	38	2	2	3	6	16	19	19
55-74	3	7.0	19	2	4	9	10	10	10	10	5	6.4	41	2	2	3	10	17	17	17
75 +	1	2.0		2	2	2	2	2	2	2	3	4.0	4	2	2	4	5	6	6	6
ALL AGES	14	7.6	67	2	2	4	10	17	28	31	18	5.1	25	2	2	3	6	14	18	19
SUBTOTAL	**19**	**9.3**	**100**	**1**	**2**	**4**	**13**	**29**	**32**	**32**	**21**	**5.3**	**23**	**2**	**2**	**3**	**6**	**13**	**18**	**19**
GRAND TOTAL	**62**	**6.0**	**50**	**1**	**2**	**3**	**7**	**15**	**23**	**32**	**71**	**4.2**	**15**	**1**	**2**	**2**	**5**	**9**	**14**	**19**

SPECIAL SYMPTOM NEC/NOS (307.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	10.0		10	10	10	10	10	10	10
13-17	1	2.0		2	2	2	2	2	2	2										
18-24											2	13.0	50	8	8	13	18	18	18	18
25-34																				
35-54	1	50.0		50	50	50	50	50	50	50										
55-74	2	6.0	2	5	5	6	7	7	7	7	1	3.0		3	3	3	3	3	3	3
75 +	1	1.0		1	1	1	1	1	1	1	1	37.0		37	37	37	37	37	37	37
ALL AGES	5	13.0	434	1	1	5	18	50	50	50	5	15.2	178	3	7	10	23	37	37	37
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	2.0		2	2	2	2	2	2	2
55-74																				
75 +	1	3.0		3	3	3	3	3	3	3	2	39.0	1352	13	13	39	65	65	65	65
ALL AGES	1	3.0		3	3	3	3	3	3	3	3	26.7	1130	2	5	13	52	65	65	65
SUBTOTAL	**6**	**11.3**	**364**	**1**	**2**	**4**	**7**	**46**	**50**	**50**	**8**	**19.5**	**460**	**2**	**5**	**11**	**27**	**57**	**65**	**65**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	2	5.0	8	3	3	5	7	7	7	7	1	1.0		1	1	1	1	1	1	1
35-54																				
55-74											1	2.0		2	2	2	2	2	2	2
75 +	3	2.0	1	1	1	2	3	3	3	3										
ALL AGES	6	2.8	5	1	1	2	3	7	7	7	2	1.5	1	1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.											1	9.0		9	9	9	9	9	9	9
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	8.0	18	5	5	8	11	11	11	11										
75 +																				
ALL AGES	2	8.0	18	5	5	8	11	11	11	11	1	9.0		9	9	9	9	9	9	9
SUBTOTAL	**8**	**4.1**	**12**	**1**	**2**	**3**	**6**	**10**	**11**	**11**	**3**	**4.0**	**19**	**1**	**1**	**2**	**7**	**9**	**9**	**9**
GRAND TOTAL	**14**	**7.2**	**160**	**1**	**2**	**3**	**7**	**15**	**42**	**50**	**11**	**15.3**	**378**	**1**	**2**	**9**	**17**	**48**	**64**	**65**

STRESS REACT, EMOTIONAL (308.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17																				
18-24	1	3.0		3	3	3	3	3	3	3										
25-34											1	1.0		1	1	1	1	1	1	1
35-54	3	2.3	2	1	1	3	3	3	3	3	4	1.8	1	1	1	2	2	3	3	3
55-74	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	5	2.6	1	1	2	3	3	3	3	3	8	1.9	1	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4										
25-34	1	1.0		1	1	1	1	1	1	1	4	1.5	1	1	1	1	2	3	3	3
35-54	2	6.5	25	3	3	6	10	10	10	10	4	2.8	4	1	1	2	4	5	5	5
55-74	4	4.3	6	2	2	3	6	8	8	8	1	1.0		1	1	1	1	1	1	1
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	8	4.4	9	1	2	3	6	9	10	10	10	2.0	2	1	1	1	3	4	5	5
SUBTOTAL	**13**	**3.7**	**7**	**1**	**2**	**3**	**4**	**8**	**10**	**10**	**18**	**1.9**	**2**	**1**	**1**	**1**	**3**	**4**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											2	1.0		1	1	1	1	1	1	1
35-54																				
55-74																				
75 +																				
ALL AGES											2	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	6.0		6	6	6	6	6	6	6
25-34	2	1.5	1	1	1	1	2	2	2	2	1	1.0		1	1	1	1	1	1	1
35-54	1	10.0		10	10	10	10	10	10	10	1	2.0		2	2	2	2	2	2	2
55-74																				
75 +											2	3.0		3	3	3	3	3	3	3
ALL AGES	3	4.3	25	1	1	2	8	10	10	10	5	3.0	4	1	2	3	4	6	6	6
SUBTOTAL	**3**	**4.3**	**25**	**1**	**1**	**2**	**8**	**10**	**10**	**10**	**7**	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**6**
GRAND TOTAL	**16**	**3.8**	**9**	**1**	**2**	**3**	**4**	**10**	**10**	**10**	**25**	**2.1**	**2**	**1**	**1**	**1**	**3**	**4**	**5**	**6**

STRESS REACTION, FUGUE (308.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
SUBTOTAL											1	1.0		1	1	1	1	1	1	1
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL											1	1.0		1	1	1	1	1	1	1

STRESS REACT, PSYCHOMOT (308.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +																				
ALL AGES	2	2.5	5	1	1	2	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	2	2.5	5	1	1	2	4	4	4	4										
GRAND TOTAL	2	2.5	5	1	1	2	4	4	4	4										

ACUTE STRESS REACT NEC (308.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	2	7.0	18	4	4	7	10	10	10	10										
25-34	2	36.5	1625	8	8	36	65	65	65	65										
35-54																				
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	5	17.6	714	1	3	8	24	65	65	65	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.											1	11.0		11	11	11	11	11	11	11
13-17											1	5.0		5	5	5	5	5	5	5
18-24	7	10.3	93	1	2	7	19	24	25	25										
25-34	13	8.4	23	3	4	9	13	15	16	16	1	1.0		1	1	1	1	1	1	1
35-54	6	12.3	96	2	3	10	24	24	24	24	4	3.8	1	2	3	4	5	5	5	5
55-74																				
75 +											2	4.0	8	2	2	4	6	6	6	6
ALL AGES	26	9.8	55	2	3	9	14	23	24	25	9	4.4	9	1	2	4	5	9	11	11
SUBTOTAL	**31**	**11.1**	**149**	**2**	**3**	**9**	**14**	**24**	**25**	**65**	**10**	**4.2**	**8**	**1**	**2**	**4**	**5**	**8**	**11**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	35.0		35	35	35	35	35	35	35
13-17	1	15.0		15	15	15	15	15	15	15										
18-24	2	6.5	25	3	3	6	10	10	10	10										
25-34																				
35-54	6	10.5	140	1	2	4	23	27	28	28	3	7.7	52	3	3	4	13	16	16	16
55-74	1	4.0		4	4	4	4	4	4	4										
75 +											1	9.0		9	9	9	9	9	9	9
ALL AGES	10	9.5	90	1	3	5	15	25	28	28	5	13.4	172	3	4	9	21	35	35	35
B. FEMALE																				
0-12 YRS.	1	35.0		35	35	35	35	35	35	35	2	45.5	145	37	37	45	54	54	54	54
13-17	4	9.8	34	1	5	12	13	14	14	14										
18-24	5	11.2	42	1	8	12	16	18	18	18										
25-34	15	14.5	71	5	7	14	18	28	32	34	2	5.0	2	4	4	5	6	6	6	6
35-54	9	17.9	281	3	5	12	27	46	48	48	1	6.0		6	6	6	6	6	6	6
55-74	1	40.0		40	40	40	40	40	40	40										
75 +																				
ALL AGES	35	15.7	140	4	7	13	19	35	41	48	5	21.4	521	4	5	6	41	54	54	54
SUBTOTAL	**45**	**14.3**	**134**	**2**	**5**	**12**	**18**	**34**	**40**	**48**	**10**	**17.4**	**326**	**3**	**4**	**8**	**35**	**45**	**54**	**54**
GRAND TOTAL	**76**	**13.0**	**140**	**2**	**4**	**10**	**16**	**27**	**38**	**61**	**20**	**10.8**	**204**	**2**	**3**	**5**	**10**	**36**	**45**	**54**

ACUTE STRESS REACT NOS (308.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-24											2	2.5	5	1	1	2	4	4	4	4
25-34	1	17.0		17	17	17	17	17	17	17										
35-54																				
55-74																				
75 +																				
ALL AGES	1	17.0		17	17	17	17	17	17	17	3	2.0	3	1	1	1	3	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17											1	3.0		3	3	3	3	3	3	3
18-24																				
25-34																				
35-54											3	2.7	2	1	1	3	4	4	4	4
55-74	1	2.0		2	2	2	2	2	2	2										
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	1	2.0		2	2	2	2	2	2	2	5	2.6	1	1	2	3	3	4	4	4
SUBTOTAL	**2**	**9.5**	**113**	**2**	**2**	**9**	**17**	**17**	**17**	**17**	**8**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54											2	3.0	8	1	1	3	5	5	5	5
55-74																				
75 +																				
ALL AGES											3	2.3	6	1	1	1	4	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											2	5.5	13	3	3	5	8	8	8	8
35-54											1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES											3	4.7	8	3	3	3	7	8	8	8
SUBTOTAL											**6**	**3.5**	**7**	**1**	**1**	**3**	**5**	**8**	**8**	**8**
GRAND TOTAL	**2**	**9.5**	**113**	**2**	**2**	**9**	**17**	**17**	**17**	**17**	**14**	**2.9**	**4**	**1**	**1**	**3**	**4**	**5**	**7**	**8**

BRIEF DEPRESSIVE REACT (309.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	8.8	141	1	1	3	15	29	29	29										
13-17	35	9.8	153	1	3	6	9	22	35	60	3	18.0	223	1	7	24	28	29	29	29
18-24	72	7.0	77	1	2	4	8	14	21	53										
25-34	65	6.0	20	1	3	5	8	13	15	19	4	2.0	2	1	1	1	3	4	4	4
35-54	63	6.8	40	1	3	4	8	16	22	28	2	3.0	2	2	2	3	4	4	4	4
55-74	14	7.2	32	1	4	6	8	19	19	19	3	6.0	3	4	5	7	7	7	7	7
75 +	7	8.4	30	2	3	9	13	15	15	15	1	5.0		5	5	5	5	5	5	5
ALL AGES	261	7.2	61	1	3	5	8	15	21	37	13	7.0	80	1	2	4	7	25	28	29
B. FEMALE																				
0-12 YRS.	10	7.5	81	1	1	3	16	22	24	24										
13-17	101	9.4	59	2	4	7	13	21	26	33	3	1.3		1	1	1	2	2	2	2
18-24	89	6.3	34	1	2	5	8	13	18	29	6	4.7	27	1	1	3	5	14	15	15
25-34	112	6.6	38	1	2	5	9	14	20	30	8	2.5	5	1	1	1	3	6	7	7
35-54	109	8.0	45	2	3	6	11	19	22	29	6	4.3	9	1	2	4	6	9	9	9
55-74	20	12.8	250	1	3	9	13	30	52	70	4	5.8	7	2	3	6	8	8	8	8
75 +	12	12.2	85	3	5	9	18	26	31	32	5	7.4	6	5	6	6	9	11	11	11
ALL AGES	453	7.9	58	1	3	6	10	18	22	33	32	4.3	12	1	1	3	6	9	11	15
SUBTOTAL	**714**	**7.7**	**58**	**1**	**3**	**5**	**10**	**17**	**22**	**35**	**45**	**5.1**	**32**	**1**	**1**	**4**	**6**	**9**	**17**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	5.7	6	3	4	6	7	8	8	8	1	26.0		26	26	26	26	26	26	26
13-17	41	9.3	38	3	5	8	12	19	21	26	1	3.0		3	3	3	3	3	3	3
18-24	99	8.1	102	1	3	6	10	15	21	63	8	3.0	6	1	1	2	4	7	8	8
25-34	146	7.4	38	2	3	6	9	15	20	28	3	7.3	31	2	3	7	11	13	13	13
35-54	121	8.4	23	3	5	7	11	15	17	24	2	7.0	8	5	5	7	9	9	9	9
55-74	16	13.3	146	3	5	8	20	26	42	48	2	3.5	5	2	2	3	5	5	5	5
75 +	5	6.8	17	1	4	7	10	12	12	12	2	12.5	145	4	4	12	21	21	21	21
ALL AGES	431	8.2	53	2	4	7	10	16	20	31	19	6.4	46	1	2	4	8	18	24	26
B. FEMALE																				
0-12 YRS.	2	11.0	200	1	1	10	21	21	21	21										
13-17	60	14.4	198	3	5	11	19	29	58	96	5	3.0	2	2	2	3	4	5	5	5
18-24	116	8.0	47	2	3	6	11	17	19	34	5	3.8	13	1	2	3	5	10	10	10
25-34	132	9.2	76	1	3	7	13	21	26	65	2	13.0	200	3	3	13	23	23	23	23
35-54	133	8.8	49	2	4	7	13	19	23	31	7	3.4	6	1	2	3	5	7	8	8
55-74	23	8.8	44	2	3	7	12	20	23	25	2	3.0	2	2	2	3	4	4	4	4
75 +	15	14.5	167	2	4	10	23	33	42	45										
ALL AGES	481	9.6	81	2	4	7	13	20	27	57	21	4.3	23	1	2	3	4	9	16	23
SUBTOTAL	**912**	**9.0**	**67**	**2**	**4**	**7**	**12**	**18**	**23**	**46**	**40**	**5.3**	**34**	**1**	**2**	**3**	**5**	**11**	**22**	**26**
GRAND TOTAL	**1626**	**8.4**	**64**	**1**	**3**	**6**	**11**	**18**	**23**	**39**	**85**	**5.2**	**33**	**1**	**2**	**3**	**6**	**10**	**21**	**28**

PROLONG DEPRESSIVE REACT (309.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	1	6.0		6	6	6	6	6	6	6	2	2.0	2	1	1	2	3	3	3	3
55-74	4	23.8	105	13	17	22	30	38	38	38										
75 +																				
ALL AGES	6	17.2	169	2	6	17	22	36	38	38	2	2.0	2	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	2	12.0	128	4	4	12	20	20	20	20										
18-24	2	6.5	1	6	6	6	7	7	7	7										
25-34	2	1.5	1	1	1	1	2	2	2	2	1	5.0		5	5	5	5	5	5	5
35-54	3	35.7	2917	2	3	7	75	98	98	98	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +	4	21.5	234	8	11	17	32	43	43	43										
ALL AGES	13	17.9	712	2	4	7	20	54	90	98	2	3.0	8	1	1	3	5	5	5	5
SUBTOTAL	**19**	**17.7**	**521**	**2**	**4**	**8**	**22**	**41**	**73**	**98**	**4**	**2.5**	**4**	**1**	**1**	**2**	**4**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24	1	7.0		7	7	7	7	7	7	7										
25-34	6	8.7	44	3	3	7	10	20	21	21	1	2.0		2	2	2	2	2	2	2
35-54	3	6.0	13	3	3	5	9	10	10	10										
55-74	2	11.5	61	6	6	11	17	17	17	17	2	4.0	2	3	3	4	5	5	5	5
75 +																				
ALL AGES	12	8.3	32	3	4	7	10	18	21	21	4	2.8	3	1	1	2	4	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17	2	19.5	85	13	13	19	26	26	26	26										
18-24											1	1.0		1	1	1	1	1	1	1
25-34	5	19.6	208	4	5	24	31	36	36	36	2	3.0		3	3	3	3	3	3	3
35-54	5	25.4	350	3	8	27	43	45	45	45	1	2.0		2	2	2	2	2	2	2
55-74	1	40.0		40	40	40	40	40	40	40										
75 +																				
ALL AGES	13	23.4	226	4	9	26	37	43	45	45	4	2.3	1	1	1	2	3	3	3	3
SUBTOTAL	**25**	**16.2**	**185**	**3**	**5**	**10**	**26**	**40**	**43**	**45**	**8**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**5**
GRAND TOTAL	**44**	**16.8**	**324**	**3**	**5**	**10**	**23**	**40**	**44**	**98**	**12**	**2.5**	**2**	**1**	**1**	**2**	**3**	**5**	**5**	**5**

ADJUST REACT/OTH EMOTION (309.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	30.0	200	20	25	40	85	99+	99+	99+										
13-17	15	10.0	44	4	6	8	13	20	24	26										
18-24	21	8.1	78	1	3	6	8	22	31	34										
25-34	12	7.2	21	2	3	7	10	14	16	16	1	2.0		2	2	2	2	2	2	2
35-54	20	7.9	35	1	3	7	12	16	19	21	2	2.0		2	2	2	2	2	2	2
55-74	6	9.2	83	2	2	5	15	24	25	25	1	11.0		11	11	11	11	11	11	11
75 +	5	14.4	32	6	10	16	18	21	21	21	1	3.0		3	3	3	3	3	3	3
ALL AGES	81	9.3	61	1	4	7	13	20	27	81	5	4.0	16	2	2	2	5	11	11	11
B. FEMALE																				
0-12 YRS.	2	3.0		3	3	3	3	3	3	3	2	10.0	162	1	1	10	19	19	19	19
13-17	26	10.0	96	1	3	5	16	26	30	34	5	9.0	196	2	2	3	11	34	34	34
18-24	26	11.0	349	1	2	5	8	30	70	72	2	3.5	1	3	3	3	4	4	4	4
25-34	52	5.6	18	2	3	4	7	12	15	17	2	4.0	2	3	3	4	5	5	5	5
35-54	26	9.3	41	3	4	7	14	18	21	23	7	6.0	6	4	5	5	7	10	11	11
55-74	13	8.8	74	2	3	4	14	25	27	27	1	3.0		3	3	3	3	3	3	3
75 +	6	21.5	119	7	14	22	31	34	34	34	3	6.7	12	3	4	7	9	10	10	10
ALL AGES	151	8.8	108	2	3	5	12	19	27	69	22	6.6	53	2	3	4	7	13	25	34
SUBTOTAL	**232**	**9.0**	**91**	**2**	**3**	**6**	**12**	**20**	**27**	**70**	**27**	**6.1**	**46**	**2**	**3**	**4**	**6**	**11**	**21**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	41.2	440	21	21	46	53	71	71	71	2	43.0	98	36	36	43	50	50	50	50
13-17	18	20.7	631	3	4	8	28	61	79	90	1	1.0		1	1	1	1	1	1	1
18-24	31	6.6	51	1	2	4	11	16	20	30	1	2.0		2	2	2	2	2	2	2
25-34	48	7.6	51	1	3	6	9	15	26	33	3	4.3	3	3	3	4	5	6	6	6
35-54	37	9.4	193	2	4	6	8	16	37	78	2	5.0	8	3	3	5	7	7	7	7
55-74	9	13.1	78	4	6	11	18	27	32	32	1	3.0		3	3	3	3	3	3	3
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	149	10.8	214	2	3	6	11	26	46	78	10	11.5	290	1	3	4	7	43	50	50
B. FEMALE																				
0-12 YRS.	4	31.0	729	12	15	20	46	71	71	71	2	19.0		19	19	19	19	19	19	19
13-17	20	11.6	124	2	3	8	16	21	36	50	6	10.5	142	1	2	4	22	28	29	29
18-24	47	8.5	55	2	3	6	12	19	26	32	2	2.5	1	2	2	2	3	3	3	3
25-34	47	9.2	38	2	4	7	13	19	21	22	4	4.3	7	1	2	4	6	7	7	7
35-54	60	11.1	68	3	5	9	15	21	26	44	7	5.9	13	1	3	6	8	11	12	12
55-74	13	15.8	114	5	8	14	20	34	38	39	2	11.0	98	4	4	11	18	18	18	18
75 +	6	9.7	23	2	6	10	14	15	15	15	1	8.0		8	8	8	8	8	8	8
ALL AGES	197	10.8	84	2	4	9	14	21	25	48	24	8.1	59	1	3	5	10	20	24	29
SUBTOTAL	**346**	**10.8**	**140**	**2**	**4**	**7**	**14**	**21**	**30**	**71**	**34**	**9.1**	**122**	**1**	**3**	**5**	**8**	**23**	**35**	**50**
GRAND TOTAL	**578**	**10.1**	**120**	**2**	**3**	**7**	**13**	**21**	**29**	**70**	**61**	**7.8**	**89**	**2**	**3**	**4**	**7**	**19**	**31**	**48**

ADJUST REACT-CONDUCT DIS (309.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	10	17.0	111	6	9	15	22	34	38	38										
18-24	3	4.0	19	1	1	2	7	9	9	9										
25-34	2	3.5	5	2	2	3	5	5	5	5	1	2.0		2	2	2	2	2	2	2
35-54	1	1.0		1	1	1	1	1	1	1										
55-74											3	7.7	5	5	6	9	9	9	9	9
75 +																				
ALL AGES	16	11.9	116	1	3	9	16	30	36	38	4	6.3	11	2	3	7	9	9	9	9
B. FEMALE																				
0-12 YRS.	2	52.5	61	47	47	52	58	58	58	58										
13-17	6	18.2	165	2	11	18	21	38	40	40	2	9.5	113	2	2	9	17	17	17	17
18-24	2	17.5	313	5	5	17	30	30	30	30										
25-34																				
35-54	2	4.0	8	2	2	4	6	6	6	6										
55-74																				
75 +																				
ALL AGES	12	21.4	350	2	5	18	35	50	57	58	2	9.5	113	2	2	9	17	17	17	17
SUBTOTAL	**28**	**16.0**	**229**	**1**	**5**	**11**	**21**	**39**	**48**	**58**	**6**	**7.3**	**33**	**2**	**2**	**7**	**9**	**16**	**17**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	2	22.0	50	17	17	22	27	27	27	27	2	7.5	41	3	3	7	12	12	12	12
18-24	3	5.3	57	1	1	1	11	14	14	14										
25-34	6	8.0	36	1	2	8	14	14	14	14										
35-54	6	6.5	24	1	2	6	10	14	14	14										
55-74																				
75 +																				
ALL AGES	18	8.3	54	1	2	6	14	16	23	27	2	7.5	41	3	3	7	12	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-17	4	41.5	1404	8	9	38	73	81	81	81	1	3.0		3	3	3	3	3	3	3
18-24	2	2.5	5	1	1	2	4	4	4	4										
25-34																				
35-54																				
55-74																				
75 +	1	23.0		23	23	23	23	23	23	23										
ALL AGES	7	27.7	1046	1	5	11	55	78	81	81	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**25**	**13.8**	**377**	**1**	**2**	**8**	**14**	**27**	**70**	**81**	**3**	**6.0**	**27**	**3**	**3**	**3**	**10**	**12**	**12**	**12**
GRAND TOTAL	**53**	**14.9**	**296**	**1**	**3**	**10**	**18**	**38**	**56**	**81**	**9**	**6.9**	**27**	**2**	**3**	**5**	**10**	**15**	**17**	**17**

ADJ REACT-EMOTION/CONDUC (309.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS											HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	16	23.2	353	1	7	21	36	52	57	58										
13-17	19	15.2	126	1	3	17	21	31	37	39										
18-24	11	9.5	43	2	4	7	15	19	21	21	1	1.0		1	1	1	1	1	1	1
25-34	15	9.0	102	1	3	5	11	32	32	32	1	4.0		4	4	4	4	4	4	4
35-54	5	6.8	20	1	3	7	10	12	12	12										
55-74	2	10.0	32	6	6	10	14	14	14	14	1	7.0		7	7	7	7	7	7	7
75 +	3	13.3	107	2	5	16	20	22	22	22										
ALL AGES	71	14.0	171	1	4	10	20	35	37	57	3	4.0	9	1	2	4	6	7	7	7
B. FEMALE																						
0-12 YRS.	13	23.5	118	9	17	22	29	42	42	42										
13-17	38	12.6	77	2	6	11	18	24	28	41	3	2.0	1	1	1	2	3	3	3	3
18-24	17	6.4	35	1	2	4	11	17	19	20										
25-34	8	2.6	4	1	1	2	3	6	7	7	1	5.0		5	5	5	5	5	5	5
35-54	17	8.9	46	2	4	7	14	20	22	23										
55-74	6	7.7	31	1	2	8	12	15	15	15	3	4.7	2	3	3	5	6	6	6	6
75 +																				
ALL AGES	99	11.2	92	1	3	9	17	24	28	42	7	3.6	3	1	2	3	5	6	6	6
SUBTOTAL	**170**	**12.4**	**125**	**1**	**3**	**10**	**18**	**28**	**36**	**52**	**10**	**3.7**	**4**	**1**	**2**	**4**	**5**	**6**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.	2	59.0	200	49	49	59	69	69	69	69										
13-17	13	26.5	675	6	13	16	32	61	92	99	4	15.5	194	2	3	16	27	28	28	28
18-24	14	6.1	34	2	2	4	6	17	20	21	1	11.0		11	11	11	11	11	11	11
25-34	15	5.5	47	1	2	3	5	13	24	28										
35-54	15	6.5	23	2	3	5	9	14	16	17										
55-74	6	6.5	8	2	5	6	9	10	10	10										
75 +	1	14.0		14	14	14	14	14	14	14										
ALL AGES	66	11.8	288	2	3	6	14	26	49	94	5	14.6	149	2	4	11	27	28	28	28
B. FEMALE																						
0-12 YRS.	2	27.5	365	14	14	27	41	41	41	41	1	9.0		9	9	9	9	9	9	9
13-17	13	12.5	296	2	3	6	17	68	93	99 +	1	2.0		2	2	2	2	2	2	2
18-24	15	8.1	40	3	3	6	12	20	21	21	1	1.0		1	1	1	1	1	1	1
25-34	18	12.3	143	2	5	10	15	29	43	49	5	5.6	10	3	4	5	7	11	11	11
35-54	20	9.1	54	3	4	7	13	19	26	30	2	11.0	72	5	5	11	17	17	17	17
55-74	2	17.0	8	15	15	17	19	19	19	19										
75 +	1	28.0		28	28	28	28	28	28	28										
ALL AGES	71	11.3	131	2	4	8	15	28	40	92	10	6.2	24	1	3	5	9	14	17	17
SUBTOTAL	**137**	**11.6**	**204**	**2**	**3**	**7**	**15**	**27**	**48**	**99**	**15**	**9.0**	**75**	**2**	**3**	**5**	**11**	**27**	**28**	**28**
GRAND TOTAL	**307**	**12.0**	**161**	**2**	**3**	**8**	**16**	**28**	**37**	**66**	**25**	**6.9**	**52**	**1**	**3**	**5**	**7**	**17**	**27**	**28**

OTHER ADJUST REACTION (309.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	32.5	705	7	17	33	77	99+	99+	99+	1	34.0		34	34	34	34	34	34	34
13-17	3	17.7	1	16	16	18	19	19	19	19	1	1.0		1	1	1	1	1	1	1
18-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54	2	5.5	13	3	3	5	8	8	8	8										
55-74	1	9.0		9	9	9	9	9	9	9										
75 +																				
ALL AGES	10	20.3	368	5	8	18	30	81	98	99+	3	12.3	354	1	1	2	26	34	34	34
B. FEMALE																				
0-12 YRS.	3	23.3	127	15	16	19	32	36	36	36	3	19.3	6	17	18	20	21	21	21	21
13-17	5	20.2	294	4	4	17	37	40	40	40										
18-24	6	11.8	160	2	4	7	14	34	36	36	1	1.0		1	1	1	1	1	1	1
25-34	7	10.9	88	1	4	8	18	26	27	27										
35-54	4	11.3	10	7	8	12	14	14	14	14	1	13.0		13	13	13	13	13	13	13
55-74	1	12.0		12	12	12	12	12	12	12										
75 +																				
ALL AGES	26	14.4	136	3	5	11	19	36	37	40	5	14.4	66	1	10	17	20	21	21	21
SUBTOTAL	**36**	**16.1**	**197**	**3**	**7**	**14**	**20**	**36**	**59**	**99+**	**8**	**13.6**	**140**	**1**	**2**	**15**	**20**	**30**	**34**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	22.0		22	22	22	22	22	22	22	2	42.0	578	25	25	42	59	59	59	59
13-17	1	1.0		1	1	1	1	1	1	1	1	21.0		21	21	21	21	21	21	21
18-24	2	2.5	5	1	1	2	4	4	4	4										
25-34	2	31.0	162	22	22	31	40	40	40	40										
35-54	8	12.3	52	2	7	13	17	21	23	23										
55-74	1	42.0		42	42	42	42	42	42	42										
75 +																				
ALL AGES	15	15.3	172	1	3	14	22	40	41	42	3	35.0	436	21	22	25	50	59	59	59
B. FEMALE																				
0-12 YRS.	4	19.3	264	4	7	16	31	41	41	41	1	44.0		44	44	44	44	44	44	44
13-17	8	26.5	365	2	17	31	59	99+	99+	99+	1	4.0		4	4	4	4	4	4	4
18-24	3	29.7	354	15	17	23	44	51	51	51										
25-34	15	26.4	432	2	12	23	33	50	75	83	6	9.2	91	2	4	5	10	26	28	28
35-54	17	17.2	168	2	4	15	31	36	37	37	5	8.4	22	4	4	8	12	15	15	15
55-74	1	4.0		4	4	4	4	4	4	4	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	48	22.3	302	3	9	21	34	50	83	99+	14	10.5	140	2	4	5	11	30	41	44
SUBTOTAL	**63**	**20.6**	**278**	**2**	**7**	**18**	**32**	**42**	**65**	**99+**	**17**	**14.8**	**262**	**3**	**4**	**8**	**22**	**41**	**54**	**59**
GRAND TOTAL	**99**	**19.0**	**249**	**2**	**7**	**16**	**30**	**41**	**63**	**99+**	**25**	**14.4**	**216**	**2**	**4**	**10**	**21**	**34**	**48**	**59**

ADJUSTMENT REACTION NOS (309.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	32.3	1026	4	9	26	57	67	67	67										
13-17											1	2.0		2	2	2	2	2	2	2
18-24	2	8.0	18	5	5	8	11	11	11	11										
25-34	3	6.0	49	1	2	8	57	99 +	99 +	99 +										
35-54	2	9.0		9	9	9	9	9	9	9										
55-74											1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	10	14.9	386	2	4	9	23	80	98	99 +	2	3.0	2	2	2	3	4	4	4	4
B. FEMALE																				
0-12 YRS.											1	18.0		18	18	18	18	18	18	18
13-17	8	8.9	321	1	1	1	7	40	52	52	2	2.5	1	2	2	2	3	3	3	3
18-24	3	4.7	16	1	2	4	8	9	9	9										
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	6	12.3	279	1	2	7	12	42	45	45										
55-74																				
75 +																				
ALL AGES	18	8.9	227	1	1	2	11	35	49	52	3	7.7	80	2	2	3	14	18	18	18
SUBTOTAL	**28**	**11.0**	**281**	**1**	**1**	**4**	**12**	**49**	**69**	**99 +**	**5**	**5.8**	**47**	**2**	**2**	**3**	**7**	**18**	**18**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	1	18.0		18	18	18	18	18	18	18
13-17	5	8.4	23	4	4	7	13	14	14	14	1	15.0		15	15	15	15	15	15	15
18-24	5	20.4	212	7	9	19	27	44	44	44										
25-34	4	4.5	6	2	2	4	6	7	7	7										
35-54	4	7.8	67	2	3	4	12	20	20	20	1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	19	10.3	106	2	4	7	14	21	34	44	3	11.7	71	2	5	15	17	18	18	18
B. FEMALE																				
0-12 YRS.																				
13-17	6	7.3	33	1	3	7	13	14	14	14	1	9.0		9	9	9	9	9	9	9
18-24	6	6.0	54	1	1	3	8	19	20	20										
25-34	9	5.7	35	1	1	4	7	15	20	20										
35-54	4	4.8	10	1	1	5	7	8	8	8										
55-74	4	17.8	321	3	5	12	30	43	43	43										
75 +																				
ALL AGES	29	7.6	79	1	2	4	9	19	21	43	1	9.0		9	9	9	9	9	9	9
SUBTOTAL	**48**	**8.7**	**89**	**1**	**3**	**6**	**11**	**20**	**24**	**44**	**4**	**11.0**	**50**	**2**	**5**	**12**	**16**	**18**	**18**	**18**
GRAND TOTAL	**76**	**9.5**	**159**	**1**	**2**	**5**	**12**	**22**	**45**	**91**	**9**	**8.1**	**50**	**2**	**2**	**4**	**16**	**18**	**18**	**18**

FRONTAL LOBE SYNDROME (310.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	23.0		23	23	23	23	23	23	23										
ALL AGES	1	23.0		23	23	23	23	23	23	23										
SUBTOTAL	**2**	**12.5**	**221**	**2**	**2**	**12**	**23**	**23**	**23**	**23**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	1	8.0		8	8	8	8	8	8	8										
SUBTOTAL	**1**	**8.0**		**8**	**8**	**8**	**8**	**8**	**8**	**8**										
GRAND TOTAL	**3**	**11.0**	**117**	**2**	**3**	**8**	**19**	**23**	**23**	**23**										

ORGANIC PERSONALITY SYND (310.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	8.0		8	8	8	8	8	8	8										
25-34	1	11.0		11	11	11	11	11	11	11										
35-54	1	11.0		11	11	11	11	11	11	11	1	3.0		3	3	3	3	3	3	3
55-74											1	4.0		4	4	4	4	4	4	4
75 +	5	14.0	175	4	4	7	24	34	34	34										
ALL AGES	8	12.5	105	4	6	9	16	30	34	34	2	3.5	1	3	3	3	4	4	4	4
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17																				
18-24																				
25-34																				
35-54	3	15.3	83	6	8	16	22	24	24	24										
55-74	3	20.0	372	6	7	12	34	42	42	42										
75 +	3	12.7	109	2	5	13	20	23	23	23	1	8.0		8	8	8	8	8	8	8
ALL AGES	10	14.8	149	3	6	12	23	33	42	42	1	8.0		8	8	8	8	8	8	8
SUBTOTAL	**18**	**13.8**	**123**	**4**	**6**	**11**	**21**	**31**	**39**	**42**	**3**	**5.0**	**7**	**3**	**3**	**4**	**7**	**8**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	18.0		18	18	18	18	18	18	18										
25-34	2	31.5	25	28	28	31	35	35	35	35										
35-54																				
55-74	1	18.0		18	18	18	18	18	18	18										
75 +	1	26.0		26	26	26	26	26	26	26	1	34.0		34	34	34	34	34	34	34
ALL AGES	5	25.0	52	18	18	26	30	35	35	35	1	34.0		34	34	34	34	34	34	34
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	5.0	2	4	4	6	76	99 +	99 +	99 +										
55-74	1	5.0		5	5	5	5	5	5	5										
75 +	1	4.0		4	4	4	4	4	4	4	1	5.0		5	5	5	5	5	5	5
ALL AGES	4	4.8		4	4	5	29	99 +	99 +	99 +	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**9**	**16.0**	**140**	**4**	**5**	**18**	**28**	**67**	**99 +**	**99 +**	**2**	**19.5**	**421**	**5**	**5**	**19**	**34**	**34**	**34**	**34**
GRAND TOTAL	**27**	**14.5**	**126**	**4**	**5**	**12**	**23**	**35**	**48**	**99 +**	**5**	**10.8**	**172**	**3**	**4**	**5**	**14**	**34**	**34**	**34**

POSTCONCUSSION SYNDROME (310.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	17	2.2	2	1	1	1	3	5	6	6	14	1.9	1	1	1	1	3	4	4	4
13-17	4	2.0	2	1	1	2	3	4	4	4	7	2.7	2	1	2	2	4	5	5	5
18-24	13	2.6	6	1	1	2	2	6	9	10	16	2.8	4	1	1	2	3	6	7	8
25-34	12	2.1	3	1	1	1	3	5	6	6	9	3.8	4	1	2	3	5	7	7	7
35-54	12	3.2	29	1	1	1	3	9	18	20	6	4.2	1	2	4	4	5	5	5	5
55-74	6	4.2	9	2	2	3	4	9	10	10	9	3.0	3	1	2	3	4	6	6	6
75 +	1	1.0		1	1	1	1	1	1	1	2	17.0	338	4	4	17	30	30	30	30
ALL AGES	65	2.6	8	1	1	2	3	5	7	19	63	3.3	15	1	2	2	4	6	7	27
B. FEMALE																				
0-12 YRS.	5	2.2	3	1	1	2	3	5	5	5	6	2.0	1	1	1	2	2	4	4	4
13-17	3	1.7	1	1	1	1	3	3	3	3	6	1.2		1	1	1	1	2	2	2
18-24	9	1.7		1	1	2	2	3	3	3	5	3.8	13	1	2	3	5	10	10	10
25-34	11	3.3	9	1	1	3	4	8	11	11	16	4.7	13	1	2	3	7	11	12	13
35-54	12	3.2	6	1	1	2	5	7	8	8	11	3.3	4	1	2	3	4	6	8	8
55-74	7	5.7	24	1	1	5	10	13	13	13	7	4.6	10	2	2	4	6	10	11	11
75 +	2	1.5	1	1	1	1	2	2	2	2	11	5.6	9	3	4	4	7	11	13	13
ALL AGES	49	3.0	8	1	1	2	4	7	11	13	62	3.9	9	1	2	3	5	8	11	13
SUBTOTAL	**114**	**2.8**	**8**	**1**	**1**	**2**	**3**	**6**	**9**	**16**	**125**	**3.6**	**12**	**1**	**2**	**3**	**4**	**7**	**9**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
18-24	2	6.5	61	1	1	6	12	12	12	12										
25-34	7	2.7	4	1	1	3	4	6	6	6	2	1.5	1	1	1	1	2	2	2	2
35-54	4	6.8	47	1	1	5	12	16	16	16	3	4.0	3	2	3	5	5	5	5	5
55-74	3	4.0	19	1	1	2	7	9	9	9										
75 +	3	3.7		3	3	4	4	4	4	4	1	68.0		68	68	68	68	68	68	68
ALL AGES	21	4.0	17	1	1	3	5	10	14	16	7	12.1	610	1	2	2	5	55	68	68
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	6	3.7	13	1	2	2	3	10	11	11	1	15.0		15	15	15	15	15	15	15
35-54	4	4.8	8	1	3	5	7	8	8	8	2	2.5	1	2	2	2	3	3	3	3
55-74																				
75 +	2	4.0	8	2	2	4	6	6	6	6	5	9.6	39	4	4	9	14	19	19	19
ALL AGES	13	3.8	10	1	2	3	5	9	11	11	8	8.5	40	2	3	7	13	18	19	19
SUBTOTAL	**34**	**4.0**	**13**	**1**	**1**	**3**	**5**	**9**	**12**	**16**	**15**	**10.2**	**284**	**2**	**2**	**4**	**11**	**19**	**56**	**68**
GRAND TOTAL	**148**	**3.0**	**10**	**1**	**1**	**2**	**4**	**6**	**10**	**16**	**140**	**4.3**	**44**	**1**	**2**	**3**	**5**	**8**	**12**	**34**

NONPSYCHOT BRAIN SYN NEC (310.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	19.0		19	19	19	19	19	19	19	1	4.0		4	4	4	4	4	4	4
75 +											3	10.3	71	5	5	6	16	20	20	20
ALL AGES	1	19.0		19	19	19	19	19	19	19	4	8.8	56	4	4	5	13	20	20	20
B. FEMALE																				
0-12 YRS.	1	64.0		64	64	64	64	64	64	64										
13-17																				
18-24																				
25-34																				
35-54																				
55-74	3	39.3	2500	9	10	12	76	97	97	97	2	8.0	32	4	4	8	12	12	12	12
75 +	3	20.3	83	11	13	21	27	29	29	29	2	8.5	41	4	4	8	13	13	13	13
ALL AGES	7	34.7	1117	9	11	21	55	90	97	97	4	8.3	23	4	4	8	12	13	13	13
SUBTOTAL	**8**	**32.8**	**984**	**10**	**11**	**20**	**46**	**87**	**97**	**97**	**8**	**8.5**	**35**	**4**	**4**	**5**	**12**	**18**	**20**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	10.0		10	10	10	10	10	10	10
55-74																				
75 +											1	28.0		28	28	28	28	28	28	28
ALL AGES											2	19.0	162	10	10	19	28	28	28	28
SUBTOTAL	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**	**2**	**19.0**	**162**	**10**	**10**	**19**	**28**	**28**	**28**	**28**
GRAND TOTAL	**9**	**29.9**	**937**	**8**	**10**	**19**	**38**	**84**	**97**	**97**	**10**	**10.6**	**65**	**4**	**4**	**8**	**13**	**24**	**28**	**28**

NONPSYCHOT BRAIN SYN NOS (310.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	3.0		3	3	3	3	3	3	3
25-34																				
35-54											1	1.0		1	1	1	1	1	1	1
55-74	6	18.5	259	6	8	16	42	90	99 +	99 +	6	7.2	29	2	3	6	9	16	17	17
75 +	14	16.7	94	5	10	15	26	29	32	33	22	15.8	417	3	5	9	13	71	82	99 +
ALL AGES	20	17.3	131	6	8	16	26	39	71	99 +	30	13.1	330	2	4	8	11	55	72	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	2.0		2	2	2	2	2	2	2
25-34											1	2.0		2	2	2	2	2	2	2
35-54	3	22.7	18	18	19	23	26	27	27	27										
55-74	7	10.0	39	3	5	10	18	76	99 +	99 +	3	5.7	9	3	3	5	8	9	9	9
75 +	23	15.4	257	5	6	10	20	44	83	99 +	50	18.6	354	4	6	13	28	53	85	99 +
ALL AGES	33	14.9	197	4	6	12	21	40	94	99 +	55	17.3	339	3	5	9	27	52	81	99 +
SUBTOTAL	**53**	**15.8**	**171**	**5**	**7**	**14**	**24**	**39**	**93**	**99 +**	**85**	**15.8**	**336**	**3**	**5**	**9**	**21**	**52**	**74**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74	7	23.0	400	5	7	19	34	56	60	60	2	8.5	113	1	5	16	79	99 +	99 +	99 +
75 +	4	11.0	97	2	4	13	43	99 +	99 +	99 +	4	7.3	46	2	2	5	12	17	17	17
ALL AGES	12	17.3	299	2	5	13	28	68	94	99 +	6	7.7	50	1	2	7	17	83	99 +	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	7.0		7	7	7	7	7	7	7										
25-34	1	4.0		4	4	4	4	4	4	4										
35-54											1	7.0		7	7	7	7	7	7	7
55-74	6	16.5	308	2	5	12	17	47	50	50	4	4.3	6	3	3	3	6	8	8	8
75 +	10	21.2	241	6	7	18	32	43	52	52	21	12.7	109	5	6	10	13	30	37	44
ALL AGES	18	17.9	243	4	7	11	28	45	51	52	26	11.2	98	3	6	8	12	27	34	44
SUBTOTAL	**30**	**17.6**	**258**	**3**	**6**	**12**	**27**	**51**	**60**	**99 +**	**32**	**10.5**	**90**	**3**	**5**	**7**	**13**	**29**	**42**	**99 +**
GRAND TOTAL	**83**	**16.5**	**199**	**4**	**6**	**13**	**25**	**46**	**80**	**99 +**	**117**	**14.4**	**272**	**3**	**5**	**8**	**17**	**44**	**72**	**99 +**

DEPRESSIVE DISORDER NEC (311.)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	5.5	41	1	1	5	10	10	10	10	2	2.5	5	1	1	2	4	4	4	4
18-24	4	6.3	35	2	2	4	10	15	15	15	2	3.5	5	2	2	3	5	5	5	5
25-34	6	11.5	48	1	6	13	17	19	19	19	4	3.5	7	1	1	3	5	7	7	7
35-54	6	10.0	44	1	3	12	15	17	17	17	3	5.0	1	4	4	5	6	6	6	6
55-74	10	11.8	96	2	6	7	16	27	33	33	8	5.8	18	2	3	5	6	13	16	16
75 +	2	38.0	288	26	26	38	50	50	50	50	6	5.7	32	2	2	4	5	16	17	17
ALL AGES	30	12.0	115	1	4	10	16	24	33	50	25	4.8	15	2	2	4	5	7	16	17
B. FEMALE																				
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17	6	12.0	130	1	2	10	19	28	29	29	2	3.5	1	3	3	3	4	4	4	4
18-24	14	9.1	61	1	3	8	13	19	28	30	5	8.2	144	1	1	2	13	29	29	29
25-34	22	8.2	47	1	1	7	13	18	22	22	11	2.4	2	1	1	2	3	4	5	5
35-54	22	9.3	86	2	4	6	11	23	34	35	7	3.4	8	1	1	3	4	8	9	9
55-74	17	12.8	130	2	5	9	16	34	40	41	15	6.5	13	2	4	6	9	12	13	14
75 +	17	14.5	159	3	5	11	24	35	40	42	27	11.9	126	2	4	7	18	28	39	42
ALL AGES	98	10.7	97	1	4	8	14	27	34	42	68	7.7	75	1	2	5	9	21	28	41
SUBTOTAL	**128**	**11.0**	**101**	**1**	**4**	**8**	**15**	**25**	**33**	**44**	**93**	**6.9**	**61**	**1**	**2**	**4**	**7**	**16**	**26**	**40**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	22.0		22	22	22	22	22	22	22										
13-17											4	3.5	10	1	1	2	5	8	8	8
18-24	7	10.0	74	2	3	7	15	24	26	26	5	4.4	26	1	1	2	7	13	13	13
25-34	25	7.4	38	2	3	5	10	17	21	23	5	2.2	1	1	1	2	3	3	3	3
35-54	23	12.9	150	2	4	10	17	24	41	56	10	5.9	18	2	3	5	6	13	14	14
55-74	5	10.8	143	1	2	8	16	31	31	31	4	8.5	27	2	4	9	12	14	14	14
75 +	3	49.7	1379	9	21	58	76	82	82	82	5	10.0	30	4	5	11	13	18	18	18
ALL AGES	64	12.1	206	2	3	8	16	23	40	79	33	5.8	22	1	2	4	9	13	14	18
B. FEMALE																				
0-12 YRS.																				
13-17	3	17.3	322	2	5	13	31	37	37	37	2	10.5	113	3	3	10	18	18	18	18
18-24	14	16.9	238	4	6	12	24	35	54	59	3	2.0	3	1	1	1	3	4	4	4
25-34	32	8.8	97	1	3	5	11	21	37	41	7	5.3	16	1	1	4	9	10	10	10
35-54	24	11.3	56	3	5	11	15	24	28	28	8	4.3	46	1	1	2	3	16	21	21
55-74	13	14.0	117	2	3	15	22	28	30	31	3	4.3	6	3	3	3	6	7	7	7
75 +	4	13.3	48	4	8	14	18	21	21	21	9	12.2	64	2	5	13	18	22	24	24
ALL AGES	90	12.0	116	2	4	9	16	27	32	52	32	6.9	49	1	2	4	10	19	21	24
SUBTOTAL	**154**	**12.0**	**153**	**2**	**4**	**9**	**16**	**27**	**33**	**59**	**65**	**6.3**	**35**	**1**	**2**	**4**	**10**	**17**	**19**	**24**
GRAND TOTAL	**282**	**11.6**	**128**	**2**	**4**	**8**	**15**	**26**	**33**	**57**	**158**	**6.7**	**49**	**1**	**2**	**4**	**8**	**16**	**22**	**37**

UNSOCIALIZED AGGRESSION (312.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	36.5	652	8	24	32	43	78	82	82	5	21.4	753	1	1	7	41	64	64	64
13-17	5	7.8	43	1	1	9	14	14	14	14										
18-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	12	21.7	553	1	4	14	32	55	78	82	5	21.4	753	1	1	7	41	64	64	64
B. FEMALE																				
0-12 YRS.	3	13.3	458	1	1	1	29	38	38	38	3	26.7	44	19	21	29	31	32	32	32
13-17	2	7.0	50	2	2	7	12	12	12	12										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	10.8	253	1	1	2	18	38	38	38	3	26.7	44	19	21	29	31	32	32	32
SUBTOTAL	**17**	**18.5**	**469**	**1**	**2**	**12**	**30**	**42**	**68**	**82**	**8**	**23.4**	**450**	**1**	**4**	**24**	**33**	**55**	**64**	**64**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	41.6	512	21	22	47	70	97	99 +	99 +	6	21.0	230	1	11	19	33	41	42	42
13-17	4	38.0	697	1	20	44	56	62	62	62	1	1.0		1	1	1	1	1	1	1
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	9	40.0	521	11	22	44	62	85	99 +	99 +	7	18.1	251	1	3	14	31	40	42	42
B. FEMALE																				
0-12 YRS.																				
13-17	3	3.3	7	1	1	3	5	6	6	6	1	26.0		26	26	26	26	26	26	26
18-24																				
25-34	2	15.0	50	10	10	15	20	20	20	20										
35-54											2	2.0	2	1	1	1	3	3	3	3
55-74																				
75 +																				
ALL AGES	5	8.0	57	1	2	6	12	20	20	20	3	10.0	193	1	1	3	20	26	26	26
SUBTOTAL	**14**	**28.6**	**589**	**1**	**7**	**22**	**58**	**70**	**92**	**99 +**	**10**	**15.7**	**224**	**1**	**1**	**12**	**26**	**37**	**42**	**42**
GRAND TOTAL	**31**	**23.0**	**535**	**1**	**3**	**17**	**38**	**64**	**81**	**99 +**	**18**	**19.1**	**320**	**1**	**1**	**16**	**32**	**40**	**55**	**64**

UNSOCIALIZ, UNAGGRESSIVE (312.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	20.0		20	20	20	20	20	20	20
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	20.0		20	20	20	20	20	20	20
B. FEMALE																				
0-12 YRS.																				
13-17	1	92.0		92	92	92	92	92	92	92										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	92.0		92	92	92	92	92	92	92										
SUBTOTAL	**1**	**92.0**		**92**	**92**	**92**	**92**	**92**	**92**	**92**	**1**	**20.0**		**20**	**20**	**20**	**20**	**20**	**20**	**20**
GRAND TOTAL	**1**	**92.0**		**92**	**92**	**92**	**92**	**92**	**92**	**92**	**1**	**20.0**		**20**	**20**	**20**	**20**	**20**	**20**	**20**

SOCIALIZED CONDUCT DIS (312.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	39.5	2381	5	22	74	93	99 +	99 +	99 +	1	13.0		13	13	13	13	13	13	13
13-17	4	14.5	123	4	5	13	23	28	28	28										
18-24	1	21.0		21	21	21	21	21	21	21										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	7	22.6	596	4	6	20	51	92	99 +	99 +	1	13.0		13	13	13	13	13	13	13
B. FEMALE																				
0-12 YRS.	1	30.0		30	30	30	30	30	30	30										
13-17	9	21.7	393	3	8	15	36	54	60	60	1	8.0		8	8	8	8	8	8	8
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	10	22.5	358	3	10	15	34	52	60	60	1	8.0		8	8	8	8	8	8	8
SUBTOTAL	**17**	**22.5**	**427**	**3**	**7**	**17**	**34**	**70**	**90**	**99 +**	**2**	**10.5**	**13**	**8**	**8**	**10**	**13**	**13**	**13**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	88.0		88	88	88	88	88	88	88	1	27.0		27	27	27	27	27	27	27
13-17	9	21.9	843	2	4	10	28	73	88	88										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	10	28.5	1187	2	5	11	51	88	88	88	1	27.0		27	27	27	27	27	27	27
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	11	23.8	885	3	7	13	20	79	94	95										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	11	23.8	885	3	7	13	20	79	94	95	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**21**	**26.0**	**984**	**3**	**6**	**12**	**28**	**88**	**91**	**95**	**2**	**14.0**	**338**	**1**	**1**	**14**	**27**	**27**	**27**	**27**
GRAND TOTAL	**38**	**24.5**	**716**	**3**	**6**	**15**	**33**	**82**	**92**	**99 +**	**4**	**12.3**	**119**	**1**	**4**	**10**	**20**	**27**	**27**	**27**

IMPULSE CONTROL DIS NEC (312.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	3.5	1	3	3	3	4	4	4	4										
13-17	2	14.0	72	8	8	14	20	20	20	20	1	17.0		17	17	17	17	17	17	17
18-24	6	2.3	2	1	1	2	3	4	4	4										
25-34	5	15.4	519	3	4	6	20	56	56	56										
35-54	1	15.0		15	15	15	15	15	15	15										
55-74	1	19.0		19	19	19	19	19	19	19										
75 +																				
ALL AGES	17	9.4	180	1	3	4	10	20	43	56	1	17.0		17	17	17	17	17	17	17
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	3	40.7	302	23	27	41	54	58	58	58										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	31.0	578	2	12	32	49	58	58	58										
SUBTOTAL	**21**	**13.5**	**306**	**1**	**3**	**4**	**19**	**47**	**57**	**58**	**1**	**17.0**		**17**	**17**	**17**	**17**	**17**	**17**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	27.0		27	27	27	27	27	27	27
13-17	1	1.0		1	1	1	1	1	1	1	1	13.0		13	13	13	13	13	13	13
18-24	9	9.3	74	1	2	8	17	22	24	24										
25-34	9	8.4	21	4	5	8	11	15	17	17										
35-54	4	10.8	41	1	6	13	14	15	15	15	1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	23	8.9	43	1	3	8	14	17	20	24	3	14.3	147	3	5	13	23	27	27	27
B. FEMALE																				
0-12 YRS.	1	35.0		35	35	35	35	35	35	35										
13-17	1	34.0		34	34	34	34	34	34	34										
18-24	3	12.3	91	5	6	9	19	23	23	23										
25-34	1	70.0		70	70	70	70	70	70	70										
35-54	1	9.0		9	9	9	9	9	9	9										
55-74																				
75 +																				
ALL AGES	7	26.4	520	6	9	23	35	63	70	70										
SUBTOTAL	**30**	**13.0**	**196**	**1**	**5**	**9**	**17**	**29**	**35**	**70**	**3**	**14.3**	**147**	**3**	**5**	**13**	**23**	**27**	**27**	**27**
GRAND TOTAL	**51**	**13.2**	**237**	**1**	**3**	**8**	**17**	**34**	**55**	**70**	**4**	**15.0**	**99**	**3**	**8**	**15**	**22**	**27**	**27**	**27**

MIX DIS CONDUCT/EMOTION (312.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	8.0		8	8	8	8	8	8	8	1	4.0		4	4	4	4	4	4	4
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	8.0		8	8	8	8	8	8	8	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	1	47.0		47	47	47	47	47	47	47										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	47.0		47	47	47	47	47	47	47										
SUBTOTAL	2	27.5	761	8	8	27	47	47	47	47	1	4.0		4	4	4	4	4	4	4
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	19.0		19	19	19	19	19	19	19										
13-17																				
18-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	2	10.0	162	1	1	9	19	19	19	19										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	2	10.0	162	1	1	9	19	19	19	19										
GRAND TOTAL	4	18.8	407	1	4	13	33	47	47	47	1	4.0		4	4	4	4	4	4	4

OTHER CONDUCT DISTURB (312.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	16.0	880	1	2	3	21	69	69	69	1	36.0		36	36	36	36	36	36	36
13-17	1	18.0		18	18	18	18	18	18	18	1	6.0		6	6	6	6	6	6	6
18-24	1	11.0		11	11	11	11	11	11	11										
25-34																				
35-54	1	27.0		27	27	27	27	27	27	27										
55-74																				
75 +																				
ALL AGES	8	17.0	523	1	2	8	22	56	69	69	2	21.0	450	6	6	21	36	36	36	36
B. FEMALE																				
0-12 YRS.											2	1.5	1	1	1	1	2	2	2	2
13-17	2	13.0	162	4	4	13	22	22	22	22										
18-24	1	4.0		4	4	4	4	4	4	4										
25-34																				
35-54																				
55-74																				
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	3	10.0	108	4	4	4	18	22	22	22	3	1.7		1	1	2	2	2	2	2
SUBTOTAL	**11**	**15.1**	**398**	**2**	**3**	**5**	**21**	**44**	**67**	**69**	**5**	**9.4**	**225**	**1**	**2**	**2**	**13**	**36**	**36**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	1.5	1	1	1	1	2	2	2	2										
13-17	5	26.2	934	3	8	20	79	98	99 +	99 +										
18-24	1	9.0		9	9	9	9	9	9	9										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	8	17.9	670	1	3	9	37	92	99 +	99 +										
B. FEMALE																				
0-12 YRS.																				
13-17	2	1.5	1	1	1	1	2	2	2	2										
18-24																				
25-34																				
35-54	1	9.0		9	9	9	9	9	9	9	2	2.0	2	1	1	2	3	3	3	3
55-74																				
75 +																				
ALL AGES	3	4.0	19	1	1	2	7	9	9	9	2	2.0	2	1	1	2	3	3	3	3
SUBTOTAL	**11**	**14.1**	**515**	**1**	**2**	**8**	**20**	**85**	**98**	**99 +**	**2**	**2.0**	**2**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
GRAND TOTAL	**22**	**14.6**	**435**	**1**	**2**	**8**	**21**	**71**	**86**	**99 +**	**7**	**7.3**	**163**	**1**	**1**	**2**	**5**	**30**	**36**	**36**

CONDUCT DISTURBANCE NOS (312.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	11	16.0	284	2	3	11	34	64	95	99 +	1	20.0		20	20	20	20	20	20	20
13-17	8	15.1	162	2	6	12	24	35	36	36	3	13.3	96	5	6	11	21	24	24	24
18-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	20	15.0	217	1	3	10	29	43	71	99 +	4	15.0	74	5	8	15	22	24	24	24
B. FEMALE																				
0-12 YRS.	6	24.3	753	2	2	18	34	67	71	71	1	15.0		15	15	15	15	15	15	15
13-17	11	24.5	591	2	9	13	38	67	71	71	1	1.0		1	1	1	1	1	1	1
18-24																				
25-34																				
35-54											1	5.0		5	5	5	5	5	5	5
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	18	23.2	596	2	2	12	34	69	71	71	3	7.0	52	1	2	5	12	15	15	15
SUBTOTAL	**38**	**18.8**	**406**	**2**	**3**	**10**	**33**	**58**	**71**	**99 +**	**7**	**11.6**	**72**	**2**	**5**	**11**	**19**	**23**	**24**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	26.5	41	22	22	26	31	31	31	31	6	17.5	117	4	12	15	27	32	33	33
13-17	11	13.8	164	1	4	10	23	35	37	37										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	13	15.8	161	2	5	12	26	35	37	37	6	17.5	117	4	12	15	27	32	33	33
B. FEMALE																				
0-12 YRS.	1	7.0		7	7	53	99 +	99 +	99 +	99 +										
13-17	9	12.7	52	2	8	13	17	23	25	25										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	10	12.1	51	3	8	13	18	55	96	99 +										
SUBTOTAL	**23**	**14.2**	**112**	**2**	**5**	**12**	**23**	**34**	**56**	**99 +**	**6**	**17.5**	**117**	**4**	**12**	**15**	**27**	**32**	**33**	**33**
GRAND TOTAL	**61**	**17.1**	**295**	**2**	**3**	**12**	**27**	**43**	**71**	**99 +**	**13**	**14.3**	**95**	**3**	**5**	**14**	**21**	**28**	**32**	**33**

OVERANXIOUS DISORDER (313.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	19.2	35	8	21	21	22	23	23	23										
13-17	3	13.3	122	1	4	17	21	22	22	22	1	22.0		22	22	22	22	22	22	22
18-24	1	5.0		5	5	5	5	5	5	5										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	10	16.0	69	2	7	21	22	23	23	23	1	22.0		22	22	22	22	22	22	22
B. FEMALE																				
0-12 YRS.																				
13-17	3	19.7	70	10	13	23	25	26	26	26										
18-24	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	15.5	118	3	6	16	24	26	26	26	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**14**	**15.9**	**74**	**3**	**7**	**21**	**22**	**24**	**25**	**26**	**2**	**11.5**	**221**	**1**	**1**	**11**	**22**	**22**	**22**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	58.0		58	58	58	58	58	58	58	3	23.3	668	2	5	16	43	52	52	52
13-17	1	21.0		21	21	21	21	21	21	21										
18-24	2	9.0	72	3	3	9	15	15	15	15										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	24.3	559	3	9	18	39	58	58	58	3	23.3	668	2	5	16	43	52	52	52
B. FEMALE																				
0-12 YRS.	1	60.0		60	60	60	60	60	60	60										
13-17	2	12.5	265	1	1	12	24	24	24	24	1	49.0		49	49	49	49	49	49	49
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	28.3	887	1	7	24	51	60	60	60	1	49.0		49	49	49	49	49	49	49
SUBTOTAL	**7**	**26.0**	**581**	**1**	**6**	**21**	**49**	**60**	**60**	**60**	**4**	**29.8**	**604**	**2**	**9**	**32**	**50**	**52**	**52**	**52**
GRAND TOTAL	**21**	**19.2**	**249**	**2**	**6**	**21**	**23**	**39**	**59**	**60**	**6**	**23.7**	**496**	**1**	**2**	**19**	**49**	**52**	**52**	**52**

RELATIONSHIP PROBLEMS (313.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6										
SUBTOTAL	1	6.0		6	6	6	6	6	6	6										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	6.0		6	6	6	6	6	6	6										

OTH EMOTIONAL DIS CHILD (313.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	32	35.2	484	9	18	31	46	68	76	82	4	21.3	17	16	17	22	25	25	25	25
13-17	16	14.6	109	1	6	16	20	26	36	41	1	20.0		20	20	20	20	20	20	20
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	48	28.3	452	4	14	21	41	63	70	82	5	21.0	16	16	18	20	25	25	25	25
B. FEMALE																				
0-12 YRS.	10	40.4	798	7	27	32	61	81	99	99	1	30.0		30	30	30	30	30	30	30
13-17	11	15.1	28	8	10	17	20	21	22	22	1	12.0		12	12	12	12	12	12	12
18-24	3	10.0	117	1	2	7	18	22	22	22										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	24	25.0	514	6	10	19	29	61	74	99	2	21.0	162	12	12	21	30	30	30	30
SUBTOTAL	**72**	**27.2**	**468**	**5**	**12**	**20**	**41**	**63**	**69**	**95**	**7**	**21.0**	**37**	**13**	**17**	**20**	**25**	**29**	**30**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	12	62.3	167	53	57	58	74	92	98	99 +	6	25.3	57	15	21	25	31	35	35	35
13-17	6	24.5	326	4	9	21	43	48	49	49	2	9.5	41	5	5	9	14	14	14	14
18-24	1	24.0		24	24	24	24	24	24	24										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	19	48.3	550	15	33	56	58	87	95	99 +	8	21.4	97	8	14	23	28	34	35	35
B. FEMALE																				
0-12 YRS.	6	51.0	1001	12	25	58	85	97	99 +	99 +										
13-17	8	19.0	466	3	5	13	21	55	69	69										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	14	32.7	907	4	9	20	66	87	97	99 +										
SUBTOTAL	**33**	**41.7**	**737**	**7**	**18**	**56**	**58**	**87**	**97**	**99 +**	**8**	**21.4**	**97**	**8**	**14**	**23**	**28**	**34**	**35**	**35**
GRAND TOTAL	**105**	**31.8**	**589**	**5**	**14**	**23**	**56**	**69**	**85**	**99 +**	**15**	**21.2**	**65**	**12**	**15**	**21**	**26**	**31**	**34**	**35**

EMOTIONAL DIS CHILD NOS (313.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	1.0		1	1	1	1	1	1	1										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
SUBTOTAL	1	5.0		5	5	5	5	5	5	5										
GRAND TOTAL	2	3.0	8	1	1	3	5	5	5	5										

ATTENTION DEFICIT DIS (314.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	34	43.8	427	19	34	48	63	95	99+	99+	10	18.3	161	2	4	20	26	35	37	37
13-17	8	26.4	138	15	16	27	29	45	51	51										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	42	40.5	414	17	27	43	59	85	99+	99+	10	18.3	161	2	4	20	26	35	37	37
B. FEMALE																				
0-12 YRS.	5	42.4	607	2	32	45	59	67	67	67										
13-17	1	22.0		22	22	22	22	22	22	22										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	6	39.0	555	4	22	43	56	66	67	67										
SUBTOTAL	**48**	**40.3**	**421**	**17**	**26**	**43**	**58**	**84**	**99+**	**99+**	**10**	**18.3**	**161**	**2**	**4**	**20**	**26**	**35**	**37**	**37**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	13	32.3	809	4	16	24	46	77	94	98	10	24.7	251	6	12	21	42	45	48	48
13-17	5	15.0	138	1	3	20	24	27	27	27										
18-24	2	37.0	578	20	20	37	54	54	54	54										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	20	28.5	633	3	12	22	35	65	85	98	10	24.7	251	6	12	21	42	45	48	48
B. FEMALE																				
0-12 YRS.	1	29.0		29	29	64	99+	99+	99+	99+	1	26.0		26	26	26	26	26	26	26
13-17	1	21.0		21	21	21	21	21	21	21										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	25.0	32	21	23	29	82	99+	99+	99+	1	26.0		26	26	26	26	26	26	26
SUBTOTAL	**22**	**28.1**	**580**	**3**	**19**	**23**	**39**	**77**	**99**	**99+**	**11**	**24.8**	**227**	**6**	**12**	**23**	**40**	**45**	**48**	**48**
GRAND TOTAL	**70**	**36.5**	**493**	**6**	**21**	**37**	**56**	**83**	**99+**	**99+**	**21**	**21.7**	**197**	**3**	**11**	**22**	**33**	**42**	**45**	**48**

HYPERKINETIC CONDUCT DIS (314.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	90.0		90	90	90	90	90	90	90										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	90.0		90	90	90	90	90	90	90										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	90.0		90	90	90	90	90	90	90										
GRAND TOTAL	1	90.0		90	90	90	90	90	90	90										

HYPERKINETIC SYND NOS (314.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES											1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											1	4.0		4	4	4	4	4	4	4
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL											1	4.0		4	4	4	4	4	4	4

Appendix

Appendix A: Table 1

HOSPITAL CHARACTERISTICS

SHORT-TERM, NONFEDERAL HOSPITALS[1]

	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS			HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS			TOTAL		
	U.S.[2] Total	LOS Sample	% of U.S.[3] Total	U.S. Total	LOS Sample	% of U.S. Total	U.S.	LOS Sample	% of U.S.
All Hospitals	1,427	306	21.4	4,078	643	15.8	5,505	949	17.2
Control									
Public	237	39	16.5	1,276	159	12.5	1,513	198	13.1
Private	1,187	264	22.2	2,802	484	17.3	3,989	748	18.8
Unavailable	3	3					3	3	
Bedsize									
<100 Beds	127	36	28.3	2,605	403	15.5	2,732	439	16.1
100-199	322	76	23.6	834	134	16.1	1,156	210	18.2
200-299	321	64	19.9	404	56	13.9	725	120	16.6
300-399	263	55	20.9	138	30	21.7	401	85	21.2
400-499	152	30	19.7	55	10	18.2	207	40	19.3
500+	242	45	18.6	42	10	23.8	284	55	19.4
Teaching Intensity									
Low	748	154	20.6	3,724	552	14.8	4,472	706	15.8
Medium	419	100	23.9	293	69	23.5	712	169	23.7
High	254	46	18.1	54	15	27.8	308	61	19.8
Unavailable	6	6		7	7		13	13	
Location									
Rural	283	66	23.3	2,292	347	15.1	2,575	413	16.0
Urban	1,144	240	21.0	1,786	296	16.6	2,930	536	18.3

---

[1] Hospitals with average stay less than 30 days.

[2] 1988 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

[3] The percent of hospitals may be underestimated since the 1989 sample is compared to the universe of hospitals in 1988.

Appendix A: Table 2

HOSPITAL CHARACTERISTICS

HOSPITALS WITH PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx [1]	% [2]
All Hospitals	306	100.0	151,586	100.0
Control				
Public	39	12.7	17,008	11.2
Private	264	86.3	134,210	88.5
Unavailable	3	1.0	368	.2
Bedsize				
<100 Beds	36	11.8	4,924	3.2
100-199	76	24.8	27,459	18.1
200-299	64	20.9	27,959	18.4
300-399	55	18.0	35,071	23.1
400-499	30	9.8	19,334	12.8
500+	45	14.7	36,839	24.3
Program Intensity				
Low	154	50.3	61,388	40.5
Medium	100	32.7	60,629	40.0
High	46	15.0	28,789	19.0
Unavailable	6	2.0	780	.5
Location				
Rural	66	21.6	21,650	14.3
Urban	240	78.4	129,936	85.7

---

[1] This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

[2] The denominator used to calculate the percentages is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

Appendix A: Table 3

HOSPITAL CHARACTERISTICS

HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx[1]	%[2]
All Hospitals	643	100.0	49,399	100.0
Control				
Public	159	24.7	5,981	12.1
Private	484	75.3	43,418	87.9
Bedsize				
<100 Beds	403	62.7	16,982	34.4
100-199	134	20.8	14,521	29.4
200-299	56	8.7	8,596	17.4
300-399	30	4.7	2,870	5.8
400-499	10	1.6	3,110	6.3
500+	10	1.6	3,320	6.7
Program Intensity				
Low	552	85.8	35,848	72.6
Medium	69	10.7	10,539	21.3
High	15	2.3	2,296	4.6
Unavailable	7	1.1	716	1.6
Location				
Rural	347	54.0	15,670	31.7
Urban	296	46.0	33,729	68.3

---

[1] This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

[2] The denominator used to calculate the percentages is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

APPENDIX B

DESCRIPTION OF HOSPITAL CHARACTERISTICS

Hospitals With or Without a Psychiatric Unit or Beds

Nonfederal, short-term general hospitals that reported a psychiatric acute care unit or beds are included in the hospitals with psychiatric unit/beds category.[1] Nonfederal, short-term general hospitals that did not indicate having a psychiatric acute care unit or beds are included in the hospitals without a psychiatric unit/beds category.

Hospitals in both categories can, however, offer the following services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization.

Location: Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1988 AHA Annual Survey of Hospitals magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai.[2] The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Healthcare Organizations
- Residency approved by Accreditation Council for Graduate Medical Education
- Medical School Affiliation reported by American Medical Association
- Hospital-controlled professional nursing school, reported by National League for Nursing
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

Control: Public/Private Hospitals

A public hospital is a nonfederal, government-operated hospital, e.g., state, county, city, or hospital authority. A private hospital includes both nongovernment not-for-profit and investor-owned (for-profit) facilities.

---

[1] 1988 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

[2] Phillip, P.J., and Hai, Abdul, An Index of Programs for Hospitals, American Hospital Association, Chicago, Illinois, 1976.

APPENDIX C

STATE INCLUSIONS BY REGION

Northeast
Connecticut
Maine
Massachusetts
New Hampshire
New Jersey
New York
Pennsylvania
Rhode Island
Vermont

North Central
Illinois
Indiana
Iowa
Kansas
Michigan
Minnesota
Missouri
Nebraska
North Dakota
Ohio
South Dakota
Wisconsin

South
Alabama
Arkansas
Delaware
District of Columbia
Florida
Georgia
Kentucky
Louisiana
Maryland
Mississippi
North Carolina
Oklahoma
South Carolina
Tennessee
Texas
Virginia
West Virginia

West
Alaska
Arizona
California
Colorado
Hawaii
Idaho
Montana
Nevada
New Mexico
Oregon
Utah
Washington
Wyoming


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

APPENDIX D

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
	All psychiatric diagnosis codes (Summary Table)	2
290	**Senile and presenile organic psychotic conditions**	
290.0	Senile dementia, uncomplicated	3
290.1	Presenile dementia	4
290.10	Presenile dementia, uncomplicated	4
290.11	Presenile dementia with delirium	4
290.12	Presenile dementia with delusional features	4
290.13	Presenile dementia with depressive features	4
290.2	Senile dementia with delusional or depressive features	5
290.20	Senile dementia with delusional features	5
290.21	Senile dementia with depressive features	5
290.3	Senile dementia with delirium	6
290.4	Arteriosclerotic dementia	7
290.40	Arteriosclerotic dementia, uncomplicated	7
290.41	Arteriosclerotic dementia with delirium	7
290.42	Arteriosclerotic dementia with delusional features	7
290.43	Arteriosclerotic dementia with depressive features	7
290.8	Other specified senile psychotic conditions	8
290.9	Unspecified senile psychotic condition	9
291	**Alcoholic psychoses**	
291.0	Alcohol withdrawal delirium	10
291.1	Alcohol amnestic syndrome	11
291.2	Other alcoholic dementia	12
291.3	Alcohol withdrawal hallucinosis	13
291.4	Idiosyncratic alcohol intoxication	14
291.5	Alcoholic jealousy	15
291.8	Other specified alcoholic psychosis	16
291.9	Unspecified alcoholic psychosis	17
292	**Drug psychoses**	
292.0	Drug withdrawal syndrome	18
292.1	Paranoid and/or hallucinatory states induced by drugs	19
292.11	Drug-induced organic delusional syndrome	19
292.12	Drug-induced hallucinosis	19
292.2	Pathological drug intoxication	20
292.8	Other specified drug-induced mental disorders	21
292.81	Drug-induced delirium	21
292.82	Drug-induced dementia	21
292.83	Drug-induced amnestic syndrome	21
292.84	Drug-induced organic affective syndrome	21
292.89	Other specified drug-induced mental disorders	21
292.9	Unspecified drug-induced mental disorder	22
293	**Transient organic psychotic conditions**	
293.0	Acute delirium	23
293.1	Subacute delirium	24
293.8	Other specified transient organic mental disorders	25
293.81	Organic delusional syndrome	25
293.82	Organic hallucinosis syndrome	25

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
293.83	Organic affective syndrome	25
293.89	Other specified transient organic mental disorders	25
293.9	Unspecified transient organic mental disorder	26
294	**Other organic psychotic conditions (chronic)**	
294.0	Amnestic syndrome	27
294.1	Dementia in conditions classified elsewhere	28
294.8	Other specified organic brain syndromes (chronic)	29
294.9	Unspecified organic brain syndrome (chronic)	30
295	**Schizophrenic disorders**	
	Fifth-digit subclassification for use with 295: 0 Unspecified state 1 Subchronic state 2 Chronic state 3 Subchronic state with acute exacerbation 4 Chronic state with acute exacerbation 5 In remission	
295.0	Simple type schizophrenia	31
295.1	Disorganized type schizophrenia	32
295.2	Catatonic type schizophrenia	33
295.3	Paranoid type schizophrenia	34
295.4	Acute schizophrenic episode	35
295.5	Latent schizophrenia	36
295.6	Residual schizophrenia	37
295.7	Schizo-affective type schizophrenia	38
295.8	Other specified types of schizophrenia	39
295.9	Unspecified schizophrenia	40
296	**Affective psychoses**	
	Fifth-digit subclassification for use with 296.0-296.6: 0 Unspecified degree 1 Mild degree 2 Moderate degree 3 Severe degree, without mention of psychotic behavior 4 Severe degree, specified as with psychotic behavior 5 In partial or unspecified remission 6 In full remission	
296.0	Manic disorder, single episode	41
296.1	Manic disorder, recurrent episode	42
296.2	Major depressive disorder, single episode	43
296.3	Major depressive disorder, recurrent episode	44
296.4	Bipolar affective disorder, manic	45
296.5	Bipolar affective disorder, depressed	46
296.6	Bipolar affective disorder, mixed	47
296.7	Bipolar affective disorder, unspecified	48
296.8	Manic-depressive psychosis, other and unspecified	49
296.80	Manic-depressive psychosis, unspecified	49
296.81	Atypical manic disorder	49
296.82	Atypical depressive disorder	49
296.89	Other manic-depressive psychosis	49
296.9	Other and unspecified affective psychoses	50
296.90	Unspecified affective psychosis	50

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
296.99	Other specified affective psychoses	50
297	**Paranoid states**	
297.0	Paranoid state, simple	51
297.1	Paranoia	52
297.2	Paraphrenia	53
297.3	Shared paranoid disorder	54
297.8	Other specified paranoid states	55
297.9	Unspecified paranoid state	56
298	**Other nonorganic psychoses**	
298.0	Depressive type psychosis	57
298.1	Excitative type psychosis	58
298.2	Reactive confusion	59
298.3	Acute paranoid reaction	60
298.8	Other and unspecified reactive psychosis	61
298.9	Unspecified psychosis	62
299	**Psychoses with origin specific to childhood** Fifth-digit subclassification for use with 299: 0 Current or active 1 Residual state	
299.0	Infantile autism	63
299.8	Other specified early childhood psychoses	64
299.9	Unspecified childhood psychosis	65
300	**Neurotic disorders**	
300.0	Anxiety states	66
300.00	Anxiety state, unspecified	66
300.01	Panic disorder	66
300.02	Generalized anxiety disorder	66
300.09	Other anxiety states	66
300.1	Hysteria	67
300.10	Hysteria, unspecified	67
300.11	Conversion disorder	67
300.12	Psychogenic amnesia	67
300.13	Psychogenic fugue	67
300.14	Multiple personality	67
300.15	Dissociative disorder or reaction, unspecified	67
300.16	Factitious illness with psychological symptoms	67
300.19	Other and unspecified factitious illness	67
300.2	Phobic disorders	68
300.20	Phobia, unspecified	68
300.21	Agoraphobia with panic attacks	68
300.22	Agoraphobia without mention of panic attacks	68
300.23	Social phobia	68
300.29	Other isolated or simple phobias	68
300.3	Obsessive-compulsive disorders	69
300.4	Neurotic depression	70
300.5	Neurasthenia	71
300.6	Depersonalization syndrome	72
300.7	Hypochondriasis	73
300.8	Other neurotic disorders	74
300.81	Somatization disorder	74

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
300.89	Other neurotic disorders	74
300.9	Unspecified neurotic disorder	75
301	**Personality disorders**	
301.0	Paranoid personality disorder	76
301.1	Affective personality disorder	77
301.10	Affective personality disorder, unspecified	77
301.11	Chronic hypomanic personality disorder	77
301.12	Chronic depressive personality disorder	77
301.13	Cyclothymic disorder	77
301.2	Schizoid personality disorder	78
301.20	Schizoid personality disorder, unspecified	78
301.21	Introverted personality	78
301.22	Schizotypal personality	78
301.3	Explosive personality disorder	79
301.4	Compulsive personality disorder	80
301.5	Histrionic personality disorder	81
301.50	Histrionic personality disorder, unspecified	81
301.51	Chronic factitious illness with physical symptoms	81
301.59	Other histrionic personality disorder	81
301.6	Dependent personality disorder	82
301.7	Antisocial personality disorder	83
301.8	Other personality disorders	84
301.81	Narcissistic personality	84
301.82	Avoidant personality	84
301.83	Borderline personality	84
301.84	Passive-aggressive personality	84
301.89	Other personality disorders	84
301.9	Unspecified personality disorder	85
302	**Sexual deviations and disorders**	
302.2	Pedophilia	86
302.4	Exhibitionism	87
302.5	Trans-sexualism	88
302.50	Trans-sexualism with unspecified sexual history	88
302.51	Trans-sexualism with asexual history	88
302.52	Trans-sexualism with homosexual history	88
302.53	Trans-sexualism with heterosexual history	88
302.6	Disorders of psychosexual identity	89
302.7	Psychosexual dysfunction	90
302.70	Psychosexual dysfunction, unspecified	90
302.71	Psychosexual dysfunction with inhibited sexual desire	90
302.72	Psychosexual dysfunction with inhibited sexual excitement	90
302.73	Psychosexual dysfunction with inhibited female orgasm	90
302.74	Psychosexual dysfunction with inhibited male orgasm	90
302.75	Psychosexual dysfunction with premature ejaculation	90
302.76	Psychosexual dysfunction with functional dyspareunia	90
302.79	Psychosexual dysfunction with other specified psychosexual dysfunctions	90
302.8	Other specified psychosexual disorders	91
302.81	Fetishism	91
302.82	Voyeurism	91
302.83	Sexual masochism	91
302.84	Sexual sadism	91
302.85	Gender identity disorder of adolescent or adult life	91

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
302.89	Other specified psychosexual disorders	91
303	**Alcohol dependence syndrome**	
	Fifth-digit subclassification for use with 303:	
	0 Unspecified	
	1 Continuous	
	2 Episodic	
	3 In remission	
303.0	Acute alcoholic intoxication	92
303.9	Other and unspecified alcohol dependence	93
304	**Drug dependence**	
	Fifth-digit subclassification for use with 304:	
	0 Unspecified	
	1 Continuous	
	2 Episodic	
	3 In remission	
304.0	Opioid type dependence	94
304.1	Barbiturate and similarly acting sedative or hypnotic dependence	95
304.2	Cocaine dependence	96
304.3	Cannabis dependence	97
304.4	Amphetamine and other psychostimulant dependence	98
304.5	Hallucinogen dependence	99
304.6	Other specified drug dependence	100
304.7	Combinations of opioid type drug with any other drug dependence	101
304.8	Combinations of drug dependence excluding opioid type drug	102
304.9	Unspecified drug dependence	103
305	**Nondependent abuse of drugs**	
	Fifth-digit subclassification for use with 305:	
	0 Unspecified	
	1 Continuous	
	2 Episodic	
	3 In remission	
305.0	Alcohol abuse	104
305.1	Tobacco use disorder	105
305.2	Cannabis abuse	106
305.3	Hallucinogen abuse	107
305.4	Barbiturate and similarly acting sedative or hypnotic abuse	108
305.5	Opioid abuse	109
305.6	Cocaine abuse	110
305.7	Amphetamine or related acting sympathomimetic abuse	111
305.8	Antidepressant type abuse	112
305.9	Other, mixed, or unspecified drug abuse	113
306	**Physiological malfunction arising from mental factors**	
306.0	Musculoskeletal malfunction arising from mental factors	114
306.1	Respiratory malfunction arising from mental factors	115
306.2	Cardiovascular malfunction arising from mental factors	116
306.4	Gastrointestinal malfunction arising from mental factors	117
306.5	Genitourinary malfunction arising from mental factors	118
306.50	Psychogenic genitourinary malfunction, unspecified	118
306.51	Psychogenic vaginismus	118
306.52	Psychogenic dysmenorrhea	118

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
306.53	Psychogenic dysuria	118
306.59	Other genitourinary malfunction arising from mental factors	118
306.7	Disorder of organs of special sense arising from mental factors	119
306.8	Other specified psychophysiological malfunction	120
306.9	Unspecified psychophysiological malfunction	121
307	**Special symptoms or syndromes, not elsewhere classified**	
307.1	Anorexia nervosa	122
307.2	Tics	123
307.20	Tic disorder, unspecified	123
307.21	Transient tic disorder of childhood	123
307.22	Chronic motor tic disorder	123
307.23	Gilles de la Tourette's disorder	123
307.3	Stereotyped repetitive movements	124
307.4	Specific disorders of sleep of nonorganic origin	125
307.40	Nonorganic sleep disorder, unspecified	125
307.41	Transient disorder of initiating or maintaining sleep	125
307.42	Persistent disorder of initiating or maintaining sleep	125
307.43	Transient disorder of initiating or maintaining wakefulness	125
307.44	Persistent disorder of initiating or maintaining wakefulness	125
307.45	Phase-shift disruption of 24-hour sleep-wake cycle	125
307.46	Somnambulism or night terrors	125
307.47	Other dysfunctions of sleep stages or arousal from sleep	125
307.48	Repetitive intrusions of sleep	125
307.49	Other specific disorders of sleep of nonorganic origin	125
307.5	Other and unspecified disorders of eating	126
307.50	Eating disorder, unspecified	126
307.51	Bulimia	126
307.52	Pica	126
307.53	Psychogenic rumination	126
307.54	Psychogenic vomiting	126
307.59	Other disorders of eating	126
307.6	Enuresis	127
307.7	Encopresis	128
307.8	Psychalgia	129
307.80	Psychogenic pain, site unspecified	129
307.81	Tension headache	129
307.89	Other psychalgia	129
307.9	Other and unspecified special symptoms or syndromes, not elsewhere classified	130
308	**Acute reaction to stress**	
308.0	Predominant disturbance of emotions	131
308.1	Predominant disturbance of consciousness	132
308.2	Predominant psychomotor disturbance	133
308.3	Other acute reactions to stress	134
308.9	Unspecified acute reaction to stress	135
309	**Adjustment reaction**	
309.0	Adjustment reaction with brief depressive reaction	136
309.1	Adjustment reaction with prolonged depressive reaction	137
309.2	Adjustment reaction with predominant disturbance of other emotions	138
309.21	Separation anxiety disorder	138
309.22	Emancipation disorder of adolescence and early adult life	138
309.23	Specific academic or work inhibition	138

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
309.24	Adjustment reaction with anxious mood	138
309.28	Adjustment reaction with mixed emotional features	138
309.29	Other adjustment reactions with predominant disturbance of other emotions	138
309.3	Adjustment reaction with predominant disturbance of conduct	139
309.4	Adjustment reaction with mixed disturbance of emotions and conduct	140
309.8	Other specified adjustment reactions	141
309.81	Prolonged posttraumatic stress disorder	141
309.82	Adjustment reaction with physical symptoms	141
309.83	Adjustment reaction with withdrawal	141
309.89	Other specified adjustment reactions	141
309.9	Unspecified adjustment reaction	142
310	**Specific nonpsychotic mental disorders due to organic brain damage**	
310.0	Frontal lobe syndrome	143
310.1	Organic personality syndrome	144
310.2	Postconcussion syndrome	145
310.8	Other specified nonpsychotic mental disorders following organic brain damage	146
310.9	Unspecified nonpsychotic mental disorder following organic brain damage	147
311	**Depressive disorder, not elsewhere classified**	148
312	**Disturbance of conduct, not elsewhere classified**	
	Fifth-digit subclassification for use with 312.0-312.2:	
	0 Unspecified degree	
	1 Mild degree	
	2 Moderate degree	
	3 Severe degree	
312.0	Undersocialized conduct disorder, aggressive type	149
312.1	Undersocialized conduct disorder, unaggressive type	150
312.2	Socialized conduct disorder	151
312.3	Disorders of impulse control, not elsewhere classified	152
312.30	Impulse control disorder, unspecified	152
312.31	Pathological gambling	152
312.32	Kleptomania	152
312.33	Pyromania	152
312.34	Intermittent explosive disorder	152
312.35	Isolated explosive disorder	152
312.39	Other disorders of impulse control	152
312.4	Mixed disturbance of conduct and emotions	153
312.8	Other specified disturbances of conduct, not elsewhere classified	154
312.9	Unspecified disturbance of conduct	155
313	**Disturbance of emotions specific to childhood and adolescence**	
313.0	Overanxious disorder specific to childhood and adolescence	156
313.3	Relationship problems specific to childhood and adolescence	157
313.8	Other or mixed emotional disturbances of childhood or adolescence	158
313.81	Oppositional disorder of childhood or adolescence	158
313.82	Identity disorder of childhood or adolescence	158
313.83	Academic underachievement disorder of childhood or adolescence	158
313.89	Other emotional disturbances of childhood or adolescence	158
313.9	Unspecified emotional disturbance of childhood or adolescence	159

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
314	**Hyperkinetic syndrome of childhood**	
314.0	Attention deficit disorder of childhood	160
314.00	Attention deficit disorder of childhood without mention of hyperactivity	160
314.01	Attention deficit disorder of childhood with hyperactivity	160
314.2	Hyperkinetic conduct disorder of childhood	161
314.9	Unspecified hyperkinetic syndrome of childhood	162

APPENDIX E

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Academic underachievement disorder of childhood or adolescence	313.83	158
Acute alcoholic intoxication	303.0	92
Acute delirium	293.0	23
Acute paranoid reaction	298.3	60
Acute reaction to stress	308.0-308.9	131-135
Acute schizophrenic episode	295.4	35
Adjustment reaction	309.0-309.9	136-142
Adjustment reaction with anxious mood	309.24	138
Adjustment reaction with brief depressive reaction	309.0	136
Adjustment reaction with mixed emotional features	309.28	138
Adjustment reaction with mixed disturbance of emotions and conduct	309.4	140
Adjustment reaction with physical symptoms	309.82	141
Adjustment reaction with predominant disturbance of other emotions	309.2	138
Adjustment reaction with predominant disturbance of conduct	309.3	139
Adjustment reaction with prolonged depressive reaction	309.1	137
Adjustment reaction with withdrawal	309.83	141
Affective personality disorder	301.1	77
Affective personality disorder, unspecified	301.10	77
Affective psychoses	296.0-296.9	41-50
Fifth-digit subclassification for use with 296.0-296.6:		
0 Unspecified degree		
1 Mild degree		
2 Moderate degree		
3 Severe degree, without mention of psychotic behavior		
4 Severe degree, specified as with psychotic behavior		
5 In partial or unspecified remission		
6 In full remission		
Agoraphobia with panic attacks	300.21	68
Agoraphobia without mention of panic attacks	300.22	68
Alcohol abuse	305.0	104
Alcohol amnestic syndrome	291.1	11
Alcohol dependence syndrome	303.0-303.9	92-93
Fifth-digit subclassification for use with 303:		
0 Unspecified		
1 Continuous		
2 Episodic		
3 In remission		
Alcohol withdrawal delirium	291.0	10
Alcohol withdrawal hallucinosis	291.3	13
Alcoholic jealousy	291.5	15
Alcoholic psychoses	291.0-291.9	10-17
Amnestic syndrome	294.0	27
Amphetamine and other psychostimulant dependence	304.4	98
Amphetamine or related acting sympathomimetic abuse	305.7	111
Anorexia nervosa	307.1	122
Antidepressant type abuse	305.8	112
Antisocial personality disorder	301.7	83
Anxiety state, unspecified	300.00	66
Anxiety states	300.0	66
Arteriosclerotic dementia	290.4	7
Arteriosclerotic dementia with delirium	290.41	7

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Arteriosclerotic dementia with delusional features	290.42	7
Arteriosclerotic dementia with depressive features	290.43	7
Arteriosclerotic dementia, uncomplicated	290.40	7
Attention deficit disorder of childhood	314.0	160
Attention deficit disorder of childhood without mention of hyperactivity	314.00	160
Attention deficit disorder of childhood with hyperactivity	314.01	160
Atypical depressive disorder	296.82	49
Atypical manic disorder	296.81	49
Avoidant personality	301.82	84
Barbiturate and similarly acting sedative or hypnotic dependence	304.1	95
Barbiturate and similarly acting sedative or hypnotic abuse	305.4	108
Bipolar affective disorder, depressed	296.5	46
Bipolar affective disorder, manic	296.4	45
Bipolar affective disorder, mixed	296.6	47
Bipolar affective disorder, unspecified	296.7	48
Borderline personality	301.83	84
Bulimia	307.51	126
Cannabis abuse	305.2	106
Cannabis dependence	304.3	97
Cardiovascular malfunction arising from mental factors	306.2	116
Catatonic type schizophrenia	295.2	33
Chronic depressive personality disorder	301.12	77
Chronic factitious illness with physical symptoms	301.51	81
Chronic hypomanic personality disorder	301.11	77
Chronic motor tic disorder	307.22	123
Cocaine abuse	305.6	110
Cocaine dependence	304.2	96
Combinations of drug dependence excluding opioid type drug	304.8	102
Combinations of opioid type drug with any other drug dependence	304.7	101
Compulsive personality disorder	301.4	80
Conversion disorder	300.11	67
Cyclothymic disorder	301.13	77
Dementia in conditions classified elsewhere	294.1	28
Dependent personality disorder	301.6	82
Depersonalization syndrome	300.6	72
Depressive disorder, not elsewhere classified	311	148
Depressive type psychosis	298.0	57
Disorder of organs of special sense arising from mental factors	306.7	119
Disorders of impulse control, not elsewhere classified	312.3	152
Disorders of psychosexual identity	302.6	89
Disorganized type schizophrenia	295.1	32
Dissociative disorder or reaction, unspecified	300.15	67
Disturbance of conduct, not elsewhere classified	312.0-312.9	149-155
Fifth-digit subclassification for use with 312.0-312.2:		
0 Unspecified degree		
1 Mild degree		
2 Moderate degree		
3 Severe degree		
Disturbance of emotions specific to childhood and adolescence	313.0-313.9	156-159

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Drug dependence	304.0-304.9	94-103
Fifth-digit subclassification for use with 304:		
0 Unspecified		
1 Continuous		
2 Episodic		
3 In remission		
Drug psychoses	292.0-292.9	18-22
Drug withdrawal syndrome	292.0	18
Drug-induced amnestic syndrome	292.83	21
Drug-induced delirium	292.81	21
Drug-induced dementia	292.82	21
Drug-induced hallucinosis	292.12	19
Drug-induced organic affective syndrome	292.84	21
Drug-induced organic delusional syndrome	292.11	19
Eating disorder, unspecified	307.50	126
Emancipation disorder of adolescence and early adult life	309.22	138
Encopresis	307.7	128
Enuresis	307.6	127
Excitative type psychosis	298.1	58
Exhibitionism	302.4	87
Explosive personality disorder	301.3	79
Factitious illness with psychological symptoms	300.16	67
Fetishism	302.81	91
Frontal lobe syndrome	310.0	143
Gastrointestinal malfunction arising from mental factors	306.4	117
Gender identity disorder of adolescent or adult life	302.85	91
Generalized anxiety disorder	300.02	66
Genitourinary malfunction arising from mental factors	306.5	118
Gilles de la Tourette's disorder	307.23	123
Hallucinogen abuse	305.3	107
Hallucinogen dependence	304.[illegible]	99
Histrionic personality disorder	301.5	81
Histrionic personality disorder, unspecified	301.50	81
Hyperkinetic conduct disorder of childhood	314.2	161
Hyperkinetic syndrome of childhood	314.0-314.9	160-162
Hypochondriasis	300.7	73
Hysteria	300.1	67
Hysteria, unspecified	300.10	67
Identity disorder of childhood or adolescence	313.82	158
Idiosyncratic alcohol intoxication	291.4	14
Impulse control disorder, unspecified	312.30	152
Infantile autism	299.0	63
Intermittent explosive disorder	312.34	152
Introverted personality	301.21	78
Isolated explosive disorder	312.35	152

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Kleptomania	312.32	152
Latent schizophrenia	295.5	36
Major depressive disorder, recurrent episode	296.3	44
Major depressive disorder, single episode	296.2	43
Manic disorder, recurrent episode	296.1	42
Manic disorder, single episode	296.0	41
Manic-depressive psychosis, other and unspecified	296.8	49
Manic-depressive psychosis, unspecified	296.80	49
Mixed disturbance of conduct and emotions	312.4	153
Multiple personality	300.14	67
Musculoskeletal malfunction arising from mental factors	306.0	114
Narcissistic personality	301.81	84
Neurasthenia	300.5	71
Neurotic depression	300.4	70
Neurotic disorders	300.0-300.9	66-75
Nondependent abuse of drugs Fifth-digit subclassification for use with 305: 0 Unspecified 1 Continuous 2 Episodic 3 In remission	305.0-305.9	104-113
Nonorganic sleep disorder, unspecified	307.40	125
Obsessive-compulsive disorders	300.3	69
Opioid abuse	305.5	109
Opioid type dependence	304.0	94
Oppositional disorder of childhood or adolescence	313.81	158
Organic affective syndrome	293.83	25
Organic delusional syndrome	293.81	25
Organic hallucinosis syndrome	293.82	25
Organic personality syndrome	310.1	144
Other acute reactions to stress	308.3	134
Other adjustment reactions with predominant disturbance of other emotions	309.29	138
Other alcoholic dementia	291.2	12
Other and unspecified affective psychoses	296.9	50
Other and unspecified alcohol dependence	303.9	93
Other and unspecified disorders of eating	307.5	126
Other and unspecified factitious illness	300.19	67
Other and unspecified reactive psychosis	298.8	61
Other and unspecified special symptoms or syndromes, not elsewhere classified	307.9	130
Other anxiety states	300.09	[illegible]
Other disorders of eating	307.59	126
Other disorders of impulse control	312.39	152
Other dysfunctions of sleep stages or arousal from sleep	307.47	125
Other emotional disturbances of childhood or adolescence	313.89	158
Other genitourinary malfunction arising from mental factors	306.59	118
Other histrionic personality disorder	301.59	81
Other isolated or simple phobias	300.29	68
Other manic-depressive psychosis	296.89	49
Other neurotic disorders	300.8	74

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Other neurotic disorders	300.89	74
Other nonorganic psychoses	298.0-298.9	57-62
Other or mixed emotional disturbances of childhood or adolescence	313.8	158
Other organic psychotic conditions (chronic)	294.0-294.9	27-30
Other personality disorders	301.8	84
Other personality disorders	301.89	84
Other psychalgia	307.89	129
Other specific disorders of sleep of nonorganic origin	307.49	125
Other specified adjustment reactions	309.8	141
Other specified adjustment reactions	309.89	141
Other specified affective psychoses	296.99	50
Other specified alcoholic psychosis	291.8	16
Other specified disturbances of conduct, not elsewhere classified	312.8	154
Other specified drug dependence	304.6	100
Other specified drug-induced mental disorders	292.8	21
Other specified drug-induced mental disorders	292.89	21
Other specified early childhood psychoses	299.8	64
Other specified nonpsychotic mental disorders following organic brain damage	310.8	146
Other specified organic brain syndromes (chronic)	294.8	29
Other specified paranoid states	297.8	55
Other specified psychophysiological malfunction	306.8	120
Other specified psychosexual disorders	302.8	91
Other specified psychosexual disorders	302.89	91
Other specified senile psychotic conditions	290.8	8
Other specified transient organic mental disorders	293.8	25
Other specified transient organic mental disorders	293.89	25
Other specified types of schizophrenia	295.8	39
Other, mixed, or unspecified drug abuse	305.9	113
Overanxious disorder specific to childhood and adolescence	313.0	156
Panic disorder	300.01	66
Paranoia	297.1	52
Paranoid and/or hallucinatory states induced by drugs	292.1	19
Paranoid personality disorder	301.0	76
Paranoid state, simple	297.0	51
Paranoid states	297.0-297.9	51-56
Paranoid type schizophrenia	295.3	34
Paraphrenia	297.2	53
Passive-aggressive personality	301.84	84
Pathological drug intoxication	292.2	20
Pathological gambling	312.31	152
Pedophilia	302.2	86
Persistent disorder of initiating or maintaining sleep	307.42	125
Persistent disorder of initiating or maintaining wakefulness	307.44	125
Personality disorders	301.0-301.9	76-85
Phase-shift disruption of 24-hour sleep-wake cycle	307.45	125
Phobia, unspecified	300.20	68
Phobic disorders	300.2	68
Physiological malfunction arising from mental factors	306.0-306.9	114-121
Pica	307.52	126
Postconcussion syndrome	310.2	145
Predominant disturbance of consciousness	308.1	132
Predominant disturbance of emotions	308.0	131
Predominant psychomotor disturbance	308.2	133

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Presenile dementia	290.1	4
Presenile dementia with delirium	290.11	4
Presenile dementia with delusional features	290.12	4
Presenile dementia with depressive features	290.13	4
Presenile dementia, uncomplicated	290.10	4
Prolonged posttraumatic stress disorder	309.81	141
Psychalgia	307.8	129
Psychogenic amnesia	300.12	67
Psychogenic dysmenorrhea	306.52	118
Psychogenic dysuria	306.53	118
Psychogenic fugue	300.13	67
Psychogenic genitourinary malfunction, unspecified	306.50	118
Psychogenic pain, site unspecified	307.80	129
Psychogenic rumination	307.53	126
Psychogenic vaginismus	306.51	118
Psychogenic vomiting	307.54	126
Psychoses with origin specific to childhood	299.0-299.9	63-65
Fifth-digit subclassification for use with 299:		
0 Current or active		
1 Residual state		
Psychosexual dysfunction	302.7	90
Psychosexual dysfunction with inhibited sexual desire	302.71	90
Psychosexual dysfunction with inhibited sexual excitement	302.72	90
Psychosexual dysfunction with inhibited female orgasm	302.73	90
Psychosexual dysfunction with inhibited male orgasm	302.74	90
Psychosexual dysfunction with premature ejaculation	302.75	90
Psychosexual dysfunction with functional dyspareunia	302.76	90
Psychosexual dysfunction with other specified psychosexual dysfunctions	302.79	90
Psychosexual dysfunction, unspecified	302.70	90
Pyromania	312.33	152
Reactive confusion	298.2	59
Relationship problems specific to childhood and adolescence	313.3	157
Repetitive intrusions of sleep	307.48	125
Residual schizophrenia	295.6	37
Respiratory malfunction arising from mental factors	306.1	115
Schizo-affective type schizophrenia	295.7	38
Schizoid personality disorder	301.2	78
Schizoid personality disorder, unspecified	301.20	78
Schizophrenic disorders	295.0-295.9	31-40
Fifth-digit subclassification for use with 295:		
0 Unspecified state		
1 Subchronic state		
2 Chronic state		
3 Subchronic state with acute exacerbation		
4 Chronic state with acute exacerbation		
5 In remission		
Schizotypal personality	301.22	78
Senile and presenile organic psychotic conditions	290.0-290.9	3-9
Senile dementia with delirium	290.3	6
Senile dementia with delusional or depressive features	290.2	5
Senile dementia with delusional features	290.20	5
Senile dementia with depressive features	290.21	5

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Senile dementia, uncomplicated	290.0	3
Separation anxiety disorder	309.21	138
Sexual deviations and disorders	302.2-302.8	86-91
Sexual masochism	302.83	91
Sexual sadism	302.84	91
Shared paranoid disorder	297.3	54
Simple type schizophrenia	295.0	31
Social phobia	300.23	68
Socialized conduct disorder	312.2	151
Somatization disorder	300.81	74
Somnambulism or night terrors	307.46	125
Special symptoms or syndromes, not elsewhere classified	307.1-307.9	122-130
Specific academic or work inhibition	309.23	138
Specific disorders of sleep of nonorganic origin	307.4	125
Specific nonpsychotic mental disorders due to organic brain damage	310.0-310.9	143-147
Stereotyped repetitive movements	307.3	124
Subacute delirium	293.1	24
Tension headache	307.81	129
Tic disorder, unspecified	307.20	123
Tics	307.2	123
Tobacco use disorder	305.1	105
Trans-sexualism	302.5	88
Trans-sexualism with asexual history	302.51	88
Trans-sexualism with heterosexual history	302.53	88
Trans-sexualism with homosexual history	302.52	88
Trans-sexualism with unspecified sexual history	302.50	88
Transient disorder of initiating or maintaining sleep	307.41	125
Transient disorder of initiating or maintaining wakefulness	307.43	125
Transient organic psychotic conditions	293.0-293.9	23-26
Transient tic disorder of childhood	307.21	123
Undersocialized conduct disorder, aggressive type	312.0	149
Undersocialized conduct disorder, unaggressive type	312.1	150
Unspecified acute reaction to stress	308.9	135
Unspecified adjustment reaction	309.9	142
Unspecified affective psychosis	296.90	50
Unspecified alcoholic psychosis	291.9	17
Unspecified childhood psychosis	299.9	65
Unspecified disturbance of conduct	312.9	155
Unspecified drug dependence	304.9	103
Unspecified drug-induced mental disorder	292.9	22
Unspecified emotional disturbance of childhood or adolescence	313.9	159
Unspecified hyperkinetic syndrome of childhood	314.9	162
Unspecified neurotic disorder	300.9	75
Unspecified nonpsychotic mental disorder following organic brain damage	310.9	147
Unspecified organic brain syndrome (chronic)	294.9	30
Unspecified paranoid state	297.9	56
Unspecified personality disorder	301.9	85
Unspecified psychophysiological malfunction	306.9	121
Unspecified psychosis	298.9	62

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Unspecified schizophrenia	295.9	40
Unspecified senile psychotic condition	290.9	9
Unspecified transient organic mental disorder	293.9	26
Voyeurism	302.82	91

APPENDIX F

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

This is a crosswalk or translation from *DSM-III-R* to *ICD-9-CM*.[1] It was developed in response to a need expressed by medical records administrators for a standardized means by which to translate the codes and rubrics of *DSM-III-R* (widely used by clinicians) to *ICD-9-CM* (which is often used for medical record coding, insurance reporting, and reporting to Federal Agencies). This crosswalk has been specifically developed to facilitate such coding and is not intended for research purposes. A thorough code-by-code discussion of present psychiatric nosology, to be used for research purposes, has been prepared by the American Psychiatric Association and is available through the APA Office of Research.

INSTRUCTIONS FOR USING THE CROSSWALK

DSM-III-R codes are listed in numerical order in the left hand column, followed from left to right by the *ICD-9-CM* code and the combined *DSM-III-R/ICD-9-CM* narrative. In order to find the *ICD-9-CM* code which corresponds to a *DSM-III-R* code, go directly across the page. Words in all capital letters are from the titles of aggregate code groups, added to clarify incomplete titles such as "other." Except in rare instances, discussed in the footnotes, the *ICD-9-CM* and *DSM-III-R* narrative terms are equivalent.

This is only a *DSM-III-R* to *ICD-9-CM* crosswalk. It is not an *ICD-9-CM* to *DSM-III-R* crosswalk and should not be used as such.

Nonsubstantive zeros in *DSM-III-R* which are not found in *ICD-9-CM* are highlighted in this crosswalk by an underscore (e.g., 316.00). These have no "content" and do not affect the crosswalk.

DSM-III-R contains only codes which are found in *ICD-9-CM*; *ICD-9-CM* is the more inclusive system. However, since one of its primary purposes is to serve as a complete list of medical terms to assist in the coding of medical records, there are many codes and rubrics in *ICD-9-CM* which are not found in *DSM-III-R*. When a term is encountered in a medical record which is found in *ICD-9-CM*, but not in *DSM-III-R*, the coder should be guided by *ICD-9-CM*.

See Footnote One (following the Crosswalk) for general notes about the crosswalk.

---

[1] Developed by J. Thompson and H.A. Pincus, Office of Research, American Psychiatric Association.

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
290.00	290.0	Senile [onset] dementia [primary degenerative] [of the Alzheimer type], uncomplicated [senile dementia, not otherwise specified]	2, 3
290.10	290.10	Presenile [onset] dementia [primary degenerative] [of the Alzheimer type], uncomplicated [presenile dementia, not otherwise specified]	2, 3
		Presenile [onset] dementia [primary degenerative] [of the Alzheimer type],	2
290.11	290.11	with delirium	
290.12	290.12	with delusional features [delusions]	
290.13	290.13	with depressive features [depression]	
		Senile [onset] dementia [primary degenerative] [of the Alzheimer type],	2
290.20	290.20	with delusional features [delusions]	
290.21	290.21	with depressive features [depression]	
290.30	290.3	with delirium	
		Arteriosclerotic [multi-infarct] dementia,	
290.40	290.40	uncomplicated	3
290.41	290.41	with delirium	3
290.42	290.42	with delusional features [delusions]	3
290.43	290.43	with depressive features [depression]	3
291.00	291.0	Alcohol withdrawal delirium	
291.10	291.1	Alcohol amnestic syndrome	
291.20	291.2	Other alcoholic dementia [associated with alcoholism]	
291.30	291.3	Alcohol withdrawal hallucinosis	3
291.40	291.4	Idiosyncratic alcohol intoxication	
291.80	291.8	Other specified alcohol psychosis [uncomplicated alcohol withdrawal]	3
292.00	292.0	Drug [amphetamine or similarly acting sympathomimetic] [cocaine] [nicotine] [opioid] [sedative, hypnotic, or anxiolytic delirium] [uncomplicated sedative, hypnotic, or anxiolytic] [other or unspecified psychoactive substance] withdrawal syndrome	4
292.11	292.11	Drug-induced [amphetamine or similarly acting sympathomimetic] [cannabis] [cocaine] [hallucinogen] [phencyclidine (PCP) or similarly acting arylcyclohexylamine] [other or unspecified substance] organic delusional syndrome [disorder]	5, 6
292.12	292.12	Drug-induced [other or unspecified psychoactive substance] hallucinosis	
292.81	292.81	OTHER SPECIFIED drug-induced [amphetamine or similarly acting sympathomimetic] [cocaine] [other or unspecified psychoactive substance] [phencyclidine (PCP) or similarly acting arylcyclohexylamine] delirium	
292.82	292.82	OTHER SPECIFIED drug-induced [other or unspecified psychoactive substance] dementia	8

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
292.83	292.83	OTHER SPECIFIED drug-induced [sedative, hypnotic, or anxiolytic] [other or unspecified psychoactive substance] amnestic disorder	8
292.84	292.84	OTHER SPECIFIED drug-induced [hallucinogen] [phencyclidine (PCP) or similarly acting arylcyclohexylamine] [other or unspecified psychoactive substance] organic affective [mood] syndrome [disorder]	6, 8, 9
292.89	292.89	Other specified drug-induced [other or unspecified [psychoactive] substance] organic mental [anxiety] [personality] disorder [posthallucinogen perception disorder]	3, 8, 10
292.90	292.9	Unspecified drug-induced [phencyclidine (PCP) or similarly acting arylcyclohexylamine] [other or unspecified psychoactive substance] organic mental disorder [not otherwise specified]	7, 11
293.00	293.0	Acute delirium [etiology noted on Axis III or is unknown]	12
293.81	293.81	Organic delusional syndrome [disorder]	
293.82	293.82	Organic hallucinosis syndrome	
293.83	293.83	Organic affective syndrome [mood disorder]	
294.00	294.0	Amnestic syndrome [disorder]	
294.10	294.1	Dementia in conditions classified elsewhere	
294.80	294.8	Other specified organic brain syndrome (chronic) [organic anxiety disorder]	13
294.80	294.9	Other specified organic brain syndrome (chronic) [organic mental disorder not otherwise specified]	14
		Schizophrenic disorder [schizophrenia], disorganized type,	
295.10	295.10	unspecified	
295.11	295.11	subchronic	
295.12	295.12	chronic	
295.13	295.13	subchronic with acute exacerbation	
295.14	295.14	chronic with acute exacerbation	
295.15	295.15	in remission	15
		Schizophrenic disorder [schizophrenia], catatonic type,	
295.20	295.20	unspecified	
295.21	295.21	subchronic	
295.22	295.22	chronic	
295.23	295.23	subchronic with acute exacerbation	
295.24	295.24	chronic with acute exacerbation	
295.25	295.25	in remission	15

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
		Schizophrenic disorder [schizophrenia], paranoid type,	
295.30	295.30	unspecified	
295.31	295.31	subchronic	
295.32	295.32	chronic	
295.33	295.33	subchronic with acute exacerbation	
295.34	295.34	chronic with acute exacerbation	
295.35	295.35	in remission	15
295.40	295.40	Acute schizophrenic episode, unspecified [schizophreniform disorder]	3
		Residual schizophrenia [schizophrenic disorder] [schizophrenia],	16
295.60	295.60	unspecified	
295.61	295.61	subchronic	
295.62	295.62	chronic	
295.70	295.70	Schizophrenic disorder, schizo-affective type, unspecified [schizoaffective disorder]	17
		Unspecified schizophrenia [schizophrenic disorder, undifferentiated type],	3, 18
295.90	295.90	unspecified	15
295.91	295.91	subchronic	
295.92	295.92	chronic	
295.93	295.93	subchronic with acute exacerbation	
295.94	295.94	chronic with acute exacerbation	
295.95	295.95	in remission	19
		Major depressive disorder [depression], single episode	
296.20	296.20	unspecified	
296.21	296.21	mild	
296.22	296.22	moderate	
296.23	296.23	severe, without mention of psychotic behavior [features]	
296.24	296.24	severe, specified as with psychotic-behavior [features]	
296.25	296.25	in partial remission	
296.26	296.26	in full remission	
		Major depressive disorder [depression], recurrent	20
296.30	296.30	unspecified	
296.31	296.31	mild	
296.32	296.32	moderate	
296.33	296.33	severe, without mention of psychotic behavior [features]	
296.34	296.34	severe, specified as with psychotic behavior [features]	
296.35	296.35	in partial remission	
296.36	296.36	in full remission	
		Bipolar affective disorder, manic,	20
296.40	296.40	unspecified	
296.41	296.41	mild	
296.42	296.42	moderate	
296.43	296.43	severe, without mention of psychotic behavior [features]	
296.44	296.44	severe, specified as with psychotic behavior [features]	
296.45	296.45	in partial remission	

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
		Bipolar affective disorder, manic,	20
296.46	296.46	in full remission	
		Bipolar affective disorder, depressed,	20
296.50	296.50	unspecified	
296.51	296.51	mild	
296.52	296.52	moderate	
296.53	296.53	severe, without mention of psychotic behavior [features]	
296.54	296.54	severe, specified as with psychotic behavior [features]	
296.55	296.55	in partial remission	
296.56	296.56	in full remission	
		Bipolar affective disorder, mixed,	20
296.60	296.60	unspecified	
296.61	296.61	mild	
296.62	296.62	moderate	
296.63	296.63	severe, without mention of psychotic behavior [features]	
296.64	296.64	severe, specified as with psychotic behavior [features]	
296.65	296.65	in partial remission	
296.66	296.66	in full remission	
296.70	296.7	Bipolar affective disorder, unspecified [not otherwise specified]	
297.10	297.1	Paranoia [delusional disorder]	21
297.30	297.3	Shared paranoid disorder [included psychotic disorder]	22
298.80	298.8	Other and unspecified [brief] reactive psychosis	3
298.90	298.9	Unspecified psychosis [psychotic disorder not otherwise specified]	3
299.00	299.00	Infantile autism, current or active state [autistic disorder]	
299.80	299.80	Other specified early childhood psychoses current or active state [pervasive developmental disorder, not otherwise specified]	3
300.00	300.00	Anxiety state [disorder], unspecified [not otherwise specified]	
300.01	300.01	Panic disorder [without agoraphobia]	23
300.02	300.02	Generalized anxiety disorder	
300.11	300.11	Conversion disorder [or hysterical neurosis, conversion type]	
300.12	300.12	Psychogenic amnesia	
300.13	300.13	Psychogenic fugue	
300.14	300.14	Multiple personality [disorder]	
300.15	300.15	Dissociative disorder or reaction, unspecified [not otherwise specified]	
300.16	300.16	Factitious illness [disorder] with psychological symptoms	
300.19	300.19	Other and unspecified factitious illness [disorder, with physical symptoms [not otherwise specified]	3
300.21	300.21	Agoraphobia with panic attacks [panic disorder, with agoraphobia]	24, 25
300.22	300.22	Agoraphobia without [without history of panic disorder] mention of panic attacks	25
300.23	300.23	Social phobia	
300.29	300.29	Other isolated or simple phobias	
300.30	300.3	Obsessive-compulsive disorder [obsessive compulsive neurosis]	

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
300.40	300.4	Neurotic depression [dysthymic disorder or depressive neurosis]	
300.60	300.6	Depersonalization syndrome [disorder] [or depersonalization neurosis]	
300.70	300.7	Hypochondriasis neurotic disorder [body dysmorphic disorder] [somatoform disorder, not otherwise specified] [undifferentiated somatoform disorder]	3, 26, 27
300.81	300.81	Somatization disorder	
300.90	300.9	Unspecified neurotic [mental] disorder [nonpsychotic]	28
301.00	301.0	Paranoid personality disorder	
301.13	301.13	Cyclothymic disorder [cyclothymia]	
301.20	301.20	Schizoid personality disorder, unspecified	
301.22	301.22	Schizotypal personality [disorder]	
301.40	301.4	[Obsessive] compulsive personality disorder	
301.50	301.50	Histrionic personality disorder, unspecified	
301.51	301.51	Chronic factitious illness [disorder] with physical symptoms	
301.60	301.6	Dependent personality disorder	
301.70	301.7	Antisocial personality disorder	
301.81	301.81	Narcissistic personality [disorder]	
301.82	301.82	Avoidant personality [disorder]	
301.83	301.83	Borderline personality [disorder]	
301.84	301.84	Passive-aggressive personality [disorder]	
301.90	301.90	Unspecified personality disorder [not otherwise specified]	
302.20	302.2	Pedophilia	
302.30	302.3	Transvestism [transvestic fetishism]	29
302.40	302.4	Exhibitionism	
302.50	302.50	TRANSSEXUALISM with unspecified sexual history	30
302.60	302.6	Disorders of psychosexual identity [gender identity disorder of childhood]	3
302.70	302.70	Psychosexual [sexual] dysfunction, unspecified [not otherwise specified]	
302.71	302.71	Psychosexual dysfunction with inhibited [hypoactive] sexual desire	
302.72	302.72	Psychosexual dysfunction with inhibited sexual excitement [female sexual arousal disorder]	
302.72	302.72	Psychosexual dysfunction with inhibited sexual excitement [male erectile disorder]	31
302.73	302.73	Psychosexual dysfunction with inhibited female orgasm	
302.74	302.74	Psychosexual dysfunction with inhibited male orgasm	
302.75	302.75	Psychosexual dysfunction with premature ejaculation	
302.76	302.76	Psychosexual dysfunction with functional dyspareunia	
302.79	302.79	Psychosexual dysfunction with other specified psychosexual dysfunction [sexual aversion disorder]	32
302.81	302.81	Fetishism	
302.82	302.82	Voyeurism	

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
302.83	302.83	Sexual masochism	
302.84	302.84	Sexual sadism	
302.85	302.85	Gender identity disorder of adolescent or adult life [of adolescence or adulthood, nontranssexual type] [not otherwise specified]	33
302.89	302.89	Other SPECIFIED PSYCHOSEXUAL DISORDER [Frotteurism]	34
302.90	302.9	Unspecified psychosexual disorder [atypical paraphilia] [sexual disorder, not otherwise specified] [paraphilia, not otherwise specified]	
303.00	303.00	Acute alcoholic [alcohol] intoxication, unspecified	35
303.90	303.90	Other and unspecified alcohol dependence, unspecified [alcohol dependence]	
304.00	304.00	Opioid type dependence, unspecified	
304.10	304.10	Barbiturate and [or] similarly acting sedative or hypnotic dependence, unspecified [sedative, hypnotic, or anxiolytic dependence]	
304.20	304.20	Cocaine dependence, unspecified	
304.30	304.30	Cannabis dependence, unspecified	
304.40	304.40	Amphetamine and [or] other psychostimulant [similarly acting sympathomimetc] dependence, unspecified	
304.50	304.50	Hallucinogen dependence, unspecified [phencyclidine (PCP) or similarly acting arycyclohexlyamine dependence]	3
304.60	304.60	Other specified drug [substance] dependence, unspecified [inhalant dependence]	3, 36, 37
304.90	304.90	Unspecified drug dependence, unspecified [polysubstance dependence] [psychoactive substance dependence, not otherwise specified]	38
305.00	305.00	Alcohol abuse, unspecified	35
305.10	305.10	Tobacco use disorder [nicotine dependence], unspecified	3, 39
305.20	305.20	Cannabis abuse [intoxication], unspecified	40
305.30	305.30	Hallucinogen abuse, unspecified	40
305.30	292.12	Drug-induced hallucinosis [hallucinosis]	41
305.40	305.40	Barbiturate and similarly acting sedative or hypnotic abuse, unspecified [sedative, hypnotic, or anxiolytic abuse] [intoxication]	40
305.50	305.50	Opioid abuse [intoxication], unspecified	40
305.60	305.60	Cocaine abuse [intoxication], unspecified	40
305.70	305.70	Amphetamine or related acting sympathomimetic abuse [intoxication], unspecified	40
305.90	305.90	Other, mixed, or unspecified [psychoactive] drug [substance] abuse [intoxication], unspecified, [caffeine intoxication], [phencyclidine (PCP) or similarly acting arylcyclohexylamine abuse or intoxication] [inhalant abuse] [inhalant intoxication] [polysubstance abuse] [psychoactive substance abuse, not otherwise specified]	5, 40, 42

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
306.51	306.51	Psychogenic vaginismus	3
307.00	307.0	Stammering and stuttering [cluttering]	3
307.10	307.1	Anorexia nervosa	
307.20	307.20	Tic disorder, unspecified [not otherwise specified]	43
307.21	307.21	Transient tic disorder of childhood	
307.22	307.22	Chronic motor [or vocal] tic disorder	44
307.23	307.23	Gilles de la Tourette's disorder	
307.30	307.3	Stereotyped repetitive movements [stereotype] [disorder]	
307.30	307.9	Other or unspecified special symptoms or syndromes, not elsewhere classified [habit disorder]	3, 45
307.40	307.40	Nonorganic sleep disorder, unspecified [dyssomnia, not otherwise specified]	46
307.40	307.47	Other dysfunctions of sleep stages or arousal from sleep [parasomnia, not otherwise specified]	47
307.42	307.42	Persistent disorder or initiating or maintaining sleep [insomnia related to another mental disorder, nonorganic] [primary insomnia]	3, 48
307.44	307.44	Persistent disorder of initiating or maintaining wakefulness [hypersomnia related to another mental disorder, nonorganic]	3, 48
307.45	307.45	Phase-shift disruption of 24-hour sleep-wake cycle [sleep-wake schedule disorder]	3
307.46	307.46	Somnambulism or night terrors, pavor nocturnus [sleepwalking disorder] [sleep terror disorder]	
307.47	307.47	Other dysfunctions of sleep stages or arousal from sleep [dream anxiety disorder] [nightmare disorder]	3
307.50	307.50	Eating disorder, unspecified [not otherwise specified]	
307.51	307.51	Bulimia [bulimia nervosa]	
307.52	307.52	Pica	
307.53	307.53	Psychogenic rumination [disorder of infancy]	
307.60	307.6	[Functional] enuresis	
307.70	307.7	[Functional] encopresis	
307.80	307.80	Psychogenic [somatoform] pain [disorder], site unspecified	
309.00	309.0	Brief depressive reaction [adjustment disorder with depressed mood]	3
309.21	309.21	Separation anxiety disorder	
309.23	309.23	Specific [adjustment disorder with] academic or work inhibition	
309.24	309.24	Adjustment reaction [disorder] with anxious mood	
309.28	309.28	Adjustment reaction [disorder] with mixed emotional features	
309.30	309.3	ADJUSTMENT REACTION [disorder] with predominant disturbance of conduct	
309.40	309.4	ADJUSTMENT REACTION [disorder] with mixed disturbance of emotions and conduct	
309.83	309.83	Adjustment reaction [disorder] with withdrawal	
309.89	308.3	Other acute reactions to stress [post-traumatic stress disorder]	3

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
309.90	309.9	Unspecified adjustment reaction [disorder] [not otherwise specified]	3
310.10	310.1	Organic personality syndrome [disorder]	
311.00	311	Atypical depressive disorder [depressive disorder, not otherwise specified]	
312.00	312.00	Undersocialized conduct disorder, [solitary] aggressive type, unspecified	
312.20	312.20	Socialized conduct disorder [group type], unspecified	3
312.31	312.31	Pathological gambling	
312.32	312.32	Kleptomania	
312.33	312.33	Pyromania	
312.34	312.34	Intermittent explosive disorder	
312.39	312.39	DISORDERS OF IMPULSE CONTROL, NOT ELSEWHERE CLASSIFIED [trichotillomania]	49
312.39	312.30	DISORDERS OF IMPULSE CONTROL, NOT ELSEWHERE CLASSIFIED [not otherwise specified]	50
312.90	312.9	Unspecified disturbance of conduct [disorder] [Undifferentiated type]	51
313.00	313.0	Overanxious disorder OF CHILDHOOD AND ADOLESCENCE	
313.21	313.21	Shyness [avoidant] disorder of childhood (or adolescence)	3
313.23	313.23	Elective mutism OF CHILDHOOD AND ADOLESCENCE	
313.81	313.81	Oppositional [defiant] disorder of CHILDHOOD AND ADOLESCENCE	
313.82	313.82	Identity disorder OF CHILDHOOD AND ADOLESCENCE	
313.89	313.89	Other EMOTIONAL DISTURBANCES OF CHILDHOOD AND ADOLESCENCE [reactive attachment disorder of infancy or early childhood]	3
314.00	314.00	[Undifferentiated] attention deficit disorder, without mention of hyperactivity	
314.01	314.01	Attention deficit disorder, with hyperactivity	
315.00	315.00	[Developmental] reading disorder, unspecified	
315.10	315.1	[Developmental] specific arithmetic disorder	
315.31	315.31	Developmental [expressive] [receptive] language disorder	
315.39	315.39	Other DEVELOPMENTAL SPEECH OR LANGUAGE [articulation disorder]	3
315.40	315.4	[Developmental] coordination disorder	3
315.90	315.9	Unspecified delay in development [disorder, not otherwise specified]	52
315.90	315.9	Other specified delays in development [specific developmental disorder, not otherwise specified]	52
316.00	316	Psychic [psychological] factors associated with diseases classified elsewhere [affecting physical condition]	3

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
317.00	317	Mild mental retardation	
318.00	318.0	Moderate mental retardation	
318.10	318.1	Severe mental retardation	
318.20	318.2	Profound mental retardation	
319.00	319	Unspecified mental retardation	
780.50	780.54	Other hypersomnia [related to a known organic factor]	53
780.50	780.52	Other insomnia [related to a known organic factor]	53
780.54	307.44	Persistent disorder or initiating or maintaining wakefulness [primary hypersomnia]	54
799.90	799.9	Other unknown and unspecified cause [diagnosis or condition deferred]	
V15.81	V15.81	Noncompliance with medical treatment	
V40.00	V62.89	Other PSYCHOLOGICAL OR PHYSICAL STRESS, NOT ELSEWHERE CLASSIFIED [borderline intellectual functioning]	55
V61.10	V61.1	Marital problems	
V61.20	V61.20	Parent-child problem, unspecified	
V61.80	V61.8	Other specified family circumstances	
V62.20	V62.2	Other occupational circumstances or maladjustment [problems]	
V62.30	V62.3	Educational circumstances [academic problem]	3
V62.81	V62.81	[Other] interpersonal problems, not elsewhere classified	
V62.82	V62.82	Bereavement, uncomplicated	
V62.89	V62.89	Other PSYCHOLOGICAL OR PHYSICAL STRESS, NOT ELSEWHERE CLASSIFIED [phase of life problem or other life circumstance problem]	3
V65.20	V65.2	Person feigning illness [malingering]	3
V71.01	V71.01	Adult antisocial behavior	
V71.02	V71.02	Childhood or adolescent antisocial behavior	
V71.09	V71.09	Other suspected mental condition [no diagnosis or condition]	56

Diagnostic Categories Needing Further Study (See page 367 *DSM-III-R*)

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
300.90	300.90	Unspecified neurotic disorder, nonpsychotic [late luteal phase dysphoric disorder]	57
301.90	301.89	Other personality disorders, other [sadistic personality disorder]	58
301.90	301.89	Other personality disorders, other [selfdefeating personality disorder]	58

FOOTNOTES FOR CROSSWALK FROM *DSM-III* and *DSM-III-R* TO *ICD-9-CM*

1. General Notes

   a. This crosswalk was prepared with the assistance of the text and index of *DSM-III-R*, and the text glossary, and index of the *ICD-9-CM*. Also included are the *ICD-9-CM* Errata, printed in March 1979, the *ICD-9-CM* Addenda, published in *Medical Record News*, May 15, 1979, and the *ICD-9-CM* Official Authorized Addendum, NCHS, DHHS, October 1, 1987.

   b. When this crosswalk is used for submission to Federal agencies or intermediaries for reimbursement, only one code should be reported. Multiple codes are not accepted.

   c. In *ICD-9-CM* drug abuse codes, specific substances are not specified. These may be indicated by the use of an "E" code. (Only submit the non-"E" code for reimbursement purposes, however.)

   d. Nonsubstantive zeros in *DSM-III-R* which are not found in *ICD-9-CM* are highlighted in this crosswalk by an underscore (e.g., 316.00). These have no "content," and do not affect the crosswalk to *ICD-9-CM*. These final zeros (indicated in the crosswalk by an underscore) may be suppressed to arrive at the *ICD-9-CM* code.

   e. Some *DSM-III-R* codes contain several rubrics, which are in effect inclusion terms. These have been used in the same way as inclusion terms in *ICD-9-CM*.

   f. Note that this is not an *ICD-9-CM* to *DSM-III-R* crosswalk, and should not be used as such. There are many *ICD-9-CM* codes which are not included in *DSM-III-R*, and are not included in this crosswalk.

   g. "Not otherwise specified" in *ICD-9-CM* is equivalent to "unspecified" in *DSM-III-R* (page xxiii in *ICD-9-CM*).

2. *ICD-9-CM* includes the "Alzheimer's" rubric for only presenile dementia, while *DSM-III-R* includes Alzheimer's as an inclusion term for both presenile and senile dementia. The reason is that recent evidence indicates that the pathology for the senile and presenile conditions is the same, and is of the Alzheimer type. This may cause confusion in coding, since Alzheimer's leads the *ICD-9-CM* coder to only presenile dementia. The controlling rubric, however, is senile/presenile, rather than the Alzheimer's designation. If Alzheimer's is indicated without reference to whether the condition is presenile or senile, the *ICD-9-CM* convention should be observed (i.e., the condition coded to presenile dementia).

3. The *DSM-III-R* term is a subterm or inclusion term in *ICD-9-CM*.

4. *ICD-9-CM* includes all drug withdrawal syndromes in 292.0, whether or not the drug is specified, and whether or not delirium is present. Other *ICD-9-CM* categories include only effects **induced** by drugs (292.2 to 292.9). The *ICD-9-CM* 293 series (transient organic psychotic conditions, including delirium) specifically excludes disorders associated with alcohol or drugs.

5. *ICD-9-CM* includes all specific drug induced disorders under a single code which defines the nature of the disorder (e.g., delusional syndromes, hallucinosis, affective (mood) syndromes, etc.), whereas *DSM-III-R* includes a designation as to the drug class.

6. The term "organic" is not included in *DSM-III- R*, but that an organic mental disorder is present is clear.

7. PCP and/or caffeine are included in these *ICD-9-CM* categories, as per the *ICD-9-CM* index. (In the case of PCP dependence, 304.5, the original publication of *ICD-9-CM* had Phencyclidine as an inclusion term, but in the index led the coder to 304.6. In later printings, this inclusion term in 304.5 was eliminated.)

8. "Specified" in *ICD-9-CM* refers to the mental disorder, while "unspecified" in *DSM-III-R* refers to the drug.

9. The term "affective" is not used in *DSM-III-R*.

10. Posthallucinogen perception disorder is specified drug-induced organic mental disorder which is not delirium, dementia, amnestic, or affective. It is not a withdrawal syndrome or intoxication, and is not a hallucinatory state induced by drugs, since the drug is no longer present. It therefore goes to the residual category "other specified" drug-induced organic mental disorder category in *ICD-9-CM* (292.89).

11. "Unspecified" in *ICD-9-CM* and "not otherwise specified" in *DSM-III-R* refers to "disorder."

12. *ICD-9-CM* uses the word "acute," while *DSM-III-R* does not. The discussion on "course" in *DSM-III-R* (p. 101-102), however, makes it clear that the conditions are one and the same.

13. The word "chronic" is included in the *ICD-9-CM* 294.8 code title, but not in *DSM-III-R*. "Chronic" does not completely define the *ICD-9-CM* category; however, as "acute" cases are also included as per the *ICD-9-CM* index, and "mixed" is an inclusion term. The *DSM-III-R* "organic anxiety disorder" is "another specified" organic brain syndrome, and crosswalks to 294.8.

14. The *DSM-III-R* "not otherwise specified" rubric crosswalks to the *ICD-9-CM* "unspecified" category, 294.9.

15. This code is not found in Appendix G (alphabetic list) or Appendix H (numeric list) of *DSM-III-R*, but is a valid *DSM-III-R* code.

16. Codes 295.63 and 295.64 are found in Appendix G (alphabetic list) and Appendix H (numeric list) of *DSM-III-R*, but are **not** valid *DSM-III-R* codes. (See page 198 in *DSM-III-R*.)

17. *DSM-III-R* questions whether this is a schizophrenic disorder. Both *DSM-III-R* (p. 208-210) and *ICD-9-CM* (p. 1119) agree, however, that this category contains the conditions in which affective and schizophrenic symptoms are both pronounced.

18. The *DSM-III-R* term "undifferentiated" appears as an inclusion term in *ICD-9-CM* for both 295.8x and 295.9x. The state referred to in 295.8x is "acute;" however, and is similar to 295.40 in *DSM-III-R*. (The 295.8x codes are not used in *DSM-III-R*.) Code 295.9x in *DSM-III-R* is a residual category, and is correctly crosswalked to 295.9x in *ICD-9-CM* ("undifferentiated, not otherwise specified").

19. Appendix G (alphabetic list) and Appendix H (numeric list) in *DSM-III-R* incorrectly shows the rubric as "unspecified."

20. Terminology for the 5th digit differs in *DSM-III-R* and *ICD-9-CM*, but study of the two documents reveals that the terminology is equivalent. *DSM-III-R* drops the word "severe" from the .x4 rubric, although severity is clearly implied; uses the word "features" instead of "behavior" to describe psychosis; does not include "unspecified" in the .x5 rubric; and drops the term "affective" from the bipolar disorders.

21. *DSM-III-R* uses the term "delusional" instead of paranoia. This is clearly within the intent of *ICD-9-CM*, however, which indicates that this category includes cases in which "delusions ... are the main symptoms."

22. The *DSM-III-R* terminology simply stresses that the disorder is induced by another person. The outcome is the same, however, in that the two persons share the same disorder.

23. *ICD-9-CM* does not specifically mention the absence of agoraphobia, but this is implicit, since the combination of agoraphobia and panic would go to 300.21 in *ICD-9-CM*, and this category is the only other possibility for panic disorder in *ICD-9-CM*.

24. *ICD-9-CM* considers agoraphobia the primary condition, while *DSM-III-R* considers panic disorder to be the primary condition. The contents of the category are the same, however.

25. The *DSM-III-R* category is theoretically more restrictive, in that panic disorder (rather than mention of panic attacks) should be present. This is not problematic in a *DSM-III-R* to *ICD-9-CM* crosswalk, however, since the contents of the *DSM-III-R* category would go in toto to the *ICD-9-CM* category.

26. Body dysmorphic disorder is a new *DSM-III-R* rubric, and is clearly a somatoform disorder according to *DSM-III-R*.

27. All somatoform disorders go to 300.7 in *ICD-9-CM*. *ICD-9-CM's* 300.9 (Unspecified neurotic disorder) would be incorrect, since the neurotic disorder is indeed specified as somatoform.

28. The *DSM-III-R* "nonpsychotic" is broader than the *ICD-9-CM* "unspecified neurotic." However, the presence of residual categories in *DSM-III-R* which cover all other conditions, and the absence of another appropriate *DSM-III-R* category for unspecified neurotic disorders, makes this the correct crosswalk in actual practice. Also, the *DSM-III-R* title is included in the *ICD-9-CM* index for this code.

29. Although there is a category for "fetishism" in the "other" category of *ICD-9-CM*, the greater specificity in the term "transvestic fetishism" in *DSM-III-R* makes 300.3 the correct one.

30. *ICD-9-CM* contains codes for sexual orientation, while *DSM-III-R* does not. (The sexual orientation can be specified in *DSM-III-R*, but all transsexualism goes into the 302.50 category.) If sexual orientation is specified in *DSM-III-R*, the crosswalk to *ICD-9-CM* would be 302.51 (asexual), 302.52 (homosexual), or 302.53 (heterosexual).

31. *ICD-9-CM* inclusions are "frigidity" and "impotence," which is equivalent terminology to that in *DSM-III-R*.

32. Sexual aversion disorder is an "other specified psychosexual dysfunction" as defined by *ICD-9-CM*.

33. The addition of "nontranssexual type" in *DSM-III-R* adds some confusion to where this disorder should be placed in *ICD-9-CM*, since there is no such exclusion in *ICD-9-CM*. The primary category is gender identity disorder, however, rather than transsexualism, which crosswalks to 302.85 in *ICD-9-CM*. In addition, the "not otherwise specified" rubric in *DSM-III-R* correctly crosswalks to this category in *ICD-9-CM*, since this refers specifically to gender identity disorder, rather than serving as a more general NOS category for psychosexual disorders.

34. Frotteurism is an "other specified psychosexual disorder," as per the *ICD-9-CM* definition.

35. *ICD-9-CM* recognizes intoxication in a person dependent on alcohol (303.0x) and in a person not dependent (305.0x). *DSM-III-R* recognizes intoxication without regard to dependence (303.00), and abuse without dependence (305.0x). In clinical practice most patients coming to care intoxicated will also be dependent, making the 303.00 to 303.00 crosswalk correct. "Abuse" is similarly defined in *ICD-9-CM* (p. 1089-1090) and *DSM-III-R* (p. 169 and 0. 173), making the 305.0x to 305.0 crosswalk correct.

36. Inhalants are an "other specified" substance, as per the *ICD-9-CM* definition.

37. "Specified" and "unspecified" as used here are only an apparent contradiction in the *ICD-9-CM* and *DSM-III-R* codes. "Specified" refers to the drug, and "unspecified" refers to the pattern of the condition.

38. The two combination categories in *ICD-9-CM* are dependent on identification of use or non-use of opioid drugs (304.7 and 304.8). *DSM-III-R* does not use this distinction, and so *DSM-III-R* combination categories for drugs would have to go to the "unspecified" category (304.9), since opioid is not specified.

39. In spite of the overall category rubric in *ICD-9-CM* ("Nondependent abuse of drugs"), tobacco dependence is an *ICD-9-CM* inclusion term in 305.1. The *DSM-III-R* use of "nicotine" reflects the addicting substance in tobacco, and tobacco is the only clinically important manner in which nicotine is abused.

40. *ICD-9-CM* is not entirely clear as to where most intoxication without dependence should be placed. Intoxication is implied in "abuse," however, as the glossary reads the abuse is "a maladaptive effect of a drug on which he is not dependent" (p. 1089). In addition, alcohol intoxication without dependence (drunkenness) is included in this group (the 305 series), as is acute intoxication from hallucinogens. The crosswalk listed is therefore correct.

41. Hallucinosis is the *DSM-III-R* term for intoxication. The "hallucinosis" rubric in *ICD-9-CM* leads one to 292.12, however. If this term is used in *DSM-III-R*, the 292.12 crosswalk should be used.

42. Polysubstance abuse in *DSM-III-R* is equivalent to "mixed" in *ICD-9-CM*.

43. This *ICD-9-CM* code is the only residual category for tic disorder, and so is the correct crosswalk for the "not otherwise specified" *DSM-III-R* rubric.

44. The key word is "or" in the *DSM-III-R* rubric, as either motor or verbal tics, but not both, may be present (page 81, *DSM-III-R*). If both are present, Tourette's is the proper diagnosis.

45. The term "habit" in a non-tic condition is indexed in *ICD-9-CM* to 307.9, and some of the examples in *DSM-III-R* are inclusion terms in *ICD-9-CM* 307.9. If "habit" is included in the rubric, therefore, the crosswalk is to 307.9.

46. Dyssomnia is a rubric unique to *DSM-III-R*, but has the meaning of any insomnia, hypersomnia, or disorder of the sleep-wake cycle (page 298). This crosswalks in *ICD-9-CM* to the 307.40 "unspecified" code of *ICD-9-CM*.

47. Parasomnia of nonorganic origin crosswalk to 307.47 as per the *ICD-9-CM* index.

48. *DSM-III-R* considers the contents of 307.42 to be insomnia which does not have an organic etiology or which is related only to another mental disorder. The inclusion terms in *ICD-9-CM* clarify that this is the content of the *ICD-9-CM* category also. The *ICD-9-CM* category "transient disorder of initiating or maintaining sleep" (307.41) does not meet the *DSM-III-R* definition of an insomnia-type mental disorder, because of the transient nature of the condition (see pages 299-300 in *DSM-III-R*). Similar reasoning applies to the hypersomnia category (307.44).

49. Trichotillomania is another specified disorder of impulse control, as per the *ICD-9-CM* definition.

50. The "not otherwise classified" rubric in *DSM-III-R* crosswalks to 312.30 ("unspecified") in *ICD-9-CM*.

51. Because the disorder is undifferentiated (as in *DSM-III-R*), it cannot be specified, yielding the "unspecified" rubric of *ICD-9-CM*.

52. The "specified" in the *DSM-III-R* rubric for 315.90 is contradictory to the "not otherwise specified" rubric (which means "unspecified"). The "not otherwise specified" rubric should be taken as the primary rubric, which crosswalks to *ICD-9-CM* 315.90. The other *DSM-III-R* rubric "unspecified" unambiguously goes to *ICD-9-CM* 315.90.

53. *DSM-III-R* considers the contents of these categories to be hypersomnia which has an organic etiology. The closest *ICD-9-CM* categories are 780.54 and 780.52. (If apnea is specified, the crosswalk is to 780.53 or 780.51 in *ICD-9-CM*).

54. This *DSM-III-R* category is for hypersomnia with no known organic etiology or related only to another mental disorder. This crosswalks to 307.44 in *ICD-9-CM*.

55. The inclusion "borderline intellectual functioning" was added to *ICD-9-CM* V62.89 in an update. The crosswalk is therefore to V62.89 in *ICD-9-CM*.

56. *ICD-9-CM* includes this code under "observations for suspected mental condition," while *DSM-III-R* indicates that this code is to be used when no diagnosis or condition is present "following an examination." Assuming that the *ICD-9-CM* code represents a final "diagnosis," both refer to a person with a negative workup for a mental disorder or condition. A "V" code by definition is not to be used if a disease is thought to be present (*ICD-9-CM*, p. 880). This is distinguished from 799.90 (*DSM-III-R*) and 799.9 (*ICD-9-CM*) which refer to cases in which a disease is present but unspecified, or in which a disease is thought to be present but the diagnosis is deferred.

57. Code 307.90 is incorrectly attached to this rubric in the Alphabetic List (Appendix G) and Numeric List (Appendix H) of *DSM-III-R*.

58. This is an "other specified" personality disorder, as per the *ICD-9-CM* definition, and crosswalks to 301.89.

B4465

LOS

PSYCHIATRIC

LENGTH OF STAY

Psychiatric Length of Stay
by Diagnosis
Southern Region, 1989

LOS

PSYCHIATRIC

LENGTH OF STAY

Psychiatric Length of Stay
by Diagnosis
United States, Southern Region, 1989

Healthcare Knowledge Resources
Ann Arbor, Michigan
November, 1990

PSYCHIATRIC LENGTH OF STAY

This publication represents one volume in the Psychiatric Length of Stay by Diagnosis series:

Psychiatric Length of Stay by Diagnosis, United States, 1989
ISSN 0898-0543

Psychiatric Length of Stay by Diagnosis, Northeastern Region, 1989
ISSN 0898-0527

Psychiatric Length of Stay by Diagnosis, North Central Region, 1989
ISSN 0898-249X

Psychiatric Length of Stay by Diagnosis, Southern Region, 1989
ISSN 0898-0519

Psychiatric Length of Stay by Diagnosis, Western Region, 1989
ISSN 0898-0535

For further information, please contact Healthcare Knowledge Resources, P.O. Box 303, Ann Arbor, Michigan 48106-0303, or call 800-521-6210.

Copyright 1990 by Healthcare Knowledge Resources, Ann Arbor, Michigan, based on data from the Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a database or retrieval system, without the prior written permission of the publisher.

Statistics reported in this volume are drawn from individual patient discharge records for the time period January 1, 1989 through December 31, 1989. Neither CPHA nor Healthcare Knowledge Resources assume any liability for any use, furnishing, analysis, interpretation, conclusions, or utilization review decisions based on data reported herein. Any such liability shall be the responsibility of the user of the data, who agrees to hold CPHA or Healthcare Knowledge Resources harmless from any damages, litigation, liability or claimed liability, claims, and any expenses including legal expenses incident thereto resulting from any such use, furnishing, analysis, interpretation, conclusions, or utilization review decisions.

CONTENTS

Introduction v

Description of the Database vi
Source of the Data
Data Quality
Hospital Characteristics

Organization of the Tables viii
Diagnosis Classification Categories
Hospital Service Type
Patient Data Stratification

Explanation of the Statistics x
Total Number of Patients
Average Length of Stay
Variance
Percentiles
Subtotal and Grand Total

Using the Tables xi

Psychiatric Length of Stay Tables 1

Appendix A
1989 Hospital Characteristics 165
Table 1: Universe of Hospitals
Table 2: Hospitals With Psychiatric Units
Table 3: Hospitals Without Psychiatric Units

Appendix B
Description of Hospital Characteristics 168

Appendix C
State Inclusions By Region 169

Appendix D
Numeric Listing of *ICD-9-CM* Psychiatric Diagnosis Codes 170

Appendix E
Alphabetic Listing of *ICD-9-CM* Psychiatric Diagnosis Codes 178

Appendix F
Crosswalk From *DSM-III-R* to *ICD-9-CM* 186

ACKNOWLEDGEMENTS

1989 PSYCHIATRIC LENGTH OF STAY BY DIAGNOSIS

PROJECT TEAM:

Jennifer Goewey, Publication Specialist
Linda E. Vanek, Assistant Manager, Normative Publications
Joyce Beach, Senior Programmer Analyst
Lale A. Olson, Senior Electronic Publishing Analyst

The following individuals made valuable contributions to the development of this publication:

Robert Seeman, Senior Nosologist, Commission on Professional and Hospital Activities (CPHA),
Nancy Ramirez, Medical Systems Specialist, Healthcare Knowledge Resources,
Robert Travis, Librarian.

We offer a special thank-you to the following individuals for their assistance:

Ruth Blumenauer, Fran Metz, Peggy Meyer, Connie Prouty, Kris Reutter, and Sally Smith.

Finally, we gratefully acknowledge the hospitals and state organizations that support this and other publications by making their data available.

INTRODUCTION

Healthcare Knowledge Resources is the official developer and distributor of products derived from the clinical research and classification development activities of the Commission on Professional and Hospital Activities (CPHA). Now in its fourth decade as a reliable source for clinical record information, CPHA retains ownership of its databases and classification systems while Healthcare Knowledge Resources develops and markets high quality, information-oriented products and services to the healthcare industry and related fields.

Healthcare Knowledge Resources offers a range of information products, available through books, magnetic media, and educational seminars. The Psychiatric Length of Stay series is one of a number of data reference tools providing performance guidelines for a variety of healthcare settings.

The Psychiatric Length of Stay series is a unique annual publication. The series incorporates length of stay and demographic data on psychiatric patients treated in nonfederal, short-term general hospitals in the United States during 1989. This book is one volume in a set of five books. The complete set is the latest in a series of publications on psychiatric length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from other organizations contributing to CPHA are also included in the 1989 series.

In addition to *Psychiatric Length of Stay by Diagnosis*, other titles in the Cost Containment Series include: *Length of Stay by Diagnosis and Operation* and *Length of Stay by DRG and Payment Source*. Each series is available on an annual basis for the United States, Northeastern, North Central, Southern, and Western regions. *Pediatric Length of Stay* (19 years and under) and *Geriatric Length of Stay* (65 years and over) are also available in the Diagnosis and Operation series for the United States.

These statistics, also available on magnetic tape and diskette, provide a valuable perspective for utilization review, quality assurance professionals, physicians, consultants, hospital administrators, third party payors, and researchers interested in cost containment and quality care.

DESCRIPTION OF THE DATABASE

SOURCE OF THE DATA

Data in the Length of Stay tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer or magnetic tape.

2. The disk or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data undergo a comprehensive editing process and errors are corrected.

4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.

5. Data are standardized to create an aggregated patient record base.

Annually these data are utilized to create the Length of Stay series and other reference tools.

DATA QUALITY

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Over 600 automated checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, and unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, numerous edits are done to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death, stillborn
2. admission from other short-term hospital
3. discharge to other short-term hospital
4. discharge against medical advice

HOSPITAL CHARACTERISTICS

Data chosen for inclusion in the Psychiatric Length of Stay series are from general, nonfederal, short-term hospitals in the United States. The American Hospital Association (AHA)[1] defines these characteristics in the following manner:

General – The primary function of the institution is to provide patient services, diagnostic and therapeutic, for a variety of medical conditions.

Nonfederal – Controlled by state, county, city, city-county, hospital district or authority, church.

Short-term – The average length of stay for all patients is less than 30 days, or over 50 percent of all patients are admitted to units where the average length of stay is less than 30 days.

Most data used in the Length of Stay tables are from hospitals participating in PAS. In addition, the following organizations have sent data: Colorado Hospital Association, Hospital Association of New York State, Michigan Hospital Association, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), New Hampshire Hospital Association, Oregon Hospital Association, Southern Kaiser Foundation Hospitals, Vermont Hospital Association, and Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data for special studies.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

The characteristics of all hospitals with discharge data included in the Length of Stay tables are displayed in the tables in Appendix A. Definitions of hospital characteristics are provided in Appendix B and the states included in each region are listed in Appendix C.

---

[1] American Hospital Association Guide to the Health Care Field, 1989.

ORGANIZATION OF THE TABLES

DIAGNOSIS CLASSIFICATION CATEGORIES

The tables in each regional and national volume are categorized by the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.[1] This system includes both diagnosis and procedure numerical codes of three to five digits. The psychiatric length of stay tables are categorized by *ICD-9-CM* diagnosis code, beginning with code 290 and ending with code 314.9, expressed to the fourth digit. Diagnosis codes within the specified range with five digits are collapsed and incorporated into the four digit *ICD-9-CM* diagnosis codes. Appendix D lists, in numerical order, the *ICD-9-CM* diagnosis codes in the tables, their accompanying description, and the page number of the table. Appendix E lists, in alphabetical order, the *ICD-9-CM* psychiatric diagnoses description and accompanying numerical codes along with the page number of the table. (A crosswalk from *DSM-III-R* to *ICD-9-CM* is included in Appendix F.)

HOSPITAL SERVICE TYPE

The tables are also categorized by hospital service unit.[2] The divisions are:

a. **Hospitals with a psychiatric unit/beds** – nonfederal, short-term general hospitals reporting a psychiatric acute care unit or beds set-up.

b. **Hospitals without a psychiatric unit/beds** – nonfederal, short-term general hospitals that do not report a psychiatric acute care unit or beds set-up.

Hospitals in both groups can offer the following additional services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization.

PATIENT DATA STRATIFICATION

The psychiatric length of stay data are stratified into two patient groups, by sex, and by seven age ranges:

Patient Groups

Patients in the tables are grouped by *ICD-9-CM* psychiatric principal diagnosis and by the presence or absence of a psychiatric secondary diagnosis. The principal diagnosis code is the diagnosis that, after study, explains why the patient was admitted to the hospital.

Psychiatric Principal Diagnosis, Without Any Psychiatric Secondary Diagnosis (Psych Prin, No Psych 2nd Dx)

This group includes patients having a psychiatric principal diagnosis code only (*ICD-9-CM* 290-314.9) or patients having the specified psychiatric principal diagnosis code and a nonpsychiatric secondary diagnosis. For example, this group may include a patient having the principal psychiatric diagnosis code specified in the table as their only diagnosis. Alternatively, a patient with the same principal psychiatric diagnosis and a secondary diagnosis of diabetes (*ICD-9-CM* code 250.0), a nonpsychiatric secondary diagnosis, is also included in this category.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1989.

[2] 1988 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Psychiatric Principal Diagnosis, With One or More Psychiatric Secondary Diagnoses (Psych Prin, Psych 2nd Dx(s)

This group includes patients having a psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) and one or more psychiatric secondary diagnoses (*ICD-9-CM* 290-314.9).

Sex

Patients are distinguished as either male or female.

Age

Patients are in one of the following age groups recorded in years:

0-12 (includes newborns)
13-17
18-24
25-34
35-54
55-74
75+

The "all ages" group summarizes all the age groups by sex.

EXPLANATION OF THE STATISTICS

Data are categorized by total number of patients, average length of stay, variance, and distribution percentiles. In addition, two subtotals and a grand total are included.

TOTAL NUMBER OF PATIENTS

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

AVERAGE LENGTH OF STAY

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the lengths of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

VARIANCE

The variance is a measure of the spread of the data around the average. The smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

DISTRIBUTION PERCENTILES

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

SUBTOTAL AND GRAND TOTAL

The subtotal represents the total patients in each of the two patient groups. The Grand Total represents the total number of patients in the specified psychiatric diagnosis category within one of the two hospital service type categories.

USING THE TABLES

The Psychiatric Length of Stay series can be used as a valuable supplement and reference in a variety of healthcare settings. Use of hospital stay data as an inpatient utilization measure allows the healthcare professional to compare regional and national norms to an individual institution or special population. The Length of Stay series assists in:

- projecting extended stay reviews;
- identifying candidates for utilization review;
- establishing baselines;
- developing forecasts; and
- service planning.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay by using one of the Length of Stay regional or national volumes:

Step 1: Consult the Appendix at the back of the book for the particular diagnosis to be reviewed.

Step 2: Find the corresponding table in the Length of Stay tables; the *ICD-9-CM* diagnosis code number follows the English title of each table.

Step 3: Find the appropriate portion of the table for review:

- Hospital Service Type
- Patient Group
- Sex
- Age

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total stratified patient sample and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps can be followed, with more specific applications, by healthcare professionals in many diverse settings.

Psychiatric Length of Stay Diagnosis Tables

SUMMARY OF ALL PATIENTS WITH PSYCHIATRIC CODES

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	430	19.2	272	2	7	15	28	42	50	75	38	3.2	25	1	1	2	3	9	22	99 +
13-17	498	18.4	265	2	6	14	27	42	55	82	42	5.0	56	1	1	2	6	14	22	35
18-24	526	12.4	150	2	4	9	18	30	34	70	131	7.6	117	1	2	3	7	27	33	43
25-34	1008	11.7	120	2	4	8	17	28	30	54	313	8.9	127	1	2	4	10	30	35	42
35-54	1532	12.6	116	2	4	9	18	28	31	47	567	7.5	86	1	2	4	7	21	32	40
55-74	822	14.1	144	3	5	11	21	29	35	62	331	8.4	98	2	3	5	9	23	30	46
75 +	324	15.3	186	3	6	11	21	34	42	67	173	8.7	62	3	3	6	11	21	29	99 +
ALL AGES	5140	13.9	163	2	4	10	20	30	39	64	1595	7.9	96	1	2	4	9	26	32	42
B. FEMALE																				
0-12 YRS.	208	21.2	347	2	7	15	35	46	53	86	29	3.2	36	1	1	2	3	4	10	33
13-17	661	18.3	266	2	6	14	28	42	53	84	62	4.4	44	1	1	2	5	10	14	41
18-24	526	12.0	144	1	3	8	16	28	36	54	110	6.1	64	1	1	3	6	13	30	36
25-34	1246	11.9	122	2	4	9	16	26	32	62	269	6.7	67	1	2	4	7	14	28	38
35-54	2010	13.8	135	3	6	11	18	28	35	62	462	6.7	50	1	2	4	8	14	23	34
55-74	1418	17.0	181	4	8	14	23	34	45	68	390	8.1	75	2	3	5	10	18	28	43
75 +	729	16.7	218	3	6	13	23	36	47	83	332	7.4	47	2	4	6	9	16	25	99 +
ALL AGES	6798	15.0	176	2	5	11	20	32	42	69	1654	7.0	59	1	3	5	8	15	27	42
SUBTOTAL	**11938**	**14.5**	**171**	**2**	**5**	**11**	**20**	**30**	**42**	**67**	**3249**	**7.4**	**78**	**1**	**2**	**4**	**8**	**19**	**30**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	443	27.5	307	9	15	24	38	53	70	99 +	3	1.7	1	1	1	1	2	3	3	3
13-17	559	21.1	269	3	8	18	30	45	61	99 +	41	13.0	204	1	2	6	22	40	42	46
18-24	577	14.7	171	2	4	11	22	31	39	63	138	17.4	223	2	3	12	31	39	42	44
25-34	1303	13.0	122	2	4	10	19	28	31	53	349	17.4	231	1	3	10	31	38	42	47
35-54	1699	12.3	118	2	4	9	18	28	33	55	509	11.1	150	2	3	5	18	30	36	42
55-74	627	14.5	151	3	5	11	21	30	39	59	267	9.8	104	2	3	5	12	27	33	57
75 +	192	16.5	140	4	8	14	24	31	37	58	92	10.5	93	3	4	7	13	24	27	49
ALL AGES	5400	15.3	180	2	5	12	22	32	42	73	1399	13.0	177	2	3	6	27	35	39	46
B. FEMALE																				
0-12 YRS.	175	25.7	339	6	13	22	36	57	71	99 +	4	3.3	3	2	2	3	4	6	6	6
13-17	579	21.9	293	3	8	19	31	45	58	99 +	32	11.3	201	1	2	4	15	36	47	49
18-24	600	15.6	219	2	5	11	22	36	49	89	114	17.0	242	1	3	9	31	41	42	42
25-34	1385	14.4	166	3	5	11	20	29	39	70	223	15.3	210	2	3	7	28	41	42	43
35-54	1808	15.3	172	3	6	12	21	32	40	64	306	11.4	139	2	3	7	14	29	41	43
55-74	815	17.7	196	4	8	14	25	35	46	73	219	9.0	77	3	4	6	10	23	28	44
75 +	345	17.5	200	4	7	14	24	36	48	72	134	9.6	132	3	4	7	11	18	31	88
ALL AGES	5707	16.6	204	3	6	13	23	35	46	77	1032	12.1	160	2	3	7	15	33	41	46
SUBTOTAL	**11107**	**15.9**	**195**	**3**	**6**	**12**	**22**	**34**	**44**	**75**	**2431**	**12.6**	**171**	**2**	**3**	**6**	**22**	**34**	**41**	**46**
GRAND TOTAL	**23045**	**15.2**	**183**	**2**	**5**	**11**	**21**	**32**	**42**	**71**	**5680**	**9.7**	**123**	**1**	**3**	**5**	**11**	**28**	**35**	**43**

SOUTHERN REGION, JANUARY-DECEMBER 1989

SENILE DEMENTIA UNCOMP (290.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS												HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS											
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES									TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES								
				10TH	25TH	50TH	75TH	90TH	95TH	99TH						10TH	25TH	50TH	75TH	90TH	95TH	99TH		
1. PSYCH PRIN, NO 2ND PSYCH DX																								
A. MALE																								
0-12 YRS.																								
13-17																								
18-24																								
25-34																								
35-54																								
55-74	4	21.5	250	4	9	20	33	41	41	41			3	7.3	3	6	6	7	8	9	9	9		
75 +	15	14.1	126	4	5	12	19	37	38	39			12	15.2	128	5	7	12	22	31	40	42		
ALL AGES	19	15.6	151	4	5	13	21	38	40	41			15	13.6	112	6	7	10	20	27	38	42		
B. FEMALE																								
0-12 YRS.																								
13-17																								
18-24																								
25-34																								
35-54																								
55-74	7	14.9	65	6	9	13	20	28	29	29			4	2.8		2	2	3	3	3	3	3		
75 +	28	10.0	137	2	5	7	10	17	43	55			17	9.9	79	4	5	7	10	20	33	39		
ALL AGES	35	10.9	126	2	5	8	12	22	39	55			21	8.6	70	2	4	7	9	17	30	39		
SUBTOTAL	**54**	**12.6**	**136**	**3**	**5**	**9**	**15**	**30**	**41**	**54**			**36**	**10.7**	**91**	**3**	**5**	**7**	**12**	**23**	**35**	**42**		
2. PSYCH PRIN, 2ND PSYCH DX(S)																								
A. MALE																								
0-12 YRS.																								
13-17																								
18-24																								
25-34																								
35-54																								
55-74	2	8.5	13	6	6	8	11	11	11	11														
75 +	3	11.0	7	8	9	12	13	13	13	13			2	29.0	578	12	12	29	46	46	46	46		
ALL AGES	5	10.0	9	6	7	11	12	13	13	13			2	29.0	578	12	12	29	46	46	46	46		
B. FEMALE																								
0-12 YRS.																								
13-17																								
18-24																								
25-34																								
35-54																								
55-74	2	25.0	242	14	14	25	36	36	36	36			1	9.0		9	9	9	9	9	9	9		
75 +	7	5.3	11	2	3	4	8	11	11	11			3	9.0	16	5	6	9	12	13	13	13		
ALL AGES	9	9.7	114	2	3	5	12	27	36	36			4	9.0	11	5	7	9	11	13	13	13		
SUBTOTAL	**14**	**9.8**	**73**	**3**	**4**	**8**	**12**	**16**	**32**	**36**			**6**	**15.7**	**227**	**5**	**9**	**11**	**13**	**43**	**46**	**46**		
GRAND TOTAL	**68**	**12.0**	**124**	**3**	**5**	**9**	**14**	**28**	**39**	**53**			**42**	**11.4**	**109**	**3**	**5**	**8**	**12**	**24**	**40**	**46**		

PRESENILE DEMENTIA (290.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	2	18.0	18	15	15	18	21	21	21	21										
55-74	29	12.4	64	3	7	10	18	26	28	30	5	22.8	612	3	6	11	38	63	63	63
75 +	34	12.4	82	4	7	9	17	24	33	39	26	7.6	24	3	4	6	9	15	19	23
ALL AGES	66	12.4	72	3	7	10	18	25	28	38	31	10.0	135	3	4	7	11	20	30	63
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	34	12.1	65	3	8	11	15	21	29	38	12	7.8	52	3	3	4	10	17	26	28
75 +	52	16.9	237	3	7	13	27	43	71	99 +	31	7.4	35	3	4	6	9	15	30	99 +
ALL AGES	86	15.0	173	3	7	11	20	35	48	99 +	43	7.5	39	3	4	6	10	14	29	99 +
SUBTOTAL	**152**	**13.9**	**129**	**3**	**7**	**11**	**19**	**29**	**39**	**99**	**74**	**8.6**	**79**	**3**	**4**	**6**	**10**	**18**	**29**	**91**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	22.5	365	9	9	22	36	36	36	36										
55-74	4	17.0	146	10	10	12	24	35	35	35	1	4.0		4	4	4	4	4	4	4
75 +	4	6.3	20	3	3	4	9	13	13	13	2	7.5	41	3	3	7	12	12	12	12
ALL AGES	10	13.8	143	3	5	10	13	35	36	36	3	6.3	25	3	3	4	10	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	14	23.2	397	7	10	17	35	51	70	75	1	6.0		6	6	6	6	6	6	6
75 +	20	17.3	180	3	8	13	25	39	44	48	8	10.6	54	3	5	10	13	22	26	26
ALL AGES	34	19.7	270	3	9	14	31	42	48	75	9	10.1	49	3	5	10	12	21	26	26
SUBTOTAL	**44**	**18.4**	**242**	**3**	**8**	**13**	**28**	**38**	**48**	**75**	**12**	**9.2**	**42**	**3**	**4**	**8**	**12**	**18**	**25**	**26**
GRAND TOTAL	**196**	**14.9**	**157**	**3**	**7**	**11**	**19**	**34**	**41**	**88**	**86**	**8.6**	**74**	**3**	**4**	**6**	**10**	**17**	**28**	**86**

SENILE DELUSION/DEPRESS (290.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	7	20.9	310	8	9	13	30	51	55	55	2	7.5	5	6	6	7	9	9	9	9
75 +	2	35.0	1682	6	6	35	64	64	64	64	2	13.5	145	5	9	22	80	99 +	99 +	99 +
ALL AGES	9	24.0	484	7	9	13	40	60	64	64	4	10.5	62	5	6	9	41	99 +	99 +	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	11	13.1	69	6	9	11	15	24	35	36										
75 +	17	9.7	25	4	6	8	14	18	19	19	5	8.2	29	3	4	8	10	17	17	17
ALL AGES	28	11.0	44	5	6	10	14	18	21	36	5	8.2	29	3	4	8	10	17	17	17
SUBTOTAL	**37**	**14.2**	**171**	**5**	**7**	**10**	**15**	**32**	**48**	**64**	**9**	**9.2**	**39**	**4**	**5**	**8**	**17**	**61**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	5	16.6	67	6	10	17	24	25	25	25										
75 +											4	22.8	402	6	11	16	34	52	52	52
ALL AGES	5	16.6	67	6	10	17	24	25	25	25	4	22.8	402	6	11	16	34	52	52	52
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	7.0		7	7	7	7	7	7	7	1	6.0		6	6	6	6	6	6	6
75 +	4	17.0	110	8	8	15	25	30	30	30	1	31.0		31	31	31	31	31	31	31
ALL AGES	5	15.0	103	7	8	9	23	30	30	30	2	18.5	313	6	6	18	31	31	31	31
SUBTOTAL	**10**	**15.8**	**76**	**6**	**8**	**14**	**24**	**27**	**30**	**30**	**6**	**21.3**	**312**	**6**	**6**	**16**	**31**	**50**	**52**	**52**
GRAND TOTAL	**47**	**14.5**	**151**	**5**	**7**	**10**	**17**	**29**	**39**	**64**	**15**	**14.1**	**170**	**5**	**6**	**9**	**20**	**50**	**86**	**99 +**

SENILE DELIRIUM (290.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	5	11.8	18	6	8	13	15	16	16	16	3	9.7	4	7	8	11	11	11	11	11
75 +	16	13.5	150	2	5	10	18	24	43	51	7	9.9	14	4	9	11	13	74	99 +	99 +
ALL AGES	21	13.1	116	3	6	10	16	23	36	51	10	9.8	12	5	9	11	11	49	96	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	8	11.4	77	3	4	8	18	25	27	27	1	8.0		8	8	8	8	8	8	8
75 +	24	10.3	105	3	4	9	13	15	31	52	22	6.2	8	3	4	6	8	10	11	12
ALL AGES	32	10.6	95	3	4	9	13	20	26	52	23	6.3	7	3	4	6	8	10	11	12
SUBTOTAL	**53**	**11.6**	**103**	**3**	**5**	**10**	**15**	**22**	**27**	**52**	**33**	**7.3**	**12**	**3**	**5**	**7**	**10**	**11**	**14**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	27.5	481	12	12	27	43	43	43	43	1	15.0		15	15	15	15	15	15	15
75 +	3	12.7	16	8	9	14	15	16	16	16	3	14.7	340	4	4	4	28	36	36	36
ALL AGES	5	18.6	195	8	11	14	23	43	43	43	4	14.8	226	4	4	10	25	36	36	36
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	10.0	2	9	9	10	11	11	11	11	1	4.0		4	4	4	4	4	4	4
75 +	4	7.3	15	4	5	6	10	13	13	13	4	6.8	24	2	2	6	11	12	12	12
ALL AGES	6	8.2	11	4	6	8	11	13	13	13	5	6.2	20	2	3	4	10	12	12	12
SUBTOTAL	**11**	**12.9**	**114**	**5**	**7**	**11**	**14**	**27**	**42**	**43**	**9**	**10.0**	**116**	**2**	**3**	**4**	**13**	**28**	**36**	**36**
GRAND TOTAL	**64**	**11.8**	**104**	**3**	**5**	**10**	**15**	**22**	**32**	**52**	**42**	**7.9**	**33**	**3**	**4**	**7**	**11**	**13**	**22**	**99 +**

ARTERIOSCLEROT DEMENTIA (290.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	11.0		11	11	11	11	11	11	11										
55-74	20	16.9	253	3	7	13	21	33	52	70	7	4.4	9	2	2	3	6	9	10	10
75 +	35	14.7	142	4	7	10	20	37	42	42	8	8.9	43	3	5	7	10	20	24	24
ALL AGES	56	15.4	177	3	7	11	21	34	42	68	15	6.8	31	2	3	6	9	11	21	24
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	28	17.8	194	4	8	15	23	47	57	99 +	4	11.3	196	1	3	6	19	32	32	32
75 +	47	15.4	203	3	6	11	22	33	48	67	28	10.8	41	4	6	9	14	22	32	99 +
ALL AGES	75	16.3	198	4	6	12	23	40	51	91	32	10.9	54	4	6	9	14	24	32	99 +
SUBTOTAL	**131**	**15.9**	**188**	**4**	**6**	**11**	**22**	**38**	**47**	**75**	**47**	**9.6**	**49**	**3**	**5**	**8**	**13**	**22**	**29**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	6	18.5	237	2	6	15	30	42	43	43										
75 +	9	18.1	112	6	12	16	24	35	39	39	3	9.7	9	6	7	11	12	12	12	12
ALL AGES	15	18.3	147	5	9	15	27	39	42	43	3	9.7	9	6	7	11	12	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	5	5.8	10	3	3	5	8	10	10	10	2	10.0	8	8	8	10	12	12	12	12
75 +	17	14.2	116	3	6	11	19	32	39	41	4	10.0	81	4	4	7	16	23	23	23
ALL AGES	22	12.3	103	3	4	10	16	25	37	41	6	10.0	50	4	4	8	12	22	23	23
SUBTOTAL	**37**	**14.7**	**127**	**3**	**6**	**13**	**19**	**34**	**40**	**43**	**9**	**9.9**	**34**	**4**	**6**	**9**	**12**	**19**	**23**	**23**
GRAND TOTAL	**168**	**15.7**	**172**	**4**	**6**	**11**	**21**	**36**	**42**	**69**	**56**	**9.6**	**47**	**3**	**5**	**8**	**13**	**22**	**27**	**95**

SENILE PSYCHOT COND NOS (290.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	3	12.3	172	2	3	8	22	27	27	27										
75 +	5	16.0	122	6	9	10	24	33	33	33										
ALL AGES	8	14.6	123	3	7	10	24	31	33	33										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	6	10.5	25	4	7	10	14	18	18	18										
75 +	3	22.0	399	5	8	17	37	44	44	44	1	3.0		3	3	3	3	3	3	3
ALL AGES	9	14.3	150	4	6	11	17	34	44	44	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**17**	**14.5**	**127**	**4**	**7**	**10**	**19**	**32**	**40**	**44**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	7.0		7	7	7	7	7	7	7										
75 +	2	14.0	98	7	7	14	21	21	21	21	2	14.5	265	3	3	14	26	26	26	26
ALL AGES	3	11.7	64	7	7	7	18	21	21	21	2	14.5	265	3	3	14	26	26	26	26
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	32.0		32	32	32	32	32	32	32										
75 +																				
ALL AGES	1	32.0		32	32	32	32	32	32	32										
SUBTOTAL	**4**	**16.8**	**145**	**7**	**7**	**14**	**26**	**32**	**32**	**32**	**2**	**14.5**	**265**	**3**	**3**	**14**	**26**	**26**	**26**	**26**
GRAND TOTAL	**21**	**14.9**	**125**	**5**	**7**	**10**	**21**	**32**	**38**	**44**	**3**	**10.7**	**175**	**3**	**3**	**3**	**20**	**26**	**26**	**26**

DELIRIUM TREMENS (291.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	1.0		1	1	1	1	1	1	1										
25-34	5	5.0	16	1	2	3	8	11	11	11	1	1.0		1	1	1	1	1	1	1
35-54	20	6.1	25	2	3	4	7	13	18	21	15	4.6	7	2	3	3	7	7	10	11
55-74	7	4.0	4	1	3	4	5	7	7	7	7	5.4	13	2	3	5	6	12	13	13
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	34	5.2	19	1	3	4	5	11	14	21	24	4.6	9	2	3	4	6	8	12	13
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3	1	7.0		7	7	7	7	7	7	7
35-54	2	7.5	61	2	2	7	13	13	13	13										
55-74	1	4.0		4	4	4	4	4	4	4	3	4.7	4	3	3	4	6	7	7	7
75 +	1	15.0		15	15	15	15	15	15	15										
ALL AGES	5	7.4	37	2	3	4	13	15	15	15	4	5.3	4	3	3	5	7	7	7	7
SUBTOTAL	**39**	**5.5**	**21**	**1**	**3**	**4**	**6**	**13**	**15**	**21**	**28**	**4.7**	**8**	**2**	**3**	**4**	**7**	**7**	**11**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	8.0		8	8	8	8	8	8	8										
25-34	21	8.9	171	1	3	5	7	24	47	49	6	3.8	2	2	3	4	4	6	6	6
35-54	94	6.8	76	2	3	4	8	14	23	52	38	7.1	60	2	3	5	8	13	23	42
55-74	24	8.7	36	2	3	8	12	17	20	22	23	5.9	16	2	3	5	8	12	14	17
75 +	5	13.2	122	3	4	13	18	31	31	31	1	2.0		2	2	2	2	2	2	2
ALL AGES	145	7.7	83	2	3	5	9	15	25	50	68	6.3	40	2	3	5	8	12	15	40
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	13	5.6	16	2	3	4	8	12	14	14	3	4.0	1	3	3	4	5	5	5	5
35-54	16	7.5	45	1	3	5	10	17	24	26	5	5.2	31	2	2	3	7	15	15	15
55-74	2	11.5	13	9	9	11	14	14	14	14	3	5.0	27	2	2	2	9	11	11	11
75 +	2	4.0		4	4	4	4	4	4	4										
ALL AGES	33	6.8	30	2	3	5	10	14	17	26	11	4.8	18	2	2	3	5	13	15	15
SUBTOTAL	**178**	**7.5**	**74**	**2**	**3**	**5**	**9**	**15**	**24**	**48**	**79**	**6.1**	**37**	**2**	**3**	**4**	**7**	**12**	**15**	**38**
GRAND TOTAL	**217**	**7.1**	**65**	**2**	**3**	**5**	**9**	**15**	**20**	**47**	**107**	**5.7**	**30**	**2**	**3**	**4**	**7**	**11**	**14**	**35**

ALCOHOL AMNESTIC SYND (291.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	20.0		20	20	20	20	20	20	20
55-74	2	12.5	85	6	6	12	19	19	19	19										
75 +																				
ALL AGES	2	12.5	85	6	6	12	19	19	19	19	1	20.0		20	20	20	20	20	20	20
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**12.5**	**85**	**6**	**6**	**12**	**19**	**19**	**19**	**19**	**1**	**20.0**		**20**	**20**	**20**	**20**	**20**	**20**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	4	5.5	26	2	3	4	35	99 +	99 +	99 +	1	5.0		5	5	5	5	5	5	5
55-74	1	4.0		4	4	4	4	4	4	4										
75 +	2	9.5	1	9	9	9	10	10	10	10										
ALL AGES	8	5.8	18	1	3	4	11	65	99 +	99 +	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**8**	**5.8**	**18**	**1**	**3**	**4**	**11**	**65**	**99 +**	**99 +**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**
GRAND TOTAL	**10**	**7.1**	**32**	**2**	**3**	**6**	**12**	**51**	**96**	**99 +**	**2**	**12.5**	**113**	**5**	**5**	**12**	**20**	**20**	**20**	**20**

ALCOHOLIC DEMENTIA NEC (291.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	17.0		17	17	17	17	17	17	17	1	8.0		8	8	8	8	8	8	8
55-74	5	17.8	168	7	9	12	25	39	39	39	2	45.5	3961	1	1	45	90	90	90	90
75 +																				
ALL AGES	6	17.7	133	7	10	14	21	37	39	39	3	33.0	2449	1	3	8	69	90	90	90
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
SUBTOTAL	**7**	**15.6**	**142**	**4**	**8**	**12**	**20**	**35**	**39**	**39**	**3**	**33.0**	**2449**	**1**	**3**	**8**	**69**	**90**	**90**	**90**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	7	9.1	101	2	2	5	15	26	28	28	3	4.7	8	3	3	3	7	8	8	8
55-74	5	10.2	70	3	4	5	17	22	22	22	5	13.0	52	7	8	12	16	25	25	25
75 +																				
ALL AGES	12	9.6	80	2	3	5	17	24	27	28	8	9.9	50	3	5	8	12	21	25	25
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	4.0		4	4	4	4	4	4	4										
55-74	4	21.3	15	15	19	23	24	24	24	24	3	6.0	13	3	3	5	9	10	10	10
75 +											2	45.0	2312	11	11	45	79	79	79	79
ALL AGES	5	17.8	73	4	12	23	23	24	24	24	5	21.6	1041	3	4	10	28	79	79	79
SUBTOTAL	**17**	**12.0**	**88**	**2**	**4**	**6**	**22**	**24**	**27**	**28**	**13**	**14.4**	**411**	**3**	**5**	**8**	**12**	**36**	**71**	**79**
GRAND TOTAL	**24**	**13.0**	**102**	**3**	**4**	**11**	**21**	**24**	**31**	**39**	**16**	**17.9**	**711**	**3**	**4**	**8**	**12**	**74**	**87**	**90**

ALCOHOL HALLUCINOSIS (291.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	5	2.6	4	1	1	2	4	6	6	6	4	4.0	8	2	2	3	6	8	8	8
55-74	2	8.0	18	5	5	8	11	11	11	11	1	1.0		1	1	1	1	1	1	1
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	8	4.4	11	1	2	4	6	10	11	11	5	3.4	8	1	2	2	5	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34																				
35-54																				
55-74	2	8.0	8	6	6	8	10	10	10	10										
75 +																				
ALL AGES	2	8.0	8	6	6	8	10	10	10	10	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**10**	**5.1**	**12**	**1**	**2**	**5**	**6**	**10**	**11**	**11**	**6**	**3.0**	**7**	**1**	**1**	**2**	**4**	**8**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	3.5	13	1	1	3	6	6	6	6										
25-34	5	8.0	46	2	3	7	11	19	19	19	1	3.0		3	3	3	3	3	3	3
35-54	25	6.5	27	2	3	5	8	14	18	24	3	3.3	2	2	2	4	4	4	4	4
55-74	7	9.9	74	2	4	9	12	24	27	27	3	4.7	4	3	3	4	6	7	7	7
75 +																				
ALL AGES	39	7.2	36	2	3	5	9	15	22	27	7	3.9	2	2	3	4	4	6	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	4	5.0	2	4	4	5	6	7	7	7										
35-54	4	5.8	17	3	3	4	8	12	12	12	1	4.0		4	4	4	4	4	4	4
55-74	6	10.0	82	3	6	7	9	26	28	28	1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	15	7.0	41	3	3	5	8	12	24	28	2	5.0	2	4	4	5	6	6	6	6
SUBTOTAL	**54**	**7.1**	**37**	**2**	**3**	**5**	**9**	**14**	**23**	**28**	**9**	**4.1**	**2**	**2**	**3**	**4**	**5**	**7**	**7**	**7**
GRAND TOTAL	**64**	**6.8**	**33**	**2**	**3**	**5**	**8**	**13**	**20**	**28**	**15**	**3.7**	**4**	**1**	**2**	**4**	**4**	**7**	**8**	**8**

PATHOLOGIC ALCOHOL INTOX (291.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	3.0		3	3	3	3	3	3	3
35-54											1	1.0		1	1	1	1	1	1	1
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	2	2.0	2	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	2.0		2	2	2	2	2	2	2	2	2.0	2	1	1	2	3	3	3	3
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54																				
55-74											1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54																				
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
SUBTOTAL	2	5.0		5	5	5	5	5	5	5	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	3	4.0	3	2	3	5	5	5	5	5	3	2.3	2	1	1	3	3	3	3	3

ALCOHOLIC JEALOUSY (291.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																				
75 +	1	22.0		22	22	22	22	22	22	22										
ALL AGES	2	13.5	145	5	5	13	22	22	22	22										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	2	13.5	145	5	5	13	22	22	22	22										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54																				
55-74	2	26.5	685	8	8	26	45	45	45	45										
75 +																				
ALL AGES	2	26.5	685	8	8	26	45	45	45	45	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	3	19.3	498	5	6	8	36	45	45	45	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	5	17.0	295	5	5	8	28	45	45	45	1	1.0		1	1	1	1	1	1	1

ALCOHOLIC PSYCHOSIS NEC (291.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-24	2	3.5	5	2	2	3	5	5	5	5										
25-34	23	3.5	6	2	2	3	4	7	9	12	6	2.2	1	1	2	2	2	4	4	4
35-54	60	6.4	42	1	3	4	7	16	22	29	31	3.5	6	1	2	3	5	7	8	10
55-74	30	5.2	19	2	2	4	7	10	19	19	11	3.6	3	2	3	3	4	6	7	7
75 +	2	13.5	145	5	5	13	22	22	22	22	2	9.0	2	8	8	9	10	10	10	10
ALL AGES	118	5.5	31	2	2	4	6	11	20	28	50	3.6	5	2	2	3	4	7	8	10
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	5	3.2	1	2	3	3	4	4	4	4	1	6.0		6	6	6	6	6	6	6
35-54	13	3.7	12	1	1	2	6	9	10	10	11	5.8	15	1	2	5	8	12	13	13
55-74	5	4.2	9	2	2	3	6	9	9	9	4	5.3	11	2	3	4	7	10	10	10
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	24	3.9	8	1	2	3	5	9	9	10	16	5.7	12	2	3	5	8	11	12	13
SUBTOTAL	**142**	**5.3**	**27**	**1**	**2**	**3**	**6**	**10**	**19**	**28**	**66**	**4.1**	**8**	**2**	**2**	**3**	**5**	**8**	**10**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	5	3.8	5	1	2	3	6	6	6	6	1	1.0		1	1	1	1	1	1	1
25-34	57	5.3	10	2	3	5	7	9	11	15	12	3.3	2	1	2	3	4	5	6	6
35-54	198	5.8	49	2	3	4	8	10	13	22	72	4.9	46	1	2	3	6	9	11	47
55-74	70	8.5	109	2	3	5	9	21	28	56	38	6.1	24	2	2	4	8	12	17	22
75 +	9	8.7	76	1	2	5	14	23	26	26	3	9.0	31	3	5	10	13	14	14	14
ALL AGES	339	6.3	56	2	3	4	8	11	16	38	126	5.2	35	1	2	4	6	10	13	30
B. FEMALE																				
0-12 YRS.											1	6.0		6	6	6	6	6	6	6
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	21	4.7	32	1	2	3	4	12	21	22	3	4.3	7	2	2	4	6	7	7	7
35-54	55	7.6	95	2	2	4	8	17	26	49	10	10.1	177	1	2	5	8	34	40	40
55-74	19	6.7	17	2	3	8	9	12	14	15	5	14.6	468	2	3	6	20	53	53	53
75 +	2	15.0	72	9	9	15	21	21	21	21										
ALL AGES	98	6.9	66	2	2	4	8	15	21	49	19	10.2	205	2	2	6	8	36	47	53
SUBTOTAL	**437**	**6.5**	**57**	**2**	**3**	**4**	**8**	**12**	**18**	**48**	**145**	**5.8**	**59**	**2**	**2**	**4**	**6**	**10**	**15**	**53**
GRAND TOTAL	**579**	**6.2**	**50**	**2**	**2**	**4**	**8**	**12**	**18**	**35**	**211**	**5.3**	**43**	**2**	**2**	**3**	**6**	**10**	**12**	**45**

ALCOHOLIC PSYCHOSIS NOS (291.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	2	3.5	5	2	2	3	5	5	5	5										
SUBTOTAL	**3**	**2.7**	**4**	**1**	**1**	**2**	**4**	**5**	**5**	**5**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	8.0		8	8	8	8	8	8	8										
25-34	2	9.5	61	4	4	9	15	15	15	15										
35-54	6	7.5	29	3	4	6	7	17	18	18	1	6.0		6	6	6	6	6	6	6
55-74	6	7.0	12	4	6	6	6	13	14	14	2	12.0	242	1	1	12	23	23	23	23
75 +	2	13.0	72	7	7	13	19	19	19	19										
ALL AGES	17	8.2	26	4	5	6	9	17	19	19	3	10.0	133	1	2	6	19	23	23	23
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34	1	7.0		7	7	7	7	7	7	7										
35-54	4	6.3	14	1	3	7	9	10	10	10	2	7.5	61	2	2	7	13	13	13	13
55-74	2	3.0	8	1	1	3	5	5	5	5	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	7	5.4	12	1	2	6	8	10	10	10	4	5.0	30	1	1	3	8	13	13	13
SUBTOTAL	**24**	**7.4**	**22**	**3**	**5**	**6**	**8**	**15**	**18**	**19**	**7**	**7.1**	**67**	**1**	**1**	**4**	**11**	**21**	**23**	**23**
GRAND TOTAL	**27**	**6.9**	**22**	**1**	**4**	**6**	**8**	**15**	**18**	**19**	**7**	**7.1**	**67**	**1**	**1**	**4**	**11**	**21**	**23**	**23**

DRUG WITHDRAWAL SYNDROME (292.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4	-									
13-17																				
18-24																				
25-34	3	3.0	1	2	2	3	4	4	4	4	4	3.3	4	1	2	3	5	6	6	6
35-54	2	2.0	2	1	1	2	3	3	3	3	2	5.0	8	3	3	5	7	7	7	7
55-74	2	6.0	8	4	4	6	8	8	8	8	3	6.3	18	3	3	5	9	11	11	11
75 +																				
ALL AGES	8	3.6	4	1	2	3	4	7	8	8	9	4.7	9	2	3	3	6	9	11	11
B. FEMALE																				
0-12 YRS.	1	21.0		21	21	21	21	21	21	21										
13-17																				
18-24											1	7.0		7	7	7	7	7	7	7
25-34	1	1.0		1	1	1	1	1	1	1	2	5.0		5	5	5	5	5	5	5
35-54	1	11.0		11	11	11	11	11	11	11	3	5.7	22	2	2	4	9	11	11	11
55-74	4	8.3	100	1	2	4	14	23	23	23	2	10.0	32	6	6	10	14	14	14	14
75 +	2	6.5	61	1	1	6	12	12	12	12	1	7.0		7	7	7	7	7	7	7
ALL AGES	9	8.8	73	1	1	6	14	22	23	23	9	6.8	13	3	5	6	8	13	14	14
SUBTOTAL	**17**	**6.4**	**45**	**1**	**2**	**4**	**9**	**19**	**22**	**23**	**18**	**5.7**	**12**	**2**	**3**	**5**	**7**	**11**	**13**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	4.0		4	4	4	4	4	4	4
18-24	3	2.7	1	2	2	2	4	4	4	4	1	5.0		5	5	5	5	5	5	5
25-34	8	9.6	95	1	2	5	16	25	28	28	2	1.0		1	1	1	1	1	1	1
35-54	9	8.9	115	1	2	5	12	27	35	35	1	4.0		4	4	4	4	4	4	4
55-74	4	6.5	6	4	4	6	8	9	9	9	4	6.0	19	2	3	5	9	12	12	12
75 +											2	5.0	2	4	4	5	6	6	6	6
ALL AGES	24	8.0	74	2	2	5	10	19	30	35	11	4.5	9	1	2	4	6	9	12	12
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	6	16.2	135	3	8	14	29	30	30	30										
25-34	12	6.8	57	1	2	4	8	17	26	28										
35-54	10	13.6	110	4	5	9	22	30	32	32	3	2.7	1	2	2	2	4	4	4	4
55-74	6	11.2	78	2	5	8	22	22	22	22	2	6.0	2	5	5	6	7	7	7	7
75 +	1	11.0		11	11	11	11	11	11	11	1	6.0		6	6	6	6	6	6	6
ALL AGES	36	10.9	93	2	4	7	18	28	30	32	6	4.3	5	2	2	4	6	7	7	7
SUBTOTAL	**60**	**9.8**	**85**	**2**	**3**	**6**	**13**	**28**	**29**	**35**	**17**	**4.4**	**7**	**1**	**2**	**4**	**6**	**7**	**10**	**12**
GRAND TOTAL	**77**	**9.0**	**79**	**1**	**3**	**5**	**11**	**23**	**29**	**34**	**35**	**5.1**	**10**	**2**	**3**	**5**	**6**	**11**	**12**	**14**

DRUG PARANOID/HALLUCINOS (292.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											2	1.0		1	1	1	1	1	1	1
18-24																				
25-34	2	7.5	13	5	5	7	10	10	10	10	1	4.0		4	4	4	4	4	4	4
35-54	2	4.5	13	2	2	4	7	7	7	7	1	9.0		9	9	9	9	9	9	9
55-74	1	2.0		2	2	2	2	2	2	2	4	9.3	68	2	3	7	15	21	21	21
75 +																				
ALL AGES	5	5.2	12	2	2	5	8	10	10	10	8	6.5	45	1	2	4	9	17	21	21
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	1	1.0		1	1	1	1	1	1	1										
18-24																				
25-34																				
35-54	4	20.5	399	3	3	18	37	42	42	42	1	4.0		4	4	4	4	4	4	4
55-74	1	5.0		5	5	5	5	5	5	5	1	4.0		4	4	4	4	4	4	4
75 +	4	6.3	28	1	2	5	10	13	13	13	3	4.7	14	2	2	3	7	9	9	9
ALL AGES	10	11.3	208	1	3	4	13	37	42	42	6	3.8	8	1	2	3	4	9	9	9
SUBTOTAL	**15**	**9.3**	**145**	**1**	**2**	**5**	**9**	**33**	**40**	**42**	**14**	**5.4**	**28**	**1**	**2**	**4**	**9**	**10**	**19**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	31.7	1686	5	6	11	62	79	79	79	1	2.0		2	2	2	2	2	2	2
18-24	3	13.0	97	5	6	10	20	24	24	24										
25-34	2	5.5	1	5	5	5	6	6	6	6	1	3.0		3	3	3	3	3	3	3
35-54	2	15.5	41	11	11	15	20	20	20	20										
55-74	4	11.5	27	5	7	12	15	17	17	17										
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	15	15.2	346	5	5	10	16	24	65	79	2	2.5	1	2	2	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	2	9.5	113	2	2	9	17	17	17	17										
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	3	5.7	9	3	3	5	8	9	9	9										
35-54	4	6.8	47	1	1	6	12	15	15	15	3	4.0	9	1	2	4	6	7	7	7
55-74	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
75 +	2	4.5	1	4	4	4	5	5	5	5										
ALL AGES	13	5.8	29	1	2	4	9	15	17	17	4	3.8	6	1	2	3	5	7	7	7
SUBTOTAL	**28**	**10.8**	**216**	**1**	**4**	**6**	**13**	**19**	**29**	**79**	**6**	**3.3**	**5**	**1**	**2**	**3**	**4**	**7**	**7**	**7**
GRAND TOTAL	**43**	**10.3**	**187**	**1**	**3**	**5**	**11**	**21**	**36**	**79**	**20**	**4.8**	**21**	**1**	**2**	**3**	**6**	**9**	**15**	**21**

PATHOLOGIC DRUG INTOX (292.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	13.0		13	13	13	13	13	13	13
55-74																				
75 +																				
ALL AGES											1	13.0		13	13	13	13	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											**1**	**13.0**		**13**	**13**	**13**	**13**	**13**	**13**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	8.0		8	8	8	8	8	8	8										
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	1	8.0		8	8	8	8	8	8	8										
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	4	5.0	13	1	2	5	8	8	8	8										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54											1	5.0		5	5	5	5	5	5	5
55-74																				
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	2	3.5	5	2	2	3	5	5	5	5	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**6**	**4.5**	**9**	**1**	**2**	**4**	**8**	**8**	**8**	**8**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**
GRAND TOTAL	**6**	**4.5**	**9**	**1**	**2**	**4**	**8**	**8**	**8**	**8**	**2**	**9.0**	**32**	**5**	**5**	**9**	**13**	**13**	**13**	**13**

OTHER DRUG MENTAL DIS (292.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	2.7	4	1	1	2	4	5	5	5										
13-17	1	4.0		4	4	4	4	4	4	4										
18-24	1	3.0		3	3	3	3	3	3	3										
25-34	1	7.0		7	7	7	7	7	7	7	1	1.0		1	1	1	1	1	1	1
35-54	1	11.0		11	11	11	11	11	11	11										
55-74	11	10.2	84	2	3	6	17	23	30	31	3	6.0	27	3	3	3	10	12	12	12
75 +	10	13.3	617	1	3	5	9	49	83	83	4	10.0	28	3	6	11	14	15	15	15
ALL AGES	28	9.9	251	2	3	5	10	18	36	83	8	7.4	30	1	3	6	12	14	15	15
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	2	2.0		2	2	2	2	2	2	2
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	1	11.0		11	11	11	11	11	11	11										
35-54	7	6.1	20	3	3	4	8	14	15	15	2	6.5	5	5	5	6	8	8	8	8
55-74	16	7.9	101	1	2	4	8	23	33	37	7	4.9	9	2	2	5	7	9	10	10
75 +	19	7.1	43	3	3	5	8	12	23	31	13	5.6	10	3	4	5	7	10	12	13
ALL AGES	45	7.1	56	2	3	4	8	15	26	37	24	5.2	8	2	3	5	7	9	11	13
SUBTOTAL	**73**	**8.2**	**130**	**2**	**3**	**4**	**8**	**18**	**30**	**72**	**32**	**5.7**	**14**	**2**	**3**	**5**	**8**	**12**	**13**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	17.0		17	17	17	17	17	17	17										
18-24	3	12.0	93	1	5	16	18	19	19	19	1	17.0		17	17	17	17	17	17	17
25-34	9	8.3	80	1	3	6	10	22	30	30										
35-54	3	7.3	15	3	4	9	10	10	10	10	3	8.7	1	7	7	9	10	10	10	10
55-74	6	7.5	18	3	3	7	10	14	14	14	1	47.0		47	47	47	47	47	47	47
75 +	9	9.1	22	3	4	9	14	15	15	15	5	7.6	40	2	3	5	12	17	17	17
ALL AGES	31	8.9	42	2	3	9	13	16	19	30	10	12.8	171	2	5	9	17	32	47	47
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	6	9.2	60	2	2	8	13	21	22	22										
25-34											1	2.0		2	2	2	2	2	2	2
35-54	6	12.2	142	3	3	9	14	33	35	35	1	4.0		4	4	4	4	4	4	4
55-74	11	26.5	662	5	7	14	52	67	72	72	4	6.5	11	4	4	6	9	11	11	11
75 +	10	7.8	51	1	3	6	7	20	23	23	5	7.0	10	3	4	8	9	11	11	11
ALL AGES	33	15.1	322	2	4	8	18	40	62	72	11	6.1	10	3	4	5	8	11	11	11
SUBTOTAL	**64**	**12.1**	**193**	**2**	**4**	**8**	**14**	**24**	**42**	**71**	**21**	**9.3**	**93**	**3**	**4**	**7**	**11**	**17**	**31**	**47**
GRAND TOTAL	**137**	**10.0**	**162**	**2**	**3**	**6**	**11**	**19**	**31**	**73**	**53**	**7.1**	**48**	**2**	**3**	**5**	**9**	**13**	**16**	**46**

DRUG MENTAL DISORDER NOS (292.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74	3	10.7	133	3	3	5	19	24	24	24										
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	6	7.5	73	1	3	4	9	22	24	24										
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	1	7.0		7	7	7	7	7	7	7										
25-34																				
35-54	5	5.0	11	1	3	4	7	10	10	10										
55-74	1	6.0		6	6	6	6	6	6	6										
75 +	4	7.8	11	3	5	8	10	11	11	11										
ALL AGES	13	5.5	12	1	3	6	8	10	11	11										
SUBTOTAL	**19**	**6.2**	**28**	**1**	**3**	**5**	**9**	**11**	**18**	**24**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	29.0		29	29	29	29	29	29	29										
18-24	1	67.0		67	67	67	67	67	67	67										
25-34	3	8.3	3	7	7	8	9	10	10	10	1	1.0		1	1	1	1	1	1	1
35-54	3	13.7	45	6	8	16	18	19	19	19										
55-74	2	14.5	85	8	8	14	21	21	21	21										
75 +	2	7.5	5	6	6	7	9	9	9	9										
ALL AGES	12	17.2	297	6	7	9	20	40	63	67	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	3.0		3	3	3	3	3	3	3										
25-34	6	8.7	50	1	3	7	13	19	20	20										
35-54	1	11.0		11	11	11	11	11	11	11										
55-74	2	9.5	13	7	7	9	12	12	12	12										
75 +	4	9.3	6	7	7	8	11	13	13	13										
ALL AGES	14	8.7	25	3	5	8	12	14	19	20										
SUBTOTAL	**26**	**12.6**	**163**	**3**	**7**	**9**	**13**	**21**	**37**	**67**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**45**	**9.9**	**114**	**2**	**4**	**8**	**11**	**20**	**25**	**67**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

ACUTE DELIRIUM (293.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	4.0	9	1	2	4	6	7	7	7										
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2	1	5.0		5	5	5	5	5	5	5
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	5	9.4	72	1	2	6	18	19	19	19	5	18.0	561	4	4	5	28	59	59	59
55-74	11	12.1	142	1	5	6	18	33	36	36	21	5.9	19	2	3	4	7	13	16	18
75 +	10	9.7	283	1	2	4	5	36	56	56	25	8.4	53	3	3	6	9	19	24	34
ALL AGES	31	9.5	152	1	2	5	12	24	36	56	52	8.2	89	2	3	5	9	18	21	58
B. FEMALE																				
0-12 YRS.	1	44.0		44	44	44	44	44	44	44										
13-17											1	3.0		3	3	3	3	3	3	3
18-24	1	5.0		5	5	5	5	5	5	5	1	2.0		2	2	2	2	2	2	2
25-34	2	25.5	313	13	13	25	38	38	38	38	1	2.0		2	2	2	2	2	2	2
35-54	6	3.5	4	1	1	4	5	6	6	6	1	1.0		1	1	1	1	1	1	1
55-74	20	6.1	12	2	3	6	9	10	12	14	22	8.3	61	3	4	5	8	21	29	31
75 +	24	8.0	73	2	4	6	9	41	99 +	99 +	38	5.7	23	2	3	5	7	9	11	30
ALL AGES	54	8.1	81	2	4	6	9	17	44	99 +	64	6.4	36	2	3	5	7	10	21	31
SUBTOTAL	**85**	**8.6**	**106**	**1**	**3**	**6**	**9**	**20**	**44**	**99 +**	**116**	**7.2**	**60**	**2**	**3**	**5**	**8**	**15**	**20**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	21.0		21	21	21	21	21	21	21										
13-17																				
18-24																				
25-34																				
35-54	2	7.5	61	2	2	7	13	13	13	13	1	5.0		5	5	5	5	5	5	5
55-74	6	17.2	160	3	11	15	20	38	40	40	8	6.9	28	2	3	4	10	15	17	17
75 +	5	17.6	74	9	13	16	21	32	32	32	14	6.5	19	3	4	5	8	12	17	19
ALL AGES	14	16.2	105	2	11	15	20	33	38	40	23	6.6	20	3	3	5	9	13	18	19
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	12.0		12	12	12	12	12	12	12	1	3.0		3	3	3	3	3	3	3
35-54	6	8.7	53	1	5	7	11	21	22	22	3	3.7		3	3	4	4	4	4	4
55-74	16	7.3	17	3	4	6	10	12	16	18	5	6.2	31	3	3	4	8	16	16	16
75 +	6	10.2	112	3	3	7	10	29	31	31	23	7.8	39	3	3	6	10	14	23	30
ALL AGES	29	8.3	42	3	4	7	10	16	22	31	32	7.0	34	3	3	5	8	13	19	30
SUBTOTAL	**43**	**10.9**	**74**	**3**	**5**	**9**	**14**	**21**	**31**	**40**	**55**	**6.8**	**28**	**3**	**3**	**5**	**8**	**12**	**18**	**29**
GRAND TOTAL	**128**	**9.4**	**95**	**2**	**4**	**6**	**12**	**21**	**38**	**99 +**	**171**	**7.1**	**49**	**2**	**3**	**5**	**8**	**15**	**19**	**33**

SUBACUTE DELIRIUM (293.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3										
75 +	1	6.0		6	6	6	6	6	6	6	2	10.0	8	8	8	10	12	12	12	12
ALL AGES	2	4.5	5	3	3	4	6	6	6	6	2	10.0	8	8	8	10	12	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +											1	20.0		20	20	20	20	20	20	20
ALL AGES											1	20.0		20	20	20	20	20	20	20
SUBTOTAL	**2**	**4.5**	**5**	**3**	**3**	**4**	**6**	**6**	**6**	**6**	**3**	**13.3**	**39**	**8**	**9**	**12**	**18**	**20**	**20**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**										
GRAND TOTAL	**3**	**4.0**	**3**	**3**	**3**	**3**	**5**	**6**	**6**	**6**	**3**	**13.3**	**39**	**8**	**9**	**12**	**18**	**20**	**20**	**20**

OTH TRANSIENT ORG MENTAL (293.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	9.0		9	9	9	9	9	9	9										
18-24	1	14.0		14	14	14	14	14	14	14	1	3.0		3	3	3	3	3	3	3
25-34	7	13.9	48	5	7	14	20	23	23	23	1	2.0		2	2	2	2	2	2	2
35-54	6	14.8	93	6	7	11	26	27	27	27	2	6.5	13	4	4	6	9	9	9	9
55-74	12	18.3	80	6	14	19	22	29	34	35										
75 +	2	33.0	1058	10	10	33	56	56	56	56										
ALL AGES	29	17.1	120	6	9	16	22	27	36	56	4	4.5	10	2	2	3	6	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	8.0		8	8	8	8	8	8	8										
25-34	7	12.9	80	2	8	12	15	27	30	30										
35-54	12	6.8	17	3	3	6	10	13	14	14	4	11.8	4	10	10	11	13	15	15	15
55-74	17	18.1	181	3	10	16	22	37	48	53	3	5.3	45	1	1	2	10	13	13	13
75 +	10	14.8	78	3	7	14	20	27	28	28										
ALL AGES	47	13.5	114	3	7	10	18	29	32	53	7	9.0	29	1	4	10	13	15	15	15
SUBTOTAL	**76**	**14.9**	**117**	**3**	**8**	**13**	**20**	**28**	**34**	**55**	**11**	**7.4**	**25**	**1**	**2**	**9**	**12**	**14**	**15**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	6.0	18	3	3	6	6	9	9	9										
18-24	2	39.5	613	22	22	39	57	57	57	57										
25-34	8	18.0	186	6	8	16	22	40	47	47	1	1.0		1	1	1	1	1	1	1
35-54	10	15.3	102	2	6	16	22	29	35	35	1	23.0		23	23	23	23	23	23	23
55-74	8	21.9	82	10	15	20	29	34	36	36										
75 +	9	24.2	381	4	9	21	30	53	68	68	1	12.0		12	12	12	12	12	12	12
ALL AGES	39	20.0	213	4	9	20	26	36	52	68	3	12.0	121	1	4	12	20	23	23	23
B. FEMALE																				
0-12 YRS.	2	34.0	288	22	22	34	46	46	46	46										
13-17																				
18-24	3	5.7	32	1	2	4	10	12	12	12										
25-34	2	4.5	25	1	1	4	8	8	8	8										
35-54	10	25.9	363	8	14	18	47	55	60	60	2	16.0	72	10	10	16	22	22	22	22
55-74	7	21.6	479	5	11	16	18	60	70	70	3	7.0	7	5	5	6	9	10	10	10
75 +	5	17.0	182	4	7	11	28	36	36	36	1	8.0		8	8	8	8	8	8	8
ALL AGES	29	20.3	327	3	8	16	23	49	60	70	6	10.2	37	5	6	9	10	21	22	22
SUBTOTAL	**68**	**20.1**	**259**	**3**	**9**	**18**	**24**	**47**	**57**	**70**	**9**	**10.8**	**54**	**3**	**6**	**10**	**14**	**23**	**23**	**23**
GRAND TOTAL	**144**	**17.4**	**188**	**3**	**8**	**15**	**22**	**35**	**48**	**68**	**20**	**8.9**	**40**	**1**	**3**	**9**	**12**	**18**	**22**	**23**

TRANSIENT ORG MENTAL NOS (293.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	2	2.0	2	1	1	2	3	3	3	3										
25-34											1	1.0		1	1	1	1	1	1	1
35-54											1	4.0		4	4	4	4	4	4	4
55-74	5	5.6	37	1	2	3	8	16	16	16										
75 +	3	1.0		1	1	1	1	1	1	1										
ALL AGES	11	3.3	20	1	1	1	3	10	15	16	2	2.5	5	1	1	2	4	4	4	4
B. FEMALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17																				
18-24	1	6.0		6	6	6	6	6	6	6	1	1.0		1	1	1	1	1	1	1
25-34																				
35-54	3	3.3	5	1	2	4	5	5	5	5	1	6.0		6	6	6	6	6	6	6
55-74	4	4.0	8	2	2	3	6	8	8	8	1	7.0		7	7	7	7	7	7	7
75 +	2	11.5	181	2	2	11	21	21	21	21	6	5.0	11	2	2	4	9	9	9	9
ALL AGES	10	5.5	34	1	2	4	6	14	21	21	10	4.6	9	1	2	4	7	9	9	9
SUBTOTAL	**21**	**4.3**	**27**	**1**	**1**	**2**	**5**	**11**	**18**	**21**	**12**	**4.3**	**8**	**1**	**2**	**3**	**6**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	2.0	2	1	1	1	3	3	3	3										
25-34																				
35-54																				
55-74	2	2.5	1	2	2	2	3	3	3	3	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	4	2.3	1	1	1	2	3	3	3	3	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.	1	22.0		22	22	22	22	22	22	22										
13-17																				
18-24																				
25-34	2	12.0	50	7	7	12	17	17	17	17										
35-54											1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	3	[illegible]5.3	60	7	9	17	21	22	22	22	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**7**	**7.9**	**68**	**1**	**2**	**3**	**14**	**21**	**22**	**22**	**2**	**3.5**	**1**	**3**	**3**	**3**	**4**	**4**	**4**	**4**
GRAND TOTAL	**28**	**5.2**	**38**	**1**	**1**	**3**	**6**	**17**	**21**	**22**	**14**	**4.1**	**8**	**1**	**2**	**3**	**6**	**9**	**9**	**9**

AMNESTIC SYNDROME (294.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74	1	15.0		15	15	15	15	15	15	15										
75 +																				
ALL AGES	2	8.5	85	2	2	8	15	15	15	15										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	3.5	1	3	3	3	4	4	4	4										
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	3	5.0	7	3	3	4	7	8	8	8										
SUBTOTAL	**5**	**6.4**	**28**	**2**	**3**	**4**	**10**	**15**	**15**	**15**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	9.0		9	9	9	9	9	9	9										
55-74																				
75 +																				
ALL AGES	1	9.0		9	9	9	9	9	9	9										
SUBTOTAL	**2**	**7.0**	**8**	**5**	**5**	**7**	**9**	**9**	**9**	**9**										
GRAND TOTAL	**7**	**6.6**	**20**	**2**	**3**	**5**	**9**	**14**	**15**	**15**										

DEMENTIA IN OTH DISEASES (294.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	6	12.3	92	4	4	10	17	27	28	28										
55-74	5	13.2	68	7	7	11	17	27	27	27										
75 +	1	11.0		11	11	11	11	11	11	11										
ALL AGES	12	12.6	66	4	6	11	16	27	28	28										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	16.0		16	16	16	16	16	16	16										
25-34																				
35-54	2	16.0	242	5	5	16	27	27	27	27	1	7.0		7	7	7	7	7	7	7
55-74	5	7.8	13	2	6	8	10	12	12	12										
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	8	10.9	60	3	6	9	14	24	27	27	2	4.5	13	2	2	4	7	7	7	7
SUBTOTAL	**20**	**11.9**	**61**	**4**	**6**	**10**	**15**	**27**	**28**	**28**	**2**	**4.5**	**13**	**2**	**2**	**4**	**7**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	3	17.0	63	11	12	14	23	26	26	26										
55-74	4	30.8	601	5	14	27	47	64	64	64	1	59.0		59	59	59	59	59	59	59
75 +	3	28.7	91	18	21	31	35	37	37	37	3	12.3	48	7	8	10	17	20	20	20
ALL AGES	10	26.0	276	8	14	25	31	50	64	64	4	24.0	575	7	8	15	39	59	59	59
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**10**	**26.0**	**276**	**8**	**14**	**25**	**31**	**50**	**64**	**64**	**4**	**24.0**	**575**	**7**	**8**	**15**	**39**	**59**	**59**	**59**
GRAND TOTAL	**30**	**16.6**	**172**	**4**	**7**	**13**	**26**	**30**	**37**	**64**	**6**	**17.5**	**449**	**2**	**7**	**9**	**20**	**55**	**59**	**59**

ORGANIC BRAIN SYND NEC (294.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	25.5	13	23	23	25	28	28	28	28										
13-17																				
18-24																				
25-34	1	8.0		8	8	8	8	8	8	8										
35-54	3	8.7	29	5	5	6	13	15	15	15										
55-74																				
75 +	2	18.5	25	15	15	18	22	22	22	22	1	2.0		2	2	2	2	2	2	2
ALL AGES	8	15.3	71	5	7	15	22	26	28	28	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.	1	13.0		13	13	13	13	13	13	13										
13-17																				
18-24																				
25-34																				
35-54	3	10.0	63	4	5	7	16	19	19	19										
55-74	2	18.5	25	15	15	18	22	22	22	22										
75 +	3	20.0	57	12	14	21	25	27	27	27	1	10.0		10	10	10	10	10	10	10
ALL AGES	9	15.6	53	5	11	15	21	25	27	27	1	10.0		10	10	10	10	10	10	10
SUBTOTAL	**17**	**15.4**	**60**	**5**	**8**	**15**	**22**	**26**	**28**	**28**	**2**	**6.0**	**32**	**2**	**2**	**6**	**10**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	39.0		39	39	39	39	39	39	39										
13-17																				
18-24																				
25-34	1	21.0		21	21	21	21	21	21	21										
35-54	1	4.0		4	4	4	4	4	4	4										
55-74	1	37.0		37	37	37	37	37	37	37										
75 +																				
ALL AGES	4	25.3	262	4	12	29	38	39	39	39										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	2.5	5	1	1	2	4	4	4	4										
35-54																				
55-74	2	6.5	13	4	4	6	9	9	9	9										
75 +																				
ALL AGES	4	4.5	11	1	2	4	7	9	9	9										
SUBTOTAL	**8**	**14.9**	**241**	**2**	**4**	**7**	**29**	**38**	**39**	**39**										
GRAND TOTAL	**25**	**15.2**	**111**	**4**	**6**	**15**	**22**	**28**	**37**	**39**	**2**	**6.0**	**32**	**2**	**2**	**6**	**10**	**10**	**10**	**10**

ORGANIC BRAIN SYND NOS (294.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	5.5	1	5	5	5	6	6	6	6										
35-54	6	20.0	146	6	10	18	28	38	39	39										
55-74	18	22.1	380	8	8	15	28	58	69	73	3	9.0	4	7	7	9	10	11	11	11
75 +	12	[illegible]	84	7	10	19	24	30	35	36	2	9.0	2	8	8	9	10	10	10	10
ALL AGES	38	19.6	235	6	8	16	26	38	56	73	5	9.0	3	7	8	9	10	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	9.0		9	9	9	9	9	9	9										
25-34	2	13.0	288	1	1	13	25	25	25	25										
35-54	3	15.0	223	4	5	9	26	32	32	32	1	11.0		11	11	11	11	11	11	11
55-74	21	13.7	125	2	10	14	16	18	36	57	2	7.0	32	3	3	7	11	11	11	11
75 +	20	18.8	127	6	10	17	26	32	42	50										
ALL AGES	47	15.8	131	4	9	14	18	29	36	57	3	8.3	22	2	5	11	11	11	11	11
SUBTOTAL	**85**	**17.5**	**179**	**5**	**9**	**14**	**23**	**32**	**45**	**70**	**8**	**8.8**	**7**	**4**	**7**	**9**	**11**	**11**	**11**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	5.0		5	5	5	5	5	5	5										
25-34																				
35-54	3	7.7	26	2	4	9	11	12	12	12										
55-74	5	33.[illegible]	366	11	20	29	47	61	61	61										
75 +	11	14.8	63	4	11	13	20	26	29	29										
ALL AGES	20	17.9	203	4	10	13	23	36	51	61										
B. FEMALE																				
0-12 YRS.	1	24.0		24	24	24	24	24	24	24										
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	2	10.5	113	3	3	10	18	18	18	18	1	8.0		8	8	8	8	8	8	8
55-74	10	17.3	14[illegible]	5	10	15	22	35	46	46	1	8.0		8	8	8	8	8	8	8
75 +	10	23.8	132	12	15	23	25	41	52	52										
ALL AGES	24	19.1	144	3	11	18	24	32	48	52	2	8.0		8	8	8	8	8	8	8
SUBTOTAL	**44**	**18.5**	**169**	**3**	**11**	**16**	**24**	**31**	**48**	**61**	**2**	**8.0**		**8**	**8**	**8**	**8**	**8**	**8**	**8**
GRAND TOTAL	**129**	**17.9**	**172**	**5**	**9**	**15**	**24**	**31**	**46**	**66**	**10**	**8.6**	**6**	**5**	**8**	**9**	**11**	**11**	**11**	**11**

SIMPLE SCHIZOPHRENIA (295.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +											1	16.0		16	16	16	16	16	16	16
ALL AGES											1	16.0		16	16	16	16	16	16	16
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	24.5	113	17	17	24	32	32	32	32	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	2	24.5	113	17	17	24	32	32	32	32	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**2**	**24.5**	**113**	**17**	**17**	**24**	**32**	**32**	**32**	**32**	**2**	**8.5**	**113**	**1**	**1**	**8**	**16**	**16**	**16**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7										
55-74											1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	16.0		16	16	16	16	16	16	16										
ALL AGES	1	16.0		16	16	16	16	16	16	16										
SUBTOTAL	**2**	**11.5**	**41**	**7**	**7**	**11**	**16**	**16**	**16**	**16**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**
GRAND TOTAL	**4**	**18.0**	**107**	**7**	**11**	**16**	**24**	**32**	**32**	**32**	**3**	**7.3**	**61**	**1**	**2**	**5**	**13**	**16**	**16**	**16**

HEBEPHRENIA (295.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	17.0		17	17	17	17	17	17	17
25-34	4	12.5	43	6		11	17	21	21	21	2	13.0	2	12	12	13	14	14	14	14
35-54	5	8.0	20	3	5	7	10	15	15	15	1	3.0		3	3	3	3	3	3	3
55-74	1	14.0		14	14	14	14	14	14	14										
75 +																				
ALL AGES	10	10.4	30	4	6	9	14	18	21	21	4	11.5	36	3	7	13	15	17	17	17
B. FEMALE																				
0-12 YRS.																				
13-17	1	42.0		42	42	42	42	42	42	42										
18-24																				
25-34	5	14.0	48	4	10	13	20	21	21	21	3	10.3	31	4	6	13	14	14	14	14
35-54	7	26.4	847	8	10	15	31	78	89	89	1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	13	22.8	511	7	10	15	24	51	82	89	4	8.5	34	3	3	8	13	14	14	14
SUBTOTAL	**23**	**17.4**	**331**	**5**	**8**	**13**	**19**	**36**	**58**	**89**	**8**	**10.0**	**33**	**3**	**4**	**12**	**14**	**16**	**17**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	13.0		13	13	13	13	13	13	13										
13-17																				
18-24																				
25-34	4	16.5	39	8	12	17	20	23	23	23										
35-54	3	9.3	7	7	7	9	11	12	12	12										
55-74																				
75 +																				
ALL AGES	8	13.4	30	7	8	12	17	21	23	23										
B. FEMALE																				
0-12 YRS.																				
13-17	1	21.0		21	21	21	21	21	21	21										
18-24	2	38.0	578	21	21	38	55	55	55	55										
25-34																				
35-54	2	27.5	61	22	22	27	33	33	33	33										
55-74																				
75 +																				
ALL AGES	5	30.4	215	21	21	22	38	55	55	55										
SUBTOTAL	**13**	**19.9**	**165**	**8**	**11**	**18**	**22**	**37**	**52**	**55**										
GRAND TOTAL	**36**	**18.3**	**266**	**6**	**9**	**14**	**21**	**35**	**51**	**89**	**8**	**10.0**	**33**	**3**	**4**	**12**	**14**	**16**	**17**	**17**

CATATONIC SCHIZOPHRENIA (295.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	3	22.3	279	7	10	20	35	40	40	40										
25-34	2	27.0	8	25	25	27	29	29	29	29	2	4.0		4	4	4	4	4	4	4
35-54	6	15.2	126	3	8	11	26	31	32	32										
55-74	1	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	13	17.3	146	3	8	12	27	34	39	40	3	3.3	2	2	2	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	22.5	365	9	9	22	36	36	36	36										
25-34																				
35-54	7	13.1	30	6	8	13	18	19	19	19	1	5.0		5	5	5	5	5	5	5
55-74	4	33.0	168	21	24	30	42	51	51	51	1	9.0		9	9	9	9	9	9	9
75 +																				
ALL AGES	13	20.7	171	7	10	18	28	39	49	51	2	7.0	8	5	5	7	9	9	9	9
SUBTOTAL	**26**	**19.0**	**155**	**6**	**9**	**18**	**27**	**36**	**42**	**51**	**5**	**4.8**	**7**	**2**	**3**	**4**	**6**	**9**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	10.0		10	10	10	10	10	10	10										
25-34	1	54.0		54	54	54	54	54	54	54										
35-54	3	11.0	49	3	6	14	15	16	16	16										
55-74	2	24.0	512	8	8	24	40	40	40	40										
75 +																				
ALL AGES	7	20.7	357	4	8	14	34	51	54	54										
SUBTOTAL	**8**	**18.5**	**345**	**3**	**6**	**12**	**28**	**50**	**54**	**54**										
GRAND TOTAL	**34**	**18.9**	**190**	**3**	**8**	**15**	**27**	**40**	**49**	**54**	**5**	**4.8**	**7**	**2**	**3**	**4**	**6**	**9**	**9**	**9**

PARANOID SCHIZOPHRENIA (295.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	13.3	52	4	11	14	41	99 +	99 +	99 +										
18-24	42	16.9	159	3	9	15	21	37	53	99 +	6	3.0	8	1	1	2	4	8	8	8
25-34	128	14.9	159	4	7	11	19	29	46	62	41	4.8	17	1	1	4	6	12	14	15
35-54	126	13.5	78	4	7	12	18	25	31	42	28	5.3	23	1	2	4	6	12	15	21
55-74	43	17.0	216	3	8	15	21	31	51	74	7	3.3	3	1	2	4	4	6	6	6
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	343	14.9	135	4	7	12	20	29	40	69	83	4.7	17	1	1	4	6	11	13	19
B. FEMALE																				
0-12 YRS.																				
13-17	3	26.0	139	13	17	29	34	36	36	36										
18-24	17	17.1	56	9	13	17	20	28	31	32	2	4.5	25	1	1	4	8	8	8	8
25-34	73	13.0	127	4	8	11	14	22	35	71	17	4.8	7	2	3	4	7	8	10	11
35-54	123	14.9	132	5	7	12	18	30	36	59	19	7.5	44	2	4	6	8	17	23	28
55-74	76	19.2	190	6	11	16	24	39	53	94	11	6.9	17	2	4	7	8	14	16	16
75 +	5	29.6	857	6	12	14	46	78	78	78										
ALL AGES	297	16.0	159	5	8	13	20	31	40	78	49	6.3	25	2	3	5	8	12	16	28
SUBTOTAL	**640**	**15.4**	**146**	**4**	**8**	**13**	**20**	**30**	**40**	**74**	**132**	**5.3**	**20**	**1**	**2**	**4**	**7**	**11**	**15**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	49.0		49	49	49	49	49	49	49										
18-24	12	16.8	171	2	7	12	30	36	38	38										
25-34	60	13.2	84	4	7	11	17	24	30	48	4	4.8	30	1	1	2	8	13	13	13
35-54	53	11.1	97	2	4	8	16	26	35	98	5	5.2	10	3	3	3	8	10	10	10
55-74	6	20.7	96	4	16	24	28	29	29	29										
75 +	2	28.0	50	23	23	28	33	33	33	33										
ALL AGES	134	13.5	112	3	6	11	19	29	35	57	9	5.0	17	1	2	3	8	12	13	13
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	5	23.8	529	1	6	15	43	56	56	56										
25-34	22	13.4	121	3	5	9	17	34	36	39	1	7.0		7	7	7	7	7	7	7
35-54	27	12.5	89	3	7	12	15	25	53	99 +										
55-74	25	18.0	119	5	11	17	24	34	42	45	1	5.0		5	5	5	5	5	5	5
75 +	2	11.5	13	9	9	11	14	14	14	14										
ALL AGES	81	15.1	134	3	7	13	20	34	43	86	2	6.0	2	5	5	6	7	7	7	7
SUBTOTAL	**215**	**14.1**	**121**	**3**	**6**	**12**	**19**	**32**	**39**	**70**	**11**	**5.2**	**14**	**2**	**3**	**3**	**7**	**11**	**13**	**13**
GRAND TOTAL	**855**	**15.1**	**139**	**4**	**7**	**13**	**20**	**30**	**40**	**74**	**143**	**5.3**	**19**	**1**	**3**	**4**	**7**	**11**	**14**	**21**

AC SCHIZOPHRENIC EPISODE (295.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	36.0	32	32	32	36	40	40	40	40										
13-17	2	24.5	181	15	20	34	83	99 +	99 +	99 +										
18-24	1	3.0		3	3	3	3	3	3	3										
25-34	4	17.3	395	1	1	12	33	43	43	43										
35-54	1	5.0		5	5	5	5	5	5	5	1	5.0		5	5	5	5	5	5	5
55-74																				
75 +																				
ALL AGES	10	19.8	278	2	3	23	38	66	97	99 +	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17	2	22.5	221	12	12	22	33	33	33	33										
18-24	1	11.0		11	11	11	11	11	11	11										
25-34											1	1.0		1	1	1	1	1	1	1
35-54	2	6.5	25	3	3	6	10	10	10	10	1	3.0		3	3	3	3	3	3	3
55-74	1	11.0		11	11	11	11	11	11	11										
75 +											1	7.0		7	7	7	7	7	7	7
ALL AGES	6	13.3	105	4	10	11	12	31	33	33	3	3.7	9	1	1	3	6	7	7	7
SUBTOTAL	**16**	**17.4**	**211**	**2**	**5**	**12**	**33**	**42**	**80**	**99 +**	**4**	**4.0**	**7**	**1**	**2**	**4**	**6**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	19.0	18	16	16	19	22	22	22	22										
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7										
55-74																				
75 +																				
ALL AGES	3	15.0	57	7	9	16	20	22	22	22										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	7.0		7	7	7	7	7	7	7										
25-34	1	27.0		27	27	27	27	27	27	27										
35-54	2	14.0		14	14	14	14	14	14	14										
55-74											1	7.0		7	7	7	7	7	7	7
75 +																				
ALL AGES	4	15.5	70	7	10	14	21	27	27	27	1	7.0		7	7	7	7	7	7	7
SUBTOTAL	**7**	**15.3**	**53**	**7**	**9**	**14**	**20**	**26**	**27**	**27**	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**
GRAND TOTAL	**23**	**16.7**	**161**	**3**	**7**	**14**	**29**	**40**	**60**	**99 +**	**5**	**4.6**	**7**	**1**	**2**	**5**	**7**	**7**	**7**	**7**

LATENT SCHIZOPHRENIA (295.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	15.5	61	10	10	15	21	21	21	21										
55-74																				
75 +																				
ALL AGES	2	15.5	61	10	10	15	21	21	21	21										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	17.0		17	17	17	17	17	17	17										
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	2	9.5	113	2	2	9	17	17	17	17										
SUBTOTAL	**4**	**12.5**	**70**	**2**	**6**	**13**	**19**	**21**	**21**	**21**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	11.0		11	11	11	11	11	11	11										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	11.0		11	11	11	11	11	11	11										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**11.0**		**11**	**11**	**11**	**11**	**11**	**11**	**11**										
GRAND TOTAL	**5**	**12.2**	**53**	**2**	**8**	**11**	**18**	**21**	**21**	**21**										

RESIDUAL SCHIZOPHRENIA (295.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-17																				
18-24	21	15.9	207	3	5	13	19	37	50	57	5	6.2	41	1	1	4	11	16	16	16
25-34	60	12.3	122	2	3	10	19	28	38	94	15	4.1	15	1	1	3	6	7	14	16
35-54	81	14.4	114	4	7	11	20	30	36	51	18	4.4	16	1	1	3	7	11	12	13
55-74	9	15.4	299	5	7	9	15	43	60	60	5	2.2	5	1	1	1	3	6	6	6
75 +	1	27.0		27	27	27	27	27	27	27										
ALL AGES	17[illegible]	14.0	134	3	5	11	19	30	37	59	43	4.3	16	1	1	3	6	11	14	16
B. FEMALE																				
0-12 YRS.																				
13-17	1	51.0		51	51	51	51	51	51	51										
18-24	4	17.5	104	3	10	20	24	26	26	26	3	6.0		6	6	6	6	6	6	6
25-34	50	15.0	177	2	5	10	22	32	52	54	7	4.3	11	1	2	3	5	10	11	11
35-54	87	18.7	231	5	8	14	25	42	48	70	6	6.7	11	3	4	6	9	12	12	12
55-74	42	18.2	237	6	9	14	21	34	62	70	10	6.4	32	1	2	3	12	14	16	16
75 +	7	20.0	241	5	6	18	33	43	44	44										
ALL AGES	191	17.8	219	4	7	14	23	40	52	70	26	5.8	18	1	3	5	9	12	13	16
SUBTOTAL	**364**	**16.0**	**182**	**3**	**7**	**12**	**21**	**35**	**47**	**68**	**69**	**4.9**	**17**	**1**	**1**	**3**	**6**	**12**	**13**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	34.0		34	34	34	34	34	34	34										
18-24	8	17.4	228	3	6	13	25	42	47	47	3	16.7	195	1	6	21	26	28	28	28
25-34	31	13.4	137	4	6	11	17	24	40	58	2	28.5	1513	1	1	28	56	56	56	56
35-54	31	12.6	86	4	6	10	16	27	36	38	1	4.0		4	4	4	4	4	4	4
55-74	8	21.8	136	11	14	18	28	41	44	44										
75 +	2	28.5	25	25	25	28	32	32	32	32										
ALL AGES	81	15.0	132	4	7	11	19	33	39	55	6	18.5	465	1	1	12	28	53	56	56
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	3	22.0	57	15	16	21	28	30	30	30	1	7.0		7	7	7	7	7	7	7
25-34	20	12.6	98	2	5	11	16	25	34	42										
35-54	19	11.3	41	2	8	12	15	17	23	28	1	14.0		14	14	14	14	14	14	14
55-74	12	19.9	50	11	14	19	26	29	30	30	3	19.7	643	5	5	5	38	49	49	49
75 +	3	18.7	70	10	12	19	25	27	27	27										
ALL AGES	57	14.5	77	3	10	13	19	27	29	41	5	16.0	354	5	5	7	23	49	49	49
SUBTOTAL	**138**	**14.8**	**109**	**4**	**8**	**12**	**19**	**29**	**36**	**48**	**11**	**17.4**	**374**	**1**	**4**	**7**	**26**	**52**	**56**	**56**
GRAND TOTAL	**502**	**15.6**	**164**	**3**	**7**	**12**	**21**	**32**	**44**	**62**	**80**	**6.6**	**81**	**1**	**2**	**4**	**7**	**13**	**19**	**54**

SCHIZOAFFECTIVE TYPE (295.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	50.0	128	42	42	50	58	58	58	58										
13-17	4	22.8	170	10	14	20	31	41	41	41										
18-24	31	18.4	231	4	8	13	24	37	46	72	2	33.5	1013	11	11	33	56	56	56	56
25-34	63	16.6	184	4	7	15	21	31	38	79										
35-54	71	15.8	144	4	8	13	20	29	46	56	6	6.3	34	1	1	5	12	14	14	14
55-74	18	16.8	156	4	7	14	27	30	43	52	1	12.0		12	12	12	12	12	12	12
75 +	1	26.0		26	26	26	26	26	26	26										
ALL AGES	190	17.1	183	4	8	14	22	35	46	66	9	13.0	286	1	2	11	13	39	56	56
B. FEMALE																				
0-12 YRS.																				
13-17	3	21.0	124	11	13	19	29	33	33	33										
18-24	27	23.1	327	4	10	15	39	48	55	65	1	7.0		7	7	7	7	7	7	7
25-34	62	14.5	155	4	7	12	19	24	33	79	7	11.0	63	4	6	6	17	23	24	24
35-54	153	16.7	189	5	8	14	19	31	49	72	6	8.2	10	5	5	8	11	12	12	12
55-74	49	19.4	204	6	11	14	25	35	60	68	4	10.5	14	5	8	12	13	13	13	13
75 +	6	25.0	669	5	7	18	27	70	75	75	1	5.0		5	5	5	5	5	5	5
ALL AGES	300	17.5	206	5	8	14	21	35	48	72	19	9.5	29	5	5	7	12	17	22	24
SUBTOTAL	**490**	**17.3**	**198**	**5**	**8**	**14**	**21**	**35**	**46**	**72**	**28**	**10.6**	**107**	**2**	**5**	**9**	**12**	**17**	**27**	**56**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	29.0		29	29	29	29	29	29	29										
18-24	13	24.5	533	3	7	16	39	64	74	76										
25-34	32	16.8	125	4	9	14	26	30	32	52										
35-54	34	14.8	124	4	6	12	21	30	32	55	2	2.5	1	2	2	2	3	3	3	3
55-74	4	19.8	76	7	14	22	25	27	27	27										
75 +																				
ALL AGES	84	17.5	187	4	8	14	24	31	44	71	2	2.5	1	2	2	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	4	26.3	633	5	7	20	45	60	60	60										
18-24	20	19.8	409	5	10	13	24	35	66	96										
25-34	45	16.9	164	5	9	13	25	38	47	99 +	1	5.0		5	5	5	5	5	5	5
35-54	71	17.1	172	7	9	12	23	32	40	74	2	16.0	392	2	2	16	30	30	30	30
55-74	21	17.2	90	4	8	17	26	28	32	36										
75 +	1	66.0		66	66	66	66	66	66	66										
ALL AGES	162	17.9	209	6	9	14	24	35	41	94	3	12.3	238	2	3	5	24	30	30	30
SUBTOTAL	**246**	**17.8**	**199**	**5**	**9**	**14**	**24**	**33**	**41**	**78**	**5**	**8.4**	**147**	**2**	**2**	**3**	**11**	**30**	**30**	**30**
GRAND TOTAL	**736**	**17.5**	**197**	**5**	**8**	**14**	**22**	**35**	**46**	**73**	**33**	**10.3**	**109**	**2**	**5**	**7**	**12**	**20**	**29**	**56**

SCHIZOPHRENIA NEC (295.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	49.0		49	49	49	49	49	49	49										
25-34	4	6.5	15	1	3	7	9	10	10	10										
35-54	6	9.5	12	5	7	9	13	14	14	14										
55-74											1	19.0		19	19	19	19	19	19	19
75 +																				
ALL AGES	11	12.0	163	3	7	8	12	28	47	49	1	19.0		19	19	19	19	19	19	19
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	3	19.0	313	3	6	16	32	38	38	38										
25-34	3	8.0	37	4	4	5	12	15	15	15	1	1.0		1	1	1	1	1	1	1
35-54	4	13.0	51	5	7	13	19	20	20	20	1	5.0		5	5	5	5	5	5	5
55-74	5	16.2	53	9	10	13	23	25	25	25										
75 +																				
ALL AGES	15	14.3	90	4	6	13	19	25	35	38	2	3.0	8	1	1	3	5	5	5	5
SUBTOTAL	**26**	**13.3**	**118**	**4**	**7**	**10**	**16**	**25**	**40**	**49**	**3**	**8.3**	**90**	**1**	**2**	**5**	**15**	**19**	**19**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	32.5	613	15	15	32	50	50	50	50										
25-34	2	27.5	481	12	12	27	43	43	43	43										
35-54	1	9.0		9	9	9	9	9	9	9										
55-74	1	9.0		9	9	9	9	9	9	9										
75 +																				
ALL AGES	6	23.0	341	9	9	13	43	49	50	50										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	3	16.0	181	1	6	20	25	27	27	27										
35-54	5	13.6	88	7	7	9	19	29	29	29										
55-74	1	19.0		19	19	19	19	19	19	19										
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	9	15.0	93	3	7	16	22	28	29	29	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**15**	**18.2**	**191**	**7**	**9**	**15**	**25**	**43**	**48**	**50**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**41**	**15.1**	**146**	**4**	**7**	**11**	**19**	**33**	**46**	**50**	**4**	**7.0**	**67**	**1**	**2**	**4**	**12**	**19**	**19**	**19**

SCHIZOPHRENIA NOS (295.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	32.7	111	26	26	27	40	45	45	45	1	2.0		2	2	2	2	2	2	2
13-17	7	21.9	308	6	11	17	45	86	99 +	99 +										
18-24	31	12.0	53	5	7	10	17	22	29	30	4	1.5	1	1	1	1	2	3	3	3
25-34	47	11.0	64	2	6	8	14	23	27	32	11	7.1	33	2	3	5	9	17	19	19
35-54	40	16.7	235	4	7	12	21	33	53	72	16	9.1	41	1	5	8	11	19	23	24
55-74	4	9.0	34	3	4	9	14	14	14	14	3	4.0	7	1	3	5	53	99 +	99 +	99 +
75 +	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
ALL AGES	133	13.8	142	3	6	11	19	30	37	76	36	6.8	35	1	2	6	10	18	23	99 +
B. FEMALE																				
0-12 YRS.	3	50.0	657	23	30	53	69	74	74	74										
13-17	4	32.5	323	10	19	33	45	53	53	53										
18-24	12	10.4	52	3	5	8	15	22	23	23	2	9.0	32	5	5	9	13	13	13	13
25-34	25	16.6	168	3	8	11	22	35	46	48	9	9.1	47	2	5	7	12	20	24	24
35-54	53	14.8	93	4	8	13	21	26	32	49	20	9.3	44	3	5	7	12	18	24	29
55-74	18	15.6	114	4	7	14	24	26	37	44	17	12.8	120	3	4	9	19	25	37	43
75 +	4	11.5	22	7	7	11	15	16	16	16	1	1.0		1	1	1	1	1	1	1
ALL AGES	119	16.2	160	3	7	13	22	32	45	60	49	10.3	71	3	5	7	14	22	26	43
SUBTOTAL	**252**	**15.0**	**149**	**3**	**7**	**12**	**21**	**30**	**43**	**72**	**85**	**8.8**	**58**	**1**	**3**	**7**	**12**	**20**	**25**	**79**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	6	36.2	614	14	20	30	42	77	81	81										
18-24	15	18.8	158	7	9	17	23	41	45	46	1	2.0		2	2	2	2	2	2	2
25-34	22	11.7	158	2	4	9	12	23	40	58	2	9.5	13	7	7	9	12	12	12	12
35-54	11	13.1	106	3	5	14	16	26	38	39	2	5.0		5	5	5	5	5	5	5
55-74	2	6.5	13	4	4	6	9	9	9	9	4	12.5	54	4	8	12	17	22	22	22
75 +																				
ALL AGES	56	16.3	235	3	7	12	20	40	45	80	9	9.0	38	3	5	7	12	18	22	22
B. FEMALE																				
0-12 YRS.																				
13-17	5	33.6	348	11	21	29	47	60	60	60										
18-24	6	25.2	905	3	8	13	32	78	83	83										
25-34	14	13.1	57	5	8	12	17	25	28	29	1	34.0		34	34	34	34	34	34	34
35-54	12	14.8	72	6	9	12	21	28	31	32	2	4.5	13	2	2	4	7	7	7	7
55-74	3	10.3	51	4	5	9	16	18	18	18	1	4.0		4	4	4	4	4	4	4
75 +	1	20.0		20	20	20	20	20	20	20										
ALL AGES	41	17.8	244	5	9	13	23	32	51	83	4	11.8	223	2	3	5	20	34	34	34
SUBTOTAL	**97**	**16.9**	**238**	**3**	**8**	**13**	**20**	**38**	**45**	**82**	**13**	**9.8**	**84**	**2**	**4**	**7**	**12**	**24**	**32**	**34**
GRAND TOTAL	**349**	**15.5**	**175**	**3**	**7**	**12**	**21**	**31**	**44**	**74**	**98**	**8.9**	**62**	**2**	**3**	**7**	**12**	**21**	**25**	**72**

MANIC DIS, SINGL EPISODE (296.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24	1	28.0		28	28	28	28	28	28	28										
25-34	3	16.0	157	4	7	15	25	29	29	29										
35-54	2	18.5	265	7	7	18	30	30	30	30										
55-74																				
75 +	2	15.0	2	14	14	15	16	16	16	16										
ALL AGES	9	16.3	111	4	6	15	28	30	30	30										
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	1	25.0		25	25	25	25	25	25	25										
18-24																				
25-34	1	25.0		25	25	25	25	25	25	25	1	7.0		7	7	7	7	7	7	7
35-54	8	12.9	40	4	11	13	15	22	24	24	2	2.5	5	1	1	2	4	4	4	4
55-74	1	17.0		17	17	17	17	17	17	17										
75 +																				
ALL AGES	12	14.3	64	2	11	14	20	25	25	25	3	4.0	9	1	2	4	6	7	7	7
SUBTOTAL	**21**	**15.2**	**79**	**3**	**9**	**14**	**24**	**28**	**29**	**30**	**3**	**4.0**	**9**	**1**	**2**	**4**	**6**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	4	13.3	92	1	5	15	21	21	21	21										
55-74	2	10.0	72	4	4	10	16	16	16	16										
75 +																				
ALL AGES	7	11.1	70	2	4	10	20	21	21	21										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	8.0		8	8	8	8	8	8	8										
55-74	1	10.0		10	10	10	10	10	10	10										
75 +	1	27.0		27	27	27	27	27	27	27	1	4.0		4	4	4	4	4	4	4
ALL AGES	3	15.0	109	8	8	10	23	27	27	27	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**10**	**12.3**	**73**	**2**	**5**	**10**	**21**	**24**	**27**	**27**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
GRAND TOTAL	**31**	**14.3**	**76**	**3**	**7**	**14**	**21**	**27**	**29**	**30**	**4**	**4.0**	**6**	**1**	**2**	**4**	**6**	**7**	**7**	**7**

MANIC, RECURRENT EPISODE (296.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	55.0		55	55	55	55	55	55	55										
18-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	2	27.0	18	24	24	27	30	30	30	30										
75 +	1	40.0		40	40	40	40	40	40	40										
ALL AGES	5	30.0	401	1	18	30	44	55	55	55										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	9.0		9	9	9	9	9	9	9										
35-54	4	10.5	52	2	4	11	16	17	17	17										
55-74	3	14.0	7	11	12	15	16	16	16	16	1	17.0		17	17	17	17	17	17	17
75 +	2	33.5	145	25	25	33	42	42	42	42										
ALL AGES	10	16.0	123	4	9	15	17	33	42	42	1	17.0		17	17	17	17	17	17	17
SUBTOTAL	**15**	**20.7**	**239**	**2**	**9**	**16**	**29**	**42**	**52**	**55**	**1**	**17.0**		**17**	**17**	**17**	**17**	**17**	**17**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	14.0	72	8	8	14	20	20	20	20	1	8.0		8	8	8	8	8	8	8
55-74																				
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	3	11.3	58	6	6	8	17	20	20	20	1	8.0		8	8	8	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	6.0		6	6	6	6	6	6	6
35-54	3	7.0	1	6	6	7	8	8	8	8										
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	4	6.5	2	5	5	6	7	8	8	8	1	6.0		6	6	6	6	6	6	6
SUBTOTAL	**7**	**8.6**	**26**	**5**	**6**	**7**	**8**	**18**	**20**	**20**	**2**	**7.0**	**2**	**6**	**6**	**7**	**8**	**8**	**8**	**8**
GRAND TOTAL	**22**	**16.8**	**202**	**4**	**7**	**13**	**24**	**41**	**47**	**55**	**3**	**10.3**	**35**	**6**	**6**	**8**	**15**	**17**	**17**	**17**

DEPR PSYCH, SINGL EPISOD (296.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	26	25.6	240	6	14	27	37	47	50	52										
13-17	53	20.6	253	6	9	17	26	40	56	77	1	16.0		16	16	16	16	16	16	16
18-24	40	16.3	256	3	6	11	24	33	39	89	5	8.4	35	3	3	7	14	16	16	16
25-34	74	11.2	59	2	5	10	15	23	27	31	12	10.3	168	1	2	5	13	30	43	45
35-54	140	15.4	106	3	7	14	22	29	32	47	23	7.7	75	1	2	4	8	21	30	31
55-74	94	18.1	145	6	8	15	27	33	38	61	15	8.9	60	2	3	7	13	15	27	31
75 +	30	20.5	228	9	10	14	28	44	58	63	6	11.8	87	3	5	9	17	27	28	28
ALL AGES	457	16.9	162	4	7	14	23	32	41	58	62	9.1	83	1	3	6	13	20	30	43
B. FEMALE																				
0-12 YRS.	18	27.5	213	5	19	28	40	45	48	50										
13-17	90	18.4	207	3	7	16	25	40	56	85	3	5.7	4	4	4	5	7	8	8	8
18-24	72	13.0	101	4	6	10	17	28	34	45	7	9.3	155	2	2	6	8	31	37	37
25-34	165	13.4	98	3	6	11	19	26	31	46	21	5.0	18	1	1	3	8	11	13	14
35-54	295	16.4	146	4	8	14	21	30	37	73	48	7.6	44	2	3	5	10	16	24	31
55-74	247	20.5	175	6	11	18	27	36	47	68	28	9.7	55	3	4	7	14	18	27	32
75 +	111	22.6	222	6	13	19	29	42	46	78	11	8.2	17	4	5	8	11	14	17	17
ALL AGES	998	17.7	169	4	8	15	24	34	44	66	118	7.7	46	2	3	6	10	16	22	34
SUBTOTAL	**1455**	**17.5**	**165**	**4**	**8**	**15**	**23**	**34**	**43**	**64**	**180**	**8.2**	**59**	**2**	**3**	**6**	**11**	**17**	**26**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	32	29.3	345	10	20	26	33	56	67	89										
13-17	71	22.1	194	5	11	21	31	44	54	99 +	1	8.0		8	8	8	8	8	8	8
18-24	50	16.5	218	5	7	12	21	38	43	69	3	13.3	142	6	6	7	22	27	27	27
25-34	103	16.9	185	4	8	15	23	31	46	70	13	3.7	11	1	1	3	4	8	12	13
35-54	157	17.5	137	5	9	15	24	32	41	58	21	10.5	105	2	3	6	14	31	33	35
55-74	67	18.3	109	5	11	16	27	33	38	44	7	6.0	28	1	2	4	11	14	14	14
75 +	27	20.4	189	5	11	19	27	37	47	59	8	8.1	64	2	4	6	8	22	27	27
ALL AGES	507	18.9	184	5	9	16	26	36	47	72	53	8.0	69	2	3	4	9	21	30	35
B. FEMALE																				
0-12 YRS.	19	34.0	327	14	20	28	47	65	71	71										
13-17	95	24.9	264	7	12	23	35	50	61	99 +										
18-24	89	17.1	179	4	7	13	23	39	48	84	5	16.8	264	2	5	8	31	39	39	39
25-34	219	18.9	187	4	9	16	25	34	43	78	21	8.4	59	1	4	7	10	19	29	30
35-54	298	17.7	164	4	9	16	24	34	39	65	29	10.4	78	2	5	8	11	28	31	31
55-74	137	20.5	171	7	11	17	29	36	50	74	19	11.5	102	2	5	8	14	29	34	38
75 +	52	21.8	252	7	11	16	27	47	59	72	5	9.6	20	4	5	11	13	15	15	15
ALL AGES	909	19.7	198	5	10	16	27	38	49	72	79	10.5	85	2	5	8	12	28	31	39
SUBTOTAL	**1416**	**19.4**	**194**	**5**	**10**	**16**	**27**	**38**	**48**	**72**	**132**	**9.5**	**80**	**2**	**4**	**7**	**12**	**27**	**31**	**38**
GRAND TOTAL	**2871**	**18.4**	**181**	**4**	**9**	**15**	**25**	**35**	**45**	**70**	**312**	**8.8**	**67**	**2**	**3**	**6**	**11**	**19**	**30**	**37**

DEPR PSYCH, RECUR EPISOD (296.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	27.0	288	15	15	27	39	39	39	39										
13-17	13	13.5	117	2	6	9	18	30	37	39										
18-24	16	22.8	585	2	8	17	24	66	83	89										
25-34	18	16.3	159	5	8	13	21	31	47	55	2	8.0		8	8	8	8	8	8	8
35-54	69	15.9	146	4	7	14	22	30	40	69	10	7.7	20	1	4	8	12	13	13	13
55-74	62	21.5	155	6	14	21	27	39	49	95	11	10.8	42	2	7	11	14	21	22	22
75 +	33	28.5	305	11	15	23	36	59	67	72										
ALL AGES	213	20.0	222	5	10	17	26	39	52	80	23	9.2	30	2	5	9	12	16	21	22
B. FEMALE																				
0-12 YRS.	1	39.0		39	39	39	39	39	39	39										
13-17	22	23.1	236	4	11	22	33	44	51	61										
18-24	26	12.7	50	5	7	12	16	21	27	33	5	3.6	6	1	1	5	5	6	6	6
25-34	78	16.1	124	5	9	14	21	28	34	67	10	7.3	8	4	5	7	10	11	11	11
35-54	232	16.1	156	4	8	13	21	31	40	58	16	8.4	46	3	4	7	10	16	25	29
55-74	206	23.0	251	7	11	20	29	44	55	77	25	11.1	55	3	6	10	15	22	27	29
75 +	103	26.4	264	9	15	23	35	45	60	83	4	4.8	6	1	3	5	6	7	7	7
ALL AGES	668	19.9	216	5	10	16	27	38	48	70	60	8.7	42	2	5	7	11	17	24	29
SUBTOTAL	**881**	**20.0**	**214**	**5**	**10**	**17**	**27**	**38**	**48**	**74**	**83**	**8.9**	**37**	**2**	**5**	**8**	**11**	**16**	**22**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	39.0	281	24	25	31	55	60	60	60										
13-17	9	24.0	228	5	13	27	32	46	49	49	2	16.5	221	6	6	16	27	27	27	27
18-24	12	19.6	183	2	9	18	27	38	46	47	3	20.7	355	6	8	14	35	42	42	42
25-34	63	16.6	232	2	7	13	21	31	50	77	6	14.2	205	3	4	11	14	39	42	42
35-54	107	20.9	204	6	10	18	29	43	53	64	14	12.6	101	4	7	10	13	27	39	42
55-74	50	22.1	257	3	10	19	30	46	57	64	4	16.3	198	1	5	15	27	34	34	34
75 +	19	22.5	114	8	15	23	31	35	39	42	1	17.0		17	17	17	17	17	17	17
ALL AGES	265	20.6	222	3	10	17	28	42	53	65	30	14.6	141	3	6	11	17	38	42	42
B. FEMALE																				
0-12 YRS.	4	28.5	498	6	11	44	63	99 +	99 +	99 +										
13-17	21	35.7	273	15	22	33	48	58	65	68	4	29.5	74	18	23	31	36	37	37	37
18-24	36	18.2	189	2	9	16	[illegible]	44	86	99 +	16	25.1	258	4	8	30	41	42	42	42
25-34	159	16.4	160	4	8	14	[illegible]	30	48	98	20	24.5	197	7	13	23	40	42	42	42
35-54	270	19.0	198	4	9	15	26	37	45	61	38	19.1	208	4	7	14	30	42	42	49
55-74	120	22.8	243	6	9	21	33	49	56	99 +	13	13.9	77	4	6	14	18	29	30	30
75 +	47	26.3	289	11	15	22	34	48	70	99 +	3	23.0	175	13	14	18	33	38	38	38
ALL AGES	657	20.1	222	5	9	16	28	43	54	99 +	94	21.1	199	4	9	17	35	42	42	46
SUBTOTAL	**922**	**20.3**	**220**	**5**	**9**	**17**	**28**	**43**	**53**	**90**	**124**	**19.6**	**188**	**4**	**8**	**15**	**30**	**42**	**42**	**44**
GRAND TOTAL	**1803**	**20.1**	**219**	**5**	**9**	**17**	**27**	**41**	**52**	**81**	**207**	**15.3**	**155**	**3**	**6**	**11**	**22**	**39**	**42**	**42**

BIPOLAR AFFECTIVE, MANIC (296.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	9	19.9	167	3	11	17	29	38	38	38										
18-24	22	13.1	56	4	7	13	16	25	27	27	3	6.3	13	3	4	6	9	10	10	10
25-34	47	15.4	181	2	7	13	20	30	42	72	4	2.5	2	1	1	2	3	4	4	4
35-54	73	15.4	123	5	7	14	19	29	37	56	7	4.0	8	1	1	4	6	8	9	9
55-74	33	15.4	102	6	8	14	22	26	39	45	3	11.3	109	3	4	8	19	23	23	23
75 +	3	17.0	37	10	12	20	21	21	21	21	1	17.0		17	17	17	17	17	17	17
ALL AGES	187	15.4	124	4	7	14	21	28	38	56	18	6.0	34	1	3	4	8	15	21	23
B. FEMALE																				
0-12 YRS.																				
13-17	8	22.8	520	3	8	14	30	61	73	73										
18-24	18	22.6	398	9	13	17	26	36	72	95	1	11.0		11	11	11	11	11	11	11
25-34	60	13.7	95	4	7	12	17	23	37	48	4	8.3	65	1	2	6	14	19	19	19
35-54	119	16.9	111	6	9	15	22	30	34	56	8	15.3	41	5	10	17	20	22	22	22
55-74	86	17.9	115	6	10	16	24	33	39	49	1	5.0		5	5	5	5	5	5	5
75 +	12	20.5	120	10	14	18	27	34	45	47										
ALL AGES	303	17.2	138	6	9	15	21	31	37	59	14	12.2	53	3	5	12	19	21	22	22
SUBTOTAL	**490**	**16.5**	**134**	**5**	**8**	**14**	**21**	**30**	**38**	**56**	**32**	**8.7**	**51**	**1**	**3**	**6**	**15**	**20**	**22**	**23**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	5	40.6	345	28	29	38	71	97	99 +	99 +										
18-24	8	20.8	332	2	3	21	31	48	54	54										
25-34	32	18.6	129	6	10	17	25	34	39	49	3	5.7	4	4	4	5	7	8	8	8
35-54	30	17.5	159	5	11	14	22	30	35	68	3	6.0	3	4	5	7	7	7	7	7
55-74	9	23.0	530	3	8	12	36	60	74	74										
75 +	1	25.0		25	25	25	25	25	25	25										
ALL AGES	85	20.2	229	4	11	16	28	38	57	91	6	5.8	3	4	4	6	7	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17	4	28.3	855	10	13	17	79	99 +	99 +	99 +										
18-24	16	22.5	217	6	11	17	38	43	48	50										
25-34	19	14.9	42	7	9	14	18	24	27	29										
35-54	46	15.8	116	6	8	13	22	32	41	46										
55-74	30	19.6	241	9	12	14	22	33	46	87	2	12.0	242	1	1	12	23	23	23	23
75 +	10	22.0	148	7	10	24	33	36	36	36	1	4.0		4	4	4	4	4	4	4
ALL AGES	125	18.3	174	7	10	14	24	36	44	90	3	$9.\bar{3}$	143	1	2	4	18	23	23	23
SUBTOTAL	**210**	**19.1**	**195**	**6**	**10**	**15**	**25**	**37**	**46**	**92**	**9**	**7.0**	**41**	**2**	**4**	**5**	**7**	**17**	**23**	**23**
GRAND TOTAL	**700**	**17.3**	**153**	**5**	**9**	**14**	**22**	**33**	**41**	**72**	**41**	**8.3**	**49**	**1**	**3**	**6**	**12**	**20**	**22**	**23**

BIPOLAR AFFECT, DEPRESS (296.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	13.0		13	13	13	13	13	13	13										
18-24	2	10.0	32	6	6	10	14	14	14	14										
25-34	10	21.1	480	5	6	11	25	60	67	67										
35-54	31	16.6	188	4	7	12	21	38	43	56	2	8.5	41	4	4	8	13	13	13	13
55-74	12	26.8	358	9	14	23	33	52	73	77	1	25.0		25	25	25	25	25	25	25
75 +	1	19.0		19	19	19	19	19	19	19										
ALL AGES	57	19.3	268	5	8	14	25	41	55	76	3	14.0	111	4	6	13	22	25	25	25
B. FEMALE																				
0-12 YRS.																				
13-17	4	17.0	65	7	11	17	23	26	26	26										
18-24	8	15.3	96	4	8	13	22	30	32	32										
25-34	38	12.2	232	2	4	9	16	23	70	99 +										
35-54	56	18.7	204	5	8	15	25	44	49	65	2	8.0	2	7	7	8	9	9	9	9
55-74	36	23.1	334	6	9	15	35	51	55	82	3	14.7	21	11	11	13	18	20	20	20
75 +	13	29.9	386	16	20	22	36	69	71	72	1	7.0		7	7	7	7	7	7	7
ALL AGES	155	18.9	264	4	7	15	25	45	53	85	6	11.2	23	7	7	10	13	19	20	20
SUBTOTAL	**212**	**19.0**	**265**	**4**	**7**	**15**	**25**	**43**	**54**	**83**	**9**	**12.1**	**45**	**5**	**7**	**11**	**15**	**23**	**25**	**25**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	30.2	71	18	25	30	37	39	39	39										
13-17	2	29.5	421	15	15	29	44	44	44	44										
18-24	6	26.7	137	9	21	27	35	41	42	42										
25-34	13	18.5	93	7	13	16	28	31	36	37										
35-54	27	14.7	100	4	8	11	20	26	32	49										
55-74	12	19.3	234	4	8	13	28	41	52	54	1	7.0		7	7	7	7	7	7	7
75 +	3	18.3	27	13	14	19	22	23	23	23										
ALL AGES	68	19.0	142	6	9	16	27	36	42	53	1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17	6	31.3	104	21	22	30	37	47	48	48										
18-24	11	22.3	379	4	8	18	32	54	64	65										
25-34	39	18.0	271	4	7	13	21	45	55	70										
35-54	64	17.8	262	5	7	12	23	39	52	86										
55-74	14	25.2	336	8	14	22	30	46	71	78	1	5.0		5	5	5	5	5	5	5
75 +	7	27.4	327	11	13	22	46	53	53	53										
ALL AGES	141	20.0	282	5	9	14	27	47	53	79	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**209**	**19.7**	**235**	**5**	**9**	**15**	**27**	**42**	**51**	**73**	**2**	**6.0**	**2**	**5**	**5**	**6**	**7**	**7**	**7**	**7**
GRAND TOTAL	**421**	**19.3**	**251**	**5**	**8**	**15**	**26**	**42**	**52**	**79**	**11**	**11.0**	**42**	**5**	**7**	**9**	**13**	**22**	**25**	**25**

BIPOLAR AFFECTIVE, MIXED (296.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	25.0	169	10	15	32	33	33	33	33										
13-17	2	3.0	8	1	1	2	5	5	5	5										
18-24	5	7.2	19	1	4	8	10	12	12	12										
25-34	14	12.6	92	5	7	10	15	26	37	40										
35-54	20	23.6	226	8	11	23	29	43	55	64	1	13.0		13	13	13	13	13	13	13
55-74	3	8.7	1	7	7	9	10	10	10	10	1	4.0		4	4	4	4	4	4	4
75 +	3	14.7	32	8	10	18	18	18	18	18										
ALL AGES	50	16.7	172	5	8	12	24	34	41	64	2	8.5	41	4	4	8	13	13	13	13
B. FEMALE																				
0-12 YRS.	1	29.0		29	29	29	29	29	29	29										
13-17	3	33.7	1273	6	10	21	61	74	74	74										
18-24	8	18.1	113	2	10	19	26	31	33	33	1	3.0		3	3	3	3	3	3	3
25-34	22	16.0	114	6	9	12	24	30	39	47	2	7.5	25	4	4	7	11	11	11	11
35-54	34	13.4	89	4	7	12	16	23	34	45	4	14.3	158	4	4	11	24	31	31	31
55-74	22	19.5	175	7	11	17	21	35	55	60	4	18.8	118	11	12	14	25	35	35	35
75 +	2	21.0	72	15	15	21	27	27	27	27										
ALL AGES	92	16.9	154	5	9	14	21	30	44	68	11	13.6	117	3	4	11	16	33	35	35
SUBTOTAL	**142**	**16.8**	**160**	**5**	**8**	**13**	**22**	**32**	**43**	**65**	**13**	**12.8**	**105**	**4**	**4**	**11**	**15**	**32**	**34**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	30.0		30	30	30	30	30	30	30										
13-17	5	33.6	257	20	28	30	61	96	99 +	99 +										
18-24	2	27.0	18	24	24	27	30	30	30	30										
25-34	7	13.9	40	7	8	12	19	23	24	24										
35-54	19	16.3	135	4	7	16	24	38	75	99 +	1	15.0		15	15	15	15	15	15	15
55-74	3	22.0	100	12	14	22	29	32	32	32	1	31.0		31	31	31	31	31	31	31
75 +																				
ALL AGES	38	19.8	156	6	11	20	28	42	80	99 +	2	23.0	128	15	15	23	31	31	31	31
B. FEMALE																				
0-12 YRS.	1	44.0		44	44	44	44	44	44	44										
13-17	5	46.8	701	8	33	50	59	82	82	82										
18-24	5	27.4	259	8	15	23	44	44	44	44										
25-34	16	13.9	108	3	8	13	16	22	40	47	1	13.0		13	13	13	13	13	13	13
35-54	30	19.2	430	5	7	11	22	50	56	98	1	19.0		19	19	19	19	19	19	19
55-74	10	20.2	226	6	6	15	32	42	51	51										
75 +	2	32.0	648	14	14	32	50	50	50	50										
ALL AGES	69	21.4	381	5	8	14	30	50	52	95	2	16.0	18	13	13	16	19	19	19	19
SUBTOTAL	**107**	**20.9**	**297**	**5**	**9**	**15**	**29**	**50**	**56**	**99 +**	**4**	**19.5**	**65**	**13**	**14**	**17**	**25**	**31**	**31**	**31**
GRAND TOTAL	**249**	**18.5**	**224**	**5**	**8**	**14**	**25**	**41**	**51**	**98**	**17**	**14.4**	**99**	**4**	**5**	**13**	**17**	**31**	**34**	**35**

BIPOLAR AFFECTIVE NOS (296.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	7	40.7	286	18	30	39	57	61	61	61										
13-17	5	43.0	811	15	22	29	71	78	78	78										
18-24	10	12.6	34	6	7	11	16	21	23	23	1	1.0		1	1	1	1	1	1	1
25-34	11	14.3	75	4	7	12	20	28	29	29	5	4.4	18	1	1	3	7	11	11	11
35-54	22	9.8	38	3	5	9	13	19	22	22	2	1.0		1	1	1	1	1	1	1
55-74	8	19.0	160	5	6	20	29	34	36	36	1	1.0		1	1	1	1	1	1	1
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	64	18.0	268	4	7	13	23	36	60	77	9	2.9	12	1	1	1	4	9	11	11
B. FEMALE																				
0-12 YRS.	1	65.0		65	65	65	65	65	65	65										
13-17	12	18.9	100	8	13	17	23	36	37	37										
18-24	9	9.8	90	1	3	8	13	25	32	32	1	1.0		1	1	1	1	1	1	1
25-34	41	13.5	99	2	6	11	20	28	31	42	2	9.5	13	7	7	9	12	12	12	12
35-54	51	15.7	116	6	9	13	19	33	42	48	9	9.4	67	3	5	6	10	23	29	29
55-74	36	21.1	251	8	10	16	25	46	56	78	2	19.5	41	15	15	19	24	24	24	24
75 +	6	26.0	209	9	20	22	32	49	51	51										
ALL AGES	156	17.0	167	4	8	14	21	33	45	65	14	10.3	65	3	5	7	15	24	28	29
SUBTOTAL	**220**	**17.3**	**195**	**4**	**8**	**14**	**22**	**33**	**48**	**72**	**23**	**7.4**	**56**	**1**	**1**	**6**	**10**	**17**	**26**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	9	41.6	307	23	30	34	51	70	76	76										
13-17	13	31.2	321	9	15	36	41	55	62	64										
18-24	5	26.4	473	8	9	23	37	62	62	62	1	3.0		3	3	3	3	3	3	3
25-34	13	13.5	59	1	10	14	20	22	23	23	1	1.0		1	1	1	1	1	1	1
35-54	10	14.8	292	1	5	8	14	46	48	48	1	1.0		1	1	1	1	1	1	1
55-74	7	16.0	79	6	12	14	24	29	29	29	2	9.0	18	6	6	9	12	12	12	12
75 +																				
ALL AGES	57	23.6	327	4	11	20	34	48	61	75	5	4.6	21	1	1	3	7	12	12	12
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	6	18.7	75	6	12	20	27	27	27	27										
18-24	9	25.6	337	7	16	21	40	83	99 +	99 +	1	4.0		4	4	4	4	4	4	4
25-34	25	14.2	117	3	9	12	19	24	39	50	3	4.0	4	2	2	4	5	6	6	6
35-54	28	22.7	525	4	6	15	29	53	75	95	1	10.0		10	10	10	10	10	10	10
55-74	14	16.1	83	7	10	14	21	29	38	40										
75 +	1	51.0		51	51	51	51	51	51	51										
ALL AGES	84	19.2	288	4	8	14	23	46	56	98	5	5.2	9	2	3	4	7	10	10	10
SUBTOTAL	**141**	**21.0**	**305**	**4**	**9**	**16**	**28**	**48**	**61**	**95**	**10**	**4.9**	**14**	**1**	**2**	**4**	**6**	**11**	**12**	**12**
GRAND TOTAL	**361**	**18.7**	**242**	**4**	**8**	**14**	**24**	**40**	**52**	**78**	**33**	**6.6**	**45**	**1**	**1**	**5**	**9**	**15**	**23**	**29**

MANIC-DEPRESSIVE NEC/NOS (296.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	31.0		31	31	31	31	31	31	31										
13-17	3	27.0	811	2	7	21	49	58	58	58										
18-24	7	10.4	51	1	4	12	14	20	21	21										
25-34	5	13.4	25	6	11	14	16	20	20	20										
35-54	15	14.9	186	2	7	11	18	42	47	49	2	5.5	13	3	3	5	8	8	8	8
55-74	2	17.5	1	17	17	17	18	18	18	18	1	10.0		10	10	10	10	10	10	10
75 +	5	17.8	178	5	5	18	28	36	36	36										
ALL AGES	38	15.8	167	2	6	13	20	34	46	58	3	7.0	13	3	4	8	9	10	10	10
B. FEMALE																				
0-12 YRS.	1	36.0		36	36	36	36	36	36	36										
13-17	6	21.3	98	7	14	23	30	32	32	32										
18-24	7	20.3	300	3	8	17	27	49	54	54										
25-34	20	14.0	64	4	8	13	17	27	30	30	1	3.0		3	3	3	3	3	3	3
35-54	27	18.2	145	6	9	15	26	41	56	99+	5	16.8	121	4	10	16	22	34	34	34
55-74	22	16.6	145	5	7	13	24	35	40	43	4	12.3	67	3	6	11	18	23	23	23
75 +	9	21.3	418	3	6	12	43	51	54	54	1	4.0		4	4	4	4	4	4	4
ALL AGES	92	17.8	158	5	8	14	25	36	46	80	11	12.7	95	3	4	12	17	27	33	34
SUBTOTAL	**130**	**17.2**	**161**	**5**	**8**	**14**	**24**	**36**	**47**	**66**	**14**	**11.5**	**81**	**3**	**4**	**10**	**16**	**24**	**32**	**34**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	37.5	41	33	33	37	42	42	42	42										
13-17	8	24.5	582	2	10	13	38	64	73	73										
18-24	3	28.3	408	7	13	31	43	47	47	47										
25-34	11	19.5	209	4	6	18	31	41	43	43	1	6.0		6	6	6	6	6	6	6
35-54	14	12.5	45	4	7	13	15	21	26	28										
55-74	3	13.0	133	1	7	19	62	99+	99+	99+	1	5.0		5	5	5	5	5	5	5
75 +	1	29.0		29	29	29	29	29	29	29	1	27.0		27	27	27	27	27	27	27
ALL AGES	42	19.4	239	4	8	14	31	43	56	99+	3	12.7	153	5	5	6	22	27	27	27
B. FEMALE																				
0-12 YRS.	1	51.0		51	51	51	51	51	51	51										
13-17	8	19.6	75	8	14	19	25	32	33	33										
18-24	13	18.9	40	11	15	19	23	28	29	29										
25-34	19	27.1	488	5	8	23	36	65	74	79	1	20.0		20	20	20	20	20	20	20
35-54	34	17.9	253	2	5	13	29	44	46	65	1	2.0		2	2	2	2	2	2	2
55-74	13	20.5	321	4	8	16	28	40	64	69	1	4.0		4	4	4	4	4	4	4
75 +	1	22.0		22	22	22	22	22	22	22										
ALL AGES	89	20.9	275	4	8	17	29	42	58	75	3	8.7	96	2	2	4	16	20	20	20
SUBTOTAL	**131**	**20.4**	**263**	**4**	**8**	**16**	**29**	**43**	**57**	**83**	**6**	**10.7**	**105**	**2**	**4**	**5**	**20**	**26**	**27**	**27**
GRAND TOTAL	**261**	**18.8**	**214**	**4**	**8**	**14**	**28**	**40**	**50**	**78**	**20**	**11.3**	**82**	**3**	**4**	**9**	**17**	**25**	**30**	**34**

AFFECT PSYCHOSES NEC/NOS (296.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-24	2	4.5	13	2	2	4	7	7	7	7										
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	3	22.7	1218	2	2	3	48	63	63	63	1	3.0		3	3	3	3	3	3	3
55-74	1	15.0		15	15	15	15	15	15	15	1	1.0		1	1	1	1	1	1	1
75 +											1	6.0		6	6	6	6	6	6	6
ALL AGES	7	13.4	501	2	2	3	13	53	63	63	4	3.0	5	1	1	2	4	6	6	6
B. FEMALE																				
0-12 YRS.	2	22.0	800	2	2	22	42	42	42	42										
13-17																				
18-24	2	14.0		14	14	14	14	14	14	14	1	6.0		6	6	6	6	6	6	6
25-34	4	13.0	13	9	10	13	16	17	17	17	1	7.0		7	7	7	7	7	7	7
35-54	10	15.2	351	3	4	9	15	44	65	65	2	8.5	13	6	6	8	11	11	11	11
55-74	4	16.5	100	6	8	17	25	26	26	26										
75 +	2	20.0	200	10	10	20	30	30	30	30	1	48.0		48	48	48	48	48	48	48
ALL AGES	24	15.9	203	3	6	13	20	31	49	65	5	15.6	332	6	6	7	20	48	48	48
SUBTOTAL	**31**	**15.4**	**255**	**2**	**4**	**11**	**17**	**35**	**62**	**65**	**9**	**10.0**	**212**	**1**	**3**	**6**	**8**	**33**	**48**	**48**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	30.0		30	30	30	30	30	30	30										
13-17																				
18-24	1	34.0		34	34	34	34	34	34	34										
25-34	1	18.0		18	18	18	18	18	18	18										
35-54																				
55-74	1	4.0		4	4	4	4	4	4	4	1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	4	21.5	182	4	11	24	32	34	34	34	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17	2	22.5	145	14	14	22	31	31	31	31										
18-24	2	40.0	1568	12	12	40	68	68	68	68	1	1.0		1	1	1	1	1	1	1
25-34	3	13.3	62	7	8	11	19	22	22	22	2	5.0	8	3	3	5	7	7	7	7
35-54	4	16.5	158	4	9	14	24	34	34	34	1	12.0		12	12	12	12	12	12	12
55-74	2	27.5	365	14	14	27	41	41	41	41	1	9.0		9	9	9	9	9	9	9
75 +	1	34.0		34	34	34	34	34	34	34										
ALL AGES	14	22.9	295	7	12	14	34	44	63	68	5	6.4	20	1	2	7	10	12	12	12
SUBTOTAL	**18**	**22.6**	**258**	**5**	**12**	**16**	**34**	**39**	**57**	**68**	**6**	**5.5**	**21**	**1**	**1**	**5**	**9**	**12**	**12**	**12**
GRAND TOTAL	**49**	**18.0**	**264**	**3**	**6**	**14**	**25**	**38**	**63**	**68**	**15**	**8.2**	**134**	**1**	**2**	**6**	**9**	**12**	**39**	**48**

PARANOID STATE, SIMPLE (297.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74																				
75 +											1	10.0		10	10	10	10	10	10	10
ALL AGES											2	6.5	25	3	3	6	10	10	10	10
SUBTOTAL											**2**	**6.5**	**25**	**3**	**3**	**6**	**10**	**10**	**10**	**10**
GRAND TOTAL											**2**	**6.5**	**25**	**3**	**3**	**6**	**10**	**10**	**10**	**10**

PARANOIA (297.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	18.0		18	18	18	18	18	18	18	1	1.0		1	1	1	1	1	1	1
25-34	1	18.0		18	18	18	18	18	18	18										
35-54	3	8.0	3	6	7	9	9	9	9	9										
55-74	3	10.7	68	4	5	8	17	20	20	20										
75 +	1	11.0		11	11	11	11	11	11	11										
ALL AGES	9	11.4	35	5	7	9	18	19	20	20	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54	6	11.0	109	1	6	8	12	29	31	31										
55-74	2	9.0		9	9	9	9	9	9	9	3	23.7	783	1	4	15	45	55	55	55
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	10	9.5	66	2	6	8	9	21	31	31	3	23.7	783	1	4	15	45	55	55	55
SUBTOTAL	**19**	**10.4**	**49**	**4**	**6**	**9**	**12**	**19**	**26**	**31**	**4**	**18.0**	**652**	**1**	**1**	**8**	**35**	**55**	**55**	**55**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	36.5	5	35	35	36	38	38	38	38										
18-24																				
25-34	2	2.0	2	1	1	2	3	3	3	3										
35-54	1	21.0		21	21	21	21	21	21	21	1	1.0		1	1	1	1	1	1	1
55-74	2	21.5	13	19	19	21	24	24	24	24										
75 +	1	27.0		27	27	27	27	27	27	27										
ALL AGES	8	21.0	180	2	11	22	31	37	38	38	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	3	20.7	182	5	11	28	29	29	29	29										
75 +	3	17.7	229	4	7	15	29	34	34	34										
ALL AGES	6	19.2	167	4	5	21	29	33	34	34										
SUBTOTAL	**14**	**20.2**	**163**	**3**	**5**	**22**	**29**	**35**	**37**	**38**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**33**	**14.6**	**117**	**4**	**6**	**9**	**22**	**32**	**35**	**38**	**5**	**14.6**	**547**	**1**	**1**	**1**	**25**	**55**	**55**	**55**

PARAPHRENIA (297.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	16.5	1	16	16	16	17	17	17	17										
75 +	1	15.0		15	15	15	15	15	15	15										
ALL AGES	3	16.0	1	15	15	16	17	17	17	17										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES											1	6.0		6	6	6	6	6	6	6
SUBTOTAL	3	16.0	1	15	15	16	17	17	17	17	1	6.0		6	6	6	6	6	6	6
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	1	12.0		12	12	12	12	12	12	12										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	12.0		12	12	12	12	12	12	12										
GRAND TOTAL	4	15.0	5	12	13	15	16	17	17	17	1	6.0		6	6	6	6	6	6	6

SHARED PARANOID DISORDER (297.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	30.0		30	30	30	30	30	30	30										
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	3	22.0	553	6	7	11	39	49	49	49										
55-74																				
75 +																				
ALL AGES	5	19.6	385	2	5	11	35	49	49	49										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	15.0		15	15	15	15	15	15	15
55-74																				
75 +																				
ALL AGES											1	15.0		15	15	15	15	15	15	15
SUBTOTAL	**5**	**19.6**	**385**	**2**	**5**	**11**	**35**	**49**	**49**	**49**	**1**	**15.0**		**15**	**15**	**15**	**15**	**15**	**15**	**15**
GRAND TOTAL	**5**	**19.6**	**385**	**2**	**5**	**11**	**35**	**49**	**49**	**49**	**1**	**15.0**		**15**	**15**	**15**	**15**	**15**	**15**	**15**

PARANOID STATES NEC (297.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	18.0		18	18	18	18	18	18	18										
ALL AGES	1	18.0		18	18	18	18	18	18	18										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	9.0		9	9	9	9	9	9	9										
55-74																				
75 +																				
ALL AGES	1	9.0		9	9	9	9	9	9	9										
SUBTOTAL	**2**	**13.5**	**41**	**9**	**9**	**13**	**18**	**18**	**18**	**18**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	21.0	8	19	19	21	23	23	23	23										
55-74																				
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	3	16.3	71	7	10	19	22	23	23	23										
SUBTOTAL	**3**	**16.3**	**71**	**7**	**10**	**19**	**22**	**23**	**23**	**23**										
GRAND TOTAL	**5**	**15.2**	**47**	**7**	**8**	**18**	**20**	**23**	**23**	**23**										

PARANOID STATE NOS (297.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	11.5	1	11	11	11	12	12	12	12										
25-34	6	11.7	49	1	8	11	19	20	20	20										
35-54	11	17.7	133	5	9	14	29	35	37	37	3	7.7	22	4	4	6	11	13	13	13
55-74	11	16.7	274	3	6	11	22	38	59	61	1	6.0		6	6	6	6	6	6	6
75 +	1	23.0		23	23	23	23	23	23	23	1	6.0		6	6	6	6	6	6	6
ALL AGES	31	16.0	150	3	8	12	22	32	37	61	5	7.0	12	4	5	6	8	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	9	14.4	105	4	9	10	20	31	32	32										
35-54	12	9.5	36	3	4	9	14	18	21	22	5	10.2	6	8	9	9	12	14	14	14
55-74	21	12.7	39	3	8	14	15	21	24	26	2	3.5	5	2	2	3	5	5	5	5
75 +	14	16.0	171	6	9	11	19	32	50	55	1	36.0		36	36	36	36	36	36	36
ALL AGES	56	13.1	83	3	8	11	16	23	30	54	8	11.8	108	3	6	9	12	29	36	36
SUBTOTAL	**87**	**14.1**	**108**	**3**	**8**	**11**	**18**	**25**	**32**	**59**	**13**	**9.9**	**74**	**4**	**5**	**8**	**11**	**18**	**33**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	21.0		21	21	21	21	21	21	21										
18-24	2	12.0	32	[illegible]	8	12	16	16	16	16										
25-34	6	10.0	18	[illegible]	7	11	13	14	14	14										
35-54	7	19.1	180	6	13	17	35	83	99 +	99 +	1	6.0		6	6	6	6	6	6	6
55-74	4	28.8	884	8	12	17	45	73	73	73	1	5.0		5	5	5	5	5	5	5
75 +	7	18.6	26	13	14	19	22	26	27	27	1	4.0		4	4	4	4	4	4	4
ALL AGES	27	17.9	192	7	12	15	20	40	76	99 +	3	5.0	1	4	4	5	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	2	14.5	1	14	14	14	15	15	15	15										
25-34	3	13.0	3	11	12	14	14	14	14	14										
35-54	9	12.3	40	5	6	12	18	20	21	21										
55-74	12	18.7	84	8	13	17	22	34	37	38	1	4.0		4	4	4	4	4	4	4
75 +	10	18.9	116	6	12	18	22	35	43	43	4	9.5	23	5	6	8	13	16	16	16
ALL AGES	37	16.0	80	6	11	15	20	26	36	43	5	8.4	23	4	5	7	11	16	16	16
SUBTOTAL	**64**	**16.8**	**126**	**6**	**11**	**15**	**20**	**27**	**43**	**96**	**8**	**7.1**	**17**	**4**	**4**	**6**	**8**	**14**	**16**	**16**
GRAND TOTAL	**151**	**15.3**	**115**	**5**	**9**	**14**	**19**	**27**	**37**	**73**	**21**	**8.9**	**51**	**4**	**5**	**6**	**10**	**15**	**25**	**36**

REACT DEPRESS PSYCHOSIS (298.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74	1	11.0		11	11	11	11	11	11	11										
75 +																				
ALL AGES	2	6.5	41	2	2	6	11	11	11	11										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54																				
55-74	2	6.5	1	6	6	6	7	7	7	7	1	12.0		12	12	12	12	12	12	12
75 +																				
ALL AGES	3	5.7	2	4	4	6	7	7	7	7	1	12.0		12	12	12	12	12	12	12
SUBTOTAL	**5**	**6.0**	**12**	**2**	**3**	**6**	**8**	**11**	**11**	**11**	**1**	**12.0**		**12**	**12**	**12**	**12**	**12**	**12**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	3.0		3	3	3	3	3	3	3
75 +	1	23.0		23	23	23	23	23	23	23										
ALL AGES	1	23.0		23	23	23	23	23	23	23	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**23.0**		**23**	**23**	**23**	**23**	**23**	**23**	**23**	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	6	8.8	58	2	4	6	11	22	23	23	2	7.5	41	3	3	7	12	12	12	12

EXCITATIV TYPE PSYCHOSIS (298.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1	1	14.0		14	14	14	14	14	14	14
55-74																				
75 +											2	3.5	1	3	3	3	4	4	4	4
ALL AGES	1	1.0		1	1	1	1	1	1	1	3	7.0	37	3	3	4	11	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17	1	10.0		10	10	10	10	10	10	10										
18-24																				
25-34	1	14.0		14	14	14	14	14	14	14	1	1.0		1	1	1	1	1	1	1
35-54											4	3.5	7	1	1	3	5	7	7	7
55-74	2	5.5	41	1	1	5	10	10	10	10	2	6.0		6	6	6	6	6	6	6
75 +	1	8.0		8	8	8	8	8	8	8	2	7.5	5	6	6	7	9	9	9	9
ALL AGES	5	8.6	23	1	6	10	11	14	14	14	9	4.7	8	1	2	6	6	8	9	9
SUBTOTAL	**6**	**7.3**	**28**	**1**	**1**	**9**	**10**	**14**	**14**	**14**	**12**	**5.3**	**13**	**1**	**2**	**5**	**7**	**10**	**13**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	3.0		3	3	3	3	3	3	3
18-24																				
25-34																				
35-54											1	2.0		2	2	2	2	2	2	2
55-74	1	9.0		9	9	9	9	9	9	9										
75 +											1	6.0		6	6	6	6	6	6	6
ALL AGES	1	9.0		9	9	9	9	9	9	9	3	3.7	4	2	2	3	5	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	17.0		17	17	17	17	17	17	17										
25-34											1	5.0		5	5	5	5	5	5	5
35-54	2	10.0		10	10	10	10	10	10	10	2	3.0	8	1	1	3	5	5	5	5
55-74											3	5.3	17	3	3	3	8	10	10	10
75 +											5	6.2	7	3	4	7	8	9	9	9
ALL AGES	3	12.3	18	10	10	10	15	17	17	17	11	5.3	8	2	3	5	8	9	10	10
SUBTOTAL	**4**	**11.5**	**14**	**9**	**9**	**10**	**14**	**17**	**17**	**17**	**14**	**4.9**	**8**	**2**	**3**	**4**	**7**	**9**	**10**	**10**
GRAND TOTAL	**10**	**9.0**	**25**	**1**	**8**	**10**	**10**	**15**	**17**	**17**	**26**	**5.1**	**10**	**1**	**3**	**5**	**7**	**9**	**11**	**14**

REACTIVE CONFUSION (298.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	2.0		2	2	2	2	2	2	2
25-34											1	2.0		2	2	2	2	2	2	2
35-54																				
55-74																				
75 +																				
ALL AGES											2	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54																				
55-74																				
75 +																				
ALL AGES											1	2.0		2	2	2	2	2	2	2
SUBTOTAL											3	2.0		2	2	2	2	2	2	2
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54																				
55-74	2	8.0	72	2	2	8	14	14	14	14										
75 +																				
ALL AGES	3	5.7	52	1	1	2	11	14	14	14										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	4	4.5	40	1	1	2	8	14	14	14										
GRAND TOTAL	4	4.5	40	1	1	2	8	14	14	14	3	2.0		2	2	2	2	2	2	2

ACUTE PARANOID REACTION (298.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	15.0		15	15	15	15	15	15	15										
35-54	1	5.0		5	5	5	5	5	5	5										
55-74	1	11.0		11	11	11	11	11	11	11										
75 +																				
ALL AGES	3	10.3	26	5	6	11	14	15	15	15										
B. FEMALE																				
0-12 YRS.																				
13-17	1	26.0		26	26	26	26	26	26	26										
18-24																				
25-34	1	13.0		13	13	13	13	13	13	13	1	2.0		2	2	2	2	2	2	2
35-54																				
55-74	1	4.0		4	4	4	4	4	4	4	2	7.0	18	4	4	7	10	10	10	10
75 +	1	16.0		16	16	16	16	16	16	16										
ALL AGES	4	14.8	80	4	8	14	21	26	26	26	3	5.3	18	2	2	4	8	10	10	10
SUBTOTAL	**7**	**12.9**	**54**	**4**	**6**	**13**	**16**	**24**	**26**	**26**	**3**	**5.3**	**18**	**2**	**2**	**4**	**8**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	43.0	128	35	35	43	51	51	51	51										
75 +																				
ALL AGES	2	43.0	128	35	35	43	51	51	51	51										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	3	21.3	18	17	18	22	24	25	25	25										
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	3	21.3	18	17	18	22	24	25	25	25	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**5**	**30.0**	**181**	**17**	**21**	**25**	**39**	**51**	**51**	**51**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**12**	**20.0**	**174**	**5**	**12**	**16**	**25**	**40**	**49**	**51**	**4**	**4.5**	**14**	**2**	**2**	**3**	**7**	**10**	**10**	**10**

REACT PSYCHOSIS NEC/NOS (298.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	29.0		29	29	29	29	29	29	29										
13-17																				
18-24	12	7.4	23	3	5	6	9	15	18	19	1	4.0		4	4	4	4	4	4	4
25-34	7	6.9	12	3	5	5	8	13	14	14										
35-54	4	8.5	3	7	7	8	10	10	10	10										
55-74	1	16.0		16	16	16	16	16	16	16	1	15.0		15	15	15	15	15	15	15
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	26	8.6	34	3	5	7	10	16	21	29	2	9.5	61	4	4	9	15	15	15	15
B. FEMALE																				
0-12 YRS.	2	12.0	32	8	8	12	16	16	16	16										
13-17	2	25.0	338	12	12	25	38	38	38	38										
18-24	5	3.0	2	2	2	3	4	5	5	5	1	5.0		5	5	5	5	5	5	5
25-34	8	9.6	22	4	6	10	13	16	17	17	2	5.5	13	3	3	5	8	8	8	8
35-54	13	6.5	18	2	3	6	10	12	14	15	2	7.5	1	7	7	7	8	8	8	8
55-74	4	6.3	12	3	3	5	9	11	11	11	2	1.5	1	1	1	1	2	2	2	2
75 +	2	3.0	8	1	1	2	5	5	5	5	3	9.0	43	3	4	8	14	16	16	16
ALL AGES	36	7.8	47	2	3	6	11	15	17	38	10	6.1	19	1	3	6	8	12	16	16
SUBTOTAL	**62**	**8.1**	**42**	**2**	**4**	**7**	**11**	**15**	**18**	**37**	**12**	**6.7**	**22**	**1**	**3**	**6**	**8**	**15**	**16**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	30.0	1058	7	7	30	53	53	53	53										
18-24	2	4.5	1	4	4	4	5	5	5	5										
25-34	2	7.0	2	6	6	7	8	8	8	8										
35-54	1	7.0		7	7	7	7	7	7	7										
55-74	2	11.0	128	3	3	11	19	19	19	19										
75 +																				
ALL AGES	9	12.4	254	3	5	7	11	39	53	53										
B. FEMALE																				
0-12 YRS.	1	11.0		11	11	11	11	11	11	11										
13-17																				
18-24	1	16.0		16	16	16	16	16	16	16										
25-34	6	8.0	39	1	3	7	12	16	17	17										
35-54	9	12.2	34	5	7	12	16	21	23	23	1	8.0		8	8	8	8	8	8	8
55-74	2	10.0	2	9	9	10	11	11	11	11										
75 +	1	23.0		23	23	23	23	23	23	23										
ALL AGES	20	11.4	37	3	7	11	15	20	23	23	1	8.0		8	8	8	8	8	8	8
SUBTOTAL	**29**	**11.7**	**98**	**3**	**6**	**11**	**15**	**21**	**25**	**53**	**1**	**8.0**		**8**	**8**	**8**	**8**	**8**	**8**	**8**
GRAND TOTAL	**91**	**9.3**	**61**	**3**	**5**	**7**	**12**	**17**	**23**	**47**	**13**	**6.8**	**21**	**2**	**3**	**7**	**8**	**15**	**16**	**16**

PSYCHOSIS NOS (298.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	7	16.9	233	5	9	11	17	43	50	50										
13-17	11	19.4	395	7	10	13	19	46	74	77	2	3.0		3	3	3	3	3	3	3
18-24	18	12.3	90	1	6	11	17	27	32	34	3	3.3	3	2	2	3	4	5	5	5
25-34	17	10.5	374	1	3	6	8	15	60	84	8	7.9	114	1	2	3	9	27	32	32
35-54	41	8.5	35	2	4	7	12	17	20	23	8	4.8	17	2	2	3	6	12	14	14
55-74	38	13.0	92	4	6	10	20	27	34	40	22	8.4	54	2	3	5	13	19	27	27
75 +	25	10.2	109	3	4	7	12	22	33	51	20	7.7	87	3	3	5	7	14	31	44
ALL AGES	157	11.6	140	3	5	9	14	23	29	75	63	7.2	63	2	3	4	8	15	27	42
B. FEMALE																				
0-12 YRS.	2	8.0	98	1	1	8	15	15	15	15	1	1.0		1	1	1	1	1	1	1
13-17	6	13.0	78	3	4	13	18	25	26	26	1	4.0		4	4	4	4	4	4	4
18-24	15	15.1	288	1	2	7	31	45	46	47	4	4.3	4	1	3	5	6	6	6	6
25-34	37	11.4	131	2	5	8	14	24	42	51	4	11.0	103	2	3	9	19	24	24	24
35-54	54	10.6	56	3	5	9	13	19	25	39	9	6.0	17	1	2	7	9	12	12	12
55-74	65	12.7	150	2	4	9	16	31	36	60	26	6.6	22	2	3	5	8	15	17	19
75 +	56	9.7	44	4	5	9	13	17	19	38	50	8.2	82	2	3	6	9	17	29	45
ALL AGES	235	11.4	106	2	4	9	14	25	35	51	95	7.4	56	2	3	5	8	15	20	44
SUBTOTAL	**392**	**11.5**	**119**	**3**	**5**	**9**	**14**	**24**	**33**	**52**	**158**	**7.3**	**59**	**2**	**3**	**5**	**8**	**15**	**23**	**44**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	27.8	163	20	20	22	35	47	47	47										
13-17	3	17.3	256	4	6	13	29	35	35	35										
18-24	11	18.2	203	2	4	14	28	38	44	45	1	12.0		12	12	12	12	12	12	12
25-34	20	11.6	57	3	5	10	15	25	26	26	2	6.0	2	5	5	6	7	7	7	7
35-54	26	10.5	91	2	3	8	13	25	33	38	5	4.2	5	1	3	4	5	7	7	7
55-74	18	12.4	43	5	8	10	17	21	24	26	9	4.7	6	3	3	4	8	55	99 +	99 +
75 +	11	10.1	32	2	6	10	15	16	18	18	9	13.2	87	4	6	9	17	28	33	33
ALL AGES	93	12.9	98	3	6	11	17	26	34	46	26	7.9	49	3	4	5	10	20	43	99 +
B. FEMALE																				
0-12 YRS.																				
13-17	4	44.3	1346	7	22	37	66	95	95	95	1	8.0		8	8	8	8	8	8	8
18-24	8	16.5	124	2	9	16	23	32	34	34										
25-34	13	13.2	194	5	6	7	12	36	50	53	2	3.0	8	1	1	3	5	5	5	5
35-54	27	11.4	79	3	5	9	14	26	32	36	3	4.0	7	1	2	5	6	6	6	6
55-74	27	15.8	237	3	5	10	18	43	47	58	11	7.3	46	2	3	4	9	18	24	25
75 +	24	14.5	113	5	7	10	22	31	37	43	14	11.9	469	1	2	6	10	20	71	86
ALL AGES	103	15.2	214	3	6	10	19	35	43	75	31	8.8	229	1	3	5	8	13	24	86
SUBTOTAL	**196**	**14.1**	**160**	**3**	**6**	**10**	**18**	**32**	**38**	**56**	**57**	**8.4**	**144**	**2**	**3**	**5**	**9**	**16**	**30**	**99**
GRAND TOTAL	**588**	**12.4**	**133**	**3**	**5**	**9**	**15**	**26**	**36**	**53**	**215**	**7.6**	**81**	**2**	**3**	**5**	**8**	**15**	**25**	**59**

INFANTILE AUTISM (299.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	7	8.4	30	2	4	9	11	17	18	18	1	4.0		4	4	4	4	4	4	4
13-17	2	11.5	13	9	9	11	14	14	14	14										
18-24	1	7.0		7	7	53	99 +	99 +	99 +	99 +										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	10	8.9	23	3	6	9	13	51	96	99 +	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	10	8.9	23	3	6	9	13	51	96	99 +	1	4.0		4	4	4	4	4	4	4
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	2	2.0		2	2	2	2	2	2	2										
GRAND TOTAL	12	7.8	25	2	3	9	12	34	88	99 +	1	4.0		4	4	4	4	4	4	4

DISINTEGRATIVE PSYCHOSIS (299.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	4.0		4	4	4	4	4	4	4										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	4.0		4	4	4	4	4	4	4										

EARLY CHLD PSYCHOSES NEC (299.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	7	21.4	212	4	7	23	32	41	43	43										
13-17	3	12.0	331	1	1	2	25	33	33	33										
18-24	1	10.0		10	10	10	10	10	10	10										
25-34																				
35-54																				
55-74	1	12.0		12	12	12	12	12	12	12										
75 +																				
ALL AGES	12	17.3	202	2	4	14	29	37	42	43										
B. FEMALE																				
0-12 YRS.	5	39.0	1019	3	19	25	64	84	84	84										
13-17	2	18.0	2	17	17	18	19	19	19	19										
18-24																				
25-34																				
35-54																				
55-74	1	39.0		39	39	39	39	39	39	39										
75 +																				
ALL AGES	8	33.8	673	7	18	25	48	76	84	84										
SUBTOTAL	**20**	**23.9**	**434**	**2**	**7**	**21**	**33**	**50**	**71**	**84**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	19.2	126	4	14	24	30	93	99 +	99 +										
13-17	2	12.5	41	8	8	12	17	17	17	17										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	7	17.3	101	4	11	18	29	79	99 +	99 +										
B. FEMALE																				
0-12 YRS.	5	26.4	97	20	20	24	43	94	99 +	99 +										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	26.4	97	20	20	24	43	94	99 +	99 +										
SUBTOTAL	**12**	**21.1**	**112**	**7**	**17**	**21**	**30**	**99 +**	**99 +**	**99 +**										
GRAND TOTAL	**32**	**22.8**	**310**	**3**	**12**	**21**	**33**	**61**	**97**	**99 +**										

EARLY CHLD PSYCHOSIS NOS (299.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	32.0	50	27	27	32	37	37	37	37										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	32.0	50	27	27	32	37	37	37	37										
B. FEMALE																				
0-12 YRS.	1	7.0		7	7	7	7	7	7	7										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7										
SUBTOTAL	3	23.7	231	7	12	27	34	37	37	37										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	4.0		4	4	4	4	4	4	4
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	3	23.7	231	7	12	27	34	37	37	37	1	4.0		4	4	4	4	4	4	4

ANXIETY STATES (300.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	18.0	242	7	7	18	29	29	29	29	1	3.0		3	3	3	3	3	3	3
13-17	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
18-24	6	5.0	12	1	2	4	8	10	10	10	5	3.2	5	1	2	2	5	6	6	6
25-34	9	6.4	28	1	2	5	9	14	17	17	9	3.8	7	1	2	3	4	8	10	10
35-54	24	6.8	92	1	1	3	8	18	27	42	15	3.3	9	1	1	2	3	8	10	11
55-74	14	6.1	29	2	3	4	11	13	18	19	11	2.8	2	1	2	2	4	5	5	5
75 +	1	3.0		3	3	3	3	3	3	3	5	10.2	195	2	3	5	13	35	35	35
ALL AGES	57	6.6	60	1	2	3	9	17	20	41	47	4.0	26	1	2	3	5	7	10	35
B. FEMALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-17	7	9.7	133	1	1	5	18	28	30	30	2	1.0		1	1	1	1	1	1	1
18-24	5	2.8		2	2	3	3	3	3	3	3	2.0	1	1	1	2	3	3	3	3
25-34	15	8.4	49	1	2	5	12	21	22	22	16	2.4	4	1	1	2	3	4	7	8
35-54	26	6.2	33	1	2	5	7	15	20	22	35	3.6	7	1	2	3	5	7	10	12
55-74	23	8.2	66	2	3	5	10	17	25	37	31	3.5	2	2	3	3	4	6	6	7
75 +	13	6.2	50	1	2	3	8	15	25	27	15	3.1	2	2	2	3	4	5	5	5
ALL AGES	90	7.2	51	1	2	5	9	18	22	34	102	3.2	4	1	2	3	4	5	7	11
SUBTOTAL	**147**	**7.0**	**54**	**1**	**2**	**4**	**9**	**17**	**22**	**37**	**149**	**3.5**	**11**	**1**	**2**	**3**	**4**	**6**	**8**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	5.5	25	2	2	5	9	9	9	9	2	2.0	2	1	1	1	3	3	3	3
13-17											1	3.0		3	3	3	3	3	3	3
18-24	4	10.3	112	3	4	6	16	26	26	26	2	1.5	1	1	1	1	2	2	2	2
25-34	22	11.0	83	3	4	7	18	27	28	29	4	3.3	6	1	1	2	5	7	7	7
35-54	31	13.0	104	2	5	11	18	28	35	39	8	3.5	11	1	1	2	4	9	11	11
55-74	17	19.5	223	3	9	17	27	39	52	59	6	5.2	7	2	3	5	7	9	9	9
75 +	3	10.3	143	2	3	5	19	24	24	24	1	2.0		2	2	2	2	2	2	2
ALL AGES	79	13.4	129	2	4	10	20	28	36	53	24	3.5	7	1	2	3	5	7	10	11
B. FEMALE																				
0-12 YRS.	1	15.0		15	15	15	15	15	15	15										
13-17	4	7.8	11	4	5	7	10	12	12	12										
18-24	11	13.5	137	1	3	13	18	28	41	42	4	4.3		4	4	4	5	5	5	5
25-34	30	11.0	219	1	3	6	15	20	38	77	13	5.2	22	1	2	4	6	14	16	16
35-54	45	12.0	106	2	4	9	17	24	35	42	26	5.6	13	2	3	4	8	12	12	12
55-74	36	15.6	127	6	8	12	19	33	42	45	20	7.7	19	2	4	7	11	13	15	17
75 +	13	8.1	34	1	3	6	13	15	19	20	6	6.3	21	1	2	6	11	12	12	12
ALL AGES	140	12.4	129	2	5	9	16	27	39	48	69	6.1	17	2	3	5	10	12	13	17
SUBTOTAL	**219**	**12.7**	**130**	**2**	**4**	**10**	**17**	**28**	**37**	**49**	**93**	**5.4**	**16**	**1**	**2**	**4**	**8**	**12**	**13**	**17**
GRAND TOTAL	**366**	**10.4**	**107**	**2**	**3**	**7**	**15**	**24**	**30**	**42**	**242**	**4.2**	**14**	**1**	**2**	**3**	**5**	**10**	**11**	**16**

HYSTERIA (300.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	8	4.8	15	1	1	4	8	10	11	11	1	4.0		4	4	52	99 +	99 +	99 +	99 +
13-17	5	7.6	60	1	2	3	15	17	17	17										
18-24	4	2.3		2	2	2	3	3	3	3	3	3.7	8	2	2	2	6	7	7	7
25-34	5	9.0	85	1	2	4	18	20	20	20										
35-54	7	4.4	4	2	3	4	5	7	8	8	2	8.5	1	8	8	8	9	9	9	9
55-74	2	6.5	1	6	6	6	7	7	7	7	1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	31	5.6	29	1	2	4	7	16	18	20	7	5.3	8	2	3	6	8	73	99 +	99 +
B. FEMALE																				
0-12 YRS.	10	16.0	644	1	3	7	18	52	86	86	4	1.8	1	1	1	2	2	3	3	3
13-17	11	4.0	12	1	2	3	5	9	13	13	4	6.0	30	2	2	4	9	14	14	14
18-24	9	13.2	153	1	2	7	22	32	34	34	4	2.5		2	2	2	3	3	3	3
25-34	24	13.3	496	1	2	5	19	53	98	99 +	10	2.6	4	1	2	2	3	6	8	8
35-54	23	7.5	86	1	3	5	9	14	32	42	10	3.6	24	1	1	2	3	11	17	17
55-74	8	4.8	7	1	3	4	7	9	9	9	5	6.8	84	2	2	2	9	23	23	23
75 +	4	6.5	70	1	2	3	11	19	19	19	2	11.0	18	8	8	11	14	14	14	14
ALL AGES	89	9.9	252	1	2	5	9	27	42	99	39	4.1	23	1	2	2	3	12	16	23
SUBTOTAL	**120**	**8.8**	**197**	**1**	**2**	**4**	**8**	**20**	**37**	**98**	**46**	**4.3**	**21**	**1**	**2**	**2**	**5**	**13**	**18**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-17	4	27.8	914	2	4	20	51	68	68	68	2	1.5	1	1	1	1	2	2	2	2
18-24	2	8.0	18	5	5	8	11	11	11	11	1	25.0		25	25	25	25	25	25	25
25-34	7	10.9	131	2	4	6	13	31	35	35										
35-54	8	11.3	121	1	3	7	18	29	31	31	4	2.5	2	1	1	2	3	4	4	4
55-74											2	6.5	13	4	4	6	9	9	9	9
75 +	1	12.0		12	12	12	12	12	12	12	2	5.5	25	2	2	5	9	9	9	9
ALL AGES	23	13.6	246	2	5	8	13	34	47	68	11	5.6	50	1	2	3	8	16	24	25
B. FEMALE																				
0-12 YRS.	1	23.0		23	23	23	23	23	23	23	1	2.0		2	2	2	2	2	2	2
13-17	7	23.3	898	1	6	10	35	76	84	84	2	4.0		4	4	4	4	4	4	4
18-24	7	18.4	717	2	2	3	31	65	71	71										
25-34	18	12.8	75	3	6	9	22	25	27	28	2	3.0		3	3	3	3	3	3	3
35-54	29	12.3	203	2	3	6	17	36	39	58	6	9.5	36	1	4	11	13	17	17	17
55-74	7	8.7	50	1	4	6	15	19	20	20	4	4.0	11	2	2	3	6	9	9	9
75 +	1	28.0		28	28	28	28	28	28	28	2	6.5	5	5	5	6	8	8	8	8
ALL AGES	70	14.1	267	2	3	7	22	35	42	81	17	6.0	22	2	3	4	9	13	16	17
SUBTOTAL	**93**	**14.0**	**258**	**2**	**4**	**7**	**20**	**35**	**42**	**78**	**28**	**5.9**	**31**	**1**	**2**	**4**	**9**	**13**	**18**	**25**
GRAND TOTAL	**213**	**11.1**	**229**	**1**	**3**	**6**	**13**	**28**	**40**	**90**	**74**	**4.9**	**25**	**1**	**2**	**3**	**7**	**13**	**17**	**61**

PHOBIC DISORDERS (300.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9	1	3.0		3	3	3	3	3	3	3
13-17																				
18-24	1	7.0		7	7	7	7	7	7	7										
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	7	13.4	44	6	8	10	19	22	23	23										
55-74																				
75 +																				
ALL AGES	10	11.5	39	5	7	9	17	21	23	23	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.	1	27.0		27	27	27	27	27	27	27	1	1.0		1	1	1	1	1	1	1
13-17	1	63.0		63	63	63	63	63	63	63										
18-24	1	15.0		15	15	15	15	15	15	15	1	1.0		1	1	1	1	1	1	1
25-34	2	8.0	32	4	4	8	12	12	12	12										
35-54																				
55-74											2	1.5	1	1	1	1	2	2	2	2
75 +																				
ALL AGES	5	24.2	539	4	10	15	36	63	63	63	4	1.3		1	1	1	2	2	2	2
SUBTOTAL	**15**	**15.7**	**218**	**5**	**7**	**10**	**19**	**27**	**54**	**63**	**5**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	43.0		43	43	43	43	43	43	43										
13-17	1	55.0		55	55	55	55	55	55	55										
18-24	5	14.8	70	4	10	14	19	27	27	27										
25-34	1	11.0		11	11	11	11	11	11	11										
35-54	5	8.8	69	2	2	7	14	22	22	22										
55-74																				
75 +																				
ALL AGES	13	17.5	254	2	6	12	23	45	53	55										
B. FEMALE																				
0-12 YRS.	2	15.5	421	1	1	15	30	30	30	30										
13-17																				
18-24	3	8.0	79	1	2	5	15	18	18	18										
25-34	8	7.6	36	1	2	7	12	16	17	17										
35-54	8	15.3	90	3	6	16	22	27	29	29										
55-74	2	11.0	18	8	8	11	14	14	14	14										
75 +																				
ALL AGES	23	11.3	81	1	3	10	17	25	29	30										
SUBTOTAL	**36**	**13.5**	**148**	**2**	**4**	**11**	**18**	**29**	**39**	**55**										
GRAND TOTAL	**51**	**14.2**	**165**	**2**	**5**	**11**	**18**	**28**	**42**	**63**	**5**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**3**	**3**

OBSESSIVE-COMPULSIVE DIS (300.3)

	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS										
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH	
1. PSYCH PRIN, NO 2ND PSYCH DX																					
A. MALE																					
0-12 YRS.	2	22.0	32	18	18	22	26	26	26	26											
13-17	1	20.0		20	20	20	20	20	20	20											
18-24	2	12.0	8	10	10	12	14	14	14	14											
25-34	3	12.0	12	10	10	10	15	16	16	16											
35-54																					
55-74	1	7.0		7	7	7	7	7	7	7											
75 +																					
ALL AGES	9	14.6	35	8	10	14	18	24	26	26											
B. FEMALE																					
0-12 YRS.	3	20.7	74	11	14	23	27	28	28	28											
13-17																					
18-24																					
25-34	1	8.0		8	8	8	8	8	8	8											
35-54																					
55-74	3	13.0	91	2	6	18	19	19	19	19											
75 +																					
ALL AGES	7	15.6	81	3	9	18	22	27	28	28											
SUBTOTAL	**16**	**15.0**	**53**	**7**	**10**	**15**	**19**	**26**	**27**	**28**											
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.	1	2.0		2	2	2	2	2	2	2											
13-17	1	56.0		56	56	56	56	56	56	56											
18-24	2	33.5	421	19	19	33	48	48	48	48											
25-34	5	18.0	74	6	14	17	22	30	30	30											
35-54	2	8.5	25	5	5	8	12	12	12	12											
55-74	1	13.0		13	13	13	13	13	13	13											
75 +																					
ALL AGES	12	20.4	278	4	9	17	25	50	55	56											
B. FEMALE																					
0-12 YRS.	2	35.0	1250	10	10	35	60	60	60	60											
13-17																					
18-24																					
25-34	5	9.8	65	1	4	7	16	21	21	21											
35-54	2	32.0	288	20	20	32	44	44	44	44											
55-74	3	21.0	367	8	9	12	35	43	43	43											
75 +																					
ALL AGES	12	20.5	345	4	7	13	32	49	58	60											
SUBTOTAL	**24**	**20.5**	**296**	**4**	**7**	**16**	**25**	**49**	**57**	**60**											
GRAND TOTAL	**40**	**18.3**	**202**	**5**	**9**	**15**	**21**	**43**	**52**	**60**											

NEUROTIC DEPRESSION (300.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	31	17.0	107	7	11	14	21	28	38	53										
13-17	43	19.1	212	4	9	17	25	38	55	64										
18-24	13	5.1	16	1	3	4	6	11	15	16	1	1.0		1	1	1	1	1	1	1
25-34	18	6.8	27	1	3	5	9	16	17	18	1	4.0		4	4	4	4	4	4	4
35-54	32	10.2	101	1	2	7	14	25	33	40	7	2.9	1	1	2	3	4	4	4	4
55-74	15	12.9	126	2	5	9	19	29	39	42	6	11.7	76	3	7	9	14	27	28	28
75 +	2	10.0	8	8	8	10	12	12	12	12	5	5.4	7	3	3	5	7	9	9	9
ALL AGES	154	13.5	140	2	5	10	19	29	38	62	20	6.1	37	1	3	4	8	12	21	28
B. FEMALE																				
0-12 YRS.	14	26.1	261	7	13	23	42	46	48	49	1	9.0		9	9	9	9	9	9	9
13-17	65	17.1	169	3	7	14	25	31	43	66	1	2.0		2	2	2	2	2	2	2
18-24	16	12.1	100	3	4	8	20	28	30	31	8	2.9	1	1	2	3	3	5	5	5
25-34	53	8.1	40	1	4	6	10	16	23	27	8	4.4	7	1	2	4	5	9	10	10
35-54	65	8.4	36	3	4	7	12	16	20	28	32	4.2	12	1	2	3	4	8	14	16
55-74	33	14.2	69	3	7	14	20	27	28	30	29	5.0	10	1	3	4	6	9	12	15
75 +	12	13.3	72	4	5	13	18	24	31	32	6	7.7	22	2	4	7	11	15	15	15
ALL AGES	258	12.7	114	3	5	10	17	28	31	46	85	4.6	12	2	3	4	5	9	13	16
SUBTOTAL	**412**	**13.0**	**123**	**3**	**5**	**10**	**18**	**28**	**32**	**52**	**105**	**4.9**	**16**	**2**	**3**	**4**	**6**	**9**	**14**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	32	25.5	240	12	15	20	33	46	60	70										
13-17	36	22.6	377	4	8	16	29	49	68	83	1	11.0		11	11	11	11	11	11	11
18-24	25	7.1	37	2	3	5	10	17	21	21	2	6.5	41	2	2	6	11	11	11	11
25-34	40	9.4	66	1	3	7	13	20	28	34	1	1.0		1	1	1	1	1	1	1
35-54	43	10.1	55	3	5	9	11	21	26	35	7	4.1	2	2	3	4	5	6	6	6
55-74	13	13.0	134	2	5	8	18	26	41	44	2	4.5	1	4	4	4	5	5	5	5
75 +	3	16.7	257	5	6	10	29	35	35	35										
ALL AGES	192	14.8	198	2	5	11	19	33	42	72	13	4.8	10	2	3	4	5	11	11	11
B. FEMALE																				
0-12 YRS.	14	26.6	172	10	18	25	33	49	49	49										
13-17	41	20.7	315	3	6	15	30	44	51	85	1	2.0		2	2	2	2	2	2	2
18-24	43	12.3	113	2	5	7	17	27	35	45	8	7.6	146	1	2	3	6	28	37	37
25-34	73	11.1	104	1	4	9	16	21	27	59	11	6.7	33	1	2	6	11	16	18	18
35-54	79	14.6	221	2	5	10	18	33	39	81	12	7.4	48	2	3	4	10	17	25	26
55-74	23	14.2	181	2	5	9	20	37	43	50	9	7.2	21	2	4	7	10	14	16	16
75 +	8	14.6	118	3	5	13	23	30	32	32	2	4.0	2	3	3	4	5	5	5	5
ALL AGES	281	14.8	192	2	5	10	20	32	41	75	43	7.0	49	2	3	4	9	14	21	37
SUBTOTAL	**473**	**14.8**	**194**	**2**	**5**	**11**	**20**	**32**	**42**	**72**	**56**	**6.5**	**40**	**2**	**3**	**4**	**9**	**13**	**17**	**36**
GRAND TOTAL	**885**	**13.9**	**164**	**2**	**5**	**10**	**19**	**30**	**40**	**63**	**161**	**5.5**	**25**	**2**	**3**	**4**	**6**	**11**	**15**	**28**

NEURASTHENIA (300.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4										
25-34	1	4.0		4	4	4	4	4	4	4										
35-54											1	4.0		4	4	4	4	4	4	4
55-74																				
75 +																				
ALL AGES	2	4.0		4	4	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**2**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	19.0		19	19	19	19	19	19	19										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	19.0		19	19	19	19	19	19	19										
B. FEMALE																				
0-12 YRS.	2	7.5	5	6	6	7	9	9	9	9										
13-17																				
18-24																				
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5										
55-74	1	7.0		7	7	7	7	7	7	7	1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	4	6.8	2	5	5	6	8	9	9	9	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**5**	**9.2**	**32**	**5**	**6**	**7**	**11**	**19**	**19**	**19**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**
GRAND TOTAL	**7**	**7.7**	**28**	**4**	**4**	**6**	**8**	**17**	**19**	**19**	**2**	**4.5**	**1**	**4**	**4**	**4**	**5**	**5**	**5**	**5**

DEPERSONALIZATION SYND (300.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	18.0		18	18	18	18	18	18	18										
35-54																				
55-74																				
75 +																				
ALL AGES	1	18.0		18	18	18	18	18	18	18										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	18.0		18	18	18	18	18	18	18										
GRAND TOTAL	1	18.0		18	18	18	18	18	18	18										

HYPOCHONDRIASIS (300.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	14.5	5	13	13	14	16	16	16	16										
75 +																				
ALL AGES	2	14.5	5	13	13	14	16	16	16	16										
SUBTOTAL	**2**	**14.5**	**5**	**13**	**13**	**14**	**16**	**16**	**16**	**16**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	16.0		16	16	16	16	16	16	16										
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	2	11.5	41	7	7	11	16	16	16	16										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	14.0	98	7	7	14	21	21	21	21										
75 +																				
ALL AGES	2	14.0	98	7	7	14	21	21	21	21										
SUBTOTAL	**4**	**12.8**	**47**	**7**	**7**	**12**	**18**	**21**	**21**	**21**										
GRAND TOTAL	**6**	**13.3**	**32**	**7**	**7**	**14**	**16**	**21**	**21**	**21**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

NEUROTIC DISORDERS NEC (300.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	7.0		7	7	7	7	7	7	7	1	4.0		4	4	4	4	4	4	4
35-54	2	8.0	32	4	4	8	12	12	12	12										
55-74																				
75 +																				
ALL AGES	3	7.7	16	4	5	7	11	12	12	12	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	2	5.5	5	4	4	5	7	7	7	7										
18-24																				
25-34	1	12.0		12	12	12	12	12	12	12										
35-54	5	10.8	13	6	9	11	12	16	16	16										
55-74	10	13.3	58	5	8	12	17	25	30	30	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	18	11.7	40	5	7	11	14	19	26	30	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**21**	**11.1**	**38**	**4**	**7**	**11**	**13**	**18**	**24**	**30**	**2**	**3.0**	**2**	**2**	**2**	**3**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	14.0		14	14	14	14	14	14	14										
25-34																				
35-54	1	9.0		9	9	9	9	9	9	9										
55-74																				
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	2	11.5	13	9	9	11	14	14	14	14	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.	2	22.5	61	17	17	22	28	28	28	28										
13-17																				
18-24	1	3.0		3	3	3	3	3	3	3										
25-34	3	28.0	1057	4	7	15	52	65	65	65										
35-54	7	12.0	47	3	6	14	16	21	22	22	2	23.5	85	17	17	23	30	30	30	30
55-74	1	29.0		29	29	29	29	29	29	29	1	2.0		2	2	2	2	2	2	2
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	15	16.9	247	3	6	15	21	29	56	65	3	16.3	198	2	6	17	27	30	30	30
SUBTOTAL	**17**	**16.2**	**223**	**3**	**7**	**14**	**18**	**29**	**52**	**65**	**4**	**13.0**	**175**	**2**	**2**	**10**	**23**	**30**	**30**	**30**
GRAND TOTAL	**38**	**13.4**	**123**	**4**	**7**	**11**	**16**	**26**	**30**	**65**	**6**	**9.7**	**131**	**2**	**2**	**3**	**17**	**29**	**30**	**30**

NEUROTIC DISORDER NOS (300.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	9	12.9	334	1	1	5	17	45	49	49										
13-17	8	20.3	761	1	3	12	22	68	85	85										
18-24	2	5.0	32	1	1	4	9	9	9	9	2	2.5	1	2	2	2	3	3	3	3
25-34																				
35-54	7	5.3	7	2	3	4	8	9	9	9	4	4.3	11	1	2	3	6	9	9	9
55-74	10	6.7	46	1	4	5	7	16	25	25	3	7.7	80	2	2	3	14	18	18	18
75 +	7	6.6	35	1	2	4	11	16	17	17	4	2.8	2	1	1	3	4	4	4	4
ALL AGES	43	10.2	238	1	2	5	9	26	43	85	13	4.3	21	1	2	3	4	11	17	18
B. FEMALE																				
0-12 YRS.	6	6.2	35	1	1	5	7	16	17	17										
13-17	6	21.2	255	6	13	16	28	48	50	50	5	1.8	1	1	1	1	3	3	3	3
18-24	1	25.0		25	25	25	25	25	25	25	3	1.3		1	1	1	2	2	2	2
25-34	5	1.2		1	1	1	1	2	2	2	1	1.0		1	1	1	1	1	1	1
35-54	5	3.8	11	1	1	4	5	9	9	9	8	3.6	16	1	1	2	4	10	13	13
55-74	9	9.0	68	2	3	7	14	22	26	26	7	3.3		2	3	3	4	4	4	4
75 +	13	7.1	29	2	3	6	10	14	20	21	6	6.2	6	3	4	6	9	9	9	9
ALL AGES	45	8.6	92	1	2	5	12	21	26	50	30	3.4	8	1	1	3	4	8	9	13
SUBTOTAL	**88**	**9.4**	**162**	**1**	**2**	**5**	**10**	**24**	**29**	**72**	**43**	**3.7**	**12**	**1**	**1**	**3**	**4**	**9**	**11**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	36.0	1039	14	16	21	60	73	73	73										
13-17	6	21.0	353	2	9	13	44	45	45	45	1	1.0		1	1	1	1	1	1	1
18-24	5	20.8	615	1	2	17	32	62	62	62	1	11.0		11	11	11	11	11	11	11
25-34	11	13.2	305	2	3	6	19	39	58	60	1	1.0		1	1	1	1	1	1	1
35-54	10	6.7	28	2	3	4	9	16	17	17	2	2.5	5	1	1	2	4	4	4	4
55-74	7	8.6	93	2	3	6	8	26	30	30	3	8.3	13	5	6	10	56	99 +	99 +	99 +
75 +	3	8.7	15	5	6	8	12	13	13	13	1	9.0		9	9	9	9	9	9	9
ALL AGES	45	14.1	297	2	4	8	17	44	60	73	9	5.8	19	1	1	6	11	56	99 +	99 +
B. FEMALE																				
0-12 YRS.	4	22.0	31	14	18	23	25	27	27	27										
13-17	10	17.8	115	3	4	20	28	29	29	29	1	4.0		4	4	4	4	4	4	4
18-24	3	4.3	10	1	3	6	53	99 +	99 +	99 +	4	1.5	1	1	1	1	2	3	3	3
25-34	4	4.5	4	2	3	5	6	6	6	6	2	1.0		1	1	1	1	1	1	1
35-54	9	9.0	34	2	4	9	12	18	18	18	3	1.7	1	1	1	1	3	3	3	3
55-74	4	4.8	8	3	3	4	6	9	9	9	4	5.5	6	3	3	5	7	8	8	8
75 +	6	12.0	84	3	6	8	22	25	25	25	4	6.5	10	4	4	5	8	11	11	11
ALL AGES	40	11.7	85	3	4	8	22	27	29	99 +	18	3.6	8	1	1	3	5	8	10	11
SUBTOTAL	**85**	**13.0**	**196**	**2**	**4**	**8**	**18**	**28**	**48**	**90**	**27**	**4.3**	**13**	**1**	**1**	**4**	**7**	**11**	**21**	**99 +**
GRAND TOTAL	**173**	**11.2**	**180**	**1**	**3**	**7**	**15**	**26**	**43**	**82**	**70**	**3.9**	**12**	**1**	**1**	**3**	**5**	**9**	**12**	**83**

PARANOID PERSONALITY (301.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54																				
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	26.0		26	26	26	26	26	26	26										
75 +																				
ALL AGES	1	26.0		26	26	26	26	26	26	26										
SUBTOTAL	**2**	**14.5**	**265**	**3**	**3**	**14**	**26**	**26**	**26**	**26**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	24.0		24	24	24	24	24	24	24										
75 +	1	57.0		57	57	57	57	57	57	57										
ALL AGES	2	40.5	545	24	24	40	57	57	57	57										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	6.0		6	6	6	6	6	6	6										
55-74																				
75 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6										
SUBTOTAL	**3**	**29.0**	**669**	**6**	**10**	**24**	**49**	**57**	**57**	**57**										
GRAND TOTAL	**5**	**23.2**	**464**	**3**	**5**	**24**	**34**	**57**	**57**	**57**										

AFFECTIVE PERSONALITY (301.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	16.3	10	13	14	18	18	18	18	18										
18-24																				
25-34	1	6.0		6	6	6	6	6	6	6										
35-54	2	20.5	61	15	15	20	26	26	26	26										
55-74	3	19.7	239	7	9	15	31	37	37	37										
75 +	1	25.0		25	25	25	25	25	25	25										
ALL AGES	10	18.0	87	6	13	16	25	31	37	37										
B. FEMALE																				
0-12 YRS.																				
13-17	1	22.0		22	22	22	22	22	22	22										
18-24																				
25-34	5	18.6	218	5	6	12	34	36	36	36										
35-54	11	8.5	32	2	5	6	15	16	16	16										
55-74	3	24.3	620	9	9	11	42	53	53	53										
75 +																				
ALL AGES	20	14.1	170	4	6	10	16	34	44	53										
SUBTOTAL	**30**	**15.4**	**142**	**5**	**6**	**13**	**18**	**34**	**37**	**53**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	16.0	18	13	13	15	19	22	22	22										
18-24	1	15.0		15	15	15	15	15	15	15										
25-34	2	7.5	85	1	1	7	14	14	14	14										
35-54	8	10.3	22	6	7	9	11	18	21	21										
55-74	2	25.0	722	6	6	25	44	44	44	44										
75 +	2	9.5	5	8	8	9	11	11	11	11										
ALL AGES	19	12.9	83	5	8	11	15	22	34	44										
B. FEMALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14										
13-17	5	20.8	171	13	14	16	24	44	44	44										
18-24	8	8.9	52	2	3	8	13	20	22	22	1	11.0		11	11	11	11	11	11	11
25-34	8	14.4	98	5	7	9	24	28	30	[illegible]										
35-54	19	13.7	78	4	6	12	18	27	30	33										
55-74	13	25.0	430	8	9	20	32	59	74	77										
75 +	4	10.3	36	3	6	10	14	18	18	18										
ALL AGES	58	16.1	178	4	7	13	21	30	42	75	1	11.0		11	11	11	11	11	11	11
SUBTOTAL	**77**	**15.3**	**155**	**4**	**8**	**12**	**19**	**29**	**42**	**71**	**1**	**11.0**		**11**	**11**	**11**	**11**	**11**	**11**	**11**
GRAND TOTAL	**107**	**15.3**	**151**	**5**	**7**	**13**	**19**	**30**	**39**	**64**	**1**	**11.0**		**11**	**11**	**11**	**11**	**11**	**11**	**11**

SCHIZOID PERSONALITY (301.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	24.0		24	24	24	24	24	24	24										
13-17	3	34.0	91	28	28	29	41	45	45	45										
18-24	2	8.5	85	2	2	8	15	15	15	15										
25-34	1	14.0		14	14	14	14	14	14	14										
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	8	20.0	209	2	8	19	28	40	45	45										
B. FEMALE																				
0-12 YRS.																				
13-17	1	63.0		63	63	63	63	63	63	63										
18-24	1	19.0		19	19	19	19	19	19	19										
25-34																				
35-54											1	11.0		11	11	11	11	11	11	11
55-74																				
75 +																				
ALL AGES	2	41.0	968	19	19	41	63	63	63	63	1	11.0		11	11	11	11	11	11	11
SUBTOTAL	**10**	**24.2**	**348**	**2**	**14**	**21**	**29**	**54**	**63**	**63**	**1**	**11.0**		**11**	**11**	**11**	**11**	**11**	**11**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	17.0	450	2	2	17	32	32	32	32										
18-24																				
25-34	1	53.0		53	53	53	53	53	53	53										
35-54	1	19.0		19	19	19	19	19	19	19										
55-74																				
75 +																				
ALL AGES	4	26.5	463	2	10	25	42	53	53	53										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	3	14.7	51	10	10	11	20	23	23	23										
35-54	1	28.0		28	28	28	28	28	28	28										
55-74																				
75 +																				
ALL AGES	4	18.0	79	10	10	17	25	28	28	28										
SUBTOTAL	**8**	**22.3**	**251**	**4**	**10**	**21**	**30**	**47**	**53**	**53**										
GRAND TOTAL	**18**	**23.3**	**291**	**2**	**11**	**21**	**29**	**51**	**59**	**63**	**1**	**11.0**		**11**	**11**	**11**	**11**	**11**	**11**	**11**

EXPLOSIVE PERSONALITY (301.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	2.0	2	1	1	2	3	3	3	3										
13-17	3	21.0	316	1	7	27	33	35	35	35										
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	2	23.0		23	23	23	23	23	23	23										
35-54																				
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	8	14.4	195	1	2	13	25	33	35	35	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	9.0		9	9	9	9	9	9	9										
25-34																				
35-54	1	17.0		17	17	17	17	17	17	17										
55-74																				
75 +																				
ALL AGES	2	13.0	32	9	9	13	17	17	17	17										
SUBTOTAL	10	14.1	157	1	2	13	23	31	35	35	1	1.0		1	1	1	1	1	1	1
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	49.5	925	28	28	49	71	71	71	71										
13-17	1	4.0		4	4	4	4	4	4	4										
18-24																				
25-34	2	5.0	2	4	4	5	6	6	6	6	3	3.0	1	2	2	3	4	4	4	4
35-54	2	7.0	8	5	5	7	9	9	9	9										
55-74																				
75 +	1	30.0		30	30	30	30	30	30	30										
ALL AGES	8	19.6	547	4	5	7	29	59	71	71	3	3.0	1	2	2	3	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	8	19.6	547	4	5	7	29	59	71	71	3	3.0	1	2	2	3	4	4	4	4
GRAND TOTAL	18	16.6	314	1	4	9	27	33	57	71	4	2.5	2	1	1	2	3	4	4	4

COMPULSIVE PERSONALITY (301.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	1	4.0		4	4	4	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17	1	13.0		13	13	13	13	13	13	13										
18-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54																				
55-74																				
75 +																				
ALL AGES	2	9.0	32	5	5	9	13	13	13	13										
SUBTOTAL	3	7.3	25	4	4	5	11	13	13	13										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	14.0		14	14	14	14	14	14	14										
18-24	1	11.0		11	11	11	11	11	11	11										
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74																				
75 +																				
ALL AGES	3	9.0	39	2	4	11	13	14	14	14										
B. FEMALE																				
0-12 YRS.	1	22.0		22	22	22	22	22	22	22										
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	2	11.0	18	8	8	11	14	14	14	14										
55-74																				
75 +																				
ALL AGES	4	11.5	73	2	5	11	18	22	22	22										
SUBTOTAL	7	10.4	52	2	4	11	14	20	22	22										
GRAND TOTAL	10	9.5	42	2	4	9	14	18	22	22										

HISTRIONIC PERSONALITY (301.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	3.5	5	2	2	3	5	5	5	5										
13-17																				
18-24																				
25-34																				
35-54	1	4.0		4	4	4	4	4	4	4										
55-74																				
75 +																				
ALL AGES	3	3.7	2	2	2	4	5	5	5	5										
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17																				
18-24											1	3.0		3	3	3	3	3	3	3
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7										
55-74																				
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7	2	3.0		3	3	3	3	3	3	3
SUBTOTAL	4	4.5	4	2	3	4	6	7	7	7	2	3.0		3	3	3	3	3	3	3
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	3	13.7	113	7	7	8	21	26	26	26	1	3.0		3	3	3	3	3	3	3
35-54																				
55-74																				
75 +																				
ALL AGES	3	13.7	113	7	7	8	21	26	26	26	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	24.0		24	24	24	24	24	24	24										
25-34	2	16.5	365	3	3	16	30	30	30	30										
35-54	1	7.0		7	7	7	7	7	7	7										
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	5	14.2	144	3	6	7	25	30	30	30										
SUBTOTAL	8	14.0	115	4	7	8	25	29	30	30	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	12	10.8	97	3	4	7	16	27	30	30	3	3.0		3	3	3	3	3	3	3

DEPENDENT PERSONALITY (301.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	6.0		6	6	6	6	6	6	6
25-34	2	3.5	5	2	2	3	5	5	5	5										
35-54											1	5.0		5	5	5	5	5	5	5
55-74																				
75 +	1	32.0		32	32	32	32	32	32	32										
ALL AGES	3	13.0	273	2	3	5	25	32	32	32	2	5.5	1	5	5	5	6	6	6	6
SUBTOTAL	**3**	**13.0**	**273**	**2**	**3**	**5**	**25**	**32**	**32**	**32**	**2**	**5.5**	**1**	**5**	**5**	**5**	**6**	**6**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	13.0		13	13	13	13	13	13	13										
55-74	1	10.0		10	10	10	10	10	10	10										
75 +																				
ALL AGES	2	11.5	5	10	10	11	13	13	13	13										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	2	7.5	1	7	7	7	8	8	8	8	1	2.0		2	2	2	2	2	2	2
35-54	3	9.0	7	7	7	8	11	12	12	12	1	3.0		3	3	3	3	3	3	3
55-74	1	87.0		87	87	87	87	87	87	87										
75 +																				
ALL AGES	7	18.6	920	1	7	8	11	72	87	87	2	2.5	1	2	2	2	3	3	3	3
SUBTOTAL	**9**	**17.0**	**701**	**3**	**7**	**8**	**12**	**57**	**87**	**87**	**2**	**2.5**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**
GRAND TOTAL	**12**	**16.0**	**563**	**1**	**6**	**8**	**12**	**48**	**81**	**87**	**4**	**4.0**	**3**	**2**	**2**	**4**	**5**	**6**	**6**	**6**

ANTISOCIAL PERSONALITY (301.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	1	4.0		4	4	4	4	4	4	4										
55-74																				
75 +																				
ALL AGES	2	3.5	1	3	3	3	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	10.0		10	10	10	10	10	10	10										
55-74																				
75 +																				
ALL AGES	1	10.0		10	10	10	10	10	10	10										
SUBTOTAL	**3**	**5.7**	**14**	**3**	**3**	**4**	**8**	**10**	**10**	**10**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	3	9.3	61	3	4	7	15	18	18	18	1	1.0		1	1	1	1	1	1	1
25-34	2	12.5	113	5	5	12	20	20	20	20										
35 54																				
55-74																				
75 +																				
ALL AGES	6	9.0	64	1	3	6	18	20	20	20	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	8.5	41	4	4	8	13	13	13	13										
35-54																				
55-74																				
75 +																				
ALL AGES	2	8.5	41	4	4	8	13	13	13	13										
SUBTOTAL	**8**	**8.9**	**51**	**2**	**3**	**6**	**15**	**19**	**20**	**20**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**11**	**8.0**	**41**	**2**	**3**	**5**	**12**	**19**	**20**	**20**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

OTHER PERSONALITY DIS (301.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	22.0	800	2	2	22	42	42	42	42										
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	7	6.1	54	1	1	4	6	19	22	22	2	3.5	1	3	3	3	4	4	4	4
35-54	3	7.7	49	1	2	7	13	15	15	15										
55-74																				
75 +																				
ALL AGES	13	8.5	141	1	1	4	9	26	39	42	2	3.5	1	3	3	3	4	4	4	4
B. FEMALE																				
0-12 YRS.	1	23.0		23	23	23	23	23	23	23										
13-17	4	13.3	89	2	5	14	21	23	23	23										
18-24	6	9.7	29	2	8	10	11	17	18	18	1	11.0		11	11	11	11	11	11	11
25-34	16	12.1	118	2	5	8	18	32	34	35										
35-54	18	12.9	55	4	5	13	19	20	25	29										
55-74																				
75 +																				
ALL AGES	45	12.4	76	2	5	10	19	23	30	35	1	11.0		11	11	11	11	11	11	11
SUBTOTAL	**58**	**11.6**	**89**	**1**	**4**	**9**	**18**	**23**	**31**	**41**	**3**	**6.0**	**19**	**3**	**3**	**4**	**9**	**11**	**11**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	3.8	4	2	2	3	5	7	7	7										
18-24	8	23.4	335	4	9	16	40	50	52	52										
25-34	6	5.8	27	1	2	5	9	13	14	14	1	22.0		22	22	22	22	22	22	22
35-54	8	16.9	189	3	7	13	24	39	44	44										
55-74	1	8.0		8	8	8	8	8	8	8										
75 +																				
ALL AGES	27	14.1	209	2	3	9	19	42	46	52	1	22.0		22	22	22	22	22	22	22
B. FEMALE																				
0-12 YRS.																				
13-17	3	3.7	14	1	1	2	6	8	8	8										
18-24	12	7.6	14	3	5	7	11	12	13	13										
25-34	29	12.9	64	4	7	10	21	24	26	30	2	2.0		2	2	2	2	2	2	2
35-54	20	9.3	132	2	3	4	10	25	38	48										
55-74	2	10.0	2	9	9	10	11	11	11	11										
75 +																				
ALL AGES	66	10.3	76	2	4	8	14	23	26	45	2	2.0		2	2	2	2	2	2	2
SUBTOTAL	**93**	**11.4**	**116**	**2**	**4**	**8**	**15**	**24**	**34**	**50**	**3**	**8.7**	**132**	**2**	**2**	**2**	**17**	**22**	**22**	**22**
GRAND TOTAL	**151**	**11.5**	**104**	**2**	**4**	**9**	**16**	**24**	**33**	**48**	**6**	**7.3**	**64**	**2**	**2**	**3**	**11**	**21**	**22**	**22**

PERSONALITY DISORDER NOS (301.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4	3	1.0		1	1	1	1	1	1	1
35-54	4	3.8	1	2	3	4	5	5	5	5										
55-74	1	18.0		18	18	18	18	18	18	18	2	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	7	5.7	30	2	3	4	5	15	18	18	5	2.2	3	1	1	1	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	5	13.0	286	3	4	5	17	43	43	43	1	1.0		1	1	1	1	1	1	1
18-24	2	20.5	61	15	15	20	26	26	26	26	1	1.0		1	1	1	1	1	1	1
25-34	2	27.0	1250	2	2	27	52	52	52	52	1	2.0		2	2	2	2	2	2	2
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	1	15.0		15	15	15	15	15	15	15										
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	11	16.0	301	2	3	9	23	47	52	52	4	1.8	1	1	1	2	2	3	3	3
SUBTOTAL	**18**	**12.0**	**214**	**2**	**3**	**5**	**15**	**38**	**48**	**52**	**9**	**2.0**	**2**	**1**	**1**	**1**	**3**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	10.0		10	10	10	10	10	10	10										
13-17	1	3.0		3	3	3	3	3	3	3										
18-24	4	10.8	97	1	2	10	19	22	22	22	1	3.0		3	3	3	3	3	3	3
25-34	5	9.2	100	1	2	3	19	22	22	22	2	2.5	1	2	2	2	3	3	3	3
35-54																				
55-74																				
75 +																				
ALL AGES	11	9.3	74	1	2	4	17	22	22	22	3	2.7		2	2	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	2	4.5	13	2	2	4	7	7	7	7										
18-24	3	12.0	133	3	4	8	21	25	25	25	1	2.0		2	2	2	2	2	2	2
25-34											1	2.0		2	2	2	2	2	2	2
35-54	5	13.4	95	6	7	7	21	28	28	28										
55-74																				
75 +																				
ALL AGES	10	11.2	86	2	6	7	19	26	28	28	2	2.0		2	2	2	2	2	2	2
SUBTOTAL	**21**	**10.2**	**77**	**2**	**3**	**7**	**18**	**23**	**26**	**28**	**5**	**2.4**		**2**	**2**	**2**	**3**	**3**	**3**	**3**
GRAND TOTAL	**39**	**11.0**	**138**	**2**	**3**	**6**	**17**	**26**	**36**	**52**	**14**	**2.1**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**4**

PEDOPHILIA (302.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	28.0		28	28	28	28	28	28	28										
18-24	2	19.5	1	19	19	19	20	20	20	20										
25-34	4	16.5	33	9	12	18	21	21	21	21										
35-54	5	29.2	376	17	18	20	37	63	63	63										
55-74	1	25.0		25	25	25	25	25	25	25										
75 +																				
ALL AGES	13	23.4	167	14	18	20	26	35	58	63										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	13	23.4	167	14	18	20	26	35	58	63										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	9	19.7	34	11	18	20	22	27	28	28										
25-34	10	21.4	13	18	19	20	23	27	30	30										
35-54	21	22.7	77	15	16	21	26	34	45	49										
55-74	2	26.0	50	21	21	26	31	31	31	31										
75 +																				
ALL AGES	42	21.9	51	15	18	21	25	29	35	49										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	29.0		29	29	29	29	29	29	29										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	29.0		29	29	29	29	29	29	29										
SUBTOTAL	43	22.1	49	16	18	21	25	29	34	49										
GRAND TOTAL	56	22.4	75	15	18	21	25	29	38	62										

EXHIBITIONISM (302.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	3	22.0	19	19	19	20	25	27	27	27										
25-34	11	18.2	129	4	9	19	21	33	43	44										
35-54	4	16.8	56	6	12	18	21	24	24	24										
55-74																				
75 +																				
ALL AGES	18	18.5	92	5	18	19	21	27	37	44										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**18**	**18.5**	**92**	**5**	**18**	**19**	**21**	**27**	**37**	**44**										
GRAND TOTAL	**18**	**18.5**	**92**	**5**	**18**	**19**	**21**	**27**	**37**	**44**										

PSYCHOSEXUAL DYSFUNCTION (302.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54	1	3.0		3	3	3	3	3	3	3	2	1.0		1	1	1	1	1	1	1
55-74	6	3.0	2	2	2	3	4	5	5	5	2	3.0	2	2	2	3	4	4	4	4
75 +																				
ALL AGES	7	3.0	1	2	2	3	4	5	5	5	5	1.8	2	1	1	1	2	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	7	3.0	1	2	2	3	4	5	5	5	5	1.8	2	1	1	1	2	4	4	4
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	7	3.0	1	2	2	3	4	5	5	5	5	1.8	2	1	1	1	2	4	4	4

PSYCHOSEXUAL DIS NEC (302.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	3	23.7	228	10	13	21	35	40	40	40										
35-54	7	24.9	21	18	20	28	29	29	29	29										
55-74																				
75 +																				
ALL AGES	10	24.5	67	14	19	25	29	35	40	40										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**10**	**24.5**	**67**	**14**	**19**	**25**	**29**	**35**	**40**	**40**										
GRAND TOTAL	**10**	**24.5**	**67**	**14**	**19**	**25**	**29**	**35**	**40**	**40**										

PSYCHOSEXUAL DIS NOS (302.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	16.5	41	12	12	16	21	21	21	21										
35-54																				
55-74																				
75 +																				
ALL AGES	2	16.5	41	12	12	16	21	21	21	21										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	19.0		19	19	19	19	19	19	19										
35-54																				
55-74																				
75 +																				
ALL AGES	1	19.0		19	19	19	19	19	19	19										
SUBTOTAL	**3**	**17.3**	**24**	**12**	**14**	**19**	**20**	**21**	**21**	**21**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	3	15.0	39	8	10	17	19	20	20	20										
25-34	2	17.5	1	17	17	17	18	18	18	18										
35-54	7	21.0	44	15	17	20	21	32	35	35										
55-74	1	29.0		29	29	29	29	29	29	29										
75 +																				
ALL AGES	13	19.7	43	14	17	19	21	30	34	35										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	23.0		23	23	23	23	23	23	23										
55-74																				
75 +																				
ALL AGES	1	23.0		23	23	23	23	23	23	23										
SUBTOTAL	**14**	**19.9**	**42**	**14**	**17**	**19**	**21**	**30**	**34**	**35**										
GRAND TOTAL	**17**	**19.5**	**35**	**13**	**17**	**19**	**21**	**28**	**33**	**35**										

AC ALCOHOL INTOXICATION (303.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	2.5	1	2	2	2	3	3	3	3										
18-24	6	6.0	117	1	1	1	3	25	28	28	2	2.5	1	2	2	2	3	3	3	3
25-34	19	4.4	28	1	1	3	6	8	17	24	17	8.4	171	1	2	3	4	35	36	37
35-54	64	9.8	96	1	3	6	13	28	28	32	55	6.6	85	1	2	3	5	21	31	36
55-74	47	8.9	73	2	3	6	12	27	28	30	24	6.5	88	1	2	4	5	29	31	32
75 +																				
ALL AGES	138	8.5	80	1	2	5	10	28	28	30	98	6.8	97	1	2	3	5	29	33	37
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34	12	4.5	40	1	1	2	5	13	22	23	6	7.3	160	1	1	2	4	30	33	33
35-54	18	9.7	90	2	3	5	18	27	28	28	8	8.0	121	1	2	4	9	27	34	34
55-74	10	6.6	33	2	4	5	8	16	21	21	3	3.7	9	1	1	3	6	7	7	7
75 +											1	6.0		6	6	6	6	6	6	6
ALL AGES	40	7.4	63	1	2	4	8	22	26	28	19	6.6	97	1	1	3	7	24	34	34
SUBTOTAL	**178**	**8.2**	**77**	**1**	**2**	**5**	**9**	**28**	**28**	**30**	**117**	**6.8**	**96**	**1**	**2**	**3**	**5**	**29**	**33**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	5.8	77	1	1	1	10	19	19	19	3	2.0	1	1	1	2	3	3	3	3
18-24	10	11.7	80	3	4	9	18	25	31	31	11	26.2	195	5	14	28	37	42	42	42
25-34	32	10.7	106	2	3	5	15	30	30	31	33	21.0	230	2	5	28	35	42	42	99 +
35-54	77	7.1	41	2	3	5	9	16	23	30	99	13.9	189	1	3	5	28	28	40	42
55-74	33	6.4	41	1	3	5	7	15	25	28	72	10.5	120	2	3	5	23	28	28	41
75 +											5	12.0	99	3	4	8	19	27	27	27
ALL AGES	156	8.0	59	2	3	5	9	21	28	31	223	14.3	185	2	3	6	28	35	42	42
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1	5	26.4	276	1	16	28	40	42	42	42
25-34	20	12.1	129	1	3	7	24	30	32	32	15	19.3	170	2	4	25	28	34	38	39
35-54	26	7.9	45	1	3	6	11	18	21	27	26	13.2	194	2	2	5	28	28	42	42
55-74	9	7.2	18	3	4	6	11	14	14	14	14	9.6	78	3	4	5	16	27	27	27
75 +											2	9.5	41	5	5	9	14	14	14	14
ALL AGES	56	9.2	73	1	3	6	13	26	28	32	62	14.8	178	2	3	7	28	30	41	42
SUBTOTAL	**212**	**8.3**	**63**	**1**	**3**	**5**	**10**	**21**	**28**	**31**	**285**	**14.4**	**183**	**2**	**3**	**6**	**28**	**34**	**42**	**42**
GRAND TOTAL	**390**	**8.3**	**68**	**1**	**3**	**5**	**10**	**25**	**28**	**31**	**402**	**12.2**	**169**	**1**	**3**	**4**	**27**	**30**	**39**	**42**

ALCOHOL DEPEND NEC/NOS (303.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	6	17.0	164	5	5	16	29	30	30	30	2	1.5	1	1	1	1	2	2	2	2
18-24	32	19.9	126	5	8	22	29	32	35	35	14	10.7	175	1	2	4	26	33	35	35
25-34	108	12.5	119	2	3	6	26	29	29	31	63	13.1	167	2	3	5	28	33	35	38
35-54	246	13.1	112	2	4	8	23	28	30	35	212	10.0	123	2	4	5	10	31	34	41
55-74	106	14.2	111	3	5	10	25	29	31	34	96	11.0	125	3	4	5	14	30	35	42
75 +	7	10.7	77	3	3	6	19	23	23	23	8	9.6	69	3	5	8	10	23	29	29
ALL AGES	506	13.6	117	2	4	8	25	29	30	35	395	10.7	131	2	3	5	13	31	35	41
B. FEMALE																				
0-12 YRS.																				
13-17	2	21.5	113	14	14	21	29	29	29	29										
18-24	10	10.4	79	4	4	6	14	25	30	30	5	15.6	193	3	4	9	29	33	33	33
25-34	32	13.2	93	3	4	10	21	28	28	31	23	10.9	164	2	3	4	22	32	36	38
35-54	66	13.0	100	3	4	8	22	28	29	30	49	9.0	137	1	3	4	6	34	35	37
55-74	22	16.3	190	2	5	13	28	30	40	54	31	16.2	211	3	4	7	29	39	42	43
75 +											4	13.3	132	5	5	9	21	30	30	30
ALL AGES	132	13.5	113	3	5	9	22	28	30	35	112	11.8	170	2	3	5	27	34	37	43
SUBTOTAL	**638**	**13.6**	**115**	**2**	**4**	**9**	**24**	**29**	**30**	**35**	**507**	**11.0**	**138**	**2**	**3**	**5**	**15**	**32**	**35**	**42**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	18.0		18	18	18	18	18	18	18										
13-17	26	21.3	109	7	14	22	30	32	37	44	10	28.5	261	4	15	33	42	44	46	46
18-24	73	17.8	137	2	7	21	28	30	32	43	45	18.9	202	3	4	20	30	42	42	42
25-34	186	14.5	109	2	5	13	23	29	31	38	138	21.8	201	2	5	28	34	38	40	43
35-54	219	14.4	109	3	5	12	22	28	30	41	134	16.9	183	2	4	13	28	35	37	42
55-74	93	14.9	103	3	7	11	23	29	33	41	39	14.8	140	2	4	9	27	32	35	38
75 +	3	15.3	138	5	7	13	24	28	28	28	3	6.3	6	5	5	5	8	9	9	9
ALL AGES	601	15.2	114	3	5	14	24	29	32	40	369	19.0	195	2	4	22	30	37	40	42
B. FEMALE																				
0-12 YRS.																				
13-17	14	25.3	122	11	17	28	35	37	41	42	2	27.0	968	5	5	27	49	49	49	49
18-24	16	9.3	89	1	2	5	16	27	29	29	13	23.1	208	2	8	28	33	41	42	42
25-34	76	16.3	100	4	7	17	26	28	33	39	38	19.8	224	3	4	24	32	41	42	42
35-54	94	15.6	134	2	5	11	26	29	34	50	29	16.2	249	3	4	7	28	38	43	62
55-74	30	14.6	154	5	6	8	21	31	37	58	17	14.4	106	5	5	9	26	28	28	28
75 +	2	9.5	25	6	6	9	13	13	13	13	3	16.7	481	3	3	5	33	42	42	42
ALL AGES	232	15.8	128	3	6	15	26	30	35	47	102	18.4	219	3	4	13	29	41	42	55
SUBTOTAL	**833**	**15.4**	**117**	**3**	**6**	**14**	**25**	**29**	**33**	**42**	**471**	**18.8**	**203**	**2**	**4**	**21**	**30**	**37**	**42**	**42**
GRAND TOTAL	**1471**	**14.6**	**118**	**3**	**5**	**11**	**25**	**29**	**31**	**38**	**978**	**14.8**	**183**	**2**	**4**	**7**	[illegible]	**35**	**39**	**42**

OPIOID TYPE DEPENDENCE (304.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	13.0	18	10	10	13	16	16	16	16										
25-34	5	18.4	45	13	14	17	20	30	30	30	7	8.7	204	2	2	4	5	34	41	41
35-54	9	9.8	92	1	2	7	15	26	30	30	3	2.7	1	2	2	2	4	4	4	4
55-74	2	21.5	145	13	13	21	30	30	30	30										
75 +																				
ALL AGES	18	13.8	87	2	7	14	17	30	30	30	10	6.9	145	2	2	3	4	23	41	41
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	3	13.7	183	1	4	12	24	28	28	28										
25-34	7	13.1	145	1	3	11	25	30	30	30	3	3.7	2	2	2	4	5	5	5	5
35-54	4	9.0	10	6	6	8	11	13	13	13	4	3.3	4	1	1	3	5	6	6	6
55-74											2	8.5	25	5	5	8	12	12	12	12
75 +																				
ALL AGES	14	12.1	100	1	6	10	13	29	30	30	9	4.6	10	1	2	4	5	10	12	12
SUBTOTAL	**32**	**13.1**	**89**	**1**	**6**	**12**	**17**	**30**	**30**	**30**	**19**	**5.8**	**78**	**2**	**2**	**4**	**5**	**10**	**28**	**41**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	30.0		30	30	30	30	30	30	30										
25-34	12	16.3	129	3	9	12	25	33	38	39	1	4.0		4	4	4	4	4	4	4
35-54	14	13.0	59	3	7	13	18	23	27	28	6	12.2	232	2	3	3	24	37	38	38
55-74	1	22.0		22	22	22	22	22	22	22	2	41.5	61	36	36	41	47	47	47	47
75 +																				
ALL AGES	28	15.4	92	3	8	14	22	29	31	39	9	17.8	340	2	3	4	36	43	47	47
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	4	8.3	7	4	6	9	10	10	10	10										
25-34	16	13.9	62	7	8	12	18	28	30	31	4	6.3	11	2	3	6	9	10	10	10
35-54	15	15.2	61	5	10	16	21	24	28	30	4	16.3	313	4	4	9	28	42	42	42
55-74	3	25.0	193	9	15	32	33	34	34	34	1	32.0		32	32	32	32	32	32	32
75 +																				
ALL AGES	38	14.7	72	5	9	13	18	30	32	34	9	13.6	194	3	5	8	18	38	42	42
SUBTOTAL	**66**	**15.0**	**79**	**4**	**9**	**13**	**20**	**30**	**31**	**38**	**18**	**15.7**	**256**	**2**	**3**	**7**	**32**	**41**	**45**	**47**
GRAND TOTAL	**98**	**14.4**	**82**	**3**	**8**	**13**	**19**	**30**	**30**	**37**	**37**	**10.6**	**186**	**2**	**3**	**4**	**10**	**38**	**42**	**47**

BARBITURATE DEPENDENCE (304.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	37.0		37	37	37	37	37	37	37										
55-74	1	5.0		5	5	5	5	5	5	5	1	9.0		9	9	9	9	9	9	9
75 +																				
ALL AGES	2	21.0	512	5	5	21	37	37	37	37	1	9.0		9	9	9	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	4	23.3	55	13	17	25	29	30	30	30	1	15.0		15	15	15	15	15	15	15
35-54	4	18.3	70	10	12	16	24	30	30	30	1	5.0		5	5	5	5	5	5	5
55-74	6	17.7	234	2	4	15	28	41	42	42	1	39.0		39	39	39	39	39	39	39
75 +	1	4.0		4	4	4	4	4	4	4	4	9.5	19	7	7	8	12	16	16	16
ALL AGES	15	18.4	134	4	10	18	28	30	39	42	7	13.9	–139	5	7	8	16	34	39	39
SUBTOTAL	**17**	**18.7**	**150**	**4**	**9**	**18**	**29**	**36**	**40**	**42**	**8**	**13.3**	**122**	**6**	**7**	**8**	**15**	**32**	**39**	**39**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	7.5	1	7	7	7	8	8	8	8										
25-34	5	18.4	39	10	14	18	22	27	27	27	2	7.0		7	7	7	7	7	7	7
35-54	12	18.1	78	7	10	19	24	29	32	33	3	25.0	444	3	9	27	40	45	45	45
55-74	5	14.8	29	11	12	12	17	24	24	24										
75 +	1	21.0		21	21	21	21	21	21	21	1	19.0		19	19	19	19	19	19	19
ALL AGES	25	16.8	56	8	11	16	22	27	29	33	6	18.0	256	3	7	13	27	43	45	45
B. FEMALE																				
0-12 YRS.																				
13-17	1	22.0		22	22	22	22	22	22	22										
18-24	1	26.0		26	26	26	26	26	26	26	1	8.0		8	8	8	8	8	8	8
25-34	7	19.0	99	6	15	18	26	34	35	35	3	10.0	61	5	5	6	16	19	19	19
35-54	12	19.4	107	6	10	22	27	33	35	35	5	8.8	16	2	7	10	11	12	12	12
55-74	12	21.3	115	8	10	26	30	33	35	35										
75 +	1	25.0		25	25	25	25	25	25	25	2	21.5	313	9	9	21	34	34	34	34
ALL AGES	34	20.4	96	6	11	22	28	32	35	35	11	11.4	74	4	6	9	12	25	33	34
SUBTOTAL	**59**	**18.9**	**80**	**7**	**11**	**18**	**26**	**31**	**34**	**35**	**17**	**13.7**	**138**	**3**	**7**	**9**	**19**	**33**	**41**	**45**
GRAND TOTAL	**76**	**18.8**	**96**	**6**	**11**	**18**	**27**	**32**	**35**	**41**	**25**	**13.6**	**127**	**5**	**7**	**9**	**17**	**34**	**40**	**45**

COCAINE DEPENDENCE (304.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	8	14.4	65	5	9	13	18	27	30	30	14	15.5	212	2	3	6	32	36	37	37
25-34	34	16.2	96	3	7	20	24	28	30	30	24	21.8	225	3	5	26	35	40	42	42
35-54	14	22.9	99	6	15	27	30	32	34	35	6	24.7	156	3	20	30	33	33	33	33
55-74																				
75 +																				
ALL AGES	56	17.6	100	4	8	21	26	30	30	35	44	20.2	214	3	4	25	33	39	41	42
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	14	12.9	57	4	6	10	20	22	24	25	8	13.0	175	1	3	6	26	32	32	32
25-34	40	13.3	73	3	6	13	19	26	30	30	15	16.8	243	1	3	10	32	38	42	44
35-54	9	18.4	119	5	7	22	28	31	32	32	4	22.8	177	3	15	27	30	33	33	33
55-74																				
75 +																				
ALL AGES	63	13.9	78	4	6	14	21	27	30	32	27	16.6	207	1	3	10	30	35	39	44
SUBTOTAL	**119**	**15.6**	**92**	**4**	**7**	**15**	**23**	**29**	**30**	**33**	**71**	**18.8**	**212**	**2**	**3**	**22**	**32**	**37**	**40**	**44**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	6	24.3	160	5	19	26	30	40	41	41										
18-24	36	15.8	129	2	4	15	26	29	34	36	21	23.8	240	2	5	31	36	41	42	42
25-34	81	15.3	131	3	4	14	27	30	32	47	40	30.7	157	4	26	34	38	42	46	49
35-54	26	17.0	140	6	7	14	25	36	40	46	14	22.0	240	2	3	28	34	38	40	40
55-74																				
75 +																				
ALL AGES	149	16.1	133	3	6	14	27	30	35	46	75	27.1	207	3	18	33	37	42	42	48
B. FEMALE																				
0-12 YRS.																				
13-17	2	22.5	25	19	19	22	26	26	26	26										
18-24	26	17.9	181	3	7	17	28	36	42	52	8	28.3	242	4	16	32	42	42	42	42
25-34	54	14.3	70	5	7	12	21	27	31	97	14	25.6	291	3	5	34	41	42	42	42
35-54	15	14.1	66	6	9	13	18	26	32	34	1	41.0		41	41	41	41	41	41	41
55-74																				
75 +																				
ALL AGES	97	15.4	99	5	7	14	22	30	34	77	23	27.2	260	3	6	35	41	42	42	42
SUBTOTAL	**246**	**15.8**	**120**	**3**	**6**	**14**	**24**	**30**	**35**	**49**	**98**	**27.1**	**218**	**3**	**14**	**33**	**38**	**42**	**42**	**48**
GRAND TOTAL	**365**	**15.7**	**112**	**3**	**7**	**15**	**24**	**30**	**32**	**45**	**169**	**23.6**	**232**	**3**	**5**	**29**	**35**	**42**	**42**	**47**

CANNABIS DEPENDENCE (304.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											2	33.5	5	32	32	33	35	35	35	35
18-24	1	30.0		30	30	30	30	30	30	30	1	4.0		4	4	4	4	4	4	4
25-34	4	25.5	50	15	21	28	29	30	30	30	2	37.0	8	35	35	37	39	39	39	39
35-54																				
55-74																				
75 +																				
ALL AGES	5	26.4	41	15	25	29	30	30	30	30	5	29.0	202	4	25	35	36	39	39	39
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-24	1	29.0		29	29	29	29	29	29	29										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	16.0	338	3	3	16	29	29	29	29										
SUBTOTAL	**7**	**23.4**	**111**	**5**	**18**	**29**	**30**	**30**	**30**	**30**	**5**	**29.0**	**202**	**4**	**25**	**35**	**36**	**39**	**39**	**39**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	10	24.9	52	13	21	28	30	31	31	31	1	22.0		22	22	22	22	22	22	22
18-24	9	19.8	204	3	5	21	32	37	39	39	2	21.5	481	6	6	21	37	37	37	37
25-34	9	25.0	52	15	22	26	29	34	38	38	4	32.5	18	28	29	32	36	37	37	37
35-54	2	16.5	365	3	3	16	30	30	30	30										
55-74																				
75 +																				
ALL AGES	30	22.8	110	4	18	26	30	32	38	39	7	27.9	120	9	23	30	36	37	37	37
B. FEMALE																				
0-12 YRS.																				
13-17	2	20.5	221	10	10	20	31	31	31	31										
18-24	2	15.0	128	7	7	15	23	23	23	23	2	22.5	145	14	14	22	31	31	31	31
25-34	6	20.7	97	4	20	23	28	29	29	29	1	1.0		1	1	1	1	1	1	1
35-54																				
55-74																				
75 +																				
ALL AGES	10	19.5	99	4	10	22	28	30	31	31	3	15.3	228	1	4	14	27	31	31	31
SUBTOTAL	**40**	**22.0**	**105**	**4**	**15**	**24**	**30**	**32**	**35**	**39**	**10**	**24.1**	**169**	**3**	**14**	**29**	**35**	**37**	**37**	**37**
GRAND TOTAL	**47**	**22.2**	**105**	**4**	**16**	**26**	**30**	**31**	**34**	**39**	**15**	**25.7**	**173**	**4**	**16**	**31**	**35**	**37**	**39**	**39**

AMPHETAMINE DEPENDENCE (304.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	4	18.8	183	7	7	18	30	32	32	32										
25-34	4	26.3	70	14	21	28	31	34	34	34										
35-54	1	16.0		16	16	16	16	16	16	16										
55-74																				
75 +																				
ALL AGES	9	21.8	115	7	12	28	30	33	34	34										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	30.0		30	30	30	30	30	30	30
25-34	2	26.0	8	24	24	26	28	28	28	28										
35-54																				
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	3	19.7	122	7	11	24	27	28	28	28	1	30.0		30	30	30	30	30	30	30
SUBTOTAL	**12**	**21.3**	**106**	**7**	**11**	**26**	**29**	**33**	**34**	**34**	**1**	**30.0**		**30**	**30**	**30**	**30**	**30**	**30**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	8	23.9	174	12	14	20	31	45	49	49										
18-24	8	21.5	108	7	15	21	30	35	35	35	1	34.0		34	34	34	34	34	34	34
25-34	17	20.6	99	3	14	23	28	30	30	30										
35-54	2	25.0	18	22	22	25	28	28	28	28										
55-74																				
75 +																				
ALL AGES	35	21.8	108	4	15	23	28	34	36	49	1	34.0		34	34	34	34	34	34	34
B. FEMALE																				
0-12 YRS.																				
13-17	2	24.5	61	19	19	24	30	30	30	30										
18-24	3	20.7	35	14	16	22	25	26	26	26	2	36.5	1	36	36	36	37	37	37	37
25-34	6	17.0	61	6	11	18	24	25	25	25										
35-54	3	19.7	90	11	13	18	27	30	30	30										
55-74	1	7.0		7	7	7	7	7	7	7										
75 +	1	18.0		18	18	18	18	18	18	18										
ALL AGES	16	18.6	56	7	12	19	24	29	30	30	2	36.5	1	36	36	36	37	37	37	37
SUBTOTAL	**51**	**20.8**	**92**	**7**	**14**	**22**	**28**	**30**	**35**	**49**	**3**	**35.7**	**1**	**34**	**34**	**36**	**37**	**37**	**37**	**37**
GRAND TOTAL	**63**	**20.9**	**93**	**7**	**14**	**22**	**28**	**31**	**35**	**47**	**4**	**34.3**	**5**	**30**	**32**	**35**	**36**	**37**	**37**	**37**

HALLUCINOGEN DEPENDENCE (304.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	22.0		22	22	22	22	22	22	22										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	22.0		22	22	22	22	22	22	22										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	22.0		22	22	22	22	22	22	22										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	44.0		44	44	44	44	44	44	44										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	44.0		44	44	44	44	44	44	44										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	44.0		44	44	44	44	44	44	44										
GRAND TOTAL	2	33.0	242	22	22	33	44	44	44	44										

DRUG DEPENDENCE NEC (304.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	16.0		16	16	16	16	16	16	16										
35-54	1	7.0		7	7	7	7	7	7	7	1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	2	11.5	41	7	7	11	16	16	16	16	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	32.0	338	19	19	32	45	45	45	45	2	19.5	613	2	2	19	37	37	37	37
35-54	1	28.0		28	28	28	28	28	28	28	2	6.0	2	5	5	6	7	7	7	7
55-74																				
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	4	24.0	294	4	11	23	36	45	45	45	4	12.8	264	2	3	6	22	37	37	37
SUBTOTAL	**6**	**19.8**	**228**	**4**	**7**	**17**	**28**	**43**	**45**	**45**	**5**	**10.8**	**218**	**2**	**3**	**5**	**14**	**37**	**37**	**37**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	7.0		7	7	7	7	7	7	7										
18-24	3	11.0	129	3	4	6	19	24	24	24										
25-34	2	3.0	2	2	2	3	4	4	4	4	1	42.0		42	42	42	42	42	42	42
35-54	2	40.5	1013	18	18	40	63	63	63	63										
55-74																				
75 +																				
ALL AGES	8	15.9	423	2	3	6	21	51	63	63	1	42.0		42	42	42	42	42	42	42
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	5	13.4	103	4	5	10	22	27	27	27	1	28.0		28	28	28	28	28	28	28
35-54	2	17.5	221	7	7	17	28	28	28	28	1	3.0		3	3	3	3	3	3	3
55-74	2	14.5	145	6	6	14	23	23	23	23	3	24.7	304	7	11	25	38	42	42	42
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	10	13.4	102	3	5	8	23	27	28	28	5	21.0	257	3	6	25	31	42	42	42
SUBTOTAL	**18**	**14.5**	**230**	**3**	**4**	**7**	**23**	**28**	**49**	**63**	**6**	**24.5**	**279**	**3**	**7**	**26**	**42**	**42**	**42**	**42**
GRAND TOTAL	**24**	**15.8**	**226**	**3**	**5**	**9**	**23**	**30**	**50**	**63**	**11**	**18.3**	**277**	**2**	**4**	**7**	**35**	**42**	**42**	**42**

OPIOID/OTHER DRUG DEPEND (304.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	8.0		8	8	8	8	8	8	8										
18-24	2	2.5	5	1	1	2	4	4	4	4										
25-34	2	16.0	392	2	2	16	30	30	30	30										
35-54	2	20.0	128	12	12	20	28	28	28	28										
55-74																				
75 +																				
ALL AGES	7	12.1	148	1	2	8	24	30	30	30										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	8	8.5	79	3	4	6	8	24	30	30	1	5.0		5	5	5	5	5	5	5
35-54	9	12.9	91	6	7	11	13	28	37	37	1	1.0		1	1	1	1	1	1	1
55-74	1	8.0		8	8	8	8	8	8	8										
75 +	1	11.0		11	11	11	11	11	11	11										
ALL AGES	19	10.7	76	4	6	8	12	24	34	37	2	3.0	8	1	1	2	5	5	5	5
SUBTOTAL	**26**	**11.1**	**90**	**3**	**6**	**8**	**13**	**30**	**32**	**37**	**2**	**3.0**	**8**	**1**	**1**	**2**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	10.0		10	10	10	10	10	10	10										
18-24	1	3.0		3	3	3	3	3	3	3										
25-34	7	12.4	85	4	5	8	18	27	29	29	1	3.0		3	3	3	3	3	3	3
35-54	3	20.0	111	9	12	21	28	30	30	30										
55-74																				
75 +																				
ALL AGES	12	13.3	90	4	6	9	20	29	30	30	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	6	8.7	57	1	2	6	17	19	19	19	1	28.0		28	28	28	28	28	28	28
35-54	2	14.0	50	9	9	14	19	19	19	19										
55-74	2	23.0	242	12	12	23	34	34	34	34										
75 +																				
ALL AGES	10	12.6	99	1	6	10	19	27	34	34	1	28.0		28	28	28	28	28	28	28
SUBTOTAL	**22**	**13.0**	**90**	**3**	**6**	**10**	**19**	**29**	**32**	**34**	**2**	**15.5**	**313**	**3**	**3**	**15**	**28**	**28**	**28**	**28**
GRAND TOTAL	**48**	**12.0**	**88**	**3**	**6**	**9**	**16**	**29**	**31**	**37**	**4**	**9.3**	**158**	**1**	**1**	**4**	**16**	**28**	**28**	**28**

COMB DRUG DEPENDENCE NEC (304.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS											HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES								TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							
				10TH	25TH	50TH	75TH	90TH	95TH	99TH					10TH	25TH	50TH	75TH	90TH	95TH	99TH	
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17	2	24.5	61	19	19	24	30	30	30	30												
18-24	5	34.2	45	29	29	30	41	42	42	42		3	28.3	8	27	27	27	30	31	31	31	
25-34	4	25.0	70	14	18	27	31	32	32	32		3	23.0	313	4	9	26	36	39	39	39	
35-54	1	30.0		30	30	30	30	30	30	30		3	15.0	309	2	3	8	28	35	35	35	
55-74												1	23.0		23	23	23	23	23	23	23	
75 +																						
ALL AGES	12	29.2	61	17	26	30	31	41	42	42		10	22.2	170	3	8	26	31	37	39	39	
B. FEMALE																						
0-12 YRS.																						
13-17	2	30.5	313	18	18	30	43	43	43	43		1	1.0		1	1	1	1	1	1	1	
18-24	1	6.0		6	6	6	6	6	6	6		2	24.5	221	14	14	24	35	35	35	35	
25-34	4	12.0	109	1	3	11	20	24	24	24		2	22.5	761	3	3	22	42	42	42	42	
35-54																						
55-74																						
75 +																						
ALL AGES	7	16.4	205	1	6	17	22	39	43	43		5	19.0	348	1	2	14	37	42	42	42	
SUBTOTAL	**19**	**24.5**	**145**	**6**	**17**	**29**	**31**	**42**	**43**	**43**		**15**	**21.1**	**212**	**2**	**5**	**26**	**34**	**39**	**41**	**42**	
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17	3	23.3	100	12	16	28	29	30	30	30												
18-24	1	13.0		13	13	13	13	13	13	13		3	32.7	62	28	28	28	39	42	42	42	
25-34	7	11.0	45	2	8	10	16	20	21	21		3	8.7	153	1	1	2	18	23	23	23	
35-54	4	18.3	142	6	8	18	28	30	30	30		2	24.5	613	7	7	24	42	42	42	42	
55-74																						
75 +																						
ALL AGES	15	15.5	91	6	10	12	25	30	30	30		8	21.6	278	1	4	25	35	42	42	42	
B. FEMALE																						
0-12 YRS.																						
13-17	4	12.8	13	9	9	12	16	17	17	17												
18-24	4	17.0	193	4	5	17	29	29	29	29		2	17.5	421	3	3	17	32	32	32	32	
25-34	6	19.2	222	2	8	17	28	41	43	43		12	33.6	112	16	27	40	42	42	42	42	
35-54	4	19.8	22	15	15	20	24	24	24	24		4	32.3	143	17	22	35	42	42	42	42	
55-74												1	26.0		26	26	26	26	26	26	26	
75 +																						
ALL AGES	18	17.4	114	5	9	16	24	29	37	43		19	31.2	144	14	26	32	42	42	42	42	
SUBTOTAL	**33**	**16.5**	**102**	**5**	**9**	**15**	**25**	**29**	**30**	**43**		**27**	**28.4**	**192**	**4**	**19**	**28**	**42**	**42**	**42**	**42**	
GRAND TOTAL	**52**	**19.4**	**131**	**6**	**10**	**18**	**29**	**31**	**42**	**43**		**42**	**25.8**	**206**	**3**	**14**	**28**	**41**	**42**	**42**	**42**	

DRUG DEPENDENCE NOS (304.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	22.5	61	17	17	22	28	28	28	28										
18-24	3	13.3	164	5	5	7	23	28	28	28	1	27.0		27	27	27	27	27	27	27
25-34	5	20.2	181	1	8	29	30	31	31	31	1	24.0		24	24	24	24	24	24	24
35-54	4	14.5	114	2	7	14	21	28	28	28										
55-74																				
75 +																				
ALL AGES	14	17.4	126	2	7	16	28	29	31	31	2	25.5	5	24	24	25	27	27	27	27
B. FEMALE																				
0-12 YRS.																				
13-17	1	36.0		36	36	36	36	36	36	36										
18-24	2	21.0	162	12	12	21	30	30	30	30	2	3.5	5	2	2	3	5	5	5	5
25-34	3	20.0	97	9	12	23	27	28	28	28	5	13.4	149	4	5	5	25	30	30	30
35-54	4	24.8	44	17	19	25	30	31	31	31	2	2.5	1	2	2	2	3	3	3	3
55-74											1	56.0		56	56	56	56	56	56	56
75 +																				
ALL AGES	10	23.7	79	10	17	25	30	33	36	36	10	13.5	317	2	3	5	23	43	56	56
SUBTOTAL	**24**	**20.0**	**113**	**5**	**11**	**22**	**29**	**31**	**33**	**36**	**12**	**15.5**	**281**	**2**	**3**	**5**	**25**	**38**	**53**	**56**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	5	23.4	33	17	18	24	29	29	29	29										
18-24	1	31.0		31	31	31	31	31	31	31										
25-34	5	19.8	140	8	10	16	30	36	36	36	2	4.5	5	3	3	4	6	6	6	6
35-54	4	19.8	156	1	12	25	27	28	28	28										
55-74	1	14.0		14	14	14	14	14	14	14										
75 +																				
ALL AGES	16	21.3	88	8	15	24	28	31	34	36	2	4.5	5	3	3	4	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17	6	24.2	323	4	18	20	30	53	56	56										
18-24	2	16.0	392	2	2	16	30	30	30	30										
25-34	8	18.6	142	6	7	18	29	33	35	35	1	6.0		6	6	6	6	6	6	6
35-54	9	21.1	79	9	15	20	28	31	33	33	1	27.0		27	27	27	27	27	27	27
55-74											1	9.0		9	9	9	9	9	9	9
75 +																				
ALL AGES	25	20.6	159	6	11	20	29	33	40	56	3	14.0	129	6	7	9	22	27	27	27
SUBTOTAL	**41**	**20.9**	**128**	**6**	**12**	**21**	**29**	**32**	**35**	**56**	**5**	**10.2**	**93**	**3**	**5**	**6**	**13**	**27**	**27**	**27**
GRAND TOTAL	**65**	**20.6**	**119**	**6**	**12**	**21**	**29**	**31**	**35**	[illegible]	**17**	**13.9**	**224**	**2**	**4**	**6**	**25**	**29**	**47**	**56**

ALCOHOL ABUSE (305.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											2	8.0	98	1	1	8	15	15	15	15
13-17	10	4.2	76	1	1	1	2	16	29	29	11	1.5		1	1	1	2	3	3	3
18-24	12	7.1	78	1	1	3	11	19	29	31	9	1.1		1	1	1	1	2	2	2
25-34	13	8.3	91	2	3	4	9	28	28	28	9	2.1	3	1	1	1	3	5	6	6
35-54	32	6.9	85	1	2	3	6	28	30	32	14	2.2	2	1	1	2	3	5	5	5
55-74	20	4.9	13	1	2	5	6	11	12	13	11	2.9	3	1	1	3	4	5	5	5
75 +	1	4.0		4	4	4	4	4	4	4	3	2.0		2	2	2	2	2	2	2
ALL AGES	88	6.3	66	1	2	3	6	17	28	32	59	2.2	5	1	1	1	3	5	5	14
B. FEMALE																				
0-12 YRS.																				
13-17	8	1.3		1	1	1	2	2	2	2	9	1.1		1	1	1	1	2	2	2
18-24	4	3.5	9	1	1	3	6	7	7	7	3	1.3		1	1	1	2	2	2	2
25-34	5	3.0	5	1	1	3	4	6	6	6	5	1.2		1	1	1	1	2	2	2
35-54	15	2.7	5	1	1	2	3	7	8	8	3	2.0	1	1	1	2	3	3	3	3
55-74	8	2.9	7	1	1	2	5	64	99 +	99 +	4	1.8	1	1	1	2	2	3	3	3
75 +	2	3.0	2	2	2	3	4	4	4	4										
ALL AGES	42	2.6	5	1	1	2	4	7	8	99 +	24	1.4		1	1	1	2	2	3	3
SUBTOTAL	**130**	**5.1**	**49**	**1**	**1**	**3**	**5**	**12**	**28**	**45**	**83**	**2.0**	**3**	**1**	**1**	**1**	**2**	**4**	**5**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
13-17	8	3.6	12	1	1	2	5	9	11	11										
18-24	14	7.5	81	1	1	4	8	24	27	28	3	10.7	251	1	1	2	22	29	29	29
25-34	20	7.4	49	1	2	6	9	19	24	27	7	4.0	21	1	1	2	4	12	14	14
35-54	47	6.2	26	1	3	5	8	11	15	26	17	4.2	44	1	1	2	4	7	21	29
55-74	16	9.1	61	2	3	6	13	18	27	31	7	4.9	9	1	3	4	8	9	9	9
75 +	2	9.0	8	7	7	9	11	11	11	11										
ALL AGES	108	6.8	42	1	2	5	9	15	23	29	35	4.8	44	1	1	3	5	9	25	29
B. FEMALE																				
0-12 YRS.																				
13-17	7	1.4		1	1	1	2	2	2	2										
18-24	4	17.3	742	1	2	5	32	58	58	58	1	1.0		1	1	1	1	1	1	1
25-34	16	6.1	99	1	1	4	5	11	33	42	2	2.0	2	1	1	1	3	3	3	3
35-54	19	5.5	34	1	3	3	7	10	20	27	5	5.8	27	3	3	3	7	15	15	15
55-74	5	11.2	69	1	5	9	18	22	22	22	3	4.7	1	4	4	4	6	6	6	6
75 +	2	5.5	13	3	3	5	8	8	8	8	2	5.5	1	5	5	5	6	6	6	6
ALL AGES	53	6.5	105	1	2	3	7	12	26	58	13	4.5	13	1	3	4	5	8	14	15
SUBTOTAL	**161**	**6.7**	**62**	**1**	**2**	**4**	**8**	**15**	**23**	**41**	**48**	**4.7**	**36**	**1**	**2**	**3**	**5**	**9**	**16**	**29**
GRAND TOTAL	**291**	**6.0**	**56**	**1**	**2**	**3**	**7**	**14**	**27**	**38**	**131**	**3.0**	**17**	**1**	**1**	**2**	**3**	**5**	**9**	**29**

TOBACCO USE DISORDER (305.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	9.0		9	9	9	9	9	9	9										
35-54																				
55-74																				
75 +																				
ALL AGES	1	9.0		9	9	9	9	9	9	9										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	9.0		9	9	9	9	9	9	9										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2	1	9.0		9	9	9	9	9	9	9
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	9.0		9	9	9	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	2.0		2	2	2	2	2	2	2	1	9.0		9	9	9	9	9	9	9
GRAND TOTAL	2	5.5	25	2	2	5	9	9	9	9	1	9.0		9	9	9	9	9	9	9

CANNABIS ABUSE (305.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	28.3	5	27	27	28	29	30	30	30										
18-24	3	4.7	14	2	2	3	7	9	9	9										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	6	16.5	175	2	3	18	28	30	30	30										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
SUBTOTAL	**7**	**14.9**	**163**	**2**	**3**	**9**	**28**	**30**	**30**	**30**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	18.0		18	18	18	18	18	18	18										
13-17	10	21.6	126	4	16	23	30	34	37	37										
18-24	3	18.0	156	4	8	22	26	28	28	28	1	39.0		39	39	39	39	39	39	39
25-34	5	14.8	110	1	6	18	21	28	28	28										
35-54	1	11.0		11	11	11	11	11	11	11										
55-74																				
75 +																				
ALL AGES	20	18.7	109	3	10	19	28	30	34	37	1	39.0		39	39	39	39	39	39	39
B. FEMALE																				
0-12 YRS.																				
13-17	11	24.5	89	11	20	29	30	32	34	34	1	12.0		12	12	12	12	12	12	12
18-24																				
25-34	3	16.3	160	3	7	18	25	28	28	28										
35-54																				
55-74																				
75 +																				
ALL AGES	14	22.8	102	3	18	27	30	31	33	34	1	12.0		12	12	12	12	12	12	12
SUBTOTAL	**34**	**20.4**	**107**	**3**	**16**	**20**	**29**	**30**	**33**	**37**	**2**	**25.5**	**365**	**12**	**12**	**25**	**39**	**39**	**39**	**39**
GRAND TOTAL	**41**	**19.4**	**119**	**2**	**9**	**20**	**29**	**30**	**32**	**37**	**2**	**25.5**	**365**	**12**	**12**	**25**	**39**	**39**	**39**	**39**

HALLUCINOGEN ABUSE (305.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	2.0	2	1	1	1	3	3	3	3										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	2.0	2	1	1	1	3	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**2.0**	**2**	**1**	**1**	**1**	**3**	**3**	**3**	**3**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	10.3	103	4	4	5	18	22	22	22										
18-24	2	5.0	32	1	1	5	9	9	9	9										
25-34	1	22.0		22	22	22	22	22	22	22										
35-54																				
55-74																				
75 +																				
ALL AGES	6	10.5	86	1	4	7	22	22	22	22										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
SUBTOTAL	**7**	**9.6**	**77**	**2**	**4**	**5**	**19**	**22**	**22**	**22**										
GRAND TOTAL	**9**	**7.9**	**69**	**1**	**2**	**4**	**12**	**22**	**22**	**22**										

BARBITURATE ABUSE (305.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24																				
25-34																				
35-54																				
55-74											1	7.0		7	7	7	7	7	7	7
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	1	1.0		1	1	1	1	1	1	1	2	5.0	8	3	3	5	7	7	7	7
SUBTOTAL	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**	**2**	**5.0**	**8**	**3**	**3**	**5**	**7**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	2.5	5	1	1	2	4	4	4	4										
35-54																				
55-74																				
75 +																				
ALL AGES	2	2.5	5	1	1	2	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24																				
25-34	3	10.3	11	8	8	9	13	14	14	14										
35-54	2	5.0	18	2	2	5	8	8	8	8										
55-74																				
75 +																				
ALL AGES	6	7.5	18	2	4	8	9	13	14	14										
SUBTOTAL	**8**	**6.3**	**18**	**1**	**3**	**6**	**9**	**12**	**14**	**14**										
GRAND TOTAL	**9**	**5.7**	**19**	**1**	**2**	**4**	**8**	**12**	**14**	**14**	**2**	**5.0**	**8**	**3**	**3**	**5**	**7**	**7**	**7**	**7**

OPIOID ABUSE (305.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1	1	32.0		32	32	32	32	32	32	32
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	1	32.0		32	32	32	32	32	32	32
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**	**1**	**32.0**		**32**	**32**	**32**	**32**	**32**	**32**	**32**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	4	9.5	170	2	2	3	16	29	29	29										
35-54	3	10.7	51	6	6	7	16	19	19	19	3	3.0	3	1	2	4	4	4	4	4
55-74											1	40.0		40	40	40	40	40	40	40
75 +																				
ALL AGES	7	10.0	103	2	3	6	16	27	29	29	4	12.3	343	1	2	4	22	40	40	40
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	5.5	5	4	4	5	7	7	7	7	1	50.0		50	50	50	50	50	50	50
35-54	1	15.0		15	15	15	15	15	15	15	2	31.5	25	28	28	31	35	35	35	35
55-74																				
75 +																				
ALL AGES	3	8.7	31	4	5	7	13	15	15	15	3	37.7	123	28	30	35	46	50	50	50
SUBTOTAL	**10**	**9.6**	**76**	**2**	**4**	**6**	**15**	**24**	**29**	**29**	**7**	**23.1**	**401**	**2**	**4**	**28**	**39**	**48**	**50**	**50**
GRAND TOTAL	**11**	**8.8**	**76**	**1**	**3**	**6**	**13**	**23**	**28**	**29**	**8**	**24.3**	**349**	**2**	**4**	**30**	**37**	**47**	**50**	**50**

COCAINE ABUSE (305.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	7.0		7	7	7	7	7	7	7										
18-24	5	3.4	2	2	2	3	5	5	5	5	3	16.3	428	2	3	7	32	40	40	40
25-34	21	7.3	59	1	2	4	10	20	25	28	20	12.3	193	1	2	4	20	34	40	44
35-54	2	22.0		22	22	22	22	22	22	22	4	20.3	428	2	2	18	38	42	42	42
55-74																				
75 +																				
ALL AGES	29	7.7	59	1	2	5	10	22	23	28	27	13.9	233	1	2	4	30	39	42	44
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	7	5.9	96	1	1	3	4	23	28	28	1	25.0		25	25	25	25	25	25	25
25-34	11	6.5	19	1	3	7	8	13	17	17	5	8.0	166	1	2	3	10	31	31	31
35-54	1	20.0		20	20	20	20	20	20	20	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	19	6.9	54	1	2	5	8	19	24	28	7	9.4	165	1	1	3	20	30	31	31
SUBTOTAL	**48**	**7.4**	**56**	**1**	**2**	**5**	**9**	**21**	**23**	**28**	**34**	**13.0**	**216**	**1**	**2**	**4**	**28**	**37**	**42**	**44**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											3	22.3	333	2	8	28	35	37	37	37
18-24	6	11.5	60	2	5	10	19	22	22	22	10	19.5	348	2	4	11	35	46	57	57
25-34	24	9.0	82	1	1	6	15	24	27	28	19	19.6	279	2	3	16	35	43	45	46
35-54	8	12.1	66	3	6	10	16	25	28	28	4	12.8	174	2	3	9	22	31	31	31
55-74																				
75 +																				
ALL AGES	38	10.1	72	1	2	8	15	23	27	28	36	19.0	274	2	3	14	34	42	45	57
B. FEMALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5	1	48.0		48	48	48	48	48	48	48
18-24	5	7.6	133	1	1	3	11	28	28	28	3	23.7	300	4	10	30	35	37	37	37
25-34	12	9.4	41	2	4	9	14	18	19	19	4	20.3	402	3	3	19	37	41	41	41
35-54	4	11.0	85	2	3	10	18	22	22	22										
55-74																				
75 +																				
ALL AGES	22	9.1	60	1	2	6	15	20	24	28	8	25.0	349	3	4	32	39	46	48	48
SUBTOTAL	**60**	**9.7**	**68**	**1**	**2**	**7**	**15**	**22**	**27**	**28**	**44**	**20.1**	**285**	**2**	**3**	**15**	**35**	**42**	**47**	**57**
GRAND TOTAL	**108**	**8.7**	**63**	**1**	**2**	**5**	**14**	**22**	**27**	**28**	**78**	**17.0**	**265**	**2**	**3**	**10**	**32**	**41**	**44**	**54**

AMPHETAMINE ABUSE (305.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +																				
ALL AGES	2	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	2	1.0		1	1	1	1	1	1	1										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24																				
25-34	2	3.0	2	2	2	3	4	4	4	4										
35-54																				
55-74																				
75 +																				
ALL AGES	3	2.3	3	1	1	2	3	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	3	2.3	3	1	1	2	3	4	4	4										
GRAND TOTAL	5	1.8	2	1	1	1	2	4	4	4										

ANTIDEPRESSANT ABUSE (305.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES																					
B. FEMALE																					
0-12 YRS.																					
13-17																					
18-24																					
25-34																					
35-54																					
55-74																					
75 +																					
ALL AGES																					
SUBTOTAL																					
2. PSYCH PRIN, 2ND PSYCH DX(S)																					
A. MALE																					
0-12 YRS.																					
13-17																					
18-24																					
25-34																					
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																					
75 +																					
ALL AGES	1	5.0		5	5	5	5	5	5	5										
B. FEMALE																					
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17																					
18-24																					
25-34																					
35-54	2	12.0	242	1	1	12	23	23	23	23										
55-74																					
75 +																					
ALL AGES	2	12.0	242	1	1	12	23	23	23	23	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	3	9.7	136	1	2	5	18	23	23	23	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	3	9.7	136	1	2	5	18	23	23	23	1	2.0		2	2	2	2	2	2	2

DRUG ABUSE NEC/NOS (305.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	16	18.4	118	6	9	16	29	30	32	33	1	1.0		1	1	1	1	1	1	1
18-24	13	20.4	185	3	6	28	29	37	40	41	7	12.9	239	2	3	5	24	38	40	40
25-34	21	15.6	114	2	6	15	27	28	31	35	2	1.5	1	1	1	1	2	2	2	2
35-54	12	19.5	117	3	10	27	28	28	28	28	3	2.7	2	1	1	3	4	4	4	4
55-74	2	6.5	41	2	2	6	11	11	11	11	2	2.5	5	1	1	2	4	4	4	4
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	65	17.5	130	3	7	17	28	30	33	40	15	7.1	135	1	1	3	5	30	37	40
B. FEMALE																				
0-12 YRS.																				
13-17	7	22.7	102	8	15	30	30	31	31	31	1	1.0		1	1	1	1	1	1	1
18-24	4	11.5	171	1	1	9	22	28	28	28	1	3.0		3	3	3	3	3	3	3
25-34	18	16.1	180	3	5	12	28	32	43	49	2	3.0	8	1	1	3	5	5	5	5
35-54	5	17.4	205	4	7	10	30	37	37	37	2	30.0	648	12	12	30	48	48	48	48
55-74	2	31.5	5	30	30	31	33	33	33	33	1	4.0		4	4	4	4	4	4	4
75 +	2	5.0	8	3	3	5	7	7	7	7										
ALL AGES	38	17.2	165	3	5	15	28	32	35	49	7	10.6	286	1	2	4	10	41	48	48
SUBTOTAL	**103**	**17.4**	**141**	**3**	**6**	**16**	**28**	**30**	**34**	**45**	**22**	**8.2**	**175**	**1**	**1**	**3**	**5**	**33**	**43**	**48**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	15.0		15	15	15	15	15	15	15										
13-17	51	18.2	90	3	12	18	28	30	30	36										
18-24	15	16.3	116	2	5	20	27	28	28	28	2	5.5	41	1	1	5	10	10	10	10
25-34	28	10.3	70	2	4	7	17	22	27	28	5	3.6	2	2	3	3	5	5	5	5
35-54	19	13.3	105	3	4	9	25	28	28	28	6	2.8	4	1	1	2	4	6	6	6
55-74																				
75 +	1	30.0		30	30	30	30	30	30	30	2	7.5	61	2	2	7	13	13	13	13
ALL AGES	116	15.3	99	2	5	16	25	28	30	33	15	4.1	11	1	2	3	5	10	12	13
B. FEMALE																				
0-12 YRS.	2	14.5	365	1	1	14	28	28	28	28										
13-17	17	22.5	183	2	16	18	32	42	43	43	1	1.0		1	1	1	1	1	1	1
18-24	10	8.1	32	3	3	7	10	17	18	18										
25-34	16	9.4	90	2	3	6	13	20	32	37	2	7.0	32	3	3	7	11	11	11	11
35-54	12	15.5	107	2	8	14	22	30	35	36	2	15.5	313	3	3	15	28	28	28	28
55-74	2	30.5	41	26	26	30	35	35	35	35										
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	59	15.1	147	2	4	13	22	36	40	43	6	8.2	106	1	3	3	11	26	28	28
SUBTOTAL	**175**	**15.2**	**115**	**2**	**5**	**15**	**24**	**29**	**31**	**42**	**21**	**5.2**	**39**	**1**	**2**	**3**	**5**	**12**	**20**	**28**
GRAND TOTAL	**278**	**16.0**	**126**	**2**	**5**	**16**	**28**	**30**	**33**	**42**	**43**	**6.8**	**107**	**1**	**2**	**3**	**5**	**16**	**33**	**48**

PSYCHOGEN MUSCULSKEL DIS (306.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-24																				
25-34	1	8.0		8	8	8	8	8	8	8										
35-54																				
55-74																				
75 +																				
ALL AGES	1	8.0		8	8	8	8	8	8	8	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	8.0		8	8	8	8	8	8	8										
35-54	1	30.0		30	30	30	30	30	30	30										
55-74																				
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	3	15.3	163	8	8	8	25	30	30	30										
SUBTOTAL	**4**	**13.5**	**121**	**8**	**8**	**8**	**19**	**30**	**30**	**30**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	5.0		5	5	5	5	5	5	5										
25-34																				
35-54											2	5.5	5	4	4	5	7	7	7	7
55-74	2	6.0	8	4	4	6	8	8	8	8										
75 +																				
ALL AGES	3	5.7	4	4	4	5	7	8	8	8	2	5.5	5	4	4	5	7	7	7	7
SUBTOTAL	**4**	**5.5**	**3**	**4**	**4**	**5**	**7**	**8**	**8**	**8**	**2**	**5.5**	**5**	**4**	**4**	**5**	**7**	**7**	**7**	**7**
GRAND TOTAL	**8**	**9.5**	**71**	**4**	**5**	**8**	**8**	**23**	**30**	**30**	**3**	**4.0**	**9**	**1**	**1**	**4**	**6**	**7**	**7**	**7**

PSYCHOGENIC RESPIR DIS (306.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	2.0	2	1	1	1	3	4	4	4	1	5.0		5	5	5	5	5	5	5
13-17	2	1.5	1	1	1	1	2	2	2	2	2	1.5	1	1	1	1	2	2	2	2
18-24	1	2.0		2	2	2	2	2	2	2										
25-34											2	1.5	1	1	1	1	2	2	2	2
35-54	6	3.5	3	1	3	3	5	6	6	6	1	1.0		1	1	1	1	1	1	1
55-74											3	4.0	9	1	2	4	6	7	7	7
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	13	2.6	3	1	1	2	3	5	6	6	10	2.8	4	1	1	2	4	6	7	7
B. FEMALE																				
0-12 YRS.											1	33.0		33	33	33	33	33	33	33
13-17											2	4.0	8	2	2	4	6	6	6	6
18-24	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
25-34	1	1.0		1	1	1	1	1	1	1	3	3.3	6	2	2	2	5	6	6	6
35-54	3	4.7	14	2	2	3	7	9	9	9	8	2.3	3	1	1	2	3	5	6	6
55-74	4	1.5	1	1	1	1	2	3	3	3	2	2.5	1	2	2	2	3	3	3	3
75 +	4	4.0	5	2	2	3	5	7	7	7	3	3.3	1	3	3	3	4	4	4	4
ALL AGES	13	3.1	6	1	1	3	4	7	9	9	20	4.3	48	1	1	2	4	6	20	33
SUBTOTAL	**26**	**2.8**	**4**	**1**	**1**	**2**	**3**	**6**	**7**	**9**	**30**	**3.8**	**33**	**1**	**1**	**2**	**4**	**6**	**7**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54	1	5.0		5	5	5	5	5	5	5	2	3.0	2	2	2	3	4	4	4	4
55-74	1	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	3	4.0	1	3	3	4	5	5	5	5	4	2.5	1	2	2	2	3	4	4	4
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17											1	2.0		2	2	2	2	2	2	2
18-24	1	3.0		3	3	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3	2	2.5	1	2	2	2	3	3	3	3
55-74	6	3.7	7	1	1	3	6	7	7	7	2	1.5	1	1	1	1	2	2	2	2
75 +	2	3.5	5	2	2	3	5	5	5	5	1	5.0		5	5	5	5	5	5	5
ALL AGES	11	3.4	4	1	2	3	5	6	7	7	7	2.7	2	1	2	2	4	5	5	5
SUBTOTAL	**14**	**3.5**	**4**	**1**	**2**	**3**	**5**	**6**	**7**	**7**	**11**	**2.6**	**2**	**1**	**2**	**2**	**4**	**5**	**5**	**5**
GRAND TOTAL	**40**	**3.1**	**4**	**1**	**2**	**3**	**4**	**6**	**7**	**9**	**41**	**3.5**	**25**	**1**	**2**	**2**	**4**	**6**	**7**	**33**

PSYCHOGEN CARDIOVASC DIS (306.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	1.0		1	1	1	1	1	1	1										
35-54																				
55-74											2	4.5	13	2	2	4	7	7	7	7
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	2	1.0		1	1	1	1	1	1	1	3	3.7	8	2	2	2	6	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	2	2.5	1	2	2	2	3	3	3	3	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**4**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**3**	**4**	**3.0**	**7**	**1**	**1**	**2**	**5**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34	1	8.0		8	8	8	8	8	8	8										
35-54											1	1.0		1	1	1	1	1	1	1
55-74	1	4.0		4	4	4	4	4	4	4	1	2.0		2	2	2	2	2	2	2
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	2	6.0	8	4	4	6	8	8	8	8	4	1.5		1	1	1	2	2	2	2
SUBTOTAL	**2**	**6.0**	**8**	**4**	**4**	**6**	**8**	**8**	**8**	**8**	**4**	**1.5**		**1**	**1**	**1**	**2**	**2**	**2**	**2**
GRAND TOTAL	**6**	**3.2**	**7**	**1**	**1**	**2**	**4**	**8**	**8**	**8**	**8**	**2.3**	**4**	**1**	**1**	**2**	**2**	**6**	**7**	**7**

PSYCHOGENIC SKIN DISEASE (306.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4										
25-34																				
35-54	1	4.0		4	4	4	4	4	4	4										
55-74																				
75 +																				
ALL AGES	2	4.0		4	4	4	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +											1	7.0		7	7	7	7	7	7	7
ALL AGES											1	7.0		7	7	7	7	7	7	7
SUBTOTAL	2	4.0		4	4	4	4	4	4	4	1	7.0		7	7	7	7	7	7	7
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	2	4.0		4	4	4	4	4	4	4	1	7.0		7	7	7	7	7	7	7

PSYCHOGENIC GI DISEASE (306.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	7.3	45	1	1	6	12	16	16	16	1	3.0		3	3	3	3	3	3	3
13-17	1	3.0		3	3	3	3	3	3	3										
18-24																				
25-34																				
35-54											4	2.3	1	1	1	2	3	3	3	3
55-74																				
75 +																				
ALL AGES	5	6.4	38	1	2	3	11	16	16	16	5	2.4	1	1	2	3	3	3	3	3
B. FEMALE																				
0-12 YRS.	1	26.0		26	26	26	26	26	26	26										
13-17	1	4.0		4	4	4	4	4	4	4										
18-24	1	3.0		3	3	3	3	3	3	3										
25-34	2	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
35-54	2	4.0	2	3	3	4	5	5	5	5										
55-74											2	8.0	18	5	5	8	11	11	11	11
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	8	6.6	66	2	2	4	6	21	26	26	3	6.0	21	2	3	5	9	11	11	11
SUBTOTAL	**13**	**6.5**	**51**	**1**	**3**	**3**	**8**	**18**	**24**	**26**	**8**	**3.8**	**9**	**1**	**2**	**3**	**4**	**9**	**11**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	12.0		12	12	12	12	12	12	12										
13-17																				
18-24																				
25-34																				
35-54	1	6.0		6	6	6	6	6	6	6										
55-74											1	13.0		13	13	13	13	13	13	13
75 +											1	6.0		6	6	6	6	6	6	6
ALL AGES	2	9.0	18	6	6	9	12	12	12	12	2	9.5	25	6	6	9	13	13	13	13
B. FEMALE																				
0-12 YRS.	1	36.0		36	36	36	36	36	36	36										
13-17	1	5.0		5	5	5	5	5	5	5										
18-24	2	6.0	18	3	3	6	9	9	9	9	1	9.0		9	9	9	9	9	9	9
25-34																				
35-54	2	5.5	13	3	3	5	8	8	8	8	1	4.0		4	4	4	4	4	4	4
55-74											3	4.3	5	2	3	5	6	6	6	6
75 +	1	14.0		14	14	14	14	14	14	14										
ALL AGES	7	11.1	136	3	4	8	13	32	36	36	5	5.2	7	2	3	5	7	9	9	9
SUBTOTAL	**9**	**10.7**	**104**	**3**	**5**	**8**	**12**	**27**	**36**	**36**	**7**	**6.4**	**13**	**2**	**4**	**6**	**8**	**12**	**13**	**13**
GRAND TOTAL	**22**	**8.2**	**74**	**2**	**3**	**5**	**9**	**19**	**30**	**36**	**15**	**5.0**	**12**	**2**	**2**	**4**	**6**	**11**	**12**	**13**

PSYCHOGENIC GU DISEASE (306.5)

	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
SUBTOTAL	1	5.0		5	5	5	5	5	5	5										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	8.0		8	8	8	8	8	8	8										
35-54																				
55-74																				
75 +																				
ALL AGES	1	8.0		8	8	8	8	8	8	8										
SUBTOTAL	1	8.0		8	8	8	8	8	8	8										
GRAND TOTAL	2	6.5	5	5	5	6	8	8	8	8										

PSYCHOGENIC SENSORY DIS (306.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17	1	24.0		24	24	24	24	24	24	24										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	24.0		24	24	24	24	24	24	24										
SUBTOTAL	**1**	**24.0**		**24**	**24**	**24**	**24**	**24**	**24**	**24**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**1**	**24.0**		**24**	**24**	**24**	**24**	**24**	**24**	**24**										

PSYCHOGENIC DISORDER NEC (306.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	2	3.0		3	3	3	3	3	3	3										
SUBTOTAL	**2**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24																				
25-34																				
35-54	3	4.0	7	1	2	5	6	6	6	6										
55-74	1	15.0		15	15	15	15	15	15	15										
75 +																				
ALL AGES	5	5.6	33	1	1	5	8	15	15	15										
SUBTOTAL	**6**	**5.0**	**28**	**1**	**1**	**3**	**6**	**14**	**15**	**15**										
GRAND TOTAL	**8**	**4.5**	**21**	**1**	**2**	**3**	**5**	**12**	**15**	**15**										

PSYCHOGENIC DISORDER NOS (306.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	5.0		5	5	5	5	5	5	5										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
SUBTOTAL	**2**	**4.5**	**1**	**4**	**4**	**4**	**5**	**5**	**5**	**5**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4										
25-34																				
35-54	1	43.0		43	43	43	43	43	43	43										
55-74	1	8.0		8	8	8	8	8	8	8										
75 +																				
ALL AGES	4	14.3	372	2	3	6	25	43	43	43										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	8.0		8	8	8	8	8	8	8										
75 +	1	11.0		11	11	11	11	11	11	11										
ALL AGES	2	9.5	5	8	8	9	11	11	11	11										
SUBTOTAL	**6**	**12.7**	**230**	**2**	**4**	**8**	**11**	**40**	**43**	**43**										
GRAND TOTAL	**8**	**10.6**	**180**	**3**	**4**	**6**	**10**	**33**	**43**	**43**										

ANOREXIA NERVOSA (307.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	18.0		18	18	18	18	18	18	18										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	18.0		18	18	18	18	18	18	18										
B. FEMALE																				
0-12 YRS.	3	45.7	1348	14	25	61	93	99 +	99 +	99 +										
13-17	19	30.8	735	3	8	25	57	85	97	99 +	1	26.0		26	26	26	26	26	26	26
18-24	5	29.8	855	1	5	21	58	66	66	66	2	2.5	5	1	1	2	4	4	4	4
25-34	1	50.0		50	50	75	99 +	99 +	99 +	99 +										
35-54	3	16.7	519	3	3	23	71	99 +	99 +	99 +	2	5.5	41	1	1	5	10	10	10	10
55-74	1	8.0		8	8	8	8	8	8	8	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	32	30.6	728	3	7	29	58	99	99 +	99 +	6	7.3	96	1	1	3	10	24	26	26
SUBTOTAL	**33**	**30.2**	**711**	**3**	**8**	**28**	**58**	**99**	**99 +**	**99 +**	**6**	**7.3**	**96**	**1**	**1**	**3**	**10**	**24**	**26**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	7.0		7	7	7	7	7	7	7
18-24																				
25-34	3	35.7	894	11	23	69	99 +	99 +	99 +	99 +										
35-54	1	46.0		46	46	46	46	46	46	46										
55-74																				
75 +																				
ALL AGES	4	38.3	620	13	27	57	99 +	99 +	99 +	99 +	1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.	4	42.0	1349	6	11	39	72	84	84	84										
13-17	6	23.5	310	2	15	32	72	99 +	99 +	99 +										
18-24	13	33.2	528	4	16	30	48	67	74	76										
25-34	14	40.5	743	3	28	43	66	90	97	99 +	5	35.0	148	14	31	38	42	45	45	45
35-54	7	29.9	475	5	12	30	36	63	70	70	2	16.0	288	4	4	16	28	28	28	28
55-74																				
75 +																				
ALL AGES	44	34.5	605	3	18	33	60	82	99 +	99 +	7	29.6	230	6	17	37	40	44	45	45
SUBTOTAL	**48**	**34.8**	**595**	**4**	**19**	**33**	**63**	**92**	**99 +**	**99 +**	**8**	**26.8**	**260**	**5**	**10**	**32**	**39**	**44**	**45**	**45**
GRAND TOTAL	**81**	**32.9**	**641**	**3**	**11**	**32**	**61**	**97**	**99 +**	**99 +**	**14**	**18.4**	**279**	**1**	**4**	**12**	**37**	**41**	**44**	**45**

TICS (307.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	3.0	2	1	2	3	4	4	4	4	4	2.0	1	1	1	2	3	3	3	3
13-17																				
18-24	1	9.0		9	9	9	9	9	9	9										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	4.2	9	1	2	4	5	9	9	9	4	2.0	1	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.	3	3.7	2	2	2	4	5	5	5	5										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	3.7	2	2	2	4	5	5	5	5										
SUBTOTAL	**8**	**4.0**	**6**	**1**	**2**	**4**	**5**	**8**	**9**	**9**	**4**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	25.4	182	6	15	26	36	41	42	42										
13-17	2	9.5	25	6	6	9	13	13	13	13										
18-24	1	28.0		28	28	28	28	28	28	28										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	10	22.5	170	5	11	26	30	40	42	42										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	7.0		7	7	7	7	7	7	7										
35-54																				
55-74																				
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7										
SUBTOTAL	**11**	**21.1**	**175**	**6**	**8**	**26**	**29**	**40**	**42**	**42**										
GRAND TOTAL	**19**	**13.9**	**175**	**2**	**4**	**7**	**26**	**35**	**40**	**42**	**4**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**

NONORGANIC SLEEP DISORD (307.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	1.7	1	1	1	1	3	3	3	3										
13-17	1	2.0		2	2	2	2	2	2	2										
18-24																				
25-34																				
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	5	2.0	1	1	1	2	3	3	3	3										
B. FEMALE																				
0-12 YRS.	1	34.0		34	34	34	34	34	34	34	1	1.0		1	1	1	1	1	1	1
13-17	1	3.0		3	3	3	3	3	3	3										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	18.5	481	3	3	18	34	34	34	34	1	1.0		1	1	1	1	[illegible]	1	1
SUBTOTAL	**7**	**6.7**	**146**	**1**	**1**	**3**	**3**	**28**	**34**	**34**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	7.0	8	5	5	7	9	9	9	9										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	7.0	8	5	5	7	9	9	9	9										
B. FEMALE																				
0-12 YRS.	2	4.0	18	1	1	4	7	7	7	7										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	4.0	18	1	1	4	7	7	7	7										
SUBTOTAL	**4**	**5.5**	**12**	**1**	**3**	**6**	**8**	**9**	**9**	**9**										
GRAND TOTAL	**11**	**6.3**	**91**	**1**	**1**	**3**	**6**	**19**	**33**	**34**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

EATING DISORDERS NEC/NOS (307.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	21.2	563	3	5	13	25	63	67	67										
13-17	2	33.5	1301	8	8	33	59	59	59	59										
18-24	1	19.0		19	19	19	19	19	19	19	2	2.5	1	2	2	2	3	3	3	3
25-34	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
35-54																				
55-74																				
75 +																				
ALL AGES	10	21.5	533	2	5	13	25	63	67	67	3	2.0	1	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.	7	16.9	349	3	4	9	26	49	53	53										
13-17	12	39.3	498	8	20	40	58	66	72	73										
18-24	10	28.5	392	5	11	26	52	55	58	58										
25-34	5	29.2	785	2	9	14	55	66	66	66	3	2.3	1	2	2	2	3	3	3	3
35-54	4	10.8	73	1	3	12	18	18	18	18	1	6.0		6	6	6	6	6	6	6
55-74	1	10.0		10	10	10	10	10	10	10	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	39	27.5	486	3	9	18	50	60	65	73	5	3.0	3	2	2	2	4	6	6	6
SUBTOTAL	**49**	**26.3**	**489**	**3**	**9**	**18**	**48**	**60**	**66**	**73**	**8**	**2.6**	**2**	**1**	**2**	**2**	**3**	**5**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	22.6	201	4	11	25	32	41	41	41										
13-17	4	35.5	664	8	14	34	56	65	65	65	1	21.0		21	21	21	21	21	21	21
18-24	4	21.3	829	2	2	10	40	63	63	63										
25-34	2	23.0	50	18	18	23	28	28	28	28										
35-54																				
55-74	1	1.0		1	1	1	1	1	1	1										
75 +																				
ALL AGES	16	24.2	429	2	6	20	35	61	64	65	1	21.0		21	21	21	21	21	21	21
B. FEMALE																				
0-12 YRS.	5	33.4	995	3	3	30	63	71	71	71										
13-17	25	29.2	221	10	18	32	37	49	55	59	3	13.3	219	2	3	8	24	30	30	30
18-24	30	31.0	450	7	14	27	54	63	68	75	9	35.1	54	25	29	40	41	42	42	42
25-34	18	27.6	384	4	7	27	49	56	58	58	3	26.7	174	19	19	19	36	42	42	42
35-54	10	30.6	327	7	19	29	42	55	56	56	2	35.5	113	28	28	35	43	43	43	43
55-74	3	24.0	624	4	7	16	43	52	52	52	1	5.0		5	5	5	5	5	5	5
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	91	29.7	370	6	13	28	44	58	60	73	19	27.2	200	5	19	30	41	42	43	43
SUBTOTAL	**107**	**28.9**	**378**	**4**	**13**	**27**	**42**	**58**	**63**	**73**	**20**	**26.9**	**191**	**5**	**19**	**29**	**41**	**42**	**43**	**43**
GRAND TOTAL	**156**	**28.1**	**410**	**4**	**10**	**25**	**44**	**59**	**64**	**73**	**28**	**20.0**	**258**	**2**	**3**	**20**	**35**	**42**	**42**	**43**

ENCOPRESIS (307.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	15.0	288	3	3	15	27	27	27	27										
13-17	1	10.0		10	10	10	10	10	10	10										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	13.3	154	3	5	10	23	27	27	27										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	3	13.3	154	3	5	10	23	27	27	27										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	13.8	204	3	4	7	23	37	37	37										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	13.8	204	3	4	7	23	37	37	37										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	5	13.8	204	3	4	7	23	37	37	37										
GRAND TOTAL	8	13.6	161	3	4	8	22	34	37	37										

PSYCHALGIA (307.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	2.5	2	1	1	2	3	4	4	4	1	3.0		3	3	3	3	3	3	3
13-17	2	1.5	1	1	1	1	2	2	2	2										
18-24	2	8.0	72	2	2	8	14	14	14	14	1	2.0		2	2	2	2	2	2	2
25-34	1	4.0		4	4	4	4	4	4	4	4	4.3	1	3	3	4	5	6	6	6
35-54	4	4.3	11	1	2	3	6	9	9	9	5	2.8	3	1	2	2	4	5	5	5
55-74	1	6.0		6	6	6	6	6	6	6	1	4.0		4	4	4	4	4	4	4
75 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	15	3.8	13	1	1	3	4	9	13	14	12	3.3	2	1	2	3	4	5	6	6
B. FEMALE																				
0-12 YRS.	9	18.6	525	1	4	9	24	59	66	66	1	2.0		2	2	2	2	2	2	2
13-17	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
18-24	3	2.0	1	1	1	2	3	3	3	3	2	3.5	5	2	2	3	5	5	5	5
25-34	14	3.4	4	1	2	3	5	7	7	7	7	5.6	12	2	3	4	9	11	11	11
35-54	11	2.5	3	1	1	2	3	5	6	6	22	3.7	5	1	2	3	6	6	7	7
55-74	2	3.0	2	2	2	3	4	4	4	4	4	5.5	50	1	1	2	9	16	16	16
75 +																				
ALL AGES	40	6.4	154	1	2	3	5	10	32	66	37	4.2	10	1	2	3	6	7	11	16
SUBTOTAL	**55**	**5.7**	**116**	**1**	**2**	**3**	**5**	**9**	**15**	**65**	**49**	**4.0**	**8**	**1**	**2**	**3**	**5**	**6**	**10**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	16.0		16	16	16	16	16	16	16										
13-17	1	4.0		4	4	4	4	4	4	4										
18-24											2	3.0	2	2	2	3	4	4	4	4
25-34	2	4.0	2	3	3	4	5	5	5	5	3	4.0	7	2	2	3	6	7	7	7
35-54	3	3.0	1	2	2	3	4	4	4	4	1	5.0		5	5	5	5	5	5	5
55-74	1	23.0		23	23	23	23	23	23	23										
75 +																				
ALL AGES	8	7.5	59	2	3	4	10	21	23	23	6	3.8	4	2	2	3	5	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17											3	2.3	1	2	2	2	3	3	3	3
18-24											1	2.0		2	2	2	2	2	2	2
25-34	6	15.2	277	3	4	8	22	44	46	46	4	3.8	2	2	2	3	5	6	6	6
35-54	5	5.0	11	1	2	6	8	8	8	8	8	5.4	11	1	2	5	8	10	11	11
55-74	3	6.7	20	2	3	7	10	11	11	11	2	9.0	72	3	3	9	15	15	15	15
75 +	1	72.0		72	72	72	72	72	72	72										
ALL AGES	15	13.9	386	2	3	7	11	46	65	72	18	4.7	14	2	2	3	7	10	13	15
SUBTOTAL	**23**	**11.7**	**273**	**2**	**3**	**5**	**11**	**28**	**55**	**72**	**24**	**4.5**	**11**	**2**	**2**	**3**	**6**	**8**	**12**	**15**
GRAND TOTAL	**78**	**7.4**	**168**	**1**	**2**	**3**	**7**	**15**	**37**	**70**	**73**	**4.2**	**8**	**2**	**2**	**3**	**6**	**7**	**11**	**16**

SPECIAL SYMPTOM NEC/NOS (307.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	7.0		7	7	7	7	7	7	7	1	11.0		11	11	11	11	11	11	11
13-17	1	19.0		19	19	19	19	19	19	19										
18-24																				
25-34																				
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	3	9.3	77	2	3	7	16	19	19	19	1	11.0		11	11	11	11	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24																				
25-34																				
35-54	1	14.0		14	14	14	14	14	14	14	1	2.0		2	2	2	2	2	2	2
55-74	1	5.0		5	5	5	5	5	5	5										
75 +	2	1.0		1	1	1	1	1	1	1										
ALL AGES	5	4.6	30	1	1	2	7	14	14	14	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	8	6.4	45	1	1	4	10	17	19	19	2	6.5	41	2	2	6	11	11	11	11
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	4.0		4	4	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	1	4.0		4	4	4	4	4	4	4	2	3.0	2	2	2	3	4	4	4	4
GRAND TOTAL	9	6.1	40	1	2	4	9	17	19	19	4	4.8	18	2	2	3	7	11	11	11

STRESS REACT, EMOTIONAL (308.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4	2	2.5	5	1	1	2	4	4	4	4
18-24	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
25-34											1	1.0		1	1	1	1	1	1	1
35-54	2	3.0	2	2	2	3	4	4	4	4	2	5.0	8	3	3	5	7	7	7	7
55-74	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	5	2.6	2	1	2	2	4	4	4	4	7	2.9	5	1	1	3	4	6	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	5.0	18	2	2	5	8	8	8	8	1	1.0		1	1	1	1	1	1	1
25-34	2	2.5	1	2	2	2	3	3	3	3	2	6.0	18	3	3	6	9	9	9	9
35-54	1	3.0		3	3	3	3	3	3	3	2	4.5	5	3	3	4	6	6	6	6
55-74	2	3.5	13	1	1	3	6	6	6	6	2	2.5	5	1	1	2	4	4	4	4
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	7	3.6	6	1	2	3	5	8	8	8	8	3.8	7	1	2	3	5	8	9	9
SUBTOTAL	**12**	**3.2**	**4**	**1**	**2**	**3**	**4**	**7**	**8**	**8**	**15**	**3.3**	**6**	**1**	**1**	**3**	**4**	**7**	**8**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	2	2.5	5	1	1	2	4	4	4	4	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	3.0		3	3	3	3	3	3	3
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	2	13.5	313	1	1	13	26	26	26	26										
55-74	1	18.0		18	18	18	18	18	18	18	2	3.5	13	1	1	3	6	6	6	6
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	4	11.8	149	1	1	10	22	26	26	26	4	3.5	4	1	2	3	5	6	6	6
SUBTOTAL	**6**	**8.7**	**114**	**1**	**1**	**3**	**18**	**25**	**26**	**26**	**5**	**3.0**	**5**	**1**	**1**	**3**	**4**	**6**	**6**	**6**
GRAND TOTAL	**18**	**5.0**	**44**	**1**	**2**	**3**	**4**	**15**	**23**	**26**	**20**	**3.3**	**5**	**1**	**1**	**3**	**4**	**7**	**8**	**9**

STRESS REACTION, FUGUE (308.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	1	1.0		1	1	1	1	1	1	1										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	1.0		1	1	1	1	1	1	1										

STRESS REACT, PSYCHOMOT (308.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	2.0		2	2	2	2	2	2	2										

ACUTE STRESS REACT NEC (308.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	39.5	13	37	37	39	42	42	42	42	1	1.0		1	1	1	1	1	1	1
13-17	1	8.0		8	8	8	8	8	8	8	1	2.0		2	2	2	2	2	2	2
18-24	1	7.0		7	7	7	7	7	7	7	1	1.0		1	1	1	1	1	1	1
25-34	2	12.5	145	4	4	12	21	21	21	21	1	1.0		1	1	1	1	1	1	1
35-54	4	9.3	79	1	4	7	15	22	22	22	2	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	10	15.6	206	2	7	8	22	39	42	42	6	1.5		1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.	1	26.0		26	26	26	26	26	26	26										
13-17	1	3.0		3	3	3	3	3	3	3										
18-24	2	6.0	18	3	3	6	9	9	9	9										
25-34	3	7.3	51	1	2	6	13	15	15	15	2	4.0	2	3	3	4	5	5	5	5
35-54	3	5.0	1	4	4	5	6	6	6	6	2	4.0	18	1	1	4	7	7	7	7
55-74											1	5.0		5	5	5	5	5	5	5
75 +	2	25.0	18	22	22	25	28	28	28	28	1	5.0		5	5	5	5	5	5	5
ALL AGES	12	10.7	92	2	4	6	18	27	28	28	6	4.3	5	1	3	5	5	7	7	7
SUBTOTAL	**22**	**12.9**	**143**	**2**	**4**	**7**	**22**	**31**	**39**	**42**	**12**	**2.9**	**4**	**1**	**1**	**2**	**5**	**6**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	7.0		7	7	7	7	7	7	7										
13-17	1	63.0		63	63	63	63	63	63	63	1	1.0		1	1	1	1	1	1	1
18-24																				
25-34	1	7.0		7	7	7	7	7	7	7										
35-54	8	9.4	103	2	3	6	11	27	33	33										
55-74																				
75 +																				
ALL AGES	11	13.8	340	2	4	7	11	45	61	63	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.	2	10.0	8	8	8	10	12	12	12	12										
13-17	1	42.0		42	42	42	42	42	42	42										
18-24	2	3.0	8	1	1	3	5	5	5	5	1	1.0		1	1	1	1	1	1	1
25-34	6	7.3	26	2	4	6	13	14	14	14	1	3.0		3	3	3	3	3	3	3
35-54	5	20.8	686	2	8	12	26	67	67	67	4	8.5	83	3	3	5	14	22	22	22
55-74	2	15.5	5	14	14	15	17	17	17	17										
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES	18	13.7	262	2	4	11	14	34	57	67	7	6.6	51	1	3	3	7	19	22	22
SUBTOTAL	**29**	**13.8**	**279**	**2**	**4**	**8**	**13**	**38**	**63**	**67**	**8**	**5.9**	**48**	**1**	**2**	**3**	**7**	**18**	**22**	**22**
GRAND TOTAL	**51**	**13.4**	**217**	**2**	**4**	**7**	**15**	**35**	**42**	**67**	**20**	**4.1**	**22**	**1**	**1**	**3**	**5**	**7**	**15**	**22**

STRESS REACT, MIXED DIS (308.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54											1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES											2	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											2	1.0		1	1	1	1	1	1	1
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL											2	1.0		1	1	1	1	1	1	1

ACUTE STRESS REACT NOS (308.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	18.0		18	18	18	18	18	18	18										
18-24											1	2.0		2	2	2	2	2	2	2
25-34	1	1.0		1	1	1	1	1	1	1										
35-54											2	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	2	9.5	145	1	1	9	18	18	18	18	3	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	6.0		6	6	6	6	6	6	6										
25-34	2	3.5	1	3	3	3	4	4	4	4	1	13.0		13	13	13	13	13	13	13
35-54	4	7.0	29	1	3	6	10	14	14	14	6	3.3	10	1	1	2	5	9	9	9
55-74	1	1.0		1	1	1	1	1	1	1	1	4.0		4	4	4	4	4	4	4
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	8	5.3	17	1	2	5	7	12	14	14	9	4.7	16	1	2	4	6	11	13	13
SUBTOTAL	**10**	**6.1**	**33**	**1**	**1**	**5**	**7**	**16**	**18**	**18**	**12**	**4.0**	**13**	**1**	**2**	**2**	**5**	**10**	**13**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24	1	3.0		3	3	3	3	3	3	3										
25-34																				
35-54											1	3.0		3	3	3	3	3	3	3
55-74																				
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	2	3.5	1	3	3	3	4	4	4	4	2	2.5	1	2	2	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	3	9.0	91	3	3	4	16	20	20	20										
55-74	1	4.0		4	4	4	4	4	4	4	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	5	6.4	59	1	2	4	8	20	20	20	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**7**	**5.6**	**41**	**1**	**3**	**4**	**4**	**17**	**20**	**20**	**3**	**2.7**		**2**	**2**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL	**17**	**5.9**	**34**	**1**	**2**	**4**	**6**	**17**	**19**	**20**	**15**	**3.7**	**11**	**1**	**2**	**2**	**5**	**9**	**12**	**13**

BRIEF DEPRESSIVE REACT (309.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	8.0	32	4	4	8	12	12	12	12										
13-17	30	10.1	143	1	2	7	12	22	45	50	4	5.0	18	1	1	4	8	10	10	10
18-24	50	4.5	16	1	2	3	7	10	14	18	12	3.8	13	1	1	3	4	9	12	13
25-34	51	5.6	19	2	3	4	8	14	15	17	10	3.6	8	1	1	3	5	8	9	9
35-54	43	6.7	52	1	2	4	9	19	23	31	7	4.0	9	1	1	4	6	8	9	9
55-74	10	13.4	172	3	4	7	25	34	42	42	2	9.0	18	6	6	9	12	12	12	12
75 +	2	13.0	50	8	8	13	18	18	18	18	2	3.5	1	3	3	3	4	4	4	4
ALL AGES	188	6.8	58	1	2	4	8	16	22	44	37	4.2	11	1	1	3	6	9	11	13
B. FEMALE																				
0-12 YRS.	6	12.5	74	3	8	10	17	26	27	27										
13-17	87	15.6	226	2	5	11	21	33	42	81	14	4.4	8	1	2	4	7	8	9	10
18-24	86	6.5	37	1	2	5	9	13	21	28	5	4.6	14	1	1	5	7	10	10	10
25-34	97	6.1	39	1	2	4	9	12	18	35	16	5.3	15	2	3	4	6	13	15	15
35-54	83	8.8	66	1	3	7	13	17	23	43	19	4.6	11	1	2	4	6	11	12	12
55-74	27	7.7	54	1	2	5	12	17	23	32	8	5.8	8	1	4	6	7	10	11	11
75 +	7	9.6	68	2	4	6	17	22	22	22	1	4.0		4	4	4	4	4	4	4
ALL AGES	393	9.1	101	1	2	6	12	21	28	46	63	4.9	10	1	2	4	7	10	12	15
SUBTOTAL	**581**	**8.4**	**87**	**1**	**2**	**5**	**11**	**19**	**25**	**44**	**100**	**4.6**	**11**	**1**	**2**	**4**	**6**	**9**	**12**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	6	10.8	21	5	8	14	15	83	99+	99+										
13-17	33	14.8	238	2	5	10	17	47	60	99+	4	5.0	3	3	3	5	6	7	7	7
18-24	58	8.1	39	2	4	7	10	17	22	31	6	5.5	18	2	2	4	7	12	13	13
25-34	86	7.8	43	1	3	5	10	16	21	31	10	6.4	15	1	2	7	9	11	12	12
35-54	69	7.9	36	2	3	7	12	15	15	32	2	11.5	61	6	6	11	17	17	17	17
55-74	17	9.9	29	3	6	10	12	16	22	24	2	2.5	5	1	1	2	4	4	4	4
75 +																				
ALL AGES	269	9.0	66	2	4	7	12	17	24	60	24	6.0	18	2	3	6	8	12	14	17
B. FEMALE																				
0-12 YRS.	6	22.2	456	5	8	11	42	55	56	56										
13-17	51	17.1	253	3	7	11	23	41	55	99+	4	4.8	14	1	2	4	7	10	10	10
18-24	57	7.7	54	1	3	6	10	17	20	36	8	6.0	29	1	1	5	8	15	17	17
25-34	92	9.6	106	2	3	6	13	20	24	60	7	8.7	39	4	6	6	9	20	22	22
35-54	89	9.0	51	2	4	7	13	19	23	34	12	7.1	13	1	5	7	9	12	13	13
55-74	17	11.9	48	2	8	12	16	20	25	28	9	7.3	15	4	4	6	9	14	15	15
75 +	4	10.0	40	4	5	9	15	18	18	18	2	4.5	1	4	4	4	5	5	5	5
ALL AGES	316	10.7	116	2	4	8	14	23	35	59	42	6.9	19	1	4	6	9	12	16	22
SUBTOTAL	**585**	**9.9**	**94**	**2**	**4**	**8**	**13**	**20**	**30**	**60**	**66**	**6.6**	**18**	**1**	**4**	**6**	**8**	**12**	**15**	**21**
GRAND TOTAL	**1166**	**9.1**	**92**	**1**	**3**	**7**	**12**	**20**	**28**	**56**	**166**	**5.4**	**15**	**1**	**2**	**5**	**7**	**11**	**13**	**17**

PROLONG DEPRESSIVE REACT (309.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5										
55-74	1	15.0		15	15	15	15	15	15	15	1	4.0		4	4	4	4	4	4	4
75 +											2	24.5	841	4	4	24	45	45	45	45
ALL AGES	2	10.0	50	5	5	10	15	15	15	15	3	17.7	559	4	4	4	35	45	45	45
B. FEMALE																				
0-12 YRS.																				
13-17	1	13.0		13	13	13	13	13	13	13										
18-24	2	14.5	181	5	5	14	24	24	24	24										
25-34																				
35-54	4	4.5	4	2	3	4	6	7	7	7										
55-74	2	7.0	2	6	6	7	8	8	8	8	1	4.0		4	4	4	4	4	4	4
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	10	7.9	41	3	5	6	8	18	24	24	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**12**	**8.3**	**37**	**3**	**5**	**6**	**10**	**18**	**23**	**24**	**4**	**14.3**	**418**	**4**	**4**	**4**	**25**	**45**	**45**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17	1	22.0		22	22	22	22	22	22	22										
18-24	1	8.0		8	8	8	8	8	8	8	3	7.0	12	3	4	9	9	9	9	9
25-34	1	6.0		6	6	6	6	6	6	6	1	2.0		2	2	2	2	2	2	2
35-54	4	18.0	298	2	5	14	31	41	41	41										
55-74	1	1.0		1	1	1	1	1	1	1	1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	8	13.6	185	1	4	8	21	35	41	41	5	5.8	11	2	3	6	9	9	9	9
SUBTOTAL	**8**	**13.6**	**185**	**1**	**4**	**8**	**21**	**35**	**41**	**41**	**5**	**5.8**	**11**	**2**	**3**	**6**	**9**	**9**	**9**	**9**
GRAND TOTAL	**20**	**10.4**	**97**	**2**	**5**	**7**	**14**	**23**	**32**	**41**	**9**	**9.6**	**182**	**2**	**3**	**4**	**9**	**31**	**45**	**45**

ADJUST REACT/OTH EMOTION (309.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	19	11.6	110	4	6	8	13	29	39	42										
13-17	11	16.1	197	3	5	11	24	40	44	44										
18-24	12	5.3	17	1	2	5	8	10	14	15	1	5.0		5	5	5	5	5	5	5
25-34	19	6.9	19	2	3	6	9	14	16	17										
35-54	16	7.0	36	1	3	6	8	15	22	24	2	4.5	1	4	4	4	5	5	5	5
55-74	6	12.0	186	3	5	6	13	36	39	39										
75 +																				
ALL AGES	83	9.3	86	2	4	7	11	19	36	43	3	4.7		4	4	5	5	5	5	5
B. FEMALE																				
0-12 YRS.	7	10.4	38	1	5	12	14	18	19	19	1	3.0		3	3	3	3	3	3	3
13-17	27	14.3	130	3	4	11	22	31	34	46										
18-24	23	5.0	29	1	1	3	7	11	17	24	5	2.2	3	1	1	1	3	5	5	5
25-34	30	4.1	15	1	1	3	5	9	14	16	8	4.9	6	2	3	4	6	9	9	9
35-54	41	8.9	69	1	2	6	12	22	28	32	6	4.5	12	1	1	4	8	9	9	9
55-74	8	11.3	86	5	7	9	10	27	34	34	2	4.5	13	2	2	4	7	7	7	7
75 +	4	7.5	19	1	5	9	10	10	10	10										
ALL AGES	140	8.4	72	1	2	5	11	21	28	35	22	4.0	7	1	2	4	5	8	9	9
SUBTOTAL	**223**	**8.8**	**76**	**1**	**3**	**6**	**11**	**20**	**30**	**43**	**25**	**4.1**	**6**	**1**	**2**	**4**	**5**	**8**	**9**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	11	19.5	53	10	14	21	23	30	32	32										
13-17	9	15.0	125	5	5	8	24	31	32	32										
18-24	19	8.6	68	1	2	6	14	19	27	32	2	1.5	1	1	1	1	2	2	2	2
25-34	22	7.7	52	1	3	4	13	20	24	25	3	4.0	27	1	1	1	8	10	10	10
35-54	21	6.7	19	3	3	5	9	13	16	18	2	4.0	2	3	3	4	5	5	5	5
55-74	2	1.5	1	1	1	1	2	2	2	2										
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	85	9.8	72	1	3	7	14	23	28	32	7	3.3	11	1	1	2	4	9	10	10
B. FEMALE																				
0-12 YRS.	5	16.8	101	5	10	13	25	30	30	30										
13-17	13	21.2	715	1	2	9	28	74	76	77	2	10.5	181	1	1	10	20	20	20	20
18-24	22	6.7	29	2	3	5	8	17	18	19	2	3.5	13	1	1	3	6	6	6	6
25-34	22	7.8	51	1	2	6	12	17	25	29	1	4.0		4	4	4	4	4	4	4
35-54	35	11.9	189	2	4	7	13	27	49	63	4	9.5	28	4	5	9	14	15	15	15
55-74	9	8.8	39	2	4	7	12	18	21	21	2	6.5	25	3	3	6	10	10	10	10
75 +	2	11.0	18	8	8	11	14	14	14	14										
ALL AGES	108	11.1	183	2	3	7	13	23	38	75	11	7.5	39	1	3	6	12	17	20	20
SUBTOTAL	**193**	**10.5**	**134**	**2**	**3**	**7**	**14**	**23**	**30**	**69**	**18**	**5.9**	**31**	**1**	**1**	**4**	**10**	**14**	**18**	**20**
GRAND TOTAL	**416**	**9.6**	**104**	**1**	**3**	**6**	**12**	**21**	**30**	**48**	**43**	**4.9**	**16**	**1**	**2**	**4**	**6**	**10**	**14**	**20**

ADJUST REACT-CONDUCT DIS (309.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	11	11.7	31	5	8	12	14	20	21	21										
13-17	14	14.6	132	3	5	12	17	35	39	40										
18-24	2	9.5	5	8	8	9	11	11	11	11										
25-34	2	5.5	41	1	1	5	10	10	10	10										
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	30	12.2	81	2	7	11	15	22	35	40										
B. FEMALE																				
0-12 YRS.	6	16.0	142	3	8	12	29	32	32	32										
13-17	9	22.7	243	5	8	21	33	46	48	48	1	4.0		4	4	4	4	4	4	4
18-24																				
25-34	2	13.0	288	1	1	13	25	25	25	25										
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	18	18.2	205	1	7	14	29	39	46	48	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**48**	**14.5**	**131**	**2**	**7**	**12**	**20**	**31**	**40**	**48**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	10	17.5	30	12	14	16	22	26	28	28										
13-17	5	12.0	170	4	4	4	19	34	34	34	1	9.0		9	9	9	9	9	9	9
18-24	2	9.5	85	3	3	9	16	16	16	16	1	5.0		5	5	5	5	5	5	5
25-34																				
35-54	2	10.5	61	5	5	10	16	16	16	16										
55-74	1	27.0		27	27	27	27	27	27	27										
75 +																				
ALL AGES	20	15.1	76	4	7	15	19	27	31	34	2	7.0	8	5	5	7	9	9	9	9
B. FEMALE																				
0-12 YRS.	3	10.0	61	1	4	14	15	15	15	15										
13-17	6	17.5	315	3	4	14	19	48	51	51										
18-24																				
25-34																				
35-54																				
55-74	1	6.0		6	6	6	6	6	6	6	1	8.0		8	8	8	8	8	8	8
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	11	13.5	193	2	4	10	17	32	49	51	1	8.0		8	8	8	8	8	8	8
SUBTOTAL	**31**	**14.5**	**114**	**3**	**5**	**14**	**18**	**27**	**34**	**51**	**3**	**7.3**	**5**	**5**	**6**	**8**	**9**	**9**	**9**	**9**
GRAND TOTAL	**79**	**14.5**	**123**	**3**	**6**	**12**	**19**	**30**	**38**	**50**	**4**	**6.5**	**6**	**4**	**4**	**6**	**8**	**9**	**9**	**9**

ADJ REACT-EMOTION/CONDUC (309.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS											HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	15	17.5	118	5	11	14	25	34	40	42										
13-17	19	18.5	160	5	10	13	22	40	45	46										
18-24	5	5.2	10	1	2	6	7	9	9	9	1	8.0		8	8	8	8	8	8	8
25-34	3	2.7	2	1	1	3	4	4	4	4										
35-54	8	4.3	17	1	1	2	7	11	12	12										
55-74																				
75 +	1	14.0		14	14	14	14	14	14	14										
ALL AGES	51	13.7	134	2	4	11	17	34	42	46	1	8.0		8	8	8	8	8	8	8
B. FEMALE																				
0-12 YRS.	7	26.1	304	3	14	23	43	45	45	45										
13-17	28	15.9	231	4	6	11	21	40	49	66	2	1.5	1	1	1	1	2	2	2	2
18-24	11	9.5	181	1	1	4	8	33	43	44	1	3.0		3	3	3	3	3	3	3
25-34	3	7.0	12	5	5	5	10	11	11	11	1	2.0		2	2	2	2	2	2	2
35-54	6	8.8	29	2	4	9	11	16	17	17	1	3.0		3	3	3	3	3	3	3
55-74	2	10.0	8	8	8	10	12	12	12	12	1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	57	14.5	209	2	5	10	17	42	45	65	6	2.0	1	1	1	2	3	3	3	3
SUBTOTAL	**108**	**14.1**	**173**	**2**	**5**	**11**	**17**	**35**	**44**	**55**	**7**	**2.9**	**6**	**1**	**1**	**2**	**3**	**7**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	12	34.4	453	12	15	29	50	66	73	74										
13-17	12	16.3	249	2	4	10	28	41	44	45										
18-24	9	8.4	136	1	1	2	13	28	36	36	1	9.0		9	9	9	9	9	9	9
25-34	6	7.0	20	2	2	7	11	13	13	13										
35-54	9	11.6	100	2	6	9	13	29	34	34	1	2.0		2	2	2	2	2	2	2
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	49	17.0	314	2	3	11	23	44	5[illegible]	74	2	5.5	25	2	2	5	9	9	9	9
B. FEMALE																				
0-12 YRS.	11	20.1	79	9	10	22	28	30	30	30										
13-17	18	13.8	71	4	7	13	18	28	30	31										
18-24	7	11.1	56	4	5	12	12	23	26	26	1	18.0		18	18	18	18	18	18	18
25-34	13	5.5	13	1	3	5	8	11	13	13										
35-54	4	10.5	58	3	5	9	15	21	21	21	1	4.0		4	4	4	4	4	4	4
55-74	2	15.5	313	3	3	15	28	28	28	28	1	10.0		10	10	10	10	10	10	10
75 +																				
ALL AGES	55	12.6	80	3	5	10	18	28	30	31	3	10.7	48	4	5	10	16	18	18	18
SUBTOTAL	**104**	**14.7**	**192**	**2**	**5**	**11**	**21**	**31**	**43**	**68**	**5**	**8.6**	**39**	**2**	**3**	**9**	**12**	**18**	**18**	**18**
GRAND TOTAL	**212**	**14.4**	**182**	**2**	**5**	**11**	**19**	**35**	**44**	**64**	**12**	**5.3**	**25**	**1**	**2**	**3**	**8**	**12**	**17**	**18**

OTHER ADJUST REACTION (309.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	24.8	642	3	11	19	24	69	74	74										
13-17	2	15.5	61	10	10	15	21	21	21	21	1	1.0		1	1	1	1	1	1	1
18-24	4	9.8	108	3	3	6	16	25	25	25										
25-34	3	2.3	6	1	1	1	4	5	5	5	1	6.0		6	6	6	6	6	6	6
35-54	4	8.0	51	1	2	7	14	16	16	16	1	4.0		4	4	4	4	4	4	4
55-74											1	14.0		14	14	14	14	14	14	14
75 +																				
ALL AGES	19	13.6	282	1	3	10	19	25	52	74	4	6.3	30	1	2	5	10	14	14	14
B. FEMALE																				
0-12 YRS.	2	42.0	1568	14	14	42	70	70	70	70										
13-17	2	9.5	145	1	1	9	18	18	18	18										
18-24	3	3.3	6	2	2	2	5	6	6	6										
25-34	2	5.5	13	3	3	5	8	8	8	8										
35-54	9	15.0	209	2	5	6	30	36	37	37	1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	18	14.4	323	1	3	6	18	36	57	70	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**37**	**14.0**	**293**	**1**	**3**	**8**	**19**	**34**	**58**	**74**	**5**	**5.4**	**27**	**1**	**2**	**4**	**8**	**14**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	6	24.8	475	4	13	17	34	61	64	64										
13-17	1	21.0		21	21	21	21	21	21	21										
18-24	1	16.0		16	16	16	16	16	16	16										
25-34	3	28.3	357	16	17	19	42	50	50	50										
35-54	5	7.8	13	2	6	8	10	12	12	12										
55-74																				
75 +																				
ALL AGES	16	19.4	281	3	9	15	21	48	60	64										
B. FEMALE																				
0-12 YRS.	4	17.5	82	7	10	17	24	28	28	28										
13-17	6	19.8	237	2	7	20	30	39	40	40										
18-24	5	14.6	97	1	8	15	20	28	28	28										
25-34	10	16.9	358	5	6	11	17	45	68	68	1	2.0		2	2	2	2	2	2	2
35-54	17	14.0	164	4	7	10	14	38	41	43	1	41.0		41	41	41	41	41	41	41
55-74	1	25.0		25	25	25	25	25	25	25										
75 +																				
ALL AGES	43	16.1	190	5	7	11	23	36	41	68	2	21.5	761	2	2	21	41	41	41	41
SUBTOTAL	**59**	**17.0**	**212**	**4**	**7**	**12**	**22**	**37**	**47**	**68**	**2**	**21.5**	**761**	**2**	**2**	**21**	**41**	**41**	**41**	**41**
GRAND TOTAL	**96**	**15.8**	**244**	**2**	**6**	**11**	**21**	**36**	**48**	**72**	**7**	**10.0**	**206**	**1**	**2**	**4**	**12**	**36**	**41**	**41**

ADJUSTMENT REACTION NOS (309.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	18.3	242	7	8	12	30	36	36	36										
13-17	6	14.8	299	1	1	16	38	88	99 +	99 +	1	6.0		6	6	6	6	6	6	6
18-24	9	2.9	8	1	1	1	4	7	9	9	1	1.0		1	1	1	1	1	1	1
25-34	6	6.0	31	1	2	3	12	14	14	14										
35-54	6	4.0	15	1	2	2	6	10	11	11										
55-74																				
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	31	7.5	108	1	1	3	11	30	41	99 +	2	3.5	13	1	1	3	6	6	6	6
B. FEMALE																				
0-12 YRS.	4	29.5	324	8	15	31	44	48	48	48										
13-17	26	12.6	231	1	3	6	16	44	46	49	1	1.0		1	1	1	1	1	1	1
18-24	14	7.0	120	1	1	2	8	21	36	40	1	15.0		15	15	15	15	15	15	15
25-34	15	5.1	20	1	1	4	7	13	13	13										
35-54	16	6.1	22	1	2	5	8	12	16	18	1	2.0		2	2	2	2	2	2	2
55-74	3	10.3	115	1	3	8	18	22	22	22										
75 +																				
ALL AGES	78	9.6	150	1	1	5	13	22	43	49	3	6.0	61	1	1	2	12	15	15	15
SUBTOTAL	**109**	**9.0**	**138**	**1**	**1**	**4**	**12**	**25**	**42**	**69**	**5**	**5.0**	**36**	**1**	**1**	**2**	**8**	**15**	**15**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	8	19.9	108	9	14	18	21	37	43	43										
13-17	5	24.2	496	1	7	16	45	53	53	53										
18-24	11	4.2	11	1	1	3	8	9	9	9										
25-34	15	4.2	21	1	1	3	5	10	16	18										
35-54	8	6.8	61	1	2	4	8	20	25	25	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	48	9.3	136	1	2	5	11	22	42	53	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.	4	28.0	93	15	21	29	34	38	38	38										
13-17	24	21.6	340	2	4	17	37	44	56	59	1	2.0		2	2	2	2	2	2	2
18-24	10	5.1	28	1	2	4	5	13	19	19	1	2.0		2	2	2	2	2	2	2
25-34	11	5.1	13	2	3	4	6	10	14	14	2	2.0	2	1	1	2	3	3	3	3
35-54	17	10.9	60	2	3	9	16	23	24	24	2	4.0	2	3	3	4	5	5	5	5
55-74	5	4.6	13	1	2	4	7	10	10	10	2	3.5	13	1	1	3	6	6	6	6
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	71	13.3	199	2	3	7	20	37	42	58	9	2.9	3	1	2	3	4	6	6	6
SUBTOTAL	**119**	**11.7**	**176**	**1**	**3**	**6**	**16**	**33**	**42**	**56**	**10**	**2.7**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**6**
GRAND TOTAL	**228**	**10.4**	**159**	**1**	**2**	**5**	**14**	**31**	**42**	**56**	**15**	**3.5**	**13**	**1**	**1**	**2**	**5**	**6**	**13**	**15**

FRONTAL LOBE SYNDROME (310.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74																				
75 +																				
ALL AGES	2	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	**3**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	17.0		17	17	17	17	17	17	17										
55-74																				
75 +																				
ALL AGES	1	17.0		17	17	17	17	17	17	17										
SUBTOTAL	**1**	**17.0**		**17**	**17**	**17**	**17**	**17**	**17**	**17**										
GRAND TOTAL	**4**	**5.8**	**55**	**2**	**2**	**2**	**10**	**17**	**17**	**17**										

ORGANIC PERSONALITY SYND (310.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	18.7	174	11	11	11	28	34	34	34										
13-17	1	11.0		11	11	11	11	11	11	11										
18-24	1	30.0		30	30	30	30	30	30	30										
25-34	3	4.7	10	1	2	6	7	7	7	7										
35-54	3	5.0	1	4	4	5	6	6	6	6	2	2.0	2	1	1	2	3	3	3	3
55-74	2	13.5	41	9	9	13	18	18	18	18										
75 +	2	17.5	13	15	15	17	20	20	20	20										
ALL AGES	15	12.5	91	4	6	11	17	30	33	34	2	2.0	2	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	2	24.5	841	4	4	24	45	45	45	45										
18-24											1	6.0		6	6	6	6	6	6	6
25-34	1	4.0		4	4	4	4	4	4	4	1	10.0		10	10	10	10	10	10	10
35-54	2	11.5	181	2	2	11	21	21	21	21	2	7.5	1	7	7	7	8	8	8	8
55-74	1	1.0		1	1	1	1	1	1	1	2	1.5	1	1	1	1	2	2	2	2
75 +	1	7.0		7	7	7	7	7	7	7	3	11.7	155	3	4	6	21	26	26	26
ALL AGES	7	12.0	257	1	2	4	17	40	45	45	9	7.7	55	1	3	6	8	20	26	26
SUBTOTAL	**22**	**12.4**	**132**	**2**	**4**	**8**	**18**	**31**	**38**	**45**	**11**	**6.6**	**51**	**1**	**2**	**6**	**8**	**16**	**25**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	8.0	98	1	1	8	15	15	15	15										
18-24	3	14.0	133	3	5	13	23	26	26	26										
25-34	1	26.0		26	26	26	26	26	26	26										
35-54	4	31.0	261	17	19	27	43	53	53	53										
55-74	2	23.5	145	15	15	23	32	32	32	32										
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	13	20.2	198	3	11	17	28	37	50	53										
B. FEMALE																				
0-12 YRS.																				
13-17	1	21.0		21	21	21	21	21	21	21										
18-24																				
25-34	2	19.0	50	14	14	19	24	24	24	24										
35-54																				
55-74	4	24.0	303	2	11	25	37	43	43	43	1	3.0		3	3	3	3	3	3	3
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	7	22.1	168	4	15	21	29	41	43	43	2	2.5	1	2	2	2	3	3	3	3
SUBTOTAL	**20**	**20.9**	**178**	**2**	**13**	**20**	**29**	**38**	**48**	**53**	**2**	**2.5**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**
GRAND TOTAL	**42**	**16.4**	**170**	**2**	**6**	**14**	**24**	**33**	**44**	**53**	**13**	**6.0**	**44**	**1**	**2**	**3**	**7**	**13**	**24**	**26**

POSTCONCUSSION SYNDROME (310.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	15	1.3	1	1	1	1	1	2	3	4	14	1.4		1	1	1	1	3	3	3
13-17	5	1.2		1	1	1	2	2	2	2	2	2.0	2	1	1	2	3	3	3	3
18-24	3	12.7	224	4	4	4	24	30	30	30	6	2.0	1	1	1	2	3	3	3	3
25-34	5	5.2	37	1	2	3	6	16	16	16	4	3.0	5	1	1	3	5	5	5	5
35-54	7	4.6	9	1	2	4	6	9	10	10	1	4.0		4	4	4	4	4	4	4
55-74	3	2.3	2	1	1	3	3	3	3	3	1	3.0		3	3	3	3	3	3	3
75 +	1	9.0		9	9	9	9	9	9	9	1	5.0		5	5	5	5	5	5	5
ALL AGES	39	3.5	28	1	1	1	4	8	13	30	29	2.0	2	1	1	1	3	4	5	5
B. FEMALE																				
0-12 YRS.	6	1.3		1	1	1	2	2	2	2	10	1.9	1	1	1	2	2	3	4	4
13-17	2	1.0		1	1	1	1	1	1	1	5	3.4	14	1	1	2	5	10	10	10
18-24	5	1.4		1	1	1	2	2	2	2	4	2.5	6	1	1	2	4	6	6	6
25-34	3	4.7	3	2	4	5	6	7	7	7	4	1.8	1	1	1	2	2	3	3	3
35-54	11	5.5	6	2	4	5	7	9	11	11	4	4.0	7	2	2	3	6	8	8	8
55-74	1	7.0		7	7	7	7	7	7	7	5	2.6	1	2	2	2	3	4	4	4
75 +	1	9.0		9	9	9	9	9	9	9	1	5.0		5	5	5	5	5	5	5
ALL AGES	32	3.8	8	1	1	3	6	8	9	11	33	2.6	4	1	1	2	3	5	8	10
SUBTOTAL	71	3.6	19	1	1	2	5	8	10	27	62	2.4	3	1	1	2	3	5	6	10
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54	1	4.0		4	4	4	4	4	4	4										
55-74																				
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	2	2.5	5	1	1	2	4	4	4	4	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5										
18-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
55-74																				
75 +	2	5.5	1	5	5	5	6	6	6	6										
ALL AGES	4	4.5	3	2	3	5	6	6	6	6	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	6	3.8	4	1	2	4	5	6	6	6	2	3.5	5	2	2	3	5	5	5	5
GRAND TOTAL	77	3.6	18	1	1	2	5	7	10	26	64	2.4	3	1	1	2	3	5	6	10

NONPSYCHOT BRAIN SYN NEC (310.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	1	7.0		7	7	7	7	7	7	7										
SUBTOTAL	1	7.0		7	7	7	7	7	7	7										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	1.0		1	1	1	1	1	1	1										
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	1.0		1	1	1	1	1	1	1										
GRAND TOTAL	2	4.0	18	1	1	4	7	7	7	7										

NONPSYCHOT BRAIN SYN NOS (310.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	13.0		13	13	13	13	13	13	13										
13-17	2	16.0	242	5	5	16	27	27	27	27										
18-24																				
25-34	3	5.7	22	2	2	4	9	11	11	11										
35-54	6	6.3	8	2	4	7	9	9	9	9	2	4.5	5	3	3	4	6	6	6	6
55-74	13	6.9	41	2	3	4	8	19	21	22	4	11.3	79	3	3	11	19	20	20	20
75 +	19	10.2	33	3	6	9	13	19	23	24	14	8.9	37	3	4	10	13	23	81	99 +
ALL AGES	44	8.7	39	2	4	7	12	18	23	27	20	9.0	40	3	3	8	14	21	58	99 +
B. FEMALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-17	1	4.0		4	4	4	4	4	4	4										
18-24																				
25-34	2	20.0	98	13	13	20	27	27	27	27										
35-54	3	9.0	52	1	3	11	14	15	15	15	1	7.0		7	7	7	7	7	7	7
55-74	15	10.8	46	3	5	8	17	20	23	24	11	4.5	13	1	2	4	6	40	91	99 +
75 +	18	16.0	479	3	6	11	16	72	99 +	99 +	28	6.6	44	2	3	5	9	58	99 +	99 +
ALL AGES	40	13.2	244	3	6	10	15	25	62	99 +	40	6.1	34	2	3	5	8	37	99 +	99 +
SUBTOTAL	**84**	**10.9**	**139**	**3**	**4**	**9**	**14**	**21**	**27**	**99 +**	**60**	**7.0**	**38**	**2**	**3**	**5**	**11**	**23**	**99 +**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	2	16.5	1	16	16	16	17	17	17	17										
35-54	7	11.0	138	2	3	7	12	31	36	36										
55-74	6	14.2	137	4	7	8	23	33	34	34	2	14.0		14	14	14	14	14	14	14
75 +	6	14.5	226	3	5	8	19	41	43	43	5	14.0	105	5	6	9	24	27	27	27
ALL AGES	23	12.4	135	2	4	8	17	34	38	43	7	14.0	70	5	7	14	21	26	27	27
B. FEMALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-17																				
18-24	3	16.7	309	6	6	7	29	37	37	37										
25-34	4	10.8	101	3	3	7	18	25	25	25										
35-54	7	16.7	142	5	7	11	29	33	33	33	1	3.0		3	3	3	3	3	3	3
55-74	10	16.7	107	5	9	14	27	32	35	35	5	14.0	178	5	6	8	20	37	37	37
75 +	14	9.9	67	2	5	8	14	23	29	31	10	9.8	34	3	6	9	17	51	96	99 +
ALL AGES	39	13.5	105	4	6	10	19	32	34	37	16	10.7	76	3	5	8	16	33	78	99 +
SUBTOTAL	**62**	**13.1**	**114**	**3**	**5**	**9**	**17**	**32**	**35**	**42**	**23**	**11.7**	**73**	**4**	**6**	**9**	**16**	**28**	**56**	**99 +**
GRAND TOTAL	**146**	**11.8**	**130**	**3**	**5**	**9**	**15**	**26**	**33**	**99**	**83**	**8.3**	**51**	**2**	**3**	**6**	**14**	**25**	**99 +**	**99 +**

DEPRESSIVE DISORDER NEC (311.)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	15	26.7	370	3	11	26	40	58	62	64										
13-17	22	26.2	345	4	9	20	42	48	55	65	1	3.0		3	3	3	3	3	3	3
18-24	9	6.4	68	1	1	3	8	21	25	25	4	3.5	3	2	2	3	5	6	6	6
25-34	27	5.0	13	1	2	4	8	10	12	14	4	2.3	1	1	1	2	3	3	3	3
35-54	34	10.2	74	2	5	8	13	20	24	44	6	2.8	4	1	1	2	5	5	5	5
55-74	15	10.4	44	4	7	9	13	14	26	30	3	5.7	14	3	3	4	8	10	10	10
75 +	10	11.9	88	3	4	9	23	25	27	27	1	5.0		5	5	5	5	5	5	5
ALL AGES	132	13.6	200	2	4	9	16	40	43	64	19	3.4	5	1	2	3	4	6	8	10
B. FEMALE																				
0-12 YRS.	5	26.8	459	3	4	39	43	46	46	46	1	1.0		1	1	1	1	1	1	1
13-17	31	20.5	321	1	4	12	32	46	51	62	3	1.0		1	1	1	1	1	1	1
18-24	20	7.3	26	1	4	7	8	15	19	22	7	4.7	15	1	1	4	7	10	11	11
25-34	51	9.4	64	1	4	8	12	21	28	33	13	2.7	3	1	2	2	3	5	7	7
35-54	80	10.0	57	3	5	8	13	20	25	37	20	5.1	12	1	2	5	6	10	13	14
55-74	49	14.2	108	3	5	12	19	30	36	42	11	5.9	23	2	3	4	9	13	17	17
75 +	16	13.3	49	6	8	12	17	24	29	31	7	3.7	5	1	2	4	6	7	7	7
ALL AGES	252	12.3	121	2	4	9	16	29	37	50	62	4.3	12	1	1	3	6	9	12	17
SUBTOTAL	**384**	**12.8**	**147**	**2**	**4**	**9**	**16**	**30**	**42**	**56**	**81**	**4.1**	**10**	**1**	**2**	**3**	**5**	**9**	**11**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	22	38.6	392	16	28	40	57	86	99 +	99 +										
13-17	28	30.9	305	10	16	32	44	69	99 +	99 +										
18-24	16	9.6	77	2	4	6	13	21	31	35	4	2.8	4	1	1	3	4	5	5	5
25-34	25	7.9	56	1	3	6	9	21	27	28	4	2.3	1	1	1	2	3	3	3	3
35-54	32	11.6	89	3	4	9	17	24	28	46	5	3.0	4	1	1	3	5	5	5	5
55-74	10	11.7	26	6	7	12	14	19	21	21	5	6.2	25	3	3	5	8	15	15	15
75 +	3	18.0	589	3	3	5	36	46	46	46	2	13.0	162	4	4	13	22	22	22	22
ALL AGES	136	19.1	316	3	6	13	29	46	68	99 +	20	4.6	26	1	2	3	5	10	18	22
B. FEMALE																				
0-12 YRS.	4	24.3	495	1	7	21	41	53	53	53										
13-17	40	24.8	361	3	9	25	32	50	58	92	2	2.5	1	2	2	2	3	3	3	3
18-24	21	12.0	57	3	6	11	19	22	24	27	3	6.0	25	1	2	6	10	11	11	11
25-34	34	10.1	74	2	3	7	15	24	28	29	3	5.0	7	2	3	6	7	7	7	7
35-54	46	15.3	172	2	6	13	21	30	33	76	15	7.0	24	3	3	5	9	14	18	20
55-74	16	11.5	31	5	9	11	13	22	23	23	11	5.7	26	3	3	4	6	13	19	20
75 +	12	16.1	85	8	9	12	22	28	37	39	4	11.0	72	3	6	9	16	23	23	23
ALL AGES	173	16.0	194	3	6	12	22	31	40	72	38	6.6	27	2	3	5	8	13	20	23
SUBTOTAL	**309**	**17.4**	**248**	**3**	**6**	**12**	**25**	**42**	**54**	**99 +**	**58**	**5.9**	**27**	**1**	**3**	**4**	**7**	**13**	**20**	**23**
GRAND TOTAL	**693**	**14.8**	**199**	**2**	**5**	**10**	**21**	**36**	**44**	**80**	**139**	**4.8**	**18**	**1**	**2**	**3**	**6**	**10**	**14**	**22**

UNSOCIALIZED AGGRESSION (312.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	23.2	92	11	15	23	28	37	38	38										
13-17	13	14.8	130	2	8	12	20	36	37	37										
18-24	2	5.0	8	3	3	5	7	7	7	7										
25-34																				
35-54	1	10.0		10	10	10	10	10	10	10										
55-74																				
75 +																				
ALL AGES	22	16.0	125	3	8	12	22	36	37	38										
B. FEMALE																				
0-12 YRS.																				
13-17	6	14.7	141	2	7	12	20	33	35	35										
18-24	1	11.0		11	11	11	11	11	11	11										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	7	14.1	122	2	8	11	19	32	35	35										
SUBTOTAL	**29**	**15.6**	**119**	**2**	**8**	**12**	**21**	**36**	**37**	**38**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	9	31.4	611	11	14	24	37	74	85	85										
13-17	9	22.6	447	1	7	30	82	99 +	99 +	99 +										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	18	27.0	518	2	13	26	59	99 +	99 +	99 +										
B. FEMALE																				
0-12 YRS.	3	45.7	880	28	28	29	67	80	80	80										
13-17	6	18.7	72	6	15	19	22	30	31	31										
18-24											1	4.0		4	4	4	4	4	4	4
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	9	27.7	447	9	18	22	29	60	80	80	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**27**	**27.2**	**479**	**4**	**14**	**25**	**41**	**92**	**99 +**	**99 +**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
GRAND TOTAL	**56**	**21.2**	**320**	**3**	**10**	**20**	**30**	**62**	**93**	**99 +**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**

UNSOCIALIZ, UNAGGRESSIVE (312.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.	1	12.0		12	12	12	12	12	12	12										
13-17	3	28.0	624	8	11	20	47	56	56	56										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	24.0	480	8	10	16	38	56	56	56										
SUBTOTAL	**4**	**24.0**	**480**	**8**	**10**	**16**	**38**	**56**	**56**	**56**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	27.3	807	9	10	13	48	60	60	60										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	27.3	807	9	10	13	48	60	60	60										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**3**	**27.3**	**807**	**9**	**10**	**13**	**48**	**60**	**60**	**60**										
GRAND TOTAL	**7**	**25.4**	**513**	**8**	**10**	**13**	**47**	**59**	**60**	**60**										

SOCIALIZED CONDUCT DIS (312.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	26.7	408	4	11	33	40	43	43	43										
13-17	15	32.3	714	7	10	18	60	69	76	78										
18-24	1	5.0		5	5	5	5	5	5	5										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	19	30.0	640	5	9	18	49	68	74	78										
B. FEMALE																				
0-12 YRS.																				
13-17	12	18.3	205	3	6	16	29	39	45	46	1	15.0		15	15	15	15	15	15	15
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	12	18.3	205	3	6	16	29	39	45	46	1	15.0		15	15	15	15	15	15	15
SUBTOTAL	**31**	**25.5**	**491**	**4**	**8**	**18**	**41**	**65**	**69**	**78**	**1**	**15.0**		**15**	**15**	**15**	**15**	**15**	**15**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	20.4	421	2	8	14	29	55	55	55										
13-17	9	15.0	192	1	2	15	20	38	40	40	1	1.0		1	1	1	1	1	1	1
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	14	16.9	256	1	2	14	21	41	52	55	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.	1	25.0		25	25	25	25	25	25	25										
13-17	5	24.6	111	16	18	19	31	42	42	42										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	6	24.7	87	16	19	22	27	40	42	42										
SUBTOTAL	**20**	**19.3**	**209**	**2**	**10**	**16**	**26**	**41**	**48**	**55**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**51**	**23.0**	**387**	**3**	**9**	**16**	**34**	**52**	**66**	**78**	**2**	**8.0**	**98**	**1**	**1**	**7**	**15**	**15**	**15**	**15**

IMPULSE CONTROL DIS NEC (312.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	13.0	8	11	11	13	15	15	15	15										
13-17	12	20.8	178	9	13	16	27	41	51	53	1	7.0		7	7	7	7	7	7	7
18-24	4	9.5	58	2	3	9	16	17	17	17										
25-34																				
35-54	2	18.5	85	12	12	18	25	25	25	25										
55-74																				
75 +																				
ALL AGES	20	17.6	137	4	12	15	22	32	44	53	1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.	1	46.0		46	46	46	46	46	46	46	1	3.0		3	3	3	3	3	3	3
13-17	3	14.7	40	10	10	12	19	22	22	22										
18-24	2	13.0	50	8	8	13	18	18	18	18										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	6	19.3	199	8	10	15	22	44	46	46	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**26**	**18.0**	**144**	**5**	**11**	**15**	**22**	**35**	**47**	**53**	**2**	**5.0**	**8**	**3**	**3**	**5**	**7**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	14	20.2	140	6	10	21	29	35	40	42										
13-17	14	11.6	75	3	4	11	17	25	29	30										
18-24	2	11.5	13	9	9	11	14	14	14	14										
25-34	2	8.0	2	7	7	8	9	9	9	9										
35-54	2	24.0	162	15	15	24	33	33	33	33	1	11.0		11	11	11	11	11	11	11
55-74	2	7.0		7	7	7	7	7	7	7										
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	37	15.0	110	3	7	11	21	31	34	42	1	11.0		11	11	11	11	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17	3	8.7	1	7	7	9	10	10	10	10										
18-24																				
25-34	1	9.0		9	9	9	9	9	9	9										
35-54	2	14.5	25	11	11	14	18	18	18	18										
55-74																				
75 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	7	9.3	25	2	7	9	11	17	18	18										
SUBTOTAL	**44**	**14.1**	**100**	**3**	**7**	**11**	**20**	**30**	**33**	**42**	**1**	**11.0**		**11**	**11**	**11**	**11**	**11**	**11**	**11**
GRAND TOTAL	**70**	**15.5**	**120**	**4**	**8**	**12**	**21**	**30**	**36**	**52**	**3**	**7.0**	**16**	**3**	**4**	**7**	**10**	**11**	**11**	**11**

MIX DIS CONDUCT/EMOTION (312.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17	1	19.0		19	19	19	19	19	19	19										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	19.0		19	19	19	19	19	19	19										
SUBTOTAL	**1**	**19.0**		**19**	**19**	**19**	**19**	**19**	**19**	**19**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	24.0		24	24	24	24	24	24	24										
13-17	1	21.0		21	21	21	21	21	21	21										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	22.5	5	21	21	22	24	24	24	24										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**22.5**	**5**	**21**	**21**	**22**	**24**	**24**	**24**	**24**										
GRAND TOTAL	**3**	**21.3**	**8**	**19**	**19**	**21**	**23**	**24**	**24**	**24**										

OTHER CONDUCT DISTURB (312.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	2.5	5	1	1	2	4	4	4	4	3	2.0	1	1	1	2	3	3	3	3
13-17	5	34.8	476	9	17	31	55	60	60	60	1	8.0		8	8	8	8	8	8	8
18-24	1	11.0		11	11	11	11	11	11	11										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	8	23.8	509	2	6	15	42	58	60	60	4	3.5	10	1	1	2	5	8	8	8
B. FEMALE																				
0-12 YRS.	2	2.0	2	1	1	2	3	3	3	3										
13-17	3	10.0	63	1	4	13	15	16	16	16	1	13.0		13	13	13	13	13	13	13
18-24																				
25-34																				
35-54	1	12.0		12	12	12	12	12	12	12										
55-74																				
75 +																				
ALL AGES	6	7.7	45	1	1	7	13	16	16	16	1	13.0		13	13	13	13	13	13	13
SUBTOTAL	**14**	**16.9**	**360**	**1**	**3**	**11**	**20**	**55**	**59**	**60**	**5**	**5.4**	**25**	**1**	**2**	**3**	**9**	**13**	**13**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	32.0		32	32	32	32	32	32	32										
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	17.0		17	17	17	17	17	17	17										
ALL AGES	2	24.5	113	17	17	24	32	32	32	32										
B. FEMALE																				
0-12 YRS.																				
13-17	3	26.7	55	18	21	30	31	32	32	32										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	26.7	55	18	21	30	31	32	32	32										
SUBTOTAL	**5**	**25.8**	**58**	**17**	**18**	**30**	**32**	**32**	**32**	**32**										
GRAND TOTAL	**19**	**19.2**	**291**	**1**	**5**	**16**	**31**	**45**	**57**	**60**	**5**	**5.4**	**25**	**1**	**2**	**3**	**9**	**13**	**13**	**13**

CONDUCT DISTURBANCE NOS (312.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE_																				
0-12 YRS.	25	21.2	351	2	6	15	35	42	56	73	2	14.5	365	1	1	14	28	28	28	28
13-17	44	15.6	220	1	3	10	22	42	44	52	3	11.7	16	7	8	13	14	15	15	15
18-24	3	16.3	144	8	9	11	25	30	30	30										
25-34																				
35-54											1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	72	17.6	262	1	4	12	28	42	47	68	6	11.0	101	1	2	10	15	27	28	28
B. FEMALE																				
0-12 YRS.	6	17.0	354	1	3	8	40	42	42	42										
13-17	33	13.4	186	1	4	8	17	36	45	53	1	43.0		43	43	43	43	43	43	43
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	1	12.0		12	12	12	12	12	12	12										
35-54																				
55-74	1	18.0		18	18	18	18	18	18	18										
75 +																				
ALL AGES	42	13.7	194	1	4	8	18	41	44	53	1	43.0		43	43	43	43	43	43	43
SUBTOTAL	**114**	**16.1**	**241**	**1**	**4**	**11**	**24**	**42**	**45**	**60**	**7**	**15.6**	**230**	**1**	**3**	**13**	**25**	**40**	**43**	**43**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	19	26.1	325	7	15	17	42	51	62	68										
13-17	29	18.7	348	3	6	15	26	42	87	99 +	2	10.5	61	5	5	10	16	16	16	16
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +																				
ALL AGES	49	21.2	347	3	7	16	40	44	68	99 +	2	10.5	61	5	5	10	16	16	16	16
B. FEMALE																				
0-12 YRS.	6	16.2	125	5	7	12	30	30	30	30	1	3.0		3	3	3	3	3	3	3
13-17	24	14.1	365	2	4	9	21	29	96	99 +	2	5.5	13	3	3	5	8	8	8	8
18-24	1	15.0		15	15	15	15	15	15	15										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	31	14.5	303	3	5	10	21	30	88	99 +	3	4.7	8	3	3	3	7	8	8	8
SUBTOTAL	**80**	**18.6**	**337**	**3**	**6**	**15**	**26**	**43**	**76**	**99 +**	**5**	**7.0**	**30**	**3**	**3**	**5**	**10**	**16**	**16**	**16**
GRAND TOTAL	**194**	**17.2**	**278**	**2**	**5**	**12**	**25**	**42**	**50**	**98**	**12**	**12.0**	**156**	**2**	**3**	**7**	**15**	**32**	**41**	**43**

OVERANXIOUS DISORDER (313.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	11.8	65	2	3	14	15	22	23	23										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	6	11.8	65	2	3	14	15	22	23	23										
B. FEMALE																				
0-12 YRS.																				
13-17	1	28.0		28	28	28	28	28	28	28										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	28.0		28	28	28	28	28	28	28										
SUBTOTAL	**7**	**14.1**	**92**	**2**	**6**	**14**	**21**	**27**	**28**	**28**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	6	30.5	215	15	21	25	48	49	49	49										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	6	30.5	215	15	21	25	48	49	49	49										
B. FEMALE																				
0-12 YRS.	2	36.0	72	30	30	36	42	42	42	42										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	36.0	72	30	30	36	42	42	42	42										
SUBTOTAL	**8**	**31.9**	**168**	**16**	**22**	**29**	**45**	**49**	**49**	**49**										
GRAND TOTAL	**15**	**23.6**	**208**	**3**	**14**	**23**	**30**	**48**	**49**	**49**										

MISERY & UNHAPPINESS DIS (313.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17	2	8.5	1	8	8	8	9	9	9	9										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	8.5	1	8	8	8	9	9	9	9										
SUBTOTAL	**2**	**8.5**	**1**	**8**	**8**	**8**	**9**	**9**	**9**	**9**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**2**	**8.5**	**1**	**8**	**8**	**8**	**9**	**9**	**9**	**9**										

SENSITIVITY & WITHDRAWAL (313.2)

	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	18.0		18	18	18	18	18	18	18										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	18.0		18	18	18	18	18	18	18										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	18.0		18	18	18	18	18	18	18										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14										
13-17	1	24.0		24	24	24	24	24	24	24										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	19.0	50	14	14	19	24	24	24	24										
SUBTOTAL	3	13.3	123	2	5	14	21	24	24	24										
GRAND TOTAL	4	14.5	86	2	8	16	21	24	24	24										

OTH EMOTIONAL DIS CHILD (313.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	51	26.7	197	11	17	21	39	49	55	59										
13-17	31	26.5	300	8	10	21	42	49	56	57										
18-24	1	4.0		4	4	4	4	4	4	4										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	83	26.3	239	9	14	21	41	49	56	58										
B. FEMALE																				
0-12 YRS.	33	23.5	236	4	10	24	37	47	49	49	1	4.0		4	4	4	4	4	4	4
13-17	38	28.7	370	3	13	30	41	54	79	99 +										
18-24																				
25-34	1	16.0		16	16	16	16	16	16	16										
35-54																				
55-74																				
75 +																				
ALL AGES	72	26.1	309	4	11	27	39	48	55	97	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**155**	**26.3**	**265**	**8**	**13**	**24**	**39**	**49**	**56**	**85**	1	4.0		4	4	4	4	4	4	4
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	70	31.6	301	13	19	29	42	50	64	89										
13-17	25	22.7	172	8	13	21	30	42	53	58										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	95	29.2	284	12	17	27	41	50	60	88										
B. FEMALE																				
0-12 YRS.	24	29.4	392	10	15	24	41	67	72	78										
13-17	30	20.3	211	5	10	17	28	43	49	53										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	54	24.3	309	6	11	21	37	44	64	78										
SUBTOTAL	**149**	**27.5**	**292**	**9**	**14**	**23**	**39**	**49**	**61**	**87**										
GRAND TOTAL	**304**	**26.8**	**283**	**8**	**14**	**23**	**39**	**49**	**57**	**86**	1	4.0		4	4	4	4	4	4	4

EMOTIONAL DIS CHILD NOS (313.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	13.5	5	12	12	13	15	15	15	15										
13-17	2	2.0	2	1	1	2	3	3	3	3										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	7.8	45	1	2	7	13	15	15	15										
B. FEMALE																				
0-12 YRS.	1	13.0		13	13	13	13	13	13	13										
13-17	4	7.5	9	4	5	8	10	10	10	10										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	8.6	13	4	5	10	11	13	13	13										
SUBTOTAL	**9**	**8.2**	**24**	**2**	**4**	**10**	**12**	**14**	**15**	**15**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	44.5	1513	17	17	44	72	72	72	72										
13-17	7	10.4	227	1	3	5	8	37	44	44										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	9	18.0	584	2	4	7	24	61	72	72										
B. FEMALE																				
0-12 YRS.	2	5.0	18	2	2	5	8	8	8	8										
13-17	4	7.0	102	1	1	3	13	22	22	22										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	6	6.3	66	1	1	3	8	21	22	22										
SUBTOTAL	**15**	**13.3**	**393**	**1**	**2**	**5**	**15**	**44**	**65**	**72**										
GRAND TOTAL	**24**	**11.4**	**254**	**1**	**3**	**6**	**12**	**24**	**52**	**72**										

ATTENTION DEFICIT DIS (314.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	72	23.9	398	4	10	17	34	48	78	99	2	2.5	1	2	2	2	3	3	3	3
13-17	7	14.3	221	3	3	10	24	39	41	41										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	79	23.1	384	4	10	16	33	45	76	99	2	2.5	1	2	2	2	3	3	3	3
B. FEMALE																				
0-12 YRS.	15	19.5	268	3	9	12	28	42	52	56										
13-17	1	7.0		7	7	7	7	7	7	7										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	16	18.8	257	3	8	11	28	42	52	56										
SUBTOTAL	**95**	**22.3**	**366**	**4**	**10**	**16**	**31**	**42**	**71**	**99**	2	2.5	1	2	2	2	3	3	3	3
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	101	27.5	298	10	16	23	37	46	65	96										
13-17	15	27.7	438	8	14	25	47	97	99 +	99 +										
18-24	2	6.5	13	4	4	6	9	9	9	9										
25-34	1	22.0		22	22	22	22	22	22	22										
35-54																				
55-74																				
75 +																				
ALL AGES	119	27.2	308	10	15	22	38	50	82	99 +										
B. FEMALE																				
0-12 YRS.	14	31.9	467	12	20	27	43	81	95	99 +										
13-17	3	18.0	49	10	13	21	22	23	23	23										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	17	29.4	418	11	20	22	42	77	92	99 +										
SUBTOTAL	**136**	**27.4**	**323**	**10**	**16**	**22**	**38**	**52**	**83**	**99 +**										
GRAND TOTAL	**231**	**25.3**	**346**	**8**	**11**	**21**	**36**	**49**	**80**	**99 +**	2	2.5	1	2	2	2	3	3	3	3

HYPERKINETIC CONDUCT DIS (314.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	1.0		1	1	1	1	1	1	1										
GRAND TOTAL	1	1.0		1	1	1	1	1	1	1										

OTHER HYPERKINETIC SYND (314.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	16.5	1	16	16	16	17	17	17	17										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	16.5	1	16	16	16	17	17	17	17										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	2	16.5	1	16	16	16	17	17	17	17										
GRAND TOTAL	2	16.5	1	16	16	16	17	17	17	17										

Appendix

Appendix A: Table 1

HOSPITAL CHARACTERISTICS

SHORT-TERM, NONFEDERAL HOSPITALS[1]

	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS			HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS			TOTAL		
	U.S.[2] Total	LOS Sample	% of U.S.[3] Total	U.S. Total	LOS Sample	% of U.S. Total	U.S.	LOS Sample	% of U.S.
All Hospitals	1,427	306	21.4	4,078	643	15.8	5,505	949	17.2
Control									
Public	237	39	16.5	1,276	159	12.5	1,513	198	13.1
Private	1,187	264	22.2	2,802	484	17.3	3,989	748	18.8
Unavailable	3	3					3	3	
Bedsize									
<100 Beds	127	36	28.3	2,605	403	15.5	2,732	439	16.1
100-199	322	76	23.6	834	134	16.1	1,156	210	18.2
200-299	321	64	19.9	404	56	13.9	725	120	16.6
300-399	263	55	20.9	138	30	21.7	401	85	21.2
400-499	152	30	19.7	55	10	18.2	207	40	19.3
500+	242	45	18.6	42	10	23.8	284	55	19.4
Teaching Intensity									
Low	748	154	20.6	3,724	552	14.8	4,472	706	15.8
Medium	419	100	23.9	293	69	23.5	712	169	23.7
High	254	46	18.1	54	15	27.8	308	61	19.8
Unavailable	6	6		7	7		13	13	
Location									
Rural	283	66	23.3	2,292	347	15.1	2,575	413	16.0
Urban	1,144	240	21.0	1,786	296	16.6	2,930	536	18.3

---

[1] Hospitals with average stay less than 30 days.

[2] 1988 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

[3] The percent of hospitals may be underestimated since the 1989 sample is compared to the universe of hospitals in 1988.

Appendix A: Table 2

HOSPITAL CHARACTERISTICS

HOSPITALS WITH PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx [1]	% [2]
All Hospitals	306	100.0	151,586	100.0
Control				
Public	39	12.7	17,008	11.2
Private	264	86.3	134,210	88.5
Unavailable	3	1.0	368	.2
Bedsize				
< 100 Beds	36	11.8	4,924	3.2
100-199	76	24.8	27,459	18.1
200-299	64	20.9	27,959	18.4
300-399	55	18.0	35,071	23.1
400-499	30	9.8	19,334	12.8
500+	45	14.7	36,839	24.3
Program Intensity				
Low	154	50.3	61,388	40.5
Medium	100	32.7	60,629	40.0
High	46	15.0	28,789	19.0
Unavailable	6	2.0	780	.5
Location				
Rural	66	21.6	21,650	14.3
Urban	240	78.4	129,936	85.7

---

[1] This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

[2] The denominator used to calculate the percentages is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

Appendix A: Table 3

HOSPITAL CHARACTERISTICS

HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx[1]	%[2]
All Hospitals	643	100.0	49,399	100.0
Control				
Public	159	24.7	5,981	12.1
Private	484	75.3	43,418	87.9
Bedsize				
<100 Beds	403	62.7	16,982	34.4
100-199	134	20.8	14,521	29.4
200-299	56	8.7	8,596	17.4
300-399	30	4.7	2,870	5.8
400-499	10	1.6	3,110	6.3
500+	10	1.6	3,320	6.7
Program Intensity				
Low	552	85.8	35,848	72.6
Medium	69	10.7	10,539	21.3
High	15	2.3	2,296	4.6
Unavailable	7	1.1	716	1.6
Location				
Rural	347	54.0	15,670	31.7
Urban	296	46.0	33,729	68.3

---

[1] This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

[2] The denominator used to calculate the percentages is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

APPENDIX B

DESCRIPTION OF HOSPITAL CHARACTERISTICS

Hospitals With or Without a Psychiatric Unit or Beds

Nonfederal, short-term general hospitals that reported a psychiatric acute care unit or beds are included in the hospitals with psychiatric unit/beds category.[1] Nonfederal, short-term general hospitals that did not indicate having a psychiatric acute care unit or beds are included in the hospitals without a psychiatric unit/beds category.

Hospitals in both categories can, however, offer the following services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization.

Location: Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1988 AHA Annual Survey of Hospitals magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai.[2] The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Healthcare Organizations
- Residency approved by Accreditation Council for Graduate Medical Education
- Medical School Affiliation reported by American Medical Association
- Hospital-controlled professional nursing school, reported by National League for Nursing
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals

2. Medium Teaching Intensity Hospitals

3. High Teaching Intensity Hospitals

Control: Public/Private Hospitals

A public hospital is a nonfederal, government-operated hospital, e.g., state, county, city, or hospital authority. A private hospital includes both nongovernment not-for-profit and investor-owned (for-profit) facilities.

---

[1] 1988 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

[2] Phillip, P.J., and Hai, Abdul, An Index of Programs for Hospitals, American Hospital Association, Chicago, Illinois, 1976.

APPENDIX C

STATE INCLUSIONS BY REGION

Northeast
Connecticut
Maine
Massachusetts
New Hampshire
New Jersey
New York
Pennsylvania
Rhode Island
Vermont

North Central
Illinois
Indiana
Iowa
Kansas
Michigan
Minnesota
Missouri
Nebraska
North Dakota
Ohio
South Dakota
Wisconsin

South
Alabama
Arkansas
Delaware
District of Columbia
Florida
Georgia
Kentucky
Louisiana
Maryland
Mississippi
North Carolina
Oklahoma
South Carolina
Tennessee
Texas
Virginia
West Virginia

West
Alaska
Arizona
California
Colorado
Hawaii
Idaho
Montana
Nevada
New Mexico
Oregon
Utah
Washington
Wyoming


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South

** Includes Alaska and Hawaii

APPENDIX D

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
	All psychiatric diagnosis codes (Summary Table)	2
290	**Senile and presenile organic psychotic conditions**	
290.0	Senile dementia, uncomplicated	3
290.1	Presenile dementia	4
290.10	Presenile dementia, uncomplicated	4
290.11	Presenile dementia with delirium	4
290.12	Presenile dementia with delusional features	4
290.13	Presenile dementia with depressive features	4
290.2	Senile dementia with delusional or depressive features	5
290.20	Senile dementia with delusional features	5
290.21	Senile dementia with depressive features	5
290.3	Senile dementia with delirium	6
290.4	Arteriosclerotic dementia	7
290.40	Arteriosclerotic dementia, uncomplicated	7
290.41	Arteriosclerotic dementia with delirium	7
290.42	Arteriosclerotic dementia with delusional features	7
290.43	Arteriosclerotic dementia with depressive features	7
290.9	Unspecified senile psychotic condition	8
291	**Alcoholic psychoses**	
291.0	Alcohol withdrawal delirium	9
291.1	Alcohol amnestic syndrome	10
291.2	Other alcoholic dementia	11
291.3	Alcohol withdrawal hallucinosis	12
291.4	Idiosyncratic alcohol intoxication	13
291.5	Alcoholic jealousy	14
291.8	Other specified alcoholic psychosis	15
291.9	Unspecified alcoholic psychosis	16
292	**Drug psychoses**	
292.0	Drug withdrawal syndrome	17
292.1	Paranoid and/or hallucinatory states induced by drugs	18
292.11	Drug-induced organic delusional syndrome	18
292.12	Drug-induced hallucinosis	18
292.2	Pathological drug intoxication	19
292.8	Other specified drug-induced mental disorders	20
292.81	Drug-induced delirium	20
292.82	Drug-induced dementia	20
292.83	Drug-induced amnestic syndrome	20
292.84	Drug-induced organic affective syndrome	20
292.89	Other specified drug-induced mental disorders	20
292.9	Unspecified drug-induced mental disorder	21
293	**Transient organic psychotic conditions**	
293.0	Acute delirium	22
293.1	Subacute delirium	23
293.8	Other specified transient organic mental disorders	24
293.81	Organic delusional syndrome	24
293.82	Organic hallucinosis syndrome	24
293.83	Organic affective syndrome	24

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
293.89	Other specified transient organic mental disorders	24
293.9	Unspecified transient organic mental disorder	25
294	**Other organic psychotic conditions (chronic)**	
294.0	Amnestic syndrome	26
294.1	Dementia in conditions classified elsewhere	27
294.8	Other specified organic brain syndromes (chronic)	28
294.9	Unspecified organic brain syndrome (chronic)	29
295	**Schizophrenic disorders**	
	Fifth-digit subclassification for use with 295:	
	0 Unspecified state	
	1 Subchronic state	
	2 Chronic state	
	3 Subchronic state with acute exacerbation	
	4 Chronic state with acute exacerbation	
	5 In remission	
295.0	Simple type schizophrenia	30
295.1	Disorganized type schizophrenia	31
295.2	Catatonic type schizophrenia	32
295.3	Paranoid type schizophrenia	33
295.4	Acute schizophrenic episode	34
295.5	Latent schizophrenia	35
295.6	Residual schizophrenia	36
295.7	Schizo-affective type schizophrenia	37
295.8	Other specified types of schizophrenia	38
295.9	Unspecified schizophrenia	39
296	**Affective psychoses**	
	Fifth-digit subclassification for use with 296.0-296.6:	
	0 Unspecified degree	
	1 Mild degree	
	2 Moderate degree	
	3 Severe degree, without mention of psychotic behavior	
	4 Severe degree, specified as with psychotic behavior	
	5 In partial or unspecified remission	
	6 In full remission	
296.0	Manic disorder, single episode	40
296.1	Manic disorder, recurrent episode	41
296.2	Major depressive disorder, single episode	42
296.3	Major depressive disorder, recurrent episode	43
296.4	Bipolar affective disorder, manic	44
296.5	Bipolar affective disorder, depressed	45
296.6	Bipolar affective disorder, mixed	46
296.7	Bipolar affective disorder, unspecified	47
296.8	Manic-depressive psychosis, other and unspecified	48
296.80	Manic-depressive psychosis, unspecified	48
296.81	Atypical manic disorder	48
296.82	Atypical depressive disorder	48
296.89	Other manic-depressive psychosis	48
296.9	Other and unspecified affective psychoses	49
296.90	Unspecified affective psychosis	49
296.99	Other specified affective psychoses	49

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
297	**Paranoid states**	
297.0	Paranoid state, simple	50
297.1	Paranoia	51
297.2	Paraphrenia	52
297.3	Shared paranoid disorder	53
297.8	Other specified paranoid states	54
297.9	Unspecified paranoid state	55
298	**Other nonorganic psychoses**	
298.0	Depressive type psychosis	56
298.1	Excitative type psychosis	57
298.2	Reactive confusion	58
298.3	Acute paranoid reaction	59
298.8	Other and unspecified reactive psychosis	60
298.9	Unspecified psychosis	61
299	**Psychoses with origin specific to childhood** Fifth-digit subclassification for use with 299: 0 Current or active 1 Residual state	
299.0	Infantile autism	62
299.1	Disintegrative psychosis	63
299.8	Other specified early childhood psychoses	64
299.9	Unspecified childhood psychosis	65
300	**Neurotic disorders**	
300.0	Anxiety states	66
300.00	Anxiety state, unspecified	66
300.01	Panic disorder	66
300.02	Generalized anxiety disorder	66
300.09	Other anxiety states	66
300.1	Hysteria	67
300.10	Hysteria, unspecified	67
300.11	Conversion disorder	67
300.12	Psychogenic amnesia	67
300.13	Psychogenic fugue	67
300.14	Multiple personality	67
300.15	Dissociative disorder or reaction, unspecified	67
300.16	Factitious illness with psychological symptoms	67
300.19	Other and unspecified factitious illness	67
300.2	Phobic disorders	68
300.20	Phobia, unspecified	68
300.21	Agoraphobia with panic attacks	68
300.22	Agoraphobia without mention of panic attacks	68
300.23	Social phobia	68
300.29	Other isolated or simple phobias	68
300.3	Obsessive-compulsive disorders	69
300.4	Neurotic depression	70
300.5	Neurasthenia	71
300.6	Depersonalization syndrome	72
300.7	Hypochondriasis	73
300.8	Other neurotic disorders	74
300.81	Somatization disorder	74

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
300.89	Other neurotic disorders	74
300.9	Unspecified neurotic disorder	75
301	**Personality disorders**	
301.0	Paranoid personality disorder	76
301.1	Affective personality disorder	77
301.10	Affective personality disorder, unspecified	77
301.11	Chronic hypomanic personality disorder	77
301.12	Chronic depressive personality disorder	77
301.13	Cyclothymic disorder	77
301.2	Schizoid personality disorder	78
301.20	Schizoid personality disorder, unspecified	78
301.21	Introverted personality	78
301.22	Schizotypal personality	78
301.3	Explosive personality disorder	79
301.4	Compulsive personality disorder	80
301.5	Histrionic personality disorder	81
301.50	Histrionic personality disorder, unspecified	81
301.51	Chronic factitious illness with physical symptoms	81
301.59	Other histrionic personality disorder	81
301.6	Dependent personality disorder	82
301.7	Antisocial personality disorder	83
301.8	Other personality disorders	84
301.81	Narcissistic personality	84
301.82	Avoidant personality	84
301.83	Borderline personality	84
301.84	Passive-aggressive personality	84
301.89	Other personality disorders	84
301.9	Unspecified personality disorder	85
302	**Sexual deviations and disorders**	
302.2	Pedophilia	86
302.4	Exhibitionism	87
302.7	Psychosexual dysfunction	88
302.70	Psychosexual dysfunction, unspecified	88
302.71	Psychosexual dysfunction with inhibited sexual desire	88
302.72	Psychosexual dysfunction with inhibited sexual excitement	88
302.73	Psychosexual dysfunction with inhibited female orgasm	88
302.74	Psychosexual dysfunction with inhibited male orgasm	88
302.75	Psychosexual dysfunction with premature ejaculation	88
302.76	Psychosexual dysfunction with functional dyspareunia	88
302.79	Psychosexual dysfunction with other specified psychosexual dysfunctions	88
302.8	Other specified psychosexual disorders	89
302.81	Fetishism	89
302.82	Voyeurism	89
302.83	Sexual masochism	89
302.84	Sexual sadism	89
302.85	Gender identity disorder of adolescent or adult life	89
302.89	Other specified psychosexual disorders	89
302.9	Unspecified psychosexual disorder	90

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
303	**Alcohol dependence syndrome**	
	Fifth-digit subclassification for use with 303:	
	0 Unspecified	
	1 Continuous	
	2 Episodic	
	3 In remission	
303.0	Acute alcoholic intoxication	91
303.9	Other and unspecified alcohol dependence	92
304	**Drug dependence**	
	Fifth-digit subclassification for use with 304:	
	0 Unspecified	
	1 Continuous	
	2 Episodic	
	3 In remission	
304.0	Opioid type dependence	93
304.1	Barbiturate and similarly acting sedative or hypnotic dependence	94
304.2	Cocaine dependence	95
304.3	Cannabis dependence	96
304.4	Amphetamine and other psychostimulant dependence	97
304.5	Hallucinogen dependence	98
304.6	Other specified drug dependence	99
304.7	Combinations of opioid type drug with any other drug dependence	100
304.8	Combinations of drug dependence excluding opioid type drug	101
304.9	Unspecified drug dependence	102
305	**Nondependent abuse of drugs**	
	Fifth-digit subclassification for use with 305:	
	0 Unspecified	
	1 Continuous	
	2 Episodic	
	3 In remission	
305.0	Alcohol abuse	103
305.1	Tobacco use disorder	104
305.2	Cannabis abuse	105
305.3	Hallucinogen abuse	106
305.4	Barbiturate and similarly acting sedative or hypnotic abuse	107
305.5	Opioid abuse	108
305.6	Cocaine abuse	109
305.7	Amphetamine or related acting sympathomimetic abuse	110
305.8	Antidepressant type abuse	111
305.9	Other, mixed, or unspecified drug abuse	112
306	**Physiological malfunction arising from mental factors**	
306.0	Musculoskeletal malfunction arising from mental factors	113
306.1	Respiratory malfunction arising from mental factors	114
306.2	Cardiovascular malfunction arising from mental factors	115
306.3	Skin disorder arising from mental factors	116
306.4	Gastrointestinal malfunction arising from mental factors	117
306.5	Genitourinary malfunction arising from mental factors	118
306.50	Psychogenic genitourinary malfunction, unspecified	118
306.51	Psychogenic vaginismus	118
306.52	Psychogenic dysmenorrhea	118

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
306.53	Psychogenic dysuria	118
306.59	Other genitourinary malfunction arising from mental factors	118
306.7	Disorder of organs of special sense arising from mental factors	119
306.8	Other specified psychophysiological malfunction	120
306.9	Unspecified psychophysiological malfunction	121
307	**Special symptoms or syndromes, not elsewhere classified**	
307.1	Anorexia nervosa	122
307.2	Tics	123
307.20	Tic disorder, unspecified	123
307.21	Transient tic disorder of childhood	123
307.22	Chronic motor tic disorder	123
307.23	Gilles de la Tourette's disorder	123
307.4	Specific disorders of sleep of nonorganic origin	124
307.40	Nonorganic sleep disorder, unspecified	124
307.41	Transient disorder of initiating or maintaining sleep	124
307.42	Persistent disorder of initiating or maintaining sleep	124
307.43	Transient disorder of initiating or maintaining wakefulness	124
307.44	Persistent disorder of initiating or maintaining wakefulness	124
307.45	Phase-shift disruption of 24-hour sleep-wake cycle	124
307.46	Somnambulism or night terrors	124
307.47	Other dysfunctions of sleep stages or arousal from sleep	124
307.48	Repetitive intrusions of sleep	124
307.49	Other specific disorders of sleep of nonorganic origin	124
307.5	Other and unspecified disorders of eating	125
307.50	Eating disorder, unspecified	125
307.51	Bulimia	125
307.52	Pica	125
307.53	Psychogenic rumination	125
307.54	Psychogenic vomiting	125
307.59	Other disorders of eating	125
307.7	Encopresis	126
307.8	Psychalgia	127
307.80	Psychogenic pain, site unspecified	127
307.81	Tension headache	127
307.89	Other psychalgia	127
307.9	Other and unspecified special symptoms or syndromes, not elsewhere classified	128
308	**Acute reaction to stress**	
308.0	Predominant disturbance of emotions	129
308.1	Predominant disturbance of consciousness	130
308.2	Predominant psychomotor disturbance	131
308.3	Other acute reactions to stress	132
308.4	Mixed disorders as reaction to stress	133
308.9	Unspecified acute reaction to stress	134
309	**Adjustment reaction**	
309.0	Adjustment reaction with brief depressive reaction	135
309.1	Adjustment reaction with prolonged depressive reaction	136
309.2	Adjustment reaction with predominant disturbance of other emotions	137
309.21	Separation anxiety disorder	137
309.22	Emancipation disorder of adolescence and early adult life	137
309.23	Specific academic or work inhibition	137
309.24	Adjustment reaction with anxious mood	137

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
309.28	Adjustment reaction with mixed emotional features	137
309.29	Other adjustment reactions with predominant disturbance of other emotions	137
309.3	Adjustment reaction with predominant disturbance of conduct	138
309.4	Adjustment reaction with mixed disturbance of emotions and conduct	139
309.8	Other specified adjustment reactions	140
309.81	Prolonged posttraumatic stress disorder	140
309.82	Adjustment reaction with physical symptoms	140
309.83	Adjustment reaction with withdrawal	140
309.89	Other specified adjustment reactions	140
309.9	Unspecified adjustment reaction	141
310	**Specific nonpsychotic mental disorders due to organic brain damage**	
310.0	Frontal lobe syndrome	142
310.1	Organic personality syndrome	143
310.2	Postconcussion syndrome	144
310.8	Other specified nonpsychotic mental disorders following organic brain damage	145
310.9	Unspecified nonpsychotic mental disorder following organic brain damage	146
311	**Depressive disorder, not elsewhere classified**	147
312	**Disturbance of conduct, not elsewhere classified**	
	Fifth-digit subclassification for use with 312.0-312.2:	
	0 Unspecified degree	
	1 Mild degree	
	2 Moderate degree	
	3 Severe degree	
312.0	Undersocialized conduct disorder, aggressive type	148
312.1	Undersocialized conduct disorder, unaggressive type	149
312.2	Socialized conduct disorder	150
312.3	Disorders of impulse control, not elsewhere classified	151
312.30	Impulse control disorder, unspecified	151
312.31	Pathological gambling	151
312.32	Kleptomania	151
312.33	Pyromania	151
312.34	Intermittent explosive disorder	151
312.35	Isolated explosive disorder	151
312.39	Other disorders of impulse control	151
312.4	Mixed disturbance of conduct and emotions	152
312.8	Other specified disturbances of conduct, not elsewhere classified	153
312.9	Unspecified disturbance of conduct	154
313	**Disturbance of emotions specific to childhood and adolescence**	
313.0	Overanxious disorder specific to childhood and adolescence	155
313.1	Misery and unhappiness disorder specific to childhood and adolescence	156
313.2	Sensitivity, shyness, and social withdrawal disorder specific to childhood and adolescence	157
313.21	Shyness disorder of childhood	157
313.22	Introverted disorder of childhood	157
313.23	Elective mutism specific to childhood and adolescence	157
313.8	Other or mixed emotional disturbances of childhood or adolescence	158
313.81	Oppositional disorder of childhood or adolescence	158
313.82	Identity disorder of childhood or adolescence	158
313.83	Academic underachievement disorder of childhood or adolescence	158
313.89	Other emotional disturbances of childhood or adolescence	158

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
313.9	Unspecified emotional disturbance of childhood or adolescence	159
314	**Hyperkinetic syndrome of childhood**	
314.0	Attention deficit disorder of childhood	160
314.00	Attention deficit disorder of childhood without mention of hyperactivity	160
314.01	Attention deficit disorder of childhood with hyperactivity	160
314.2	Hyperkinetic conduct disorder of childhood	161
314.8	Other specified manifestations of hyperkinetic syndrome of childhood	162

APPENDIX E

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Academic underachievement disorder of childhood or adolescence	313.83	158
Acute alcoholic intoxication	303.0	91
Acute delirium	293.0	22
Acute paranoid reaction	298.3	59
Acute reaction to stress	308.0-308.9	129-134
Acute schizophrenic episode	295.4	34
Adjustment reaction	309.0-309.9	135-141
Adjustment reaction with anxious mood	309.24	137
Adjustment reaction with brief depressive reaction	309.0	135
Adjustment reaction with mixed emotional features	309.28	137
Adjustment reaction with mixed disturbance of emotions and conduct	309.4	139
Adjustment reaction with physical symptoms	309.82	140
Adjustment reaction with predominant disturbance of other emotions	309.2	137
Adjustment reaction with predominant disturbance of conduct	309.3	138
Adjustment reaction with prolonged depressive reaction	309.1	136
Adjustment reaction with withdrawal	309.83	140
Affective personality disorder	301.1	77
Affective personality disorder, unspecified	301.10	77
Affective psychoses	296.0-296.9	40-49
Fifth-digit subclassification for use with 296.0-296.6:		
0 Unspecified degree		
1 Mild degree		
2 Moderate degree		
3 Severe degree, without mention of psychotic behavior		
4 Severe degree, specified as with psychotic behavior		
5 In partial or unspecified remission		
6 In full remission		
Agoraphobia with panic attacks	300.21	68
Agoraphobia without mention of panic attacks	300.22	68
Alcohol abuse	305.0	103
Alcohol amnestic syndrome	291.1	10
Alcohol dependence syndrome	303.0-303.9	91-92
Fifth-digit subclassification for use with 303:		
0 Unspecified		
1 Continuous		
2 Episodic		
3 In remission		
Alcohol withdrawal delirium	291.0	9
Alcohol withdrawal hallucinosis	291.3	12
Alcoholic jealousy	291.5	14
Alcoholic psychoses	291.0-291.9	9-16
Amnestic syndrome	294.0	26
Amphetamine and other psychostimulant dependence	304.4	97
Amphetamine or related acting sympathomimetic abuse	305.7	110
Anorexia nervosa	307.1	122
Antidepressant type abuse	305.8	111
Antisocial personality disorder	301.7	83
Anxiety state, unspecified	300.00	66
Anxiety states	300.0	66
Arteriosclerotic dementia	290.4	7
Arteriosclerotic dementia with delirium	290.41	7

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Arteriosclerotic dementia with delusional features	290.42	7
Arteriosclerotic dementia with depressive features	290.43	7
Arteriosclerotic dementia, uncomplicated	290.40	7
Attention deficit disorder of childhood	314.0	160
Attention deficit disorder of childhood without mention of hyperactivity	314.00	160
Attention deficit disorder of childhood with hyperactivity	314.01	160
Atypical depressive disorder	296.82	48
Atypical manic disorder	296.81	48
Avoidant personality	301.82	84
Barbiturate and similarly acting sedative or hypnotic dependence	304.1	94
Barbiturate and similarly acting sedative or hypnotic abuse	305.4	107
Bipolar affective disorder, depressed	296.5	45
Bipolar affective disorder, manic	296.4	44
Bipolar affective disorder, mixed	296.6	46
Bipolar affective disorder, unspecified	296.7	47
Borderline personality	301.83	84
Bulimia	307.51	125
Cannabis abuse	305.2	105
Cannabis dependence	304.3	96
Cardiovascular malfunction arising from mental factors	306.2	115
Catatonic type schizophrenia	295.2	32
Chronic depressive personality disorder	301.12	77
Chronic factitious illness with physical symptoms	301.51	81
Chronic hypomanic personality disorder	301.11	77
Chronic motor tic disorder	307.22	123
Cocaine abuse	305.6	109
Cocaine dependence	304.2	95
Combinations of drug dependence excluding opioid type drug	304.8	101
Combinations of opioid type drug with any other drug dependence	304.7	100
Compulsive personality disorder	301.4	80
Conversion disorder	300.11	67
Cyclothymic disorder	301.13	77
Dementia in conditions classified elsewhere	294.1	27
Dependent personality disorder	301.6	82
Depersonalization syndrome	300.6	72
Depressive disorder, not elsewhere classified	311	147
Depressive type psychosis	298.0	56
Disintegrative psychosis	299.1	63
Disorder of organs of special sense arising from mental factors	306.7	119
Disorders of impulse control, not elsewhere classified	312.3	151
Disorganized type schizophrenia	295.1	31
Dissociative disorder or reaction, unspecified	300.15	67
Disturbance of conduct, not elsewhere classified	312.0-312.9	148-154
Fifth-digit subclassification for use with 312.0-312.2: 0 Unspecified degree 1 Mild degree 2 Moderate degree 3 Severe degree		
Disturbance of emotions specific to childhood and adolescence	313.0-313.9	155-159

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Drug dependence	304.0-304.9	93-102
Fifth-digit subclassification for use with 304:		
0 Unspecified		
1 Continuous		
2 Episodic		
3 In remission		
Drug psychoses	292.0-292.9	17-21
Drug withdrawal syndrome	292.0	17
Drug-induced amnestic syndrome	292.83	20
Drug-induced delirium	292.81	20
Drug-induced dementia	292.82	20
Drug-induced hallucinosis	292.12	18
Drug-induced organic affective syndrome	292.84	20
Drug-induced organic delusional syndrome	292.11	18
Eating disorder, unspecified	307.50	125
Elective mutism specific to childhood and adolescence	313.23	157
Emancipation disorder of adolescence and early adult life	309.22	137
Encopresis	307.7	126
Excitative type psychosis	298.1	57
Exhibitionism	302.4	87
Explosive personality disorder	301.3	79
Factitious illness with psychological symptoms	300.16	67
Fetishism	302.81	89
Frontal lobe syndrome	310.0	142
Gastrointestinal malfunction arising from mental factors	306.4	117
Gender identity disorder of adolescent or adult life	302.85	89
Generalized anxiety disorder	300.02	66
Genitourinary malfunction arising from mental factors	306.5	118
Gilles de la Tourette's disorder	307.23	123
Hallucinogen abuse	305.3	106
Hallucinogen dependence	304.5	98
Histrionic personality disorder	301.5	81
Histrionic personality disorder, unspecified	301.50	81
Hyperkinetic conduct disorder of childhood	314.2	161
Hyperkinetic syndrome of childhood	314.0-314.8	160-162
Hypochondriasis	300.7	73
Hysteria	300.1	67
Hysteria, unspecified	300.10	67
Identity disorder of childhood or adolescence	313.82	158
Idiosyncratic alcohol intoxication	291.4	13
Impulse control disorder, unspecified	312.30	151
Infantile autism	299.0	62
Intermittent explosive disorder	312.34	151
Introverted disorder of childhood	313.22	157
Introverted personality	301.21	78
Isolated explosive disorder	312.35	151
Kleptomania	312.32	151

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Latent schizophrenia	295.5	35
Major depressive disorder, recurrent episode	296.3	43
Major depressive disorder, single episode	296.2	42
Manic disorder, recurrent episode	296.1	41
Manic disorder, single episode	296.0	40
Manic-depressive psychosis, other and specified	296.8	48
Manic-depressive psychosis, unspecified	296.80	48
Misery and unhappiness disorder specific to childhood and adolescence	313.1	156
Mixed disorders as reaction to stress	308.4	133
Mixed disturbance of conduct and emotions	312.4	152
Multiple personality	300.14	67
Musculoskeletal malfunction arising from mental factors	306.0	113
Narcissistic personality	301.81	84
Neurasthenia	300.5	71
Neurotic depression	300.4	70
Neurotic disorders	300.0-300.9	66-75
Nondependent abuse of drugs	305.0-305.9	103-112
Fifth-digit subclassification for use with 305:		
0 Unspecified		
1 Continuous		
2 Episodic		
3 In remission		
Nonorganic sleep disorder, unspecified	307.40	124
Obsessive-compulsive disorders	300.3	69
Opioid abuse	[illegible].5	108
Opioid type dependence	[illegible].0	93
Oppositional disorder of childhood or adolescence	313.81	158
Organic affective syndrome	293.83	24
Organic delusional syndrome	293.81	24
Organic hallucinosis syndrome	293.82	24
Organic personality syndrome	310.1	143
Other acute reactions to stress	308.3	132
Other adjustment reactions with predominant disturbance of other emotions	309.29	137
Other alcoholic dementia	291.2	11
Other and unspecified affective psychoses	296.9	49
Other and unspecified alcohol dependence	303.9	92
Other and unspecified disorders of eating	307.5	125
Other and unspecified factitious illness	300.19	67
Other and unspecified reactive psychosis	298.8	60
Other and unspecified special symptoms or syndromes, not elsewhere classified	307.9	128
Other anxiety states	300.09	66
Other disorders of eating	307.59	125
Other disorders of impulse control	312.39	151
Other dysfunctions of sleep stages or arousal from sleep	307.47	124
Other emotional disturbances of childhood or adolescence	313.89	158
Other genitourinary malfunction arising from mental factors	306.59	118
Other histrionic personality disorder	301.59	81
Other isolated or simple phobias	300.29	68
Other manic-depressive psychosis	296.89	48

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Other neurotic disorders	300.8	74
Other neurotic disorders	300.89	74
Other nonorganic psychoses	298.0-298.9	56-61
Other or mixed emotional disturbances of childhood or adolescence	313.8	158
Other organic psychotic conditions (chronic)	294.0-294.9	26-29
Other personality disorders	301.8	84
Other personality disorders	301.89	84
Other psychalgia	307.89	127
Other specific disorders of sleep of nonorganic origin	307.49	124
Other specified adjustment reactions	309.8	140
Other specified adjustment reactions	309.89	140
Other specified affective psychoses	296.99	49
Other specified alcoholic psychosis	291.8	15
Other specified disturbances of conduct, not elsewhere classified	312.8	153
Other specified drug dependence	304.6	99
Other specified drug-induced mental disorders	292.8	20
Other specified drug-induced mental disorders	292.89	20
Other specified early childhood psychoses	299.8	64
Other specified manifestations of hyperkinetic syndrome of childhood	314.8	162
Other specified nonpsychotic mental disorders following organic brain damage	310.8	145
Other specified organic brain syndromes (chronic)	294.8	28
Other specified paranoid states	297.8	54
Other specified psychophysiological malfunction	306.8	120
Other specified psychosexual disorders	302.8	89
Other specified psychosexual disorders	302.89	89
Other specified transient organic mental disorders	293.8	24
Other specified transient organic mental disorders	293.89	24
Other specified types of schizophrenia	295.8	38
Other, mixed, or unspecified drug abuse	305.9	112
Overanxious disorder specific to childhood and adolescence	313.0	155
Panic disorder	300.01	66
Paranoia	297.1	51
Paranoid and/or hallucinatory states induced by drugs	292.1	18
Paranoid personality disorder	301.0	76
Paranoid state, simple	297.0	50
Paranoid states	297.0-297.9	50-55
Paranoid type schizophrenia	295.3	33
Paraphrenia	297.2	52
Passive-aggressive personality	301.84	84
Pathological drug intoxication	292.2	19
Pathological gambling	312.31	151
Pedophilia	302.2	86
Persistent disorder of initiating or maintaining sleep	307.42	124
Persistent disorder of initiating or maintaining wakefulness	307.44	124
Personality disorders	301.0-301.9	76-85
Phase-shift disruption of 24-hour sleep-wake cycle	307.45	124
Phobia, unspecified	300.20	68
Phobic disorders	300.2	68
Physiological malfunction arising from mental factors	306.0-306.9	113-121
Pica	307.52	125
Postconcussion syndrome	310.2	144
Predominant disturbance of consciousness	308.1	130

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Predominant disturbance of emotions	308.0	129
Predominant psychomotor disturbance	308.2	131
Presenile dementia	290.1	4
Presenile dementia with delirium	290.11	4
Presenile dementia with delusional features	290.12	4
Presenile dementia with depressive features	290.13	4
Presenile dementia, uncomplicated	290.10	4
Prolonged posttraumatic stress disorder	309.81	140
Psychalgia	307.8	127
Psychogenic amnesia	300.12	67
Psychogenic dysmenorrhea	306.52	118
Psychogenic dysuria	306.53	118
Psychogenic fugue	300.13	67
Psychogenic genitourinary malfunction, unspecified	306.50	118
Psychogenic pain, site unspecified	307.80	127
Psychogenic rumination	307.53	125
Psychogenic vaginismus	306.51	118
Psychogenic vomiting	307.54	125
Psychoses with origin specific to childhood	299.0-299.9	62-65
Fifth-digit subclassification for use with 299:		
0 Current or active		
1 Residual state		
Psychosexual dysfunction	302.7	88
Psychosexual dysfunction with inhibited sexual desire	302.71	88
Psychosexual dysfunction with inhibited sexual excitement	302.72	88
Psychosexual dysfunction with inhibited female orgasm	302.73	88
Psychosexual dysfunction with inhibited male orgasm	302.74	88
Psychosexual dysfunction with premature ejaculation	302.75	88
Psychosexual dysfunction with functional dyspareunia	302.76	88
Psychosexual dysfunction with other specified psychosexual dysfunctions	302.79	88
Psychosexual dysfunction, unspecified	302.70	88
Pyromania	312.33	151
Reactive confusion	298.2	58
Repetitive intrusions of sleep	307.48	124
Residual schizophrenia	295.6	36
Respiratory malfunction arising from mental factors	306.1	114
Schizo-affective type schizophrenia	295.7	37
Schizoid personality disorder	301.2	78
Schizoid personality disorder, unspecified	301.20	78
Schizophrenic disorders	295.0-295.9	30-39
Fifth-digit subclassification for use with 295:		
0 Unspecified state		
1 Subchronic state		
2 Chronic state		
3 Subchronic state with acute exacerbation		
4 Chronic state with acute exacerbation		
5 In remission		
Schizotypal personality	301.22	78
Senile and presenile organic psychotic conditions	290.0-290.9	3-8
Senile dementia with delirium	290.3	6
Senile dementia with delusional or depressive features	290.2	5

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Senile dementia with delusional features	290.20	5
Senile dementia with depressive features	290.21	5
Senile dementia, uncomplicated	290.0	3
Sensitivity, shyness, and social withdrawal disorder specific to childhood and adolescence	313.2	157
Separation anxiety disorder	309.21	137
Sexual deviations and disorders	302.2-302.9	86-90
Sexual masochism	302.83	89
Sexual sadism	302.84	89
Shared paranoid disorder	297.3	53
Shyness disorder of childhood	313.21	157
Simple type schizophrenia	295.0	30
Skin disorder arising from mental factors	306.3	116
Social phobia	300.23	68
Socialized conduct disorder	312.2	150
Somatization disorder	300.81	74
Somnambulism or night terrors	307.46	124
Special symptoms or syndromes, not elsewhere classified	307.1-307.9	122-128
Specific academic or work inhibition	309.23	137
Specific disorders of sleep of nonorganic origin	307.4	124
Specific nonpsychotic mental disorders due to organic brain damage	310.0-310.9	142-146
Subacute delirium	293.1	23
Tension headache	307.81	127
Tic disorder, unspecified	307.20	123
Tics	307.2	123
Tobacco use disorder	305.1	104
Transient disorder of initiating or maintaining sleep	307.41	124
Transient disorder of initiating or maintaining wakefulness	307.43	124
Transient organic psychotic conditions	293.0-293.9	22-25
Transient tic disorder of childhood	307.21	123
Undersocialized conduct disorder, aggressive type	312.0	148
Undersocialized conduct disorder, unaggressive type	312.1	149
Unspecified acute reaction to stress	308.9	134
Unspecified adjustment reaction	309.9	141
Unspecified affective psychosis	296.90	49
Unspecified alcoholic psychosis	291.9	16
Unspecified childhood psychosis	299.9	65
Unspecified disturbance of conduct	312.9	154
Unspecified drug dependence	304.9	102
Unspecified drug-induced mental disorder	292.9	21
Unspecified emotional disturbance of childhood or adolescence	313.9	159
Unspecified neurotic disorder	300.9	75
Unspecified nonpsychotic mental disorder following organic brain damage	310.9	146
Unspecified organic brain syndrome (chronic)	294.9	29
Unspecified paranoid state	297.9	55
Unspecified personality disorder	301.9	85
Unspecified psychophysiological malfunction	306.9	121
Unspecified psychosexual disorder	302.9	90
Unspecified psychosis	298.9	61

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Unspecified schizophrenia	295.9	39
Unspecified senile psychotic condition	290.9	8
Unspecified transient organic mental disorder	293.9	25
Voyeurism	302.82	89

APPENDIX F

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

This is a crosswalk or translation from *DSM-III-R* to *ICD-9-CM*.[1] It was developed in response to a need expressed by medical records administrators for a standardized means by which to translate the codes and rubrics of *DSM-III-R* (widely used by clinicians) to *ICD-9-CM* (which is often used for medical record coding, insurance reporting, and reporting to Federal Agencies). This crosswalk has been specifically developed to facilitate such coding and is not intended for research purposes. A thorough code-by-code discussion of present psychiatric nosology, to be used for research purposes, has been prepared by the American Psychiatric Association and is available through the APA Office of Research.

INSTRUCTIONS FOR USING THE CROSSWALK

DSM-III-R codes are listed in numerical order in the left hand column, followed from left to right by the *ICD-9-CM* code and the combined *DSM-III-R/ICD-9-CM* narrative. In order to find the *ICD-9-CM* code which corresponds to a *DSM-III-R* code, go directly across the page. Words in all capital letters are from the titles of aggregate code groups, added to clarify incomplete titles such as "other." Except in rare instances, discussed in the footnotes, the *ICD-9-CM* and *DSM-III-R* narrative terms are equivalent.

This is only a *DSM-III-R* to *ICD-9-CM* crosswalk. It is not an *ICD-9-CM* to *DSM-III-R* crosswalk and should not be used as such.

Nonsubstantive zeros in *DSM-III-R* which are not found in *ICD-9-CM* are highlighted in this crosswalk by an underscore (e.g., 316.00). These have no "content" and do not affect the crosswalk.

DSM-III-R contains only codes which are found in *ICD-9-CM*; *ICD-9-CM* is the more inclusive system. However, since one of its primary purposes is to serve as a complete list of medical terms to assist in the coding of medical records, there are many codes and rubrics in *ICD-9-CM* which are not found in *DSM-III-R*. When a term is encountered in a medical record which is found in *ICD-9-CM*, but not in *DSM-III-R*, the coder should be guided by *ICD-9-CM*.

See Footnote One (following the Crosswalk) for general notes about the crosswalk.

---

[1] Developed by J. Thompson and H.A. Pincus, Office of Research, American Psychiatric Association.

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
290.00	290.0	Senile [onset] dementia [primary degenerative] [of the Alzheimer type], uncomplicated [senile dementia, not otherwise specified]	2, 3
290.10	290.10	Presenile [onset] dementia [primary degenerative] [of the Alzheimer type], uncomplicated [presenile dementia, not otherwise specified]	2, 3
		Presenile [onset] dementia [primary degenerative] [of the Alzheimer type],	2
290.11	290.11	with delirium	
290.12	290.12	with delusional features [delusions]	
290.13	290.13	with depressive features [depression]	
		Senile [onset] dementia [primary degenerative] [of the Alzheimer type],	2
290.20	290.20	with delusional features [delusions]	
290.21	290.21	with depressive features [depression]	
290.30	290.3	with delirium	
		Arteriosclerotic [multi-infarct] dementia,	
290.40	290.40	uncomplicated	3
290.41	290.41	with delirium	3
290.42	290.42	with delusional features [delusions]	3
290.43	290.43	with depressive features [depression]	3
291.00	291.0	Alcohol withdrawal delirium	
291.10	291.1	Alcohol amnestic syndrome	
291.20	291.2	Other alcoholic dementia [associated with alcoholism]	
291.30	291.3	Alcohol withdrawal hallucinosis	3
291.40	291.4	Idiosyncratic alcohol intoxication	
291.80	291.8	Other specified alcohol psychosis [uncomplicated alcohol withdrawal]	3
292.00	292.0	Drug [amphetamine or similarly acting sympathomimetic] [cocaine] [nicotine] [opioid] [sedative, hypnotic, or anxiolytic delirium] [uncomplicated sedative, hypnotic, or anxiolytic] [other or unspecified psychoactive substance] withdrawal syndrome	4
292.11	292.11	Drug-induced [amphetamine or similarly acting sympathomimetic] [cannabis] [cocaine] [hallucinogen] [phencyclidine (PCP) or similarly acting arylcyclohexylamine] [other or unspecified substance] organic delusional syndrome [disorder]	5, 6
292.12	292.12	Drug-induced [other or unspecified psychoactive substance] hallucinosis	
292.81	292.81	OTHER SPECIFIED drug-induced [amphetamine or similarly acting sympathomimetic] [cocaine] [other or unspecified psychoactive substance] [phencyclidine (PCP) or similarly acting arylcyclohexylamine] delirium	
292.82	292.82	OTHER SPECIFIED drug-induced [other or unspecified psychoactive substance] dementia	8

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
292.83	292.83	OTHER SPECIFIED drug-induced [sedative, hypnotic, or anxiolytic] [other or unspecified psychoactive substance] amnestic disorder	8
292.84	292.84	OTHER SPECIFIED drug-induced [hallucinogen] [phencyclidine (PCP) or similarly acting arylcyclohexylamine] [other or unspecified psychoactive substance] organic affective [mood] syndrome [disorder]	6, 8, 9
292.89	292.89	Other specified drug-induced [other or unspecified [psychoactive] substance] organic mental [anxiety] [personality] disorder [posthallucinogen perception disorder]	3, 8, 10
292.90	292.9	Unspecified drug-induced [phencyclidine (PCP) or similarly acting arylcyclohexylamine] [other or unspecified psychoactive substance] organic mental disorder [not otherwise specified]	7, 11
293.00	293.0	Acute delirium [etiology noted on Axis III or is unknown]	12
293.81	293.81	Organic delusional syndrome [disorder]	
293.82	293.82	Organic hallucinosis syndrome	
293.83	293.83	Organic affective syndrome [mood disorder]	
294.00	294.0	Amnestic syndrome [disorder]	
294.10	294.1	Dementia in conditions classified elsewhere	
294.80	294.8	Other specified organic brain syndrome (chronic) [organic anxiety disorder]	13
294.80	294.9	Other specified organic brain syndrome (chronic) [organic mental disorder not otherwise specified]	14
		Schizophrenic disorder [schizophrenia], disorganized type,	
295.10	295.10	unspecified	
295.11	295.11	subchronic	
295.12	295.12	chronic	
295.13	295.13	subchronic with acute exacerbation	
295.14	295.14	chronic with acute exacerbation	
295.15	295.15	in remission	15
		Schizophrenic disorder [schizophrenia], catatonic type,	
295.20	295.20	unspecified	
295.21	295.21	subchronic	
295.22	295.22	chronic	
295.23	295.23	subchronic with acute exacerbation	
295.24	295.24	chronic with acute exacerbation	
295.25	295.25	in remission	15

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R **Code**	***ICD-9-CM*** **Code**	**Narrative** ***ICD-9-CM*, plus [*DSM-III-R*]**	**Footnotes**
		Schizophrenic disorder [schizophrenia], paranoid type,	
295.30	295.30	unspecified	
295.31	295.31	subchronic	
295.32	295.32	chronic	
295.33	295.33	subchronic with acute exacerbation	
295.34	295.34	chronic with acute exacerbation	
295.35	295.35	in remission	15
295.40	295.40	Acute schizophrenic episode, unspecified [schizophreniform disorder]	3
		Residual schizophrenia [schizophrenic disorder] [schizophrenia],	16
295.60	295.60	unspecified	
295.61	295.61	subchronic	
295.62	295.62	chronic	
295.70	295.70	Schizophrenic disorder, schizo-affective type, unspecified [schizoaffective disorder]	17
		Unspecified schizophrenia [schizophrenic disorder, undifferentiated type],	3, 18
295.90	295.90	unspecified	15
295.91	295.91	subchronic	
295.92	295.92	chronic	
295.93	295.93	subchronic with acute exacerbation	
295.94	295.94	chronic with acute exacerbation	
295.95	295.95	in remission	19
		Major depressive disorder [depression], single episode	
296.20	296.20	unspecified	
296.21	296.21	mild	
296.22	296.22	moderate	
296.23	296.23	severe, without mention of psychotic behavior [features]	
296.24	296.24	severe, specified as with psychotic behavior [features]	
296.25	296.25	in partial remission	
296.26	296.26	in full remission	
		Major depressive disorder [depression], recurrent	20
296.30	296.30	unspecified	
296.31	296.31	mild	
296.32	296.32	moderate	
296.33	296.33	severe, without mention of psychotic behavior [features]	
296.34	296.34	severe, specified as with psychotic behavior [features]	
296.35	296.35	in partial remission	
296.36	296.36	in full remission	
		Bipolar affective disorder, manic,	20
296.40	296.40	unspecified	
296.41	296.41	mild	
296.42	296.42	moderate	
296.43	296.43	severe, without mention of psychotic behavior [features]	
296.44	296.44	severe, specified as with psychotic behavior [features]	
296.45	296.45	in partial remission	

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
		Bipolar affective disorder, manic,	20
296.46	296.46	in full remission	
		Bipolar affective disorder, depressed,	20
296.50	296.50	unspecified	
296.51	296.51	mild	
296.52	296.52	moderate	
296.53	296.53	severe, without mention of psychotic behavior [features]	
296.54	296.54	severe, specified as with psychotic behavior [features]	
296.55	296.55	in partial remission	
296.56	296.56	in full remission	
		Bipolar affective disorder, mixed,	20
296.60	296.60	unspecified	
296.61	296.61	mild	
296.62	296.62	moderate	
296.63	296.63	severe, without mention of psychotic behavior [features]	
296.64	296.64	severe, specified as with psychotic behavior [features]	
296.65	296.65	in partial remission	
296.66	296.66	in full remission	
296.70	296.7	Bipolar affective disorder, unspecified [not otherwise specified]	
297.10	297.1	Paranoia [delusional disorder]	21
297.30	297.3	Shared paranoid disorder [included psychotic disorder]	22
298.80	298.8	Other and unspecified [brief] reactive psychosis	3
298.90	298.9	Unspecified psychosis [psychotic disorder not otherwise specified]	3
299.00	299.00	Infantile autism, current or active state [autistic disorder]	
299.80	299.80	Other specified early childhood psychoses current or active state [pervasive developmental disorder, not otherwise specified]	3
300.00	300.00	Anxiety state [disorder], unspecified [not otherwise specified]	
300.01	300.01	Panic disorder [without agoraphobia]	23
300.02	300.02	Generalized anxiety disorder	
300.11	300.11	Conversion disorder [or hysterical neurosis, conversion type]	
300.12	300.12	Psychogenic amnesia	
300.13	300.13	Psychogenic fugue	
300.14	300.14	Multiple personality [disorder]	
300.15	300.15	Dissociative disorder or reaction, unspecified [not otherwise specified]	
300.16	300.16	Factitious illness [disorder] with psychological symptoms	
300.19	300.19	Other and unspecified factitious illness [disorder, with physical symptoms [not otherwise specified]	3
300.21	300.21	Agoraphobia with panic attacks [panic disorder, with agoraphobia]	24, 25
300.22	300.22	Agoraphobia without [without history of panic disorder] mention of panic attacks	25
300.23	300.23	Social phobia	
300.29	300.29	Other isolated or simple phobias	
300.30	300.3	Obsessive-compulsive disorder [obsessive compulsive neurosis]	

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R **Code**	***ICD-9-CM*** **Code**	**Narrative** ***ICD-9-CM*, plus [*DSM-III-R*]**	**Footnotes**
300.40	300.4	Neurotic depression [dysthymic disorder or depressive neurosis]	
300.60	300.6	Depersonalization syndrome [disorder] [or depersonalization neurosis]	
300.70	300.7	Hypochondriasis neurotic disorder [body dysmorphic disorder] [somatoform disorder, not otherwise specified] [undifferentiated somatoform disorder]	3, 26, 27
300.81	300.81	Somatization disorder	
300.90	300.9	Unspecified neurotic [mental] disorder [nonpsychotic]	28
301.00	301.0	Paranoid personality disorder	
301.13	301.13	Cyclothymic disorder [cyclothymia]	
301.20	301.20	Schizoid personality disorder, unspecified	
301.22	301.22	Schizotypal personality [disorder]	
301.40	301.4	[Obsessive] compulsive personality disorder	
301.50	301.50	Histrionic personality disorder, unspecified	
301.51	301.51	Chronic factitious illness [disorder] with physical symptoms	
301.60	301.6	Dependent personality disorder	
301.70	301.7	Antisocial personality disorder	
301.81	301.81	Narcissistic personality [disorder]	
301.82	301.82	Avoidant personality [disorder]	
301.83	301.83	Borderline personality [disorder]	
301.84	301.84	Passive-aggressive personality [disorder]	
301.90	301.90	Unspecified personality disorder [not otherwise specified]	
302.20	302.2	Pedophilia	
302.30	302.3	Transvestism [transvestic fetishism]	29
302.40	302.4	Exhibitionism	
302.50	302.50	TRANSSEXUALISM with unspecified sexual history	30
302.60	302.6	Disorders of psychosexual identity [gender identity disorder of childhood]	3
302.70	302.70	Psychosexual [sexual] dysfunction, unspecified [not otherwise specified]	
302.71	302.71	Psychosexual dysfunction with inhibited [hypoactive] sexual desire	
302.72	302.72	Psychosexual dysfunction with inhibited sexual excitement [female sexual arousal disorder]	
302.72	302.72	Psychosexual dysfunction with inhibited sexual excitement [male erectile disorder]	31
302.73	302.73	Psychosexual dysfunction with inhibited female orgasm	
302.74	302.74	Psychosexual dysfunction with inhibited male orgasm	
302.75	302.75	Psychosexual dysfunction with premature ejaculation	
302.76	302.76	Psychosexual dysfunction with functional dyspareunia	
302.79	302.79	Psychosexual dysfunction with other specified psychosexual dysfunction [sexual aversion disorder]	32
302.81	302.81	Fetishism	
302.82	302.82	Voyeurism	

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R **Code**	***ICD-9-CM*** **Code**	**Narrative** ***ICD-9-CM*****, plus [*****DSM-III-R*****]**	**Footnotes**
302.83	302.83	Sexual masochism	
302.84	302.84	Sexual sadism	
302.85	302.85	Gender identity disorder of adolescent or adult life [of adolescence or adulthood, nontranssexual type] [not otherwise specified]	33
302.89	302.89	Other SPECIFIED PSYCHOSEXUAL DISORDER [Frotteurism]	34
302.90	302.9	Unspecified psychosexual disorder [atypical paraphilia] [sexual disorder, not otherwise specified] [paraphilia, not otherwise specified]	
303.00	303.00	Acute alcoholic [alcohol] intoxication, unspecified	35
303.90	303.90	Other and unspecified alcohol dependence, unspecified [alcohol dependence]	
304.00	304.00	Opioid type dependence, unspecified	
304.10	304.10	Barbiturate and [or] similarly acting sedative or hypnotic dependence, unspecified [sedative, hypnotic, or anxiolytic dependence]	
304.20	304.20	Cocaine dependence, unspecified	
304.30	304.30	Cannabis dependence, unspecified	
304.40	304.40	Amphetamine and [or] other psychostimulant [similarly acting sympathomimetc] dependence, unspecified	
304.50	304.50	Hallucinogen dependence, unspecified [phencyclidine (PCP) or similarly acting arycyclohexlyamine dependence]	3
304.60	304.60	Other specified drug [substance] dependence, unspecified [inhalant dependence]	3, 36, 37
304.90	304.90	Unspecified drug dependence, unspecified [polysubstance dependence] [psychoactive substance dependence, not otherwise specified]	38
305.00	305.00	Alcohol abuse, unspecified	35
305.10	305.10	Tobacco use disorder [nicotine dependence], unspecified	3, 39
305.20	305.20	Cannabis abuse [intoxication], unspecified	40
305.30	305.30	Hallucinogen abuse, unspecified	40
305.30	292.12	Drug-induced hallucinosis [hallucinosis]	41
305.40	305.40	Barbiturate and similarly acting sedative or hypnotic abuse, unspecified [sedative, hypnotic, or anxiolytic abuse] [intoxication]	40
305.50	305.50	Opioid abuse [intoxication], unspecified	40
305.60	305.60	Cocaine abuse [intoxication], unspecified	40
305.70	305.70	Amphetamine or related acting sympathomimetic abuse [intoxication], unspecified	40
305.90	305.90	Other, mixed, or unspecified [psychoactive] drug [substance] abuse [intoxication], unspecified, [caffeine intoxication], [phencyclidine (PCP) or similarly acting arylcyclohexylamine abuse or intoxication] [inhalant abuse] [inhalant intoxication] [polysubstance abuse] [psychoactive substance abuse, not otherwise specified]	5, 40, 42

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
306.51	306.51	Psychogenic vaginismus	3
307.00	307.0	Stammering and stuttering [cluttering]	3
307.10	307.1	Anorexia nervosa	
307.20	307.20	Tic disorder, unspecified [not otherwise specified]	43
307.21	307.21	Transient tic disorder of childhood	
307.22	307.22	Chronic motor [or vocal] tic disorder	44
307.23	307.23	Gilles de la Tourette's disorder	
307.30	307.3	Stereotyped repetitive movements [stereotype] [disorder]	
307.30	307.9	Other or unspecified special symptoms or syndromes, not elsewhere classified [habit disorder]	3, 45
307.40	307.40	Nonorganic sleep disorder, unspecified [dyssomnia, not otherwise specified]	46
307.40	307.47	Other dysfunctions of sleep stages or arousal from sleep [parasomnia, not otherwise specified]	47
307.42	307.42	Persistent disorder or initiating or maintaining sleep [insomnia related to another mental disorder, nonorganic] [primary insomnia]	3, 48
307.44	307.44	Persistent disorder of initiating or maintaining wakefulness [hypersomnia related to another mental disorder, nonorganic]	3, 48
307.45	307.45	Phase-shift disruption of 24-hour sleep-wake cycle [sleep-wake schedule disorder]	3
307.46	307.46	Somnambulism or night terrors, pavor nocturnus [sleepwalking disorder] [sleep terror disorder]	
307.47	307.47	Other dysfunctions of sleep stages or arousal from sleep [dream anxiety disorder] [nightmare disorder]	3
307.50	307.50	Eating disorder, unspecified [not otherwise specified]	
307.51	307.51	Bulimia [bulimia nervosa]	
307.52	307.52	Pica	
307.53	307.53	Psychogenic rumination [disorder of infancy]	
307.60	307.6	[Functional] enuresis	
307.70	307.7	[Functional] encopresis	
307.80	307.80	Psychogenic [somatoform] pain [disorder], site unspecified	
309.00	309.0	Brief depressive reaction [adjustment disorder with depressed mood]	3
309.21	309.21	Separation anxiety disorder	
309.23	309.23	Specific [adjustment disorder with] academic or work inhibition	
309.24	309.24	Adjustment reaction [disorder] with anxious mood	
309.28	309.28	Adjustment reaction [disorder] with mixed emotional features	
309.30	309.3	ADJUSTMENT REACTION [disorder] with predominant disturbance of conduct	
309.40	309.4	ADJUSTMENT REACTION [disorder] with mixed disturbance of emotions and conduct	
309.83	309.83	Adjustment reaction [disorder] with withdrawal	
309.89	308.3	Other acute reactions to stress [post-traumatic stress disorder]	3

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
309.90	309.9	Unspecified adjustment reaction [disorder] [not otherwise specified]	3
310.10	310.1	Organic personality syndrome [disorder]	
311.00	311	Atypical depressive disorder [depressive disorder, not otherwise specified]	
312.00	312.00	Undersocialized conduct disorder, [solitary] aggressive type, unspecified	
312.20	312.20	Socialized conduct disorder [group type], unspecified	3
312.31	312.31	Pathological gambling	
312.32	312.32	Kleptomania	
312.33	312.33	Pyromania	
312.34	312.34	Intermittent explosive disorder	
312.39	312.39	DISORDERS OF IMPULSE CONTROL, NOT ELSEWHERE CLASSIFIED [trichotillomania]	49
312.39	312.30	DISORDERS OF IMPULSE CONTROL, NOT ELSEWHERE CLASSIFIED [not otherwise specified]	50
312.90	312.9	Unspecified disturbance of conduct [disorder] [Undifferentiated type]	51
313.00	313.0	Overanxious disorder OF CHILDHOOD AND ADOLESCENCE	
313.21	313.21	Shyness [avoidant] disorder of childhood (or adolescence)	3
313.23	313.23	Elective mutism OF CHILDHOOD AND ADOLESCENCE	
313.81	313.81	Oppositional [defiant] disorder of CHILDHOOD AND ADOLESCENCE	
313.82	313.82	Identity disorder OF CHILDHOOD AND ADOLESCENCE	
313.89	313.89	Other EMOTIONAL DISTURBANCES OF CHILDHOOD AND ADOLESCENCE [reactive attachment disorder of infancy or early childhood]	3
314.00	314.00	[Undifferentiated] attention deficit disorder, without mention of hyperactivity	
314.01	314.01	Attention deficit disorder, with hyperactivity	
315.00	315.00	[Developmental] reading disorder, unspecified	
315.10	315.1	[Developmental] specific arithmetic disorder	
315.31	315.31	Developmental [expressive] [receptive] language disorder	
315.39	315.39	Other DEVELOPMENTAL SPEECH OR LANGUAGE [articulation disorder]	3
315.40	315.4	[Developmental] coordination disorder	3
315.90	315.9	Unspecified delay in development [disorder, not otherwise specified]	52
315.90	315.9	Other specified delays in development [specific developmental disorder, not otherwise specified]	52
316.00	316	Psychic [psychological] factors associated with diseases classified elsewhere [affecting physical condition]	3

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
317.00	317	Mild mental retardation	
318.00	318.0	Moderate mental retardation	
318.10	318.1	Severe mental retardation	
318.20	318.2	Profound mental retardation	
319.00	319	Unspecified mental retardation	
780.50	780.54	Other hypersomnia [related to a known organic factor]	53
780.50	780.52	Other insomnia [related to a known organic factor]	53
780.54	307.44	Persistent disorder or initiating or maintaining wakefulness [primary hypersomnia]	54
799.90	799.9	Other unknown and unspecified cause [diagnosis or condition deferred]	
V15.81	V15.81	Noncompliance with medical treatment	
V40.00	V62.89	Other PSYCHOLOGICAL OR PHYSICAL STRESS, NOT ELSEWHERE CLASSIFIED [borderline intellectual functioning]	55
V61.10	V61.1	Marital problems	
V61.20	V61.20	Parent-child problem, unspecified	
V61.80	V61.8	Other specified family circumstances	
V62.20	V62.2	Other occupational circumstances or maladjustment [problems]	
V62.30	V62.3	Educational circumstances [academic problem]	3
V62.81	V62.81	[Other] interpersonal problems, not elsewhere classified	
V62.82	V62.82	Bereavement, uncomplicated	
V62.89	V62.89	Other PSYCHOLOGICAL OR PHYSICAL STRESS, NOT ELSEWHERE CLASSIFIED [phase of life problem or other life circumstance problem]	3
V65.20	V65.2	Person feigning illness [malingering]	3
V71.01	V71.01	Adult antisocial behavior	
V71.02	V71.02	Childhood or adolescent antisocial behavior	
V71.09	V71.09	Other suspected mental condition [no diagnosis or condition]	56
Diagnostic Categories Needing Further Study (See page 367 *DSM-III-R*)			
300.90	300.90	Unspecified neurotic disorder, nonpsychotic [late luteal phase dysphoric disorder]	57
301.90	301.89	Other personality disorders, other [sadistic personality disorder]	58
301.90	301.89	Other personality disorders, other [selfdefeating personality disorder]	58

FOOTNOTES FOR CROSSWALK FROM *DSM-III* and *DSM-III-R* TO *ICD-9-CM*

1. General Notes

   a. This crosswalk was prepared with the assistance of the text and index of *DSM-III-R*, and the text glossary, and index of the *ICD-9-CM*. Also included are the *ICD-9-CM* Errata, printed in March 1979, the *ICD-9-CM* Addenda, published in *Medical Record News*, May 15, 1979, and the *ICD-9-CM* Official Authorized Addendum, NCHS, DHHS, October 1, 1987.

   b. When this crosswalk is used for submission to Federal agencies or intermediaries for reimbursement, only one code should be reported. Multiple codes are not accepted.

   c. In *ICD-9-CM* drug abuse codes, specific substances are not specified. These may be indicated by the use of an "E" code. (Only submit the non-"E" code for reimbursement purposes, however.)

   d. Nonsubstantive zeros in *DSM-III-R* which are not found in *ICD-9-CM* are highlighted in this crosswalk by an underscore (e.g., 316.00). These have no "content," and do not affect the crosswalk to *ICD-9-CM*. These final zeros (indicated in the crosswalk by an underscore) may be suppressed to arrive at the *ICD-9-CM* code.

   e. Some *DSM-III-R* codes contain several rubrics, which are in effect inclusion terms. These have been used in the same way as inclusion terms in *ICD-9-CM*.

   f. Note that this is not an *ICD-9-CM* to *DSM-III-R* crosswalk, and should not be used as such. There are many *ICD-9-CM* codes which are not included in *DSM-III-R*, and are not included in this crosswalk.

   g. "Not otherwise specified" in *ICD-9-CM* is equivalent to "unspecified" in *DSM-III-R* (page xxiii in *ICD-9-CM*).

2. *ICD-9-CM* includes the "Alzheimer's" rubric for only presenile dementia, while *DSM-III-R* includes Alzheimer's as an inclusion term for both presenile and senile dementia. The reason is that recent evidence indicates that the pathology for the senile and presenile conditions is the same, and is of the Alzheimer type. This may cause confusion in coding, since Alzheimer's leads the *ICD-9-CM* coder to only presenile dementia. The controlling rubric, however, is senile/presenile, rather than the Alzheimer's designation. If Alzheimer's is indicated without reference to whether the condition is presenile or senile, the *ICD-9-CM* convention should be observed (i.e., the condition coded to presenile dementia).

3. The *DSM-III-R* term is a subterm or inclusion term in *ICD-9-CM*.

4. *ICD-9-CM* includes all drug withdrawal syndromes in 292.0, whether or not the drug is specified, and whether or not delirium is present. Other *ICD-9-CM* categories include only effects **induced** by drugs (292.2 to 292.9). The *ICD-9-CM* 293 series (transient organic psychotic conditions, including delirium) specifically excludes disorders associated with alcohol or drugs.

5. *ICD-9-CM* includes all specific drug induced disorders under a single code which defines the nature of the disorder (e.g., delusional syndromes, hallucinosis, affective (mood) syndromes, etc.), whereas *DSM-III-R* includes a designation as to the drug class.

6. The term "organic" is not included in *DSM-III- R*, but that an organic mental disorder is present is clear.

7. PCP and/or caffeine are included in these *ICD-9-CM* categories, as per the *ICD-9-CM* index. (In the case of PCP dependence, 304.5, the original publication of *ICD-9-CM* had Phencyclidine as an inclusion term, but in the index led the coder to 304.6. In later printings, this inclusion term in 304.5 was eliminated.)

8. "Specified" in *ICD-9-CM* refers to the mental disorder, while "unspecified" in *DSM-III-R* refers to the drug.

9. The term "affective" is not used in *DSM-III-R*.

10. Posthallucinogen perception disorder is specified drug-induced organic mental disorder which is not delirium, dementia, amnestic, or affective. It is not a withdrawal syndrome or intoxication, and is not a hallucinatory state induced by drugs, since the drug is no longer present. It therefore goes to the residual category "other specified" drug-induced organic mental disorder category in *ICD-9-CM* (292.89).

11. "Unspecified" in *ICD-9-CM* and "not otherwise specified" in *DSM-III-R* refers to "disorder."

12. *ICD-9-CM* uses the word "acute," while *DSM-III-R* does not. The discussion on "course" in *DSM-III-R* (p. 101-102), however, makes it clear that the conditions are one and the same.

13. The word "chronic" is included in the *ICD-9-CM* 294.8 code title, but not in *DSM-III-R*. "Chronic" does not completely define the *ICD-9-CM* category; however, as "acute" cases are also included as per the *ICD-9-CM* index, and "mixed" is an inclusion term. The *DSM-III-R* "organic anxiety disorder" is "another specified" organic brain syndrome, and crosswalks to 294.8.

14. The *DSM-III-R* "not otherwise specified" rubric crosswalks to the *ICD-9-CM* "unspecified" category, 294.9.

15. This code is not found in Appendix G (alphabetic list) or Appendix H (numeric list) of *DSM-III-R*, but is a valid *DSM-III-R* code.

16. Codes 295.63 and 295.64 are found in Appendix G (alphabetic list) and Appendix H (numeric list) of *DSM-III-R*, but are **not** valid *DSM-III-R* codes. (See page 198 in *DSM-III-R*.)

17. *DSM-III-R* questions whether this is a schizophrenic disorder. Both *DSM-III-R* (p. 208-210) and *ICD-9-CM* (p. 1119) agree, however, that this category contains the conditions in which affective and schizophrenic symptoms are both pronounced.

18. The *DSM-III-R* term "undifferentiated" appears as an inclusion term in *ICD-9-CM* for both 295.8x and 295.9x. The state referred to in 295.8x is "acute;" however, and is similar to 295.40 in *DSM-III-R*. (The 295.8x codes are not used in *DSM-III-R*.) Code 295.9x in *DSM-III-R* is a residual category, and is correctly crosswalked to 295.9x in *ICD-9-CM* ("undifferentiated, not otherwise specified").

19. Appendix G (alphabetic list) and Appendix H (numeric list) in *DSM-III-R* incorrectly shows the rubric as "unspecified."

20. Terminology for the 5th digit differs in *DSM-III-R* and *ICD-9-CM*, but study of the two documents reveals that the terminology is equivalent. *DSM-III-R* drops the word "severe" from the .x4 rubric, although severity is clearly implied; uses the word "features" instead of "behavior" to describe psychosis; does not include "unspecified" in the .x5 rubric; and drops the term "affective" from the bipolar disorders.

21. *DSM-III-R* uses the term "delusional" instead of paranoia. This is clearly within the intent of *ICD-9-CM*, however, which indicates that this category includes cases in which "delusions ... are the main symptoms."

22. The *DSM-III-R* terminology simply stresses that the disorder is induced by another person. The outcome is the same, however, in that the two persons share the same disorder.

23. *ICD-9-CM* does not specifically mention the absence of agoraphobia, but this is implicit, since the combination of agoraphobia and panic would go to 300.21 in *ICD-9-CM*, and this category is the only other possibility for panic disorder in *ICD-9-CM*.

24. *ICD-9-CM* considers agoraphobia the primary condition, while *DSM-III-R* considers panic disorder to be the primary condition. The contents of the category are the same, however.

25. The *DSM-III-R* category is theoretically more restrictive, in that panic disorder (rather than mention of panic attacks) should be present. This is not problematic in a *DSM-III-R* to *ICD-9-CM* crosswalk, however, since the contents of the *DSM-III-R* category would go in toto to the *ICD-9-CM* category.

26. Body dysmorphic disorder is a new *DSM-III-R* rubric, and is clearly a somatoform disorder according to *DSM-III-R*.

27. All somatoform disorders go to 300.7 in *ICD-9-CM*. *ICD-9-CM's* 300.9 (Unspecified neurotic disorder) would be incorrect, since the neurotic disorder is indeed specified as somatoform.

28. The *DSM-III-R* "nonpsychotic" is broader than the *ICD-9-CM* "unspecified neurotic." However, the presence of residual categories in *DSM-III-R* which cover all other conditions, and the absence of another appropriate *DSM-III-R* category for unspecified neurotic disorders, makes this the correct crosswalk in actual practice. Also, the *DSM-III-R* title is included in the *ICD-9-CM* index for this code.

29. Although there is a category for "fetishism" in the "other" category of *ICD-9-CM*, the greater specificity in the term "transvestic fetishism" in *DSM-III-R* makes 300.3 the correct one.

30. *ICD-9-CM* contains codes for sexual orientation, while *DSM-III-R* does not. (The sexual orientation can be specified in *DSM-III-R*, but all transsexualism goes into the 302.50 category.) If sexual orientation is specified in *DSM-III-R*, the crosswalk to *ICD-9-CM* would be 302.51 (asexual), 302.52 (homosexual), or 302.53 (heterosexual).

31. *ICD-9-CM* inclusions are "frigidity" and "impotence," which is equivalent terminology to that in *DSM-III-R*.

32. Sexual aversion disorder is an "other specified psychosexual dysfunction" as defined by *ICD-9-CM*.

33. The addition of "nontranssexual type" in *DSM-III-R* adds some confusion to where this disorder should be placed in *ICD-9-CM*, since there is no such exclusion in *ICD-9-CM*. The primary category is gender identity disorder, however, rather than transsexualism, which crosswalks to 302.85 in *ICD-9-CM*. In addition, the "not otherwise specified" rubric in *DSM-III-R* correctly crosswalks to this category in *ICD-9-CM*, since this refers specifically to gender identity disorder, rather than serving as a more general NOS category for psychosexual disorders.

34. Frotteurism is an "other specified psychosexual disorder," as per the *ICD-9-CM* definition.

35. *ICD-9-CM* recognizes intoxication in a person dependent on alcohol (303.0x) and in a person not dependent (305.0x). *DSM-III-R* recognizes intoxication without regard to dependence (303.00), and abuse without dependence (305.0x). In clinical practice most patients coming to care intoxicated will also be dependent, making the 303.00 to 303.00 crosswalk correct. "Abuse" is similarly defined in *ICD-9-CM* (p. 1089-1090) and *DSM-III-R* (p. 169 and 0. 173), making the 305.0x to 305.0 crosswalk correct.

36. Inhalants are an "other specified" substance, as per the *ICD-9-CM* definition.

37. "Specified" and "unspecified" as used here are only an apparent contradiction in the *ICD-9-CM* and *DSM-III-R* codes. "Specified" refers to the drug, and "unspecified" refers to the pattern of the condition.

38. The two combination categories in *ICD-9-CM* are dependent on identification of use or non-use of opioid drugs (304.7 and 304.8). *DSM-III-R* does not use this distinction, and so *DSM-III-R* combination categories for drugs would have to go to the "unspecified" category (304.9), since opioid is not specified.

39. In spite of the overall category rubric in *ICD-9-CM* ("Nondependent abuse of drugs"), tobacco dependence is an *ICD-9-CM* inclusion term in 305.1. The *DSM-III-R* use of "nicotine" reflects the addicting substance in tobacco, and tobacco is the only clinically important manner in which nicotine is abused.

40. *ICD-9-CM* is not entirely clear as to where most intoxication without dependence should be placed. Intoxication is implied in "abuse," however, as the glossary reads the abuse is "a maladaptive effect of a drug on which he is not dependent" (p. 1089). In addition, alcohol intoxication without dependence (drunkenness) is included in this group (the 305 series), as is acute intoxication from hallucinogens. The crosswalk listed is therefore correct.

41. Hallucinosis is the *DSM-III-R* term for intoxication. The "hallucinosis" rubric in *ICD-9-CM* leads one to 292.12, however. If this term is used in *DSM-III-R*, the 292.12 crosswalk should be used.

42. Polysubstance abuse in *DSM-III-R* is equivalent to "mixed" in *ICD-9-CM*.

43. This *ICD-9-CM* code is the only residual category for tic disorder, and so is the correct crosswalk for the "not otherwise specified" *DSM-III-R* rubric.

44. The key word is "or" in the *DSM-III-R* rubric, as either motor or verbal tics, but not both, may be present (page 81, *DSM-III-R*). If both are present, Tourette's is the proper diagnosis.

45. The term "habit" in a non-tic condition is indexed in *ICD-9-CM* to 307.9, and some of the examples in *DSM-III-R* are inclusion terms in *ICD-9-CM* 307.9. If "habit" is included in the rubric, therefore, the crosswalk is to 307.9.

46. Dyssomnia is a rubric unique to *DSM-III-R*, but has the meaning of any insomnia, hypersomnia, or disorder of the sleep-wake cycle (page 298). This crosswalks in *ICD-9-CM* to the 307.40 "unspecified" code of *ICD-9-CM*.

47. Parasomnia of nonorganic origin crosswalk to 307.47 as per the *ICD-9-CM* index.

48. *DSM-III-R* considers the contents of 307.42 to be insomnia which does not have an organic etiology or which is related only to another mental disorder. The inclusion terms in *ICD-9-CM* clarify that this is the content of the *ICD-9-CM* category also. The *ICD-9-CM* category "transient disorder of initiating or maintaining sleep" (307.41) does not meet the *DSM-III-R* definition of an insomnia-type mental disorder, because of the transient nature of the condition (see pages 299-300 in *DSM-III-R*). Similar reasoning applies to the hypersomnia category (307.44).

49. Trichotillomania is another specified disorder of impulse control, as per the *ICD-9-CM* definition.

50. The "not otherwise classified" rubric in *DSM-III-R* crosswalks to 312.30 ("unspecified") in *ICD-9-CM*.

51. Because the disorder is undifferentiated (as in *DSM-III-R*), it cannot be specified, yielding the "unspecified" rubric of *ICD-9-CM*.

52. The "specified" in the *DSM-III-R* rubric for 315.90 is contradictory to the "not otherwise specified" rubric (which means "unspecified"). The "not otherwise specified" rubric should be taken as the primary rubric, which crosswalks to *ICD-9-CM* 315.90. The other *DSM-III-R* rubric "unspecified" unambiguously goes to *ICD-9-CM* 315.90.

53. *DSM-III-R* considers the contents of these categories to be hypersomnia which has an organic etiology. The closest *ICD-9-CM* categories are 780.54 and 780.52. (If apnea is specified, the crosswalk is to 780.53 or 780.51 in *ICD-9-CM*).

54. This *DSM-III-R* category is for hypersomnia with no known organic etiology or related only to another mental disorder. This crosswalks to 307.44 in *ICD-9-CM*.

55. The inclusion "borderline intellectual functioning" was added to *ICD-9-CM* V62.89 in an update. The crosswalk is therefore to V62.89 in *ICD-9-CM*.

56. *ICD-9-CM* includes this code under "observations for suspected mental condition," while *DSM-III-R* indicates that this code is to be used when no diagnosis or condition is present "following an examination." Assuming that the *ICD-9-CM* code represents a final "diagnosis," both refer to a person with a negative workup for a mental disorder or condition. A "V" code by definition is not to be used if a disease is thought to be present (*ICD-9-CM*, p. 880). This is distinguished from 799.90 (*DSM-III-R*) and 799.9 (*ICD-9-CM*) which refer to cases in which a disease is present but unspecified, or in which a disease is thought to be present but the diagnosis is deferred.

57. Code 307.90 is incorrectly attached to this rubric in the Alphabetic List (Appendix G) and Numeric List (Appendix H) of *DSM-III-R*.

58. This is an "other specified" personality disorder, as per the *ICD-9-CM* definition, and crosswalks to 301.89.

B4465.2.5.U

LOS

PSYCHIATRIC

LENGTH OF STAY

Psychiatric Length of Stay
by Diagnosis
Western Region, 1989

LOS

PSYCHIATRIC

LENGTH OF STAY

Psychiatric Length of Stay by Diagnosis
United States, Western Region, 1989

Healthcare Knowledge Resources
Ann Arbor, Michigan
November, 1990

PSYCHIATRIC LENGTH OF STAY

This publication represents one volume in the Psychiatric Length of Stay by Diagnosis series:

Psychiatric Length of Stay by Diagnosis, United States, 1989
ISSN 0898-0543

Psychiatric Length of Stay by Diagnosis, Northeastern Region, 1989
ISSN 0898-0527

Psychiatric Length of Stay by Diagnosis, North Central Region, 1989
ISSN 0898-249X

Psychiatric Length of Stay by Diagnosis, Southern Region, 1989
ISSN 0898-0519

Psychiatric Length of Stay by Diagnosis, Western Region, 1989
ISSN 0898-0535

For further information, please contact Healthcare Knowledge Resources, P.O. Box 303, Ann Arbor, Michigan 48106-0303, or call 800-521-6210.

Copyright 1990 by Healthcare Knowledge Resources, Ann Arbor, Michigan, based on data from the Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a database or retrieval system, without the prior written permission of the publisher.

Statistics reported in this volume are drawn from individual patient discharge records for the time period January 1, 1989 through December 31, 1989. Neither CPHA nor Healthcare Knowledge Resources assume any liability for any use, furnishing, analysis, interpretation, conclusions, or utilization review decisions based on data reported herein. Any such liability shall be the responsibility of the user of the data, who agrees to hold CPHA or Healthcare Knowledge Resources harmless from any damages, litigation, liability or claimed liability, claims, and any expenses including legal expenses incident thereto resulting from any such use, furnishing, analysis, interpretation, conclusions, or utilization review decisions.

CONTENTS

Introduction v

Description of the Database vi
  Source of the Data
  Data Quality
  Hospital Characteristics

Organization of the Tables viii
  Diagnosis Classification Categories
  Hospital Service Type
  Patient Data Stratification

Explanation of the Statistics x
  Total Number of Patients
  Average Length of Stay
  Variance
  Percentiles
  Subtotal and Grand Total

Using the Tables xi

Psychiatric Length of Stay Tables 1

Appendix A
  1989 Hospital Characteristics 167
    Table 1: Universe of Hospitals
    Table 2: Hospitals With Psychiatric Units
    Table 3: Hospitals Without Psychiatric Units

Appendix B
  Description of Hospital Characteristics 170

Appendix C
  State Inclusions By Region 171

Appendix D
  Numeric Listing of *ICD-9-CM* Psychiatric Diagnosis Codes 172

Appendix E
  Alphabetic Listing of *ICD-9-CM* Psychiatric Diagnosis Codes 180

Appendix F
  Crosswalk From *DSM-III-R* to *ICD-9-CM* 188

ACKNOWLEDGEMENTS

1989 PSYCHIATRIC LENGTH OF STAY BY DIAGNOSIS

PROJECT TEAM:

Jennifer Goewey, Publication Specialist
Linda E. Vanek, Assistant Manager, Normative Publications
Joyce Beach, Senior Programmer Analyst
Lale A. Olson, Senior Electronic Publishing Analyst

The following individuals made valuable contributions to the development of this publication:

Robert Seeman, Senior Nosologist, Commission on Professional and Hospital Activities (CPHA),
Nancy Ramirez, Medical Systems Specialist, Healthcare Knowledge Resources,
Robert Travis, Librarian.

We offer a special thank-you to the following individuals for their assistance:

Ruth Blumenauer, Fran Metz, Peggy Meyer, Connie Prouty, Kris Reutter, and Sally Smith.

Finally, we gratefully acknowledge the hospitals and state organizations that support this and other publications by making their data available.

INTRODUCTION

Healthcare Knowledge Resources is the official developer and distributor of products derived from the clinical research and classification development activities of the Commission on Professional and Hospital Activities (CPHA). Now in its fourth decade as a reliable source for clinical record information, CPHA retains ownership of its databases and classification systems while Healthcare Knowledge Resources develops and markets high quality, information-oriented products and services to the healthcare industry and related fields.

Healthcare Knowledge Resources offers a range of information products, available through books, magnetic media, and educational seminars. The Psychiatric Length of Stay series is one of a number of data reference tools providing performance guidelines for a variety of healthcare settings.

The Psychiatric Length of Stay series is a unique annual publication. The series incorporates length of stay and demographic data on psychiatric patients treated in nonfederal, short-term general hospitals in the United States during 1989. This book is one volume in a set of five books. The complete set is the latest in a series of publications on psychiatric length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from other organizations contributing to CPHA are also included in the 1989 series.

In addition to *Psychiatric Length of Stay by Diagnosis*, other titles in the Cost Containment Series include: *Length of Stay by Diagnosis and Operation* and *Length of Stay by DRG and Payment Source*. Each series is available on an annual basis for the United States, Northeastern, North Central, Southern, and Western regions. *Pediatric Length of Stay* (19 years and under) and *Geriatric Length of Stay* (65 years and over) are also available in the Diagnosis and Operation series for the United States.

These statistics, also available on magnetic tape and diskette, provide a valuable perspective for utilization review, quality assurance professionals, physicians, consultants, hospital administrators, third party payors, and researchers interested in cost containment and quality care.

DESCRIPTION OF THE DATABASE

SOURCE OF THE DATA

Data in the Length of Stay tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer or magnetic tape.

2. The disk or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data undergo a comprehensive editing process and errors are corrected.

4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.

5. Data are standardized to create an aggregated patient record base.

Annually these data are utilized to create the Length of Stay series and other reference tools.

DATA QUALITY

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Over 600 automated checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, and unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, numerous edits are done to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death, stillborn
2. admission from other short-term hospital
3. discharge to other short-term hospital
4. discharge against medical advice

HOSPITAL CHARACTERISTICS

Data chosen for inclusion in the Psychiatric Length of Stay series are from general, nonfederal, short-term hospitals in the United States. The American Hospital Association (AHA)[1] defines these characteristics in the following manner:

General – The primary function of the institution is to provide patient services, diagnostic and therapeutic, for a variety of medical conditions.

Nonfederal – Controlled by state, county, city, city-county, hospital district or authority, church.

Short-term – The average length of stay for all patients is less than 30 days, or over 50 percent of all patients are admitted to units where the average length of stay is less than 30 days.

Most data used in the Length of Stay tables are from hospitals participating in PAS. In addition, the following organizations have sent data: Colorado Hospital Association, Hospital Association of New York State, Michigan Hospital Association, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), New Hampshire Hospital Association, Oregon Hospital Association, Southern Kaiser Foundation Hospitals, Vermont Hospital Association, and Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data for special studies.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

The characteristics of all hospitals with discharge data included in the Length of Stay tables are displayed in the tables in Appendix A. Definitions of hospital characteristics are provided in Appendix B and the states included in each region are listed in Appendix C.

---

[1] American Hospital Association Guide to the Health Care Field, 1989.

ORGANIZATION OF THE TABLES

DIAGNOSIS CLASSIFICATION CATEGORIES

The tables in each regional and national volume are categorized by the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.[1] This system includes both diagnosis and procedure numerical codes of three to five digits. The psychiatric length of stay tables are categorized by *ICD-9-CM* diagnosis code, beginning with code 290 and ending with code 314.9, expressed to the fourth digit. Diagnosis codes within the specified range with five digits are collapsed and incorporated into the four digit *ICD-9-CM* diagnosis codes. Appendix D lists, in numerical order, the *ICD-9-CM* diagnosis codes in the tables, their accompanying description, and the page number of the table. Appendix E lists, in alphabetical order, the *ICD-9-CM* psychiatric diagnoses description and accompanying numerical codes along with the page number of the table. (A crosswalk from *DSM-III-R* to *ICD-9-CM* is included in Appendix F.)

HOSPITAL SERVICE TYPE

The tables are also categorized by hospital service unit.[2] The divisions are:

a. **Hospitals with a psychiatric unit/beds** – nonfederal, short-term general hospitals reporting a psychiatric acute care unit or beds set-up.

b. **Hospitals without a psychiatric unit/beds** – nonfederal, short-term general hospitals that do not report a psychiatric acute care unit or beds set-up.

Hospitals in both groups can offer the following additional services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization.

PATIENT DATA STRATIFICATION

The psychiatric length of stay data are stratified into two patient groups, by sex, and by seven age ranges:

Patient Groups

Patients in the tables are grouped by *ICD-9-CM* psychiatric principal diagnosis and by the presence or absence of a psychiatric secondary diagnosis. The principal diagnosis code is the diagnosis that, after study, explains why the patient was admitted to the hospital.

Psychiatric Principal Diagnosis, Without Any Psychiatric Secondary Diagnosis (Psych Prin, No Psych 2nd Dx)

This group includes patients having a psychiatric principal diagnosis code only (*ICD-9-CM* 290-314.9) or patients having the specified psychiatric principal diagnosis code and a nonpsychiatric secondary diagnosis. For example, this group may include a patient having the principal psychiatric diagnosis code specified in the table as their only diagnosis. Alternatively, a patient with the same principal psychiatric diagnosis and a secondary diagnosis of diabetes (*ICD-9-CM* code 250.0), a nonpsychiatric secondary diagnosis, is also included in this category.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1989.

[2] 1988 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Psychiatric Principal Diagnosis, With One or More Psychiatric Secondary Diagnoses (Psych Prin, Psych 2nd Dx(s)

This group includes patients having a psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) and one or more psychiatric secondary diagnoses (*ICD-9-CM* 290-314.9).

Sex

Patients are distinguished as either male or female.

Age

Patients are in one of the following age groups recorded in years:

0-12 (includes newborns)
13-17
18-24
25-34
35-54
55-74
75+

The "all ages" group summarizes all the age groups by sex.

EXPLANATION OF THE STATISTICS

Data are categorized by total number of patients, average length of stay, variance, and distribution percentiles. In addition, two subtotals and a grand total are included.

TOTAL NUMBER OF PATIENTS

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

AVERAGE LENGTH OF STAY

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the lengths of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

VARIANCE

The variance is a measure of the spread of the data around the average. The smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

DISTRIBUTION PERCENTILES

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

SUBTOTAL AND GRAND TOTAL

The subtotal represents the total patients in each of the two patient groups. The Grand Total represents the total number of patients in the specified psychiatric diagnosis category within one of the two hospital service type categories.

USING THE TABLES

The Psychiatric Length of Stay series can be used as a valuable supplement and reference in a variety of healthcare settings. Use of hospital stay data as an inpatient utilization measure allows the healthcare professional to compare regional and national norms to an individual institution or special population. The Length of Stay series assists in:

- projecting extended stay reviews;
- identifying candidates for utilization review;
- establishing baselines;
- developing forecasts; and
- service planning.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay by using one of the Length of Stay regional or national volumes:

Step 1: Consult the Appendix at the back of the book for the particular diagnosis to be reviewed.

Step 2: Find the corresponding table in the Length of Stay tables; the *ICD-9-CM* diagnosis code number follows the English title of each table.

Step 3: Find the appropriate portion of the table for review:

- Hospital Service Type
- Patient Group
- Sex
- Age

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total stratified patient sample and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps can be followed, with more specific applications, by healthcare professionals in many diverse settings.

Psychiatric Length of Stay Diagnosis Tables

SUMMARY OF ALL PATIENTS WITH PSYCHIATRIC CODES

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	257	19.8	271	2	5	16	31	44	54	99 +	88	6.2	156	1	1	1	4	21	27	73
13-17	538	14.6	257	1	3	9	21	38	48	99	156	9.8	189	1	1	3	13	33	44	52
18-24	897	9.5	131	1	2	5	14	24	32	65	385	9.9	101	1	2	6	15	24	28	50
25-34	2013	9.7	113	1	2	6	14	25	29	46	935	10.7	139	1	3	6	15	27	29	58
35-54	2482	9.3	99	1	2	6	13	25	29	45	1215	9.3	100	1	2	5	14	26	28	39
55-74	1132	10.9	121	1	3	7	16	27	31	54	646	8.4	91	2	3	4	11	26	29	54
75 +	549	10.3	96	2	4	7	14	22	30	46	360	6.3	48	1	3	4	7	14	18	28
ALL AGES	7868	10.4	131	1	3	6	15	27	33	56	3785	9.2	110	1	2	5	14	26	28	50
B. FEMALE																				
0-12 YRS.	153	17.6	298	2	3	13	28	40	55	79	54	7.8	147	1	1	2	7	28	34	49
13-17	892	12.8	186	1	3	8	17	30	39	81	226	9.3	148	1	1	4	12	28	37	57
18-24	793	8.9	128	1	2	5	11	22	31	60	280	9.6	126	1	2	5	14	27	30	53
25-34	1812	9.6	100	1	3	6	13	22	29	45	695	9.8	108	1	2	6	14	27	30	47
35-54	2836	10.3	109	1	3	7	14	23	30	50	1137	10.4	123	1	2	6	15	27	31	56
55-74	1663	12.3	117	2	5	9	16	26	33	54	671	8.4	85	1	2	5	11	21	29	45
75 +	941	11.1	122	2	4	8	14	24	34	54	563	6.1	39	2	2	4	7	12	19	33
ALL AGES	9090	10.9	124	1	3	7	15	25	33	55	3626	9.1	104	1	2	5	13	24	29	50
SUBTOTAL	**16958**	**10.6**	**128**	**1**	**3**	**7**	**15**	**26**	**33**	**55**	**7411**	**9.2**	**106**	**1**	**2**	**5**	**13**	**25**	**29**	**50**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	421	28.8	253	9	18	29	39	55	80	99 +	23	20.3	338	1	2	21	28	49	55	65
13-17	1148	20.6	304	3	7	17	32	44	55	99	331	21.6	259	2	6	21	34	43	46	54
18-24	1170	10.6	111	1	3	7	16	28	30	43	619	13.0	117	2	4	9	21	28	31	44
25-34	2539	9.9	95	1	3	6	15	26	28	38	1554	11.8	109	2	3	7	21	28	29	36
35-54	2942	8.9	89	1	3	5	12	23	28	43	1842	9.8	97	2	3	6	14	27	28	41
55-74	945	10.7	95	2	4	8	14	25	31	48	685	8.5	71	2	3	6	11	21	27	40
75 +	251	10.9	75	3	5	9	15	22	25	40	140	7.6	56	2	3	5	9	18	24	36
ALL AGES	9416	11.9	154	1	3	7	18	29	36	64	5194	11.4	118	2	3	7	20	28	31	46
B. FEMALE																				
0-12 YRS.	198	26.0	269	6	11	28	39	55	99 +	99 +	31	13.2	223	1	2	5	24	30	35	66
13-17	1318	18.0	244	3	6	13	28	41	53	99 +	325	18.6	271	1	3	15	30	41	45	67
18-24	1081	10.0	116	1	3	6	13	25	30	54	424	11.5	129	1	2	7	21	28	31	48
25-34	2382	10.1	114	1	3	6	14	25	30	51	990	10.9	115	1	3	6	18	28	30	44
35-54	2881	10.2	108	2	3	7	14	23	28	51	1123	10.2	109	1	3	6	14	26	30	48
55-74	1090	12.3	117	2	5	9	17	27	33	49	443	8.6	82	2	3	6	11	21	27	37
75 +	520	12.1	106	2	5	9	16	23	32	50	207	7.8	81	2	3	5	9	14	24	51
ALL AGES	9470	11.9	145	2	4	8	16	28	37	66	3543	11.0	131	1	3	6	17	28	33	49
SUBTOTAL	**18886**	**11.9**	**150**	**2**	**3**	**7**	**17**	**29**	**36**	**65**	**8737**	**11.2**	**124**	**2**	**3**	**6**	**18**	**28**	**31**	**47**
GRAND TOTAL	**35844**	**11.3**	**140**	**1**	**3**	**7**	**16**	**28**	**35**	**60**	**16148**	**10.3**	**117**	**1**	**3**	**6**	**15**	**28**	**30**	**48**

WESTERN REGION, JANUARY-DECEMBER 1989

SENILE DEMENTIA UNCOMP (290.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	13	13.5	381	1	2	5	18	44	63	68	4	20.8	1121	3	3	38	99 +	99 +	99 +	99 +
75 +	29	5.4	13	2	3	5	6	12	15	99 +	27	8.1	257	2	2	4	8	13	26	86
ALL AGES	42	7.9	135	2	2	5	9	18	48	99 +	31	9.7	355	2	2	5	9	74	98	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	7.5	25	4	4	7	11	11	11	11										
55-74	19	9.5	86	1	2	7	15	24	30	32	6	4.5	8	2	2	4	6	9	9	9
75 +	54	8.4	58	1	3	5	13	20	25	33	29	9.0	173	2	3	5	9	18	27	71
ALL AGES	75	8.7	63	1	3	6	13	19	26	33	35	8.2	147	2	3	5	9	13	24	71
SUBTOTAL	**117**	**8.4**	**88**	**1**	**3**	**5**	**11**	**19**	**27**	**78**	**66**	**8.9**	**241**	**2**	**3**	**5**	**9**	**20**	**73**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	7.0		7	7	7	7	7	7	7
75 +	8	8.0	47	2	3	5	12	19	21	21	2	8.0	32	4	4	8	12	12	12	12
ALL AGES	8	8.0	47	2	4	5	17	68	99 +	99 +	3	7.7	16	4	5	7	11	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	22.0		22	22	22	22	22	22	22
75 +	14	9.6	91	1	2	4	17	24	26	27	2	5.0	18	2	2	5	8	8	8	8
ALL AGES	14	9.6	91	1	2	4	17	24	26	27	3	10.7	104	2	3	8	18	22	22	22
SUBTOTAL	**22**	**9.0**	**73**	**2**	**2**	**5**	**17**	**24**	**52**	**99 +**	**6**	**9.2**	**51**	**2**	**4**	**7**	**12**	**21**	**22**	**22**
GRAND TOTAL	**139**	**8.5**	**85**	**1**	**2**	**5**	**12**	**22**	**27**	**99 +**	**72**	**8.9**	**225**	**2**	**3**	**5**	**9**	**22**	**71**	**99 +**

PRESENILE DEMENTIA (290.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	6.0		6	6	6	6	6	6	6										
25-34	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
35-54	3	12.7	1	12	12	13	13	13	13	13	1	1.0		1	1	1	1	1	1	1
55-74	35	13.1	257	2	3	7	14	33	42	76	22	5.8	51	2	2	3	5	13	22	34
75 +	70	10.2	62	2	5	8	13	22	27	35	45	5.7	19	1	3	5	8	14	14	19
ALL AGES	110	11.1	122	2	4	7	13	25	33	56	69	5.6	29	1	2	4	7	13	14	31
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3	2	7.0	72	1	1	6	13	13	13	13
55-74	32	11.4	54	4	6	10	14	21	27	35	22	8.7	247	2	3	6	7	10	38	78
75 +	53	7.5	41	2	4	5	9	13	20	38	71	5.4	18	2	3	4	7	11	13	84
ALL AGES	86	8.9	49	2	4	7	11	18	21	38	95	6.2	71	2	3	4	7	11	13	90
SUBTOTAL	**196**	**10.1**	**91**	**2**	**4**	**7**	**13**	**22**	**30**	**42**	**164**	**6.0**	**53**	**2**	**3**	**4**	**7**	**12**	**14**	**71**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	4	4.5	3	3	3	4	6	7	7	7										
55-74	14	10.6	86	4	5	7	13	20	34	38	10	9.2	58	3	6	7	9	20	30	30
75 +	11	10.9	63	3	4	12	14	21	29	30	3	12.0	169	4	4	5	21	27	27	27
ALL AGES	29	9.9	67	3	4	7	13	17	30	38	13	9.8	74	4	5	7	9	28	30	30
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	3	8.0	28	2	4	10	11	12	12	12	1	36.0		36	36	36	36	36	36	36
55-74	9	11.1	70	3	6	8	14	24	30	30	7	10.0	21	4	6	10	12	17	18	18
75 +	18	8.5	33	2	4	6	15	15	18	19	8	17.9	586	2	2	3	32	59	67	67
ALL AGES	30	9.2	43	2	4	8	15	16	19	30	16	15.6	326	2	3	9	21	39	59	67
SUBTOTAL	**59**	**9.6**	**53**	**3**	**4**	**7**	**14**	**16**	**25**	**37**	**29**	**13.0**	**215**	**2**	**4**	**8**	**14**	**34**	**40**	**67**
GRAND TOTAL	**255**	**10.0**	**82**	**2**	**4**	**7**	**13**	**21**	**30**	**41**	**193**	**7.0**	**83**	**2**	**3**	**4**	**8**	**13**	**24**	**73**

SENILE DELUSION/DEPRESS (290.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS												HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS											
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES									TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES								
				10TH	25TH	50TH	75TH	90TH	95TH	99TH						10TH	25TH	50TH	75TH	90TH	95TH	99TH		
1. PSYCH PRIN, NO 2ND PSYCH DX																								
A. MALE																								
0-12 YRS.																								
13-17																								
18-24																								
25-34																								
35-54																								
55-74	4	15.3	194	2	6	12	24	35	35	35			1	54.0		54	54	54	54	54	54	54		
75 +	31	12.3	46	4	7	12	15	22	23	32			6	4.5	5	1	3	5	6	7	7	7		
ALL AGES	35	12.6	60	3	7	12	15	23	30	35			7	11.6	354	1	3	6	7	45	54	54		
B. FEMALE																								
0-12 YRS.																								
13-17																								
18-24																								
25-34																								
35-54																								
55-74	9	14.9	147	4	6	11	21	34	42	42														
75 +	49	12.4	42	5	9	11	15	19	23	38			9	6.8	55	1	2	4	8	19	25	25		
ALL AGES	58	12.8	57	5	8	11	16	21	27	42			9	6.8	55	1	2	4	8	19	25	25		
SUBTOTAL	**93**	**12.7**	**58**	**4**	**8**	**11**	**15**	**22**	**28**	**40**			**16**	**8.9**	**177**	**1**	**2**	**5**	**7**	**23**	**45**	**54**		
2. PSYCH PRIN, 2ND PSYCH DX(S)																								
A. MALE																								
0-12 YRS.																								
13-17																								
18-24																								
25-34																								
35-54																								
55-74	5	8.8	24	4	5	7	13	15	15	15			3	11.0	13	8	8	10	14	15	15	15		
75 +	6	10.7	41	3	9	10	12	21	22	22			2	3.5	5	2	2	3	5	5	5	5		
ALL AGES	11	9.8	32	3	5	9	13	18	22	22			5	8.0	25	2	4	8	11	15	15	15		
B. FEMALE																								
0-12 YRS.																								
13-17																								
18-24																								
25-34																								
35-54																								
55-74	3	29.7	1838	1	3	9	61	79	79	79			2	40.0	1682	11	11	40	69	69	69	69		
75 +	23	11.8	13	8	9	11	13	18	19	20			5	6.8	19	1	4	6	10	12	12	12		
ALL AGES	26	13.8	194	7	9	11	13	19	32	79			7	16.3	555	1	5	10	12	58	69	69		
SUBTOTAL	**37**	**12.6**	**147**	**5**	**9**	**11**	**13**	**19**	**21**	**79**			**12**	**12.8**	**331**	**1**	**5**	**9**	**11**	**31**	**64**	**69**		
GRAND TOTAL	**130**	**12.7**	**82**	**4**	**8**	**11**	**15**	**20**	**23**	**49**			**28**	**10.6**	**236**	**1**	**3**	**6**	**10**	**22**	**55**	**69**		

SENILE DELIRIUM (290.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	9	10.0	32	2	6	11	13	18	20	20	9	11.6	183	3	4	6	12	35	45	45
75 +	32	7.2	12	3	5	6	10	12	13	15	30	6.8	32	3	4	5	7	11	25	27
ALL AGES	41	7.8	17	3	5	7	11	13	15	20	39	7.9	67	3	4	5	7	16	26	45
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	10	9.3	33	5	6	7	11	19	23	23	6	7.2	7	3	5	7	10	10	10	10
75 +	55	7.3	29	2	4	6	10	13	14	29	55	5.2	27	1	2	4	6	10	15	30
ALL AGES	65	7.6	30	2	4	7	10	13	17	28	61	5.4	25	1	2	4	7	10	14	30
SUBTOTAL	**106**	**7.7**	**24**	**2**	**5**	**7**	**11**	**13**	**15**	**27**	**100**	**6.4**	**42**	**2**	**3**	**5**	**7**	**11**	**20**	**38**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	4	11.8	17	6	8	13	15	15	15	15	1	4.0		4	4	4	4	4	4	4
75 +	4	13.0	21	9	9	12	16	19	19	19	5	4.6	5	2	3	5	6	8	8	8
ALL AGES	8	12.4	16	7	9	12	15	18	19	19	6	4.5	4	2	3	4	5	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	9.0		9	9	9	9	9	9	9	2	2.5	1	2	2	2	3	3	3	3
75 +	16	10.3	15	5	6	11	13	15	16	17	8	5.8	8	3	3	5	8	10	11	11
ALL AGES	17	10.2	15	5	7	11	13	15	16	17	10	5.1	9	2	3	4	6	10	11	11
SUBTOTAL	**25**	**10.9**	**16**	**5**	**8**	**11**	**14**	**15**	**17**	**19**	**16**	**4.9**	**6**	**2**	**3**	**4**	**6**	**9**	**10**	**11**
GRAND TOTAL	**131**	**8.3**	**24**	**3**	**5**	**7**	**11**	**14**	**15**	**26**	**116**	**6.1**	**39**	**2**	**3**	**5**	**7**	**10**	**19**	**36**

ARTERIOSCLEROT DEMENTIA (290.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	5	14.8	141	2	5	12	25	30	30	30	1	4.0		4	4	4	4	4	4	4
55-74	27	11.1	138	3	5	6	16	27	62	99 +	20	11.4	226	2	4	6	13	46	80	99 +
75 +	34	9.3	52	2	4	8	13	16	18	40	36	6.3	28	2	3	5	7	13	16	28
ALL AGES	66	10.4	94	3	5	7	13	24	31	93	57	8.0	101	2	3	5	8	19	32	97
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	40.0	1250	15	15	40	65	65	65	65										
55-74	12	9.7	38	2	4	10	12	20	21	21	11	6.8	14	3	4	6	8	13	15	15
75 +	46	10.2	116	3	5	8	13	14	23	70	35	7.5	30	2	4	6	10	18	20	21
ALL AGES	60	11.1	146	3	5	8	13	17	29	69	46	7.3	26	2	4	6	9	15	20	21
SUBTOTAL	**126**	**10.7**	**119**	**3**	**5**	**8**	**13**	**19**	**31**	**77**	**103**	**7.7**	**67**	**2**	**4**	**5**	**9**	**17**	**23**	**80**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	29.0		29	29	29	29	29	29	29										
55-74	8	10.6	33	3	6	12	17	68	99 +	99 +	6	18.2	494	4	4	10	19	58	62	62
75 +	12	10.6	37	2	5	12	14	17	21	22	4	9.8	46	6	6	7	13	20	20	20
ALL AGES	21	11.5	47	2	6	12	15	24	57	99 +	10	14.8	310	4	6	7	19	41	62	62
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54																				
55-74	6	33.5	194	17	22	33	40	54	56	56	4	9.8	16	6	6	9	13	15	15	15
75 +	11	18.7	430	4	8	10	14	60	60	60	7	5.9	21	1	3	4	9	13	14	14
ALL AGES	18	22.8	382	4	10	14	36	59	60	60	11	7.3	21	2	3	6	11	14	15	15
SUBTOTAL	**39**	**16.7**	**229**	**3**	**7**	**13**	**20**	**48**	**60**	**99 +**	**21**	**10.9**	**164**	**3**	**4**	**7**	**13**	**19**	**39**	**62**
GRAND TOTAL	**165**	**12.1**	**150**	**3**	**5**	**10**	**14**	**26**	**43**	**95**	**124**	**8.3**	**83**	**3**	**4**	**6**	**9**	**18**	**23**	**72**

SENILE PSYCHOT COND NOS (290.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	2	3.5	1	3	3	3	4	4	4	4	1	3.0		3	3	3	3	3	3	3
75 +											1	6.0		6	6	6	6	6	6	6
ALL AGES	2	3.5	1	3	3	3	4	4	4	4	2	4.5	5	3	3	4	6	6	6	6
SUBTOTAL	**3**	**2.7**	**2**	**1**	**1**	**3**	**4**	**4**	**4**	**4**	**2**	**4.5**	**5**	**3**	**3**	**4**	**6**	**6**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	4.0		4	4	4	4	4	4	4
75 +	1	68.0		68	68	68	68	68	68	68										
ALL AGES	1	68.0		68	68	68	68	68	68	68	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	**2**	**34.5**	**2245**	**1**	**1**	**34**	**68**	**68**	**68**	**68**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
GRAND TOTAL	**5**	**15.4**	**866**	**1**	**1**	**3**	**20**	**68**	**68**	**68**	**3**	**4.3**	**3**	**3**	**3**	**4**	**5**	**6**	**6**	**6**

DELIRIUM TREMENS (291.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	5	2.0	2	1	1	1	3	4	4	4	2	2.0		2	2	2	2	2	2	2
25-34	30	4.1	9	1	1	3	6	9	10	11	9	4.0	5	2	2	3	6	7	8	8
35-54	67	3.8	18	1	2	3	5	6	9	28	33	4.1	5	1	2	4	6	7	7	7
55-74	15	5.3	34	1	2	3	5	12	20	23	8	4.1	8	1	2	3	7	8	8	8
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES	117	4.0	17	1	2	3	5	8	11	25	53	4.1	5	1	2	4	6	7	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	2.0	2	1	1	2	3	3	3	3	1	2.0		2	2	2	2	2	2	2
35-54	10	3.3	15	1	1	2	3	9	14	14	8	12.5	543	2	3	5	6	51	70	70
55-74	2	6.5	5	5	5	6	8	8	8	8	8	3.9	3	2	3	3	5	7	7	7
75 +																				
ALL AGES	14	3.6	13	1	1	3	4	9	13	14	17	7.8	260	2	3	4	6	7	48	70
SUBTOTAL	**131**	**3.9**	**17**	**1**	**2**	**3**	**5**	**8**	**11**	**24**	**70**	**5.0**	**67**	**1**	**2**	**4**	**6**	**7**	**8**	**58**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	12.0		12	12	12	12	12	12	12										
18-24	10	3.3	4	1	1	3	6	6	6	6	2	6.5	41	2	2	6	11	11	11	11
25-34	49	3.2	6	1	1	2	4	6	8	11	32	4.1	6	1	2	4	6	7	10	11
35-54	101	4.3	18	1	2	3	6	9	10	25	75	5.1	15	2	2	4	6	10	14	18
55-74	47	8.7	52	2	4	7	11	14	23	36	51	6.5	35	2	3	4	9	14	18	28
75 +	3	5.7	2	4	4	6	7	7	7	7	7	9.4	64	3	5	6	11	23	26	26
ALL AGES	211	5.1	26	1	2	3	6	10	13	34	167	5.5	22	2	2	4	7	12	15	26
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	6	3.2	4	1	2	3	4	7	7	7	11	4.6	18	1	2	4	6	10	16	16
35-54	25	4.1	6	1	2	3	6	7	9	10	14	3.7	6	1	2	3	5	7	9	9
55-74	8	6.8	16	3	4	6	8	13	15	15	15	6.0	39	1	2	3	9	11	21	25
75 +	1	1.0		1	1	1	1	1	1	1	2	3.0		3	3	3	3	3	3	3
ALL AGES	40	4.4	9	1	2	4	6	8	10	15	42	4.7	21	1	2	3	6	9	13	25
SUBTOTAL	**251**	**5.0**	**23**	**1**	**2**	**3**	**6**	**10**	**12**	**34**	**209**	**5.4**	**22**	**1**	**2**	**4**	**7**	**11**	**15**	**25**
GRAND TOTAL	**382**	**4.6**	**21**	**1**	**2**	**3**	**6**	**9**	**12**	**28**	**279**	**5.3**	**33**	**1**	**2**	**4**	**6**	**10**	**13**	**26**

ALCOHOL AMNESTIC SYND (291.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS											HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS										
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	10	3.3	8	1	1	3	4	7	10	10										
55-74											4	12.0	101	2	6	10	18	26	26	26
75 +																				
ALL AGES	12	3.1	7	1	1	2	4	6	9	10	4	12.0	101	2	6	10	18	26	26	26
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	1	3.0		3	3	3	3	3	3	3										
75 +											1	19.0		19	19	19	19	19	19	19
ALL AGES	2	2.0	2	1	1	2	3	3	3	3	1	19.0		19	19	19	19	19	19	19
SUBTOTAL	**14**	**2.9**	**6**	**1**	**1**	**2**	**4**	**5**	**9**	**10**	**5**	**13.4**	**86**	**2**	**8**	**10**	**21**	**26**	**26**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	13	3.6	7	1	2	3	4	8	10	10	1	11.0		11	11	11	11	11	11	11
35-54	16	7.2	82	1	2	4	7	20	31	36	8	6.6	20	2	3	6	9	13	15	15
55-74	5	14.4	167	3	4	11	22	35	35	35	6	5.5	7	2	4	5	6	10	10	10
75 +	1	13.0		13	13	13	13	13	13	13	1	6.0		6	6	6	6	6	6	6
ALL AGES	35	7.1	71	1	2	4	7	18	31	36	16	6.4	14	2	3	6	9	11	14	15
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	1	2.0		2	2	2	2	2	2	2	2	3.5	5	2	2	3	5	5	5	5
55-74	1	9.0		9	9	9	9	9	9	9	5	6.2	63	1	2	2	9	20	20	20
75 +																				
ALL AGES	3	4.0	19	1	1	2	7	9	9	9	7	5.4	45	1	2	2	6	17	20	20
SUBTOTAL	**38**	**6.8**	**68**	**1**	**2**	**4**	**7**	**16**	**29**	**36**	**23**	**6.1**	**22**	**2**	**2**	**6**	**8**	**12**	**17**	**20**
GRAND TOTAL	**52**	**5.8**	**53**	**1**	**2**	**3**	**7**	**12**	**21**	**36**	**28**	**7.4**	**39**	**2**	**2**	**6**	**10**	**18**	**21**	**26**

ALCOHOLIC DEMENTIA NEC (291.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24																				
25-34																				
35-54	5	10.6	94	2	3	6	20	23	23	23	2	4.5	25	1	1	4	8	8	8	8
55-74	7	24.6	1063	5	6	13	21	82	97	97	7	4.7	16	1	2	4	5	11	13	13
75 +	2	8.0	2	7	7	8	9	9	9	9	1	6.0		6	6	6	6	6	6	6
ALL AGES	14	17.2	580	3	5	9	20	30	82	97	11	4.5	13	1	1	4	6	10	13	13
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	3	9.3	23	4	6	11	12	13	13	13	4	7.5	18	3	4	7	10	13	13	13
75 +																				
ALL AGES	3	9.3	23	4	6	11	12	13	13	13	4	7.5	18	3	4	7	10	13	13	13
SUBTOTAL	**17**	**15.8**	**484**	**3**	**5**	**10**	**19**	**23**	**71**	**97**	**15**	**5.3**	**15**	**1**	**2**	**5**	**7**	**13**	**13**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24											6	14.3	83	2	4	18	21	22	22	22
25-34	2	10.5	181	1	1	10	20	20	20	20	14	14.3	45	4	9	16	21	21	21	21
35-54	16	8.4	63	2	3	5	10	21	27	29	20	11.9	49	2	5	14	17	21	21	21
55-74	22	7.8	43	2	4	6	10	20	23	25	21	14.8	225	3	5	9	18	35	52	63
75 +	5	18.0	208	1	8	17	26	40	40	40	4	6.5	4	4	5	6	8	9	9	9
ALL AGES	46	9.1	75	2	3	6	12	21	26	40	65	13.2	106	3	6	14	20	21	25	60
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											3	19.3	27	14	15	20	23	24	24	24
25-34	2	9.5	145	1	1	9	18	18	18	18	2	18.5	13	16	16	18	21	21	21	21
35-54	5	12.4	166	3	5	9	16	35	35	35	11	7.5	57	2	3	4	10	21	22	22
55-74	14	15.3	403	3	5	8	12	44	69	76	8	7.4	40	2	3	5	10	18	21	21
75 +	6	12.5	105	3	7	9	14	30	32	32	1	3.0		3	3	3	3	3	3	3
ALL AGES	27	13.7	256	3	5	8	13	34	46	76	25	9.6	61	2	3	5	17	21	22	24
SUBTOTAL	**73**	**10.8**	**144**	**2**	**4**	**7**	**12**	**23**	**35**	**68**	**90**	**12.2**	**96**	**3**	**4**	**11**	**20**	**21**	**24**	**55**
GRAND TOTAL	**90**	**11.7**	**209**	**2**	**4**	**7**	**13**	**23**	**35**	**89**	**105**	**11.2**	**90**	**2**	**4**	**8**	**17**	**21**	**23**	**52**

ALCOHOL HALLUCINOSIS (291.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	2.5	5	1	1	2	4	4	4	4										
25-34	5	2.8	3	1	1	3	4	5	5	5	2	2.5	1	2	2	2	3	3	3	3
35-54	19	3.1	5	1	1	2	5	7	8	9	9	2.0	1	1	1	2	2	3	4	4
55-74	7	2.7	2	1	1	3	4	5	5	5	5	4.0	5	1	2	4	5	7	7	7
75 +	1	11.0		11	11	11	11	11	11	11										
ALL AGES	34	3.1	6	1	1	3	4	6	9	11	16	2.7	3	1	2	2	3	5	6	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2	2	2.0	2	1	1	1	3	3	3	3
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	2	2.0	2	1	1	1	3	3	3	3
SUBTOTAL	**35**	**3.1**	**6**	**1**	**1**	**2**	**4**	**6**	**8**	**11**	**18**	**2.6**	**3**	**1**	**2**	**2**	**3**	**5**	**6**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	3	6.7	54	1	2	4	12	15	15	15	3	3.7	5	1	1	5	5	5	5	5
25-34	10	2.9	3	1	1	3	5	5	5	5	11	5.1	7	2	3	5	7	9	10	10
35-54	32	6.1	52	2	2	4	7	21	31	99 +	24	5.0	18	2	2	4	6	9	14	21
55-74	14	7.9	13	3	5	8	11	12	13	13	10	7.4	62	2	3	3	10	21	24	24
75 +											3	4.3	2	3	3	5	5	5	5	5
ALL AGES	59	6.0	36	1	2	4	8	13	23	93	51	5.4	22	2	3	4	6	10	19	24
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34	5	5.0	10	1	2	5	7	9	9	9	3	14.3	388	2	2	4	29	37	37	37
35-54	9	4.7	19	1	1	4	6	12	15	15	8	4.1	13	1	1	3	7	10	10	10
55-74	6	4.2	5	1	4	4	4	8	8	8	6	9.3	141	2	2	5	8	30	33	33
75 +																				
ALL AGES	20	4.6	12	1	2	4	6	8	12	15	18	7.4	109	1	2	3	8	26	35	37
SUBTOTAL	**79**	**5.6**	**30**	**1**	**2**	**4**	**7**	**12**	**17**	**80**	**69**	**5.9**	**44**	**1**	**2**	**4**	**6**	**10**	**21**	**36**
GRAND TOTAL	**114**	**4.9**	**23**	**1**	**2**	**4**	**6**	**11**	**14**	**56**	**87**	**5.2**	**38**	**1**	**2**	**3**	**6**	**10**	**19**	**36**

PATHOLOGIC ALCOHOL INTOX (291.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	2	2.0	2	1	1	2	3	3	3	3										
35-54																				
55-74																				
75 +																				
ALL AGES	3	2.0	1	1	1	2	3	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	**4**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**3**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4										
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1	1	11.0		11	11	11	11	11	11	11
55-74																				
75 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	3	2.0	3	1	1	1	3	4	4	4	1	11.0		11	11	11	11	11	11	11
SUBTOTAL	**4**	**2.0**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**4**	**1**	**11.0**		**11**	**11**	**11**	**11**	**11**	**11**	**11**
GRAND TOTAL	**8**	**1.9**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**4**	**1**	**11.0**		**11**	**11**	**11**	**11**	**11**	**11**	**11**

ALCOHOLIC JEALOUSY (291.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	11.0		11	11	11	11	11	11	11	1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	1	11.0		11	11	11	11	11	11	11	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**1**	**11.0**		**11**	**11**	**11**	**11**	**11**	**11**	**11**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	10.0		10	10	10	10	10	10	10										
35-54											1	54.0		54	54	54	54	54	54	54
55-74	1	13.0		13	13	13	13	13	13	13	1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	2	11.5	5	10	10	11	13	[illegible]	13	13	2	27.5	1405	1	1	27	54	54	54	54
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	12.0		12	12	12	12	12	12	12										
75 +																				
ALL AGES	1	12.0		12	12	12	12	12	12	12										
SUBTOTAL	**3**	**11.7**	**1**	**10**	**10**	**12**	**13**	**13**	**13**	**13**	**2**	**27.5**	**1405**	**1**	**1**	**27**	**54**	**54**	**54**	**54**
GRAND TOTAL	**4**	**11.5**	**2**	**10**	**10**	**11**	**12**	**13**	**13**	**13**	**3**	**18.7**	**934**	**1**	**1**	**1**	**41**	**54**	**54**	**54**

ALCOHOLIC PSYCHOSIS NEC (291.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	1	2.0		2	2	2	2	2	2	2										
18-24	3	1.0		1	1	1	1	1	1	1	3	1.7		1	1	2	2	2	2	2
25-34	63	3.3	13	1	1	2	3	6	14	19	24	2.4	2	1	1	2	3	5	6	7
35-54	128	3.4	11	1	2	2	4	6	9	20	54	3.2	11	1	2	2	3	5	8	21
55-74	52	4.0	33	1	1	2	4	9	11	38	29	3.7	8	2	2	3	4	6	11	14
75 +	5	5.0	3	4	4	4	6	8	8	8										
ALL AGES	253	3.5	16	1	1	2	4	6	11	20	110	3.1	8	1	2	2	4	5	7	17
B. FEMALE																				
0-12 YRS.																				
13-17	2	3.0		3	3	3	3	3	3	3										
18-24	3	1.3		1	1	1	2	2	2	2	1	3.0		3	3	3	3	3	3	3
25-34	6	3.7	17	1	2	2	3	11	12	12	3	3.3	3	2	2	3	4	5	5	5
35-54	25	2.9	3	1	2	2	3	5	7	7	20	2.9	2	1	1	3	4	5	6	7
55-74	14	5.4	11	2	3	4	6	11	13	13	7	3.7	11	2	2	2	4	10	11	11
75 +	1	7.0		7	7	7	7	7	7	7	1	3.0		3	3	3	3	3	3	3
ALL AGES	51	3.7	7	1	2	3	5	7	11	13	32	3.1	4	1	2	3	4	5	7	11
SUBTOTAL	**304**	**3.5**	**14**	**1**	**1**	**2**	**4**	**7**	**11**	**19**	**142**	**3.1**	**7**	**1**	**2**	**2**	**4**	**5**	**7**	**15**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	9	3.1	7	1	1	2	5	7	8	8	19	7.3	49	2	3	5	7	19	24	26
25-34	92	4.4	31	1	2	3	4	9	19	29	124	6.1	45	1	2	4	6	12	25	32
35-54	281	3.6	13	1	2	3	4	7	10	19	321	5.8	35	1	2	4	6	12	21	28
55-74	81	5.2	27	1	2	3	6	10	17	31	152	6.6	28	2	3	6	8	14	17	28
75 +	6	7.0	3	5	6	7	7	10	10	10	13	7.2	26	2	3	6	11	15	17	17
ALL AGES	469	4.1	19	1	2	3	5	8	11	25	629	6.1	36	1	2	5	7	14	21	28
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	3	2.0		2	2	2	2	2	2	2	6	7.3	47	3	4	5	6	20	21	21
25-34	26	6.5	88	1	2	3	4	21	31	36	56	5.6	27	1	2	4	7	9	18	28
35-54	67	5.0	43	1	2	3	4	14	21	35	118	6.5	33	2	3	5	7	15	21	28
55-74	26	7.9	77	1	2	5	10	20	25	40	63	7.1	47	1	2	5	9	18	25	30
75 +	5	4.8	6	1	3	5	7	7	7	7	5	11.2	78	4	5	10	15	26	26	26
ALL AGES	127	5.9	56	1	2	3	6	15	21	38	248	6.5	37	2	3	5	7	14	21	29
SUBTOTAL	**596**	**4.4**	**28**	**1**	**2**	**3**	**5**	**9**	**15**	**30**	**877**	**6.2**	**36**	**2**	**3**	**5**	**7**	**14**	**21**	**28**
GRAND TOTAL	**900**	**4.1**	**23**	**1**	**2**	**3**	**5**	**8**	**13**	**26**	**1019**	**5.8**	**33**	**1**	**2**	**4**	**6**	**13**	**20**	**28**

ALCOHOLIC PSYCHOSIS NOS (291.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34																				
35-54											1	6.0		6	6	6	6	6	6	6
55-74																				
75 +																				
ALL AGES											2	3.5	13	1	1	3	6	6	6	6
SUBTOTAL											**3**	**2.7**	**8**	**1**	**1**	**1**	**5**	**6**	**6**	**6**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	2.5	5	1	1	2	4	4	4	4	1	5.0		5	5	5	5	5	5	5
35-54	3	2.3	2	1	1	3	3	3	3	3	3	14.3	116	5	7	12	22	26	26	26
55-74	1	4.0		4	4	4	4	4	4	4	2	5.0	8	3	3	5	7	7	7	7
75 +																				
ALL AGES	6	2.7	2	1	1	3	4	4	4	4	6	9.7	73	3	5	6	12	25	26	26
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2	2	7.0	18	4	4	7	10	10	10	10
35-54											1	28.0		28	28	28	28	28	28	28
55-74																				
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	2	4.5	13	2	2	4	7	7	7	7	3	14.0	156	4	5	10	23	28	28	28
SUBTOTAL	**8**	**3.1**	**4**	**1**	**1**	**3**	**4**	**6**	**7**	**7**	**9**	**11.1**	**90**	**3**	**5**	**7**	**15**	**27**	**28**	**28**
GRAND TOTAL	**8**	**3.1**	**4**	**1**	**1**	**3**	**4**	**6**	**7**	**7**	**12**	**9.0**	**81**	**1**	**3**	**6**	**11**	**27**	**28**	**28**

DRUG WITHDRAWAL SYNDROME (292.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	1	16.0		16	16	16	16	16	16	16										
18-24	3	2.3	3	1	1	2	3	4	4	4										
25-34	7	7.9	54	2	4	6	8	21	24	24	3	4.3	7	2	2	4	6	7	7	7
35-54	7	2.1	2	1	1	2	3	5	5	5	5	4.4	9	2	2	3	7	9	9	9
55-74	2	1.5	1	1	1	1	2	2	2	2	3	3.3	1	3	3	3	4	4	4	4
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	21	4.6	32	1	1	2	5	11	20	24	12	4.2	5	2	2	4	5	8	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	3	2.0	1	1	1	2	3	3	3	3	2	1.0		1	1	1	1	1	1	1
25-34	6	1.8	4	1	1	1	1	6	6	6	4	6.8	16	3	3	6	10	12	12	12
35-54	4	4.5	32	1	1	2	8	13	13	13	7	2.9	1	2	2	3	3	5	5	5
55-74	6	7.8	16	4	4	7	12	13	13	13	3	5.0	28	1	1	3	9	11	11	11
75 +	1	6.0		6	6	6	6	6	6	6	1	4.0		4	4	4	4	4	4	4
ALL AGES	20	4.4	17	1	1	3	6	12	13	13	17	4.0	11	1	2	3	4	10	12	12
SUBTOTAL	**41**	**4.5**	**24**	**1**	**1**	**2**	**6**	**12**	**14**	**24**	**29**	**4.1**	**8**	**1**	**2**	**3**	**5**	**9**	**11**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											3	20.0	252	2	8	26	30	32	32	32
18-24	7	4.0	10	1	1	3	6	9	9	9	31	9.5	67	3	5	6	12	25	27	29
25-34	23	3.3	9	1	1	2	5	6	9	14	80	7.5	44	2	4	6	7	21	25	29
[illegible]4	20	3.3	9	1	1	3	4	6	10	14	66	6.5	26	2	4	5	7	13	15	28
55-74	6	5.5	17	1	2	5	9	11	11	11	12	7.2	24	2	3	6	11	15	15	15
75 +	2	3.5	5	2	2	3	5	5	5	5	1	11.0		11	11	11	11	11	11	11
ALL AGES	58	3.6	10	1	1	3	5	7	10	14	193	7.7	44	2	4	5	7	18	26	29
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	5	3.4	7	1	2	3	4	8	8	8	10	5.3	5	2	4	5	7	8	9	9
25-34	12	6.8	52	2	3	4	8	16	26	28	57	6.7	29	1	4	6	8	11	17	28
35-54	23	7.9	70	2	3	3	11	22	27	27	55	8.7	55	2	3	7	10	18	28	32
55-74	9	8.4	55	2	3	6	12	20	24	24	19	8.6	28	3	6	7	11	13	20	26
75 +	2	5.5	5	4	4	5	7	7	7	7	8	13.1	45	3	8	14	17	21	22	22
ALL AGES	51	7.2	54	2	3	4	9	20	27	28	149	7.9	40	2	4	6	9	15	23	30
SUBTOTAL	**109**	**5.3**	**33**	**1**	**2**	**3**	**6**	**12**	**20**	**28**	**342**	**7.8**	**42**	**2**	**4**	**6**	**9**	**16**	**26**	**29**
GRAND TOTAL	**150**	**5.1**	**30**	**1**	**2**	**3**	**6**	**12**	**17**	**27**	**371**	**7.5**	**41**	**2**	**4**	**6**	**8**	**15**	**24**	**29**

DRUG PARANOID/HALLUCINOS (292.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4	1	3.0		3	3	3	3	3	3	3
13-17																				
18-24	6	3.7	22	1	1	2	4	12	13	13	2	2.5	5	1	1	2	4	4	4	4
25-34	5	5.2	60	1	1	2	7	19	19	19	2	7.0	18	4	4	7	10	10	10	10
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	3	3.3	5	1	2	4	5	5	5	5	4	11.0	145	4	4	5	17	29	29	29
75 +	2	10.0	128	2	2	10	18	18	18	18	1	2.0		2	2	2	2	2	2	2
ALL AGES	18	4.6	34	1	1	2	4	16	19	19	10	6.8	67	1	3	4	6	19	29	29
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2	3	8.7	153	1	1	2	18	23	23	23
25-34	6	6.3	18	1	3	6	10	11	11	11	3	7.0	39	2	3	5	12	14	14	14
35-54	3	7.0	25	2	3	7	11	12	12	12	3	2.7	4	1	1	2	4	5	5	5
55-74	1	5.0		5	5	5	5	5	5	5	7	2.6	7	1	1	1	3	7	8	8
75 +	9	8.2	41	2	4	6	14	18	18	18	5	2.4	1	1	2	2	3	4	4	4
ALL AGES	20	7.0	27	2	3	5	10	15	18	18	21	4.0	29	1	1	2	4	10	18	23
SUBTOTAL	**38**	**5.9**	**30**	**1**	**2**	**4**	**9**	**16**	**18**	**19**	**31**	**4.9**	**41**	**1**	**1**	**3**	**5**	**12**	**23**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	6.3	27	2	3	5	10	12	12	12										
18-24	23	5.7	14	1	2	5	8	11	14	14	2	8.5	1	8	8	8	9	9	9	9
25-34	26	5.1	25	2	2	3	5	13	19	21	11	5.1	23	1	1	4	6	14	15	15
35-54	20	5.4	24	1	3	4	7	10	17	23	3	3.7	6	1	2	4	5	6	6	6
55-74	5	9.4	22	5	5	9	13	16	16	16	4	4.8	2	3	3	4	6	7	7	7
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	78	5.7	21	1	3	4	7	12	15	22	20	5.2	14	1	2	5	7	11	14	15
B. FEMALE																				
0-12 YRS.	1	13.0		13	13	13	13	13	13	13										
13-17	4	6.8	14	3	4	6	9	12	12	12										
18-24	9	3.8	8	1	2	3	6	8	9	9	2	6.0	32	2	2	6	10	10	10	10
25-34	8	4.0	13	1	1	3	6	10	11	11	3	6.3	17	4	4	4	9	11	11	11
35-54	5	7.8	57	3	4	4	10	21	21	21	3	5.7	17	1	2	7	8	9	9	9
55-74	3	9.0	16	5	6	9	12	13	13	13	2	4.0	8	2	2	4	6	6	6	6
75 +	2	3.5	1	3	3	3	4	4	4	4	3	4.7	9	2	2	4	7	8	8	8
ALL AGES	32	5.6	20	1	3	4	7	12	13	21	13	5.4	11	1	2	4	8	10	11	11
SUBTOTAL	**110**	**5.6**	**21**	**1**	**3**	**4**	**7**	**12**	**14**	**22**	**33**	**5.2**	**14**	**1**	**2**	**4**	**7**	**10**	**13**	**15**
GRAND TOTAL	**148**	**5.7**	**23**	**1**	**2**	**4**	**7**	**13**	**18**	**21**	**64**	**5.1**	**26**	**1**	**2**	**4**	**6**	**10**	**14**	**28**

PATHOLOGIC DRUG INTOX (292.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54																				
55-74	2	4.0		4	4	4	4	4	4	4	1	3.0		3	3	3	3	3	3	3
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	4	3.8	4	1	2	4	5	6	6	6	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	2.0		2	2	2	2	2	2	2
55-74																				
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	1	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**5**	**3.6**	**3**	**1**	**2**	**4**	**5**	**6**	**6**	**6**	**2**	**2.5**	**1**	**2**	**2**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	15.0		15	15	15	15	15	15	15
25-34	2	3.0		3	3	3	3	3	3	3	1	3.0		3	3	3	3	3	3	3
35-54	1	5.0		5	5	5	5	5	5	5	1	1.0		1	1	1	1	1	1	1
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	3	3.7	1	3	3	3	5	5	5	5	4	5.3	42	1	1	2	9	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-17											1	7.0		7	7	7	7	7	7	7
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
35-54	1	23.0		23	23	23	23	23	23	23										
55-74	1	1.0		1	1	1	1	1	1	1										
75 +																				
ALL AGES	3	8.7	153	1	1	2	18	23	23	23	2	4.0	18	1	1	3	7	7	7	7
SUBTOTAL	**6**	**6.2**	**69**	**1**	**2**	**3**	**5**	**21**	**23**	**23**	**6**	**4.8**	**30**	**1**	**1**	**2**	**7**	**14**	**15**	**15**
GRAND TOTAL	**11**	**5.0**	**38**	**1**	**2**	**3**	**5**	**13**	**22**	**23**	**8**	**4.3**	**22**	**1**	**1**	**2**	**5**	**13**	**15**	**15**

OTHER DRUG MENTAL DIS (292.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											2	1.0		1	1	1	1	1	1	1
13-17																				
18-24	3	3.3	1	3	3	3	4	4	4	4	2	1.5	1	1	1	1	2	2	2	2
25-34	5	1.8	1	1	1	2	2	3	3	3	6	12.7	375	1	1	4	14	47	51	51
35-54	5	13.2	185	2	3	4	27	30	30	30	5	3.0	8	1	1	2	4	8	8	8
55-74	15	6.1	12	2	3	6	9	9	13	14	17	5.2	21	2	3	4	6	8	17	22
75 +	7	4.9	22	2	2	3	5	13	15	15	18	3.4	5	1	2	3	5	7	8	8
ALL AGES	35	6.0	42	2	2	4	7	14	23	30	50	4.9	57	1	2	3	5	8	14	51
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	10.0	18	7	7	10	13	13	13	13	1	3.0		3	3	3	3	3	3	3
25-34	3	3.7	4	2	2	3	5	6	6	6	2	5.5	1	5	5	5	6	6	6	6
35-54	9	5.0	27	1	1	2	7	14	15	15	4	3.8	7	1	1	3	6	7	7	7
55-74	16	4.6	7	2	3	5	6	6	11	13	27	4.9	11	2	2	4	6	10	12	14
75 +	23	6.5	16	2	4	6	8	11	15	19	29	3.4	4	1	2	3	5	6	7	9
ALL AGES	53	5.6	16	1	3	5	7	12	13	19	63	4.1	8	1	2	3	6	8	10	14
SUBTOTAL	**88**	**5.8**	**25**	**2**	**2**	**5**	**7**	**12**	**15**	**28**	**113**	**4.5**	**29**	**1**	**2**	**3**	**5**	**8**	**11**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1	2	2.0	2	1	1	2	3	3	3	3
18-24	8	4.4	6	1	2	4	6	8	9	9	16	11.1	52	2	5	11	14	22	26	27
25-34	22	3.7	4	1	2	3	5	7	8	8	15	10.8	49	1	5	10	15	21	21	21
35-54	11	8.3	160	1	3	4	6	26	43	45	13	6.2	15	2	3	6	9	12	13	13
55-74	11	5.5	11	2	3	4	7	11	12	12	7	5.9	7	3	3	6	8	10	10	10
75 +	6	8.0	23	3	5	7	8	16	17	17	9	6.6	43	2	3	4	7	17	23	23
ALL AGES	59	5.4	37	1	3	4	6	9	13	42	62	8.5	40	2	3	7	13	17	22	27
B. FEMALE																				
0-12 YRS.																				
13-17	1	7.0		7	7	7	7	7	7	7	1	2.0		2	2	2	2	2	2	2
18-24	2	6.0	18	3	3	6	9	9	9	9	5	6.8	37	1	1	6	11	16	16	16
25-34	12	5.4	30	1	2	3	8	15	16	16	6	9.7	68	1	4	6	20	20	20	20
35-54	13	7.2	20	1	3	7	10	13	16	17	6	10.0	85	3	5	6	11	26	28	28
55-74	9	7.9	34	3	5	6	9	17	22	22	9	6.0	29	2	2	3	9	15	17	17
75 +	10	8.6	56	2	3	6	12	20	26	26	13	5.8	11	3	3	4	9	11	13	13
ALL AGES	47	7.1	31	1	3	6	10	15	18	26	40	7.1	36	2	3	5	9	16	20	28
SUBTOTAL	**106**	**6.1**	**36**	**1**	**3**	**5**	**7**	**12**	**16**	**34**	**102**	**7.9**	**39**	**2**	**3**	**6**	**11**	**16**	**21**	**27**
GRAND TOTAL	**194**	**6.0**	**30**	**1**	**3**	**5**	**7**	**12**	**15**	**28**	**215**	**6.1**	**37**	**1**	**2**	**4**	**8**	**14**	**19**	**27**

DRUG MENTAL DISORDER NOS (292.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
18-24	7	9.3	213	1	1	2	11	35	41	41	2	9.5	85	3	3	9	16	16	16	16
25-34	8	11.6	198	1	3	6	16	36	43	43	2	8.0	8	6	6	8	10	10	10	10
35-54	3	8.3	34	5	5	5	13	15	15	15	2	1.5	1	1	1	1	2	2	2	2
55-74	6	13.0	104	5	8	9	14	31	33	33	2	4.0	2	3	3	4	5	5	5	5
75 +	2	7.0	8	5	5	7	9	9	9	9	2	4.0	18	1	1	4	7	7	7	7
ALL AGES	27	10.3	131	1	3	7	13	30	41	43	11	5.0	22	1	1	3	7	12	16	16
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	4.0		4	4	4	4	4	4	4	1	2.0		2	2	2	2	2	2	2
25-34	3	4.3	1	4	4	4	5	5	5	5	1	2.0		2	2	2	2	2	2	2
35-54	1	3.0		3	3	3	3	3	3	3	2	3.5	5	2	3	5	76	99 +	99 +	99 +
55-74	2	7.5	25	4	4	7	11	11	11	11										
75 +	3	4.3	7	2	2	4	6	7	7	7	3	5.7		5	5	6	6	6	6	6
ALL AGES	10	4.8	6	2	4	4	5	9	11	11	7	4.0	4	2	2	5	6	72	99 +	99 +
SUBTOTAL	**37**	**8.8**	**102**	**1**	**3**	**5**	**10**	**18**	**38**	**43**	**18**	**4.6**	**14**	**1**	**2**	**5**	**6**	**14**	**62**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4	1	1.0		1	1	1	1	1	1	1
18-24	8	5.1	4	2	3	5	7	8	8	8	1	8.0		8	8	8	8	8	8	8
25-34	16	5.2	28	1	2	4	6	10	19	23	3	5.0	3	3	4	6	6	6	6	6
35-54	11	6.8	39	2	3	4	8	17	22	23										
55-74	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
75 +											1	6.0		6	6	6	6	6	6	6
ALL AGES	37	5.5	25	2	3	4	6	10	19	23	7	4.6	6	1	2	6	6	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17	3	8.0	7	6	6	7	10	11	11	11										
18-24	4	4.5	4	2	3	4	6	7	7	7	4	1.5	1	1	1	1	2	3	3	3
25-34	12	5.8	42	1	2	3	8	14	23	24	2	15.0	162	6	6	15	24	24	24	24
35-54	7	8.1	44	3	5	6	9	20	22	22										
55-74																				
75 +																				
ALL AGES	26	6.5	32	2	2	5	7	11	22	24	6	6.0	82	1	1	2	6	22	24	24
SUBTOTAL	**63**	**5.9**	**28**	**2**	**2**	**5**	**7**	**10**	**22**	**24**	**13**	**5.2**	**38**	**1**	**1**	**3**	**6**	**11**	**22**	**24**
GRAND TOTAL	**100**	**7.0**	**56**	**2**	**3**	**5**	**8**	**14**	**23**	**42**	**31**	**4.9**	**23**	**1**	**2**	**4**	**6**	**12**	**23**	**99 +**

ACUTE DELIRIUM (293.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	3	4.0	12	2	2	2	7	8	8	8										
25-34	4	8.8	31	1	4	10	13	13	13	13	3	8.7	133	1	1	3	17	22	22	22
35-54	9	2.6	9	1	1	1	3	8	10	10	8	3.0	5	1	1	2	5	6	6	6
55-74	26	6.1	35	1	2	4	8	15	19	27	22	5.6	16	1	2	5	7	11	14	16
75 +	31	5.9	29	1	2	4	10	14	19	20	27	5.7	18	1	3	5	8	12	15	17
ALL AGES	75	5.5	29	1	2	3	8	13	17	25	60	5.5	20	1	2	5	7	11	15	21
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	8.5	5	7	7	8	10	10	10	10										
25-34	5	3.0	4	1	1	2	5	5	5	5	1	4.0		4	4	4	4	4	4	4
35-54	8	3.4	10	1	1	2	5	9	10	10	5	7.6	22	1	5	8	10	14	14	14
55-74	32	4.9	12	2	3	4	6	9	13	17	30	5.2	14	1	2	4	8	10	13	14
75 +	55	5.9	24	2	3	4	8	12	17	26	45	4.6	7	2	3	4	7	9	10	10
ALL AGES	102	5.3	18	1	2	4	7	11	14	22	81	5.0	11	2	2	4	8	10	10	14
SUBTOTAL	**177**	**5.4**	**23**	**1**	**2**	**4**	**7**	**12**	**16**	**24**	**141**	**5.2**	**15**	**1**	**2**	**4**	**7**	**10**	**13**	**17**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	14.0		14	14	14	14	14	14	14	1	2.0		2	2	2	2	2	2	2
35-54	6	6.0	10	3	5	5	6	11	12	12	2	5.0	2	4	4	5	6	6	6	6
55-74	12	7.9	16	2	5	8	11	13	14	14	13	5.3	12	2	3	5	6	11	13	13
75 +	10	8.6	79	1	2	4	11	24	26	26	4	6.8	8	3	4	7	9	10	10	10
ALL AGES	29	8.0	35	2	4	6	11	14	22	26	20	5.4	10	2	3	5	7	10	12	13
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	5.0		5	5	5	5	5	5	5										
25-34																				
35-54	4	10.8	80	3	4	8	17	23	23	23	3	10.0	147	3	3	3	19	24	24	24
55-74	26	6.0	20	1	3	5	8	12	15	19	16	6.3	14	2	3	6	8	12	13	14
75 +	10	8.6	33	3	6	7	10	18	22	22	21	5.8	10	3	4	5	7	11	12	14
ALL AGES	41	7.1	28	1	4	6	9	14	20	23	40	6.3	20	2	3	5	8	12	14	24
SUBTOTAL	**70**	**7.4**	**32**	**2**	**4**	**6**	**10**	**14**	**22**	**25**	**60**	**6.0**	**16**	**2**	**3**	**5**	**7**	**12**	**13**	**23**
GRAND TOTAL	**24[illegible]**	**6.0**	**26**	**1**	**2**	**4**	**8**	**13**	**17**	**26**	**201**	**5.4**	**16**	**2**	**3**	**4**	**7**	**10**	**13**	**19**

SUBACUTE DELIRIUM (293.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											2	7.5	25	4	4	7	11	11	11	11
75 +	1	9.0		9	9	9	9	9	9	9	3	5.3	5	3	4	6	7	7	7	7
ALL AGES	1	9.0		9	9	9	9	9	9	9	5	6.2	10	3	4	6	8	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	1.0		1	1	1	1	1	1	1
75 +	3	4.3	1	4	4	4	5	5	5	5	2	3.5	5	2	2	3	5	5	5	5
ALL AGES	3	4.3	1	4	4	4	5	5	5	5	3	2.7	4	1	1	2	4	5	5	5
SUBTOTAL	**4**	**5.5**	**6**	**4**	**4**	**5**	**7**	**9**	**9**	**9**	**8**	**4.9**	**10**	**1**	**2**	**4**	**6**	**10**	**11**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3	1	18.0		18	18	18	18	18	18	18
75 +	1	4.0		4	4	4	4	4	4	4	1	7.0		7	7	7	7	7	7	7
ALL AGES	2	3.5	1	3	3	3	4	4	4	4	2	12.5	61	7	7	12	18	18	18	18
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
55-74	1	10.0		10	10	10	10	10	10	10	1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	2	6.0	32	2	2	6	10	10	10	10	2	4.0	8	2	2	4	6	6	6	6
SUBTOTAL	**4**	**4.8**	**12**	**2**	**2**	**3**	**7**	**10**	**10**	**10**	**4**	**8.3**	**46**	**2**	**4**	**6**	**12**	**18**	**18**	**18**
GRAND TOTAL	**8**	**5.1**	**8**	**2**	**3**	**4**	**7**	**10**	**10**	**10**	**12**	**6.0**	**22**	**2**	**3**	**5**	**7**	**13**	**17**	**18**

OTH TRANSIENT ORG MENTAL (293.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	30.5	27	26	26	30	35	35	35	35										
18-24	2	35.0	2178	2	2	35	68	68	68	68	2	13.0	128	5	5	13	21	21	21	21
25-34	6	10.5	20	5	5	12	14	15	15	15	2	10.5	145	2	2	10	19	19	19	19
35-54	9	6.2	25	1	2	8	9	13	15	15	3	8.7	11	5	6	9	11	12	12	12
55-74	4	9.8	31	4	5	9	14	16	16	16	1	2.0		2	2	2	2	2	2	2
75 +	3	13.7	16	9	10	15	16	17	17	17	2	3.5	5	2	2	3	5	5	5	5
ALL AGES	28	14.0	197	2	5	11	16	32	38	68	10	8.2	49	2	2	5	12	20	21	21
B. FEMALE																				
0-12 YRS.																				
13-17	3	7.7	2	6	6	8	9	9	9	9										
18-24	7	18.3	212	10	11	14	15	44	51	51	1	6.0		6	6	6	6	6	6	6
25-34	9	10.8	82	2	3	9	14	26	29	29	1	25.0		25	25	25	25	25	25	25
35-54	15	14.7	259	2	3	9	17	46	52	54	1	27.0		27	27	27	27	27	27	27
55-74	15	11.0	72	3	4	8	16	24	30	32	2	7.0		7	7	7	7	7	7	7
75 +	10	12.2	95	3	7	8	17	27	35	35	2	3.0	2	2	2	3	4	4	4	4
ALL AGES	59	12.8	136	3	5	9	16	29	41	54	7	11.1	108	2	4	7	21	27	27	27
SUBTOTAL	**87**	**13.2**	**153**	**2**	**5**	**9**	**16**	**29**	**37**	**63**	**17**	**9.4**	**70**	**2**	**4**	**6**	**14**	**24**	**26**	**27**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	18.0	242	7	7	18	29	29	29	29										
18-24	11	11.7	174	2	4	7	13	36	41	41										
25-34	10	13.0	377	2	3	6	14	42	66	66	2	20.5	313	8	8	20	33	33	33	33
35-54	20	12.2	179	1	2	9	16	32	46	50	5	12.4	20	6	10	12	16	18	18	18
55-74	8	20.4	177	7	10	14	34	39	39	39	2	8.5	25	5	5	8	12	12	12	12
75 +	4	14.5	52	6	9	14	20	23	23	23	1	8.0		8	8	8	8	8	8	8
ALL AGES	55	13.8	198	2	4	9	17	39	42	65	10	12.8	66	5	8	11	15	25	33	33
B. FEMALE																				
0-12 YRS.																				
13-17	1	19.0		19	19	19	19	19	19	19										
18-24	5	9.2	102	2	4	6	11	27	27	27	1	7.0		7	7	7	7	7	7	7
25-34	16	11.3	68	2	4	9	21	23	23	23	2	17.0	50	12	12	17	22	22	22	22
35-54	21	8.9	59	2	4	8	10	17	27	36	5	8.2	108	1	1	5	12	26	26	26
55-74	9	12.1	55	4	7	12	16	23	27	27	3	14.7	233	3	4	9	26	32	32	32
75 +	7	8.3	4	6	7	8	10	11	11	11	1	8.0		8	8	8	8	8	8	8
ALL AGES	59	10.1	58	3	5	8	14	22	25	35	12	11.2	102	1	4	8	17	28	31	32
SUBTOTAL	**114**	**11.9**	**127**	**2**	**5**	**8**	**16**	**27**	**38**	**56**	**22**	**11.9**	**83**	**2**	**6**	**9**	**15**	**28**	**32**	**33**
GRAND TOTAL	**201**	**12.5**	**137**	**2**	**5**	**9**	**16**	**28**	**37**	**60**	**39**	**10.8**	**77**	**2**	**5**	**8**	**14**	**26**	**30**	**33**

TRANSIENT ORG MENTAL NOS (293.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	3	1.0		1	1	1	1	1	1	1	1	25.0		25	25	25	25	25	25	25
25-34	6	7.8	106	2	2	3	9	26	28	28										
35-54	4	7.8	12	5	5	6	10	13	13	13	3	4.0	13	1	1	3	7	8	8	8
55-74	9	7.1	31	2	3	4	9	17	17	17	7	3.4	3	2	2	3	5	6	6	6
75 +	7	5.3	11	1	2	4	8	10	10	10	5	4.2	2	2	3	4	5	6	6	6
ALL AGES	29	6.3	35	1	2	4	8	15	18	28	16	5.1	32	2	2	4	5	8	20	25
B. FEMALE																				
0-12 YRS.																				
13-17	1	25.0		25	25	25	25	25	25	25										
18-24	1	2.0		2	2	2	2	2	2	2	1	4.0		4	4	4	4	4	4	4
25-34	2	4.5	25	1	1	4	8	8	8	8	1	1.0		1	1	1	1	1	1	1
35-54																				
55-74	5	7.8	68	2	3	4	11	22	22	22	6	10.2	293	2	2	3	6	41	45	45
75 +	7	5.6	33	2	2	3	6	16	18	18	8	6.3	11	1	3	7	9	10	10	10
ALL AGES	16	7.1	59	2	2	4	8	22	24	25	16	7.3	110	1	2	4	8	10	35	45
SUBTOTAL	**45**	**6.6**	**43**	**1**	**2**	**4**	**8**	**17**	**23**	**28**	**32**	**6.2**	**70**	**1**	**2**	**4**	**7**	**10**	**24**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-17																				
18-24	3	2.3	2	1	1	3	3	3	3	3										
25-34	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
35-54	2	5.0	2	4	4	5	6	6	6	6										
55-74											3	6.3	21	2	3	6	10	11	11	11
75 +	3	5.7	4	4	4	5	7	8	8	8										
ALL AGES	10	4.2	4	1	3	4	6	7	8	8	4	5.5	16	2	2	4	8	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17	1	14.0		14	35	99 +	99 +	99 +	99 +	99 +										
18-24											2	1.5	1	1	1	1	2	2	2	2
25-34	1	3.0		3	3	3	3	3	3	3										
35-54											1	7.0		7	7	7	7	7	7	7
55-74	2	13.0	162	4	4	13	22	22	22	22	4	8.0	13	5	5	8	11	12	12	12
75 +	6	4.0	9	1	1	3	7	8	8	8	2	5.5	13	3	3	5	8	8	8	8
ALL AGES	10	6.7	44	1	3	6	18	99 +	99 +	99 +	9	5.9	13	1	3	5	8	11	12	12
SUBTOTAL	**20**	**5.5**	**24**	**1**	**3**	**4**	**8**	**45**	**99 +**	**99 +**	**13**	**5.8**	**13**	**2**	**3**	**5**	**8**	**11**	**12**	**12**
GRAND TOTAL	**65**	**6.2**	**37**	**1**	**2**	**4**	**8**	**18**	**25**	**99 +**	**45**	**6.1**	**52**	**2**	**2**	**4**	**7**	**10**	**15**	**45**

AMNESTIC SYNDROME (294.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	3.0		3	3	3	3	3	3	3
35-54																				
55-74	2	20.5	545	4	4	20	37	37	37	37	2	5.5	41	1	1	5	10	10	10	10
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	3	14.7	373	3	3	4	29	37	37	37	3	4.7	22	1	1	3	8	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	7.5	41	3	3	7	12	12	12	12	1	6.0		6	6	6	6	6	6	6
55-74	3	2.0	1	1	1	2	3	3	3	3										
75 +	1	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
ALL AGES	6	4.0	16	1	2	3	3	11	12	12	2	4.0	8	2	2	4	6	6	6	6
SUBTOTAL	**9**	**7.6**	**131**	**1**	**2**	**3**	**6**	**27**	**37**	**37**	**5**	**4.4**	**13**	**1**	**2**	**3**	**7**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES											1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**9**	**7.6**	**131**	**1**	**2**	**3**	**6**	**27**	**37**	**37**	**6**	**4.0**	**12**	**1**	**2**	**3**	**6**	**10**	**10**	**10**

DEMENTIA IN OTH DISEASES (294.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	15.0	98	8	8	15	22	22	22	22	1	5.0		5	5	5	5	5	5	5
35-54	2	9.0	98	2	2	9	16	16	16	16	1	15.0		15	15	15	15	15	15	15
55-74	2	9.5	13	7	7	9	12	12	12	12	3	32.0	603	5	13	38	49	53	53	53
75 +	10	14.6	87	5	9	12	19	29	35	35	3	4.0	4	2	2	4	5	6	6	6
ALL AGES	16	13.3	72	3	8	11	17	24	32	35	8	16.0	362	3	4	6	26	48	53	53
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	7.0		7	7	7	7	7	7	7										
25-34											1	23.0		23	23	23	23	23	23	23
35-54	4	11.5	190	3	3	5	19	32	32	32	1	8.0		8	8	8	8	8	8	8
55-74	8	14.3	113	7	9	11	13	32	40	40	1	11.0		11	11	11	11	11	11	11
75 +	8	9.4	53	4	5	6	14	21	22	22	1	14.0		14	14	14	14	14	14	14
ALL AGES	21	11.5	94	4	6	7	13	26	36	40	4	14.0	42	8	9	12	18	23	23	23
SUBTOTAL	**37**	**12.3**	**82**	**4**	**6**	**10**	**15**	**24**	**34**	**40**	**12**	**15.3**	**244**	**3**	**5**	**9**	**19**	**42**	**51**	**53**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	5.5	41	1	1	5	10	10	10	10										
25-34											1	12.0		12	12	12	12	12	12	12
35-54	1	36.0		36	36	36	36	36	36	36	1	72.0		72	72	72	72	72	72	72
55-74	2	15.5	25	12	12	15	19	19	19	19										
75 +	2	17.0	72	11	11	17	23	23	23	23	3	9.0	67	2	3	7	15	18	18	18
ALL AGES	7	16.0	127	2	10	12	22	33	36	36	5	22.2	810	2	6	12	31	72	72	72
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	12.0	128	4	4	12	20	20	20	20										
55-74	2	27.0	512	11	11	27	43	43	43	43										
75 +	2	14.0	32	10	10	14	18	18	18	18	1	4.0		4	4	4	4	4	4	4
ALL AGES	6	17.7	186	5	10	14	20	41	43	43	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**13**	**16.8**	**141**	**3**	**10**	**12**	**21**	**37**	**42**	**43**	**6**	**19.2**	**702**	**2**	**4**	**9**	**18**	**67**	**72**	**72**
GRAND TOTAL	**50**	**13.5**	**98**	**4**	**7**	**11**	**19**	**28**	**36**	**43**	**18**	**16.6**	**368**	**3**	**5**	**9**	**18**	**48**	**64**	**72**

ORGANIC BRAIN SYND NEC (294.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	13.0		13	13	13	13	13	13	13										
18-24	1	1.0		1	1	1	1	1	1	1	1	4.0		4	4	4	4	4	4	4
25-34	2	10.5	13	8	8	10	13	13	13	13	1	92.0		92	92	92	92	92	92	92
35-54	4	8.3	26	5	5	6	11	16	16	16	1	10.0		10	10	10	10	10	10	10
55-74	5	25.2	266	9	13	19	39	48	48	48	4	17.0	119	4	9	17	25	30	30	30
75 +	4	8.8	5	6	7	8	10	12	12	12										
ALL AGES	17	13.5	139	5	6	9	14	33	44	48	7	24.9	959	4	6	14	[illegible]	80	92	92
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1	1	20.0		20	20	20	20	20	20	20
35-54	2	14.0	72	8	8	14	20	20	20	20										
55-74	2	2.5	1	2	2	2	3	3	3	3	3	21.7	990	2	3	5	45	58	58	58
75 +	2	5.5	13	3	3	5	8	8	8	8	2	11.5	85	5	5	11	18	18	18	18
ALL AGES	7	6.4	44	1	2	3	8	18	20	20	6	18.0	440	2	5	12	20	54	58	58
SUBTOTAL	**24**	**11.4**	**120**	**2**	**5**	**8**	**14**	**22**	**40**	**48**	**13**	**21.7**	**676**	**3**	**5**	**14**	**23**	**65**	**87**	**92**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	11.0		11	11	11	11	11	11	11	1	44.0		44	44	44	44	44	44	44
25-34	1	6.0		6	6	6	6	6	6	6	3	8.3	2	7	7	9	9	9	9	9
35-54	3	10.3	90	3	4	7	17	21	21	21	6	15.8	108	6	7	20	29	86	99 +	99 +
55-74	3	10.3	58	5	5	7	16	19	19	19	2	18.5	481	3	11	34	83	99 +	99 +	99 +
75 +	2	10.0	8	8	8	10	12	12	12	12	1	10.0		10	10	10	10	10	10	10
ALL AGES	10	9.9	35	4	6	8	12	20	21	21	13	16.2	170	6	7	10	33	99 +	99 +	99 +
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	6.0		6	6	6	6	6	6	6	2	5.0	8	3	3	5	7	7	7	7
35-54											3	11.0	48	7	7	7	16	19	19	19
55-74	4	10.8	44	2	5	12	16	17	17	17	3	6.0	49	1	1	3	11	14	14	14
75 +	2	6.0	2	5	5	6	7	7	7	7	3	33.7	453	9	18	46	46	46	46	46
ALL AGES	7	8.7	30	3	5	7	13	17	17	17	11	14.7	266	2	4	7	18	46	46	46
SUBTOTAL	**17**	**9.4**	**32**	**3**	**6**	**7**	**13**	**19**	**20**	**21**	**24**	**15.5**	**205**	**3**	**7**	**9**	**31**	**46**	**99 +**	**99 +**
GRAND TOTAL	**41**	**10.6**	**82**	**2**	**6**	**8**	**13**	**20**	**28**	**48**	**37**	**17.7**	**365**	**3**	**6**	**10**	**28**	**53**	**96**	**99 +**

ORGANIC BRAIN SYND NOS (294.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	20.0		20	20	20	20	20	20	20
25-34	3	10.0	13	7	7	9	13	14	14	14										
35-54	4	3.8	11	1	1	3	6	8	8	8	2	4.5	1	4	4	4	5	5	5	5
55-74	2	7.0	32	3	3	7	11	11	11	11										
75 +	4	26.5	1076	5	6	13	46	75	75	75	1	9.0		9	9	9	9	9	9	9
ALL AGES	3	12.7	374	1	4	8	12	29	66	75	4	9.5	54	4	4	7	14	20	20	20
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	20.0		20	20	20	20	20	20	20
25-34																				
35-54	4	7.3	14	2	4	8	10	11	11	11	1	14.0		14	14	14	14	14	14	14
55-74	5	8.6	46	2	5	7	11	20	20	20	1	7.0		7	7	7	7	7	7	7
75 +	2	15.0	32	11	11	15	19	19	19	19										
ALL AGES	11	9.3	34	2	6	8	11	19	20	20	3	13.7	41	7	9	14	18	20	20	20
SUBTOTAL	**24**	**11.1**	**214**	**2**	**5**	**8**	**11**	**19**	**36**	**75**	**7**	**11.3**	**46**	**4**	**5**	**9**	**18**	**20**	**20**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	4.3	25	1	1	2	8	10	10	10										
18-24																				
25-34											1	5.0		5	5	5	5	5	5	5
35-54	1	11.0		11	11	11	11	11	11	11										
55-74	2	13.0	32	9	9	13	17	17	17	17	1	7.0		7	7	7	7	7	7	7
75 +	1	3.0		3	3	3	3	3	3	3	1	9.0		9	9	9	9	9	9	9
ALL AGES	7	7.6	33	1	2	9	11	16	17	17	3	7.0	4	5	5	7	8	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	16.0		16	16	16	16	16	16	16										
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	2	9.0	8	7	7	9	11	11	11	11										
55-74	2	7.0	2	6	6	7	8	8	8	8	1	4.0		4	4	4	4	4	4	4
75 +	3	8.[illegible]	11	6	6	7	11	12	12	12										
ALL AGES	9	8.7	12	5	6	7	11	14	16	16	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**16**	**8.2**	**21**	**2**	**5**	**8**	**11**	**16**	**17**	**17**	**4**	**6.3**	**4**	**4**	**4**	**6**	**8**	**9**	**9**	**9**
GRAND TOTAL	**40**	**10.0**	**135**	**2**	**5**	**8**	**11**	**17**	**19**	**75**	**11**	**9.5**	**35**	**4**	**5**	**7**	**13**	**20**	**20**	**20**

SIMPLE SCHIZOPHRENIA (295.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	13.0		13	13	56	99 +	99 +	99 +	99 +										
25-34	3	12.7	205	2	3	7	23	29	29	29	1	12.0		12	12	12	12	12	12	12
35-54	1	4.0		4	4	4	4	4	4	4										
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	6	10.3	98	2	5	7	25	86	99 +	99 +	1	12.0		12	12	12	12	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	16.5	365	3	3	16	30	30	30	30	1	3.0		3	3	3	3	3	3	3
55-74																				
75 +	4	9.3	14	4	6	10	12	13	13	13										
ALL AGES	6	11.7	95	3	4	10	13	28	30	30	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**12**	**11.0**	**88**	**3**	**4**	**9**	**17**	**44**	**89**	**99 +**	**2**	**7.5**	**41**	**3**	**3**	**7**	**12**	**12**	**12**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54																				
55-74																				
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	2	4.5	1	4	4	4	5	5	5	5										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	10.0		10	10	10	10	10	10	10	1	34.0		34	34	34	34	34	34	34
55-74	1	8.0		8	8	8	8	8	8	8										
75 +	1	25.0		25	25	25	25	25	25	25										
ALL AGES	3	14.3	88	8	8	10	21	25	25	25	1	34.0		34	34	34	34	34	34	34
SUBTOTAL	**5**	**10.4**	**72**	**4**	**5**	**8**	**14**	**25**	**25**	**25**	**1**	**34.0**		**34**	**34**	**34**	**34**	**34**	**34**	**34**
GRAND TOTAL	**17**	**10.8**	**79**	**3**	**4**	**8**	**13**	**30**	**72**	**99 +**	**3**	**16.3**	**256**	**3**	**5**	**12**	**28**	**34**	**34**	**34**

HEBEPHRENIA (295.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	4.0		4	4	4	4	4	4	4
18-24	2	24.0	1058	1	1	24	47	47	47	47	2	9.0	32	5	5	9	13	13	13	13
25-34	8	20.1	178	3	9	21	30	38	40	40	13	17.1	258	3	6	14	21	46	54	56
35-54	5	13.8	59	[illegible]	9	10	17	27	27	27	4	14.8	84	2	8	17	21	23	23	23
55-74	2	13.0	32	9	9	13	17	17	17	17										
75 +																				
ALL AGES	17	17.9	175	3	9	14	26	39	45	47	20	15.2	190	3	5	14	20	33	50	56
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	3	13.7	13	11	11	12	16	18	18	18										
25-34	7	8.6	43	3	4	6	11	20	22	22	5	14.0	53	3	10	14	20	21	21	21
35-54	7	14.9	100	5	7	14	19	31	34	34	1	14.0		14	14	14	14	14	14	14
55-74	1	16.0		16	16	16	16	16	16	16	1	16.0		16	16	16	16	16	16	16
75 +																				
ALL AGES	18	12.3	62	4	6	11	16	21	29	34	7	14.3	35	5	12	14	19	21	21	21
SUBTOTAL	**35**	**15.0**	**122**	**4**	**8**	**12**	**20**	**34**	[illegible]	**47**	**27**	**14.9**	**149**	**3**	**5**	**14**	**20**	**23**	**46**	**56**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	24.0		24	24	24	24	24	24	24										
18-24	2	3.0	8	1	1	2	5	5	5	5										
25-34	9	11.6	67	4	5	8	17	25	27	27	1	20.0		20	20	20	20	20	20	20
35-54	5	15.0	114	5	6	10	26	27	27	27	2	20.0	18	17	18	23	81	99 +	99 +	99 +
55-74																				
75 +																				
ALL AGES	17	12.3	85	4	5	8	22	27	27	27	3	20.0	9	17	18	21	61	99 +	99 +	99 +
B. FEMALE																				
0-12 YRS.																				
13-17	1	56.0		56	56	56	56	56	56	56										
18-24	1	7.0		7	7	7	7	7	7	7										
25-34											2	16.0	338	3	3	16	29	29	29	29
35-54	3	5.3	3	4	4	5	6	7	7	7	1	15.0		15	15	15	15	15	15	15
55-74	1	10.0		10	10	10	10	10	10	10										
75 +	1	22.0		22	22	22	22	22	22	22										
ALL AGES	7	15.9	348	4	5	7	19	49	56	56	3	15.7	168	3	6	15	25	29	29	29
SUBTOTAL	**24**	**13.3**	**154**	**4**	**5**	**8**	**22**	**27**	**36**	**56**	**6**	**17.8**	**78**	**5**	**15**	**20**	**27**	**86**	**99 +**	**99 +**
GRAND TOTAL	**59**	**14.3**	**134**	**4**	**6**	**10**	**21**	**27**	**37**	**55**	**33**	**15.5**	**132**	**3**	**6**	**14**	**21**	**30**	**54**	**99 +**

CATATONIC SCHIZOPHRENIA (295.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	5	11.8	53	1	6	14	18	18	18	18	3	10.7	56	2	5	14	15	16	16	16
25-34	9	10.3	93	3	4	7	14	27	32	32	1	11.0		11	11	11	11	11	11	11
35-54	6	12.7	98	2	2	13	18	27	28	28	1	6.0		6	6	6	6	6	6	6
55-74	1	35.0		35	35	35	35	35	35	35										
75 +											1	7.0		7	7	7	7	7	7	7
ALL AGES	21	12.5	100	2	4	12	18	30	33	35	6	9.3	29	2	6	9	14	16	16	16
B. FEMALE																				
0-12 YRS.																				
13-17	2	16.5	181	7	7	16	26	26	26	26										
18-24	1	21.0		21	21	21	21	21	21	21	1	43.0		43	43	43	43	43	43	43
25-34	5	19.2	182	5	11	16	26	41	41	41										
35-54	2	14.0	8	12	12	14	16	16	16	16	2	4.5	1	4	4	4	5	5	5	5
55-74	4	7.8	57	3	3	5	12	19	19	19										
75 +																				
ALL AGES	14	14.9	111	3	6	14	21	27	38	41	3	17.3	496	4	4	5	33	43	43	43
SUBTOTAL	**35**	**13.5**	**102**	**3**	**5**	**12**	**19**	**28**	**34**	**41**	**9**	**12.0**	**157**	**3**	**5**	**7**	**14**	**32**	**43**	**43**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	20.0		20	20	20	20	20	20	20
18-24	2	9.5	5	8	8	9	11	11	11	11	1	3.0		3	3	3	3	3	3	3
25-34	2	12.0	128	4	4	12	20	20	20	20	1	38.0		38	38	38	38	38	38	38
35-54	2	13.0	8	11	11	13	15	15	15	15	1	26.0		26	26	26	26	26	26	26
55-74																				
75 +																				
ALL AGES	6	11.5	31	4	8	11	15	19	20	20	4	21.8	209	3	11	23	32	38	38	38
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	12.0		12	12	12	12	12	12	12										
35-54	3	14.3	110	6	7	11	22	26	26	26	1	28.0		28	28	28	28	28	28	28
55-74											2	3.0	2	2	2	3	4	4	4	4
75 +	1	7.0		7	7	7	7	7	7	7	2	3.5	1	3	3	3	4	4	4	4
ALL AGES	5	12.4	64	6	7	11	15	26	26	26	5	8.2	123	2	3	4	10	28	28	28
SUBTOTAL	**11**	**11.9**	**42**	**5**	**7**	**11**	**14**	**22**	**26**	**26**	**9**	**14.2**	**193**	**2**	**3**	**4**	**26**	**34**	**38**	**38**
GRAND TOTAL	**46**	**13.1**	**87**	**3**	**6**	**12**	**18**	**26**	**33**	**41**	**18**	**13.1**	**166**	**2**	**4**	**6**	**20**	**35**	**41**	**43**

PARANOID SCHIZOPHRENIA (295.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	21.0		21	21	21	21	21	21	21
13-17	6	12.5	108	2	5	10	16	29	31	31	3	16.3	67	7	10	21	21	21	21	21
18-24	91	12.3	231	2	4	7	14	25	43	82	44	12.2	73	2	5	12	16	23	30	~~38~~
25-34	324	10.3	106	2	4	7	13	20	28	48	144	14.0	170	3	6	10	19	29	47	99 +
35-54	275	11.8	119	3	5	8	15	24	34	56	110	14.8	212	3	5	10	20	29	48	99
55-74	34	15.3	205	4	6	11	19	29	39	75	8	9.9	39	2	6	8	15	19	20	20
75 +	4	16.0	268	1	1	15	30	33	33	33	1	9.0		9	9	9	9	9	9	9
ALL AGES	734	11.4	132	2	4	8	15	23	33	67	311	13.9	167	3	6	10	19	29	43	99
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	2	6.0		6	6	6	6	6	6	6										
18-24	27	13.9	153	3	5	8	19	32	42	51	12	8.3	13	4	6	8	11	13	14	14
25-34	130	12.0	95	2	5	9	17	25	33	40	52	11.9	143	3	4	9	15	23	45	53
35-54	246	10.9	111	2	5	8	13	23	31	73	74	13.5	89	4	6	13	20	27	33	86
55-74	117	13.8	143	4	6	10	18	30	38	62	29	14.1	199	1	3	6	24	36	40	47
75 +	7	21.1	398	2	5	8	40	47	48	48	2	10.0	98	3	3	10	17	17	17	17
ALL AGES	530	12.0	122	2	5	8	16	27	34	52	169	12.7	119	3	4	9	17	27	39	53
SUBTOTAL	**1264**	**11.7**	**127**	**2**	**5**	**8**	**15**	**25**	**33**	**57**	**480**	**13.5**	**150**	**3**	**5**	**10**	**18**	**28**	**41**	**92**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	22.5	230	3	13	23	32	40	40	40	3	5.0	19	2	2	3	8	10	10	10
18-24	50	12.3	72	3	6	11	16	23	30	37	21	13.2	121	3	6	11	18	33	69	99 +
25-34	168	8.4	71	2	3	6	10	19	22	44	38	12.1	104	2	5	10	14	25	33	50
35-54	149	11.2	138	2	4	7	13	24	34	60	40	17.3	322	3	7	13	20	63	87	99 +
55-74	15	14.7	200	4	5	7	20	40	44	45	5	17.6	198	3	3	20	30	32	32	32
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	387	10.3	108	2	4	7	13	22	33	47	107	14.3	194	2	6	11	18	33	62	99 +
B. FEMALE																				
0-12 YRS.																				
13-17	3	13.0	61	4	7	17	18	18	18	18										
18-24	9	7.7	17	1	4	9	11	13	13	13	5	13.6	201	2	6	8	19	38	38	38
25-34	50	10.7	116	3	5	7	13	19	27	63	7	9.9	56	1	3	8	16	20	21	21
35-54	98	11.6	92	2	6	9	16	24	30	45	27	14.0	144	4	6	11	19	28	41	54
55-74	28	9.8	40	3	6	7	13	21	23	25	2	17.5	221	7	7	17	28	28	28	28
75 +	8	15.4	169	2	7	11	23	37	39	39	3	11.0	109	4	4	6	19	23	23	23
ALL AGES	196	11.1	89	3	5	8	14	23	28	47	44	13.3	126	3	5	9	18	28	38	54
SUBTOTAL	**583**	**10.6**	**101**	**2**	**4**	**7**	**13**	**22**	**32**	**47**	**151**	**14.0**	**174**	**3**	**6**	**11**	**18**	**30**	**52**	**99 +**
GRAND TOTAL	**1847**	**11.3**	**120**	**2**	**4**	**8**	**15**	**24**	**33**	**55**	**631**	**13.6**	**156**	**3**	**5**	**10**	**18**	**29**	**43**	**99 +**

AC SCHIZOPHRENIC EPISODE (295.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	22.0		22	22	22	22	22	22	22
13-17	1	42.0		42	42	42	42	42	42	42	1	15.0		15	15	15	15	15	15	15
18-24	12	11.3	41	4	6	12	15	19	24	25	4	18.8	68	9	12	19	25	28	28	28
25-34	6	16.8	88	6	6	18	23	28	29	29	8	12.8	221	4	5	8	11	38	49	49
35-54	8	6.1	15	2	3	5	9	12	13	13	2	3.5	13	1	1	3	6	6	6	6
55-74																				
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	28	11.8	88	3	5	9	16	24	30	42	16	13.8	145	3	6	10	19	27	43	49
B. FEMALE																				
0-12 YRS.																				
13-17	4	10.5	44	3	5	11	16	17	17	17										
18-24	8	12.6	53	4	5	14	19	20	20	20	1	8.0		8	8	8	8	8	8	8
25-34	4	12.8	35	7	8	11	17	21	21	21	3	15.3	184	2	5	15	25	29	29	29
35-54	13	9.4	58	3	5	7	11	21	27	29	10	10.0	54	1	4	9	13	21	22	22
55-74	2	6.5	25	3	3	6	10	10	10	10	1	10.0		10	10	10	10	10	10	10
75 +																				
ALL AGES	31	10.6	48	3	5	9	17	20	21	29	15	10.9	67	2	4	10	15	22	27	29
SUBTOTAL	**59**	**11.2**	**66**	3	**5**	**9**	**16**	**21**	**27**	**41**	**31**	**12.4**	**106**	**2**	**6**	**10**	**15**	**25**	**29**	**49**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	7.3	40	2	2	5	12	16	16	16	3	13.7	311	2	3	5	27	34	34	34
18-24	9	7.4	12	3	5	6	10	12	13	13	4	10.8	124	2	3	7	18	27	27	27
25-34	5	23.4	870	5	5	12	34	75	75	75	2	9.0	98	2	2	9	16	16	16	16
35-54	2	5.5	5	4	4	5	7	7	7	7	3	6.0	19	1	3	8	9	9	9	9
55-74																				
75 +																				
ALL AGES	20	11.2	247	3	5	7	11	18	47	75	12	10.0	112	1	2	7	13	29	33	34
B. FEMALE																				
0-12 YRS.	1	45.0		45	45	45	45	45	45	45										
13-17																				
18-24	1	8.0		8	8	8	8	8	8	8	1	7.0		7	7	7	7	7	7	7
25-34	3	2.7	2	1	1	3	4	4	4	4	1	6.0		6	6	6	6	6	6	6
35-54	2	10.0	72	4	4	10	16	16	16	16	3	19.3	214	9	10	13	30	36	36	36
55-74	1	23.0		23	23	23	23	23	23	23										
75 +																				
ALL AGES	8	13.0	223	2	3	6	19	38	45	45	5	14.2	156	6	7	9	19	36	36	36
SUBTOTAL	**28**	**11.7**	**233**	**2**	**4**	**7**	**12**	**22**	**48**	**75**	**17**	**11.2**	**121**	**2**	**4**	**8**	**14**	**33**	**35**	**36**
GRAND TOTAL	**87**	**11.4**	**117**	**3**	**5**	**8**	**15**	**21**	**29**	**64**	**48**	**12.0**	**108**	**2**	**5**	**9**	**15**	**28**	**34**	**49**

LATENT SCHIZOPHRENIA (295.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	8.0		8	8	8	8	8	8	8										
35-54																				
55-74																				
75 +																				
ALL AGES	1	8.0		8	8	8	8	8	8	8										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	23.0		23	23	23	23	23	23	23
55-74											1	32.0		32	32	32	32	32	32	32
75 +																				
ALL AGES											2	27.5	41	23	23	27	32	32	32	32
SUBTOTAL	**1**	**8.0**		**8**	**8**	**8**	**8**	**8**	**8**	**8**	**2**	**27.5**	**41**	**23**	**23**	**27**	**32**	**32**	**32**	**32**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	14.0		14	14	14	14	14	14	14										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	14.0		14	14	14	14	14	14	14										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	5.0		5	5	5	5	5	5	5										
25-34	5	5.0	33	1	2	3	7	15	15	15										
35-54	1	7.0		7	7	7	7	7	7	7										
55-74																				
75 +																				
ALL AGES	7	5.3	22	1	2	4	6	13	15	15										
SUBTOTAL	**8**	**6.4**	**28**	**1**	**2**	**4**	**10**	**15**	**15**	**15**										
GRAND TOTAL	**9**	**6.6**	**25**	**1**	**3**	**5**	**9**	**15**	**15**	**15**	**2**	**27.5**	**41**	**23**	**23**	**27**	**32**	**32**	**32**	**32**

RESIDUAL SCHIZOPHRENIA (295.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	10.5	61	5	5	10	16	16	16	16										
13-17	2	5.5	13	3	3	5	8	8	8	8	4	13.3	320	3	3	5	23	40	40	40
18-24	43	15.3	222	3	6	13	19	29	47	75	5	8.6	52	2	3	6	13	20	20	20
25-34	118	9.9	80	1	3	7	14	23	27	40	33	10.3	78	3	4	7	13	22	29	41
35-54	110	10.5	105	3	4	7	14	25	31	76	24	9.8	91	2	3	6	14	23	29	40
55-74	14	8.8	19	3	6	8	12	16	16	16	6	13.8	254	3	3	7	19	41	44	44
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	290	10.8	110	2	4	7	15	24	30	62	72	10.5	100	2	3	7	14	23	39	43
B. FEMALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-17	1	87.0		87	87	87	87	87	87	87	1	4.0		4	4	4	4	4	4	4
18-24	22	11.0	91	1	3	8	20	29	54	99 +	5	9.8	113	1	2	5	16	27	27	27
25-34	57	10.9	72	2	4	9	14	21	26	40	10	15.5	217	2	5	9	27	39	45	45
35-54	77	11.1	108	2	3	6	17	27	33	46	22	9.4	53	2	4	7	13	22	24	25
55-74	50	12.1	97	3	5	9	15	25	30	52	5	9.4	28	5	6	6	14	17	17	17
75 +	5	18.4	573	6	6	7	24	61	61	61										
ALL AGES	213	11.8	128	2	4	8	16	25	33	70	43	10.7	95	2	4	6	15	25	29	45
SUBTOTAL	**503**	**11.2**	**118**	**2**	**4**	**7**	**15**	**25**	**31**	**62**	**115**	**10.6**	**97**	**2**	**4**	**7**	**14**	**24**	**32**	**44**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	14.5	265	3	3	14	26	26	26	26	1	5.0		5	5	5	5	5	5	5
18-24	12	9.1	57	2	3	7	12	20	27	28	3	25.3	40	20	21	24	30	32	32	32
25-34	46	8.0	110	1	3	6	8	13	29	65	9	11.1	65	2	4	9	17	23	24	24
35-54	41	9.4	53	3	4	7	12	22	24	31	2	8.5	85	2	2	8	15	15	15	15
55-74	11	16.1	282	2	5	13	15	46	55	56	1	4.0		4	4	4	4	4	4	4
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	113	9.5	102	2	4	7	11	22	29	59	16	12.6	91	2	4	11	20	24	30	32
B. FEMALE																				
0-12 YRS.																				
13-17											2	2.0		2	2	2	2	2	2	2
18-24	14	7.1	57	1	2	4	11	23	23	23	5	12.2	32	8	9	11	14	22	22	22
25-34	35	8.7	99	2	3	6	10	25	33	44	4	8.5	11	4	6	9	11	12	12	12
35-54	37	9.6	83	3	5	7	11	19	26	52	9	7.7	98	1	2	5	8	23	33	33
55-74	11	11.7	25	5	9	11	15	18	22	22	2	4.5	25	1	1	4	8	8	8	8
75 +	2	22.5	181	13	13	22	32	32	32	32										
ALL AGES	99	9.4	83	2	4	7	11	22	27	48	22	8.0	56	1	2	8	9	15	26	33
SUBTOTAL	**212**	**9.5**	**92**	**2**	**4**	**7**	**11**	**22**	**28**	**54**	**38**	**10.0**	**73**	**2**	**3**	**8**	**14**	**23**	**29**	**33**
GRAND TOTAL	**715**	**10.7**	**111**	**2**	**4**	**7**	**14**	**23**	**30**	**61**	**153**	**10.4**	**92**	**2**	**4**	**7**	**14**	**24**	**32**	**44**

SCHIZOAFFECTIVE TYPE (295.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	14	13.4	97	4	7	11	15	26	37	40										
18-24	43	11.8	135	3	4	7	16	28	35	56	16	9.3	45	1	3	10	14	19	20	20
25-34	100	11.6	125	3	6	8	14	23	26	65	35	11.8	133	2	4	8	17	35	47	99 +
35-54	98	13.6	108	4	6	11	18	27	33	54	39	1[illegible].1	165	4	6	12	21	32	38	66
55-74	15	11.8	38	6	7	12	14	20	25	27	2	6.5	41	2	2	6	11	11	11	11
75 +	1	30.0		30	30	30	30	30	30	30	2	26.0	8	24	24	26	28	28	28	28
ALL AGES	271	12.6	112	4	6	9	16	25	32	55	94	12.9	134	2	4	10	18	28	39	85
B. FEMALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5										
13-17	9	16.1	158	2	2	18	26	33	36	36	3	17.0	144	5	8	17	26	29	29	29
18-24	38	14.6	144	4	6	12	20	25	46	55	9	14.8	107	5	6	12	22	31	31	31
25-34	125	16.1	213	3	7	11	21	34	42	80	27	12.7	74	4	5	9	20	25	27	35
35-54	190	13.0	153	4	6	9	15	24	35	74	54	18.1	168	5	10	14	21	35	52	66
55-74	76	15.1	105	5	7	13	20	31	34	51	11	15.6	47	7	11	17	20	50	93	99 +
75 +	3	31.3	419	9	16	36	46	49	49	49	1	13.0		13	13	13	13	13	13	13
ALL AGES	442	14.6	163	4	6	11	19	31	38	71	105	16.1	124	5	8	14	20	29	40	81
SUBTOTAL	**713**	**13.8**	**145**	**4**	**6**	**10**	**18**	**28**	**35**	**60**	**199**	**14.6**	**130**	**4**	**6**	**13**	**20**	**29**	**39**	**83**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	40.0		40	40	40	40	40	40	40	1	27.0		27	27	27	27	27	27	27
13-17	4	14.5	153	5	5	11	24	31	31	31										
18-24	33	11.1	100	2	4	7	14	26	32	45	12	19.9	166	6	11	17	25	41	46	47
25-34	95	9.5	42	3	5	8	13	17	25	29	21	17.3	141	5	11	14	24	41	71	99 +
35-54	68	11.0	124	3	6	8	12	21	29	95	19	20.6	287	4	8	16	35	56	82	99 +
55-74	8	19.3	72	9	12	18	27	30	31	31	1	17.0		17	17	17	17	17	17	17
75 +																				
ALL AGES	210	11.0	90	3	5	8	15	23	29	60	54	19.2	189	5	10	16	26	47	60	99 +
B. FEMALE																				
0-12 YRS.	2	26.0	18	23	23	26	29	29	29	29	1	9.0		9	9	9	9	9	9	9
13-17	5	10.2	40	5	6	7	15	20	20	20	1	10.0		10	10	10	10	10	10	10
18-24	30	10.0	99	2	4	6	14	20	34	46	11	14.3	116	4	5	11	23	31	34	34
25-34	91	13.9	176	4	6	9	16	31	40	67	8	6.4	3	5	5	6	7	9	10	10
35-54	107	11.3	99	2	4	8	14	26	35	43	27	18.1	244	3	10	15	21	33	62	65
55-74	30	17.1	122	6	8	15	24	32	41	45	4	5.8	6	2	4	6	7	8	8	8
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	266	12.8	130	3	5	9	16	29	36	54	52	14.2	172	3	5	10	18	30	34	65
SUBTOTAL	**476**	**12.0**	**113**	**3**	**5**	**9**	**15**	**26**	**34**	**54**	**106**	**16.8**	**184**	**4**	**7**	**13**	**23**	**36**	**53**	**99 +**
GRAND TOTAL	**1189**	**13.1**	**133**	**3**	**6**	**9**	**16**	**27**	**35**	**57**	**305**	**15.4**	**148**	**4**	**7**	**13**	**20**	**33**	**43**	**99 +**

SCHIZOPHRENIA NEC (295.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	3	7.3	37	1	3	8	12	13	13	13										
25-34	5	4.4	5	2	3	4	5	8	8	8	1	1.0		1	1	1	1	1	1	1
35-54	9	9.0	66	1	4	7	13	23	25	25	2	8.0	8	6	6	8	10	10	10	10
55-74	1	16.0		16	16	16	16	16	16	16	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	18	7.8	45	1	4	6	11	18	23	25	4	5.3	14	1	2	5	8	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17	1	20.0		20	20	20	20	20	20	20										
18-24	4	2.3	1	1	1	2	3	3	3	3	1	1.0		1	1	1	1	1	1	1
25-34	3	8.7	99	1	1	5	16	20	20	20										
35-54	16	8.0	42	1	3	6	12	13	22	26										
55-74	2	7.5	41	3	3	7	12	12	12	12	2	7.0	18	4	4	7	10	10	10	10
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	27	7.4	46	1	2	5	12	18	21	26	3	5.0	21	1	2	4	8	10	10	10
SUBTOTAL	**45**	**7.6**	**44**	**1**	**3**	**5**	**12**	**19**	**21**	**26**	**7**	**5.1**	**15**	**1**	**2**	**4**	**9**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	6	10.5	61	2	5	9	13	23	24	24										
25-34	2	5.5	1	5	5	5	6	6	6	6										
35-54	5	8.0	21	3	4	8	12	13	13	13	2	8.5	85	2	2	8	15	15	15	15
55-74																				
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	13	8.8	35	3	5	7	12	15	22	24	3	7.3	47	2	3	5	12	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-17	1	13.0		13	13	13	13	13	13	13										
18-24	2	3.5	1	3	3	3	4	4	4	4										
25-34	4	5.8	11	3	3	5	8	10	10	10										
35-54	3	7.0	43	1	1	6	12	14	14	14	3	1.3		1	1	1	2	2	2	2
55-74	3	17.7	9	14	15	19	20	20	20	20										
75 +											1	7.0		7	7	7	7	7	7	7
ALL AGES	13	9.0	42	2	3	7	14	19	20	20	4	2.8	8	1	1	2	4	7	7	7
SUBTOTAL	**26**	**8.9**	**37**	**3**	**4**	**7**	**13**	**19**	**21**	**24**	**7**	**4.7**	**26**	**1**	**1**	**2**	**6**	**13**	**15**	**15**
GRAND TOTAL	**71**	**8.1**	**41**	**1**	**3**	**6**	**13**	**19**	**20**	**26**	**14**	**4.9**	**19**	**1**	**1**	**4**	**7**	**11**	**14**	**15**

SCHIZOPHRENIA NOS (295.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	35.5	399	14	19	34	51	59	59	59										
13-17	4	40.3	1342	7	10	35	70	84	84	84	2	8.5	5	7	7	8	10	10	10	10
18-24	45	13.2	243	2	4	8	16	25	54	79	22	15.5	123	6	7	12	21	30	41	49
25-34	94	13.5	153	2	5	10	17	32	48	51	54	14.2	151	1	4	11	19	30	41	54
35-54	59	12.2	154	2	5	8	15	38	46	96	45	14.9	90	4	7	14	21	30	38	99 +
55-74	13	12.5	88	4	5	12	20	41	87	99 +	4	10.0	35	4	6	9	14	18	18	18
75 +																				
ALL AGES	219	13.9	207	2	5	9	17	35	50	89	127	14.5	116	3	6	12	21	29	38	64
B. FEMALE																				
0-12 YRS.																				
13-17	9	9.6	43	2	6	9	12	20	24	24	2	13.0	8	11	11	13	15	15	15	15
18-24	29	15.8	291	2	6	8	26	51	69	99 +	12	6.5	28	1	3	5	10	15	17	17
25-34	50	13.3	131	3	5	8	19	29	39	46	18	14.0	88	4	7	13	19	30	34	34
35-54	64	13.7	158	3	6	11	16	25	40	72	36	16.4	297	2	6	14	24	33	77	99 +
55-74	27	12.9	58	5	7	12	18	23	25	33	7	14.4	108	4	7	11	24	29	30	30
75 +	3	6.7	24	1	3	9	10	10	10	10										
ALL AGES	182	13.5	148	3	6	10	17	29	39	73	75	13.9	188	2	6	11	19	29	34	99 +
SUBTOTAL	**401**	**13.7**	**180**	**2**	**5**	**10**	**17**	**32**	**48**	**81**	**202**	**14.3**	**141**	**3**	**6**	**12**	**20**	**29**	**36**	**99**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	9	15.7	130	7	7	7	28	32	34	34										
18-24	22	12.3	142	2	4	9	17	23	37	56	8	22.8	166	7	14	22	26	42	49	49
25-34	54	9.3	84	1	3	7	12	23	29	42	32	12.8	143	2	6	9	16	26	31	62
35-54	31	12.5	227	3	5	9	14	20	54	73	25	11.5	99	2	4	10	15	26	35	40
55-74	2	34.0	392	20	20	34	48	48	48	48	5	27.2	125	17	18	25	34	45	45	45
75 +											1	13.0		13	13	13	13	13	13	13
ALL AGES	118	11.6	147	2	4	7	15	24	34	62	71	14.5	145	2	6	13	20	28	40	59
B. FEMALE																				
0-12 YRS.																				
13-17	3	15.0	4	13	13	15	16	17	17	17	3	8.0	12	4	5	10	10	10	10	10
18-24	11	10.5	131	2	5	6	11	29	40	41	3	15.0	49	8	10	15	20	22	22	22
25-34	25	9.7	60	2	4	7	13	18	27	35	9	16.1	113	3	7	18	22	31	36	36
35-54	18	11.4	135	3	6	7	14	27	42	49	12	9.6	59	3	4	9	11	20	29	30
55-74	12	12.3	106	2	4	9	22	27	30	31	2	18.5	313	6	6	18	31	31	31	31
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	70	10.9	92	3	5	7	14	24	31	47	29	12.6	85	3	6	10	18	28	31	36
SUBTOTAL	**188**	**11.4**	**125**	**2**	**4**	**7**	**15**	**24**	**34**	**56**	**100**	**13.9**	**128**	**2**	**6**	**11**	**19**	**28**	**35**	**55**
GRAND TOTAL	**589**	**13.0**	**163**	**2**	**5**	**9**	**16**	**29**	**44**	**74**	**302**	**14.2**	**136**	**3**	**6**	**12**	**19**	**29**	**36**	**79**

MANIC DIS, SINGL EPISODE (296.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	8	14.5	160	1	4	10	27	32	33	33										
25-34	2	15.0	18	12	12	15	18	18	18	18	1	1.0		1	1	1	1	1	1	1
35-54	6	4.7	37	1	1	2	4	16	17	17										
55-74	4	13.8	30	10	10	12	17	22	22	22	1	2.0		2	2	2	2	2	2	2
75 +	5	9.4	15	5	6	9	12	15	15	15										
ALL AGES	25	11.0	80	1	4	10	15	25	30	33	2	1.5	1	1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17	3	10.7	64	2	4	12	16	18	18	18										
18-24	3	7.0	61	2	2	3	13	16	16	16										
25-34	4	14.0	58	7	7	13	20	22	22	22	2	8.5	61	3	3	8	14	14	14	14
35-54	8	9.0	21	3	6	8	13	15	15	15	6	4.2	11	1	2	3	6	10	10	10
55-74	5	10.0	23	6	7	9	12	18	18	18	1	6.0		6	6	6	6	6	6	6
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	24	9.8	34	2	6	8	14	18	20	22	9	5.3	18	1	2	3	7	12	14	14
SUBTOTAL	**49**	**10.4**	**57**	**2**	**5**	**9**	**15**	**21**	**25**	**33**	**11**	**4.6**	**17**	**1**	**2**	**3**	**6**	**12**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	36.5	5	35	35	36	38	38	38	38										
18-24	2	3.5	1	3	3	3	4	4	4	4										
25-34	4	13.0	70	1	7	15	18	20	20	20	1	3.0		3	3	3	3	3	3	3
35-54	2	3.0		3	3	3	3	3	3	3										
55-74	2	9.5	5	8	8	9	11	11	11	11										
75 +																				
ALL AGES	12	13.1	157	2	3	9	18	36	38	38	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	11.0	32	7	7	11	15	15	15	15										
25-34	4	13.8	220	1	2	10	25	33	33	33										
35-54	6	10.5	88	3	4	5	21	24	24	24										
55-74	2	12.0	200	2	2	12	22	22	22	22	2	9.0	50	4	4	9	14	14	14	14
75 +																				
ALL AGES	14	11.7	106	2	3	6	21	25	31	33	2	9.0	50	4	4	9	14	14	14	14
SUBTOTAL	**26**	**12.3**	**125**	**2**	**3**	**7**	**20**	**32**	**36**	**38**	**3**	**7.0**	**37**	**3**	**3**	**4**	**11**	**14**	**14**	**14**
GRAND TOTAL	**75**	**11.1**	**79**	**2**	**3**	**8**	**17**	**22**	**32**	**37**	**14**	**5.1**	**20**	**1**	**2**	**3**	**6**	**14**	**14**	**14**

MANIC, RECURRENT EPISODE (296.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	21.0		21	21	21	21	21	21	21	1	1.0		1	1	1	1	1	1	1
25-34	4	14.8	364	2	3	7	26	43	43	43										
35-54	6	11.8	208	1	4	7	12	37	40	40	5	6.6	107	1	1	3	9	25	25	25
55-74	2	6.0	50	1	1	5	11	11	11	11										
75 +																				
ALL AGES	13	12.5	198	1	3	10	14	41	43	43	6	5.7	90	1	1	2	3	23	25	25
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	5.0		5	5	5	5	5	5	5										
25-34	5	8.4	45	3	4	6	11	20	20	20										
35-54	8	8.5	56	3	4	5	13	21	21	21	2	4.0		4	4	4	4	4	4	4
55-74	4	16.0	294	2	6	10	26	41	41	41	3	8.0	9	5	6	8	10	11	11	11
75 +																				
ALL AGES	18	9.9	98	3	4	6	11	21	33	41	5	6.4	9	4	4	5	9	11	11	11
SUBTOTAL	**31**	**11.0**	**137**	**2**	**4**	**6**	**12**	**29**	**41**	**43**	**11**	**6.0**	**49**	**1**	**1**	**4**	**7**	**17**	**24**	**25**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14										
13-17																				
18-24	1	5.0		5	5	5	5	5	5	5										
25-34	1	16.0		16	16	16	16	16	16	16	1	1.0		1	1	1	1	1	1	1
35-54	5	5.4	5	3	4	5	7	9	9	9										
55-74	4	9.5	76	1	3	8	16	21	21	21										
75 +																				
ALL AGES	12	8.3	37	2	4	6	12	17	20	21	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.	1	56.0		56	56	56	56	56	56	56										
13-17											1	62.0		62	62	62	62	62	62	62
18-24																				
25-34	3	11.3	50	4	6	12	16	18	18	18										
35-54	4	6.3	19	2	2	6	10	11	11	11										
55-74	1	8.0		8	8	8	8	8	8	8										
75 +	2	22.0		22	22	22	22	22	22	22										
ALL AGES	11	15.2	233	3	5	11	21	36	54	56	1	62.0		62	62	62	62	62	62	62
SUBTOTAL	**23**	**11.6**	**137**	**3**	**4**	**9**	**15**	**22**	**34**	**56**	**2**	**31.5**	**1861**	**1**	**1**	**31**	**62**	**62**	**62**	**62**
GRAND TOTAL	**54**	**11.3**	**133**	**2**	**4**	**7**	**14**	**22**	**41**	**55**	**13**	**9.9**	**288**	**1**	**1**	**4**	**9**	**32**	**56**	**62**

DEPR PSYCH, SINGL EPISOD (296.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	19	27.3	239	7	10	30	43	43	44	45	2	21.5	61	16	16	21	27	27	27	27
13-17	47	14.7	99	4	7	13	19	27	38	41	2	16.0	8	14	14	16	18	18	18	18
18-24	46	8.6	44	1	3	8	12	18	21	29	7	5.6	17	1	2	4	9	12	12	12
25-34	78	9.3	124	1	3	7	10	18	22	72	22	8.4	74	1	1	8	12	16	25	38
35-54	104	7.3	46	1	3	6	10	13	21	34	27	10.1	68	2	3	7	14	21	28	33
55-74	113	13.9	96	3	7	12	18	28	34	47	18	12.3	133	2	4	8	14	35	37	37
75 +	58	14.0	156	3	5	10	18	29	40	64	9	7.1	81	1	2	2	9	23	28	28
ALL AGES	465	11.8	115	2	4	9	16	26	34	43	87	9.8	83	1	3	7	14	21	33	38
B. FEMALE																				
0-12 YRS.	15	14.2	120	1	4	14	26	30	30	30	5	25.0	312	1	13	29	34	49	49	49
13-17	95	17.2	140	3	8	15	25	33	41	78	15	13.3	232	1	2	6	21	28	50	57
18-24	58	9.5	141	2	2	6	11	21	31	60	26	14.3	206	2	3	10	27	32	38	59
25-34	166	8.9	68	1	3	7	12	18	23	48	65	15.3	164	1	5	12	23	31	40	58
35-54	280	10.2	104	1	3	8	14	23	29	40	117	18.7	173	3	9	16	28	34	46	58
55-74	177	14.5	127	3	7	11	20	31	39	53	48	11.2	87	2	4	9	17	28	29	33
75 +	105	13.7	158	2	5	9	18	29	36	70	17	8.6	42	2	4	7	11	19	22	23
ALL AGES	896	12.0	123	2	4	9	16	26	32	56	293	15.5	168	2	5	12	24	31	41	58
SUBTOTAL	**1361**	**11.9**	**121**	**2**	**4**	**9**	**16**	**26**	**33**	**53**	**380**	**14.2**	**154**	**2**	**4**	**11**	**22**	**31**	**37**	**56**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	44	30.3	165	10	24	30	36	47	50	69	1	50.0		50	50	50	50	50	50	50
13-17	98	22.2	291	3	8	21	30	40	52	84	4	17.5	136	8	8	14	26	33	33	33
18-24	64	10.5	91	1	4	8	13	25	35	42	15	11.6	174	3	3	7	11	37	41	42
25-34	149	9.4	72	2	4	8	12	21	25	32	31	9.7	125	1	2	6	13	27	36	46
35-54	216	10.0	71	2	4	8	13	21	28	39	42	11.9	106	2	5	9	19	28	42	99 +
55-74	75	12.7	83	4	7	10	17	25	34	38	9	8.6	52	1	2	7	13	19	23	23
75 +	27	14.0	60	3	8	14	17	26	28	31	5	8.4	51	2	2	6	15	17	17	17
ALL AGES	673	13.5	149	2	5	10	19	31	37	54	107	11.3	128	2	3	8	15	29	41	71
B. FEMALE																				
0-12 YRS.	36	27.3	182	7	18	29	36	43	52	59	2	2.5	1	2	2	2	3	3	3	3
13-17	164	22.2	331	4	8	15	34	44	63	76	25	19.3	406	1	3	12	30	39	52	92
18-24	111	11.1	130	2	4	8	13	26	43	99 +	33	15.8	140	1	6	14	24	30	37	45
25-34	218	10.1	117	2	3	8	13	22	30	92	52	17.3	239	2	7	13	23	41	53	69
35-54	360	10.1	87	2	4	8	13	22	26	52	85	14.8	184	2	5	9	20	35	41	64
55-74	127	14.1	104	3	7	12	19	29	33	49	20	9.9	87	1	4	7	13	23	32	37
75 +	72	14.9	102	5	7	14	20	25	30	59	7	11.4	117	2	2	8	21	27	28	28
ALL AGES	1088	13.4	164	2	5	10	18	30	38	69	224	15.4	205	2	5	11	23	35	41	70
SUBTOTAL	**1761**	**13.4**	**159**	**2**	**5**	**10**	**18**	**30**	**38**	**66**	**331**	**14.1**	**182**	**2**	**4**	**9**	**21**	**33**	**41**	**70**
GRAND TOTAL	**3122**	**12.8**	**141**	**2**	**4**	**9**	**17**	**29**	**36**	**63**	**711**	**14.2**	**166**	**2**	**4**	**10**	**21**	**31**	**40**	**59**

DEPR PSYCH, RECUR EPISOD (296.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	10.2	39	2	4	14	15	16	16	16										
13-17	20	14.6	60	4	7	16	20	27	60	99 +										
18-24	20	9.3	81	1	3	4	15	22	28	33	3	11.3	73	5	6	8	18	21	21	21
25-34	64	8.9	67	1	3	6	12	21	25	42	8	9.0	49	2	6	7	9	20	25	25
35-54	122	9.8	100	1	3	7	12	21	25	56	14	10.0	63	3	5	8	13	17	30	34
55-74	79	14.8	154	2	6	12	21	29	40	60	11	6.7	24	2	3	7	9	14	18	18
75 +	37	18.0	143	6	9	16	23	37	43	46	2	6.0	18	3	3	6	9	9	9	9
ALL AGES	347	11.9	115	2	4	9	17	25	32	51	38	8.7	46	2	5	7	10	17	23	34
B. FEMALE																				
0-12 YRS.	5	13.6	114	1	7	12	19	30	30	30										
13-17	57	14.5	147	2	6	11	19	28	34	67	4	8.8	150	1	1	3	16	27	27	27
18-24	60	9.9	64	3	4	7	13	23	27	34	8	10.4	256	1	2	4	10	38	49	49
25-34	145	11.1	92	3	4	9	14	22	29	48	25	12.8	175	2	4	6	16	35	44	47
35-54	327	12.2	132	3	4	9	16	25	31	49	70	14.9	188	2	4	11	19	32	35	67
55-74	227	16.5	142	5	8	14	22	31	42	58	24	14.1	160	2	5	13	17	25	45	58
75 +	132	19.4	229	4	9	15	27	41	52	68	12	14.6	171	2	6	9	26	36	37	37
ALL AGES	953	14.1	145	3	6	11	19	29	37	54	143	13.9	180	2	4	9	18	33	40	62
SUBTOTAL	**1300**	**13.5**	**138**	**3**	**5**	**10**	**18**	**28**	**35**	**54**	**181**	**12.8**	**156**	**2**	**4**	**9**	**18**	**31**	**36**	**61**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	20	17.0	85	3	10	18	22	30	34	35										
13-17	55	20.4	415	4	6	14	27	45	73	91	5	9.2	20	5	6	7	14	14	14	14
18-24	45	12.5	81	4	6	9	17	26	31	41	4	17.3	203	4	5	16	29	32	32	32
25-34	134	10.3	96	2	4	7	13	22	28	55	19	6.9	96	1	2	4	7	15	32	44
35-54	211	11.0	75	3	5	8	15	24	30	45	24	13.6	337	2	6	9	15	22	45	95
55-74	78	14.0	114	4	7	12	18	28	35	54	7	11.3	24	4	7	13	15	16	16	16
75 +	27	15.2	53	6	10	16	20	25	26	31	4	6.3	6	4	4	5	8	10	10	10
ALL AGES	570	12.7	125	3	6	10	16	26	34	56	63	10.7	180	2	4	7	13	20	29	88
B. FEMALE																				
0-12 YRS.	10	26.8	353	6	11	21	41	53	64	64	1	1.0		1	1	1	1	1	1	1
13-17	80	18.9	191	4	9	15	27	38	49	91	12	23.1	372	1	5	18	40	48	57	58
18-24	116	12.4	120	3	5	9	17	26	31	86	14	11.6	63	2	8	9	16	23	28	30
25-34	317	13.4	[illegible]	2	5	10	16	29	38	89	54	14.2	220	2	4	10	20	31	36	90
35-54	472	12.7	[illegible]	3	5	10	17	25	32	55	67	12.7	152	2	4	8	18	30	38	56
55-74	176	14.8	114	4	7	12	19	32	35	52	26	11.8	228	1	3	8	17	19	44	74
75 +	70	17.0	185	5	7	13	22	41	50	55	8	9.8	36	2	5	9	14	18	19	19
ALL AGES	1241	13.9	149	3	6	11	18	29	38	66	182	13.4	189	1	4	9	18	31	39	69
SUBTOTAL	**1811**	**13.5**	**143**	**3**	**6**	**10**	**18**	**28**	**37**	**65**	**245**	**12.7**	**188**	**2**	**4**	**9**	**17**	**30**	**37**	**75**
GRAND TOTAL	**3111**	**13.5**	**141**	**3**	**5**	**10**	**18**	**28**	**36**	**60**	**426**	**12.8**	**172**	**2**	**4**	**9**	**17**	**30**	**37**	**63**

BIPOLAR AFFECTIVE, MANIC (296.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	30.5	5	29	29	30	32	32	32	32	1	6.0		6	6	6	6	6	6	6
13-17	4	13.5	38	5	9	15	18	19	19	19	1	40.0		40	40	40	40	40	40	40
18-24	46	11.6	82	2	6	8	16	28	33	38	17	16.0	163	4	5	14	22	31	44	50
25-34	94	14.8	164	4	7	11	18	28	37	78	28	7.8	34	2	3	6	12	16	18	22
35-54	138	11.4	84	3	6	8	15	22	28	49	33	9.3	61	2	4	6	13	20	29	29
55-74	56	14.9	79	5	7	13	22	29	30	38	7	9.0	61	2	4	6	11	23	25	25
75 +	9	19.7	403	3	9	15	22	51	70	70										
ALL AGES	349	13.2	117	4	6	10	17	26	31	50	87	10.4	88	2	4	7	14	23	29	46
B. FEMALE																				
0-12 YRS.																				
13-17	3	14.3	16	10	11	16	17	17	17	17										
18-24	35	11.2	233	3	4	8	14	16	21	93	8	15.1	52	6	10	14	20	25	26	26
25-34	157	12.0	130	3	5	8	15	23	30	63	43	10.8	128	1	3	7	14	23	35	55
35-54	326	12.1	90	4	6	10	16	24	31	47	64	12.7	96	4	5	11	17	27	37	93
55-74	189	14.6	152	4	6	11	19	28	35	67	18	14.7	95	3	9	13	18	29	36	39
75 +	20	17.8	124	5	8	17	23	34	41	44	4	6.3	4	4	4	6	8	9	9	9
ALL AGES	730	12.9	122	4	6	10	16	25	33	60	137	12.3	102	2	5	10	17	26	36	60
SUBTOTAL	**1079**	**13.0**	**120**	**4**	**6**	**10**	**16**	**25**	**33**	**59**	**224**	**11.6**	**96**	**2**	**5**	**8**	**16**	**25**	**31**	**53**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	6	15.3	109	7	7	12	19	32	34	34										
18-24	25	15.6	352	2	4	13	19	29	55	91	4	21.0	582	2	5	13	36	56	56	56
25-34	48	14.9	193	2	6	12	20	32	56	99 +	11	16.1	247	4	6	10	22	40	55	56
35-54	55	11.6	236	2	4	6	12	27	35	78	16	9.9	55	1	5	7	16	20	24	26
55-74	18	19.1	219	6	8	15	28	36	53	63	4	11.8	41	2	8	14	15	16	16	16
75 +	4	12.8	25	5	10	15	16	16	16	16	1	1.0		1	1	1	1	1	1	1
ALL AGES	156	14.3	229	2	5	10	18	31	42	90	36	13.0	166	2	5	9	17	26	48	56
B. FEMALE																				
0-12 YRS.																				
13-17	2	22.0	392	8	8	22	36	36	36	36										
18-24	16	10.3	29	3	7	10	13	16	22	24	3	15.3	26	12	12	13	19	21	21	21
25-34	48	13.2	177	3	5	8	15	34	47	52	9	10.8	102	2	3	6	20	26	29	29
35-54	79	13.5	169	3	6	10	17	26	38	77	11	6.2	20	1	2	6	10	13	13	13
55-74	60	17.5	187	5	8	13	23	39	45	67	7	12.6	31	5	8	11	17	20	20	20
75 +	4	9.5	22	5	5	9	13	14	14	14	2	9.5	41	5	5	9	14	14	14	14
ALL AGES	209	14.3	168	3	6	10	18	32	42	59	32	9.9	53	2	4	9	14	20	22	29
SUBTOTAL	**365**	**14.3**	**193**	**3**	**6**	**10**	**18**	**31**	**42**	**78**	**68**	**11.5**	**115**	**2**	**4**	**9**	**16**	**22**	**29**	**56**
GRAND TOTAL	**1444**	**13.3**	**139**	**4**	**6**	**10**	**17**	**27**	**35**	**67**	**292**	**11.6**	**100**	**2**	**5**	**8**	**16**	**24**	**31**	**55**

BIPOLAR AFFECT, DEPRESS (296.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	4	20.8	513	3	7	13	34	54	54	54	1	11.0		11	11	11	11	11	11	11
18-24	9	10.0	32	3	6	9	15	17	17	17										
25-34	20	9.5	40	3	5	8	12	16	23	30	5	4.8	4	3	4	4	6	8	8	8
35-54	31	11.2	90	2	5	7	14	24	32	39	2	10.5	13	8	8	10	13	13	13	13
55-74	24	13.5	125	2	6	12	17	23	35	54	1	11.0		11	11	11	11	11	11	11
75 +	2	14.0	18	11	11	14	17	17	17	17	1	15.0		15	15	15	15	15	15	15
ALL AGES	90	11.8	98	3	5	9	16	22	30	54	10	8.2	18	3	4	8	11	14	15	15
B. FEMALE																				
0-12 YRS.																				
13-17	3	24.3	195	9	14	28	34	36	36	36										
18-24	4	20.8	728	3	5	9	36	61	61	61	2	13.5	61	8	8	13	19	19	19	19
25-34	36	8.4	42	2	3	7	14	17	21	26	12	15.1	239	3	4	10	17	45	48	48
35-54	76	9.9	51	3	4	7	15	21	24	29	13	6.6	32	1	2	4	[illegible]	16	18	18
55-74	59	15.4	151	2	7	13	22	30	38	63	7	16.9	116	1	7	22	24	29	30	30
75 +	20	12.8	55	3	9	11	16	25	27	27	3	12.3	154	2	4	9	22	26	26	26
ALL AGES	198	12.0	101	3	4	10	16	24	29	54	37	12.1	133	1	4	8	18	26	39	48
SUBTOTAL	**288**	**11.9**	**101**	**3**	**5**	**9**	**16**	**24**	**29**	**54**	**47**	**11.3**	**109**	**2**	**4**	**8**	**15**	**25**	**32**	**48**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	27.0		27	27	27	27	27	27	27										
13-17	1	28.0		28	28	28	28	28	28	28										
18-24	6	9.0	20	4	5	8	12	16	16	16	4	13.8	224	3	5	8	22	36	36	36
25-34	32	9.9	86	3	4	7	12	19	30	46	3	14.7	228	4	5	8	26	32	32	32
35-54	47	10.8	67	3	4	9	15	22	27	36	5	13.4	191	2	3	5	28	29	29	29
55-74	14	19.6	243	5	6	16	24	48	52	53	2	5.5	41	1	1	5	10	10	10	10
75 +	3	19.3	288	5	7	15	32	38	38	38	1	5.0		5	5	5	5	5	5	5
ALL AGES	104	12.2	109	3	5	9	16	27	35	50	15	12.1	152	2	3	8	23	32	35	36
B. FEMALE																				
0-12 YRS.																				
13-17	2	20.0	50	15	15	20	25	25	25	25										
18-24	9	9.6	59	3	5	7	12	22	28	28	1	36.0		36	36	36	36	36	36	36
25-34	35	11.9	141	2	4	9	16	24	30	64	10	5.6	8	2	3	5	9	10	10	10
35-54	75	12.9	164	3	5	9	17	28	41	65	8	6.0	19	2	3	5	8	13	14	14
55-74	23	13.5	64	3	7	12	18	25	30	30	3	14.7	96	8	8	10	22	26	26	26
75 +	12	17.3	230	2	3	15	25	44	45	45										
ALL AGES	156	13.0	141	3	5	10	17	27	34	63	22	8.4	66	2	4	6	10	18	30	36
SUBTOTAL	**260**	**12.7**	**127**	**3**	**5**	**10**	**17**	**27**	**34**	**53**	**37**	**9.9**	**101**	**2**	**4**	**6**	**10**	**29**	**34**	**36**
GRAND TOTAL	**548**	**12.3**	**113**	**3**	**5**	**10**	**16**	**25**	**31**	**54**	**84**	**10.7**	**105**	**2**	**4**	**8**	**14**	**26**	**33**	**47**

BIPOLAR AFFECTIVE, MIXED (296.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	27.5	42	18	23	30	31	32	32	32										
13-17	4	14.3	20	10	11	13	17	21	21	21										
18-24	10	4.5	7	1	2	4	6	8	8	8										
25-34	18	13.5	98	2	5	13	16	31	34	34	3	6.7	9	4	4	6	9	10	10	10
35-54	28	12.1	95	3	6	10	15	21	39	43	5	8.4	7	4	7	9	10	11	11	11
55-74	15	15.6	101	3	9	13	22	27	37	40	4	7.0	29	1	2	7	11	12	12	12
75 +																				
ALL AGES	79	13.0	98	2	5	11	16	28	34	42	12	7.5	13	3	4	8	10	11	12	12
B. FEMALE																				
0-12 YRS.																				
13-17	4	10.0	75	5	5	6	15	23	23	23										
18-24	10	8.3	13	3	5	9	11	12	13	13	2	37.0	2048	5	5	37	69	69	69	69
25-34	40	10.9	57	3	6	9	14	23	29	33	8	9.5	19	5	6	8	13	15	16	16
35-54	75	12.5	98	3	6	9	16	33	36	43	7	11.0	121	1	3	7	14	29	33	33
55-74	41	15.9	170	4	9	13	19	29	41	72	8	13.5	97	3	4	12	21	27	28	28
75 +	7	11.0	58	4	5	9	14	24	26	26										
ALL AGES	177	12.6	100	4	6	10	15	26	33	47	25	13.4	203	3	5	8	16	28	42	69
SUBTOTAL	**256**	**12.7**	**100**	**3**	**6**	**10**	**16**	**26**	**33**	**45**	**37**	**11.5**	**146**	**3**	**5**	**8**	**13**	**24**	**31**	**69**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	48.5	3121	9	9	48	88	88	88	88										
13-17	4	17.5	215	2	5	18	30	31	31	31										
18-24	9	14.9	123	2	5	15	19	32	37	37										
25-34	23	9.8	58	2	3	7	16	19	24	30	5	7.4	18	2	3	9	10	12	12	12
35-54	36	9.6	59	3	4	7	13	24	27	29	9	10.1	37	3	5	12	13	18	21	21
55-74	4	15.8	61	9	9	14	22	26	26	26	3	17.0	97	9	10	14	24	28	28	28
75 +																				
ALL AGES	78	12.0	149	3	4	8	16	26	30	74	17	10.5	47	3	5	10	13	20	26	28
B. FEMALE																				
0-12 YRS.																				
13-17	2	29.5	1013	7	7	29	52	52	52	52										
18-24	6	9.2	6	6	7	9	11	13	13	13										
25-34	34	11.9	72	4	6	11	13	21	23	48	7	11.7	228	2	3	7	11	38	45	45
35-54	41	13.4	156	3	5	9	17	27	39	65	4	9.3	16	5	6	8	12	15	15	15
55-74	20	13.6	89	3	6	12	18	27	33	38	1	5.0		5	5	5	5	5	5	5
75 +	1	20.0		20	20	20	20	20	20	20	2	30.5	1405	4	4	30	57	57	57	57
ALL AGES	104	13.0	119	4	6	10	17	24	38	58	14	13.2	275	2	5	7	12	46	55	57
SUBTOTAL	**182**	**12.6**	**131**	**3**	**5**	**9**	**16**	**25**	**30**	**61**	**31**	**11.7**	**146**	**2**	**5**	**9**	**13**	**24**	**44**	**57**
GRAND TOTAL	**438**	**12.7**	**111**	**3**	**6**	**10**	**16**	**26**	**33**	**49**	**68**	**11.6**	**144**	**3**	**5**	**8**	**13**	**24**	**34**	**67**

BIPOLAR AFFECTIVE NOS (296.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	34.3	100	23	27	40	40	40	40	40										
13-17	4	20.3	505	4	5	12	35	53	53	53										
18-24	9	14.0	62	5	8	12	18	26	29	29	6	9.3	45	3	5	7	13	20	21	21
25-34	14	11.0	124	3	7	8	10	21	41	47	3	10.3	18	7	7	9	13	15	15	15
35-54	35	13.5	138	2	6	10	19	27	39	54	1	14.0		14	14	14	14	14	14	14
55-74	11	15.6	96	6	9	13	22	30	37	38	4	13.0	16	11	11	11	15	19	19	19
75 +																				
ALL AGES	76	14.6	146	4	7	11	19	34	41	54	14	10.9	27	5	7	11	14	19	21	21
B. FEMALE																				
0-12 YRS.	4	20.3	432	3	3	17	37	45	45	45										
13-17	5	13.4	105	2	6	13	19	29	29	29										
18-24	4	54.3	2663	9	9	54	99	99	99	99 +	1	24.0		24	24	24	24	24	24	24
25-34	26	10.3	49	2	5	9	15	20	23	25	11	7.9	24	4	5	6	10	15	20	20
35-54	45	15.2	255	3	5	9	18	33	58	66	13	11.2	63	4	5	11	16	21	29	31
55-74	28	12.3	169	2	4	7	14	29	47	52	2	12.5	61	7	7	12	18	18	18	18
75 +	7	21.3	129	8	10	21	33	34	34	34	2	6.5	25	3	3	6	10	10	10	10
ALL AGES	119	15.2	296	3	5	9	18	32	50	99	29	10.1	50	4	5	7	13	19	24	31
SUBTOTAL	**195**	**15.0**	**236**	**3**	**6**	**10**	**18**	**33**	**47**	**84**	**43**	**10.4**	**41**	**4**	**6**	**9**	**14**	**19**	**22**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	32.1	145	15	32	37	59	99 +	99 +	99 +										
13-17	14	33.9	1011	4	7	25	62	90	90	90										
18-24	17	8.8	38	2	3	7	14	17	20	22										
25-34	26	10.8	86	2	4	8	14	23	28	40	2	5.5	5	4	4	5	7	7	7	7
35-54	33	10.9	105	3	5	9	12	17	26	59	1	2.0		2	2	2	2	2	2	2
55-74	3	17.7	125	8	10	15	26	30	30	30										
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	101	15.4	290	3	5	10	20	37	67	99 +	3	4.3	7	2	2	4	6	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17	19	18.5	218	5	7	14	26	45	50	50	1	30.0		30	30	30	30	30	30	30
18-24	13	10.2	45	3	5	8	15	21	21	21										
25-34	38	11.1	88	3	5	9	14	19	20	58	3	7.7	9	5	5	7	10	11	11	11
35-54	50	11.4	115	3	6	8	14	20	27	60	4	3.8	23	1	1	1	6	11	11	11
55-74	20	15.2	186	3	5	9	23	37	45	49	5	5.8	28	2	3	4	7	15	15	15
75 +	5	23.8	506	2	6	14	48	48	48	48										
ALL AGES	145	13.1	142	3	6	9	16	27	48	58	13	7.5	64	1	2	5	11	18	28	30
SUBTOTAL	**246**	**14.0**	**205**	**3**	**5**	**10**	**17**	**31**	**48**	**90**	**16**	**6.9**	**54**	**1**	**2**	**4**	**9**	**15**	**25**	**30**
GRAND TOTAL	**441**	**14.4**	**219**	**3**	**5**	**10**	**18**	**32**	**48**	**91**	**59**	**9.4**	**47**	**2**	**5**	**7**	**12**	**19**	**23**	**31**

MANIC-DEPRESSIVE NEC/NOS (296.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	15.0		15	15	15	15	15	15	15										
13-17	3	13.7	24	9	10	13	17	19	19	19										
18-24	3	7.0	13	3	4	8	9	10	10	10	1	1.0		1	1	1	1	1	1	1
25-34	7	10.0	32	4	6	9	14	19	20	20	2	8.0	50	3	3	8	13	13	13	13
35-54	7	9.3	42	3	6	8	17	77	99 +	99 +										
55-74	4	12.5	339	1	2	4	22	40	40	40										
75 +	1	62.0		62	62	62	62	62	62	62										
ALL AGES	27	12.6	161	3	6	9	15	35	66	99 +	3	5.7	41	1	1	3	10	13	13	13
B. FEMALE																				
0-12 YRS.	2	28.0		28	28	28	28	28	28	28										
13-17	11	8.9	13	4	8	10	13	99 +	99 +	99 +										
18-24	5	9.0	103	1	2	4	16	25	25	25										
25-34	27	8.1	41	1	2	7	12	17	21	25	3	7.7	24	2	4	10	11	11	11	11
35-54	37	11.5	63	2	5	10	15	19	29	36	8	4.1	9	1	1	4	7	8	8	8
55-74	11	16.4	135	5	9	10	27	35	36	36	3	8.0	79	1	2	5	15	18	18	18
75 +	6	29.8	364	7	12	29	51	51	51	51										
ALL AGES	99	12.1	106	2	5	10	15	29	36	99 +	14	5.7	24	1	2	5	8	12	17	18
SUBTOTAL	**126**	**12.2**	**117**	**2**	**5**	**10**	**15**	**29**	**41**	**99 +**	**17**	**5.7**	**25**	**1**	**2**	**5**	**8**	**13**	**16**	**18**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	22.0		22	22	22	22	22	22	22										
13-17	11	7.5	17	2	4	8	11	12	13	13										
18-24	5	5.0	10	1	2	5	7	9	9	9	2	11.5	221	1	1	11	22	22	22	22
25-34	15	8.1	53	3	4	5	11	19	25	27	2	2.0	2	1	1	2	3	3	3	3
35-54	19	7.1	26	1	3	6	12	14	16	18										
55-74	2	16.0	18	13	13	16	19	19	19	19	1	3.0		[illegible]	3	3	3	3	3	3
75 +																				
ALL AGES	53	7.9	35	2	4	6	12	16	19	27	5	6.0	81	1	1	3	8	22	22	22
B. FEMALE																				
0-12 YRS.	1	36.0		36	36	36	36	36	36	36	1	66.0		66	66	66	66	66	66	66
13-17	9	11.6	83	4	5	8	16	27	31	31	1	15.0		15	15	15	15	15	15	15
18-24	7	6.4	28	1	2	6	9	15	16	16	5	3.8	6	2	2	2	6	7	7	7
25-34	24	9.1	148	1	3	5	9	23	37	55	4	13.5	424	1	1	5	26	44	44	44
35-54	39	10.1	74	1	3	8	15	25	27	32	6	6.0	45	1	2	3	7	18	19	19
55-74	13	14.8	142	6	8	11	20	27	46	50	3	5.0	7	3	3	4	7	8	8	8
75 +	7	16.4	57	7	10	18	23	25	25	25	1	4.0		4	4	4	4	4	4	4
ALL AGES	100	11.1	104	2	3	8	16	25	30	52	21	10.0	256	1	2	4	8	29	54	66
SUBTOTAL	**153**	**10.0**	**82**	**2**	**4**	**7**	**13**	**21**	**27**	**50**	**26**	**9.2**	**221**	**1**	**2**	**4**	**8**	**22**	**48**	**66**
GRAND TOTAL	**279**	**11.0**	**98**	**2**	**4**	**8**	**14**	**25**	**33**	**88**	**43**	**7.8**	**144**	**1**	**2**	**4**	**8**	**18**	**30**	**66**

AFFECT PSYCHOSES NEC/NOS (296.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	6.0		6	6	6	6	6	6	6										
18-24											1	31.0		31	31	31	31	31	31	31
25-34	7	5.9	7	3	4	5	7	10	11	11	1	4.0		4	4	4	4	4	4	4
35-54	3	10.3	42	3	5	13	14	15	15	15	1	24.0		24	24	24	24	24	24	24
55-74	2	5.5	41	1	1	5	10	10	10	10										
75 +																				
ALL AGES	13	6.8	19	2	4	6	10	13	15	15	3	19.7	194	4	9	24	29	31	31	31
B. FEMALE																				
0-12 YRS.																				
13-17	1	39.0		39	39	39	39	39	39	39										
18-24	1	49.0		49	49	49	49	49	49	49										
25-34	3	12.3	154	2	4	9	22	26	26	26										
35-54																				
55-74	3	7.3	15	3	4	9	10	10	10	10										
75 +	1	14.0		14	14	14	14	14	14	14	1	4.0		4	4	4	4	4	4	4
ALL AGES	9	17.9	273	2	7	10	29	45	49	49	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**22**	**11.4**	**145**	**2**	**4**	**8**	**13**	**30**	**43**	**49**	**4**	**15.8**	**190**	**4**	**4**	**14**	**27**	**31**	**31**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	22.0	392	8	8	22	36	36	36	36										
13-17	3	16.3	198	2	6	17	27	30	30	30										
18-24	5	8.6	26	4	4	7	13	15	15	15										
25-34	2	7.0	8	5	5	7	9	9	9	9	2	3.5	5	2	2	3	5	5	5	5
35-54	6	5.0	7	3	3	4	6	10	10	10										
55-74	5	13.6	133	3	7	9	19	33	33	33										
75 +	1	10.0		10	10	10	10	10	10	10	1	5.0		5	5	5	5	5	5	5
ALL AGES	24	10.8	90	3	4	8	13	30	34	36	3	4.0	3	2	3	5	5	5	5	5
B. FEMALE																				
0-12 YRS.	1	39.0		39	39	39	39	39	39	39										
13-17	5	14.6	135	4	6	8	25	30	30	30										
18-24											1	11.0		11	11	11	11	11	11	11
25-34	7	5.1	10	2	3	5	6	10	11	11	1	7.0		7	7	7	7	7	7	7
35-54	8	24.8	341	7	10	20	40	52	52	52	2	4.5	13	2	2	4	7	7	7	7
55-74	6	10.3	78	3	4	7	15	25	26	26										
75 +	3	6.7	44	1	2	5	12	14	14	14										
ALL AGES	30	14.3	199	3	5	8	24	34	52	52	4	6.8	13	2	4	7	9	11	11	11
SUBTOTAL	**54**	**12.7**	**153**	**3**	**4**	**8**	**15**	**31**	**38**	**52**	**7**	**5.6**	**10**	**2**	**3**	**5**	**7**	**10**	**11**	**11**
GRAND TOTAL	**76**	**12.3**	**149**	**3**	**4**	**8**	**14**	**30**	**39**	**52**	**11**	**9.3**	**89**	**2**	**4**	**5**	**10**	**27**	**31**	**31**

PARANOID STATE, SIMPLE (297.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES											1	2.0		2	2	2	2	2	2	2
SUBTOTAL											**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL											1	2.0		2	2	2	2	2	2	2

PARANOIA (297.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	80.0		80	80	80	80	80	80	80										
13-17	1	17.0		17	17	17	17	17	17	17										
18-24	4	14.8	30	7	10	16	19	19	19	19	1	3.0		3	3	3	3	3	3	3
25-34	1	8.0		8	8	8	8	8	8	8	1	1.0		1	1	1	1	1	1	1
35-54	3	7.0	91	1	1	2	14	18	18	18	3	5.7	4	4	4	5	7	8	8	8
55-74											2	3.0	2	2	2	3	4	4	4	4
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	11	17.5	474	1	7	14	19	43	77	80	7	3.9	5	1	2	4	5	7	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
25-34	6	6.2	20	3	3	5	6	14	15	15	2	6.0	2	5	5	6	7	7	7	7
35-54	4	11.0		11	11	11	11	11	11	11	3	10.3	105	3	4	6	18	22	22	22
55-74	9	11.0	85	3	5	8	14	26	32	32										
75 +	1	5.0		5	5	5	5	5	5	5	4	2.5	4	1	1	2	4	5	5	5
ALL AGES	21	8.9	47	2	5	7	11	16	24	32	10	5.4	39	1	1	4	6	14	22	22
SUBTOTAL	**32**	**11.8**	**202**	**2**	**5**	**8**	**14**	**19**	**31**	**80**	**17**	**4.8**	**24**	**1**	**2**	**4**	**5**	**8**	**17**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	11.0		11	11	11	11	11	11	11	2	6.5	25	3	3	6	10	10	10	10
25-34	1	14.0		14	14	14	14	14	14	14	2	14.5	85	8	8	14	21	21	21	21
35-54	4	15.5	414	2	2	8	29	45	45	45	1	6.0		6	6	6	6	6	6	6
55-74	2	10.5	61	5	5	10	16	16	16	16										
75 +																				
ALL AGES	8	13.5	192	2	4	12	15	36	45	45	5	9.6	47	3	5	8	13	21	21	21
B. FEMALE																				
0-12 YRS.																				
13-17	1	38.0		38	38	38	38	38	38	38										
18-24																				
25-34											2	7.0	2	6	6	7	8	8	8	8
35-54	4	15.8	56	11	11	13	20	27	27	27	4	8.3	7	4	6	9	10	10	10	10
55-74	4	7.0	49	1	1	5	12	16	16	16	2	10.0	72	4	4	10	16	16	16	16
75 +	1	19.0		19	19	19	19	19	19	19										
ALL AGES	10	14.8	125	1	9	13	19	32	38	38	8	8.4	15	4	5	8	10	14	16	16
SUBTOTAL	**18**	**14.2**	**146**	**2**	**5**	**12**	**16**	**35**	**42**	**45**	**13**	**8.8**	**26**	**4**	**5**	**8**	**10**	**17**	**20**	**21**
GRAND TOTAL	**50**	**12.7**	**179**	**2**	**5**	**11**	**16**	**23**	**38**	**80**	**30**	**6.5**	**29**	**1**	**3**	**5**	**8**	**13**	**21**	**22**

PARAPHRENIA (297.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	8.0		8	8	8	8	8	8	8										
55-74	1	14.0		14	14	14	14	14	14	14										
75 +	1	23.0		23	23	23	23	23	23	23										
ALL AGES	4	13.3	48	8	8	11	18	23	23	23										
SUBTOTAL	**4**	**13.3**	**48**	**8**	**8**	**11**	**18**	**23**	**23**	**23**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7										
SUBTOTAL	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**										
GRAND TOTAL	**5**	**12.0**	**46**	**7**	**8**	**8**	**16**	**23**	**23**	**23**										

SHARED PARANOID DISORDER (297.3)

	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
				PERCENTILES										PERCENTILES						
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	21.0		21	21	21	21	21	21	21										
75 +																				
ALL AGES	1	21.0		21	21	21	21	21	21	21										
SUBTOTAL	**1**	**21.0**		**21**	**21**	**21**	**21**	**21**	**21**	**21**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54																				
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**										
GRAND TOTAL	**2**	**13.0**	**128**	**5**	**5**	**13**	**21**	**21**	**21**	**21**										

PARANOID STATES NEC (297.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	16.0		16	16	16	16	16	16	16										
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	1	6.0		6	6	6	6	6	6	6										
55-74																				
75 +																				
ALL AGES	3	7.7	58	1	2	6	13	16	16	16										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	4.0		4	4	4	4	4	4	4										
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
SUBTOTAL	**4**	**6.8**	**41**	**1**	**2**	**5**	**11**	**16**	**16**	**16**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	30.0		30	30	30	30	30	30	30										
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +	3	5.3	57	1	1	1	11	14	14	14										
ALL AGES	5	9.8	157	1	1	3	18	30	30	30										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	3.0		3	3	3	3	3	3	3
25-34																				
35-54																				
55-74																				
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	1	7.0		7	7	7	7	7	7	7	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	**6**	**9.3**	**127**	**1**	**1**	**5**	**14**	**28**	**30**	**30**	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**10**	**8.3**	**86**	**1**	**1**	**5**	**14**	**23**	**30**	**30**	1	3.0		3	3	3	3	3	3	3

PARANOID STATE NOS (297.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	4	3.5	1	3	3	3	4	5	5	5	1	16.0		16	16	16	16	16	16	16
25-34	11	7.4	65	2	3	4	9	20	28	29	4	7.0	32	3	3	5	11	15	15	15
35-54	6	5.0	17	1	1	4	9	10	10	10	2	6.5	1	6	6	6	7	7	7	7
55-74	2	7.5	1	7	7	7	8	8	8	8	2	16.5	181	7	7	16	26	26	26	26
75 +																				
ALL AGES	23	6.1	36	1	3	4	8	11	19	29	9	10.0	57	3	5	7	15	22	26	26
B. FEMALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4	1	13.0		13	13	13	13	13	13	13
18-24	1	28.0		28	28	28	28	28	28	28	3	15.7	53	10	11	13	21	24	24	24
25-34	8	9.1	40	2	4	9	14	18	18	18	7	4.1	12	1	2	3	5	10	11	11
35-54	18	8.6	44	1	4	8	10	17	22	26	9	9.0	40	3	4	8	11	19	23	23
55-74	12	8.7	24	4	4	7	14	16	16	16	9	9.0	141	1	1	6	18	68	99 +	99 +
75 +	8	13.3	303	2	3	7	15	43	54	54	4	8.3	92	1	1	5	15	22	22	22
ALL AGES	48	9.8	83	2	4	7	14	18	26	54	33	8.6	69	1	2	6	13	23	34	99 +
SUBTOTAL	**71**	**8.6**	**70**	**1**	**3**	**7**	**11**	**17**	**26**	**49**	**42**	**8.9**	**66**	**1**	**3**	**7**	**13**	**23**	**30**	**99 +**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	11.0		11	11	11	11	11	11	11										
13-17																				
18-24	7	3.4	5	1	1	4	5	6	6	6	1	10.0		10	10	10	10	10	10	10
25-34	10	5.4	8	2	3	5	8	9	9	9	1	1.0		1	1	1	1	1	1	1
35-54	4	3.5	1	2	3	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
55-74	3	10.0	49	2	5	13	14	15	15	15	2	5.0	2	4	4	5	6	6	6	6
75 +	3	2.3	6	1	1	1	4	5	5	5										
ALL AGES	28	5.0	14	1	2	4	7	10	13	15	5	5.0	11	1	3	4	7	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
25-34	5	8.0	58	2	3	5	11	21	21	21										
35-54	9	17.4	674	2	4	6	18	59	84	84	2	13.0	98	6	6	13	20	20	20	20
55-74	6	15.8	32	11	11	15	17	25	26	26	1	2.0		2	2	2	2	2	2	2
75 +	5	7.4	36	1	2	7	13	14	14	14	1	3.0		3	3	3	3	3	3	3
ALL AGES	26	12.7	262	2	4	9	15	22	38	84	5	6.8	57	2	3	3	9	20	20	20
SUBTOTAL	**54**	**8.7**	**146**	**1**	**3**	**5**	**11**	**17**	**22**	**82**	**10**	**5.9**	**31**	**1**	**3**	**4**	**6**	**15**	**20**	**20**
GRAND TOTAL	**125**	**8.6**	**103**	**1**	**3**	**6**	**11**	**17**	**23**	**61**	**52**	**8.3**	**60**	**1**	**3**	**6**	**11**	**22**	**26**	**98**

REACT DEPRESS PSYCHOSIS (298.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	39.0		39	39	39	39	39	39	39	1	2.0		2	2	2	2	2	2	2
35-54	2	28.0	32	24	24	28	32	32	32	32	1	1.0		1	1	1	1	1	1	1
55-74	1	32.0		32	32	32	32	32	32	32	1	9.0		9	9	9	9	9	9	9
75 +																				
ALL AGES	4	31.8	33	24	28	32	36	39	39	39	3	4.0	19	1	1	2	7	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24											1	3.0		3	3	3	3	3	3	3
25-34	1	7.0		7	7	7	7	7	7	7	1	22.0		22	22	22	22	22	22	22
35-54	5	10.2	98	2	3	9	14	27	27	27	1	5.0		5	5	5	5	5	5	5
55-74	1	10.0		10	10	10	10	10	10	10	2	3.5	5	2	2	3	5	5	5	5
75 +																				
ALL AGES	8	8.8	63	2	3	8	10	22	27	27	5	7.4	68	2	3	5	9	22	22	22
SUBTOTAL	**12**	**16.4**	**180**	**2**	**5**	**10**	**29**	**34**	**38**	**39**	**8**	**6.1**	**48**	**1**	**2**	**4**	**7**	**18**	**22**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	20.0		20	20	20	20	20	20	20										
18-24																				
25-34	1	15.0		15	15	15	15	15	15	15										
35-54	2	13.5	113	6	6	13	21	21	21	21	1	1.0		1	1	1	1	1	1	1
55-74	2	18.0		18	18	18	18	18	18	18										
75 +																				
ALL AGES	6	16.3	31	7	15	18	20	21	21	21	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17	1	8.0		8	8	8	8	8	8	8										
18-24	1	18.0		18	18	18	18	18	18	18	1	2.0		2	2	2	2	2	2	2
25-34	5	8.8	8	5	7	9	10	13	13	13										
35-54	4	4.3	7	1	2	4	6	7	7	7	3	2.3	6	1	1	1	4	5	5	5
55-74	1	12.0		12	12	12	12	12	12	12	1	5.0		5	5	5	5	5	5	5
75 +	1	6.0		6	6	6	6	6	6	6	2	5.0	2	4	4	5	6	6	6	6
ALL AGES	13	8.1	19	3	6	8	10	14	17	18	8	3.4	4	1	2	3	5	6	6	6
SUBTOTAL	**19**	**10.7**	**37**	**4**	**6**	**9**	**17**	**19**	**21**	**21**	**9**	**3.1**	**4**	**1**	**1**	**3**	**5**	**6**	**6**	**6**
GRAND TOTAL	**31**	**12.9**	**96**	**3**	**6**	**9**	**18**	**29**	**32**	**39**	**17**	**4.5**	**25**	**1**	**2**	**3**	**5**	**8**	**17**	**22**

EXCITATIV TYPE PSYCHOSIS (298.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-17	1	4.0		4	4	4	4	4	4	4										
18-24	2	3.0		3	3	3	3	3	3	3										
25-34	1	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
35-54	1	4.0		4	4	4	4	4	4	4										
55-74	4	3.5	4	2	2	3	5	6	6	6	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	10	4.0	4	2	3	3	4	7	9	9	2	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17	2	20.0	18	17	17	20	23	23	23	23										
18-24	2	6.5	61	1	1	6	12	12	12	12										
25-34	2	12.0	98	5	5	12	19	19	19	19										
35-54	9	4.9	15	1	2	4	7	11	11	11	1	2.0		2	2	2	2	2	2	2
55-74	2	8.0	50	3	3	8	13	13	13	13	2	2.5	1	2	2	2	3	3	3	3
75 +											3	4.0	13	1	1	3	7	8	8	8
ALL AGES	17	8.1	47	1	3	5	12	19	22	23	6	3.2	6	1	2	2	3	8	8	8
SUBTOTAL	**27**	**6.6**	**34**	**1**	**3**	**4**	**10**	**16**	**20**	**23**	**8**	**2.9**	**5**	**1**	**2**	**2**	**3**	**7**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	8.0		8	8	8	8	8	8	8										
18-24	1	8.0		8	8	8	8	8	8	8	1	5.0		5	5	5	5	5	5	5
25-34																				
35-54	4	16.8	232	3	3	17	30	30	30	30										
55-74											1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	6	13.8	162	3	4	8	30	30	30	30	2	4.5	1	4	4	4	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17	1	14.0		14	14	14	14	14	14	14										
18-24	2	3.5	1	3	3	3	4	4	4	4										
25-34	3	5.3	45	1	1	2	10	13	13	13										
35-54	2	5.5	1	5	5	5	6	6	6	6	1	2.0		2	2	2	2	2	2	2
55-74																				
75 +	2	8.0	32	4	4	8	12	12	12	12										
ALL AGES	10	6.4	23	1	3	5	12	13	14	14	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**16**	**9.2**	**81**	**2**	**3**	**5**	**12**	**28**	**30**	**30**	**3**	**3.7**	**2**	**2**	**2**	**4**	**5**	**5**	**5**	**5**
GRAND TOTAL	**43**	**7.5**	**53**	**2**	**3**	**4**	**11**	**17**	**25**	**30**	**11**	**3.1**	**4**	**1**	**2**	**2**	**4**	**6**	**8**	**8**

REACTIVE CONFUSION (298.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74	2	3.0	8	1	1	3	5	5	5	5	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	3	2.3	6	1	1	1	4	5	5	5	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	7.0		7	7	7	7	7	7	7
35-54																				
55-74	2	11.5	5	10	10	11	13	13	13	13	2	2.5	5	1	1	2	4	4	4	4
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	2	11.5	5	10	10	11	13	13	13	13	4	4.3	6	1	2	4	6	7	7	7
SUBTOTAL	**5**	**6.0**	**29**	**1**	**1**	**5**	**11**	**13**	**13**	**13**	**5**	**4.2**	**5**	**1**	**3**	**4**	**5**	**7**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	6.0		6	6	6	6	6	6	6
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	29.0		29	29	29	29	29	29	29	1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	1	29.0		29	29	29	29	29	29	29	1	6.0		6	6	6	6	6	6	6
SUBTOTAL	**1**	**29.0**		**29**	**29**	**29**	**29**	**29**	**29**	**29**	**2**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**
GRAND TOTAL	**6**	**9.8**	**112**	**1**	**1**	**7**	**13**	**27**	**29**	**29**	**7**	**4.7**	**4**	**2**	**4**	**5**	**6**	**7**	**7**	**7**

ACUTE PARANOID REACTION (298.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											2	7.0	72	1	1	6	13	13	13	13
35-54	2	10.0	32	6	6	10	14	14	14	14	1	5.0		5	5	5	5	5	5	5
55-74											1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	2	10.0	32	6	6	10	14	14	14	14	4	6.3	24	1	2	5	9	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	5.0	18	2	2	5	8	8	8	8	2	13.0	242	2	2	13	24	24	24	24
35-54	2	7.0	8	5	5	7	9	9	9	9	2	7.0	8	5	5	7	9	9	9	9
55-74	3	12.0	73	4	6	11	18	21	21	21	1	2.0		2	2	2	2	2	2	2
75 +	2	13.0	18	10	10	13	16	16	16	16	1	5.0		5	5	5	5	5	5	5
ALL AGES	9	9.6	35	3	5	9	12	19	21	21	6	7.8	70	2	2	5	9	22	24	24
SUBTOTAL	**11**	**9.6**	**33**	**3**	**5**	**9**	**13**	**18**	**21**	**21**	**10**	**7.2**	**48**	**1**	**2**	**5**	**9**	**18**	**24**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	4	11.5	99	1	5	10	18	25	25	25	1	1.0		1	1	1	1	1	1	1
35-54	3	2.3	1	2	2	2	3	3	3	3	2	9.5	113	2	2	9	17	17	17	17
55-74																				
75 +	2	6.0	18	3	3	6	9	9	9	9										
ALL AGES	9	7.2	58	1	2	3	10	19	25	25	3	6.7	80	1	1	2	13	17	17	17
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	31.0		31	31	31	31	31	31	31										
35-54	1	6.0		6	6	6	6	6	6	6										
55-74	2	17.0		17	17	17	17	17	17	17	1	18.0		18	18	18	18	18	18	18
75 +	1	9.0		9	9	9	9	9	9	9	1	3.0		3	3	3	3	3	3	3
ALL AGES	5	16.0	94	6	8	17	21	31	31	31	2	10.5	113	3	3	10	18	18	18	18
SUBTOTAL	**14**	**10.4**	**83**	**2**	**3**	**9**	**17**	**26**	**30**	**31**	**5**	**8.2**	**73**	**1**	**2**	**3**	**17**	**18**	**18**	**18**
GRAND TOTAL	**25**	**10.0**	**60**	**2**	**4**	**9**	**14**	**21**	**26**	**31**	**15**	**7.5**	**52**	**1**	**2**	**5**	**12**	**18**	**22**	**24**

PSYCHOGEN PARANOID PSYCH (298.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	32.0		32	32	32	32	32	32	32
55-74																				
75 +																				
ALL AGES											1	32.0		32	32	32	32	32	32	32
SUBTOTAL											**1**	**32.0**		**32**	**32**	**32**	**32**	**32**	**32**	**32**
GRAND TOTAL											**1**	**32.0**		**32**	**32**	**32**	**32**	**32**	**32**	**32**

REACT PSYCHOSIS NEC/NOS (298.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	43.0	1250	18	18	43	68	68	68	68										
18-24	8	4.5	7	1	2	5	6	8	9	9	7	9.9	23	5	7	8	14	17	18	18
25-34	10	5.4	4	2	4	6	7	8	8	8	7	7.6	34	2	3	7	10	17	19	19
35-54	9	6.7	61	1	3	4	7	21	25	25	3	7.7	12	4	5	8	10	11	11	11
55-74											1	5.0		5	5	5	5	5	5	5
75 +	2	13.0	32	9	9	13	17	17	17	17										
ALL AGES	31	8.5	150	1	3	5	8	17	25	68	18	8.3	25	3	4	7	11	17	19	19
B. FEMALE																				
0-12 YRS.	2	27.0		27	27	27	27	27	27	27	1	2.0		2	2	2	2	2	2	2
13-17	1	27.0		27	27	27	27	27	27	27										
18-24	9	8.0	15	3	5	8	12	13	14	14	3	5.0	9	2	3	5	7	8	8	8
25-34	18	8.3	25	3	4	7	11	17	18	18	2	2.0	2	1	1	1	3	3	3	3
35-54	16	5.6	14	2	2	5	8	11	12	13	6	3.2	2	2	2	3	3	6	6	6
55-74	7	7.0	10	4	5	6	8	12	13	13	7	7.1	28	3	3	5	12	15	15	15
75 +	3	6.3	25	3	3	4	10	12	12	12	3	3.0		3	3	3	3	3	3	3
ALL AGES	56	8.2	38	2	4	7	11	16	24	27	22	4.5	13	2	3	3	5	10	14	15
SUBTOTAL	**87**	**8.3**	**77**	**2**	**4**	**6**	**10**	**17**	**25**	**53**	**40**	**6.2**	**22**	**2**	**3**	**4**	**8**	**14**	**17**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	7.0	18	4	4	7	10	10	10	10										
18-24	5	3.8	6	2	2	3	5	8	8	8	3	24.3	377	2	10	35	36	36	36	36
25-34	7	5.0	4	2	3	5	7	7	7	7	1	7.0		7	7	7	7	7	7	7
35-54	4	5.5	7	3	3	5	7	9	9	9	3	5.0	13	1	2	6	7	8	8	8
55-74	1	6.0		6	6	6	6	6	6	6										
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	19	5.1	5	2	3	4	7	9	10	10	8	12.3	211	1	2	6	21	36	36	36
B. FEMALE																				
0-12 YRS.																				
13-17	1	14.0		14	14	14	14	14	14	14										
18-24	2	9.0		9	9	9	9	9	9	9	4	13.5	35	9	9	11	17	22	22	22
25-34	14	9.8	75	2	3	7	12	21	30	33	3	6.7	9	4	4	6	9	10	10	10
35-54	16	8.1	36	3	4	6	11	17	22	24	1	17.0		17	17	17	17	17	17	17
55-74	1	3.0		3	3	3	3	3	3	3										
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	35	8.8	47	3	3	7	12	17	23	33	8	11.4	34	5	7	10	15	20	22	22
SUBTOTAL	**54**	**7.5**	**35**	**2**	**3**	**6**	**9**	**14**	**19**	**33**	**16**	**11.8**	**115**	**2**	**5**	**8**	**15**	**34**	**36**	**36**
GRAND TOTAL	**141**	**8.0**	**60**	**2**	**4**	**6**	**9**	**16**	**22**	**36**	**56**	**7.8**	**53**	**2**	**3**	**6**	**10**	**17**	**21**	**36**

PSYCHOSIS NOS (298.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	11	19.5	129	10	14	17	19	37	49	50	2	6.5	41	2	2	6	11	11	11	11
13-17	13	21.5	506	5	7	11	30	54	75	80	2	17.0	392	3	3	17	31	31	31	31
18-24	62	9.2	80	2	4	7	13	18	21	57	24	10.2	116	1	3	7	14	21	32	51
25-34	90	10.2	120	1	3	7	14	23	36	55	32	11.1	331	1	3	6	12	20	44	98
35-54	76	7.2	46	1	2	5	10	16	20	31	37	5.5	21	1	2	4	8	12	15	17
55-74	64	9.6	178	2	2	5	10	26	34	72	31	4.4	17	1	2	3	5	8	17	18
75 +	49	8.8	43	2	3	6	14	19	21	26	38	5.2	27	2	2	3	7	9	16	28
ALL AGES	365	9.8	118	2	3	6	13	21	29	58	166	7.1	104	1	2	4	8	15	20	50
B. FEMALE																				
0-12 YRS.	3	10.0	193	1	1	3	20	26	26	26	1	1.0		1	1	1	1	1	1	1
13-17	12	29.0	656	2	12	19	38	77	77	77										
18-24	33	8.4	90	2	2	5	9	20	34	37	16	11.3	55	2	6	10	15	23	26	27
25-34	49	9.4	162	2	4	6	10	19	27	83	28	10.8	103	1	4	8	15	28	49	99 +
35-54	88	9.9	111	1	3	7	14	20	29	58	47	8.7	75	2	4	7	12	16	21	50
55-74	80	8.2	60	2	3	6	12	17	18	47	42	6.4	52	1	2	5	8	12	17	43
75 +	82	7.8	50	2	3	5	11	18	23	80	51	5.8	25	2	3	5	7	13	20	21
ALL AGES	347	9.4	122	2	3	6	13	19	30	77	185	7.9	61	1	3	6	10	18	22	49
SUBTOTAL	**712**	**9.6**	**120**	**2**	**3**	**6**	**13**	**20**	**30**	**60**	**351**	**7.5**	**81**	**1**	**2**	**5**	**9**	**16**	**21**	**50**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	10	38.5	178	23	28	35	50	58	60	60										
13-17	9	26.7	565	5	8	24	34	67	75	75										
18-24	37	9.5	87	2	4	7	13	31	72	99 +	4	6.5	30	2	2	5	10	14	14	14
25-34	49	6.5	19	2	3	6	9	12	14	24	24	9.3	69	2	3	7	12	23	28	32
35-54	38	8.3	73	2	5	6	8	15	20	50	14	5.1	19	1	2	3	7	12	14	15
55-74	28	10.3	114	2	4	7	11	27	36	47	10	5.0	21	1	2	3	7	13	15	15
75 +	20	12.5	60	4	8	11	15	24	29	34	4	12.8	155	1	4	10	21	30	30	30
ALL AGES	191	11.2	150	2	5	7	13	28	42	89	56	7.5	54	1	2	5	10	15	26	32
B. FEMALE																				
0-12 YRS.																				
13-17	9	12.4	19	6	12	13	14	17	18	18	2	21.0	50	16	16	21	26	26	26	26
18-24	18	9.7	83	2	4	7	13	23	33	37	[illegible]	10.0	119	1	3	7	13	29	34	34
25-34	31	8.4	50	2	3	6	11	22	25	28	19	13.3	156	2	6	10	18	44	74	99 +
35-54	42	8.9	40	2	4	8	13	17	22	28	15	5.6	35	1	2	3	6	16	20	22
55-74	36	10.5	89	2	3	7	16	22	30	41	15	6.7	32	2	3	4	7	16	20	21
75 +	40	10.8	108	2	4	7	12	27	37	43	12	5.6	30	2	2	4	7	13	20	21
ALL AGES	176	9.8	71	2	4	8	13	21	27	41	71	8.8	86	2	3	5	11	21	33	89
SUBTOTAL	**367**	**10.6**	**110**	**2**	**4**	**7**	**13**	**25**	**34**	**59**	**127**	**8.3**	**70**	**2**	**3**	**5**	**11**	**20**	**27**	**59**
GRAND TOTAL	**1079**	**9.9**	**118**	**2**	**3**	**7**	**13**	**21**	**31**	**60**	**478**	**7.7**	**79**	**1**	**2**	**5**	**9**	**17**	**23**	**49**

INFANTILE AUTISM (299.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	9.5	145	1	1	9	18	18	18	18	1	2.0		2	2	2	2	2	2	2
13-17	1	8.0		8	8	8	8	8	8	8										
18-24	1	5.0		5	5	5	5	5	5	5										
25-34																				
35-54	1	20.0		20	20	20	20	20	20	20										
55-74																				
75 +																				
ALL AGES	5	10.4	68	1	4	8	18	20	20	20	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54	1	9.0		9	9	9	9	9	9	9										
55-74																				
75 +																				
ALL AGES	2	5.0	32	1	1	4	9	9	9	9										
SUBTOTAL	**7**	**8.9**	**57**	**1**	**1**	**8**	**16**	**20**	**20**	**20**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	20.0		20	20	20	20	20	20	20	1	4.0		4	4	4	4	4	4	4
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	20.0		20	20	20	20	20	20	20	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**20.0**		**20**	**20**	**20**	**20**	**20**	**20**	**20**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
GRAND TOTAL	**8**	**10.3**	**64**	**1**	**3**	**8**	**19**	**20**	**20**	**20**	**2**	**3.0**	**2**	**2**	**2**	**3**	**4**	**4**	**4**	**4**

EARLY CHLD PSYCHOSES NEC (299.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	8	39.5	354	11	24	45	54	58	58	58	2	14.5	365	1	1	14	28	28	28	28
13-17	2	14.5	5	13	13	14	16	16	16	16										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	10	34.5	387	11	14	37	51	58	58	58	2	14.5	365	1	1	14	28	28	28	28
B. FEMALE																				
0-12 YRS.	3	38.7	48	34	34	35	44	47	47	47	1	14.0		14	14	14	14	14	14	14
13-17	2	31.5	221	21	21	31	42	42	42	42										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	35.8	97	21	31	35	43	47	47	47	1	14.0		14	14	14	14	14	14	14
SUBTOTAL	**15**	**34.9**	**279**	**13**	**17**	**35**	**49**	**58**	**58**	**58**	**3**	**14.3**	**184**	**1**	**4**	**14**	**24**	**28**	**28**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	31.2	241	17	21	32	53	95	99 +	99 +										
13-17	4	33.3	1402	1	8	36	89	99 +	99 +	99 +										
18-24																				
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7										
55-74																				
75 +																				
ALL AGES	10	29.6	640	5	14	29	69	99 +	99 +	99 +										
B. FEMALE																				
0-12 YRS.	1	41.0		41	41	41	41	41	41	41										
13-17	2	18.0	450	3	10	33	83	99 +	99 +	99 +										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	25.7	399	3	18	37	70	99 +	99 +	99 +										
SUBTOTAL	**13**	**28.7**	**550**	**3**	**14**	**34**	**69**	**99 +**	**99 +**	**99 +**										
GRAND TOTAL	**28**	**32.0**	**400**	**9**	**16**	**35**	**51**	**91**	**99 +**	**99 +**	**3**	**14.3**	**184**	**1**	**4**	**14**	**24**	**28**	**28**	**28**

EARLY CHLD PSYCHOSIS NOS (299.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	1	12.0		12	12	12	12	12	12	12
13-17											1	3.0		3	3	3	3	3	3	3
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	2	7.5	41	3	3	7	12	12	12	12
B. FEMALE																				
0-12 YRS.	1	39.0		39	39	39	39	39	39	39										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	39.0		39	39	39	39	39	39	39										
SUBTOTAL	**2**	**20.5**	**685**	**2**	**2**	**20**	**39**	**39**	**39**	**39**	**2**	**7.5**	**41**	**3**	**3**	**7**	**12**	**12**	**12**	**12**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	8.0		8	8	8	8	8	8	8										
B. FEMALE																				
0-12 YRS.																				
13-17	1	14.0		14	14	14	14	14	14	14	1	23.0		23	23	23	23	23	23	23
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	14.0		14	14	14	14	14	14	14	1	23.0		23	23	23	23	23	23	23
SUBTOTAL	**2**	**11.0**	**18**	**8**	**8**	**11**	**14**	**14**	**14**	**14**	**1**	**23.0**		**23**	**23**	**23**	**23**	**23**	**23**	**23**
GRAND TOTAL	**4**	**15.8**	**262**	**2**	**5**	**11**	**26**	**39**	**39**	**39**	**3**	**12.7**	**99**	**3**	**5**	**12**	**20**	**23**	**23**	**23**

ANXIETY STATES (300.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	29.0		29	29	29	29	29	29	29	1	1.0		1	1	1	1	1	1	1
13-17											2	2.5	1	2	2	2	3	3	3	3
18-24	4	3.0	5	1	1	2	4	6	6	6	2	3.5	13	1	1	3	6	6	6	6
25-34	11	2.9	11	1	1	2	4	7	12	12	5	1.6	1	1	1	1	2	3	3	3
35-54	20	4.2	19	1	1	2	5	12	15	15	31	1.6	1	1	1	1	2	3	4	5
55-74	10	2.1	2	1	1	2	4	4	4	4	13	1.8	1	1	1	2	2	3	3	3
75 +	2	2.5	1	2	2	2	3	3	3	3	6	1.8	1	1	1	2	3	3	3	3
ALL AGES	48	3.8	25	1	1	2	4	9	15	29	60	1.8	1	1	1	1	2	3	4	6
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	6	1.5	1	1	1	1	2	3	3	3	2	1.0		1	1	1	1	1	1	1
18-24	4	3.3	4	1	1	3	5	6	6	6	6	4.3	59	1	1	1	2	18	20	20
25-34	14	2.3	2	1	1	2	3	5	5	5	16	2.6	5	1	1	2	3	6	7	8
35-54	41	5.4	57	1	1	3	6	14	17	42	42	3.0	18	1	1	2	2	6	12	21
55-74	34	4.3	32	1	1	2	4	13	19	21	41	2.7	4	1	1	2	3	6	7	10
75 +	10	7.6	52	1	2	4	13	18	23	23	19	3.6	14	1	2	3	4	6	13	18
ALL AGES	110	4.6	37	1	1	2	5	13	18	31	126	3.0	13	1	1	2	3	6	8	20
SUBTOTAL	**158**	**4.3**	**34**	**1**	**1**	**2**	**4**	**13**	**16**	**29**	**186**	**2.6**	**9**	**1**	**1**	**2**	**3**	**6**	**7**	**20**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	3	31.3	937	2	9	29	54	63	63	63										
18-24	6	12.2	52	2	9	12	17	21	22	22	2	2.0		2	2	2	2	2	2	2
25-34	16	5.4	62	1	1	2	4	21	22	22	5	9.2	68	1	2	9	15	21	21	21
35-54	34	7.8	70	2	3	6	8	16	18	48	7	3.4	8	1	2	2	6	8	8	8
55-74	9	6.8	41	1	2	5	13	16	17	17	6	6.2	54	2	2	3	5	19	21	21
75 +	3	3.3	17	1	1	1	6	8	8	8	4	3.0	1	2	2	3	4	4	4	4
ALL AGES	72	8.2	109	1	2	5	10	18	22	60	24	5.1	32	2	2	3	6	14	21	21
B. FEMALE																				
0-12 YRS.																				
13-17	7	16.3	242	2	3	10	32	38	38	38	1	1.0		1	1	1	1	1	1	1
18-24	12	4.6	19	1	1	3	7	12	13	13	3	3.0	7	1	1	2	5	6	6	6
25-34	23	6.7	21	1	2	7	9	14	16	17	13	7.6	62	1	2	3	12	20	23	24
35-54	61	8.2	51	1	2	6	13	18	22	30	22	7.8	90	1	1	3	13	22	29	34
55-74	42	8.3	56	2	3	6	12	18	28	30	11	3.9	3	2	3	4	5	6	7	7
75 +	16	8.4	36	1	3	8	12	16	19	20	4	5.0	23	1	2	3	8	12	12	12
ALL AGES	161	8.1	55	1	2	6	12	18	22	36	54	6.4	55	1	2	3	7	19	23	34
SUBTOTAL	**233**	**8.1**	**72**	**1**	**2**	**5**	**11**	**18**	**22**	**40**	**78**	**6.0**	**48**	**1**	**2**	**3**	**7**	**19**	**21**	**31**
GRAND TOTAL	**391**	**6.6**	**59**	**1**	**1**	**4**	**9**	**16**	**20**	**38**	**264**	**3.6**	**23**	**1**	**1**	**2**	**3**	**7**	**16**	**24**

HYSTERIA (300.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	1.5	1	1	1	1	2	2	2	2	2	1.0		1	1	1	1	1	1	1
13-17	2	6.0		6	6	6	6	6	6	6	3	21.3	1014	1	2	5	45	58	58	58
18-24	8	3.3	10	1	1	2	5	8	9	9	4	2.5	9	1	1	1	4	7	7	7
25-34	13	4.5	14	1	2	3	6	11	13	13	5	4.6	4	2	3	5	6	7	7	7
35-54	11	3.8	3	2	2	3	5	6	6	6	4	2.8	1	2	2	3	3	4	4	4
55-74	6	3.8	11	1	2	3	5	9	10	10	5	3.2	1	2	3	3	4	4	4	4
75 +	1	2.0		2	2	2	2	2	2	2	1	6.0		6	6	6	6	6	6	6
ALL AGES	43	3.9	8	1	2	3	6	8	10	13	24	5.5	129	1	2	3	5	7	22	58
B. FEMALE																				
0-12 YRS.	7	2.1	3	1	1	2	2	5	6	6	2	3.0	2	2	2	3	4	4	4	4
13-17	6	4.5	13	1	2	3	9	9	9	9	10	2.1	4	1	1	1	2	5	7	7
18-24	19	9.9	136	1	2	4	14	30	38	40	12	3.8	7	1	2	3	5	8	10	10
25-34	26	3.7	6	1	2	3	5	8	9	9	8	3.4	6	1	2	3	4	7	9	9
35-54	33	9.4	241	1	1	3	9	27	57	63	19	2.6	3	1	1	3	3	5	6	7
55-74	10	8.8	253	1	1	3	4	34	52	52	6	2.7	4	1	1	2	4	6	6	6
75 +	4	1.5	1	1	1	1	2	3	3	3	2	11.5	85	5	5	11	18	18	18	18
ALL AGES	105	6.9	132	1	1	3	6	17	33	62	59	3.2	8	1	1	2	4	6	8	17
SUBTOTAL	**148**	**6.1**	**97**	**1**	**1**	**3**	**6**	**13**	**21**	**61**	**83**	**3.8**	**43**	**1**	**1**	**3**	**4**	**7**	**8**	**45**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	6	8.7	86	2	2	5	14	24	25	25										
18-24	5	3.8	10	1	2	3	5	9	9	9	1	1.0		1	1	1	1	1	1	1
25-34	8	6.6	106	1	1	3	7	24	31	31	4	5.3	27	2	2	3	8	13	13	13
35-54	6	8.0	32	1	1	10	12	14	14	14	7	3.6	2	2	2	3	5	6	6	6
55-74	4	3.8	17	1	1	2	6	10	10	10	1	2.0		2	2	2	2	2	2	2
75 +	1	4.0		4	4	4	4	4	4	4	1	1.0		1	1	1	1	1	1	1
ALL AGES	30	6.4	52	1	1	3	10	14	25	31	14	3.6	9	1	2	3	4	7	12	13
B. FEMALE																				
0-12 YRS.	2	10.5	1	10	10	10	11	11	11	11	1	3.0		3	3	3	3	3	3	3
13-17	4	8.0	13	4	5	8	11	12	12	12	1	4.0		4	4	4	4	4	4	4
18-24	10	9.5	63	1	3	9	15	21	26	26	10	4.1	35	1	1	1	6	13	20	20
25-34	54	11.6	151	3	4	7	15	27	42	55	6	3.8	4	2	2	4	4	7	7	7
35-54	69	11.6	158	1	3	8	16	25	37	70	16	4.1	13	2	2	3	4	8	14	16
55-74	7	8.4	51	1	2	7	12	19	21	21	3	1.3		1	1	1	2	2	2	2
75 +	3	13.0	300	3	3	3	26	33	33	33	1	3.0		3	3	3	3	3	3	3
ALL AGES	149	11.3	136	2	3	7	15	25	33	55	38	3.8	15	1	2	3	4	7	13	20
SUBTOTAL	**179**	**10.4**	**127**	**1**	**3**	**7**	**14**	**23**	**31**	**55**	**52**	**3.7**	**13**	**1**	**2**	**3**	**4**	**7**	**12**	**20**
GRAND TOTAL	**327**	**8.5**	**117**	**1**	**2**	**4**	**11**	**20**	**30**	**57**	**135**	**3.8**	**31**	**1**	**1**	**3**	**4**	**7**	**9**	**26**

PHOBIC DISORDERS (300.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	3	5.3	13	2	3	5	8	9	9	9										
35-54											1	1.0		1	1	1	1	1	1	1
55-74	1	17.0		17	17	17	17	17	17	17										
75 +																				
ALL AGES	4	8.3	41	2	3	7	13	17	17	17	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24	1	10.0		10	10	10	10	10	10	10										
25-34	1	23.0		23	23	23	23	23	23	23	1	6.0		6	6	6	6	6	6	6
35-54	6	9.8	73	1	3	9	16	20	21	21	3	10.3	121	4	4	4	18	23	23	23
55-74	2	8.5	5	7	7	8	10	10	10	10	2	2.0	2	1	1	2	3	3	3	3
75 +	1	20.0		20	20	20	20	20	20	20										
ALL AGES	11	11.7	61	2	4	10	19	22	23	23	7	6.0	59	1	2	4	6	20	23	23
SUBTOTAL	**15**	**10.8**	**55**	**2**	**4**	**10**	**17**	**21**	**22**	**23**	**8**	**5.4**	**54**	**1**	**1**	**3**	**5**	**18**	**23**	**23**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	16.0	338	3	3	16	29	29	29	29										
18-24	1	12.0		12	12	12	12	12	12	12										
25-34	2	10.0	50	5	5	10	15	15	15	15	1	15.0		15	15	15	15	15	15	15
35-54	5	7.2	58	1	2	2	15	16	16	16	1	11.0		11	11	11	11	11	11	11
55-74																				
75 +																				
ALL AGES	10	10.0	82	1	2	8	15	22	29	29	2	13.0	8	11	11	13	15	15	15	15
B. FEMALE																				
0-12 YRS.											1	22.0		22	22	22	22	22	22	22
13-17																				
18-24	3	4.3	1	4	4	4	5	5	5	5										
25-34	6	7.5	135	1	2	3	5	28	31	31	4	20.8	413	1	7	16	34	49	49	49
35-54	7	14.9	84	5	6	15	24	25	25	25	3	11.0	91	2	4	10	18	21	21	21
55-74	4	14.5	139	7	7	9	21	32	32	32	3	6.0	3	5	5	5	7	8	8	8
75 +																				
ALL AGES	20	11.0	103	2	4	6	18	28	31	32	11	14.2	190	2	5	10	21	33	48	49
SUBTOTAL	**30**	**10.7**	**93**	**2**	**4**	**6**	**15**	**27**	**31**	**32**	**13**	**14.0**	**159**	**2**	**5**	**11**	**20**	**27**	**45**	**49**
GRAND TOTAL	**45**	**10.7**	**79**	**2**	**4**	**7**	**16**	**25**	**29**	**32**	**21**	**10.7**	**133**	**1**	**3**	**6**	**16**	**22**	**35**	**49**

OBSESSIVE-COMPULSIVE DIS (300.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	6.0		6	6	6	6	6	6	6										
18-24	2	20.0	18	17	17	20	23	23	23	23										
25-34	4	12.3	168	2	2	8	22	30	30	30	1	3.0		3	3	3	3	3	3	3
35-54	3	8.0	76	2	2	4	14	18	18	18										
55-74																				
75 +																				
ALL AGES	10	11.9	99	2	3	10	18	26	30	30	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.	1	19.0		19	19	19	19	19	19	19										
13-17																				
18-24	1	3.0		3	3	3	3	3	3	3										
25-34	6	13.5	110	6	7	7	27	27	27	27										
35-54	3	9.3	103	3	3	4	17	21	21	21										
55-74																				
75 +											1	14.0		14	14	14	14	14	14	14
ALL AGES	11	11.9	92	3	4	7	20	27	27	27	1	14.0		14	14	14	14	14	14	14
SUBTOTAL	**21**	**11.9**	**91**	**2**	**4**	**7**	**19**	**27**	**28**	**30**	**2**	**8.5**	**61**	**3**	**3**	**8**	**14**	**14**	**14**	**14**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	21.0	133	10	12	20	30	33	33	33										
18-24	1	7.0		7	7	7	7	7	7	7										
25-34	3	5.7	17	1	2	7	8	9	9	9										
35-54	3	9.0	28	5	5	7	13	15	15	15										
55-74	2	13.0	128	5	5	13	21	21	21	21										
75 +																				
ALL AGES	12	11.7	81	4	6	8	17	25	32	33										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	3	8.7	7	7	7	7	11	12	12	12										
25-34	3	9.0	36	3	4	9	13	15	15	15	4	13.8	88	1	6	16	21	21	21	21
35-54	2	41.0	1058	18	18	41	64	64	64	64										
55-74																				
75 +																				
ALL AGES	8	16.9	385	4	7	10	16	50	64	64	4	13.8	88	1	6	16	21	21	21	21
SUBTOTAL	**20**	**13.8**	**195**	**4**	**7**	**9**	**17**	**27**	**48**	**64**	**4**	**13.8**	**88**	**1**	**6**	**16**	**21**	**21**	**21**	**21**
GRAND TOTAL	**41**	**12.8**	**139**	**3**	**5**	**7**	**18**	**27**	**31**	**64**	**6**	**12.0**	**74**	**1**	**3**	**13**	**21**	**21**	**21**	**21**

NEUROTIC DEPRESSION (300.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	16	21.1	229	6	9	17	30	48	52	53										
13-17	32	28.2	708	6	9	15	40	67	96	99										
18-24	19	4.7	22	1	1	3	7	14	15	15	3	1.7	1	1	1	1	3	3	3	3
25-34	29	5.9	36	1	2	3	8	16	20	24	3	3.3	1	3	3	3	4	4	4	4
35-54	27	5.9	21	1	2	5	9	13	14	16	2	1.0		1	1	1	1	1	1	1
55-74	13	7.6	52	1	3	4	10	16	26	28	6	2.7	1	1	2	3	3	4	4	4
75 +	1	9.0		9	9	9	9	9	9	9	1	8.0		8	8	8	8	8	8	8
ALL AGES	137	12.9	301	1	3	7	13	33	50	99	15	2.7	4	1	1	3	3	4	7	8
B. FEMALE																				
0-12 YRS.	17	14.8	89	3	6	14	21	27	33	36	1	28.0		28	28	28	28	28	28	28
13-17	125	13.6	175	2	5	11	18	29	33	79	11	10.6	276	1	2	5	12	31	57	59
18-24	35	4.9	15	1	2	4	8	11	12	12	5	6.0	113	1	1	1	8	25	25	25
25-34	75	5.8	30	1	2	4	7	13	16	29	12	3.5	12	1	1	2	4	9	12	13
35-54	103	8.0	76	2	3	6	9	17	25	48	28	3.1	5	1	2	2	4	7	7	9
55-74	38	8.7	37	2	4	7	12	17	20	26	16	3.4	5	1	2	3	4	6	9	10
75 +	13	4.8	14	1	2	3	7	10	12	13	12	3.8	6	1	2	3	5	8	10	10
ALL AGES	406	9.3	99	1	3	6	12	21	28	49	85	4.8	55	1	2	3	5	10	13	48
SUBTOTAL	**543**	**10.2**	**152**	**1**	**3**	**6**	**13**	**24**	**31**	**66**	**100**	**4.5**	**48**	**1**	**2**	**3**	**4**	**8**	**12**	**43**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	97	30.2	210	13	24	29	35	47	64	94										
13-17	169	25.1	380	4	9	21	36	51	66	99	7	9.1	59	1	3	7	15	20	21	21
18-24	55	6.3	14	2	3	6	8	13	14	16	13	6.7	24	1	3	6	10	13	17	18
25-34	78	5.9	25	1	2	4	9	12	15	25	14	5.5	11	2	3	5	7	12	12	12
35-54	98	7.2	57	1	2	5	9	18	22	41	20	5.0	15	1	2	4	7	10	13	16
55-74	23	8.1	34	2	3	6	12	16	19	22	2	5.5	25	2	2	5	9	9	9	9
75 +	9	6.3	11	4	4	5	7	12	14	14	1	6.0		6	6	6	6	6	6	6
ALL AGES	529	16.9	282	2	4	10	28	40	49	91	57	6.0	22	1	2	5	8	12	17	21
B. FEMALE																				
0-12 YRS.	48	27.4	270	9	13	28	38	54	67	99 +										
13-17	235	19.4	289	3	7	14	28	48	72	99 +	23	15.5	165	4	5	10	23	36	43	46
18-24	96	8.9	94	2	3	6	11	18	28	51	14	6.3	17	2	4	5	9	13	15	15
25-34	145	7.9	61	1	2	4	12	18	22	35	30	8.8	72	2	4	5	13	25	28	30
35-54	156	8.0	51	2	3	6	11	16	23	39	25	5.5	20	1	2	5	7	11	17	17
55-74	48	10.2	132	1	3	7	13	19	27	92	5	13.0	144	3	3	9	22	31	31	31
75 +	16	11.6	60	4	7	9	15	19	29	34	3	12.0	7	9	10	13	14	14	14	14
ALL AGES	744	13.2	194	2	4	9	17	33	45	99	100	9.5	85	2	4	6	13	23	30	44
SUBTOTAL	**1273**	**14.7**	**235**	**2**	**4**	**9**	**21**	**36**	**47**	**92**	**157**	**8.2**	**65**	**2**	**3**	**5**	**10**	**18**	**27**	**41**
GRAND TOTAL	**1816**	**13.4**	**213**	**2**	**4**	**8**	**17**	**33**	**45**	**87**	**257**	**6.8**	**61**	**1**	**2**	**4**	**8**	**16**	**24**	**41**

NEURASTHENIA (300.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	3	3.0	1	2	2	3	4	4	4	4	2	1.5	1	1	1	1	2	2	2	2
55-74	1	2.0		2	2	2	2	2	2	2	1	10.0		10	10	10	10	10	10	10
75 +																				
ALL AGES	4	2.8	1	2	2	3	3	4	4	4	3	4.3	25	1	1	2	8	10	10	10
SUBTOTAL	**5**	**2.4**	**1**	**1**	**2**	**2**	**3**	**4**	**4**	**4**	**3**	**4.3**	**25**	**1**	**1**	**2**	**8**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54																				
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**5**	**2.4**	**1**	**1**	**2**	**2**	**3**	**4**	**4**	**4**	**4**	**3.5**	**19**	**1**	**1**	**1**	**6**	**10**	**10**	**10**

DEPERSONALIZATION SYND (300.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-24																				
25-34																				
35-54											1	5.0		5	5	5	5	5	5	5
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	1	1.0		1	1	1	1	1	1	1	1	5.0		5	5	5	5	5	5	5
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	1.0		1	1	1	1	1	1	1	1	5.0		5	5	5	5	5	5	5

HYPOCHONDRIASIS (300.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	8.0		8	8	8	8	8	8	8										
55-74																				
75 +																				
ALL AGES	1	8.0		8	8	8	8	8	8	8										
SUBTOTAL	**2**	**4.5**	**25**	**1**	**1**	**4**	**8**	**8**	**8**	**8**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	7.0		7	7	7	7	7	7	7										
35-54																				
55-74																				
75 +																				
ALL AGES	2	7.0		7	7	7	7	7	7	7										
SUBTOTAL	**2**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**4**	**5.8**	**9**	**1**	**3**	**7**	**8**	**8**	**8**	**8**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

NEUROTIC DISORDERS NEC (300.8)

	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17											1	3.0		3	3	3	3	3	3	3
18-24																				
25-34	2	6.5	1	6	6	6	7	7	7	7										
35-54	3	4.3	18	1	1	3	7	9	9	9	1	5.0		5	5	5	5	5	5	5
55-74																				
75 +																				
ALL AGES	6	5.0	8	1	3	5	7	9	9	9	2	4.0	2	3	3	4	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	6.0		6	6	6	6	6	6	6										
25-34																				
35-54	6	10.3	70	4	4	6	21	21	21	21	1	9.0		9	9	9	9	9	9	9
55-74	2	5.5	13	3	3	5	8	8	8	8	2	18.0	450	3	3	18	33	33	33	33
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	10	8.3	47	3	4	5	8	21	21	21	3	15.0	252	3	4	9	27	33	33	33
SUBTOTAL	**16**	**7.1**	**33**	**3**	**4**	**5**	**8**	**20**	**21**	**21**	**5**	**10.6**	**163**	**3**	**3**	**5**	**15**	**33**	**33**	**33**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	17.0		17	17	17	17	17	17	17										
18-24																				
25-34	2	8.0	72	2	2	8	14	14	14	14										
35-54	4	18.8	410	4	5	11	32	48	48	48	2	14.5	145	6	6	14	23	23	23	23
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	8	13.8	231	2	3	10	17	39	48	48	2	14.5	145	6	6	14	23	23	23	23
B. FEMALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24																				
25-34	7	5.0	18	2	2	2	7	12	13	13	2	5.0	8	3	3	5	7	7	7	7
35-54	14	9.0	66	1	1	8	16	19	25	27	3	10.3	185	2	2	3	20	26	26	26
55-74	3	10.3	58	5	5	7	16	19	19	19										
75 +	3	24.7	14	21	22	24	28	29	29	29	1	10.0		10	10	10	10	10	10	10
ALL AGES	28	9.6	74	1	2	7	16	23	27	29	6	8.5	83	2	3	5	10	24	26	26
SUBTOTAL	**36**	**10.5**	**107**	**1**	**2**	**7**	**16**	**24**	**28**	**48**	**8**	**10.0**	**87**	**2**	**3**	**6**	**16**	**25**	**26**	**26**
GRAND TOTAL	**52**	**9.4**	**87**	**1**	**3**	**6**	**15**	**21**	**27**	**48**	**13**	**10.2**	**106**	**2**	**3**	**6**	**13**	**27**	**32**	**33**

NEUROTIC DISORDER NOS (300.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	1.5	1	1	1	1	2	2	2	2	5	2.6	2	1	2	2	4	4	4	4
13-17	6	3.7	13	1	1	2	6	10	10	10	5	3.0	7	1	1	2	5	7	7	7
18-24	8	2.9	4	1	1	3	5	6	6	6	7	2.9	5	1	1	2	4	7	7	7
25-34	7	6.1	22	2	2	4	9	13	14	14	8	8.0	187	1	1	1	10	32	39	39
35-54	7	1.9	1	1	1	1	3	4	4	4	6	2.3	6	1	1	1	2	7	7	7
55-74	4	6.8	15	1	4	8	9	10	10	10	8	5.4	23	1	2	4	7	14	16	16
75 +	3	11.3	153	1	3	8	21	25	25	25	9	5.7	31	1	2	3	8	15	17	17
ALL AGES	37	4.5	23	1	1	3	7	10	13	25	48	4.6	43	1	1	2	5	11	17	39
B. FEMALE																				
0-12 YRS.	2	5.0	18	2	2	5	8	8	8	8	5	2.0	3	1	1	1	3	5	5	5
13-17	10	5.6	43	1	1	2	9	17	19	19	9	2.4	4	1	1	2	3	6	6	6
18-24	5	3.4	14	1	1	2	5	10	10	10	7	1.3	1	1	1	1	1	3	3	3
25-34	7	5.6	54	1	1	1	10	18	19	19	3	1.3		1	1	1	2	2	2	2
35-54	10	2.9	8	1	1	2	3	7	10	10	16	2.8	8	1	1	1	4	6	10	11
55-74	5	6.8	28	1	2	7	11	13	13	13	8	5.4	7	2	3	5	7	9	10	10
75 +	9	2.7	5	1	1	2	4	6	7	7	19	5.9	27	1	2	4	9	11	17	22
ALL AGES	48	4.4	23	1	1	2	6	12	15	19	67	3.7	14	1	1	2	5	9	10	20
SUBTOTAL	**85**	**4.4**	**23**	**1**	**1**	**2**	**6**	**10**	**14**	**23**	**115**	**4.0**	**26**	**1**	**1**	**2**	**5**	**9**	**13**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	12	7.6	88	1	2	4	10	21	30	32	8	1.5	1	1	1	1	2	3	3	3
18-24	19	3.1	16	1	1	1	4	8	13	17	13	4.2	27	1	1	2	5	12	18	19
25-34	35	3.4	12	1	1	2	5	9	10	16	20	3.1	8	1	1	2	5	7	9	11
35-54	33	4.0	18	1	1	3	4	9	12	21	19	3.6	14	1	2	3	4	7	12	17
55-74	8	4.4	16	1	1	3	7	11	12	12	14	4.4	10	2	2	3	7	9	11	12
75 +	2	4.0		4	4	4	4	4	4	4	3	14.7	109	4	7	15	22	25	25	25
ALL AGES	109	4.1	23	1	1	3	5	9	16	25	77	3.9	20	1	1	2	5	8	14	23
B. FEMALE																				
0-12 YRS.	1	21.0		21	21	21	21	21	21	21	1	23.0		23	23	23	23	23	23	23
13-17	7	5.7	72	1	1	1	9	21	23	23	20	3.3	9	1	1	2	4	7	11	13
18-24	15	8.5	407	1	1	3	6	7	62	81	9	2.3	4	1	1	1	4	5	6	6
25-34	42	4.1	13	1	1	3	6	8	10	19	25	2.7	6	1	1	2	3	5	8	12
35-54	22	12.6	797	1	2	3	6	43	99	99	20	4.0	10	1	1	3	5	8	11	13
55-74	14	7.6	111	1	2	4	7	24	36	39	3	9.3	51	3	4	8	15	17	17	17
75 +	4	8.5	60	3	4	5	13	20	20	20	4	7.5	18	3	4	7	10	13	13	13
ALL AGES	105	7.4	253	1	1	3	6	11	22	99	82	3.8	16	1	1	2	5	8	13	21
SUBTOTAL	**214**	**5.7**	**138**	**1**	**1**	**3**	**6**	**10**	**19**	**87**	**159**	**3.9**	**17**	**1**	**1**	**2**	**5**	**8**	**13**	**23**
GRAND TOTAL	**299**	**5.3**	**106**	**1**	**1**	**3**	**6**	**10**	**18**	**60**	**274**	**4.0**	**21**	**1**	**1**	**2**	**5**	**9**	**13**	**23**

PARANOID PERSONALITY (301.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC [illegible]T/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	41.0	1800	11	11	41	71	71	71	71										
35-54	2	4.0		4	4	4	4	4	4	4										
55-74	2	5.5	5	4	4	5	7	7	7	7										
75 +																				
ALL AGES	6	16.8	713	4	4	6	11	65	71	71										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	1.0		1	1	1	1	1	1	1										
35-54	2	5.5	13	3	3	5	8	8	8	8										
55-74																				
75 +																				
ALL AGES	4	3.3	10	1	1	2	5	8	8	8										
SUBTOTAL	**10**	**11.4**	**448**	**1**	**3**	**4**	**8**	**41**	**71**	**71**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	15.0		15	15	15	15	15	15	15										
35-54	2	4.5	1	4	4	4	5	5	5	5										
55-74																				
75 +																				
ALL AGES	3	8.0	37	4	4	5	12	15	15	15										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	6.0	8	4	4	6	8	8	8	8										
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	3	5.0	7	3	3	4	7	8	8	8										
SUBTOTAL	**6**	**6.5**	**20**	**3**	**4**	**5**	**8**	**14**	**15**	**15**										
GRAND TOTAL	**16**	**9.6**	**281**	**1**	**3**	**4**	**8**	**15**	**54**	**71**										

AFFECTIVE PERSONALITY (301.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	24.0		24	24	24	24	24	24	24										
18-24																				
25-34	2	3.5	13	1	1	3	6	6	6	6	1	1.0		1	1	1	1	1	1	1
35-54	1	4.0		4	[illegible]	4	4	4	4	4										
55-74	1	8.0		8	8	8	8	8	8	8	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	5	8.6	81	1	3	6	12	24	24	24	2	1.5	1	1	1	1	2	2	2	2
B FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	1	19.0		19	19	19	19	19	19	19	2	2.5	1	2	2	2	3	3	3	3
35-54	1	8.0		8	8	8	8	8	8	8										
55-74																				
75 +																				
ALL AGES	3	9.7	73	2	3	8	16	19	19	19	2	2.5	1	2	2	2	3	3	3	3
SUBTOTAL	**8**	**9.0**	**68**	**1**	**3**	**7**	**14**	**22**	**24**	**24**	**4**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	26.0		26	26	26	26	26	26	26										
13-17	3	42.3	966	7	19	55	62	65	65	65										
18-24	2	4.0	8	2	2	4	6	6	6	6										
25-34																				
35-54	3	7.0	7	5	5	6	9	10	10	10										
55-74																				
75 +																				
ALL AGES	9	20.2	563	3	6	7	33	61	65	65										
B. FEMALE																				
0-12 YRS.																				
13-17	4	22.8	75	10	17	25	28	30	30	30										
18-24	2	6.0	32	2	2	6	10	10	10	10	1	9.0		9	9	9	9	9	9	9
25-34	3	5.0	28	1	1	3	9	11	11	11										
35-54	2	3.0	2	2	2	3	4	4	4	4	1	8.0		8	8	8	8	8	8	8
55-74																				
75 +																				
ALL AGES	11	11.3	116	1	2	10	21	28	30	30	2	8.5	1	8	8	8	9	9	9	9
SUBTOTAL	**20**	**15.3**	**319**	**2**	**3**	**8**	**25**	**42**	**60**	**65**	**2**	**8.5**	**1**	**8**	**8**	**8**	**9**	**9**	**9**	**9**
GRAND TOTAL	**28**	**13.5**	**250**	**2**	**3**	**7**	**21**	**29**	**56**	**65**	**6**	**4.2**	**11**	**1**	**2**	**3**	**8**	**9**	**9**	**9**

SCHIZOID PERSONALITY (301.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	11.0		11	11	11	11	11	11	11										
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	2	7.0	18	4	4	7	10	10	10	10										
55-74																				
75 +																				
ALL AGES	4	6.5	23	1	2	7	10	11	11	11										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	2.5	5	1	1	2	4	4	4	4	1	2.0		2	2	2	2	2	2	2
35-54	3	2.3	2	1	1	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	5	2.4	2	1	1	3	3	4	4	4	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	**9**	**4.2**	**14**	**1**	**1**	**3**	**6**	**11**	**11**	**11**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	8.0		8	8	8	8	8	8	8	1	9.0		9	9	9	9	9	9	9
18-24	3	11.7	23	6	8	14	15	15	15	15	1	2.0		2	2	2	2	2	2	2
25-34	4	3.8	4	1	2	4	5	6	6	6	1	2.0		2	2	2	2	2	2	2
35-54	2	23.0	32	19	19	23	27	27	27	27	1	5.0		5	5	5	5	5	5	5
55-74																				
75 +																				
ALL AGES	10	10.4	67	2	5	7	15	23	27	27	4	4.5	11	2	2	4	7	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17	1	14.0		14	14	14	14	14	14	14										
18-24																				
25-34	5	8.4	22	1	5	10	11	13	13	13										
35-54	4	9.0	6	6	7	9	11	12	12	12										
55-74	1	27.0		27	27	27	27	27	27	27										
75 +																				
ALL AGES	11	10.8	42	4	7	10	13	19	26	27										
SUBTOTAL	**21**	**10.6**	**51**	**2**	**6**	**9**	**14**	**22**	**27**	**27**	**4**	**4.5**	**11**	**2**	**2**	**4**	**7**	**9**	**9**	**9**
GRAND TOTAL	**30**	**8.7**	**48**	**1**	**3**	**7**	**12**	**17**	**27**	**27**	**5**	**4.0**	**10**	**2**	**2**	**2**	**6**	**9**	**9**	**9**

EXPLOSIVE PERSONALITY (301.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	6.0		6	6	6	6	6	6	6	2	11.0	98	4	4	11	18	18	18	18
18-24	3	4.3	9	1	2	6	6	6	6	6	1	36.0		36	36	36	36	36	36	36
25-34	6	3.0	4	1	1	2	5	6	6	6	3	12.3	124	2	4	11	21	24	24	24
35-54																				
55-74																				
75 +																				
ALL AGES	10	3.7	5	1	1	4	6	6	6	6	6	15.8	168	2	4	14	24	35	36	36
B. FEMALE																				
0-12 YRS.	1	12.0		12	12	12	12	12	12	12										
13-17	1	4.0		4	4	4	4	4	4	4										
18-24	1	16.0		16	16	16	16	16	16	16										
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74	1	8.0		8	8	8	8	8	8	8										
75 +																				
ALL AGES	5	8.4	33	2	3	8	13	16	16	16										
SUBTOTAL	**15**	**5.3**	**18**	[illegible]	**2**	**5**	**6**	**12**	**15**	**16**	**6**	**15.8**	**168**	**2**	**4**	**14**	**24**	**35**	**36**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	5	13.0	19	8	9	14	16	18	18	18										
18-24	5	7.8	85	1	1	2	16	21	21	21										
25-34	7	3.7	14	1	2	2	4	10	12	12										
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	3	6.7	32	2	3	5	11	13	13	13										
75 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	22	6.9	43	1	2	3	13	17	19	21										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	6.0		6	6	6	6	6	6	6										
25-34	1	6.0		6	6	6	6	6	6	6										
35-54	2	6.5	1	6	6	6	7	7	7	7										
55-74																				
75 +																				
ALL AGES	4	6.3	1	6	6	6	7	7	7	7										
SUBTOTAL	**26**	**6.8**	**36**	**1**	**2**	**5**	**12**	**16**	**19**	**21**										
GRAND TOTAL	**41**	**6.2**	**30**	**1**	**2**	**5**	**8**	**15**	**17**	**21**	**6**	**15.8**	**168**	**2**	**4**	**14**	**24**	**35**	**36**	**36**

COMPULSIVE PERSONALITY (301.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS											HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS										
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES								TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							
				10TH	25TH	50TH	75TH	90TH	95TH	99TH					10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-24	1	15.0		15	15	15	15	15	15	15												
25-34																						
35-54																						
55-74																						
75 +																						
ALL AGES	1	15.0		15	15	15	15	15	15	15												
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34																						
35-54																						
55-74																						
75 +																						
ALL AGES																						
SUBTOTAL	**1**	**15.0**		**15**	**15**	**15**	**15**	**15**	**15**	**15**												
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.																						
13-17																						
18-24																						
25-34	1	11.0		11	11	11	11	11	11	11												
35-54																						
55-74																						
75 +																						
ALL AGES	1	11.0		11	11	11	11	11	11	11												
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-24	1	1.0		1	1	1	1	1	1	1												
25-34	1	14.0		14	14	14	14	14	14	14												
35-54																						
55-74	1	13.0		13	13	13	13	13	13	13												
75 +																						
ALL AGES	3	9.3	53	1	4	13	14	14	14	14												
SUBTOTAL	**4**	**9.8**	**34**	**1**	**6**	**12**	**13**	**14**	**14**	**14**												
GRAND TOTAL	**5**	**10.8**	**32**	**1**	**8**	**13**	**14**	**15**	**15**	**15**												

HISTRIONIC PERSONALITY (301.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34											1	1.0		1	1	1	1	1	1	1
35-54																				
55-74																				
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES											3	1.0		1	1	1	1	1	1	1
SUBTOTAL	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**	**4**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	3.0	8	1	1	3	5	5	5	5	1	3.0		3	3	3	3	3	3	3
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	3	3.0	4	1	1	3	4	5	5	5	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	3	3.3	6	2	2	2	5	6	6	6	2	1.0		1	1	1	1	1	1	1
35-54	2	14.0	18	11	11	14	17	17	17	17										
55-74	1	1.0		1	1	1	1	1	1	1										
75 +											1	12.0		12	12	12	12	12	12	12
ALL AGES	7	5.7	38	1	1	2	10	16	17	17	3	4.7	40	1	1	1	9	12	12	12
SUBTOTAL	**10**	**4.9**	**28**	**1**	**1**	**3**	**6**	**14**	**17**	**17**	**4**	**4.3**	**27**	**1**	**1**	**2**	**7**	**12**	**12**	**12**
GRAND TOTAL	**11**	**4.7**	**26**	**1**	**1**	**3**	**6**	**13**	**17**	**17**	**8**	**2.6**	**15**	**1**	**1**	**1**	**2**	**9**	**12**	**12**

DEPENDENT PERSONALITY (301.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	29.5	1405	3	3	29	56	56	56	56										
55-74																				
75 +																				
ALL AGES	2	29.5	1405	3	3	29	56	56	56	56										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											2	12.0	162	3	3	12	21	21	21	21
25-34	2	14.0	72	8	8	14	20	20	20	20										
35-54											1	6.0		6	6	6	6	6	6	6
55-74																				
75 +																				
ALL AGES	2	14.0	72	8	8	14	20	20	20	20	3	10.0	93	3	4	6	17	21	21	21
SUBTOTAL	**4**	**21.8**	**569**	**3**	**5**	**14**	**38**	**56**	**56**	**56**	**3**	**10.0**	**93**	**3**	**4**	**6**	**17**	**21**	**21**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	25.0		25	25	25	25	25	25	25										
18-24											1	2.0		2	2	2	2	2	2	2
25-34	4	2.8	5	1	1	2	4	6	6	6	1	1.0		1	1	1	1	1	1	1
35-54																				
55-74																				
75 +																				
ALL AGES	5	7.2	103	1	1	3	11	25	25	25	2	1.5	1	1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	6.0		6	6	6	6	6	6	6	2	2.0		2	2	2	2	2	2	2
25-34	4	7.5	20	1	5	9	10	11	11	11	1	27.0		27	27	27	27	27	27	27
35-54	4	3.8	18	1	1	2	6	10	10	10										
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	10	5.3	17	1	1	4	9	10	11	11	3	10.3	209	2	2	2	21	27	27	27
SUBTOTAL	**15**	**5.9**	**42**	**1**	**1**	**3**	**9**	**11**	**21**	**25**	**5**	**6.8**	**128**	**1**	**1**	**2**	**8**	**27**	**27**	**27**
GRAND TOTAL	**19**	**9.3**	**171**	**1**	**2**	**6**	**10**	**23**	**42**	**56**	**8**	**8.0**	**102**	**1**	**2**	**3**	**13**	**25**	**27**	**27**

ANTISOCIAL PERSONALITY (301.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17																				
18-24	5	5.2	24	1	1	2	10	11	11	11										
25-34	2	2.0	2	1	1	2	3	3	3	3	1	4.0		4	4	4	4	4	4	4
35-54	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	9	3.7	15	1	1	2	5	11	11	11	2	3.5	1	3	3	3	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	**10**	**3.5**	**14**	**1**	**1**	**2**	**3**	**10**	**11**	**11**	**2**	**3.5**	**1**	**3**	**3**	**3**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	1.7		1	1	2	2	2	2	2										
18-24	13	2.6	3	1	1	2	3	5	7	7										
25-34	6	5.5	13	1	3	5	8	11	11	11										
35-54	7	2.1	1	1	1	2	3	3	3	3										
55-74											1	10.0		10	10	10	10	10	10	10
75 +																				
ALL AGES	29	3.0	6	1	1	2	4	6	8	11	1	10.0		10	10	10	10	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	2	4.5	5	3	3	4	6	6	6	6	1	3.0		3	3	3	3	3	3	3
25-34	1	1.0		1	1	1	1	1	1	1										
35-54											1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	3	3.3	7	1	1	3	5	6	6	6	2	2.0	2	1	1	1	3	3	3	3
SUBTOTAL	**32**	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**8**	**11**	**3**	**4.7**	**22**	**1**	**1**	**3**	**8**	**10**	**10**	**10**
GRAND TOTAL	**42**	**3.1**	**7**	**1**	**1**	**2**	**3**	**7**	**10**	**11**	**5**	**4.2**	**12**	**1**	**2**	**3**	**5**	**10**	**10**	**10**

OTHER PERSONALITY DIS (301.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	5	5.4	25	1	3	4	7	14	14	14										
18-24	12	5.3	9	2	3	5	8	9	11	11										
25-34	16	7.8	149	2	3	4	8	13	40	52	2	14.0	338	1	1	14	27	27	27	27
35-54	6	4.8	18	1	3	4	4	12	13	13	2	5.0	8	3	3	5	7	7	7	7
55-74	1	1.0		1	1	1	1	1	1	1										
75 +																				
ALL AGES	40	6.1	67	1	3	4	7	12	14	52	4	9.5	142	1	2	5	17	27	27	27
B. FEMALE																				
0-12 YRS.																				
13-17	7	7.6	21	1	4	7	11	14	14	14										
18-24	29	9.1	122	2	2	5	9	35	35	35										
25-34	51	6.5	30	1	2	6	8	13	18	28										
35-54	19	7.7	48	1	3	6	9	20	23	24	2	3.0	2	2	2	3	4	4	4	4
55-74	6	5.5	8	2	2	7	7	8	8	8										
75 +																				
ALL AGES	112	7.4	55	2	2	6	9	15	24	35	2	3.0	2	2	2	3	4	4	4	4
SUBTOTAL	**152**	**7.0**	**59**	**2**	**2**	**5**	**8**	**14**	**22**	**35**	**6**	**7.3**	**98**	**1**	**2**	**3**	**7**	**25**	**27**	**27**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	11	17.0	140	5	9	13	27	35	37	37										
18-24	24	7.2	53	2	2	5	8	17	25	29	1	4.0		4	4	4	4	4	4	4
25-34	25	6.2	30	1	2	4	9	13	20	20	1	7.0		7	7	7	7	7	7	7
35-54	19	6.5	43	1	2	4	8	18	24	24	1	1.0		1	1	1	1	1	1	1
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	80	8.0	66	1	2	5	10	22	27	36	3	4.0	9	1	2	4	6	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17	10	17.2	145	3	7	14	29	34	37	37	2	8.0	2	7	7	8	9	9	9	9
18-24	34	8.3	124	1	2	3	8	26	31	49	5	4.8	7	1	2	6	7	7	7	7
25-34	53	5.8	31	1	2	4	7	14	16	28	3	5.3	11	3	3	4	8	9	9	9
35-54	55	6.4	24	2	2	5	10	14	17	95										
55-74	2	13.0		13	13	13	13	13	13	13										
75 +	1	16.0		16	16	16	16	16	16	16										
ALL AGES	155	7.5	62	1	2	4	10	16	27	48	10	5.6	7	2	3	7	8	45	95	99 +
SUBTOTAL	**235**	**7.6**	**64**	**1**	**2**	**5**	**10**	**19**	**27**	**39**	**13**	**5.2**	**8**	**1**	**3**	**6**	**7**	**18**	**82**	**99 +**
GRAND TOTAL	**387**	**7.4**	**61**	**1**	**2**	**5**	**9**	**16**	**25**	**37**	**19**	**5.9**	**33**	**1**	**3**	**5**	**7**	**18**	**63**	**99 +**

PERSONALITY DISORDER NOS (301.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	19.5	481	4	4	19	35	35	35	35										
18-24	4	5.5	11	3	3	5	8	10	10	10	1	3.0		3	3	3	3	3	3	3
25-34	7	2.1	1	1	1	3	3	3	3	3	4	7.3	25	2	3	7	11	13	13	13
35-54	2	1.5	1	1	1	1	2	2	2	2	4	1.8	2	1	1	1	3	4	4	4
55-74	2	4.5	13	2	2	4	7	7	7	7										
75 +																				
ALL AGES	17	5.2	65	1	2	3	4	9	26	35	9	4.3	19	1	1	3	6	12	13	13
B. FEMALE																				
0-12 YRS.																				
13-17	3	3.7	8	2	2	2	6	7	7	7										
18-24	5	5.4	59	1	1	2	8	19	19	19	2	15.0	98	8	8	15	22	22	22	22
25-34	7	2.1	5	1	1	1	2	6	7	7	1	1.0		1	1	1	1	1	1	1
35-54	5	14.2	398	2	3	4	22	49	49	49	2	14.0	32	10	10	14	18	18	18	18
55-74																				
75 +																				
ALL AGES	20	6.2	123	1	1	2	5	16	34	49	5	11.8	69	1	6	10	19	22	22	22
SUBTOTAL	**37**	**5.7**	**94**	**1**	**1**	**3**	**5**	**12**	**29**	**49**	**14**	**7.0**	**46**	**1**	**1**	**4**	**10**	**18**	**21**	**22**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	6	2.8	2	2	2	2	4	5	5	5	1	4.0		4	4	4	4	4	4	4
25-34	11	5.1	44	1	1	2	5	18	20	20	2	2.0		2	2	2	2	2	2	2
35-54	3	3.0	7	1	1	2	5	6	6	6	3	4.7	40	1	1	1	9	12	12	12
55-74																				
75 +																				
ALL AGES	20	4.1	26	1	1	2	5	11	18	20	6	3.7	18	1	1	2	4	11	12	12
B. FEMALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-24	5	8.2	55	1	2	6	15	17	17	17	1	1.0		1	1	1	1	1	1	1
25-34	4	4.3	10	2	2	3	6	9	9	9	2	3.5	1	3	3	3	4	4	4	4
35-54	9	26.1	1355	1	3	7	40	90	90	90	3	10.0	79	3	4	7	17	20	20	20
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	20	15.1	691	1	2	6	13	56	90	90	6	6.3	49	1	3	4	7	19	20	20
SUBTOTAL	**40**	**9.6**	**380**	**1**	**2**	**3**	**7**	**18**	**56**	**90**	**12**	**5.0**	**32**	**1**	**1**	**3**	**6**	**14**	**19**	**20**
GRAND TOTAL	**77**	**7.7**	**244**	**1**	**2**	**3**	**7**	**17**	**31**	**90**	**26**	**6.1**	**39**	**1**	**1**	**3**	**10**	**17**	**20**	**22**

PEDOPHILIA (302.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	15.0		15	15	15	15	15	15	15										
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	3	6.0	31	1	2	5	10	12	12	12										
55-74																				
75 +																				
ALL AGES	5	7.0	39	1	2	5	13	15	15	15										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**5**	**7.0**	**39**	**1**	**2**	**5**	**13**	**15**	**15**	**15**										
GRAND TOTAL	**5**	**7.0**	**39**	**1**	**2**	**5**	**13**	**15**	**15**	**15**										

TRANS-SEXUALISM (302.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											6	3.7	2	2	2	4	5	5	5	5
35-54											5	3.4	2	2	2	4	4	5	5	5
55-74																				
75 +																				
ALL AGES											11	3.5	2	2	2	4	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											2	9.0		9	9	9	9	9	9	9
25-34											12	7.6	12	2	5	9	9	11	11	11
35-54											20	6.8	12	1	2	9	9	9	9	9
55-74											1	9.0		9	9	9	9	9	9	9
75 +																				
ALL AGES											35	7.3	10	2	4	9	9	9	10	11
SUBTOTAL											**46**	**6.4**	**11**	**2**	**2**	**9**	**9**	**9**	**10**	**11**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											2	1.0		1	1	1	1	1	1	1
35-54																				
55-74																				
75 +																				
ALL AGES											2	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL											**48**	**6.1**	**12**	**2**	**2**	**9**	**9**	**9**	**10**	**11**

PSYCHOSEX IDENTITY DIS (302.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	13.0		13	13	13	13	13	13	13										
18-24																				
25-34																				
35-54	2	4.0	2	3	3	4	5	5	5	5										
55-74																				
75 +																				
ALL AGES	3	7.0	28	3	3	5	11	13	13	13										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	**4**	**5.8**	**24**	**2**	**2**	**4**	**9**	**13**	**13**	**13**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**4**	**5.8**	**24**	**2**	**2**	**4**	**9**	**13**	**13**	**13**										

PSYCHOSEXUAL DYSFUNCTION (302.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	2	2.5	1	2	2	2	3	3	3	3										
35-54	4	2.3		2	2	2	3	3	3	3	1	2.0		2	2	2	2	2	2	2
55-74	2	2.0	2	1	1	2	3	3	3	3	13	1.4		1	1	1	2	2	2	2
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	8	2.3		1	2	2	3	3	3	3	15	1.4		1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**8**	**2.3**		**1**	**2**	**2**	**3**	**3**	**3**	**3**	**15**	**1.4**		**1**	**1**	**1**	**2**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	**8**	**2.3**		**1**	**2**	**2**	**3**	**3**	**3**	**3**	**15**	**1.4**		**1**	**1**	**1**	**2**	**2**	**2**	**2**

PSYCHOSEXUAL DIS NEC (302.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	27.0		27	27	27	27	27	27	27
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	27.0		27	27	27	27	27	27	27
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54											1	4.0		4	4	4	4	4	4	4
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**	**2**	**15.5**	**265**	**4**	**4**	**15**	**27**	**27**	**27**	**27**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	6.0		6	6	6	6	6	6	6										
55-74																				
75 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**6.0**		**6**	**6**	**6**	**6**	**6**	**6**	**6**										
GRAND TOTAL	**2**	**4.0**	**8**	**2**	**2**	**4**	**6**	**6**	**6**	**6**	**2**	**15.5**	**265**	**4**	**4**	**15**	**27**	**27**	**27**	**27**

AC ALCOHOL INTOXICATION (303.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	6	1.0		1	1	1	1	1	1	1	5	1.6	1	1	1	1	2	3	3	3
18-24	19	4.4	55	1	1	1	3	16	25	28	20	4.7	63	1	1	1	3	20	24	28
25-34	67	1.8	6	1	1	1	2	3	4	18	49	3.3	24	1	1	2	3	6	11	28
35-54	157	2.9	21	1	1	2	3	5	7	25	138	4.9	36	1	2	3	5	11	22	28
55-74	57	2.8	11	1	1	2	3	6	7	21	75	5.3	32	1	2	3	6	13	16	28
75 +	10	3.3	4	1	2	3	5	6	7	7	9	4.6	11	2	3	4	5	10	13	13
ALL AGES	316	2.7	17	1	1	2	3	5	7	24	297	4.6	34	1	1	3	4	11	20	28
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	1	1.0		1	1	1	1	1	1	1	4	1.0		1	1	1	1	1	1	1
18-24	2	1.0		1	1	1	1	1	1	1	4	1.3		1	1	1	2	2	2	2
25-34	13	3.9	55	1	1	1	3	10	25	28	22	5.5	85	1	1	2	4	27	28	29
35-54	36	4.0	36	1	1	2	4	6	22	25	38	3.3	20	1	1	2	3	7	13	24
55-74	16	3.9	8	1	1	3	6	8	9	9	28	6.1	49	1	2	4	6	16	27	28
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	68	3.8	31	1	1	2	4	8	21	27	98	4.4	42	1	1	2	4	10	26	29
SUBTOTAL	**384**	**2.9**	**20**	**1**	**1**	**2**	**3**	**5**	**8**	**25**	**395**	**4.6**	**36**	**1**	**1**	**3**	**4**	**11**	**21**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	5	3.4	23	1	1	1	4	12	12	12	5	6.0	75	1	1	1	10	21	21	21
18-24	19	5.2	52	1	1	3	4	16	25	29	32	14.7	105	2	4	17	22	28	30	36
25-34	100	5.7	63	1	1	3	5	18	29	31	153	11.0	100	2	3	6	21	26	28	37
35-54	217	6.1	54	1	2	3	6	19	25	31	319	9.5	90	2	3	5	13	28	28	33
55-74	104	7.8	60	1	3	5	10	18	24	40	137	9.5	89	2	3	5	11	24	29	41
75 +	8	10.1	46	3	5	8	16	19	20	20	16	12.1	91	4	5	8	20	24	31	34
ALL AGES	453	6.4	57	1	2	3	7	18	25	31	662	10.1	94	2	3	5	19	27	28	36
B. FEMALE																				
0-12 YRS.	3	1.7		1	1	2	2	2	2	2										
13-17	3	3.0	7	1	1	2	5	6	6	6	7	2.6	4	1	1	2	3	6	7	7
18-24	15	3.1	9	1	1	2	5	7	10	11	5	18.8	97	2	16	21	23	28	28	28
25-34	43	6.9	42	1	2	5	10	17	21	26	64	9.8	107	1	2	4	21	28	29	33
35-54	95	4.7	40	1	2	3	5	8	21	33	106	9.5	92	1	2	5	17	26	28	32
55-74	44	7.8	44	2	4	6	9	16	24	30	46	9.1	82	1	3	5	12	23	29	35
75 +	6	13.2	88	2	7	12	21	25	26	26	10	8.4	76	2	4	5	10	24	28	28
ALL AGES	209	5.9	42	1	2	4	7	15	21	31	238	9.5	92	1	2	5	19	26	28	32
SUBTOTAL	**662**	**6.2**	**53**	**1**	**2**	**3**	**7**	**17**	**24**	**31**	**900**	**10.0**	**92**	**2**	**3**	**5**	**19**	**26**	**28**	**35**
GRAND TOTAL	**1046**	**5.0**	**43**	**1**	**1**	**2**	**5**	**13**	**21**	**30**	**1295**	**8.3**	**82**	**1**	**2**	**4**	**11**	**24**	**28**	**33**

ALCOHOL DEPEND NEC/NOS (303.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	10	30.2	307	8	13	34	44	53	61	61	15	20.9	297	3	5	14	41	44	45	45
18-24	37	18.1	163	1	4	20	28	35	43	99 +	31	18.5	112	2	8	21	28	28	31	38
25-34	194	17.5	149	1	4	20	28	35	36	42	150	13.7	114	2	3	12	25	28	28	30
35-54	403	15.3	133	2	4	15	27	29	35	41	340	13.0	110	2	3	11	22	28	29	33
55-74	215	13.2	112	2	4	10	22	28	31	36	169	13.9	107	3	4	13	25	28	29	31
75 +	20	16.4	124	2	8	16	24	32	36	38	15	14.9	113	1	4	14	27	28	28	28
ALL AGES	879	15.6	138	2	4	14	27	30	35	43	720	13.8	115	2	3	13	24	28	29	36
B. FEMALE																				
0-12 YRS.																				
13-17	13	22.2	372	1	5	23	33	43	65	70	12	22.4	155	6	9	25	31	38	40	40
18-24	13	9.9	71	1	2	8	18	22	22	22	13	15.0	138	1	3	13	25	30	35	36
25-34	62	17.3	149	2	4	20	26	35	37	41	49	13.8	112	1	4	12	24	28	29	30
35-54	127	14.3	109	2	4	14	23	28	32	37	122	13.4	126	2	3	7	26	29	31	55
55-74	64	14.6	104	3	5	14	21	28	30	34	70	14.1	86	3	5	14	21	28	29	34
75 +	9	9.0	49	2	4	7	11	20	24	24	7	15.9	143	3	6	14	27	33	33	33
ALL AGES	288	15.0	128	2	4	15	23	29	35	40	273	14.2	116	2	4	13	24	29	31	39
SUBTOTAL	**1167**	**15.4**	**137**	**2**	**4**	**15**	**26**	**30**	**35**	**42**	**993**	**13.9**	**116**	**2**	**3**	**13**	**24**	**28**	**29**	**37**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	43.5	85	37	37	43	50	50	50	50	1	40.0		40	40	40	40	40	40	40
13-17	79	28.3	223	6	19	32	43	46	76	99 +	83	27.9	182	6	21	28	42	43	46	51
18-24	126	19.3	120	2	9	22	28	30	33	41	126	18.7	96	2	10	21	28	29	32	34
25-34	340	17.9	103	3	9	20	27	29	30	36	335	17.7	114	3	5	21	28	29	31	35
35-54	390	14.7	113	2	4	14	25	28	30	35	361	13.8	115	2	3	10	24	28	29	33
55-74	159	14.4	110	3	5	12	23	29	30	39	111	11.1	86	2	3	7	20	26	28	34
75 +	11	9.3	39	3	4	9	12	19	24	24	6	5.7	57	1	2	3	4	19	21	21
ALL AGES	1107	17.1	132	2	6	18	27	30	35	46	1023	16.5	132	2	4	20	27	29	32	42
B. FEMALE																				
0-12 YRS.	1	30.0		30	30	30	30	30	30	30										
13-17	54	26.1	274	5	11	31	38	43	53	99	55	30.0	139	13	21	30	40	43	48	53
18-24	46	17.5	255	1	4	17	26	29	37	92	35	22.0	164	3	16	22	27	36	41	68
25-34	125	15.1	118	2	4	15	26	28	30	37	118	16.3	107	3	5	21	26	29	30	31
35-54	155	12.6	104	2	3	8	22	28	29	30	120	13.0	118	2	3	9	22	28	30	41
55-74	65	14.5	87	3	5	14	22	28	29	30	30	11.8	95	2	4	7	21	27	28	28
75 +	10	13.2	81	3	5	12	21	25	27	27	7	9.4	138	2	3	5	10	30	35	35
ALL AGES	456	15.7	156	2	4	14	27	30	35	46	365	17.3	156	2	5	21	27	31	39	49
SUBTOTAL	**1563**	**16.7**	**139**	**2**	**5**	**17**	**27**	**30**	**35**	**46**	**1388**	**16.7**	**139**	**2**	**4**	**20**	**27**	**30**	**33**	**43**
GRAND TOTAL	**2730**	**16.2**	**137**	**2**	**5**	**16**	**27**	**30**	**35**	**45**	**2381**	**15.6**	**129**	**2**	**4**	**15**	**27**	**29**	**31**	**42**

OPIOID TYPE DEPENDENCE (304.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	17.0	288	5	5	17	29	29	29	29	4	2.5	3	1	1	2	4	5	5	5
25-34	11	10.6	120	1	1	10	18	28	30	30	17	7.6	58	1	3	5	8	21	26	28
35-54	17	10.1	67	2	4	8	14	23	26	28	22	7.4	60	2	3	5	7	24	26	28
55-74	1	7.0		7	7	7	7	7	7	7	2	5.0	18	2	2	5	8	8	8	8
75 +																				
ALL AGES	31	10.6	89	1	3	8	18	27	29	30	45	6.9	53	1	3	5	7	23	26	28
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	5.0		5	5	5	5	5	5	5	1	1.0		1	1	1	1	1	1	1
25-34	7	12.7	152	1	4	10	18	34	37	37	14	11.8	124	1	2	6	21	28	29	29
35-54	6	6.7	74	1	2	4	5	22	24	24	13	12.4	103	2	4	8	20	28	30	30
55-74	2	14.0	200	4	4	14	24	24	24	24	3	13.7	153	6	6	7	23	28	28	28
75 +											1	6.0		6	6	6	6	6	6	6
ALL AGES	16	10.1	111	1	3	5	15	24	33	37	32	11.7	107	1	3	7	20	28	29	30
SUBTOTAL	**47**	**10.5**	**93**	**1**	**3**	**8**	**18**	**26**	**29**	**37**	**77**	**8.9**	**80**	**1**	**3**	**6**	**10**	**27**	**28**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	64.0		64	64	64	64	64	64	64	2	32.0	288	20	20	32	44	44	44	44
18-24	8	14.0	67	4	8	13	19	26	28	28	7	3.4	2	2	2	3	5	5	5	5
25-34	40	14.6	115	3	6	10	24	30	33	38	34	9.5	75	2	3	7	11	26	30	33
35-54	48	11.1	74	3	5	8	17	23	29	37	60	10.4	96	2	4	6	13	28	30	36
55-74	5	20.4	115	11	12	15	31	33	33	33	5	5.2	6	3	3	5	7	9	9	9
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	102	13.7	118	4	6	9	21	29	32	50	109	9.8	91	2	3	6	12	28	31	39
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	9	9.4	79	1	2	6	16	22	25	25	11	7.5	62	1	1	5	12	21	22	22
25-34	40	10.4	90	3	4	6	14	25	30	37	33	8.8	55	2	4	7	12	22	27	28
35-54	25	13.6	134	4	5	10	18	28	40	48	30	11.5	130	2	3	6	18	29	30	48
55-74	5	19.2	49	12	15	16	24	30	30	30	2	15.0	18	12	12	15	18	18	18	18
75 +	1	3.0		3	3	3	3	3	3	3	2	7.0	8	5	5	7	9	9	9	9
ALL AGES	80	11.7	104	3	4	7	17	26	31	45	78	9.8	83	2	3	6	14	25	28	43
SUBTOTAL	**182**	**12.8**	**113**	**3**	**5**	**9**	**20**	**28**	**32**	**45**	**187**	**9.8**	**87**	**2**	**3**	**6**	**12**	**27**	**29**	**41**
GRAND TOTAL	**229**	**12.3**	**110**	**3**	**4**	**8**	**19**	**28**	**31**	**40**	**264**	**9.5**	**86**	**2**	**3**	**6**	**12**	**27**	**29**	**36**

BARBITURATE DEPENDENCE (304.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	2	7.0	72	1	1	7	13	13	13	13	4	16.8	30	9	12	18	21	21	21	21
55-74	3	9.0	12	7	7	7	12	13	13	13	1	10.0		10	10	10	10	10	10	10
75 +											1	14.0		14	14	14	14	14	14	14
ALL AGES	6	7.2	26	1	2	7	13	13	13	13	6	15.2	26	9	10	15	21	21	21	21
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	3	2.0	1	1	1	2	3	3	3	3	3	14.7	71	5	8	18	20	21	21	21
35-54	4	13.0	97	2	5	12	20	25	25	25	7	12.7	86	3	4	9	22	23	23	23
55-74	1	11.0		11	11	11	11	11	11	11	2	18.0	338	5	5	18	31	31	31	31
75 +											3	15.7	7	14	14	14	18	19	19	19
ALL AGES	8	8.6	73	1	2	6	13	22	25	25	15	14.4	76	3	6	14	21	23	29	31
SUBTOTAL	**14**	**8.0**	**50**	**1**	**2**	**7**	**13**	**17**	**23**	**25**	**21**	**14.6**	**61**	**4**	**8**	**14**	**21**	**23**	**27**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	2	12.5	221	2	2	12	23	23	23	23	1	1.0		1	1	1	1	1	1	1
25-34	4	16.8	119	2	9	18	24	28	28	28	6	10.0	57	2	5	8	14	22	23	23
35-54	8	13.0	84	4	6	9	23	25	25	25	7	8.1	46	3	5	6	8	20	23	23
55-74	4	18.0	65	8	12	18	24	27	27	27	2	14.5	85	8	8	14	21	21	21	21
75 +	1	23.0		23	23	23	23	23	23	23										
ALL AGES	19	15.3	85	3	6	16	23	26	28	28	16	9.2	52	2	5	7	11	23	23	23
B. FEMALE																				
0-12 YRS.											1	28.0		28	28	28	28	28	28	28
13-17	1	18.0		18	18	18	18	18	18	18										
18-24	1	1.0		1	1	1	1	1	1	1	2	7.0	8	5	5	7	9	9	9	9
25-34	12	14.7	91	2	6	16	22	28	29	29	9	8.1	36	4	4	5	10	19	21	21
35-54	12	21.0	122	3	11	26	29	31	32	32	14	13.5	57	6	8	11	20	25	28	29
55-74	5	9.2	25	4	4	10	14	14	14	14	11	14.8	176	3	5	7	26	36	39	39
75 +																				
ALL AGES	31	15.9	108	2	5	15	26	29	30	32	37	12.6	93	4	5	9	20	28	32	39
SUBTOTAL	**50**	**15.7**	**97**	**2**	**6**	**16**	**25**	**29**	**30**	**32**	**53**	**11.6**	**81**	**4**	**5**	**8**	**16**	**25**	**29**	**39**
GRAND TOTAL	**64**	**14.0**	**96**	**2**	**5**	**13**	**23**	**28**	**29**	**32**	**74**	**12.4**	**78**	**4**	**5**	**9**	**21**	**24**	**29**	**38**

COCAINE DEPENDENCE (304.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	10	14.5	170	1	2	14	20	34	42	42	24	10.7	77	2	3	10	14	27	29	30
25-34	45	15.7	119	1	4	19	25	28	29	41	59	12.4	100	2	3	7	22	28	29	34
35-54	21	13.1	106	1	3	15	23	27	27	27	28	9.9	63	1	2	9	14	20	28	28
55-74											1	28.0		28	28	28	28	28	28	28
75 +																				
ALL AGES	76	14.8	121	1	3	16	24	27	29	42	112	11.5	88	2	3	9	19	28	28	32
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1	3	6.7	66	1	1	3	13	16	16	16
18-24	13	13.5	89	2	4	14	18	29	29	29	15	9.5	60	2	3	8	12	21	26	28
25-34	23	15.1	146	1	4	15	26	29	35	42	45	7.8	68	1	3	5	8	28	28	29
35-54	9	13.4	66	3	5	15	21	22	23	23	8	8.0	65	3	3	5	8	22	27	27
55-74																				
75 +																				
ALL AGES	46	14.0	112	1	4	14	22	28	30	42	71	8.2	63	2	3	6	10	24	28	29
SUBTOTAL	**122**	**14.5**	**116**	**1**	**4**	**15**	**23**	**27**	**29**	**42**	**183**	**10.2**	**81**	**2**	**3**	**7**	**15**	**27**	**28**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	7	29.1	238	6	16	35	38	44	45	45	12	30.3	257	4	18	34	44	46	47	47
18-24	56	18.2	101	3	7	21	27	29	30	34	73	15.4	120	3	7	10	27	29	33	43
25-34	155	16.7	105	2	6	18	26	29	30	40	202	12.9	92	3	5	9	21	28	29	32
35-54	67	15.8	91	3	6	17	24	28	29	35	111	11.1	67	3	6	8	14	27	28	30
55-74	2	13.0	128	5	5	13	21	21	21	21	3	8.0	27	5	5	5	12	14	14	14
75 +																				
ALL AGES	287	17.0	109	3	6	19	26	29	30	40	401	13.3	106	3	6	9	21	28	30	44
B. FEMALE																				
0-12 YRS.																				
13-17	5	28.2	170	8	21	31	36	43	43	43	9	30.4	230	10	23	26	41	48	52	52
18-24	32	14.9	123	2	4	16	27	28	30	31	26	11.0	96	2	3	7	19	24	32	36
25-34	73	14.7	91	4	6	15	22	28	30	34	77	12.9	105	2	4	9	22	28	30	35
35-54	10	13.4	102	2	3	14	20	27	30	30	18	13.6	199	3	4	7	25	38	45	47
55-74																				
75 +																				
ALL AGES	120	15.2	108	3	5	15	24	29	31	37	130	13.8	143	2	4	9	24	29	36	48
SUBTOTAL	**407**	**16.5**	**108**	**3**	**6**	**18**	**26**	**29**	**30**	**39**	**531**	**13.5**	**113**	**3**	**5**	**9**	**21**	**29**	**31**	**44**
GRAND TOTAL	**529**	**16.0**	**112**	**2**	**5**	**17**	**25**	**29**	**30**	**41**	**714**	**12.6**	**108**	**2**	**5**	**8**	**21**	**28**	**30**	**43**

CANNABIS DEPENDENCE (304.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	9	35.4	620	11	13	35	44	73	91	91	11	24.3	409	3	7	15	46	51	52	52
18-24	9	20.4	182	4	7	21	31	38	38	38	4	10.3	82	3	3	8	17	22	22	22
25-34	5	17.6	189	2	6	16	30	34	34	34	10	20.2	114	4	7	24	28	30	32	32
35-54	4	29.5	153	11	23	35	36	37	37	37										
55-74											1	21.0		21	21	21	21	21	21	21
75 +																				
ALL AGES	27	26.3	346	6	11	29	36	43	52	91	26	20.4	239	3	6	21	28	46	51	52
B. FEMALE																				
0-12 YRS.																				
13-17	3	31.0	457	7	15	38	45	48	48	48	2	7.5	5	6	6	7	9	9	9	9
18-24	2	28.0		28	28	28	28	28	28	28										
25-34	1	27.0		27	27	27	27	27	27	27										
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +																				
ALL AGES	7	25.6	253	4	12	28	36	46	48	48	2	7.5	5	6	6	7	9	9	9	9
SUBTOTAL	**34**	**26.1**	**322**	**6**	**11**	**28**	**37**	**44**	**47**	**91**	**28**	**19.5**	**232**	**3**	**6**	**18**	**27**	**46**	**51**	**52**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	43.0		43	43	43	43	43	43	43	2	35.0	392	21	21	35	49	49	49	49
13-17	35	28.4	182	10	18	31	36	44	62	99 +	57	31.9	220	12	21	33	44	49	53	58
18-24	30	22.4	86	8	15	23	28	32	33	44	14	16.4	64	8	11	15	22	29	30	30
25-34	22	22.1	105	7	17	23	28	29	38	49	29	15.8	126	2	5	13	28	29	30	32
35-54	4	20.3	100	6	13	23	27	28	28	28	6	19.5	101	7	8	21	28	31	31	31
55-74																				
75 +																				
ALL AGES	92	24.7	138	8	17	25	32	39	44	84	108	24.9	228	4	13	24	35	46	50	57
B. FEMALE																				
0-12 YRS.	1	36.0		36	36	36	36	36	36	36										
13-17	17	29.1	236	8	16	35	40	53	81	99 +	16	29.9	197	9	20	31	42	47	49	50
18-24	4	16.3	104	5	10	15	23	30	30	30	1	29.0		29	29	29	29	29	29	29
25-34	4	20.3	89	11	12	20	28	29	29	29	6	15.0	90	3	4	18	21	25	26	26
35-54	2	30.5	5	29	29	30	32	32	32	32	3	20.0	1	19	19	20	21	21	21	21
55-74											1	25.0		25	25	25	25	25	25	25
75 +																				
ALL AGES	28	26.4	189	8	15	29	36	49	56	99 +	27	25.3	171	5	19	21	34	44	47	50
SUBTOTAL	**120**	**25.1**	**149**	**8**	**16**	**26**	**33**	**43**	**50**	**99 +**	**135**	**25.0**	**214**	**4**	**14**	**23**	**34**	**45**	**50**	**56**
GRAND TOTAL	**154**	**25.3**	**187**	**7**	**15**	**27**	**34**	**43**	**49**	**99**	**163**	**24.0**	**223**	**3**	**12**	**23**	**33**	**45**	**50**	**56**

AMPHETAMINE DEPENDENCE (304.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	9.0		9	9	9	9	9	9	9
18-24	4	15.8	115	1	8	18	23	26	26	26	9	8.6	51	1	3	7	12	20	22	22
25-34	6	7.7	71	2	2	3	17	20	20	20	11	13.9	101	4	6	10	25	28	28	28
35-54	2	11.0	2	10	10	11	12	12	12	12	7	18.3	158	1	5	28	28	28	28	28
55-74											1	28.0		28	28	28	28	28	28	28
75 +																				
ALL AGES	12	10.9	79	1	2	11	18	22	25	26	29	13.6	107	2	5	10	27	28	28	28
B. FEMALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-24	2	13.0	242	2	2	13	24	24	24	24	7	19.6	156	2	8	22	28	34	35	35
25-34	11	15.7	150	1	3	22	26	30	31	31	6	17.5	93	4	7	21	23	27	28	28
35-54	1	28.0		28	28	28	28	28	28	28	2	24.0	8	22	22	24	26	26	26	26
55-74											–									
75 +																				
ALL AGES	14	16.2	147	2	2	22	27	30	31	31	16	18.3	116	2	6	22	27	28	33	35
SUBTOTAL	**26**	**13.8**	**117**	**2**	**2**	**13**	**24**	**28**	**30**	**31**	**45**	**15.3**	**112**	**2**	**6**	**12**	**27**	**28**	**28**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	6.5	1	6	6	6	7	7	7	7	3	29.3	111	21	22	26	37	41	41	41
18-24	17	14.5	124	2	3	20	25	27	28	28	25	13.3	101	2	3	9	25	28	28	29
25-34	24	14.4	116	3	5	11	26	29	31	32	40	18.0	125	2	5	21	28	30	32	34
35-54	11	14.1	117	2	4	14	25	26	26	26	9	21.1	79	8	13	24	26	32	34	34
55-74																				
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	54	14.1	112	2	4	11	26	27	29	32	78	17.1	121	2	7	21	28	29	32	39
B. FEMALE																				
0-12 YRS.																				
13-17	2	19.5	421	5	5	19	34	34	34	34	3	12.0	133	3	4	8	21	25	25	25
18-24	7	17.1	178	2	4	21	30	32	32	32	16	12.9	107	1	3	11	22	28	28	28
25-34	16	11.1	83	3	3	6	21	25	27	28	14	15.6	106	2	6	15	28	28	29	29
35-54	3	10.3	58	5	5	7	16	19	19	19	9	14.3	128	2	7	12	23	32	34	34
55-74											1	14.0		14	14	14	14	14	14	14
75 +																				
ALL AGES	28	13.1	116	3	4	7	22	31	32	34	43	14.1	102	2	5	12	23	28	29	34
SUBTOTAL	**82**	**13.8**	**111**	**3**	**4**	**9**	**25**	**28**	**31**	**33**	**121**	**16.0**	**117**	**2**	**6**	**15**	**28**	**28**	**31**	**36**
GRAND TOTAL	**108**	**13.8**	**111**	**2**	**4**	**11**	**24**	**28**	**30**	**33**	**166**	**15.8**	**115**	**2**	**6**	**15**	**28**	**28**	**30**	**35**

HALLUCINOGEN DEPENDENCE (304.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	7.0		7	7	7	7	7	7	7										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	28.0	512	12	12	28	44	44	44	44	2	27.0	50	22	22	27	32	32	32	32
18-24	1	6.0		6	6	6	6	6	6	6	1	13.0		13	13	13	13	13	13	13
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +																				
ALL AGES	4	15.8	373	1	3	9	28	44	44	44	3	22.3	93	13	15	22	29	32	32	32
B. FEMALE																				
0-12 YRS.																				
13-17	4	45.5	890	23	26	35	64	89	89	89										
18-24											1	63.0		63	63	63	63	63	63	63
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	45.5	890	23	26	35	64	89	89	89	1	63.0		63	63	63	63	63	63	63
SUBTOTAL	**8**	**30.6**	**797**	**2**	**9**	**26**	**42**	**75**	**89**	**89**	**4**	**32.5**	**474**	**13**	**17**	**27**	**47**	**63**	**63**	**63**
GRAND TOTAL	**9**	**28.0**	**758**	**3**	**7**	**23**	**41**	**71**	**89**	**89**	**4**	**32.5**	**474**	**13**	**17**	**27**	**47**	**63**	**63**	**63**

DRUG DEPENDENCE NEC (304.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	53.0		53	53	53	53	53	53	53										
18-24	2	1.5	1	1	1	1	2	2	2	2	1	7.0		7	7	7	7	7	7	7
25-34	3	12.3	192	2	3	7	23	28	28	28	3	10.3	210	1	1	3	21	27	27	27
35-54	4	15.0	97	6	7	13	23	27	27	27										
55-74	1	1.0		1	1	1	1	1	1	1	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	11	14.0	269	1	2	7	25	38	52	53	5	8.4	113	1	2	4	12	27	27	27
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	3	20.7	318	1	6	25	33	36	36	36	2	8.5	25	5	5	8	12	12	12	12
35-54											4	10.3	156	3	3	4	17	29	29	29
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	4	16.5	283	1	2	14	30	36	36	36	6	9.7	99	3	4	5	12	27	29	29
SUBTOTAL	**15**	**14.7**	**253**	**1**	**2**	**7**	**26**	**36**	**49**	**53**	**11**	**9.1**	**95**	**2**	**3**	**5**	**11**	**28**	**29**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	32.5	41	28	28	32	37	37	37	37	5	27.2	338	1	11	36	42	42	42	42
18-24	2	18.5	365	5	5	18	32	32	32	32										
25-34	5	22.4	172	1	16	26	30	36	36	36	3	15.3	126	7	8	11	24	28	28	28
35-54	5	19.2	112	4	13	20	25	33	33	33	1	2.0		2	2	2	2	2	2	2
55-74	2	11.0	32	7	7	11	15	15	15	15	1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	16	20.8	136	4	11	22	30	36	37	37	10	19.0	270	1	6	13	36	42	42	42
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	28.0		28	28	28	28	28	28	28	3	12.3	188	3	4	6	22	28	28	28
25-34	3	21.0	147	7	12	28	28	28	28	28	4	15.3	216	1	2	16	28	28	28	28
35-54	5	10.6	33	4	6	10	14	19	19	19	1	27.0		27	27	27	27	27	27	27
55-74	1	34.0		34	34	34	34	34	34	34	1	9.0		9	9	9	9	9	9	9
75 +	1	18.0		18	18	18	18	18	18	18	1	7.0		7	7	7	7	7	7	7
ALL AGES	11	17.8	109	6	8	18	28	31	34	34	10	14.1	143	2	4	8	28	28	28	28
SUBTOTAL	**27**	**19.6**	**122**	**4**	**8**	**20**	**28**	**34**	**36**	**37**	**20**	**16.6**	**200**	**2**	**5**	**10**	**28**	**39**	**42**	**42**
GRAND TOTAL	**42**	**17.8**	**171**	**2**	**6**	**18**	**28**	**35**	**37**	**53**	**31**	**13.9**	**173**	**2**	**4**	**7**	**28**	**32**	**41**	**42**

OPIOID/OTHER DRUG DEPEND (304.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	34.5	13	32	32	34	37	37	37	37										
18-24	8	15.4	100	2	5	17	24	27	27	27										
25-34	5	14.0	64	5	8	12	20	25	25	25	4	12.0	143	1	3	9	21	28	28	28
35-54	6	9.3	112	1	3	5	13	27	29	29	7	5.0	17	2	2	3	8	12	12	12
55-74	1	1.0		1	1	1	1	1	1	1										
75 +																				
ALL AGES	22	14.5	128	2	3	12	25	30	34	37	11	7.5	67	1	2	3	11	20	27	28
B. FEMALE																				
0-12 YRS.																				
13-17	2	40.0	50	35	35	40	45	45	45	45	1	11.0		11	11	11	11	11	11	11
18-24	3	23.7	194	8	13	28	33	35	35	35										
25-34	9	6.7	59	1	2	5	8	19	26	26	3	4.0	3	3	3	3	5	6	6	6
35-54	2	19.0	162	10	10	19	28	28	28	28	3	11.3	235	2	2	3	22	29	29	29
55-74																				
75 +																				
ALL AGES	16	15.6	213	1	4	8	28	35	42	45	7	8.1	95	2	3	3	10	25	29	29
SUBTOTAL	**38**	**14.9**	**161**	**1**	**3**	**9**	**27**	**34**	**36**	**45**	**18**	**7.8**	**72**	**2**	**3**	**3**	**11**	**24**	**29**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	5	30.0	479	9	9	33	44	61	61	61										
18-24	15	19.4	80	5	13	22	27	28	30	31	4	9.3	156	2	2	3	16	28	28	28
25-34	16	19.2	121	2	9	27	28	28	29	29	14	13.6	96	1	3	17	23	23	24	24
35-54	11	16.3	105	4	6	15	26	28	28	28	12	9.9	110	1	2	4	16	28	29	29
55-74	1	4.0		4	4	4	4	4	4	4	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	48	19.4	145	4	9	23	28	29	33	61	31	11.2	105	1	2	5	22	25	28	29
B. FEMALE																				
0-12 YRS.																				
13-17	3	20.3	214	5	9	22	31	34	34	34	2	24.5	25	21	21	24	28	28	28	28
18-24	5	17.8	174	2	9	12	31	33	33	33	3	11.7	205	1	2	6	22	28	28	28
25-34	4	18.5	147	4	8	20	28	29	29	29	8	12.9	133	2	5	6	24	29	30	30
35-54	1	21.0		21	21	21	21	21	21	21	5	16.0	175	1	3	19	26	32	32	32
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	14	18.0	132	4	7	17	29	33	34	34	18	14.8	138	1	5	13	28	29	31	32
SUBTOTAL	**62**	**19.1**	**139**	**4**	**9**	**21**	**28**	**30**	**34**	**58**	**49**	**12.6**	**116**	**1**	**3**	**6**	**23**	**28**	**29**	**32**
GRAND TOTAL	**100**	**17.5**	**150**	**3**	**6**	**16**	**28**	**31**	**35**	**53**	**67**	**11.3**	**107**	**1**	**3**	**6**	**21**	**28**	**29**	**32**

COMB DRUG DEPENDENCE NEC (304.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	8	26.0	143	9	19	26	33	43	45	45	4	21.5	38	13	17	23	26	27	27	27
18-24	6	35.8	119	24	27	34	47	48	48	48	10	20.7	58	9	18	21	28	30	30	30
25-34	11	21.8	133	3	14	27	29	34	37	37	17	12.1	107	2	4	6	22	28	29	29
35-54	3	23.7	175	9	13	27	33	35	35	35	12	19.3	104	6	7	23	28	28	28	28
55-74																				
75 +																				
ALL AGES	28	26.2	151	8	21	27	33	44	47	48	43	17.0	99	4	6	21	27	28	29	30
B. FEMALE																				
0-12 YRS.																				
13-17	8	34.1	737	5	20	32	36	77	94	94	4	15.5	226	2	2	15	28	29	29	29
18-24	5	16.6	168	1	4	20	28	29	29	29	3	23.0	31	18	19	22	27	29	29	29
25-34	12	21.1	67	10	14	23	28	30	32	32	8	13.0	103	3	4	11	22	27	27	27
35-54	9	17.4	104	6	6	15	28	28	28	28	1	4.0		4	4	4	4	4	4	4
55-74											2	19.5	145	11	11	19	28	28	28	28
75 +	1	40.0		40	40	40	40	40	40	40										
ALL AGES	35	23.0	272	6	14	26	29	36	39	94	18	15.4	119	3	4	16	27	29	29	29
SUBTOTAL	**63**	**24.4**	**218**	**6**	**15**	**27**	**29**	**38**	**46**	**88**	**61**	**16.5**	**104**	**3**	**6**	**18**	**27**	**28**	**29**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	36	35.0	113	20	29	35	40	43	50	72	21	29.7	159	9	26	31	36	43	48	53
18-24	29	21.0	144	3	12	27	28	30	37	51	19	15.3	86	4	6	14	25	27	28	28
25-34	33	22.2	88	3	20	27	28	29	29	31	27	18.6	96	3	11	21	28	29	30	31
35-54	9	15.7	168	1	3	11	27	31	34	34	9	20.1	145	2	6	28	28	30	30	30
55-74																				
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	108	25.4	167	4	19	28	33	40	43	60	76	21.0	144	4	10	25	28	34	40	51
B. FEMALE																				
0-12 YRS.																				
13-17	25	29.8	279	4	19	33	39	54	60	62	8	21.9	182	5	14	18	34	40	41	41
18-24	12	26.3	129	9	22	28	30	39	48	50	6	15.8	150	2	2	17	28	28	28	28
25-34	14	21.6	69	7	17	26	28	28	29	29	11	20.6	102	2	19	22	28	29	30	30
35-54	5	21.0	126	4	12	28	29	30	30	30	6	19.3	90	4	15	21	28	28	28	28
55-74	3	12.3	179	1	3	9	22	27	27	27	1	5.0		5	5	5	5	5	5	5
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	60	25.2	194	4	15	27	33	41	52	62	32	19.3	124	2	13	21	28	30	37	41
SUBTOTAL	**168**	**25.3**	**177**	**4**	**17**	**28**	**33**	**40**	**44**	**62**	**108**	**20.5**	**137**	**3**	**11**	**22**	**28**	**34**	**38**	**48**
GRAND TOTAL	**231**	**25.1**	**185**	**5**	**16**	**27**	**32**	**40**	**45**	**64**	**169**	**19.1**	**127**	**3**	**7**	**21**	**28**	**30**	**35**	**44**

DRUG DEPENDENCE NOS (304.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	19.0		19	19	19	19	19	19	19										
13-17	3	30.0	201	14	19	35	39	41	41	41	1	6.0		6	6	6	6	6	6	6
18-24	4	13.8	202	2	2	11	25	31	31	31	1	11.0		11	11	11	11	11	11	11
25-34	6	7.8	60	1	2	4	16	19	19	19	3	4.0	7	1	2	5	6	6	6	6
35-54	5	11.0	190	2	2	7	15	35	35	35	4	13.5	118	2	6	12	21	28	28	28
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	20	13.5	170	2	2	8	20	35	38	41	9	9.2	68	1	4	6	12	22	28	28
B. FEMALE																				
0-12 YRS.																				
13-17	7	45.7	345	26	31	44	61	73	75	75										
18-24	2	27.5	41	23	23	27	32	32	32	32	1	1.0		1	1	1	1	1	1	1
25-34	1	31.0		31	31	31	31	31	31	31	1	13.0		13	13	13	13	13	13	13
35-54	3	22.7	44	15	17	25	27	28	28	28	1	28.0		28	28	28	28	28	28	28
55-74																				
75 +		-									1	27.0		27	27	27	27	27	27	27
ALL AGES	13	36.5	293	21	25	31	44	68	74	75	4	17.3	162	1	6	20	27	28	28	28
SUBTOTAL	**33**	**22.5**	**344**	**2**	**5**	**20**	**33**	**44**	**63**	**75**	**13**	**11.7**	**101**	**1**	**4**	**10**	**17**	**28**	**28**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	24.3	335	8	11	21	38	44	44	44	4	17.8	236	1	5	16	29	37	37	37
18-24	2	20.0	392	6	6	20	34	34	34	34	1	9.0		9	9	9	9	9	9	9
25-34	4	7.0	30	3	3	5	10	15	15	15	3	16.0	241	1	4	15	28	32	32	32
35-54	3	7.0	31	2	3	6	11	13	13	13	4	14.3	152	1	4	14	24	28	28	28
55-74																				
75 +																				
ALL AGES	12	13.5	176	3	5	7	18	37	43	44	12	15.4	158	1	4	13	25	33	36	37
B. FEMALE																				
0-12 YRS.																				
13-17											1	41.0		41	41	41	41	41	41	41
18-24																				
25-34	5	11.0	103	2	4	9	15	28	28	28	3	20.7	234	3	9	28	30	31	31	31
35-54	2	7.5	25	4	4	7	11	11	11	11	3	10.3	34	7	7	7	15	17	17	17
55-74	1	5.0		5	5	5	5	5	5	5	1	14.0		14	14	14	14	14	14	14
75 +																				
ALL AGES	8	9.4	67	3	4	7	11	23	28	28	8	18.5	183	4	7	15	29	38	41	41
SUBTOTAL	**20**	**11.9**	**130**	**3**	**4**	**7**	**14**	**31**	**39**	**44**	**20**	**16.7**	**159**	**1**	**7**	**14**	**28**	**34**	**39**	**41**
GRAND TOTAL	**53**	**18.5**	**286**	**2**	**5**	**14**	**30**	**42**	**45**	**75**	**33**	**14.7**	**139**	**1**	**6**	**11**	**27**	**31**	**36**	**41**

ALCOHOL ABUSE (305.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	1.0		1	1	1	1	1	1	1	4	1.0		1	1	1	1	1	1	1
13-17	27	4.4	87	1	1	1	3	7	30	43	28	2.4	17	1	1	1	2	4	15	18
18-24	32	1.6	5	1	1	1	1	2	12	99 +	25	1.2		1	1	1	1	2	3	3
25-34	66	1.9	4	1	1	1	2	4	5	12	24	2.1	12	1	1	1	2	3	8	18
35-54	91	3.0	21	1	1	1	3	6	13	27	24	3.4	46	1	1	1	2	5	23	29
55-74	33	5.1	47	1	1	2	6	12	25	29	15	2.9	7	1	1	2	3	8	9	9
75 +	6	6.0	117	1	1	2	3	25	28	28	5	6.2	52	1	1	3	10	18	18	18
ALL AGES	260	3.0	27	1	1	1	2	6	12	29	125	2.5	18	1	1	1	2	3	10	23
B. FEMALE																				
0-12 YRS.											3	1.0		1	1	1	1	1	1	1
13-17	24	1.7	2	1	1	1	2	4	6	6	25	3.1	68	1	1	1	1	3	17	42
18-24	9	1.2		1	1	1	1	2	2	2	7	1.4	1	1	1	1	1	3	4	4
25-34	28	1.8	5	1	1	1	2	3	5	13	15	1.6	3	1	1	1	1	2	7	8
35-54	17	2.8	11	1	1	1	3	6	11	14	17	2.6	8	1	1	1	3	6	10	12
55-74	13	1.9	1	1	1	2	3	4	4	4	8	5.6	92	1	1	2	4	22	29	29
75 +											3	2.0	1	1	1	2	3	3	3	3
ALL AGES	91	1.9	5	1	1	1	2	4	6	14	78	2.7	34	1	1	1	2	4	9	38
SUBTOTAL	**351**	**2.7**	**22**	**1**	**1**	**1**	**2**	**5**	**9**	**28**	**203**	**2.6**	**24**	**1**	**1**	**1**	**2**	**4**	**9**	**29**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17	34	21.1	332	1	2	18	39	44	45	49	21	9.2	131	1	1	5	12	27	37	40
18-24	21	4.9	94	1	1	1	4	12	27	44	13	7.6	77	1	2	3	14	22	27	28
25-34	50	3.6	20	1	1	2	4	6	17	22	17	7.1	96	1	1	2	8	26	30	31
35-54	72	4.1	39	1	1	2	4	8	13	41	24	7.8	82	1	2	3	10	25	27	28
55-74	21	5.6	17	1	2	5	9	12	13	14	9	5.2	28	1	2	5	6	13	18	18
75 +	3	2.0	3	1	1	1	3	4	4	4	1	1.0		1	1	1	1	1	1	1
ALL AGES	201	7.1	125	1	1	3	6	21	41	46	86	7.6	86	1	1	3	10	22	28	38
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	1	26.0		26	26	26	26	26	26	26
13-17	22	17.0	309	1	1	6	30	44	45	45	15	13.7	258	1	1	2	28	42	42	42
18-24	10	2.9	9	1	1	1	5	8	9	9	8	1.5	1	1	1	1	2	3	3	3
25-34	29	2.4	7	1	1	1	3	6	7	13	15	3.6	54	1	1	2	2	3	23	30
35-54	25	5.8	48	1	1	3	7	14	23	28	18	5.6	59	1	1	2	6	18	24	28
55-74	8	10.6	77	1	3	10	14	25	28	28	2	4.0	2	3	3	4	5	5	5	5
75 +	3	3.0	4	1	1	3	4	5	5	5	1	6.0		6	6	6	6	6	6	6
ALL AGES	98	7.3	120	1	1	2	7	25	35	45	60	6.9	116	1	1	2	5	27	32	42
SUBTOTAL	**299**	**7.1**	**124**	**1**	**1**	**2**	**6**	**23**	**39**	**45**	**146**	**7.3**	**98**	**1**	**1**	**2**	**8**	**25**	**30**	**42**
GRAND TOTAL	**650**	**4.7**	**74**	**1**	**1**	**2**	**4**	**12**	**26**	**44**	**349**	**4.5**	**61**	**1**	**1**	**1**	**3**	**15**	**25**	**40**

TOBACCO USE DISORDER (305.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	10.0		10	10	10	10	10	10	10
55-74																				
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES											2	7.5	13	5	5	7	10	10	10	10
SUBTOTAL											**2**	**7.5**	**13**	**5**	**5**	**7**	**10**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											2	5.5	25	2	2	5	9	9	9	9
55-74																				
75 +																				
ALL AGES											2	5.5	25	2	2	5	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											**2**	**5.5**	**25**	**2**	**2**	**5**	**9**	**9**	**9**	**9**
GRAND TOTAL											**4**	**6.5**	**14**	**2**	**3**	**7**	**9**	**10**	**10**	**10**

CANNABIS ABUSE (305.2)

	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	5	13.8	279	1	1	3	31	34	34	34	4	12.5	307	1	1	6	24	38	38	38
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4	2	16.5	265	5	5	16	28	28	28	28
35-54											1	7.0		7	7	7	7	7	7	7
55-74																				
75 +																				
ALL AGES	6	12.2	238	1	1	3	30	34	34	34	7	12.9	207	1	2	7	23	36	38	38
B. FEMALE																				
0-12 YRS.																				
13-17	2	27.5	1	27	27	27	28	28	28	28	1	7.0		7	7	7	7	7	7	7
18-24											1	27.0		27	27	27	27	27	27	27
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	27.5	1	27	27	27	28	28	28	28	2	17.0	200	7	7	17	27	27	27	27
SUBTOTAL	**8**	**16.0**	**221**	**1**	**2**	**15**	**29**	**33**	**34**	**34**	**9**	**13.8**	**184**	**1**	**4**	**7**	**27**	**34**	**38**	**38**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	21	27.3	198	10	16	28	38	46	51	56	5	23.6	75	10	17	28	29	31	31	31
18-24	10	16.1	290	1	2	7	28	42	43	43	1	1.0		1	1	1	1	1	1	1
25-34	9	18.6	97	5	9	22	28	28	28	28	5	14.6	141	1	4	14	26	28	28	28
35-54	2	23.0	18	20	20	23	26	26	26	26										
55-74																				
75 +																				
ALL AGES	42	22.6	203	4	10	26	28	44	46	56	11	17.5	135	1	6	20	28	30	31	31
B. FEMALE																				
0-12 YRS.											1	5.0		5	5	5	5	5	5	5
13-17	9	25.1	261	6	8	26	43	44	44	44	1	12.0		12	12	12	12	12	12	12
18-24	2	3.5	1	3	3	3	4	4	4	4										
25-34	4	11.5	87	3	3	11	19	21	21	21	1	1.0		1	1	1	1	1	1	1
35-54	1	15.0		15	15	15	15	15	15	15										
55-74																				
75 +																				
ALL AGES	16	18.4	226	3	5	16	27	44	44	44	3	6.0	31	1	2	5	10	12	12	12
SUBTOTAL	**58**	**21.4**	**211**	**3**	**8**	**21**	**28**	**44**	**46**	**55**	**14**	**15.0**	**134**	**1**	**5**	**13**	**28**	**29**	**31**	**31**
GRAND TOTAL	**66**	**20.8**	**209**	**3**	**7**	**21**	**28**	**43**	**45**	**55**	**23**	**14.5**	**147**	**1**	**5**	**10**	**27**	**29**	**33**	**38**

HALLUCINOGEN ABUSE (305.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3	2	1.0		1	1	1	1	1	1	1
18-24	2	5.0	8	3	3	5	7	7	7	7										
25-34	1	5.0		5	5	5	5	5	5	5										
35-54																				
55-74																				
75 +																				
ALL AGES	4	4.5	4	3	3	4	6	7	7	7	2	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	**5**	**4.0**	**4**	**2**	**3**	**3**	**5**	**7**	**7**	**7**	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	4.5	26	1	1	2	7	12	12	12	1	2.0		2	2	2	2	2	2	2
18-24	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
25-34											1	4.0		4	4	4	4	4	4	4
35-54																				
55-74																				
75 +																				
ALL AGES	5	3.8	22	1	1	2	5	12	12	12	3	2.3	3	1	1	2	3	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4	1	2.0		2	2	2	2	2	2	2
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
35-54																				
55-74																				
75 +																				
ALL AGES	2	2.5	5	1	1	2	4	4	4	4	2	2.5	1	2	2	2	3	3	3	3
SUBTOTAL	**7**	**3.4**	**16**	**1**	**1**	**2**	**4**	**10**	**12**	**12**	**5**	**2.4**	**1**	**1**	**2**	**2**	**3**	**4**	**4**	**4**
GRAND TOTAL	**12**	**3.7**	**10**	**1**	**1**	**3**	**4**	**8**	**11**	**12**	**7**	**2.0**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**4**

BARBITURATE ABUSE (305.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54	1	2.0		2	2	2	2	2	2	2	1	4.0		4	4	4	4	4	4	4
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	2	2.5	5	1	1	2	4	4	4	4
SUBTOTAL	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**	**2**	**2.5**	**5**	**1**	**1**	**2**	**4**	**4**	**4**	**4**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	3.0		3	3	3	3	3	3	3
25-34											2	2.0	2	1	1	2	3	3	3	3
35-54	3	11.3	93	1	3	13	18	20	20	20										
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	4	9.8	70	1	2	9	16	20	20	20	3	2.3	2	1	1	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34	6	9.2	113	3	3	4	11	28	30	30	1	1.0		1	1	1	1	1	1	1
35-54											2	1.5	1	1	1	1	2	2	2	2
55-74	1	2.0		2	2	2	2	2	2	2										
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	8	8.1	88	2	3	4	9	24	30	30	4	1.3		1	1	1	2	2	2	2
SUBTOTAL	**12**	**8.7**	**75**	**1**	**3**	**5**	**12**	**23**	**29**	**30**	**7**	**1.7**	**1**	**1**	**1**	**1**	**3**	**3**	**3**	**3**
GRAND TOTAL	**14**	**7.6**	**72**	**1**	**2**	**4**	**11**	**21**	**28**	**30**	**9**	**1.9**	**1**	**1**	**1**	**1**	**3**	**4**	**4**	**4**

OPIOID ABUSE (305.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	8	4.6	41	1	1	2	4	15	20	20	2	17.0	8	15	15	17	19	19	19	19
35-54	6	6.0	30	1	2	5	7	15	16	16										
55-74																				
75 +																				
ALL AGES	14	5.2	34	1	1	3	7	16	19	20	2	17.0	8	15	15	17	19	19	19	19
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	10.0		10	10	10	10	10	10	10										
25-34											1	26.0		26	26	26	26	26	26	26
35-54											1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	1	10.0		10	10	10	10	10	10	10	2	13.5	313	1	1	13	26	26	26	26
SUBTOTAL	**15**	**5.5**	**34**	**1**	**1**	**3**	**7**	**16**	**19**	**20**	**4**	**15.3**	**109**	**1**	**8**	**17**	**22**	**26**	**26**	**26**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	3	2.7	8	1	1	1	5	6	6	6										
25-34	3	9.0	127	2	2	3	17	22	22	22	3	6.3	13	3	4	6	9	10	10	10
35-54	6	6.2	88	1	1	3	5	23	25	25	2	15.0	392	1	1	15	29	29	29	29
55-74																				
75 +																				
ALL AGES	12	6.0	70	1	1	2	5	23	25	25	5	9.8	127	1	2	6	15	29	29	29
B. FEMALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-24	1	5.0		5	5	5	5	5	5	5	1	4.0		4	4	4	4	4	4	4
25-34	4	2.8	12	1	1	1	5	8	8	8	1	4.0		4	4	4	4	4	4	4
35-54	3	4.0	1	3	3	4	5	5	5	5										
55-74																				
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	9	3.6	5	1	1	4	5	7	8	8	3	3.3	2	2	2	4	4	4	4	4
SUBTOTAL	**21**	**5.0**	**42**	**1**	**1**	**3**	**5**	**14**	**23**	**25**	**9**	**7.4**	**84**	**1**	**2**	**4**	**8**	**23**	**29**	**29**
GRAND TOTAL	**36**	**5.2**	**38**	**1**	**1**	**3**	**6**	**15**	**21**	**25**	**12**	**10.0**	**99**	**1**	**2**	**5**	**17**	**27**	**29**	**29**

COCAINE ABUSE (305.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95.H	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2	2	1.5	1	1	1	1	2	2	2	2
18-24	9	1.2	1	1	1	1	1	2	3	3	6	5.3	94	1	1	1	3	23	25	25
25-34	13	9.1	142	1	1	2	20	28	31	32	12	9.3	101	1	2	4	21	24	25	25
35-54	8	3.6	35	1	1	1	3	14	18	18	3	6.0	37	2	2	3	10	13	13	13
55-74																				
75 +																				
ALL AGES	31	5.2	77	1	1	1	3	21	27	32	23	7.2	81	1	1	3	11	24	25	25
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	4	6.5	107	1	1	1	12	22	22	22	4	9.8	156	1	1	5	18	28	28	28
25-34	11	4.0	51	1	1	1	3	14	24	25	4	9.0	89	1	1	7	16	21	21	21
35-54	6	1.5	1	1	1	1	2	3	3	3	2	12.5	265	1	1	12	24	24	24	24
55-74																				
75 +																				
ALL AGES	21	3.8	45	1	1	1	2	12	23	25	10	10.0	113	1	1	5	21	26	28	28
SUBTOTAL	**52**	**4.6**	**64**	**1**	**1**	**1**	**3**	**19**	**26**	**32**	**33**	**8.0**	**90**	**1**	**1**	**3**	**15**	**24**	**25**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	2.5	5	1	1	2	4	4	4	4	3	10.7	224	2	2	2	22	28	28	28
18-24	13	5.1	39	1	1	3	6	13	21	23	6	14.5	92	1	4	18	21	24	24	24
25-34	33	9.9	98	1	2	5	19	26	28	30	22	15.7	140	1	3	21	27	28	30	32
35-54	12	7.2	71	1	2	3	1[illegible]	21	22	22	3	2.7	2	1	1	3	4	4	4	4
55-74																				
75 +																				
ALL AGES	60	8.1	79	1	2	4	11	24	26	30	34	13.9	131	1	2	12	24	28	29	32
B. FEMALE																				
0-12 YRS.																				
13-17	3	23.7	398	4	9	23	39	44	44	44	2	11.0	200	1	1	11	21	21	21	21
18-24	3	5.7	14	3	3	4	8	10	10	10	7	9.1	49	3	4	5	16	19	19	19
25-34	18	8.2	65	2	3	5	8	22	25	27	14	10.5	90	2	2	7	20	24	27	28
35-54	3	5.7	52	1	1	2	11	14	14	14	2	13.5	181	4	4	13	23	23	23	23
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	28	9.1	104	1	3	4	12	23	29	44	25	10.4	78	2	3	5	19	23	25	28
SUBTOTAL	**88**	**8.4**	**86**	**1**	**2**	**4**	**11**	**23**	**26**	**39**	**59**	**12.4**	**110**	**1**	**2**	**8**	**22**	**28**	**28**	**32**
GRAND TOTAL	**140**	**7.0**	**81**	**1**	**1**	**3**	**8**	**23**	**26**	**33**	**92**	**10.8**	**107**	**1**	**2**	**5**	**21**	**27**	**28**	**31**

AMPHETAMINE ABUSE (305.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3	1	35.0		35	35	35	35	35	35	35
18-24	3	8.3	122	1	1	3	16	21	21	21	3	4.3	25	1	1	2	8	10	10	10
25-34	3	1.0		1	1	1	1	1	1	1	1	7.0		7	7	7	7	7	7	7
35-54	2	4.5	25	1	1	4	8	8	8	8										
55-74																				
75 +																				
ALL AGES	9	4.4	44	1	1	1	4	16	21	21	5	11.0	194	1	2	7	16	35	35	35
B. FEMALE																				
0-12 YRS.																				
13-17											2	2.0	2	1	1	1	3	3	3	3
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2	6	2.3	1	1	2	2	3	3	3	3
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	2	1.5	1	1	1	1	2	2	2	2	8	2.3	1	1	1	2	3	3	3	3
SUBTOTAL	**11**	**3.9**	**37**	**1**	**1**	**1**	**3**	**13**	**20**	**21**	**13**	**5.6**	**85**	**1**	**2**	**3**	**4**	**15**	**31**	**35**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											2	3.0	2	2	2	3	4	4	4	4
18-24	2	3.0		3	3	3	3	3	3	3	9	16.9	223	1	3	14	29	39	45	45
25-34	4	1.3		1	1	1	1	2	2	2	4	6.5	60	1	2	3	11	18	18	18
35-54	4	3.8	4	1	2	4	5	6	6	6	1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	10	2.6	3	1	1	2	3	5	6	6	16	11.6	172	1	2	4	16	30	40	45
B. FEMALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5	3	28.7	91	18	21	31	35	37	37	37
18-24	1	1.0		1	1	1	1	1	1	1	4	5.5	17	2	2	5	9	10	10	10
25-34	6	7.8	99	2	4	4	5	26	28	28	1	6.0		6	6	6	6	6	6	6
35-54	3	9.7	119	1	2	6	18	22	22	22	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	11	7.5	79	1	2	4	6	24	28	28	9	12.8	174	1	2	8	21	35	37	37
SUBTOTAL	**21**	**5.1**	**48**	**1**	**1**	**3**	**5**	**13**	**25**	**28**	**25**	**12.0**	**166**	**1**	**2**	**6**	**18**	**31**	**39**	**45**
GRAND TOTAL	**32**	**4.7**	**43**	**1**	**1**	**3**	**5**	**12**	**22**	**28**	**38**	**9.8**	**145**	**1**	**2**	**4**	**14**	**31**	**36**	**45**

ANTIDEPRESSANT ABUSE (305.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	21.0		21	21	21	21	21	21	21
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	21.0		21	21	21	21	21	21	21
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											3	1.7	1	1	1	1	2	3	3	3
35-54																				
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES											4	1.8	1	1	1	1	2	3	3	3
SUBTOTAL											**5**	**5.6**	**75**	**1**	**1**	**2**	**7**	**21**	**21**	**21**
GRAND TOTAL											**5**	**5.6**	**75**	**1**	**1**	**2**	**7**	**21**	**21**	**21**

DRUG ABUSE NEC/NOS (305.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	16	22.9	187	2	7	28	32	37	38	39	10	9.8	240	1	1	2	13	33	51	51
18-24	14	12.1	189	1	1	3	28	31	35	36	6	16.2	415	1	2	9	20	51	55	55
25-34	12	13.8	194	1	1	9	24	32	41	43	4	12.8	131	2	3	11	22	27	27	27
35-54	8	6.1	81	1	1	3	6	22	28	28	2	2.5	5	1	1	2	4	4	4	4
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	50	15.0	199	1	1	8	28	35	37	43	23	11.0	230	1	2	4	15	32	52	55
B. FEMALE																				
0-12 YRS.																				
13-17	7	22.3	204	1	9	27	33	36	36	36	2	19.0	72	13	13	19	25	25	25	25
18-24	5	3.4	5	1	2	3	5	7	7	7	1	8.0		8	8	8	8	8	8	8
25-34	10	6.4	61	1	1	2	14	19	21	21	7	8.3	103	1	2	3	17	24	25	25
35-54	3	2.0	1	1	1	2	3	3	3	3	4	1.5		1	1	1	2	2	2	2
55-74	3	15.0	84	7	8	13	22	25	25	25	2	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	28	10.3	135	1	1	4	19	28	34	36	16	7.6	74	1	2	3	10	24	25	25
SUBTOTAL	**78**	**13.3**	**179**	**1**	**1**	**6**	**28**	**33**	**36**	**42**	**39**	**9.6**	**165**	**1**	**2**	**4**	**14**	**25**	**40**	**55**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	87	20.9	152	5	10	22	30	35	37	58	14	18.7	202	1	7	18	28	36	45	48
18-24	16	13.9	203	2	3	5	28	32	39	42	8	13.4	195	2	4	8	21	36	38	38
25-34	16	6.4	44	1	2	5	9	14	22	26	6	9.3	105	1	2	5	14	27	28	28
35-54	12	10.5	165	1	3	5	14	33	39	40	3	4.3	7	2	2	4	6	7	7	7
55-74											1	23.0		23	23	23	23	23	23	23
75 +																				
ALL AGES	131	17.3	173	2	5	16	28	33	37	47	32	14.4	172	2	4	8	26	34	38	48
B. FEMALE																				
0-12 YRS.	3	4.7	40	1	1	1	9	12	12	12	1	1.0		1	1	1	1	1	1	1
13-17	65	24.9	169	5	13	28	34	38	41	54	3	14.3	216	1	4	12	25	30	30	30
18-24	7	10.6	91	1	3	11	13	26	29	29	3	4.0	19	1	1	2	7	9	9	9
25-34	8	6.3	85	1	1	2	7	23	28	28	4	4.0	3	2	3	4	5	6	6	6
35-54	16	10.5	139	1	2	5	22	24	35	39	2	3.5	1	3	3	3	4	4	4	4
55-74	2	7.0	72	1	1	7	13	13	13	13										
75 +	1	21.0		21	21	21	21	21	21	21										
ALL AGES	102	19.2	201	1	5	21	31	36	39	50	13	6.1	62	1	2	4	7	16	27	30
SUBTOTAL	**233**	**18.1**	**187**	**2**	**5**	**17**	**29**	**35**	**39**	**48**	**45**	**12.0**	**152**	**1**	**3**	**7**	**21**	**30**	**36**	**48**
GRAND TOTAL	**311**	**16.9**	**189**	**1**	**3**	**14**	**28**	**35**	**38**	**44**	**84**	**10.9**	**158**	**1**	**2**	**5**	**16**	**28**	**36**	**54**

PSYCHOGEN MUSCULSKEL DIS (306.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	8.0		8	8	8	8	8	8	8										
35-54																				
55-74																				
75 +																				
ALL AGES	1	8.0		8	8	8	8	8	8	8										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	9.0		9	9	9	9	9	9	9										
35-54																				
55-74	1	10.0		10	10	10	10	10	10	10										
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	3	7.0	19	2	4	9	10	10	10	10										
SUBTOTAL	**4**	**7.3**	**12**	**2**	**5**	**8**	**9**	**10**	**10**	**10**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	1	10.0		10	10	10	10	10	10	10										
35-54											1	4.0		4	4	4	4	4	4	4
55-74																				
75 +																				
ALL AGES	2	5.5	41	1	1	5	10	10	10	10	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	**3**	**4.3**	**25**	**1**	**1**	**2**	**8**	**10**	**10**	**10**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**
GRAND TOTAL	**7**	**6.0**	**17**	**1**	**2**	**8**	**10**	**10**	**10**	**10**	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**

PSYCHOGENIC RESPIR DIS (306.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	1.0		1	1	1	1	1	1	1										
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	2	1.5	1	1	1	1	2	2	2	2	1	2.0		2	2	2	2	2	2	2
35-54	3	1.3		1	1	1	2	2	2	2	3	3.7	21	1	1	1	7	9	9	9
55-74	1	2.0		2	2	2	2	2	2	2	5	2.8	5	1	1	2	4	6	6	6
75 +	1	1.0		1	1	1	1	1	1	1	2	2.0		2	2	2	2	2	2	2
ALL AGES	10	1.3		1	1	1	2	2	2	2	11	2.8	7	1	1	2	4	7	9	9
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	1	4.0		4	4	4	4	4	4	4
13-17											1	1.0		1	1	1	1	1	1	1
18-24	3	2.0	1	1	1	2	3	3	3	3	1	6.0		6	6	6	6	6	6	6
25-34	2	1.5	1	1	1	1	2	2	2	2	3	2.3	1	2	2	2	3	3	3	3
35-54	9	1.3		1	1	1	2	2	2	2	4	2.5	3	1	1	2	4	5	5	5
55-74	4	3.5	14	1	1	2	6	9	9	9	8	2.3	1	1	1	2	3	4	5	5
75 +	2	1.5	1	1	1	1	2	2	2	2	4	4.0	6	2	2	4	6	7	7	7
ALL AGES	21	1.9	3	1	1	1	2	3	6	9	22	2.8	3	1	2	2	4	6	6	7
SUBTOTAL	**31**	**1.7**	**2**	**1**	**1**	**1**	**2**	**2**	**3**	**9**	**33**	**2.8**	**4**	**1**	**2**	**2**	**4**	**6**	**7**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	2.0		2	2	2	2	2	2	2										
18-24											2	2.0	2	1	1	1	3	3	3	3
25-34	2	10.0	162	1	1	9	19	19	19	19	3	1.0		1	1	1	1	1	1	1
35-54	3	1.0		1	1	1	1	1	1	1	2	2.0	2	1	1	2	3	3	3	3
55-74	1	2.0		2	2	2	2	2	2	2										
75 +											3	2.0	1	1	1	2	3	3	3	3
ALL AGES	8	3.6	39	1	1	1	2	14	19	19	10	1.7	1	1	1	1	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
18-24											1	3.0		3	3	3	3	3	3	3
25-34	2	3.5	13	1	1	3	6	6	6	6	2	1.0		1	1	1	1	1	1	1
35-54	2	3.0	2	2	2	3	4	4	4	4	2	2.0		2	2	2	2	2	2	2
55-74	2	2.5	1	2	2	2	3	3	3	3	7	2.3		1	2	2	3	3	3	3
75 +	2	2.0		2	2	2	2	2	2	2	6	3.3	11	1	1	2	5	9	9	9
ALL AGES	9	2.8	2	1	2	2	3	5	6	6	19	2.5	3	1	1	2	3	4	7	9
SUBTOTAL	**17**	**3.2**	**18**	**1**	**1**	**2**	**3**	**6**	**14**	**19**	**29**	**2.2**	**3**	**1**	**1**	**2**	**3**	**3**	**5**	**9**
GRAND TOTAL	**48**	**2.2**	**8**	**1**	**1**	**2**	**2**	**3**	**6**	**19**	**62**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**7**	**9**

PSYCHOGEN CARDIOVASC DIS (306.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1	2	1.0		1	1	1	1	1	1	1
55-74											2	4.5	1	4	4	4	5	5	5	5
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	2	2.0	2	1	1	2	3	3	3	3	4	2.8	4	1	1	2	4	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24																				
25-34																				
35-54	2	1.0		1	1	1	1	1	1	1										
55-74	2	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	4	1.5		1	1	1	2	2	2	2	2	2.0	2	1	1	2	3	3	3	3
SUBTOTAL	**6**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**6**	**2.5**	**3**	**1**	**1**	**2**	**4**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	4.0		4	4	4	4	4	4	4
35-54	2	1.5	1	1	1	1	2	2	2	2	1	1.0		1	1	1	1	1	1	1
55-74											3	4.3	7	2	2	4	6	7	7	7
75 +	1	3.0		3	3	3	3	3	3	3	1	5.0		5	5	5	5	5	5	5
ALL AGES	3	2.0	1	1	1	2	3	3	3	3	6	3.8	5	1	2	4	5	7	7	7
SUBTOTAL	**3**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**	**6**	**3.8**	**5**	**1**	**2**	**4**	**5**	**7**	**7**	**7**
GRAND TOTAL	**9**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**3**	**12**	**3.2**	**4**	**1**	**1**	**3**	**5**	**6**	**7**	**7**

PSYCHOGENIC SKIN DISEASE (306.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES											1	1.0		1	1	1	1	1	1	1
SUBTOTAL											**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	9.0		9	9	9	9	9	9	9
55-74																				
75 +																				
ALL AGES											1	9.0		9	9	9	9	9	9	9
SUBTOTAL											**1**	**9.0**		**9**	**9**	**9**	**9**	**9**	**9**	**9**
GRAND TOTAL											**2**	**5.0**	**32**	**1**	**1**	**5**	**9**	**9**	**9**	**9**

PSYCHOGENIC GI DISEASE (306.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17											1	2.0		2	2	2	2	2	2	2
18-24																				
25-34	1	7.0		7	7	7	7	7	7	7										
35-54	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
55-74	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	3	3.7	8	2	2	2	6	7	7	7	4	1.5		1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17											1	3.0		3	3	3	3	3	3	3
18-24																				
25-34	3	3.0	1	2	2	3	4	4	4	4	2	2.0		2	2	2	2	2	2	2
35-54	1	7.0		7	7	7	7	7	7	7	1	2.0		2	2	2	2	2	2	2
55-74											1	8.0		8	8	8	8	8	8	8
75 +											2	7.5	13	5	5	7	10	10	10	10
ALL AGES	4	4.0	5	2	2	3	5	7	7	7	7	4.6	10	2	2	3	7	10	10	10
SUBTOTAL	**7**	**3.9**	**5**	**2**	**2**	**3**	**6**	**7**	**7**	**7**	**11**	**3.5**	**9**	**1**	**2**	**2**	**4**	**9**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											2	3.0	8	1	1	3	5	5	5	5
55-74																				
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	1	7.0		7	7	7	7	7	7	7	2	3.0	8	1	1	3	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	3.0		3	3	3	3	3	3	3
25-34	2	8.5	25	5	5	8	12	12	12	12	1	1.0		1	1	1	1	1	1	1
35-54	3	9.7	133	2	2	4	18	23	23	23	2	4.0		4	4	4	4	4	4	4
55-74	1	2.0		2	2	2	2	2	2	2										
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	7	7.4	59	2	3	4	10	21	23	23	4	3.0	2	1	2	3	4	4	4	4
SUBTOTAL	**8**	**7.4**	**50**	**2**	**3**	**5**	**9**	**20**	**23**	**23**	**6**	**3.0**	**3**	**1**	**1**	**3**	**4**	**5**	**5**	**5**
GRAND TOTAL	**15**	**5.7**	**31**	**2**	**2**	**4**	**7**	**12**	**20**	**23**	**17**	**3.3**	**6**	**1**	**2**	**2**	**4**	**7**	**9**	**10**

PSYCHOGENIC GU DISEASE (306.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	2.0	-	2	2	2	2	2	2	2
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											1	2.0		2	2	2	2	2	2	2
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL											1	2.0		2	2	2	2	2	2	2

PSYCHOGEN ENDOCRINE DIS (306.6)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17	2	1.0		1	1	1	1	1	1	1										
18-24																				
25-34																				
35-54											1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	2	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**2**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
SUBTOTAL	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**										
GRAND TOTAL	**3**	**1.7**	**1**	**1**	**1**	**1**	**3**	**3**	**3**	**3**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

PSYCHOGENIC SENSORY DIS (306.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
SUBTOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**										
GRAND TOTAL	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**										

PSYCHOGENIC DISORDER NEC (306.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3	1	5.0		5	5	5	5	5	5	5
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	2	2.0	2	1	1	2	3	3	3	3	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3	2	3.5	1	3	3	3	4	4	4	4
18-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54											1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	2	2.0	2	1	1	1	3	3	3	3	3	3.0	1	2	2	3	4	4	4	4
SUBTOTAL	**4**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**3**	**3**	**4**	**3.5**	**2**	**2**	**2**	**3**	**4**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	3	2.7	4	1	1	2	4	5	5	5										
55-74											1	3.0		3	3	3	3	3	3	3
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	4	2.8	3	1	1	2	4	5	5	5	2	4.0	2	3	3	4	5	5	5	5
SUBTOTAL	**5**	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**5**	**5**	**3**	**3.3**	**3**	**2**	**2**	**3**	**4**	**5**	**5**	**5**
GRAND TOTAL	**9**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**5**	**7**	**3.4**	**2**	**2**	**2**	**3**	**5**	**5**	**5**	**5**

PSYCHOGENIC DISORDER NOS (306.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	2	3.5	5	2	2	3	5	5	5	5										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24											1	3.0		3	3	3	3	3	3	3
25-34																				
35-54	2	4.5	25	1	1	4	8	8	8	8	1	3.0		3	3	3	3	3	3	3
55-74											1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	2	4.5	25	1	1	4	8	8	8	8	3	3.7	1	3	3	3	5	5	5	5
SUBTOTAL	**4**	**4.0**	**10**	**1**	**1**	**3**	**6**	**8**	**8**	**8**	**3**	**3.7**	**1**	**3**	**3**	**3**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	32.0		32	32	32	32	32	32	32										
18-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54	2	3.5	1	3	3	3	4	4	4	4	1	6.0		6	6	6	6	6	6	6
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	3	13.0	271	3	3	4	25	32	32	32	3	3.0	7	1	1	2	5	6	6	6
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17																				
18-24																				
25-34	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
35-54	1	8.0		8	8	8	8	8	8	8										
55-74											1	7.0		7	7	7	7	7	7	7
75 +																				
ALL AGES	2	5.0	18	2	2	5	8	8	8	8	3	4.0	7	2	2	3	6	7	7	7
SUBTOTAL	**5**	**9.8**	**159**	**2**	**3**	**4**	**14**	**32**	**32**	**32**	**6**	**3.5**	**6**	**1**	**2**	**3**	**6**	**7**	**7**	**7**
GRAND TOTAL	**9**	**7.2**	**93**	**1**	**2**	**4**	**8**	**22**	**32**	**32**	**9**	**3.6**	**4**	**1**	**2**	**3**	**5**	**7**	**7**	**7**

STAMMERING & STUTTERING (307.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	7.0		7	7	7	7	7	7	7										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	24.0		24	24	24	24	24	24	24										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	24.0		24	24	24	24	24	24	24										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**1**	**24.0**		**24**	**24**	**24**	**24**	**24**	**24**	**24**										
GRAND TOTAL	**2**	**15.5**	**145**	**7**	**7**	**15**	**24**	**24**	**24**	**24**										

ANOREXIA NERVOSA (307.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.	7	26.3	712	5	10	15	52	65	65	65	2	42.0	98	35	35	42	49	49	49	49
13-17	12	20.3	167	3	14	26	33	99 +	99 +	99 +	19	18.2	251	3	5	12	26	41	51	59
18-24	10	14.4	152	2	3	13	24	32	39	39	7	16.9	458	2	2	3	32	52	55	55
25-34	15	13.5	216	1	5	6	18	39	48	51	11	8.4	73	1	2	5	13	23	25	25
35-54	19	9.1	187	1	1	4	9	29	46	52	1	6.0		6	6	6	6	6	6	6
55-74																				
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	64	14.8	255	1	4	9	24	43	65	99 +	40	16.2	262	2	3	10	24	41	52	59
SUBTOTAL	**64**	**14.8**	**255**	**1**	**4**	**9**	**24**	**43**	**65**	**99 +**	**40**	**16.2**	**262**	**2**	**3**	**10**	**24**	**41**	**52**	**59**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	32.0	1568	4	4	32	60	60	60	60	1	83.0		83	83	83	83	83	83	83
18-24	1	14.0		14	14	14	14	14	14	14										
25-34											1	31.0		31	31	31	31	31	31	31
35-54	1	10.0		10	10	10	10	10	10	10										
55-74																				
75 +																				
ALL AGES	4	22.0	659	4	7	12	37	60	60	60	2	57.0	1352	31	31	57	83	83	83	83
B. FEMALE																				
0-12 YRS.																				
13-17	9	10.4	36	2	6	14	14	17	18	18	9	25.1	191	9	11	26	34	43	49	49
18-24	21	18.1	87	7	13	16	22	32	36	38	11	13.4	106	2	5	9	23	28	30	30
25-34	19	17.3	212	2	7	15	27	37	47	54	13	14.8	82	3	7	15	21	28	30	30
35-54	13	22.8	577	2	7	14	32	60	74	77	5	21.8	599	2	3	6	47	51	51	51
55-74	1	1.0		1	1	1	1	1	1	1										
75 +	1	20.0		20	20	20	20	20	20	20										
ALL AGES	64	17.5	220	2	7	14	22	35	54	74	38	17.7	187	3	6	15	26	35	48	51
SUBTOTAL	**68**	**17.8**	**236**	**2**	**7**	**14**	**22**	**37**	**55**	**74**	**40**	**19.7**	**286**	**3**	**6**	**16**	**28**	**40**	**50**	**83**
GRAND TOTAL	**132**	**16.4**	**244**	**2**	**5**	**14**	**22**	**39**	**55**	**99 +**	**80**	**17.9**	**275**	**2**	**5**	**13**	**26**	**41**	**50**	**76**

TICS (307.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24	1	3.0		3	3	3	3	3	3	3										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	3.0		3	3	3	3	3	3	3										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	50.0		50	50	50	50	50	50	50										
13-17	3	21.7	442	4	7	16	38	45	45	45	1	5.0		5	5	5	5	5	5	5
18-24	1	3.0		3	3	3	3	3	3	3	2	3.5	1	3	3	3	4	4	4	4
25-34																				
35-54	1	13.0		13	13	13	13	13	13	13										
55-74																				
75 +																				
ALL AGES	6	21.8	425	3	4	14	45	49	50	50	3	4.0	1	3	3	4	5	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	6	21.8	425	3	4	14	45	49	50	50	3	4.0	1	3	3	4	5	5	5	5
GRAND TOTAL	7	19.1	405	3	3	13	38	49	50	50	3	4.0	1	3	3	4	5	5	5	5

STEREOTYPED MOVEMENTS (307.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.	1	18.0		18	18	18	18	18	18	18										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	18.0		18	18	18	18	18	18	18										
SUBTOTAL	**1**	**18.0**		**18**	**18**	**18**	**18**	**18**	**18**	**18**										
GRAND TOTAL	**1**	**18.0**		**18**	**18**	**18**	**18**	**18**	**18**	**18**										

NONORGANIC SLEEP DISORD (307.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	1	3.0		3	3	3	3	3	3	3										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-24																				
25-34	5	1.0		1	1	1	1	1	1	1										
35-54																				
55-74																				
75 +											1	13.0		13	13	13	13	13	13	13
ALL AGES	5	1.0		1	1	1	1	1	1	1	2	7.0	72	1	1	7	13	13	13	13
SUBTOTAL	**6**	**1.3**	**1**	**1**	**1**	**1**	**1**	**3**	**3**	**3**	**3**	**5.0**	**48**	**1**	**1**	**1**	**10**	**13**	**13**	**13**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	6.0		6	6	6	6	6	6	6										
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5										
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	2	5.5	1	5	5	5	6	6	6	6	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**2**	**5.5**	**1**	**5**	**5**	**5**	**6**	**6**	**6**	**6**	**1**	**2.0**		**2**	**2**	**2**	**2**	**2**	**2**	**2**
GRAND TOTAL	**8**	**2.4**	**4**	**1**	**1**	**1**	**4**	**6**	**6**	**6**	**4**	**4.3**	**34**	**1**	**1**	**1**	**7**	**13**	**13**	**13**

EATING DISORDERS NEC/NOS (307.5)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	24.5	685	6	6	24	43	43	43	43	1	1.0		1	1	1	1	1	1	1
13-17	2	3.0		3	3	3	3	3	3	3										
18-24											2	2.0	2	1	1	2	3	3	3	3
25-34	1	11.0		11	11	11	11	11	11	11	1	28.0		28	28	28	28	28	28	28
35-54	4	26.0	179	8	17	28	35	40	40	40	1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	9	18.9	256	3	5	11	32	42	43	43	5	7.0	139	1	1	2	9	28	28	28
B. FEMALE																				
0-12 YRS.	2	7.5	1	7	7	7	8	8	8	8	1	1.0		1	1	1	1	1	1	1
13-17	6	16.5	117	7	8	12	28	32	32	32	12	26.4	288	6	13	24	40	52	53	53
18-24	11	13.2	148	2	4	9	22	30	39	40	11	19.5	187	2	6	19	28	40	42	42
25-34	10	22.2	192	6	7	20	30	42	43	43	12	19.6	277	2	3	18	35	42	44	44
35-54	5	20.8	359	4	4	14	40	43	43	43	8	11.6	209	2	3	5	16	37	43	43
55-74	2	32.5	25	29	29	32	36	36	36	36										
75 +	2	4.0	2	3	3	4	5	5	5	5										
ALL AGES	38	17.3	183	4	6	14	29	40	42	43	44	19.5	257	2	4	17	29	42	46	53
SUBTOTAL	**47**	**17.6**	**193**	**3**	**6**	**14**	**29**	**40**	**43**	**43**	**49**	**18.3**	**254**	**2**	**3**	**17**	**29**	**42**	**44**	**53**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	26.0		26	26	26	26	26	26	26
13-17	1	54.0		54	54	54	54	54	54	54	2	22.5	113	15	15	22	30	30	30	30
18-24											3	21.7	364	4	8	19	36	42	42	42
25-34	6	17.3	54	9	10	18	19	28	29	29	3	9.7	153	2	2	3	19	24	24	24
35-54	1	8.0		8	8	8	8	8	8	8	5	28.0	155	8	22	29	36	41	41	41
55-74	1	6.0		6	6	6	6	6	6	6	2	11.0	18	8	8	11	14	14	14	14
75 +											2	7.0	50	2	2	7	12	12	12	12
ALL AGES	9	19.1	225	7	9	18	22	44	54	54	18	18.9	179	2	8	17	29	39	42	42
B. FEMALE																				
0-12 YRS.	2	7.0	32	3	3	7	11	11	11	11	1	1.0		1	1	1	1	1	1	1
13-17	21	22.0	118	7	14	26	31	52	99 +	99 +	28	28.2	379	10	15	24	31	53	81	83
18-24	46	20.2	216	4	7	15	30	40	45	54	41	23.1	163	5	15	22	30	38	48	56
25-34	47	22.3	181	5	11	21	36	40	42	42	47	18.5	193	2	6	18	29	40	42	53
35-54	19	16.5	121	5	7	15	24	31	40	46	30	20.2	132	4	12	19	28	33	37	48
55-74	1	42.0		42	42	42	42	42	42	42	6	24.2	178	5	17	24	33	42	43	43
75 +	1	8.0		8	8	8	8	8	8	8	1	4.0		4	4	4	4	4	4	4
ALL AGES	137	20.6	176	5	10	15	31	40	42	99 +	154	21.8	217	3	11	21	30	41	47	80
SUBTOTAL	**146**	**20.5**	**177**	**5**	**9**	**15**	**30**	**40**	**42**	**99 +**	**172**	**21.5**	**212**	**3**	**11**	**20**	**30**	**41**	**43**	**75**
GRAND TOTAL	**193**	**19.8**	**181**	**4**	**8**	**15**	**30**	**40**	**42**	**79**	**221**	**20.8**	**222**	**2**	**8**	**20**	**30**	**41**	**44**	**63**

ENCOPRESIS (307.7)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	3.5	1	3	3	3	4	4	4	4										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	3.5	1	3	3	3	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	2	3.5	1	3	3	3	4	4	4	4										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4	1	33.0		33	33	33	33	33	33	33
13-17											1	35.0		35	35	35	35	35	35	35
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4	2	34.0	2	33	33	34	35	35	35	35
B. FEMALE																				
0-12 YRS.	1	27.0		27	27	27	27	27	27	27										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	27.0		27	27	27	27	27	27	27										
SUBTOTAL	2	15.5	265	4	4	15	27	27	27	27	2	34.0	2	33	33	34	35	35	35	35
GRAND TOTAL	4	9.5	136	3	3	4	16	27	27	27	2	34.0	2	33	33	34	35	35	35	35

PSYCHALGIA (307.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-24	9	2.1	1	1	1	2	3	4	4	4	1	2.0		2	2	2	2	2	2	2
25-34	13	2.2	2	1	1	2	3	4	5	5										
35-54	12	2.5	2	1	1	2	3	5	6	6	3	3.3	6	2	2	2	5	6	6	6
55-74	3	6.7	6	4	5	7	8	9	9	9	2	7.0	8	5	5	7	9	9	9	9
75 +																				
ALL AGES	38	2.6	3	1	1	2	4	5	7	9	6	4.3	9	2	2	4	6	9	9	9
B. FEMALE																				
0-12 YRS.	5	2.4	1	2	2	2	3	4	4	4										
13-17											2	2.0		2	2	2	2	2	2	2
18-24	7	1.4	1	1	1	1	2	3	3	3	1	2.0		2	2	2	2	2	2	2
25-34	14	2.2	3	1	1	2	3	5	7	7	11	2.6	7	1	1	2	3	7	9	9
35-54	24	2.6	4	1	1	2	4	6	7	8	11	3.5	7	1	1	2	5	7	8	8
55-74	11	3.0	6	1	1	2	5	6	8	8	7	2.0	2	1	1	1	3	5	5	5
75 +	1	2.0		2	2	2	2	2	2	2	5	2.6	6	1	1	2	3	7	7	7
ALL AGES	62	2.4	4	1	1	2	3	5	7	8	37	2.7	5	1	1	2	4	7	8	9
SUBTOTAL	**100**	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**7**	**9**	**43**	**2.9**	**6**	**1**	**1**	**2**	**5**	**7**	**8**	**9**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	2	1.5	1	1	1	1	2	2	2	2	3	10.0	169	2	2	3	19	25	25	25
55-74	1	9.0		9	9	9	9	9	9	9	2	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	3	4.0	19	1	1	2	7	9	9	9	5	6.8	104	2	2	2	8	25	25	25
B. FEMALE																				
0-12 YRS.																				
13-17	1	9.0		9	9	9	9	9	9	9										
18-24	1	11.0		11	11	11	11	11	11	11	2	2.5	1	2	2	2	3	3	3	3
25-34	5	8.8	95	1	2	3	17	23	23	23	8	2.1	1	1	1	2	3	4	4	4
35-54	3	2.3	1	2	2	2	3	3	3	3	7	5.4	18	1	2	4	9	12	12	12
55-74	2	2.0		2	2	2	2	2	2	2	3	4.7	9	2	2	4	7	8	8	8
75 +	1	7.0		7	7	7	7	7	7	7	2	3.5	5	2	2	3	5	5	5	5
ALL AGES	13	6.3	44	1	2	3	9	17	22	23	22	3.7	9	1	2	3	4	9	11	12
SUBTOTAL	**16**	**5.9**	**38**	**1**	**2**	**3**	**9**	**15**	**21**	**23**	**27**	**4.3**	**24**	**1**	**2**	**3**	**4**	**10**	**14**	**25**
GRAND TOTAL	**116**	**3.0**	**9**	**1**	**1**	**2**	**4**	**7**	**9**	**18**	**70**	**3.4**	**13**	**1**	**1**	**2**	**5**	**7**	**9**	**22**

SPECIAL SYMPTOM NEC/NOS (307.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											2	1.5	1	1	1	1	2	2	2	2
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1	1	36.0		36	36	36	36	36	36	36
25-34											1	2.0		2	2	2	2	2	2	2
35-54	1	11.0		11	11	11	11	11	11	11										
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	3	5.0	28	1	1	3	9	11	11	11	4	10.3	294	1	1	2	19	36	36	36
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
13-17																				
18-24																				
25-34																				
35-54	2	4.0	18	1	1	4	7	7	7	7	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +	2	11.0		11	11	11	11	11	11	11	1	2.0		2	2	2	2	2	2	2
ALL AGES	5	6.4	23	1	2	7	11	11	11	11	3	1.3		1	1	1	2	2	2	2
SUBTOTAL	**8**	**5.9**	**21**	**1**	**1**	**5**	**11**	**11**	**11**	**11**	**7**	**6.4**	**171**	**1**	**1**	**2**	**2**	**29**	**36**	**36**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	2.0		2	2	2	2	2	2	2
25-34	2	2.0	2	1	1	1	3	3	3	3	1	1.0		1	1	1	1	1	1	1
35-54	2	3.5	13	1	1	3	6	6	6	6										
55-74	2	5.0	8	3	3	5	7	7	7	7										
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	7	3.3	5	1	1	3	5	7	7	7	2	1.5	1	1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-24											1	3.0		3	3	3	3	3	3	3
25-34	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
35-54	2	7.0		7	7	7	7	7	7	7										
55-74	1	8.0		8	8	8	8	8	8	8										
75 +	3	1.7	1	1	1	1	2	3	3	3	4	3.8	5	2	2	3	5	7	7	7
ALL AGES	8	3.9	9	1	1	3	7	8	8	8	6	3.3	4	2	2	3	4	7	7	7
SUBTOTAL	**15**	**3.6**	**7**	**1**	**1**	**3**	**6**	**7**	**8**	**8**	**8**	**2.9**	**3**	**1**	**2**	**2**	**3**	**6**	**7**	**7**
GRAND TOTAL	**23**	**4.4**	**12**	**1**	**1**	**3**	**7**	**11**	**11**	**11**	**15**	**4.5**	**78**	**1**	**1**	**2**	**3**	**7**	**29**	**36**

STRESS REACT, EMOTIONAL (308.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	6.0		6	6	6	6	6	6	6	1	5.0		5	5	5	5	5	5	5
35-54											7	1.7	1	1	1	2	2	3	3	3
55-74											2	2.5	1	2	2	2	3	3	3	3
75 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6	10	2.2	2	1	1	2	3	4	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24	1	6.0		6	6	6	6	6	6	6	1	1.0		1	1	1	1	1	1	1
25-34	1	1.0		1	1	1	1	1	1	1	2	1.5	1	1	1	1	2	2	2	2
35-54	3	5.0	9	2	3	5	7	8	8	8	11	2.0	1	1	1	2	3	4	4	4
55-74	1	2.0		2	2	2	2	2	2	2	6	2.2	1	1	1	2	3	4	4	4
75 +	1	8.0		8	8	8	8	8	8	8	1	1.0		1	1	1	1	1	1	1
ALL AGES	7	4.6	8	1	2	5	7	8	8	8	21	1.9	1	1	1	2	3	4	4	4
SUBTOTAL	**8**	**4.8**	**7**	**1**	**2**	**5**	**7**	**8**	**8**	**8**	**31**	**2.0**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34	1	2.0		2	2	2	2	2	2	2	1	2.0		2	2	2	2	2	2	2
35-54	2	2.0	2	1	1	2	3	3	3	3	3	2.7	2	1	1	3	4	4	4	4
55-74	2	3.0	8	1	1	3	5	5	5	5	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	5	2.4	3	1	1	2	3	5	5	5	6	2.3	2	1	1	2	3	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17											1	4.0		4	4	4	4	4	4	4
18-24	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
25-34	1	1.0		1	1	1	1	1	1	1	5	2.4	4	1	1	2	3	6	6	6
35-54	4	3.0	5	1	1	3	5	5	5	5	5	6.0	72	1	1	3	8	21	21	21
55-74											3	1.7		1	1	2	2	2	2	2
75 +																				
ALL AGES	6	2.3	4	1	1	1	5	5	5	5	15	3.5	25	1	1	2	4	6	17	21
SUBTOTAL	**11**	**2.4**	**3**	**1**	**1**	**1**	**4**	**5**	**5**	**5**	**21**	**3.1**	**19**	**1**	**1**	**2**	**3**	**5**	**13**	**21**
GRAND TOTAL	**19**	**3.4**	**6**	**1**	**1**	**2**	**5**	**7**	**8**	**8**	**52**	**2.5**	**8**	**1**	**1**	**2**	**3**	**4**	**5**	**21**

STRESS REACTION, FUGUE (308.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	6.0		6	6	6	6	6	6	6										
35-54																				
55-74																				
75 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	**2**	**3.5**	**13**	**1**	**1**	**3**	**6**	**6**	**6**	**6**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											1	7.0		7	7	7	7	7	7	7
55-74																				
75 +																				
ALL AGES											1	7.0		7	7	7	7	7	7	7
SUBTOTAL	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**
GRAND TOTAL	**3**	**3.7**	**6**	**1**	**2**	**4**	**5**	**6**	**6**	**6**	**1**	**7.0**		**7**	**7**	**7**	**7**	**7**	**7**	**7**

STRESS REACT, PSYCHOMOT (308.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74											1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES											1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											1	3.0		3	3	3	3	3	3	3
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74	1	4.0		4	4	4	4	4	4	4										
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
SUBTOTAL	1	4.0		4	4	4	4	4	4	4										
GRAND TOTAL	1	4.0		4	4	4	4	4	4	4	1	3.0		3	3	3	3	3	3	3

ACUTE STRESS REACT NEC (308.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	30.7	318	10	17	40	41	42	42	42	1	2.0		2	2	2	2	2	2	2
13-17	3	7.3	22	2	4	10	10	10	10	10	1	5.0		5	5	5	5	5	5	5
18-24	2	5.0	2	4	4	5	6	6	6	6										
25-34	8	3.8	11	1	1	2	7	8	9	9	2	1.5	1	1	1	1	2	2	2	2
35-54	4	3.8	23	1	1	2	6	11	11	11	1	1.0		1	1	1	1	1	1	1
55-74											2	3.5	1	3	3	3	4	4	4	4
75 +																				
ALL AGES	20	8.5	136	1	2	5	10	25	41	42	7	2.6	2	1	1	2	4	5	5	5
B. FEMALE																				
0-12 YRS.	4	36.0		36	36	36	36	36	36	36										
13-17	4	5.8	1	4	5	6	7	7	7	7	1	1.0		1	1	1	1	1	1	1
18-24	3	14.7	80	6	8	14	21	24	24	24	2	2.0		2	2	2	2	2	2	2
25-34	11	5.2	17	1	1	6	8	11	13	13	7	4.6	41	1	1	2	4	16	19	19
35-54	8	4.8	15	1	2	3	8	11	11	11	5	6.8	53	2	2	3	11	19	19	19
55-74	3	3.3	1	3	3	3	4	4	4	4	4	1.3		1	1	1	2	2	2	2
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	33	9.6	121	1	3	6	10	36	36	36	20	4.1	29	1	1	2	4	13	19	19
SUBTOTAL	**53**	**9.2**	**124**	**1**	**2**	**6**	**10**	**36**	**36**	**42**	**27**	**3.7**	**22**	**1**	**1**	**2**	**4**	**7**	**19**	**19**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	6	47.2	680	14	16	54	72	72	72	72										
13-17	4	4.8	17	2	2	3	7	11	11	11	2	3.0		3	3	3	3	3	3	3
18-24	3	4.7	14	2	2	3	7	9	9	9										
25-34	3	3.0	12	1	1	1	5	7	7	7	2	3.0	8	1	1	2	5	5	5	5
35-54	6	8.0	58	1	3	6	10	21	22	22	2	1.5	1	1	1	1	2	2	2	2
55-74	1	1.0		1	1	1	1	1	1	1										
75 +																				
ALL AGES	23	16.3	528	1	2	7	15	59	72	72	6	2.5	2	1	1	2	3	5	5	5
B. FEMALE																				
0-12 YRS.	1	35.0		35	35	35	35	35	35	35	1	26.0		26	26	26	26	26	26	26
13-17	12	11.1	139	2	3	6	14	34	35	35	2	4.5	5	3	3	4	6	6	6	6
18-24	8	8.3	58	1	2	5	14	20	21	21	1	5.0		5	5	5	5	5	5	5
25-34	16	6.2	36	1	2	4	8	17	20	21	2	3.5	5	2	2	3	5	5	5	5
35-54	14	7.1	16	2	3	8	9	13	13	13	6	4.8	14	1	2	4	8	10	10	10
55-74																				
75 +	2	1.5	1	1	1	1	2	2	2	2										
ALL AGES	53	8.2	71	1	2	7	10	19	32	35	12	6.3	46	1	2	5	7	15	24	26
SUBTOTAL	**76**	**10.7**	**217**	**1**	**2**	**7**	**11**	**22**	**48**	**72**	**18**	**5.1**	**33**	**1**	**2**	**3**	**6**	**9**	**20**	**26**
GRAND TOTAL	**129**	**10.0**	**180**	**1**	**2**	**6**	**10**	**30**	**37**	**72**	**45**	**4.2**	**27**	**1**	**2**	**2**	**5**	**8**	**19**	**26**

STRESS REACT, MIXED DIS (308.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES											1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34											1	5.0		5	5	5	5	5	5	5
35-54																				
55-74																				
75 +																				
ALL AGES											1	5.0		5	5	5	5	5	5	5
SUBTOTAL											**2**	**3.5**	**5**	**2**	**2**	**3**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17											1	3.0		3	3	3	3	3	3	3
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	3.0		3	3	3	3	3	3	3
SUBTOTAL											**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**
GRAND TOTAL											**3**	**3.3**	**3**	**2**	**2**	**3**	**4**	**5**	**5**	**5**

ACUTE STRESS REACT NOS (308.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54	3	1.3		1	1	1	2	2	2	2	4	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	3	1.3		1	1	1	2	2	2	2	4	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24	2	3.0	8	1	1	3	5	5	5	5	3	1.0		1	1	1	1	1	1	1
25-34	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
35-54	1	1.0		1	1	1	1	1	1	1	2	1.5	1	1	1	1	2	2	2	2
55-74											2	1.5	1	1	1	1	2	2	2	2
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	5	3.0	8	1	1	1	5	7	7	7	9	1.2		1	1	1	1	2	2	2
SUBTOTAL	**8**	**2.4**	**5**	**1**	**1**	**1**	**3**	**6**	**7**	**7**	**13**	**1.2**		**1**	**1**	**1**	**1**	**2**	**2**	**2**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24											1	1.0		1	1	1	1	1	1	1
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	2	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	1	2.0		2	2	2	2	2	2	2	3	2.7	2	1	1	3	4	4	4	4
55-74																				
75 +																				
ALL AGES	4	1.5		1	1	1	2	2	2	2	3	2.7	2	1	1	3	4	4	4	4
SUBTOTAL	**6**	**1.3**		**1**	**1**	**1**	**2**	**2**	**2**	**2**	**4**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**4**
GRAND TOTAL	**14**	**1.9**	**3**	**1**	**1**	**1**	**2**	**5**	**7**	**7**	**17**	**1.4**	**1**	**1**	**1**	**1**	**2**	**3**	**4**	**4**

BRIEF DEPRESSIVE REACT (309.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	9.5	38	2	3	10	14	17	17	17	3	8.7	40	4	4	6	13	16	16	16
13-17	55	7.6	59	2	3	4	11	18	21	38	4	2.0	1	1	1	2	3	3	3	3
18-24	58	3.0	14	1	1	2	3	6	13	18	12	3.3	6	1	1	3	5	7	8	8
25-34	73	3.4	8	1	1	3	4	8	10	14	10	2.7	12	1	1	1	2	9	11	11
35-54	67	3.5	8	1	1	3	5	7	8	15	7	3.6	22	1	1	2	4	12	14	14
55-74	9	10.1	94	2	2	6	16	26	26	26	4	4.0	5	2	2	3	5	7	7	7
75 +	11	4.5	6	1	3	4	7	8	8	8	3	3.0	7	1	1	2	5	6	6	6
ALL AGES	279	4.5	27	1	1	3	6	10	15	26	43	3.5	13	1	1	2	4	7	12	16
B. FEMALE																				
0-12 YRS.	7	13.0	100	2	7	11	19	29	31	31	2	9.0	32	5	5	9	13	13	13	13
13-17	122	7.3	49	1	2	5	8	19	22	31	12	5.5	15	1	2	5	7	11	14	14
18-24	106	4.7	50	1	1	2	5	9	13	37	13	2.2	5	1	1	1	3	5	7	8
25-34	122	3.9	19	1	1	2	4	10	15	20	17	4.1	13	1	2	3	5	7	13	16
35-54	113	4.4	16	1	2	3	6	10	14	20	31	3.8	14	1	1	3	5	9	12	17
55-74	22	7.7	126	2	2	5	8	11	30	56	11	3.9	3	2	3	4	5	6	7	7
75 +	11	7.4	32	2	3	5	11	17	19	19	4	3.5	3	1	2	4	5	5	5	5
ALL AGES	503	5.4	40	1	2	3	7	13	19	35	90	4.0	11	1	1	3	5	7	12	17
SUBTOTAL	**782**	**5.1**	**35**	**1**	**2**	**3**	**6**	**12**	**18**	**33**	**133**	**3.8**	**12**	**1**	**1**	**3**	**5**	**7**	**12**	**16**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	12.5	118	1	4	11	20	27	27	27	1	27.0		27	27	27	27	27	27	27
13-17	44	11.1	147	1	3	7	15	27	36	59	17	8.2	55	1	3	6	11	20	26	28
18-24	88	3.5	9	1	1	3	4	9	11	12	32	4.4	11	1	2	3	7	9	11	14
25-34	112	4.3	15	1	2	3	6	9	15	17	28	3.5	6	1	1	3	5	8	8	9
35-54	92	4.8	37	1	2	3	6	9	17	35	22	4.4	16	1	2	4	5	9	14	18
55-74	13	4.0	10	1	2	3	5	8	11	12	5	6.0	5	3	4	6	7	9	9	9
75 +	2	23.5	841	3	3	23	44	44	44	44	3	2.3	3	1	1	2	3	4	4	4
ALL AGES	355	5.3	46	1	2	3	6	12	17	37	108	5.0	23	1	2	4	7	10	14	27
B. FEMALE																				
0-12 YRS.	10	11.4	96	2	6	9	12	27	35	35	5	2.4	4	1	1	1	4	5	5	5
13-17	115	9.5	87	1	3	6	12	22	29	44	24	5.1	36	1	2	3	6	9	17	30
18-24	109	5.3	60	1	1	3	6	13	17	41	25	2.9	4	1	1	2	4	7	7	8
25-34	171	5.3	36	1	2	3	6	12	18	30	31	4.1	10	1	2	3	5	9	12	13
35-54	146	5.8	29	1	2	4	8	13	15	26	41	4.8	42	1	2	3	5	8	12	41
55-74	21	6.3	29	1	2	4	11	15	16	16	3	2.3	1	2	2	2	3	3	3	3
75 +	9	8.9	32	2	4	8	13	17	19	19	3	5.3	6	4	4	4	7	8	8	8
ALL AGES	581	6.5	52	1	2	4	8	14	21	35	132	4.2	23	1	2	3	5	8	11	32
SUBTOTAL	**936**	**6.0**	**50**	**1**	**2**	**3**	**7**	**14**	**19**	**35**	**240**	**4.6**	**23**	**1**	**2**	**3**	**6**	**9**	**12**	**28**
GRAND TOTAL	**1718**	**5.6**	**43**	**1**	**2**	**3**	**7**	**13**	**18**	**35**	**373**	**4.3**	**19**	**1**	**2**	**3**	**5**	**8**	**12**	**26**

PROLONG DEPRESSIVE REACT (309.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	13.7	148	3	5	11	23	27	27	27										
13-17	2	22.5	145	14	14	22	31	31	31	31										
18-24	2	6.5	41	2	2	6	11	11	11	11										
25-34	4	4.0	9	1	1	3	6	8	8	8										
35-54	3	3.3	1	3	3	3	4	4	4	4										
55-74	2	8.5	61	3	3	8	14	14	14	14	1	5.0		5	5	5	5	5	5	5
75 +	1	29.0		29	29	29	29	29	29	29										
ALL AGES	17	10.1	99	2	3	4	14	29	30	31	1	5.0		5	5	5	5	5	5	5
B. FEMALE																				
0-12 YRS.	1	20.0		20	20	20	20	20	20	20										
13-17	6	13.8	126	3	3	13	19	31	32	32										
18-24	4	3.5	9	1	1	3	6	7	7	7	1	2.0		2	2	2	2	2	2	2
25-34	6	6.2	2	4	5	6	8	8	8	8	1	5.0		5	5	5	5	5	5	5
35-54	5	5.2	20	1	2	3	9	11	11	11	3	4.3	11	2	2	3	7	8	8	8
55-74	4	4.3	11	1	2	3	6	9	9	9	1	5.0		5	5	5	5	5	5	5
75 +	2	9.0	50	4	4	9	14	14	14	14	2	3.5	1	3	3	3	4	4	4	4
ALL AGES	28	7.7	51	1	3	5	9	18	21	32	8	4.0	4	2	2	4	5	7	8	8
SUBTOTAL	**45**	**8.6**	**68**	**1**	**3**	**5**	**11**	**20**	**29**	**32**	**9**	**4.1**	**4**	**2**	**3**	**4**	**5**	**7**	**8**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	11.0		11	11	11	11	11	11	11										
13-17	4	27.3	319	9	12	26	42	48	48	48	1	21.0		21	21	21	21	21	21	21
18-24	5	14.0	539	1	1	3	21	55	55	55										
25-34	13	5.9	35	1	1	4	8	15	20	21										
35-54	7	6.3	37	1	1	3	12	15	15	15	3	3.7	2	2	2	4	5	5	5	5
55-74											1	8.0		8	8	8	8	8	8	8
75 +	3	5.7		5	5	6	6	6	6	6	1	2.0		2	2	2	2	2	2	2
ALL AGES	33	9.9	170	1	2	6	11	24	46	55	6	7.0	52	2	2	4	8	20	21	21
B. FEMALE																				
0-12 YRS.																				
13-17	7	11.7	234	1	2	5	15	39	44	44	2	1.0		1	1	1	1	1	1	1
18-24	2	5.5	13	3	3	5	8	8	8	8										
25-34	15	8.4	48	3	3	5	12	14	24	28	5	10.2	97	1	4	6	16	26	26	26
35-54	4	5.3	28	1	2	3	8	13	13	13	5	3.6	1	3	3	3	4	5	5	5
55-74	4	3.5	6	1	2	3	5	7	7	7	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	32	7.9	79	1	3	4	11	15	27	44	13	5.6	48	1	2	3	5	16	24	26
SUBTOTAL	**65**	**9.0**	**122**	**1**	**3**	**5**	**11**	**17**	**38**	**54**	**19**	**6.1**	**46**	**1**	**2**	**4**	**6**	**18**	**24**	**26**
GRAND TOTAL	**110**	**8.8**	**100**	**1**	**3**	**5**	**11**	**19**	**31**	**51**	**28**	**5.4**	**33**	**1**	**2**	**4**	**5**	**12**	**21**	**26**

ADJUST REACT/OTH EMOTION (309.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	18.8	403	2	4	13	33	47	47	47										
13-17	13	6.8	84	1	2	5	7	14	32	36	2	2.0	2	1	1	1	3	3	3	3
18-24	4	1.0		1	1	1	1	1	1	1	4	3.3		2	2	3	4	4	4	4
25-34	16	2.6	6	1	1	2	3	7	8	9	3	12.0	151	3	4	7	21	26	26	26
35-54	18	5.2	18	1	2	4	7	10	15	17	3	3.0	12	1	1	1	6	7	7	7
55-74	3	2.7		2	2	3	3	3	3	3	2	8.0	72	2	2	8	14	14	14	14
75 +	1	1.0		1	1	1	1	1	1	1	1	3.0		3	3	3	3	3	3	3
ALL AGES	59	5.3	62	1	1	3	6	9	18	46	15	5.4	44	1	2	3	6	14	23	26
B. FEMALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14										
13-17	40	7.5	58	1	3	5	11	15	17	44	10	7.4	43	1	2	5	11	18	21	21
18-24	26	4.0	7	1	2	3	6	9	9	9	6	4.3	8	1	1	5	7	7	7	7
25-34	34	4.9	19	1	2	3	7	12	14	18	7	6.7	69	1	2	4	6	21	25	25
35-54	30	5.8	17	1	2	6	8	10	13	19	15	5.9	47	1	2	4	7	12	24	28
55-74	10	6.1	29	1	3	5	7	14	20	20	3	3.3	7	1	1	3	5	6	6	6
75 +	4	8.3	74	2	3	5	13	21	21	21										
ALL AGES	145	5.9	30	1	2	5	8	12	15	22	41	6.0	39	1	2	4	7	13	23	28
SUBTOTAL	**204**	**5.7**	**39**	**1**	**2**	**4**	**7**	**12**	**17**	**40**	**56**	**5.8**	**40**	**1**	**2**	**4**	**7**	**14**	**24**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	18.4	77	9	13	14	26	31	32	32										
13-17	12	8.3	37	1	3	8	12	18	18	18	7	12.3	108	3	4	7	19	29	31	31
18-24	19	4.3	10	1	3	3	6	7	12	15	5	5.0	1	4	4	5	6	6	6	6
25-34	28	4.7	14	1	2	4	5	11	13	17	8	3.1	4	1	1	3	5	5	5	5
35-54	24	5.9	38	1	1	3	9	13	18	26	3	12.7	93	2	5	15	19	21	21	21
55-74	2	3.0	2	2	2	3	4	4	4	4	1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	92	6.4	39	1	2	4	9	15	18	30	24	7.3	58	1	3	5	7	21	24	31
B. FEMALE																				
0-12 YRS.											1	35.0		35	35	35	35	35	35	35
13-17	34	9.9	70	1	3	8	15	23	29	30	6	14.5	202	3	5	7	29	35	36	36
18-24	21	4.8	13	1	2	5	7	9	11	14	6	4.5	16	1	2	3	5	11	12	12
25-34	36	5.5	24	1	2	4	8	13	15	17	8	4.8	14	1	2	3	7	11	12	12
35-54	43	6.0	42	1	1	4	8	14	20	32	6	15.7	239	3	4	8	30	39	40	40
55-74	13	8.4	44	4	4	5	10	22	23	23										
75 +	4	4.0	1	3	3	4	5	5	5	5	2	3.5	1	3	3	3	4	4	4	4
ALL AGES	151	6.7	42	1	2	5	9	15	22	30	29	9.9	137	2	3	5	10	33	36	40
SUBTOTAL	**243**	**6.6**	**41**	**1**	**2**	**5**	**9**	**15**	**20**	**30**	**53**	**8.7**	**101**	**1**	**3**	**5**	**9**	**29**	**34**	**40**
GRAND TOTAL	**447**	**6.2**	**40**	**1**	**2**	**4**	**8**	**14**	**18**	**32**	**109**	**7.2**	**72**	**1**	**2**	**4**	**7**	**21**	**29**	**38**

ADJUST REACT-CONDUCT DIS (309.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	9.0	50	4	4	9	14	14	14	14										
13-17	16	9.6	82	2	4	8	13	14	32	39	1	4.0		4	4	4	4	4	4	4
18-24	2	2.5	5	1	1	2	4	4	4	4	1	5.0		5	5	5	5	5	5	5
25-34	3	3.3	11	1	1	2	6	7	7	7										
35-54	4	2.5	2	1	1	2	3	4	4	4										
55-74																				
75 +																				
ALL AGES	27	7.3	61	1	2	5	11	14	18	39	2	4.5	1	4	4	4	5	5	5	5
B. FEMALE																				
0-12 YRS.	2	2.5	5	1	1	2	4	4	4	4										
13-17	13	8.7	90	1	3	4	15	20	31	34	3	6.0	12	4	4	4	9	10	10	10
18-24	7	1.9	2	1	1	1	3	4	4	4										
25-34	3	6.0	28	2	2	4	10	12	12	12										
35-54	4	3.0	1	2	2	3	4	4	4	4										
55-74																				
75 +																				
ALL AGES	29	5.6	50	1	1	3	4	16	18	34	3	6.0	12	4	4	4	9	10	10	10
SUBTOTAL	**56**	**6.4**	**55**	**1**	**2**	**4**	**8**	**14**	**17**	**39**	**5**	**5.4**	**7**	**4**	**4**	**4**	**6**	**10**	**10**	**10**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	14.0	28	10	10	12	18	20	20	20										
13-17	15	4.9	25	1	2	2	7	9	17	20										
18-24	6	3.3	9	1	1	2	4	8	9	9	2	3.0	8	1	1	3	5	5	5	5
25-34	4	1.8	1	1	1	2	2	3	3	3	1	3.0		3	3	3	3	3	3	3
35-54	7	4.9	23	1	1	2	7	13	14	14										
55-74	1	2.0		2	2	2	2	2	2	2										
75 +											1	1.0		1	1	1	1	1	1	1
ALL AGES	36	4.9	27	1	1	2	7	12	18	20	4	2.5	4	1	1	2	4	5	5	5
B. FEMALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-17	10	8.5	102	2	2	6	9	23	36	36										
18-24	5	4.6	41	1	1	2	6	16	16	16										
25-34	7	2.1	5	1	1	1	2	6	7	7										
35-54																				
55-74																				
75 +																				
ALL AGES	23	5.7	59	1	1	2	7	11	23	36										
SUBTOTAL	**59**	**5.3**	**38**	**1**	**1**	**2**	**7**	**11**	**18**	**35**	**4**	**2.5**	**4**	**1**	**1**	**2**	**4**	**5**	**5**	**5**
GRAND TOTAL	**115**	**5.8**	**47**	**1**	**2**	**3**	**8**	**14**	**17**	**37**	**9**	**4.1**	**7**	**1**	**3**	**4**	**5**	**8**	**10**	**10**

ADJ REACT-EMOTION/CONDUC (309.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	10	10.2	102	3	3	7	28	99 +	99 +	99 +	3	16.0	196	2	5	16	26	30	30	30
13-17	29	10.6	140	2	3	6	14	26	39	50	2	17.0	200	7	7	17	27	27	27	27
18-24	15	3.2	10	1	1	2	4	10	11	11	1	2.0		2	2	2	2	2	2	2
25-34	15	3.3	21	1	1	2	4	5	15	19	7	5.9	14	2	4	4	9	12	12	12
35-54	11	5.2	99	1	1	2	3	16	33	35	3	5.0	4	3	3	5	6	7	7	7
55-74	2	13.5	13	11	11	13	16	16	16	16										
75 +																				
ALL AGES	82	7.2	90	1	2	3	10	24	36	99 +	16	8.8	74	2	3	5	11	26	29	30
B. FEMALE																				
0-12 YRS.	4	11.0	67	5	6	8	16	23	23	23										
13-17	69	7.5	38	1	3	6	10	15	18	33	8	7.6	22	2	3	7	11	14	15	15
18-24	21	4.0	27	1	1	3	4	7	15	25	3	1.7	1	1	1	1	2	3	3	3
25-34	12	4.1	10	1	2	3	5	10	11	11	2	4.5	5	3	3	4	6	6	6	6
35-54	26	9.5	137	1	2	5	11	31	40	41	4	9.5	152	3	3	4	16	28	28	28
55-74	4	2.8	8	1	1	1	4	7	7	7	1	13.0		13	13	13	13	13	13	13
75 +	3	4.3	7	2	2	4	6	7	7	7										
ALL AGES	139	6.9	55	1	2	5	9	14	23	40	18	7.0	46	1	3	4	9	14	23	28
SUBTOTAL	**221**	**7.0**	**68**	**1**	**2**	**4**	**9**	**16**	**28**	**63**	**34**	**7.8**	**59**	**2**	**3**	**5**	**10**	**17**	**28**	**30**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	8	24.5	292	5	11	19	41	47	49	49										
13-17	32	9.6	98	1	3	4	15	25	30	35	1	29.0		29	29	29	29	29	29	29
18-24	25	5.5	18	1	2	5	7	14	14	15	9	4.7	4	2	3	4	7	8	8	8
25-34	43	4.1	19	1	1	2	4	11	15	18	17	9.7	199	2	4	6	9	16	46	62
35-54	20	6.6	38	1	3	5	8	14	21	27	9	5.9	17	2	3	5	8	12	15	15
55-74	2	4.5	25	1	1	4	8	8	8	8										
75 +																				
ALL AGES	130	7.4	78	1	2	4	9	18	26	45	36	8.0	114	2	3	5	8	15	25	62
B. FEMALE																				
0-12 YRS.	2	30.0	338	17	17	30	43	43	43	43										
13-17	51	12.5	127	2	4	10	15	28	37	51	1	13.0		13	13	13	13	13	13	13
18-24	32	6.4	82	1	2	5	7	11	15	52	3	6.0	37	2	2	3	10	13	13	13
25-34	43	6.0	51	1	2	3	8	16	17	39	8	4.5	8	1	2	4	6	9	10	10
35-54	27	6.0	27	1	2	5	8	14	15	20	7	7.9	11	4	5	6	11	13	13	13
55-74	5	5.8	5	2	5	6	7	8	8	8	2	7.0	72	1	1	7	13	13	13	13
75 +	3	6.0	19	3	3	4	9	11	11	11	1	8.0		8	8	8	8	8	8	8
ALL AGES	163	8.4	89	1	2	5	11	16	27	51	22	6.5	18	2	3	5	10	13	13	13
SUBTOTAL	**293**	**7.9**	**85**	**1**	**2**	**5**	**10**	**17**	**26**	**49**	**58**	**7.5**	**76**	**2**	**3**	**5**	**8**	**13**	**16**	**59**
GRAND TOTAL	**514**	**7.5**	**78**	**1**	**2**	**4**	**10**	**16**	**27**	**50**	**92**	**7.6**	**69**	**2**	**3**	**5**	**9**	**14**	**26**	**49**

OTHER ADJUST REACTION (309.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	27.0	3	26	26	26	28	29	29	29	2	4.0		4	4	4	4	4	4	4
13-17	10	14.1	192	2	3	9	24	34	44	44										
18-24	4	3.5	7	1	1	3	5	7	7	7										
25-34	5	9.0	79	2	3	5	13	24	24	24	1	28.0		28	28	28	28	28	28	28
35-54	7	3.1	6	1	1	3	5	7	7	7	3	6.7	54	1	2	4	12	15	15	15
55-74	1	11.0		11	11	11	11	11	11	11										
75 +																				
ALL AGES	30	10.5	125	1	3	5	18	26	29	44	6	9.3	108	1	4	4	15	27	28	28
B. FEMALE																				
0-12 YRS.	5	36.2	223	14	28	37	45	55	55	55	3	13.7	183	1	4	12	24	28	28	28
13-17	19	12.6	206	1	6	9	16	49	79	99 +	1	4.0		4	4	4	4	4	4	4
18-24	4	3.8	7	1	1	3	6	7	7	7										
25-34	6	5.7	25	1	2	4	12	12	12	12	6	6.0	23	2	2	5	7	14	15	15
35-54	8	10.4	84	1	5	9	11	25	31	31	4	12.3	55	1	8	15	16	17	17	17
55-74																				
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	43	13.0	210	1	4	9	15	39	56	99 +	14	9.3	64	1	2	6	15	18	26	28
SUBTOTAL	**73**	**11.9**	**176**	**1**	**3**	**7**	**16**	**33**	**44**	**90**	**20**	**9.3**	**72**	**1**	**3**	**5**	**15**	**22**	**28**	**28**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	6	40.2	712	9	44	66	99 +	99 +	99 +	99 +										
13-17	16	9.6	57	1	4	9	11	23	27	28	2	5.0	32	1	1	5	9	9	9	9
18-24	3	23.0	400	3	8	23	38	43	43	43										
25-34	7	3.1	3	1	2	3	5	5	5	5										
35-54	11	10.0	254	1	1	3	10	37	51	52	4	8.3	84	1	1	5	15	21	21	21
55-74	1	1.0		1	1	1	1	1	1	1										
75 +																				
ALL AGES	44	13.5	318	1	3	9	27	86	99 +	99 +	6	7.2	60	1	1	5	9	20	21	21
B. FEMALE																				
0-12 YRS.	12	37.8	140	26	32	40	49	99 +	99 +	99 +	1	34.0		34	34	34	34	34	34	34
13-17	47	14.0	99	3	6	12	18	30	38	99 +	4	8.8	239	1	1	1	17	32	32	32
18-24	28	11.6	64	2	5	10	16	24	30	31										
25-34	23	13.0	230	1	3	6	21	40	44	49	10	13.8	45	5	10	13	19	23	27	27
35-54	26	9.8	87	1	3	7	13	25	29	39	5	7.2	69	2	3	4	9	22	22	22
55-74	3	6.0	4	4	4	6	7	8	8	8	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	139	14.4	166	3	5	11	19	38	46	99 +	21	11.8	106	1	4	10	19	29	33	34
SUBTOTAL	**183**	**14.2**	**200**	**2**	**4**	**10**	**23**	**42**	**65**	**99 +**	**27**	**10.7**	**99**	**1**	**3**	**9**	**18**	**26**	**32**	**34**
GRAND TOTAL	**256**	**13.6**	**192**	**1**	**4**	**9**	**19**	**42**	**55**	**99 +**	**47**	**10.1**	**86**	**1**	**3**	**7**	**15**	**26**	**29**	**34**

ADJUSTMENT REACTION NOS (309.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	5	6.6	16	2	4	6	8	13	13	13	3	1.7	1	1	1	1	2	3	3	3
18-24	10	2.3	2	1	1	2	2	5	6	6	1	1.0		1	1	1	1	1	1	1
25-34	3	2.7	4	1	1	2	4	5	5	5	2	2.5	1	2	2	2	3	3	3	3
35-54	10	3.4	5	1	2	3	6	7	7	7	2	2.5	1	2	2	2	3	3	3	3
55-74	2	10.5	181	1	1	10	20	20	20	20										
75 +	1	28.0		28	28	28	28	28	28	28	1	2.0		2	2	2	2	2	2	2
ALL AGES	31	4.7	35	1	2	2	6	10	20	28	9	2.0	1	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	14	6.6	104	1	1	2	11	20	33	37	4	1.5	1	1	1	1	2	3	3	3
18-24	14	2.1	2	1	1	2	3	4	5	5	2	3.5	13	1	1	3	6	6	6	6
25-34	7	1.9	1	1	1	1	3	4	4	4	3	2.0	1	1	1	2	3	3	3	3
35-54	8	2.5	3	1	1	2	4	5	5	5										
55-74	1	2.0		2	2	2	2	2	2	2	1	8.0		8	8	8	8	8	8	8
75 +											1	7.0		7	7	7	7	7	7	7
ALL AGES	44	3.6	37	1	1	2	3	6	13	37	11	3.1	7	1	1	2	5	7	8	8
SUBTOTAL	**75**	**4.1**	**36**	**1**	**1**	**2**	**4**	**7**	**17**	**35**	**20**	**2.6**	**4**	**1**	**1**	**2**	**3**	**6**	**7**	**8**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6	1	3.0		3	3	3	3	3	3	3
13-17	6	12.3	289	1	2	6	12	43	46	46										
18-24	12	4.7	38	1	1	2	5	15	20	21	5	6.6	75	2	2	3	8	22	22	22
25-34	18	2.6	4	1	1	2	3	6	7	7	3	1.7		1	1	2	2	2	2	2
35-54	18	3.9	19	1	2	3	5	6	15	20	7	6.6	24	1	3	6	10	14	15	15
55-74	4	6.8	41	1	2	5	11	16	16	16										
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	60	4.8	48	1	1	3	5	10	18	43	16	5.4	34	1	2	3	6	15	20	22
B. FEMALE																				
0-12 YRS.											1	2.0		2	2	2	2	2	2	2
13-17	15	8.0	116	1	2	5	9	38	82	99 +	5	11.6	222	3	3	6	15	38	38	38
18-24	21	4.2	28	1	1	2	5	9	18	23	8	1.9	1	1	1	2	3	4	4	4
25-34	23	3.4	13	1	1	2	4	9	13	14	3	9.3	53	1	4	13	14	14	14	14
35-54	18	5.3	53	1	1	2	7	19	24	24	6	6.7	27	1	3	6	8	15	16	16
55-74	8	4.9	23	1	1	3	7	13	15	15	1	6.0		6	6	6	6	6	6	6
75 +	1	26.0		26	26	26	26	26	26	26										
ALL AGES	86	5.2	49	1	1	2	6	14	25	77	24	6.2	65	1	2	3	7	14	23	38
SUBTOTAL	**146**	**5.0**	**49**	**1**	**1**	**3**	**5**	**13**	**23**	**48**	**40**	**5.9**	**51**	**1**	**2**	**3**	**7**	**14**	**19**	**38**
GRAND TOTAL	**221**	**4.7**	**44**	**1**	**1**	**2**	**5**	**11**	**21**	**41**	**60**	**4.8**	**38**	**1**	**1**	**3**	**6**	**12**	**15**	**36**

FRONTAL LOBE SYNDROME (310.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +	2	10.5	61	5	5	10	16	16	16	16	1	5.0		5	5	5	5	5	5	5
ALL AGES	2	10.5	61	5	5	10	16	16	16	16	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	**2**	**10.5**	**61**	**5**	**5**	**10**	**16**	**16**	**16**	**16**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	13.0		13	13	13	13	13	13	13										
35-54	1	7.0		7	7	7	7	7	7	7										
55-74	1	15.0		15	15	15	15	15	15	15										
75 +																				
ALL AGES	3	11.7	16	7	8	13	14	15	15	15										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	8.0		8	8	8	8	8	8	8										
35-54																				
55-74																				
75 +																				
ALL AGES	1	8.0		8	8	8	8	8	8	8										
SUBTOTAL	**4**	**10.8**	**13**	**7**	**7**	**10**	**14**	**15**	**15**	**15**										
GRAND TOTAL	**6**	**10.7**	**20**	**5**	**7**	**10**	**15**	**16**	**16**	**16**	**1**	**5.0**		**5**	**5**	**5**	**5**	**5**	**5**	**5**

ORGANIC PERSONALITY SYND (310.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	46.5	22	41	43	46	50	52	52	52										
13-17	2	18.5	313	6	6	18	31	31	31	31										
18-24	5	6.2	62	1	2	3	9	20	20	20	3	7.0	19	4	4	5	10	12	12	12
25-34	1	5.0		5	5	5	5	5	5	5	2	9.0	128	1	1	8	17	17	17	17
35-54	3	6.3	34	3	3	3	11	13	13	13	2	21.5	145	13	13	21	30	30	30	30
55-74	2	4.5	1	4	4	4	5	5	5	5	3	8.3	45	4	4	5	13	16	16	16
75 +	2	5.0	32	1	1	4	9	9	9	[illegible]	3	2.7	2	1	1	3	4	4	4	4
ALL AGES	19	15.6	326	1	3	5	28	47	50	52	13	8.8	72	1	3	5	14	20	28	30
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	1	18.0		18	18	18	18	18	18	18
13-17	1	32.0		32	32	32	32	32	32	32										
18-24																				
25-34	5	11.4	109	6	6	7	13	30	30	30										
35-54	1	1.0		1	1	1	1	1	1	1	1	20.0		20	20	20	20	20	20	20
55-74	5	9.8	74	1	1	12	15	22	22	22	3	14.7	199	6	6	7	25	31	31	31
75 +	3	10.7	251	1	1	2	22	29	29	29	6	5.7	8	2	3	6	7	10	10	10
ALL AGES	16	10.8	125	1	2	7	17	30	31	32	11	10.5	79	3	6	7	16	24	30	31
SUBTOTAL	**35**	**13.4**	**233**	**1**	**2**	**6**	**21**	**41**	**47**	**52**	**24**	**9.6**	**72**	**2**	**4**	**6**	**14**	**21**	**30**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	30.8	476	8	10	36	44	61	61	61										
13-17	7	22.4	197	7	11	22	33	42	44	44										
18-24	1	13.0		13	13	13	13	13	13	13										
25-34	5	8.0	91	3	3	4	10	25	25	25	1	11.0		11	11	11	11	11	11	11
35-54	6	15.5	118	4	9	13	19	33	35	35	1	11.0		11	11	11	11	11	11	11
55-74	1	5.0		5	5	5	5	5	5	5	2	4.0	2	3	3	4	5	5	5	5
75 +																				
ALL AGES	25	18.5	237	4	6	11	30	38	48	61	4	7.5	17	3	4	8	11	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17	5	24.8	240	2	16	23	37	42	42	42										
18-24																				
25-34	1	18.0		18	18	18	18	18	18	18	1	7.0		7	7	7	7	7	7	7
35-54	4	11.0	89	2	3	10	19	21	21	21										
55-74	3	13.7	25	8	10	15	17	18	18	18										
75 +																				
ALL AGES	13	17.5	145	2	7	18	22	37	41	42	1	7.0		7	7	7	7	7	7	7
SUBTOTAL	**38**	**18.1**	**203**	**3**	**6**	**15**	**25**	**37**	**43**	**61**	**5**	**7.4**	**13**	**3**	**4**	**7**	**11**	**11**	**11**	**11**
GRAND TOTAL	**73**	**15.9**	**219**	**2**	**4**	**11**	**23**	**39**	**45**	**59**	**29**	**9.2**	**62**	**2**	**4**	**6**	**12**	**19**	**30**	**31**

POSTCONCUSSION SYNDROME (310.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	13	2.2	5	1	1	1	3	5	8	9	20	1.2		1	1	1	1	2	2	2
13-17	9	1.7		1	1	2	2	3	3	3	7	1.0		1	1	1	1	1	1	1
18-24	9	2.4	11	1	1	1	2	8	11	11	11	6.5	116	1	1	2	11	54	93	99 +
25-34	6	2.2	3	1	1	1	4	5	5	5	16	14.8	744	1	2	4	11	77	84	84
35-54	10	3.4	8	1	1	3	4	8	9	9	14	2.5	3	1	1	2	3	5	7	7
55-74	5	4.6	28	2	2	2	6	14	14	14	9	3.9	17	1	1	3	4	11	14	14
75 +	3	7.7	80	2	2	3	14	18	18	18	6	4.2	6	1	2	4	6	8	8	8
ALL AGES	55	2.9	11	1	1	2	3	7	11	18	83	5.2	178	1	1	2	4	10	24	95
B. FEMALE																				
0-12 YRS.											14	1.6		1	1	2	2	2	3	3
13-17	2	1.0		1	1	1	1	1	1	1	7	1.4	1	1	1	1	2	3	3	3
18-24	6	2.0	2	1	1	2	2	5	5	5	2	1.0		1	1	1	1	1	1	1
25-34	3	1.8	1	1	1	2	3	3	3	3	5	2.0	2	1	1	1	3	4	4	4
35-54	8	2.9	7	1	1	2	4	7	8	8	11	2.7	3	1	2	2	3	5	7	7
55-74	5	6.2	38	2	3	4	8	17	17	17	3	6.7	35	1	3	5	7	17	18	18
75 +	4	3.5	6	1	1	3	5	6	6	6	9	4.3	10	1	1	4	6	9	9	9
ALL AGES	31	3.0	10	1	1	2	4	6	8	17	54	2.8	9	1	1	2	4	6	8	18
SUBTOTAL	**86**	**2.9**	**11**	**1**	**1**	**2**	**3**	**6**	**10**	**18**	**137**	**4.3**	**112**	**1**	**1**	**2**	**4**	**8**	**13**	**86**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	2	10.0	2	9	9	10	11	11	11	11										
35-54	3	5.0	7	2	3	6	7	7	7	7	1	2.0		2	2	2	2	2	2	2
55-74											2	5.0	18	2	2	5	8	8	8	8
75 +	1	5.0		5	5	5	5	5	5	5	1	2.0		2	2	2	2	2	2	2
ALL AGES	7	5.9	12	1	3	6	8	11	11	11	5	3.0	8	1	1	2	4	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17	1	23.0		23	23	23	23	23	23	23										
18-24	2	2.0	2	1	1	2	3	3	3	3	1	3.0		3	3	3	3	3	3	3
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	4	4.3	27	1	1	2	7	12	12	12	3	10.3	41	3	6	14	14	14	14	14
55-74											1	17.0		17	17	17	17	17	17	17
75 +	2	12.0	8	10	10	12	14	14	14	14	3	6.0	16	2	3	6	9	10	10	10
ALL AGES	10	7.1	55	1	1	3	12	18	23	23	8	8.6	35	2	3	8	14	16	17	17
SUBTOTAL	**17**	**6.6**	**36**	**1**	**2**	**5**	**10**	**14**	**20**	**23**	**13**	**6.5**	**31**	**1**	**2**	**3**	**11**	**15**	**17**	**17**
GRAND TOTAL	**103**	**3.5**	**17**	**1**	**1**	**2**	**4**	**9**	**13**	**20**	**150**	**4.5**	**105**	**1**	**1**	**2**	**4**	**9**	**14**	**84**

NONPSYCHOT BRAIN SYN NEC (310.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3	1	9.0		9	9	9	9	9	9	9
35-54																				
55-74	2	3.0	2	2	2	3	4	4	4	4	1	6.0		6	6	6	6	6	6	6
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	4	3.8	2	2	2	3	5	6	6	6	2	7.5	5	6	6	7	9	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54											2	35.0	18	32	32	35	38	38	38	38
55-74	2	6.0	18	3	4	9	77	99 +	99 +	99 +	1	5.0		5	5	5	5	5	5	5
75 +	5	6.6	13	2	4	7	8	12	12	12										
ALL AGES	7	6.4	12	2	4	7	10	74	99 +	99 +	3	25.0	309	5	12	32	36	38	38	38
SUBTOTAL	**11**	**5.5**	**9**	**2**	**3**	**5**	**8**	**38**	**91**	**99 +**	**5**	**18.0**	**248**	**5**	**6**	**9**	**33**	**38**	**38**	**38**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54											1	28.0		28	28	28	28	28	28	28
55-74	3	21.0	171	6	11	27	29	30	30	30										
75 +																				
ALL AGES	4	16.5	195	3	4	16	28	30	30	30	1	28.0		28	28	28	28	28	28	28
B. FEMALE																				
0-12 YRS.	2	3.5	13	1	1	3	6	6	6	6										
13-17																				
18-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54																				
55-74	2	4.0	8	2	2	4	6	6	6	6	1	15.0		15	15	15	15	15	15	15
75 +	2	6.0	2	5	5	6	7	7	7	7	1	2.0		2	2	2	2	2	2	2
ALL AGES	7	4.4	5	1	2	5	6	7	7	7	2	8.5	85	2	2	8	15	15	15	15
SUBTOTAL	**11**	**8.8**	**99**	**1**	**3**	**6**	**7**	**28**	**30**	**30**	**3**	**15.0**	**169**	**2**	**5**	**15**	**25**	**28**	**28**	**28**
GRAND TOTAL	**22**	**7.1**	**55**	**2**	**3**	**6**	**7**	**28**	**54**	**99 +**	**8**	**16.9**	**191**	**3**	**5**	**12**	**30**	**36**	**38**	**38**

NONPSYCHOT BRAIN SYN NOS (310.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	42.0	2738	5	5	42	79	79	79	79										
13-17	4	7.0	4	6	6	6	8	10	10	10	1	1.0		1	1	1	1	1	1	1
18-24	1	15.0		15	15	15	15	15	15	15										
25-34	6	14.0	160	3	3	11	23	32	33	33	2	3.0	2	2	2	3	4	4	4	4
35-54	18	11.2	380	1	2	5	8	37	65	77	7	5.9	28	1	1	3	10	13	14	14
55-74	23	7.8	114	2	3	5	8	12	29	54	7	5.6	22	1	3	5	11	74	99+	99+
75 +	29	7.4	28	2	4	6	8	17	20	22	24	7.7	19	2	5	8	10	16	37	99+
ALL AGES	83	9.7	193	2	3	6	9	19	38	78	41	6.6	22	1	3	7	9	15	45	99+
B. FEMALE																				
0-12 YRS.	1	20.0		20	20	20	20	20	20	20										
13-17																				
18-24																				
25-34	3	5.3	9	2	3	7	7	7	7	7	1	9.0		9	9	9	9	9	9	9
35-54	10	14.2	479	1	3	4	7	55	58	58	1	12.0		12	12	12	12	12	12	12
55-74	21	8.0	44	2	3	7	10	19	24	26	21	5.4	7	3	3	5	6	9	11	13
75 +	32	6.9	22	2	4	5	9	15	17	19	25	7.2	55	2	2	5	10	15	21	35
ALL AGES	67	8.5	97	2	3	6	9	17	23	57	48	6.6	32	2	3	5	8	13	15	35
SUBTOTAL	**150**	**9.2**	**149**	**2**	**3**	**6**	**9**	**18**	**26**	**77**	**89**	**6.6**	**27**	**2**	**3**	**6**	**9**	**14**	**16**	**99+**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	28.0		28	28	28	28	28	28	28										
13-17	1	3.0		3	3	3	3	3	3	3										
18-24	1	7.0		7	7	7	7	7	7	7										
25-34	4	5.3	13	1	3	5	8	10	10	10	3	7.7	6	5	6	8	9	10	10	10
35-54	13	11.9	269	2	4	7	13	26	57	64	1	3.0		3	3	3	3	3	3	3
55-74	18	6.8	27	1	3	5	11	14	16	18	5	4.2	11	1	2	3	7	9	9	9
75 +	17	10.9	67	4	5	6	17	21	28	32	4	16.5	516	1	2	7	30	50	50	50
ALL AGES	55	9.5	102	2	4	6	13	18	26	62	13	8.7	165	1	3	5	9	19	44	50
B. FEMALE																				
0-12 YRS.																				
13-17	1	14.0		14	14	14	14	14	14	14										
18-24	1	1.0		1	1	1	1	1	1	1										
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	11	9.3	96	2	3	5	12	27	32	32										
55-74	7	23.6	444	6	8	16	31	59	66	66	6	5.3	14	2	3	4	6	11	12	12
75 +	25	9.0	36	3	5	8	12	16	22	27	9	5.7	9	2	2	7	8	9	9	9
ALL AGES	46	11.1	131	2	4	7	14	26	32	66	15	5.5	10	2	2	6	8	9	11	12
SUBTOTAL	**101**	**10.2**	**115**	**2**	**4**	**6**	**13**	**21**	**30**	**65**	**28**	**7.0**	**81**	**2**	**3**	**5**	**8**	**11**	**16**	**50**
GRAND TOTAL	**251**	**9.6**	**135**	**2**	**4**	**6**	**11**	**19**	**28**	**66**	**117**	**6.7**	**39**	**2**	**3**	**6**	**9**	**13**	**16**	**99+**

DEPRESSIVE DISORDER NEC (311.)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	12	25.1	92	13	25	27	35	99 +	99 +	99 +	1	1.0		1	1	1	1	1	1	1
13-17	5	9.4	122	2	3	11	82	99 +	99 +	99 +	7	6.4	138	2	2	2	2	27	33	33
18-24	12	6.8	55	1	2	3	10	20	23	24	2	1.5	1	1	1	1	2	2	2	2
25-34	21	7.1	142	1	2	5	7	11	33	57	7	1.9	1	1	1	1	3	4	4	4
35-54	25	5.0	53	1	1	3	6	14	49	99 +	10	2.7	6	1	1	2	4	7	9	9
55-74	9	6.3	21	1	3	5	9	13	15	15	6	8.0	42	1	3	6	16	16	16	16
75 +	4	4.0	4	1	3	5	5	5	5	5	7	5.9	17	3	3	4	6	13	15	15
ALL AGES	88	8.8	118	1	2	5	13	35	93	99 +	40	4.5	36	1	1	2	4	12	16	33
B. FEMALE																				
0-12 YRS.	9	29.3	439	7	19	21	41	63	63	63	1	3.0		3	3	3	3	3	3	3
13-17	25	18.6	462	2	4	13	31	36	78	78	6	5.8	75	1	1	2	6	21	23	23
18-24	14	2.9	8	1	1	1	5	7	9	10	6	3.7	7	1	1	3	6	7	7	7
25-34	28	6.0	28	1	2	5	9	14	16	21	13	2.9	12	1	1	2	3	6	12	14
35-54	42	5.3	34	1	1	3	7	14	20	24	25	3.7	17	1	2	2	4	7	14	20
55-74	25	6.2	41	1	1	6	8	13	20	29	18	6.4	40	2	2	3	8	19	19	19
75 +	11	11.7	202	1	3	4	16	32	48	49	18	4.8	8	2	2	4	8	9	10	10
ALL AGES	154	9.4	179	1	1	5	11	21	35	77	87	4.5	23	1	2	3	5	10	18	22
SUBTOTAL	**242**	**9.2**	**156**	**1**	**2**	**5**	**12**	**27**	**36**	**99 +**	**127**	**4.5**	**27**	**1**	**2**	**2**	**5**	**10**	**17**	**25**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	18	27.1	109	12	21	29	33	38	43	47	2	11.5	221	1	1	11	22	22	22	22
13-17	26	17.2	162	2	7	12	28	32	40	46	6	10.7	94	1	2	10	18	22	23	23
18-24	20	2.9	6	1	1	2	4	8	8	8	4	8.8	87	1	1	7	16	20	20	20
25-34	45	5.6	46	1	2	4	6	12	20	37	8	7.9	55	1	2	7	10	20	24	24
35-54	59	3.9	14	1	2	3	5	7	11	21	13	4.2	12	1	2	3	6	10	12	12
55-74	9	6.8	33	1	3	5	9	16	20	20	3	3.0	1	2	2	3	4	4	4	4
75 +	2	2.5	5	1	1	2	4	4	4	4	4	4.3		4	4	4	5	5	5	5
ALL AGES	179	8.6	111	1	2	4	10	28	32	44	40	6.7	46	1	2	4	9	19	22	24
B. FEMALE																				
0-12 YRS.	4	29.5	208	8	21	35	37	39	39	39	2	10.5	113	3	3	10	18	18	18	18
13-17	59	15.6	354	2	4	9	22	45	89	99 +	4	2.8	3	1	1	2	4	5	5	5
18-24	35	6.0	34	1	2	4	7	17	19	23	9	7.0	83	1	2	5	7	22	30	30
25-34	77	7.4	56	1	2	6	10	15	20	42	19	1.9	2	1	1	1	2	4	6	6
35-54	75	8.1	50	1	3	6	13	19	22	29	21	9.6	198	1	2	4	8	33	48	48
55-74	20	8.7	48	2	3	6	15	20	20	21	9	3.3	3	1	2	3	4	6	7	7
75 +	11	10.4	47	2	4	9	14	21	21	21	5	4.2	6	2	2	4	6	8	8	8
ALL AGES	281	9.6	131	1	3	6	13	21	33	89	69	5.6	82	1	2	3	5	11	24	48
SUBTOTAL	**460**	**9.3**	**121**	**1**	**2**	**5**	**12**	**23**	**32**	**48**	**109**	**6.0**	**68**	**1**	**2**	**3**	**6**	**17**	**23**	**48**
GRAND TOTAL	**702**	**9.2**	**134**	**1**	**2**	**5**	**12**	**25**	**35**	**94**	**236**	**5.2**	**46**	**1**	**2**	**3**	**6**	**13**	**19**	**35**

UNSOCIALIZED AGGRESSION (312.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	19.8	592	3	6	10	33	56	56	56	1	21.0		21	21	21	21	21	21	21
13-17	14	10.8	153	1	2	5	20	24	40	45	1	5.0		5	5	5	5	5	5	5
18-24																				
25-34	1	7.0		7	7	7	7	7	7	7										
35-54																				
55-74																				
75 +	1	6.0		6	6	6	6	6	6	6	1	3.0		3	3	3	3	3	3	3
ALL AGES	20	12.2	214	1	3	7	15	33	50	56	3	9.7	96	3	3	5	17	21	21	21
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	9	4.9	20	1	2	4	6	13	15	15	1	1.0		1	1	1	1	1	1	1
18-24	1	28.0		28	28	28	28	28	28	28	2	5.0	2	4	4	5	6	6	6	6
25-34	1	7.0		7	7	7	7	7	7	7										
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	12	6.7	61	1	2	4	8	19	27	28	4	3.0	6	1	1	2	5	6	6	6
SUBTOTAL	**32**	**10.1**	**161**	**1**	**2**	**5**	**11**	**23**	**43**	**56**	**7**	**5.9**	**48**	**1**	**1**	**4**	**6**	**18**	**21**	**21**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	12	15.3	183	4	6	9	20	41	42	42										
13-17	28	17.9	381	3	5	14	28	96	99 +	99 +	1	9.0		9	9	9	9	9	9	9
18-24	2	1.0		1	1	1	1	1	1	1										
25-34																				
35-54																				
55-74																				
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	42	16.4	312	2	5	12	26	50	99 +	99 +	2	5.5	25	2	2	5	9	9	9	9
B. FEMALE																				
0-12 YRS.	3	5.7	9	3	3	5	8	9	9	9	1	14.0		14	14	14	14	14	14	14
13-17	11	13.9	417	2	2	4	28	77	97	99 +	1	1.0		1	1	1	1	1	1	1
18-24																				
25-34																				
35-54	1	6.0		6	6	6	6	6	6	6										
55-74											1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	15	11.7	314	2	3	5	16	64	90	99 +	3	6.3	47	1	2	4	11	14	14	14
SUBTOTAL	**57**	**15.1**	**313**	**2**	**4**	**9**	**23**	**57**	**99 +**	**99 +**	**5**	**6.0**	**30**	**1**	**2**	**4**	**10**	**14**	**14**	**14**
GRAND TOTAL	**89**	**13.3**	**262**	**2**	**3**	**7**	**21**	**43**	**90**	**99 +**	**12**	**5.9**	**37**	**1**	**2**	**4**	**7**	**16**	**20**	**21**

UNSOCIALIZ, UNAGGRESSIVE (312.1)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
SUBTOTAL	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	34.0		34	34	34	34	34	34	34										
13-17	4	17.5	398	3	6	10	29	47	47	47										
18-24	2	21.0	722	2	2	21	40	40	40	40										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	7	20.9	354	2	4	11	38	46	47	47										
B. FEMALE																				
0-12 YRS.	1	35.0		35	35	35	35	35	35	35										
13-17	2	13.0	50	8	8	13	18	18	18	18										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	20.3	188	8	10	18	31	35	35	35										
SUBTOTAL	**10**	**20.7**	**279**	**2**	**8**	**14**	**35**	**43**	**47**	**47**										
GRAND TOTAL	**11**	**19.1**	**279**	**2**	**4**	**11**	**35**	**43**	**47**	**47**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

SOCIALIZED CONDUCT DIS (312.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	21.8	278	3	8	18	41	42	42	42										
13-17	19	12.1	154	2	3	8	14	34	43	45										
18-24	1	35.0		35	35	35	35	35	35	35										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	26	15.2	200	3	3	10	23	41	43	45										
B. FEMALE																				
0-12 YRS.	2	6.5	1	6	6	6	7	7	7	7										
13-17	20	23.9	486	3	6	18	35	57	76	80										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	22	22.3	467	4	6	14	35	51	75	80										
SUBTOTAL	**48**	**18.5**	**326**	**3**	**5**	**11**	**30**	**42**	**48**	**80**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	19.2	382	3	4	8	37	46	46	46										
13-17	29	15.8	304	3	4	13	21	31	35	90	1	1.0		1	1	1	1	1	1	1
18-24	1	3.0		3	3	3	3	3	3	3										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	35	15.9	302	3	4	13	22	32	43	90	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	21	18.2	175	4	8	15	28	42	72	99 +										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	22	17.5	178	4	8	15	28	40	69	99 +										
SUBTOTAL	**57**	**16.5**	**251**	**3**	**4**	**13**	**27**	**34**	**50**	**99**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**105**	**17.4**	**284**	**3**	**5**	**12**	**28**	**40**	**47**	**94**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

IMPULSE CONTROL DIS NEC (312.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	8	23.3	66	15	16	21	31	35	36	36										
13-17	12	22.1	589	1	6	14	31	52	83	88	1	1.0		1	1	1	1	1	1	1
18-24	7	24.6	595	2	3	12	51	55	55	55										
25-34	9	7.3	120	1	1	3	7	26	35	35										
35-54	2	5.5	5	4	4	5	7	7	7	7										
55-74																				
75 +																				
ALL AGES	38	18.4	367	1	3	12	31	40	55	88	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.	6	32.3	570	3	3	39	55	55	55	55										
13-17	3	21.3	576	7	7	8	39	49	49	49										
18-24	2	10.5	1	10	10	10	11	11	11	11										
25-34	3	4.3	34	1	1	1	8	11	11	11										
35-54																				
55-74																				
75 +																				
ALL AGES	14	20.9	450	1	3	10	39	55	55	55										
SUBTOTAL	**52**	**19.1**	**382**	**1**	**3**	**11**	**32**	**50**	**55**	**87**	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	21.6	190	4	11	19	35	36	36	36	1	12.0		12	12	12	12	12	12	12
13-17	20	8.8	62	1	4	8	11	28	60	99 +	1	6.0		6	6	6	6	6	6	6
18-24	8	6.1	8	2	3	7	8	9	9	9	2	14.0		14	14	14	14	14	14	14
25-34	9	8.0	42	2	3	6	11	18	22	22	1	19.0		19	19	19	19	19	19	19
35-54	7	5.0	7	2	3	4	8	8	8	8										
55-74																				
75 +																				
ALL AGES	49	9.0	69	2	3	7	10	25	35	99 +	5	13.0	22	6	10	14	15	19	19	19
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	4	9.0	62	1	2	8	15	18	18	18										
18-24											2	12.0	2	11	11	12	13	13	13	13
25-34	2	14.0	162	5	5	14	23	23	23	23	1	11.0		11	11	11	11	11	11	11
35-54	2	5.5	1	5	5	5	6	6	6	6	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	9	8.8	56	2	4	5	14	21	23	23	4	9.0	29	1	5	11	12	13	13	13
SUBTOTAL	**58**	**8.9**	**68**	**2**	**4**	**7**	**11**	**23**	**32**	**94**	**9**	**11.2**	**27**	**2**	**10**	**12**	**14**	**17**	**19**	**19**
GRAND TOTAL	**110**	**13.7**	**241**	**2**	**3**	**8**	**18**	**37**	**54**	**93**	**10**	**10.2**	**34**	**1**	**6**	**12**	**14**	**17**	**19**	**19**

MIX DIS CONDUCT/EMOTION (312.4)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
				PERCENTILES										PERCENTILES						
	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17																				
18-24																				
25-34	1	6.0		6	6	6	6	6	6	6										
35-54																				
55-74																				
75 +																				
ALL AGES	2	5.0	2	4	4	5	6	6	6	6										
B. FEMALE																				
0-12 YRS.	1	14.0		14	14	14	14	14	14	14										
13-17	1	2.0		2	2	2	2	2	2	2										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	8.0	72	2	2	8	14	14	14	14										
SUBTOTAL	**4**	**6.5**	**28**	**2**	**3**	**5**	**10**	**14**	**14**	**14**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5										
18-24											1	5.0		5	5	5	5	5	5	5
25-34																				
35-54											1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5	2	3.0	8	1	1	3	5	5	5	5
B. FEMALE																				
0-12 YRS.	2	9.5	41	5	5	9	14	14	14	14										
13-17	1	1.0		1	1	1	1	1	1	1										
18-24	1	1.0		1	1	1	1	1	1	1	1	8.0		8	8	8	8	8	8	8
25-34	1	2.0		2	2	2	2	2	2	2										
35-54																				
55-74	1	9.0		9	9	9	9	9	9	9										
75 +																				
ALL AGES	6	5.3	28	1	1	3	9	13	14	14	1	8.0		8	8	8	8	8	8	8
SUBTOTAL	**7**	**5.3**	**23**	**1**	**1**	**5**	**8**	**13**	**14**	**14**	**3**	**4.7**	**12**	**1**	**2**	**5**	**7**	**8**	**8**	**8**
GRAND TOTAL	**11**	**5.7**	**23**	**1**	**2**	**5**	**8**	**14**	**14**	**14**	**3**	**4.7**	**12**	**1**	**2**	**5**	**7**	**8**	**8**	**8**

OTHER CONDUCT DISTURB (312.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	14.0	166	3	4	7	28	28	28	28	2	1.5	1	1	1	1	2	2	2	2
13-17	4	12.3	45	6	8	10	16	22	22	22										
18-24											2	6.0	2	5	5	6	7	7	7	7
25-34	2	1.0		1	1	1	1	1	1	1										
35-54	2	3.0	2	2	2	3	4	4	4	4										
55-74											1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	13	9.8	96	1	3	6	14	28	28	28	5	4.0	6	1	2	5	6	7	7	7
B. FEMALE																				
0-12 YRS.	2	3.0	2	2	2	3	4	4	4	4	2	1.0		1	1	1	1	1	1	1
13-17	3	5.3	6	4	4	4	7	8	8	8	6	1.7		1	1	2	2	2	2	2
18-24	2	7.0		7	7	7	7	7	7	7										
25-34																				
35-54	1	29.0		29	29	29	29	29	29	29										
55-74																				
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	9	7.8	67	3	4	5	7	21	29	29	8	1.5		1	1	1	2	2	2	2
SUBTOTAL	**22**	**9.0**	**81**	**2**	**4**	**5**	**10**	**28**	**29**	**29**	**13**	**2.5**	**4**	**1**	**1**	**2**	**3**	**6**	**7**	**7**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	7	15.6	91	7	8	10	25	29	29	29										
18-24																				
25-34	1	15.0		15	15	15	15	15	15	15										
35-54																				
55-74																				
75 +																				
ALL AGES	9	14.2	84	5	7	10	22	28	29	29										
B. FEMALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-17	6	15.5	135	3	4	15	25	29	30	30	4	2.0	1	1	1	2	3	3	3	3
18-24																				
25-34	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
35-54																				
55-74																				
75 +																				
ALL AGES	8	12.9	124	2	3	9	23	28	30	30	5	1.8	1	1	1	2	2	3	3	3
SUBTOTAL	**17**	**13.6**	**96**	**3**	**6**	**9**	**23**	**29**	**30**	**30**	**5**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**3**
GRAND TOTAL	**39**	**11.0**	**91**	**2**	**4**	**7**	**19**	**28**	**29**	**30**	**18**	**2.3**	**3**	**1**	**1**	**2**	**2**	**5**	**6**	**7**

CONDUCT DISTURBANCE NOS (312.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	14	12.9	123	2	5	14	22	41	85	99 +	4	5.0	15	1	2	4	8	10	10	10
13-17	20	12.9	419	1	2	3	7	51	62	62	1	1.0		1	1	1	1	1	1	1
18-24	4	7.8	84	1	1	4	14	21	21	21										
25-34	7	3.6	8	1	1	3	5	8	9	9	1	1.0		1	1	1	1	1	1	1
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	47	10.6	230	1	2	4	14	41	62	99 +	6	3.7	13	1	1	2	6	10	10	10
B. FEMALE																				
0-12 YRS.	3	4.0	13	1	1	3	7	8	8	8										
13-17	22	12.0	165	2	3	7	19	32	43	48	4	13.5	138	1	3	14	23	24	24	24
18-24	1	2.0		2	2	2	2	2	2	2										
25-34	2	1.5	1	1	1	1	2	2	2	2										
35-54																				
55-74																				
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	29	9.8	141	1	3	5	10	28	39	48	4	13.5	138	1	3	14	23	24	24	24
SUBTOTAL	**76**	**10.3**	**194**	**1**	**2**	**5**	**11**	**37**	**46**	**90**	**10**	**7.6**	**79**	**1**	**1**	**4**	**10**	**23**	**24**	**24**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	9	18.6	265	3	7	11	32	44	45	45										
13-17	31	14.1	236	2	4	8	15	38	47	63	1	14.0		14	14	14	14	14	14	14
18-24	2	19.5	481	4	4	19	35	35	35	35										
25-34																				
35-54																				
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	42	15.3	241	3	4	9	23	43	46	63	2	7.5	85	1	1	7	14	14	14	14
B. FEMALE																				
0-12 YRS.	3	30.0	223	13	30	41	99 +	99 +	99 +	99 +	1	4.0		4	4	4	4	4	4	4
13-17	11	13.2	79	1	7	14	22	50	93	99 +	1	2.0		2	2	2	2	2	2	2
18-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	1	15.0		15	15	15	15	15	15	15										
55-74																				
75 +																				
ALL AGES	16	15.8	139	2	8	15	34	99 +	99 +	99 +	2	3.0	2	2	2	3	4	4	4	4
SUBTOTAL	**58**	**15.4**	**211**	**3**	**5**	**11**	**28**	**44**	**79**	**99 +**	**4**	**5.3**	**35**	**1**	**1**	**3**	**9**	**14**	**14**	**14**
GRAND TOTAL	**134**	**12.5**	**206**	**1**	**3**	**7**	**19**	**41**	**56**	**99 +**	**14**	**6.9**	**65**	**1**	**1**	**3**	**10**	**23**	**24**	**24**

OVERANXIOUS DISORDER (313.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	15.5	421	1	1	15	30	30	30	30										
13-17	1	40.0		40	40	40	40	40	40	40										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	23.7	408	1	8	30	37	40	40	40										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	**3**	**23.7**	**408**	**1**	**8**	**30**	**37**	**40**	**40**	**40**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	6	27.8	145	10	22	29	39	39	39	39										
13-17	2	15.5	1	15	15	15	16	16	16	16										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	8	24.8	132	11	15	22	37	39	39	39										
B. FEMALE																				
0-12 YRS.																				
13-17	4	36.3	210	26	28	30	44	58	58	58										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	36.3	210	26	28	30	44	58	58	58										
SUBTOTAL	**12**	**28.6**	**175**	**13**	**19**	**28**	**37**	**45**	**56**	**58**										
GRAND TOTAL	**15**	**27.6**	**201**	**9**	**17**	**30**	**38**	**40**	**53**	**58**										

SENSITIVITY & WITHDRAWAL (313.2)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17	1	16.0		16	16	16	16	16	16	16										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	16.0		16	16	16	16	16	16	16										
SUBTOTAL	**1**	**16.0**		**16**	**16**	**16**	**16**	**16**	**16**	**16**										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17	1	29.0		29	29	29	29	29	29	29										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	29.0		29	29	29	29	29	29	29										
SUBTOTAL	**1**	**29.0**		**29**	**29**	**29**	**29**	**29**	**29**	**29**										
GRAND TOTAL	**2**	**22.5**	**85**	**16**	**16**	**22**	**29**	**29**	**29**	**29**										

RELATIONSHIP PROBLEMS (313.3)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17	1	32.0		32	32	32	32	32	32	32										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	32.0		32	32	32	32	32	32	32										
SUBTOTAL	1	32.0		32	32	32	32	32	32	32										
GRAND TOTAL	1	32.0		32	32	32	32	32	32	32										

OTH EMOTIONAL DIS CHILD (313.8)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	32	25.8	267	7	11	28	38	46	70	99 +	3	15.7	101	4	8	21	22	22	22	22
13-17	21	20.9	212	7	11	16	29	43	53	53	4	16.3	176	1	5	16	27	31	31	31
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	53	23.8	249	7	11	24	36	46	53	99	7	16.0	123	2	5	21	23	29	31	31
B. FEMALE																				
0-12 YRS.	15	27.3	606	2	9	27	39	79	94	99 +	3	11.3	57	7	7	7	17	20	20	20
13-17	32	11.8	106	2	3	9	17	24	35	44	8	10.1	64	3	5	9	11	23	28	28
18-24	1	6.0		6	6	6	6	6	6	6										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	48	16.5	306	2	4	12	24	40	79	99 +	11	10.5	55	3	6	9	12	23	28	28
SUBTOTAL	**101**	**20.4**	**284**	**3**	**8**	**16**	**30**	**44**	**60**	**99 +**	**18**	**12.6**	**85**	**3**	**6**	**10**	**21**	**26**	**30**	**31**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	81	32.7	184	20	28	33	42	76	99 +	99 +	6	20.2	605	1	2	12	28	61	65	65
13-17	44	24.1	416	4	10	21	33	42	73	98	3	9.3	86	4	4	4	16	20	20	20
18-24	2	13.0	128	5	5	13	21	21	21	21	1	1.0		1	1	1	1	1	1	1
25-34	1	7.0		7	7	7	7	7	7	7										
35-54																				
55-74																				
75 +																				
ALL AGES	128	29.2	285	9	20	30	38	55	99	99 +	10	15.0	406	1	2	4	21	46	65	65
B. FEMALE																				
0-12 YRS.	28	30.2	271	7	22	35	43	99 +	99 +	99 +	2	21.0	18	18	18	21	24	24	24	24
13-17	53	18.3	254	4	6	13	27	49	68	99 +	7	21.1	136	5	10	26	31	33	33	33
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	81	22.4	290	4	9	21	36	65	99 +	99 +	9	21.1	103	5	15	24	28	33	33	33
SUBTOTAL	**209**	**26.6**	**294**	**6**	**14**	**28**	**38**	**59**	**99 +**	**99 +**	**19**	**17.9**	**258**	**1**	**4**	**20**	**26**	**33**	**51**	**65**
GRAND TOTAL	**310**	**24.6**	**297**	**4**	**11**	**26**	**36**	**53**	**90**	**99 +**	**37**	**15.3**	**177**	**2**	**4**	**11**	**23**	**30**	**33**	**65**

EMOTIONAL DIS CHILD NOS (313.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
SUBTOTAL	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1

ATTENTION DEFICIT DIS (314.0)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	17	21.1	164	3	12	24	30	40	43	44	16	10.4	604	1	1	1	5	34	78	96
13-17	6	12.5	52	5	8	13	22	85	99 +	99 +										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	23	18.8	148	4	9	17	28	42	61	99 +	16	10.4	604	1	1	1	5	34	78	96
B. FEMALE																				
0-12 YRS.	4	16.8	349	2	2	11	31	42	42	42	1	1.0		1	1	1	1	1	1	1
13-17	3	15.7	21	12	12	14	19	21	21	21										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	7	16.3	183	2	5	14	21	38	42	42	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	**30**	**18.2**	**152**	**3**	**9**	**17**	**26**	**42**	**44**	**99 +**	**17**	**9.9**	**570**	**1**	**1**	**1**	**3**	**31**	**75**	**96**
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	37	31.4	361	11	15	30	43	70	89	99 +	2	13.5	265	2	2	13	25	25	25	25
13-17	12	21.4	437	4	9	16	27	47	76	81	2	19.0	512	3	3	19	35	35	35	35
18-24	1	16.0		16	16	16	16	16	16	16	1	8.0		8	8	8	8	8	8	8
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	50	28.7	385	8	14	24	42	67	80	99 +	5	14.6	215	2	3	8	27	35	35	35
B. FEMALE																				
0-12 YRS.	8	36.0	384	14	28	42	71	99 +	99 +	99 +	1	24.0		24	24	24	24	24	24	24
13-17	3	23.7	382	3	9	26	38	42	42	42										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	11	32.6	382	5	25	42	54	99 +	99 +	99 +	1	24.0		24	24	24	24	24	24	24
SUBTOTAL	**61**	**29.4**	**380**	**7**	**15**	**28**	**42**	**75**	**99 +**	**99 +**	**6**	**16.2**	**186**	**2**	**3**	**16**	**25**	**34**	**35**	**35**
GRAND TOTAL	**91**	**25.7**	**331**	**6**	**13**	**23**	**42**	**63**	**94**	**99 +**	**23**	**11.5**	**466**	**1**	**1**	**1**	**12**	**35**	**57**	**96**

HYPERKINETIC SYND NOS (314.9)

TYPE OF PATIENT	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS										HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS									
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES							TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	33.0		33	33	33	33	33	33	33										
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	33.0		33	33	33	33	33	33	33										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	33.0		33	33	33	33	33	33	33										
GRAND TOTAL	1	33.0		33	33	33	33	33	33	33										

Appendix

Appendix A: Table 1

HOSPITAL CHARACTERISTICS

SHORT-TERM, NONFEDERAL HOSPITALS[1]

	HOSPITALS WITH PSYCHIATRIC UNIT/BEDS			HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS			TOTAL		
	U.S.[2] Total	LOS Sample	% of U.S.[3] Total	U.S. Total	LOS Sample	% of U.S. Total	U.S.	LOS Sample	% of U.S.
All Hospitals	1,427	306	21.4	4,078	643	15.8	5,505	949	17.2
Control									
Public	237	39	16.5	1,276	159	12.5	1,513	198	13.1
Private	1,187	264	22.2	2,802	484	17.3	3,989	748	18.8
Unavailable	3	3					3	3	
Bedsize									
< 100 Beds	127	36	28.3	2,605	403	15.5	2,732	439	16.1
100-199	322	76	23.6	834	134	16.1	1,156	210	18.2
200-299	321	64	19.9	404	56	13.9	725	120	16.6
300-399	263	55	20.9	138	30	21.7	401	85	21.2
400-499	152	30	19.7	55	10	18.2	207	40	19.3
500+	242	45	18.6	42	10	23.8	284	55	19.4
Teaching Intensity									
Low	748	154	20.6	3,724	552	14.8	4,472	706	15.8
Medium	419	100	23.9	293	69	23.5	712	169	23.7
High	254	46	18.1	54	15	27.8	308	61	19.8
Unavailable	6	6		7	7		13	13	
Location									
Rural	283	66	23.3	2,292	347	15.1	2,575	413	16.0
Urban	1,144	240	21.0	1,786	296	16.6	2,930	536	18.3

---

[1] Hospitals with average stay less than 30 days.

[2] 1988 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

[3] The percent of hospitals may be underestimated since the 1989 sample is compared to the universe of hospitals in 1988.

Appendix A: Table 2

HOSPITAL CHARACTERISTICS

HOSPITALS WITH PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx [1]	% [2]
All Hospitals	306	100.0	151,586	100.0
Control				
Public	39	12.7	17,008	11.2
Private	264	86.3	134,210	88.5
Unavailable	3	1.0	368	.2
Bedsize				
< 100 Beds	36	11.8	4,924	3.2
100-199	76	24.8	27,459	18.1
200-299	64	20.9	27,959	18.4
300-399	55	18.0	35,071	23.1
400-499	30	9.8	19,334	12.8
500+	45	14.7	36,839	24.3
Program Intensity				
Low	154	50.3	61,388	40.5
Medium	100	32.7	60,629	40.0
High	46	15.0	28,789	19.0
Unavailable	6	2.0	780	.5
Location				
Rural	66	21.6	21,650	14.3
Urban	240	78.4	129,936	85.7

---

[1] This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

[2] The denominator used to calculate the percentages is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

Appendix A: Table 3

HOSPITAL CHARACTERISTICS

HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx[1]	%[2]
All Hospitals	643	100.0	49,399	100.0
Control				
Public	159	24.7	5,981	12.1
Private	484	75.3	43,418	87.9
Bedsize				
< 100 Beds	403	62.7	16,982	34.4
100-199	134	20.8	14,521	29.4
200-299	56	8.7	8,596	17.4
300-399	30	4.7	2,870	5.8
400-499	10	1.6	3,110	6.3
500+	10	1.6	3,320	6.7
Program Intensity				
Low	552	85.8	35,848	72.6
Medium	69	10.7	10,539	21.3
High	15	2.3	2,296	4.6
Unavailable	7	1.1	716	1.6
Location				
Rural	347	54.0	15,670	31.7
Urban	296	46.0	33,729	68.3

---

[1] This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

[2] The denominator used to calculate the percentages is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

APPENDIX B

DESCRIPTION OF HOSPITAL CHARACTERISTICS

Hospitals With or Without a Psychiatric Unit or Beds

Nonfederal, short-term general hospitals that reported a psychiatric acute care unit or beds are included in the hospitals with psychiatric unit/beds category.[1] Nonfederal, short-term general hospitals that did not indicate having a psychiatric acute care unit or beds are included in the hospitals without a psychiatric unit/beds category.

Hospitals in both categories can, however, offer the following services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization.

Location: Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1988 AHA Annual Survey of Hospitals magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai.[2] The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Healthcare Organizations
- Residency approved by Accreditation Council for Graduate Medical Education
- Medical School Affiliation reported by American Medical Association
- Hospital-controlled professional nursing school, reported by National League for Nursing
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

Control: Public/Private Hospitals

A public hospital is a nonfederal, government-operated hospital, e.g., state, county, city, or hospital authority. A private hospital includes both nongovernment not-for-profit and investor-owned (for-profit) facilities.

---

[1] 1988 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

[2] Phillip, P.J., and Hai, Abdul, An Index of Programs for Hospitals, American Hospital Association, Chicago, Illinois, 1976.

APPENDIX C

STATE INCLUSIONS BY REGION

Northeast
Connecticut
Maine
Massachusetts
New Hampshire
New Jersey
New York
Pennsylvania
Rhode Island
Vermont

North Central
Illinois
Indiana
Iowa
Kansas
Michigan
Minnesota
Missouri
Nebraska
North Dakota
Ohio
South Dakota
Wisconsin

South
Alabama
Arkansas
Delaware
District of Columbia
Florida
Georgia
Kentucky
Louisiana
Maryland
Mississippi
North Carolina
Oklahoma
South Carolina
Tennessee
Texas
Virginia
West Virginia

West
Alaska
Arizona
California
Colorado
Hawaii
Idaho
Montana
Nevada
New Mexico
Oregon
Utah
Washington
Wyoming


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South

** Includes Alaska and Hawaii

APPENDIX D

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
	All psychiatric diagnosis codes (Summary Table)	2
290	**Senile and presenile organic psychotic conditions**	
290.0	Senile dementia, uncomplicated	3
290.1	Presenile dementia	4
290.10	Presenile dementia, uncomplicated	4
290.11	Presenile dementia with delirium	4
290.12	Presenile dementia with delusional features	4
290.13	Presenile dementia with depressive features	4
290.2	Senile dementia with delusional or depressive features	5
290.20	Senile dementia with delusional features	5
290.21	Senile dementia with depressive features	5
290.3	Senile dementia with delirium	6
290.4	Arteriosclerotic dementia	7
290.40	Arteriosclerotic dementia, uncomplicated	7
290.41	Arteriosclerotic dementia with delirium	7
290.42	Arteriosclerotic dementia with delusional features	7
290.43	Arteriosclerotic dementia with depressive features	7
290.9	Unspecified senile psychotic condition	8
291	**Alcoholic psychoses**	
291.0	Alcohol withdrawal delirium	9
291.1	Alcohol amnestic syndrome	10
291.2	Other alcoholic dementia	11
291.3	Alcohol withdrawal hallucinosis	12
291.4	Idiosyncratic alcohol intoxication	13
291.5	Alcoholic jealousy	14
291.8	Other specified alcoholic psychosis	15
291.9	Unspecified alcoholic psychosis	16
292	**Drug psychoses**	
292.0	Drug withdrawal syndrome	17
292.1	Paranoid and/or hallucinatory states induced by drugs	18
292.11	Drug-induced organic delusional syndrome	18
292.12	Drug-induced hallucinosis	18
292.2	Pathological drug intoxication	19
292.8	Other specified drug-induced mental disorders	20
292.81	Drug-induced delirium	20
292.82	Drug-induced dementia	20
292.83	Drug-induced amnestic syndrome	20
292.84	Drug-induced organic affective syndrome	20
292.89	Other specified drug-induced mental disorders	20
292.9	Unspecified drug-induced mental disorder	21
293	**Transient organic psychotic conditions**	
293.0	Acute delirium	22
293.1	Subacute delirium	23
293.8	Other specified transient organic mental disorders	24
293.81	Organic delusional syndrome	24
293.82	Organic hallucinosis syndrome	24
293.83	Organic affective syndrome	24

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
293.89	Other specified transient organic mental disorders	24
293.9	Unspecified transient organic mental disorder	25
294	**Other organic psychotic conditions (chronic)**	
294.0	Amnestic syndrome	26
294.1	Dementia in conditions classified elsewhere	27
294.8	Other specified organic brain syndromes (chronic)	28
294.9	Unspecified organic brain syndrome (chronic)	29
295	**Schizophrenic disorders**	
	Fifth-digit subclassification for use with 295:	
	0 Unspecified state	
	1 Subchronic state	
	2 Chronic state	
	3 Subchronic state with acute exacerbation	
	4 Chronic state with acute exacerbation	
	5 In remission	
295.0	Simple type schizophrenia	30
295.1	Disorganized type schizophrenia	31
295.2	Catatonic type schizophrenia	32
295.3	Paranoid type schizophrenia	33
295.4	Acute schizophrenic episode	34
295.5	Latent schizophrenia	35
295.6	Residual schizophrenia	36
295.7	Schizo-affective type schizophrenia	37
295.8	Other specified types of schizophrenia	38
295.9	Unspecified schizophrenia	39
296	**Affective psychoses**	
	Fifth-digit subclassification for use with 296.0-296.6:	
	0 Unspecified degree	
	1 Mild degree	
	2 Moderate degree	
	3 Severe degree, without mention of psychotic behavior	
	4 Severe degree, specified as with psychotic behavior	
	5 In partial or unspecified remission	
	6 In full remission	
296.0	Manic disorder, single episode	40
296.1	Manic disorder, recurrent episode	41
296.2	Major depressive disorder, single episode	42
296.3	Major depressive disorder, recurrent episode	43
296.4	Bipolar affective disorder, manic	44
296.5	Bipolar affective disorder, depressed	45
296.6	Bipolar affective disorder, mixed	46
296.7	Bipolar affective disorder, unspecified	47
296.8	Manic-depressive psychosis, other and unspecified	48
296.80	Manic-depressive psychosis, unspecified	48
296.81	Atypical manic disorder	48
296.82	Atypical depressive disorder	48
296.89	Other manic-depressive psychosis	48
296.9	Other and unspecified affective psychoses	49
296.90	Unspecified affective psychosis	49
296.99	Other specified affective psychoses	49

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
297	**Paranoid states**	
297.0	Paranoid state, simple	50
297.1	Paranoia	51
297.2	Paraphrenia	52
297.3	Shared paranoid disorder	53
297.8	Other specified paranoid states	54
297.9	Unspecified paranoid state	55
298	**Other nonorganic psychoses**	
298.0	Depressive type psychosis	56
298.1	Excitative type psychosis	57
298.2	Reactive confusion	58
298.3	Acute paranoid reaction	59
298.4	Psychogenic paranoid psychosis	60
298.8	Other and unspecified reactive psychosis	61
298.9	Unspecified psychosis	62
299	**Psychoses with origin specific to childhood**	
	Fifth-digit subclassification for use with 299:	
	0 Current or active	
	1 Residual state	
299.0	Infantile autism	63
299.8	Other specified early childhood psychoses	64
299.9	Unspecified childhood psychosis	65
300	**Neurotic disorders**	
300.0	Anxiety states	66
300.00	Anxiety state, unspecified	66
300.01	Panic disorder	66
300.02	Generalized anxiety disorder	66
300.09	Other anxiety states	66
300.1	Hysteria	67
300.10	Hysteria, unspecified	67
300.11	Conversion disorder	67
300.12	Psychogenic amnesia	67
300.13	Psychogenic fugue	67
300.14	Multiple personality	67
300.15	Dissociative disorder or reaction, unspecified	67
300.16	Factitious illness with psychological symptoms	67
300.19	Other and unspecified factitious illness	67
300.2	Phobic disorders	68
300.20	Phobia, unspecified	68
300.21	Agoraphobia with panic attacks	68
300.22	Agoraphobia without mention of panic attacks	68
300.23	Social phobia	68
300.29	Other isolated or simple phobias	68
300.3	Obsessive-compulsive disorders	69
300.4	Neurotic depression	70
300.5	Neurasthenia	71
300.6	Depersonalization syndrome	72
300.7	Hypochondriasis	73
300.8	Other neurotic disorders	74
300.81	Somatization disorder	74

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
300.89	Other neurotic disorders	74
300.9	Unspecified neurotic disorder	75
301	**Personality disorders**	
301.0	Paranoid personality disorder	76
301.1	Affective personality disorder	77
301.10	Affective personality disorder, unspecified	77
301.11	Chronic hypomanic personality disorder	77
301.12	Chronic depressive personality disorder	77
301.13	Cyclothymic disorder	77
301.2	Schizoid personality disorder	78
301.20	Schizoid personality disorder, unspecified	78
301.21	Introverted personality	78
301.22	Schizotypal personality	78
301.3	Explosive personality disorder	79
301.4	Compulsive personality disorder	80
301.5	Histrionic personality disorder	81
301.50	Histrionic personality disorder, unspecified	81
301.51	Chronic factitious illness with physical symptoms	81
301.59	Other histrionic personality disorder	81
301.6	Dependent personality disorder	82
301.7	Antisocial personality disorder	83
301.8	Other personality disorders	84
301.81	Narcissistic personality	84
301.82	Avoidant personality	84
301.83	Borderline personality	84
301.84	Passive-aggressive personality	84
301.89	Other personality disorders	84
301.9	Unspecified personality disorder	85
302	**Sexual deviations and disorders**	
302.2	Pedophilia	86
302.5	Trans-sexualism	87
302.50	Trans-sexualism with unspecified sexual history	87
302.51	Trans-sexualism with asexual history	87
302.52	Trans-sexualism with homosexual history	87
302.53	Trans-sexualism with heterosexual history	87
302.6	Disorders of psychosexual identity	88
302.7	Psychosexual dysfunction	89
302.70	Psychosexual dysfunction, unspecified	89
302.71	Psychosexual dysfunction with inhibited sexual desire	89
302.72	Psychosexual dysfunction with inhibited sexual excitement	89
302.73	Psychosexual dysfunction with inhibited female orgasm	89
302.74	Psychosexual dysfunction with inhibited male orgasm	89
302.75	Psychosexual dysfunction with premature ejaculation	89
302.76	Psychosexual dysfunction with functional dyspareunia	89
302.79	Psychosexual dysfunction with other specified psychosexual dysfunctions	89
302.8	Other specified psychosexual disorders	90
302.81	Fetishism	90
302.82	Voyeurism	90
302.83	Sexual masochism	90
302.84	Sexual sadism	90
302.85	Gender identity disorder of adolescent or adult life	90

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
302.89	Other specified psychosexual disorders	90
303	**Alcohol dependence syndrome**	
	Fifth-digit subclassification for use with 303:	
	0 Unspecified	
	1 Continuous	
	2 Episodic	
	3 In remission	
303.0	Acute alcoholic intoxication	91
303.9	Other and unspecified alcohol dependence	92
304	**Drug dependence**	
	Fifth-digit subclassification for use with 304:	
	0 Unspecified	
	1 Continuous	
	2 Episodic	
	3 In remission	
304.0	Opioid type dependence	93
304.1	Barbiturate and similarly acting sedative or hypnotic dependence	94
304.2	Cocaine dependence	95
304.3	Cannabis dependence	96
304.4	Amphetamine and other psychostimulant dependence	97
304.5	Hallucinogen dependence	98
304.6	Other specified drug dependence	99
304.7	Combinations of opioid type drug with any other drug dependence	100
304.8	Combinations of drug dependence excluding opioid type drug	101
304.9	Unspecified drug dependence	102
305	**Nondependent abuse of drugs**	
	Fifth-digit subclassification for use with 305:	
	0 Unspecified	
	1 Continuous	
	2 Episodic	
	3 In remission	
305.0	Alcohol abuse	103
305.1	Tobacco use disorder	104
305.2	Cannabis abuse	105
305.3	Hallucinogen abuse	106
305.4	Barbiturate and similarly acting sedative or hypnotic abuse	107
305.5	Opioid abuse	108
305.6	Cocaine abuse	109
305.7	Amphetamine or related acting sympathomimetic abuse	110
305.8	Antidepressant type abuse	111
305.9	Other, mixed, or unspecified drug abuse	112
306	**Physiological malfunction arising from mental factors**	
306.0	Musculoskeletal malfunction arising from mental factors	113
306.1	Respiratory malfunction arising from mental factors	114
306.2	Cardiovascular malfunction arising from mental factors	115
306.3	Skin disorder arising from mental factors	116
306.4	Gastrointestinal malfunction arising from mental factors	117
306.5	Genitourinary malfunction arising from mental factors	118
306.50	Psychogenic genitourinary malfunction, unspecified	118
306.51	Psychogenic vaginismus	118

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
306.52	Psychogenic dysmenorrhea	118
306.53	Psychogenic dysuria	118
306.59	Other genitourinary malfunction arising from mental factors	118
306.6	Endocrine disorder arising from mental factors	119
306.7	Disorder of organs of special sense arising from mental factors	120
306.8	Other specified psychophysiological malfunction	121
306.9	Unspecified psychophysiological malfunction	122
307	**Special symptoms or syndromes, not elsewhere classified**	
307.0	Stammering and stuttering	123
307.1	Anorexia nervosa	124
307.2	Tics	125
307.20	Tic disorder, unspecified	125
307.21	Transient tic disorder of childhood	125
307.22	Chronic motor tic disorder	125
307.23	Gilles de la Tourette's disorder	125
307.3	Stereotyped repetitive movements	126
307.4	Specific disorders of sleep of nonorganic origin	127
307.40	Nonorganic sleep disorder, unspecified	127
307.41	Transient disorder of initiating or maintaining sleep	127
307.42	Persistent disorder of initiating or maintaining sleep	127
307.43	Transient disorder of initiating or maintaining wakefulness	127
307.44	Persistent disorder of initiating or maintaining wakefulness	127
307.45	Phase-shift disruption of 24-hour sleep-wake cycle	127
307.46	Somnambulism or night terrors	127
307.47	Other dysfunctions of sleep stages or arousal from sleep	127
307.48	Repetitive intrusions of sleep	127
307.49	Other specific disorders of sleep of nonorganic origin	127
307.5	Other and unspecified disorders of eating	128
307.50	Eating disorder, unspecified	128
307.51	Bulimia	128
307.52	Pica	128
307.53	Psychogenic rumination	128
307.54	Psychogenic vomiting	128
307.59	Other disorders of eating	128
307.7	Encopresis	129
307.8	Psychalgia	130
307.80	Psychogenic pain, site unspecified	130
307.81	Tension headache	130
307.89	Other psychalgia	130
307.9	Other and unspecified special symptoms or syndromes, not elsewhere classified	131
308	**Acute reaction to stress**	
308.0	Predominant disturbance of emotions	132
308.1	Predominant disturbance of consciousness	133
308.2	Predominant psychomotor disturbance	134
308.3	Other acute reactions to stress	135
308.4	Mixed disorders as reaction to stress	136
308.9	Unspecified acute reaction to stress	137
309	**Adjustment reaction**	
309.0	Adjustment reaction with brief depressive reaction	138
309.1	Adjustment reaction with prolonged depressive reaction	139
309.2	Adjustment reaction with predominant disturbance of other emotions	140

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
309.21	Separation anxiety disorder	140
309.22	Emancipation disorder of adolescence and early adult life	140
309.23	Specific academic or work inhibition	140
309.24	Adjustment reaction with anxious mood	140
309.28	Adjustment reaction with mixed emotional features	140
309.29	Other adjustment reactions with predominant disturbance of other emotions	140
309.3	Adjustment reaction with predominant disturbance of conduct	141
309.4	Adjustment reaction with mixed disturbance of emotions and conduct	142
309.8	Other specified adjustment reactions	143
309.81	Prolonged posttraumatic stress disorder	143
309.82	Adjustment reaction with physical symptoms	143
309.83	Adjustment reaction with withdrawal	143
309.89	Other specified adjustment reactions	143
309.9	Unspecified adjustment reaction	144
310	**Specific nonpsychotic mental disorders due to organic brain damage**	
310.0	Frontal lobe syndrome	145
310.1	Organic personality syndrome	146
310.2	Postconcussion syndrome	147
310.8	Other specified nonpsychotic mental disorders following organic brain damage	148
310.9	Unspecified nonpsychotic mental disorder following organic brain damage	149
311	**Depressive disorder, not elsewhere classified**	150
312	**Disturbance of conduct, not elsewhere classified** Fifth-digit subclassification for use with 312.0-312.2: 0 Unspecified degree 1 Mild degree 2 Moderate degree 3 Severe degree	
312.0	Undersocialized conduct disorder, aggressive type	151
312.1	Undersocialized conduct disorder, unaggressive type	152
312.2	Socialized conduct disorder	153
312.3	Disorders of impulse control, not elsewhere classified	154
312.30	Impulse control disorder, unspecified	154
312.31	Pathological gambling	154
312.32	Kleptomania	154
312.33	Pyromania	154
312.34	Intermittent explosive disorder	154
312.35	Isolated explosive disorder	154
312.39	Other disorders of impulse control	154
312.4	Mixed disturbance of conduct and emotions	155
312.8	Other specified disturbances of conduct, not elsewhere classified	156
312.9	Unspecified disturbance of conduct	157
313	**Disturbance of emotions specific to childhood and adolescence**	
313.0	Overanxious disorder specific to childhood and adolescence	158
313.2	Sensitivity, shyness, and social withdrawal disorder specific to childhood and adolescence	159
313.21	Shyness disorder of childhood	159
313.22	Introverted disorder of childhood	159
313.23	Elective mutism specific to childhood and adolescence	159
313.3	Relationship problems specific to childhood and adolescence	160
313.8	Other or mixed emotional disturbances of childhood or adolescence	161

NUMERIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

ICD-9-CM Code	Description	Page Number
313.81	Oppositional disorder of childhood or adolescence	161
313.82	Identity disorder of childhood or adolescence	161
313.83	Academic underachievement disorder of childhood or adolescence	161
313.89	Other emotional disturbances of childhood or adolescence	161
313.9	Unspecified emotional disturbance of childhood or adolescence	162
314	**Hyperkinetic syndrome of childhood**	
314.0	Attention deficit disorder of childhood	163
314.00	Attention deficit disorder of childhood without mention of hyperactivity	163
314.01	Attention deficit disorder of childhood with hyperactivity	163
314.9	Unspecified hyperkinetic syndrome of childhood	164

APPENDIX E

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Academic underachievement disorder of childhood or adolescence	313.83	161
Acute alcoholic intoxication	303.0	91
Acute delirium	293.0	22
Acute paranoid reaction	298.3	59
Acute reaction to stress	308.0-308.9	132-137
Acute schizophrenic episode	295.4	34
Adjustment reaction	309.0-309.9	138-144
Adjustment reaction with anxious mood	309.24	140
Adjustment reaction with brief depressive reaction	309.0	138
Adjustment reaction with mixed emotional features	309.28	140
Adjustment reaction with mixed disturbance of emotions and conduct	309.4	142
Adjustment reaction with physical symptoms	309.82	143
Adjustment reaction with predominant disturbance of other emotions	309.2	140
Adjustment reaction with predominant disturbance of conduct	309.3	141
Adjustment reaction with prolonged depressive reaction	309.1	139
Adjustment reaction with withdrawal	309.83	143
Affective personality disorder	301.1	77
Affective personality disorder, unspecified	301.10	77
Affective psychoses	296.0-296.9	40-49
Fifth-digit subclassification for use with 296.0-296.6:		
0 Unspecified degree		
1 Mild degree		
2 Moderate degree		
3 Severe degree, without mention of psychotic behavior		
4 Severe degree, specified as with psychotic behavior		
5 In partial or unspecified remission		
6 In full remission		
Agoraphobia with panic attacks	300.21	68
Agoraphobia without mention of panic attacks	300.22	68
Alcohol abuse	305.0	103
Alcohol amnestic syndrome	291.1	10
Alcohol dependence syndrome	303.0-303.9	91-92
Fifth-digit subclassification for use with 303:		
0 Unspecified		
1 Continuous		
2 Episodic		
3 In remission		
Alcohol withdrawal delirium	291.0	9
Alcohol withdrawal hallucinosis	291.3	12
Alcoholic jealousy	291.5	14
Alcoholic psychoses	291.0-291.9	9-16
Amnestic syndrome	294.0	26
Amphetamine and other psychostimulant dependence	304.4	97
Amphetamine or related acting sympathomimetic abuse	305.7	110
Anorexia nervosa	307.1	124
Antidepressant type abuse	305.8	111
Antisocial personality disorder	301.7	83
Anxiety state, unspecified	300.00	66
Anxiety states	300.0	66
Arteriosclerotic dementia	290.4	7
Arteriosclerotic dementia with delirium	290.41	7

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Arteriosclerotic dementia with delusional features	290.42	7
Arteriosclerotic dementia with depressive features	290.43	7
Arteriosclerotic dementia, uncomplicated	290.40	7
Attention deficit disorder of childhood	314.0	163
Attention deficit disorder of childhood without mention of hyperactivity	314.00	163
Attention deficit disorder of childhood with hyperactivity	314.01	163
Atypical depressive disorder	296.82	48
Atypical manic disorder	296.81	48
Avoidant personality	301.82	84
Barbiturate and similarly acting sedative or hypnotic dependence	304.1	94
Barbiturate and similarly acting sedative or hypnotic abuse	305.4	107
Bipolar affective disorder, depressed	296.5	45
Bipolar affective disorder, manic	296.4	44
Bipolar affective disorder, mixed	296.6	46
Bipolar affective disorder, unspecified	296.7	47
Borderline personality	301.83	84
Bulimia	307.51	128
Cannabis abuse	305.2	105
Cannabis dependence	304.3	96
Cardiovascular malfunction arising from mental factors	306.2	115
Catatonic type schizophrenia	295.2	32
Chronic depressive personality disorder	301.12	77
Chronic factitious illness with physical symptoms	301.51	81
Chronic hypomanic personality disorder	301.11	77
Chronic motor tic disorder	307.22	125
Cocaine abuse	305.6	109
Cocaine dependence	304.2	95
Combinations of drug dependence excluding opioid type drug	304.8	101
Combinations of opioid type drug with any other drug dependence	304.7	100
Compulsive personality disorder	301.4	80
Conversion disorder	300.11	67
Cyclothymic disorder	301.13	77
Dementia in conditions classified elsewhere	294.1	27
Dependent personality disorder	301.6	82
Depersonalization syndrome	300.6	72
Depressive disorder, not elsewhere classified	311	150
Depressive type psychosis	298.0	56
Disorder of organs of special sense arising from mental factors	306.7	120
Disorders of impulse control, not elsewhere classified	312.3	154
Disorders of psychosexual identity	302.6	88
Disorganized type schizophrenia	295.1	31
Dissociative disorder or reaction, unspecified	300.15	67
Disturbance of conduct, not elsewhere classified	312.0-312.9	151-157
Fifth-digit subclassification for use with 312.0-312.2:		
0 Unspecified degree		
1 Mild degree		
2 Moderate degree		
3 Severe degree		
Disturbance of emotions specific to childhood and adolescence	313.0-313.9	158-162

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Drug dependence	304.0-304.9	93-102
Fifth-digit subclassification for use with 304:		
0 Unspecified		
1 Continuous		
2 Episodic		
3 In remission		
Drug psychoses	292.0-292.9	17-21
Drug withdrawal syndrome	292.0	17
Drug-induced amnestic syndrome	292.83	20
Drug-induced delirium	292.81	20
Drug-induced dementia	292.82	20
Drug-induced hallucinosis	292.12	18
Drug-induced organic affective syndrome	292.84	20
Drug-induced organic delusional syndrome	292.11	18
Eating disorder, unspecified	307.50	128
Elective mutism specific to childhood and adolescence	313.23	159
Emancipation disorder of adolescence and early adult life	309.22	140
Encopresis	307.7	129
Endocrine disorder arising from mental factors	306.6	119
Excitative type psychosis	298.1	57
Explosive personality disorder	301.3	79
Factitious illness with psychological symptoms	300.16	67
Fetishism	302.81	90
Frontal lobe syndrome	310.0	145
Gastrointestinal malfunction arising from mental factors	306.4	117
Gender identity disorder of adolescent or adult life	302.85	90
Generalized anxiety disorder	300.02	66
Genitourinary malfunction arising from mental factors	306.5	118
Gilles de la Tourette's disorder	307.23	125
Hallucinogen abuse	305.3	106
Hallucinogen dependence	304.5	98
Histrionic personality disorder	301.5	81
Histrionic personality disorder, unspecified	301.50	81
Hyperkinetic syndrome of childhood	314.0-314.9	163-164
Hypochondriasis	300.7	73
Hysteria	300.1	67
Hysteria, unspecified	300.10	67
Identity disorder of childhood or adolescence	313.82	161
Idiosyncratic alcohol intoxication	291.4	13
Impulse control disorder, unspecified	312.30	154
Infantile autism	299.0	63
Intermittent explosive disorder	312.34	154
Introverted disorder of childhood	313.22	159
Introverted personality	301.21	78
Isolated explosive disorder	312.35	154
Kleptomania	312.32	154

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Latent schizophrenia	295.5	35
Major depressive disorder, recurrent episode	296.3	43
Major depressive disorder, single episode	296.2	42
Manic disorder, recurrent episode	296.1	41
Manic disorder, single episode	296.0	40
Manic-depressive psychosis, other and unspecified	296.8	48
Manic-depressive psychosis, unspecified	296.80	48
Mixed disorders as reaction to stress	308.4	136
Mixed disturbance of conduct and emotions	312.4	155
Multiple personality	300.14	67
Musculoskeletal malfunction arising from mental factors	306.0	113
Narcissistic personality	301.81	84
Neurasthenia	300.5	71
Neurotic depression	300.4	70
Neurotic disorders	300.0-300.9	66-75
Nondependent abuse of drugs	305.0-305.9	103-112
Fifth-digit subclassification for use with 305:		
0 Unspecified		
1 Continuous		
2 Episodic		
3 In remission		
Nonorganic sleep disorder, unspecified	307.40	127
Obsessive-compulsive disorders	300.3	69
Opioid abuse	305.5	108
Opioid type dependence	304.0	93
Oppositional disorder of childhood or adolescence	313.81	161
Organic affective syndrome	293.83	24
Organic delusional syndrome	293.81	24
Organic hallucinosis syndrome	293.82	24
Organic personality syndrome	310.1	146
Other acute reactions to stress	308.3	135
Other adjustment reactions with predominant disturbance of other emotions	309.29	140
Other alcoholic dementia	291.2	11
Other and unspecified affective psychoses	296.9	49
Other and unspecified alcohol dependence	303.9	92
Other and unspecified disorders of eating	307.5	128
Other and unspecified factitious illness	300.19	67
Other and unspecified reactive psychosis	298.8	61
Other and unspecified special symptoms or syndromes, not elsewhere classified	307.9	131
Other anxiety states	300.09	66
Other disorders of eating	307.59	128
Other disorders of impulse control	312.39	154
Other dysfunctions of sleep stages or arousal from sleep	307.47	127
Other emotional disturbances of childhood or adolescence	313.89	161
Other genitourinary malfunction arising from mental factors	306.59	118
Other histrionic personality disorder	301.59	81
Other isolated or simple phobias	300.29	68
Other manic-depressive psychosis	296.89	48
Other neurotic disorders	300.8	74
Other neurotic disorders	300.89	74

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Other nonorganic psychoses	298.0-298.9	56-62
Other or mixed emotional disturbances of childhood or adolescence	313.8	161
Other organic psychotic conditions (chronic)	294.0-294.9	26-29
Other personality disorders	301.8	84
Other personality disorders	301.89	84
Other psychalgia	307.89	130
Other specific disorders of sleep of nonorganic origin	307.49	127
Other specified adjustment reactions	309.8	143
Other specified adjustment reactions	309.89	143
Other specified affective psychoses	296.99	49
Other specified alcoholic psychosis	291.8	15
Other specified disturbances of conduct, not elsewhere classified	312.8	156
Other specified drug dependence	304.6	99
Other specified drug-induced mental disorders	292.8	20
Other specified drug-induced mental disorders	292.89	20
Other specified early childhood psychoses	299.8	64
Other specified nonpsychotic mental disorders following organic brain damage	310.8	148
Other specified organic brain syndromes (chronic)	294.8	28
Other specified paranoid states	297.8	54
Other specified psychophysiological malfunction	306.8	121
Other specified psychosexual disorders	302.8	90
Other specified psychosexual disorders	302.89	90
Other specified transient organic mental disorders	293.8	24
Other specified transient organic mental disorders	293.89	24
Other specified types of schizophrenia	295.8	38
Other, mixed, or unspecified drug abuse	305.9	112
Overanxious disorder specific to childhood and adolescence	313.0	158
Panic disorder	300.01	66
Paranoia	297.1	51
Paranoid and/or hallucinatory states induced by drugs	292.1	18
Paranoid personality disorder	301.0	76
Paranoid state, simple	297.0	50
Paranoid states	297.0-297.9	50-55
Paranoid type schizophrenia	295.3	33
Paraphrenia	297.2	52
Passive-aggressive personality	301.84	84
Pathological drug intoxication	292.2	19
Pathological gambling	312.31	154
Pedophilia	302.2	86
Persistent disorder of initiating or maintaining sleep	307.42	127
Persistent disorder of initiating or maintaining wakefulness	307.44	127
Personality disorders	301.0-301.9	76-85
Phase-shift disruption of 24-hour sleep-wake cycle	307.45	127
Phobia, unspecified	300.20	68
Phobic disorders	300.2	68
Physiological malfunction arising from mental factors	306.0-306.9	113-122
Pica	307.52	128
Postconcussion syndrome	310.2	147
Predominant disturbance of consciousness	308.1	133
Predominant disturbance of emotions	308.0	132
Predominant psychomotor disturbance	308.2	134
Presenile dementia	290.1	4
Presenile dementia with delirium	290.11	4

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Presenile dementia with delusional features	290.12	4
Presenile dementia with depressive features	290.13	4
Presenile dementia, uncomplicated	290.10	4
Prolonged posttraumatic stress disorder	309.81	143
Psychalgia	307.8	130
Psychogenic amnesia	300.12	67
Psychogenic dysmenorrhea	306.52	118
Psychogenic dysuria	306.53	118
Psychogenic fugue	300.13	67
Psychogenic genitourinary malfunction, unspecified	306.50	118
Psychogenic pain, site unspecified	307.80	130
Psychogenic paranoid psychosis	298.4	60
Psychogenic rumination	307.53	128
Psychogenic vaginismus	306.51	118
Psychogenic vomiting	307.54	128
Psychoses with origin specific to childhood	299.0-299.9	63-65
Fifth-digit subclassification for use with 299:		
0 Current or active		
1 Residual state		
Psychosexual dysfunction	302.7	89
Psychosexual dysfunction with inhibited sexual desire	302.71	89
Psychosexual dysfunction with inhibited sexual excitement	302.72	89
Psychosexual dysfunction with inhibited female orgasm	302.73	89
Psychosexual dysfunction with inhibited male orgasm	302.74	89
Psychosexual dysfunction with premature ejaculation	302.75	89
Psychosexual dysfunction with functional dyspareunia	302.76	89
Psychosexual dysfunction with other specified psychosexual dysfunctions	302.79	89
Psychosexual dysfunction, unspecified	302.70	89
Pyromania	312.33	154
Reactive confusion	298.2	58
Relationship problems specific to childhood and adolescence	313.3	160
Repetitive intrusions of sleep	307.48	127
Residual schizophrenia	295.6	36
Respiratory malfunction arising from mental factors	306.1	114
Schizo-affective type schizophrenia	295.7	37
Schizoid personality disorder	301.2	78
Schizoid personality disorder, unspecified	301.20	78
Schizophrenic disorders	295.0-295.9	30-39
Fifth-digit subclassification for use with 295:		
0 Unspecified state		
1 Subchronic state		
2 Chronic state		
3 Subchronic state with acute exacerbation		
4 Chronic state with acute exacerbation		
5 In remission		
Schizotypal personality	301.22	78
Senile and presenile organic psychotic conditions	290.0-290.9	3-8
Senile dementia with delirium	290.3	6
Senile dementia with delusional or depressive features	290.2	5
Senile dementia with delusional features	290.20	5
Senile dementia with depressive features	290.21	5
Senile dementia, uncomplicated	290.0	3

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Sensitivity, shyness, and social withdrawal disorder specific to childhood and adolescence	313.2	159
Separation anxiety disorder	309.21	140
Sexual deviations and disorders	302.2-302.8	86-90
Sexual masochism	302.83	90
Sexual sadism	302.84	90
Shared paranoid disorder	297.3	53
Shyness disorder of childhood	313.21	159
Simple type schizophrenia	295.0	30
Skin disorder arising from mental factors	306.3	116
Social phobia	300.23	68
Socialized conduct disorder	312.2	153
Somatization disorder	300.81	74
Somnambulism or night terrors	307.46	127
Special symptoms or syndromes, not elsewhere classified	307.0-307.9	123-131
Specific academic or work inhibition	309.23	140
Specific disorders of sleep of nonorganic origin	307.4	127
Specific nonpsychotic mental disorders due to organic brain damage	310.0-310.9	145-149
Stammering and stuttering	307.0	123
Stereotyped repetitive movements	307.3	126
Subacute delirium	293.1	23
Tension headache	307.81	130
Tic disorder, unspecified	307.20	125
Tics	307.2	125
Tobacco use disorder	305.1	104
Trans-sexualism	302.5	87
Trans-sexualism with asexual history	302.51	87
Trans-sexualism with heterosexual history	302.53	87
Trans-sexualism with homosexual history	302.52	87
Trans-sexualism with unspecified sexual history	302.50	87
Transient disorder of initiating or maintaining sleep	307.41	127
Transient disorder of initiating or maintaining wakefulness	307.43	127
Transient organic psychotic conditions	293.0-293.9	22-25
Transient tic disorder of childhood	307.21	125
Undersocialized conduct disorder, aggressive type	312.0	151
Undersocialized conduct disorder, unaggressive type	312.1	152
Unspecified acute reaction to stress	308.9	137
Unspecified adjustment reaction	309.9	144
Unspecified affective psychosis	296.90	49
Unspecified alcoholic psychosis	291.9	16
Unspecified childhood psychosis	299.9	65
Unspecified disturbance of conduct	312.9	157
Unspecified drug dependence	304.9	102
Unspecified drug-induced mental disorder	292.9	21
Unspecified emotional disturbance of childhood or adolescence	313.9	162
Unspecified hyperkinetic syndrome of childhood	314.9	164
Unspecified neurotic disorder	300.9	75
Unspecified nonpsychotic mental disorder following organic brain damage	310.9	149
Unspecified organic brain syndrome (chronic)	294.9	29
Unspecified paranoid state	297.9	55
Unspecified personality disorder	301.9	85
Unspecified psychophysiological malfunction	306.9	122

ALPHABETIC LISTING OF *ICD-9-CM* PSYCHIATRIC DIAGNOSTIC CODES

Description	*ICD-9-CM* Code	Page Number
Unspecified psychosis	298.9	62
Unspecified schizophrenia	295.9	39
Unspecified senile psychotic condition	290.9	8
Unspecified transient organic mental disorder	293.9	25
Voyeurism	302.82	90

APPENDIX F

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

This is a crosswalk or translation from *DSM-III-R* to *ICD-9-CM*.[1] It was developed in response to a need expressed by medical records administrators for a standardized means by which to translate the codes and rubrics of *DSM-III-R* (widely used by clinicians) ~~to~~ *ICD-9-CM* (which is often used for medical record coding, insurance reporting, and reporting to Federal Agencies). This crosswalk has been specifically developed to facilitate such coding and is not intended for research purposes. A thorough code-by-code discussion of present psychiatric nosology, to be used for research purposes, has been prepared by the American Psychiatric Association and is available through the APA Office of Research.

INSTRUCTIONS FOR USING THE CROSSWALK

DSM-III-R codes are listed in numerical order in the left hand column, followed from left to right by the *ICD-9-CM* code and the combined *DSM-III-R/ICD-9-CM* narrative. In order to find the *ICD-9-CM* code which corresponds to a *DSM-III-R* code, go directly across the page. Words in all capital letters are from the titles of aggregate code groups, added to clarify incomplete titles such as "other." Except in rare instances, discussed in the footnotes, the *ICD-9-CM* and *DSM-III-R* narrative terms are equivalent.

This is only a *DSM-III-R* to *ICD-9-CM* crosswalk. It is not an *ICD-9-CM* to *DSM-III-R* crosswalk and should not be used as such.

Nonsubstantive zeros in *DSM-III-R* which are not found in *ICD-9-CM* are highlighted in this crosswalk by an underscore (e.g., 316.00). These have no "content" and do not affect the crosswalk.

DSM-III-R contains only codes which are found in *ICD-9-CM*; *ICD-9-CM* is the more inclusive system. However, since one of its primary purposes is to serve as a complete list of medical terms to assist in the coding of medical records, there are many codes and rubrics in *ICD-9-CM* which are not found in *DSM-III-R*. When a term is encountered in a medical record which is found in *ICD-9-CM*, but not in *DSM-III-R*, the coder should be guided by *ICD-9-CM*.

See Footnote One (following the Crosswalk) for general notes about the crosswalk.

---

[1] Developed by J. Thompson and H.A. Pincus, Office of Research, American Psychiatric Association.

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
290.00	290.0	Senile [onset] dementia [primary degenerative] [of the Alzheimer type], uncomplicated [senile dementia, not otherwise specified]	2, 3
290.10	290.10	Presenile [onset] dementia [primary degenerative] [of the Alzheimer type], uncomplicated [presenile dementia, not otherwise specified]	2, 3
		Presenile [onset] dementia [primary degenerative] [of the Alzheimer type],	2
290.11	290.11	with delirium	
290.12	290.12	with delusional features [delusions]	
290.13	290.13	with depressive features [depression]	
		Senile [onset] dementia [primary degenerative] [of the Alzheimer type],	2
290.20	290.20	with delusional features [delusions]	
290.21	290.21	with depressive features [depression]	
290.30	290.3	with delirium	
		Arteriosclerotic [multi-infarct] dementia,	
290.40	290.40	uncomplicated	3
290.41	290.41	with delirium	3
290.42	290.42	with delusional features [delusions]	3
290.43	290.43	with depressive features [depression]	3
291.00	291.0	Alcohol withdrawal delirium	
291.10	291.1	Alcohol amnestic syndrome	
291.20	291.2	Other alcoholic dementia [associated with alcoholism]	
291.30	291.3	Alcohol withdrawal hallucinosis	3
291.40	291.4	Idiosyncratic alcohol intoxication	
291.80	291.8	Other specified alcohol psychosis [uncomplicated alcohol withdrawal]	3
292.00	292.0	Drug [amphetamine or similarly acting sympathomimetic] [cocaine] [nicotine] [opioid] [sedative, hypnotic, or anxiolytic delirium] [uncomplicated sedative, hypnotic, or anxiolytic] [other or unspecified psychoactive substance] withdrawal syndrome	4
292.11	292.11	Drug-induced [amphetamine or similarly acting sympathomimetic] [cannabis] [cocaine] [hallucinogen] [phencyclidine (PCP) or similarly acting arylcyclohexylamine] [other or unspecified substance] organic delusional syndrome [disorder]	5, 6
292.12	292.12	Drug-induced [other or unspecified psychoactive substance] hallucinosis	
292.81	292.81	OTHER SPECIFIED drug-induced [amphetamine or similarly acting sympathomimetic] [cocaine] [other or unspecified psychoactive substance] [phencyclidine (PCP) or similarly acting arylcyclohexylamine] delirium	
292.82	292.82	OTHER SPECIFIED drug-induced [other or unspecified psychoactive substance] dementia	8

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
292.83	292.83	OTHER SPECIFIED drug-induced [sedative, hypnotic, or anxiolytic] [other or unspecified psychoactive substance] amnestic disorder	8
292.84	292.84	OTHER SPECIFIED drug-induced [hallucinogen] [phencyclidine (PCP) or similarly acting arylcyclohexylamine] [other or unspecified psychoactive substance] organic affective [mood] syndrome [disorder]	6, 8, 9
292.89	292.89	Other specified drug-induced [other or unspecified [psychoactive] substance] organic mental [anxiety] [personality] disorder [posthallucinogen perception disorder]	3, 8, 10
292.90	292.9	Unspecified drug-induced [phencyclidine (PCP) or similarly acting arylcyclohexylamine] [other or unspecified psychoactive substance] organic mental disorder [not otherwise specified]	7, 11
293.00	293.0	Acute delirium [etiology noted on Axis III or is unknown]	12
293.81	293.81	Organic delusional syndrome [disorder]	
293.82	293.82	Organic hallucinosis syndrome	
293.83	293.83	Organic affective syndrome [mood disorder]	
294.00	294.0	Amnestic syndrome [disorder]	
294.10	294.1	Dementia in conditions classified elsewhere	
294.80	294.8	Other specified organic brain syndrome (chronic) [organic anxiety disorder]	13
294.80	294.9	Other specified organic brain syndrome (chronic) [organic mental disorder not otherwise specified]	14
		Schizophrenic disorder [schizophrenia], disorganized type,	
295.10	295.10	unspecified	
295.11	295.11	subchronic	
295.12	295.12	chronic	
295.13	295.13	subchronic with acute exacerbation	
295.14	295.14	chronic with acute exacerbation	
295.15	295.15	in remission	15
		Schizophrenic disorder [schizophrenia], catatonic type,	
295.20	295.20	unspecified	
295.21	295.21	subchronic	
295.22	295.22	chronic	
295.23	295.23	subchronic with acute exacerbation	
295.24	295.24	chronic with acute exacerbation	
295.25	295.25	in remission	15

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
		Schizophrenic disorder [schizophrenia], paranoid type,	
295.30	295.30	unspecified	
295.31	295.31	subchronic	
295.32	295.32	chronic	
295.33	295.33	subchronic with acute exacerbation	
295.34	295.34	chronic with acute exacerbation	
295.35	295.35	in remission	15
295.40	295.40	Acute schizophrenic episode, unspecified [schizophreniform disorder]	3
		Residual schizophrenia [schizophrenic disorder] [schizophrenia],	16
295.60	295.60	unspecified	
295.61	295.61	subchronic	
295.62	295.62	chronic	
295.70	295.70	Schizophrenic disorder, schizo-affective type, unspecified [schizoaffective disorder]	17
		Unspecified schizophrenia [schizophrenic disorder, undifferentiated type],	3, 18
295.90	295.90	unspecified	15
295.91	295.91	subchronic	
295.92	295.92	chronic	
295.93	295.93	subchronic with acute exacerbation	
295.94	295.94	chronic with acute exacerbation	
295.95	295.95	in remission	19
		Major depressive disorder [depression], single episode	
296.20	296.20	unspecified	
296.21	296.21	mild	
296.22	296.22	moderate	
296.23	296.23	severe, without mention of psychotic behavior [features]	
296.24	296.24	severe, specified as with psychotic behavior [features]	
296.25	296.25	in partial remission	
296.26	296.26	in full remission	
		Major depressive disorder [depression], recurrent	20
296.30	296.30	unspecified	
296.31	296.31	mild	
296.32	296.32	moderate	
296.33	296.33	severe, without mention of psychotic behavior [features]	
296.34	296.34	severe, specified as with psychotic behavior [features]	
296.35	296.35	in partial remission	
296.36	296.36	in full remission	
		Bipolar affective disorder, manic,	20
296.40	296.40	unspecified	
296.41	296.41	mild	
296.42	296.42	moderate	
296.43	296.43	severe, without mention of psychotic behavior [features]	
296.44	296.44	severe, specified as with psychotic behavior [features]	
296.45	296.45	in partial remission	

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
		Bipolar affective disorder, manic,	20
296.46	296.46	in full remission	
		Bipolar affective disorder, depressed,	20
296.50	296.50	unspecified	
296.51	296.51	mild	
296.52	296.52	moderate	
296.53	296.53	severe, without mention of psychotic behavior [features]	
296.54	296.54	severe, specified as with psychotic behavior [features]	
296.55	296.55	in partial remission	
296.56	296.56	in full remission	
		Bipolar affective disorder, mixed,	20
296.60	296.60	unspecified	
296.61	296.61	mild	
296.62	296.62	moderate	
296.63	296.63	severe, without mention of psychotic behavior [features]	
296.64	296.64	severe, specified as with psychotic behavior [features]	
296.65	296.65	in partial remission	
296.66	296.66	in full remission	
296.70	296.7	Bipolar affective disorder, unspecified [not otherwise specified]	
297.10	297.1	Paranoia [delusional disorder]	21
297.30	297.3	Shared paranoid disorder [included psychotic disorder]	22
298.80	298.8	Other and unspecified [brief] reactive psychosis	3
298.90	298.9	Unspecified psychosis [psychotic disorder not otherwise specified]	3
299.00	299.00	Infantile autism, current or active state [autistic disorder]	
299.80	299.80	Other specified early childhood psychoses current or active state [pervasive developmental disorder, not otherwise specified]	3
300.00	300.00	Anxiety state [disorder], unspecified [not otherwise specified]	
300.01	300.01	Panic disorder [without agoraphobia]	23
300.02	300.02	Generalized anxiety disorder	
300.11	300.11	Conversion disorder [or hysterical neurosis, conversion type]	
300.12	300.12	Psychogenic amnesia	
300.13	300.13	Psychogenic fugue	
300.14	300.14	Multiple personality [disorder]	
300.15	300.15	Dissociative disorder or reaction, unspecified [not otherwise specified]	
300.16	300.16	Factitious illness [disorder] with psychological symptoms	
300.19	300.19	Other and unspecified factitious illness [disorder, with physical symptoms [not otherwise specified]	3
300.21	300.21	Agoraphobia with panic attacks [panic disorder, with agoraphobia]	24, 25
300.22	300.22	Agoraphobia without [without history of panic disorder] mention of panic attacks	25
300.23	300.23	Social phobia	
300.29	300.29	Other isolated or simple phobias	
300.30	300.3	Obsessive-compulsive disorder [obsessive compulsive neurosis]	

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
300.40	300.4	Neurotic depression [dysthymic disorder or depressive neurosis]	
300.60	300.6	Depersonalization syndrome [disorder] [or depersonalization neurosis]	
300.70	300.7	Hypochondriasis neurotic disorder [body dysmorphic disorder] [somatoform disorder, not otherwise specified] [undifferentiated somatoform disorder]	3, 26, 27
300.81	300.81	Somatization disorder	
300.90	300.9	Unspecified neurotic [mental] disorder [nonpsychotic]	28
301.00	301.0	Paranoid personality disorder	
301.13	301.13	Cyclothymic disorder [cyclothymia]	
301.20	301.20	Schizoid personality disorder, unspecified	
301.22	301.22	Schizotypal personality [disorder]	
301.40	301.4	[Obsessive] compulsive personality disorder	
301.50	301.50	Histrionic personality disorder, unspecified	
301.51	301.51	Chronic factitious illness [disorder] with physical symptoms	
301.60	301.6	Dependent personality disorder	
301.70	301.7	Antisocial personality disorder	
301.81	301.81	Narcissistic personality [disorder]	
301.82	301.82	Avoidant personality [disorder]	
301.83	301.83	Borderline personality [disorder]	
301.84	301.84	Passive-aggressive personality [disorder]	
301.90	301.90	Unspecified personality disorder [not otherwise specified]	
302.20	302.2	Pedophilia	
302.30	302.3	Transvestism [transvestic fetishism]	29
302.40	302.4	Exhibitionism	
302.50	302.50	TRANSSEXUALISM with unspecified sexual history	30
302.60	302.6	Disorders of psychosexual identity [gender identity disorder of childhood]	3
302.70	302.70	Psychosexual [sexual] dysfunction, unspecified [not otherwise specified]	
302.71	302.71	Psychosexual dysfunction with inhibited [hypoactive] sexual desire	
302.72	302.72	Psychosexual dysfunction with inhibited sexual excitement [female sexual arousal disorder]	
302.72	302.72	Psychosexual dysfunction with inhibited sexual excitement [male erectile disorder]	31
302.73	302.73	Psychosexual dysfunction with inhibited female orgasm	
302.74	302.74	Psychosexual dysfunction with inhibited male orgasm	
302.75	302.75	Psychosexual dysfunction with premature ejaculation	
302.76	302.76	Psychosexual dysfunction with functional dyspareunia	
302.79	302.79	Psychosexual dysfunction with other specified psychosexual dysfunction [sexual aversion disorder]	32
302.81	302.81	Fetishism	
302.82	302.82	Voyeurism	

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
302.83	302.83	Sexual masochism	
302.84	302.84	Sexual sadism	
302.85	302.85	Gender identity disorder of adolescent or adult life [of adolescence or adulthood, nontranssexual type] [not otherwise specified]	33
302.89	302.89	Other SPECIFIED PSYCHOSEXUAL DISORDER [Frotteurism]	34
302.90	302.9	Unspecified psychosexual disorder [atypical paraphilia] [sexual disorder, not otherwise specified] [paraphilia, not otherwise specified]	
303.00	303.00	Acute alcoholic [alcohol] intoxication, unspecified	35
303.90	303.90	Other and unspecified alcohol dependence, unspecified [alcohol dependence]	
304.00	304.00	Opioid type dependence, unspecified	
304.10	304.10	Barbiturate and [or] similarly acting sedative or hypnotic dependence, unspecified [sedative, hypnotic, or anxiolytic dependence]	
304.20	304.20	Cocaine dependence, unspecified	
304.30	304.30	Cannabis dependence, unspecified	
304.40	304.40	Amphetamine and [or] other psychostimulant [similarly acting sympathomimetc] dependence, unspecified	
304.50	304.50	Hallucinogen dependence, unspecified [phencyclidine (PCP) or similarly acting arycyclohexlyamine dependence]	3
304.60	304.60	Other specified drug [substance] dependence, unspecified [inhalant dependence]	3, 36, 37
304.90	304.90	Unspecified drug dependence, unspecified [polysubstance dependence] [psychoactive substance dependence, not otherwise specified]	38
305.00	305.00	Alcohol abuse, unspecified	35
305.10	305.10	Tobacco use disorder [nicotine dependence], unspecified	3, 39
305.20	305.20	Cannabis abuse [intoxication], unspecified	40
305.30	305.30	Hallucinogen abuse, unspecified	40
305.30	292.12	Drug-induced hallucinosis [hallucinosis]	41
305.40	305.40	Barbiturate and similarly acting sedative or hypnotic abuse, unspecified [sedative, hypnotic, or anxiolytic abuse] [intoxication]	40
305.50	305.50	Opioid abuse [intoxication], unspecified	40
305.60	305.60	Cocaine abuse [intoxication], unspecified	40
305.70	305.70	Amphetamine or related acting sympathomimetic abuse [intoxication], unspecified	40
305.90	305.90	Other, mixed, or unspecified [psychoactive] drug [substance] abuse [intoxication], unspecified, [caffeine intoxication], [phencyclidine (PCP) or similarly acting arylcyclohexylamine abuse or intoxication] [inhalant abuse] [inhalant intoxication] [polysubstance abuse] [psychoactive substance abuse, not otherwise specified]	5, 40, 42

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
306.51	306.51	Psychogenic vaginismus	3
307.00	307.0	Stammering and stuttering [cluttering]	3
307.10	307.1	Anorexia nervosa	
307.20	307.20	Tic disorder, unspecified [not otherwise specified]	43
307.21	307.21	Transient tic disorder of childhood	
307.22	307.22	Chronic motor [or vocal] tic disorder	44
307.23	307.23	Gilles de la Tourette's disorder	
307.30	307.3	Stereotyped repetitive movements [stereotype] [disorder]	
307.30	307.9	Other or unspecified special symptoms or syndromes, not elsewhere classified [habit disorder]	3, 45
307.40	307.40	Nonorganic sleep disorder, unspecified [dyssomnia, not otherwise specified]	46
307.40	307.47	Other dysfunctions of sleep stages or arousal from sleep [parasomnia, not otherwise specified]	47
307.42	307.42	Persistent disorder or initiating or maintaining sleep [insomnia related to another mental disorder, nonorganic] [primary insomnia]	3, 48
307.44	307.44	Persistent disorder of initiating or maintaining wakefulness [hypersomnia related to another mental disorder, nonorganic]	3, 48
307.45	307.45	Phase-shift disruption of 24-hour sleep-wake cycle [sleep-wake schedule disorder]	3
307.46	307.46	Somnambulism or night terrors, pavor nocturnus [sleepwalking disorder] [sleep terror disorder]	
307.47	307.47	Other dysfunctions of sleep stages or arousal from sleep [dream anxiety disorder] [nightmare disorder]	3
307.50	307.50	Eating disorder, unspecified [not otherwise specified]	
307.51	307.51	Bulimia [bulimia nervosa]	
307.52	307.52	Pica	
307.53	307.53	Psychogenic rumination [disorder of infancy]	
307.60	307.6	[Functional] enuresis	
307.70	307.7	[Functional] encopresis	
307.80	307.80	Psychogenic [somatoform] pain [disorder], site unspecified	
309.00	309.0	Brief depressive reaction [adjustment disorder with depressed mood]	3
309.21	309.21	Separation anxiety disorder	
309.23	309.23	Specific [adjustment disorder with] academic or work inhibition	
309.24	309.24	Adjustment reaction [disorder] with anxious mood	
309.28	309.28	Adjustment reaction [disorder] with mixed emotional features	
309.30	309.3	ADJUSTMENT REACTION [disorder] with predominant disturbance of conduct	
309.40	309.4	ADJUSTMENT REACTION [disorder] with mixed disturbance of emotions and conduct	
309.83	309.83	Adjustment reaction [disorder] with withdrawal	
309.89	308.3	Other acute reactions to stress [post-traumatic stress disorder]	3

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
309.90	309.9	Unspecified adjustment reaction [disorder] [not otherwise specified]	3
310.10	310.1	Organic personality syndrome [disorder]	
311.00	311	Atypical depressive disorder [depressive disorder, not otherwise specified]	
312.00	312.00	Undersocialized conduct disorder, [solitary] aggressive type, unspecified	
312.20	312.20	Socialized conduct disorder [group type], unspecified	3
312.31	312.31	Pathological gambling	
312.32	312.32	Kleptomania	
312.33	312.33	Pyromania	
312.34	312.34	Intermittent explosive disorder	
312.39	312.39	DISORDERS OF IMPULSE CONTROL, NOT ELSEWHERE CLASSIFIED [trichotillomania]	49
312.39	312.30	DISORDERS OF IMPULSE CONTROL, NOT ELSEWHERE CLASSIFIED [not otherwise specified]	50
312.90	312.9	Unspecified disturbance of conduct [disorder] [Undifferentiated type]	51
313.00	313.0	Overanxious disorder OF CHILDHOOD AND ADOLESCENCE	
313.21	313.21	Shyness [avoidant] disorder of childhood (or adolescence)	3
313.23	313.23	Elective mutism OF CHILDHOOD AND ADOLESCENCE	
313.81	313.81	Oppositional [defiant] disorder of CHILDHOOD AND ADOLESCENCE	
313.82	313.82	Identity disorder OF CHILDHOOD AND ADOLESCENCE	
313.89	313.89	Other EMOTIONAL DISTURBANCES OF CHILDHOOD AND ADOLESCENCE [reactive attachment disorder of infancy or early childhood]	3
314.00	314.00	[Undifferentiated] attention deficit disorder, without mention of hyperactivity	
314.01	314.01	Attention deficit disorder, with hyperactivity	
315.00	315.00	[Developmental] reading disorder, unspecified	
315.10	315.1	[Developmental] specific arithmetic disorder	
315.31	315.31	Developmental [expressive] [receptive] language disorder	
315.39	315.39	Other DEVELOPMENTAL SPEECH OR LANGUAGE [articulation disorder]	3
315.40	315.4	[Developmental] coordination disorder	3
315.90	315.9	Unspecified delay in development [disorder, not otherwise specified]	52
315.90	315.9	Other specified delays in development [specific developmental disorder, not otherwise specified]	52
316.00	316	Psychic [psychological] factors associated with diseases classified elsewhere [affecting physical condition]	3

CROSSWALK FROM *DSM-III-R* TO *ICD-9-CM*

DSM-III-R Code	*ICD-9-CM* Code	Narrative *ICD-9-CM*, plus [*DSM-III-R*]	Footnotes
317.00	317	Mild mental retardation	
318.00	318.0	Moderate mental retardation	
318.10	318.1	Severe mental retardation	
318.20	318.2	Profound mental retardation	
319.00	319	Unspecified mental retardation	
780.50	780.54	Other hypersomnia [related to a known organic factor]	53
780.50	780.52	Other insomnia [related to a known organic factor]	53
780.54	307.44	Persistent disorder or initiating or maintaining wakefulness [primary hypersomnia]	54
799.90	799.9	Other unknown and unspecified cause [diagnosis or condition deferred]	
V15.81	V15.81	Noncompliance with medical treatment	
V40.00	V62.89	Other PSYCHOLOGICAL OR PHYSICAL STRESS, NOT ELSEWHERE CLASSIFIED [borderline intellectual functioning]	55
V61.10	V61.1	Marital problems	
V61.20	V61.20	Parent-child problem, unspecified	
V61.80	V61.8	Other specified family circumstances	
V62.20	V62.2	Other occupational circumstances or maladjustment [problems]	
V62.30	V62.3	Educational circumstances [academic problem]	3
V62.81	V62.81	[Other] interpersonal problems, not elsewhere classified	
V62.82	V62.82	Bereavement, uncomplicated	
V62.89	V62.89	Other PSYCHOLOGICAL OR PHYSICAL STRESS, NOT ELSEWHERE CLASSIFIED [phase of life problem or other life circumstance problem]	3
V65.20	V65.2	Person feigning illness [malingering]	3
V71.01	V71.01	Adult antisocial behavior	
V71.02	V71.02	Childhood or adolescent antisocial behavior	
V71.09	V71.09	Other suspected mental condition [no diagnosis or condition]	56
Diagnostic Categories Needing Further Study (See page 367 *DSM-III-R*)			
300.90	300.90	Unspecified neurotic disorder, nonpsychotic [late luteal phase dysphoric disorder]	57
301.90	301.89	Other personality disorders, other [sadistic personality disorder]	58
301.90	301.89	Other personality disorders, other [selfdefeating personality disorder]	58

FOOTNOTES FOR CROSSWALK FROM *DSM-III* and *DSM-III-R* TO *ICD-9-CM*

1. General Notes

   a. This crosswalk was prepared with the assistance of the text and index of *DSM-III-R*, and the text glossary, and index of the *ICD-9-CM*. Also included are the *ICD-9-CM* Errata, printed in March 1979, the *ICD-9-CM* Addenda, published in *Medical Record News*, May 15, 1979, and the *ICD-9-CM* Official Authorized Addendum, NCHS, DHHS, October 1, 1987.

   b. When this crosswalk is used for submission to Federal agencies or intermediaries for reimbursement, only one code should be reported. Multiple codes are not accepted.

   c. In *ICD-9-CM* drug abuse codes, specific substances are not specified. These may be indicated by the use of an "E" code. (Only submit the non-"E" code for reimbursement purposes, however.)

   d. Nonsubstantive zeros in *DSM-III-R* which are not found in *ICD-9-CM* are highlighted in this crosswalk by an underscore (e.g., 316.00). These have no "content," and do not affect the crosswalk to *ICD-9-CM*. These final zeros (indicated in the crosswalk by an underscore) may be suppressed to arrive at the *ICD-9-CM* code.

   e. Some *DSM-III-R* codes contain several rubrics, which are in effect inclusion terms. These have been used in the same way as inclusion terms in *ICD-9-CM*.

   f. Note that this is not an *ICD-9-CM* to *DSM-III-R* crosswalk, and should not be used as such. There are many *ICD-9-CM* codes which are not included in *DSM-III-R*, and are not included in this crosswalk.

   g. "Not otherwise specified" in *ICD-9-CM* is equivalent to "unspecified" in *DSM-III-R* (page xxiii in *ICD-9-CM*).

2. *ICD-9-CM* includes the "Alzheimer's" rubric for only presenile dementia, while *DSM-III-R* includes Alzheimer's as an inclusion term for both presenile and senile dementia. The reason is that recent evidence indicates that the pathology for the senile and presenile conditions is the same, and is of the Alzheimer type. This may cause confusion in coding, since Alzheimer's leads the *ICD-9-CM* coder to only presenile dementia. The controlling rubric, however, is senile/presenile, rather than the Alzheimer's designation. If Alzheimer's is indicated without reference to whether the condition is presenile or senile, the *ICD-9-CM* convention should be observed (i.e., the condition coded to presenile dementia).

3. The *DSM-III-R* term is a subterm or inclusion term in *ICD-9-CM*.

4. *ICD-9-CM* includes all drug withdrawal syndromes in 292.0, whether or not the drug is specified, and whether or not delirium is present. Other *ICD-9-CM* categories include only effects **induced** by drugs (292.2 to 292.9). The *ICD-9-CM* 293 series (transient organic psychotic conditions, including delirium) specifically excludes disorders associated with alcohol or drugs.

5. *ICD-9-CM* includes all specific drug induced disorders under a single code which defines the nature of the disorder (e.g., delusional syndromes, hallucinosis, affective (mood) syndromes, etc.), whereas *DSM-III-R* includes a designation as to the drug class.

6. The term "organic" is not included in *DSM-III- R*, but that an organic mental disorder is present is clear.

7. PCP and/or caffeine are included in these *ICD-9-CM* categories, as per the *ICD-9-CM* index. (In the case of PCP dependence, 304.5, the original publication of *ICD-9-CM* had Phencyclidine as an inclusion term, but in the index led the coder to 304.6. In later printings, this inclusion term in 304.5 was eliminated.)

8. "Specified" in *ICD-9-CM* refers to the mental disorder, while "unspecified" in *DSM-III-R* refers to the drug.

9. The term "affective" is not used in *DSM-III-R*.

10. Posthallucinogen perception disorder is specified drug-induced organic mental disorder which is not delirium, dementia, amnestic, or affective. It is not a withdrawal syndrome or intoxication, and is not a hallucinatory state induced by drugs, since the drug is no longer present. It therefore goes to the residual category "other specified" drug-induced organic mental disorder category in *ICD-9-CM* (292.89).

11. "Unspecified" in *ICD-9-CM* and "not otherwise specified" in *DSM-III-R* refers to "disorder."

12. *ICD-9-CM* uses the word "acute," while *DSM-III-R* does not. The discussion on "course" in *DSM-III-R* (p. 101-102), however, makes it clear that the conditions are one and the same.

13. The word "chronic" is included in the *ICD-9-CM* 294.8 code title, but not in *DSM-III-R*. "Chronic" does not completely define the *ICD-9-CM* category; however, as "acute" cases are also included as per the *ICD-9-CM* index, and "mixed" is an inclusion term. The *DSM-III-R* "organic anxiety disorder" is "another specified" organic brain syndrome, and crosswalks to 294.8.

14. The *DSM-III-R* "not otherwise specified" rubric crosswalks to the *ICD-9-CM* "unspecified" category, 294.9.

15. This code is not found in Appendix G (alphabetic list) or Appendix H (numeric list) of *DSM-III-R*, but is a valid *DSM-III-R* code.

16. Codes 295.63 and 295.64 are found in Appendix G (alphabetic list) and Appendix H (numeric list) of *DSM-III-R*, but are **not** valid *DSM-III-R* codes. (See page 198 in *DSM-III-R*.)

17. *DSM-III-R* questions whether this is a schizophrenic disorder. Both *DSM-III-R* (p. 208-210) and *ICD-9-CM* (p. 1119) agree, however, that this category contains the conditions in which affective and schizophrenic symptoms are both pronounced.

18. The *DSM-III-R* term "undifferentiated" appears as an inclusion term in *ICD-9-CM* for both 295.8x and 295.9x. The state referred to in 295.8x is "acute;" however, and is similar to 295.40 in *DSM-III-R*. (The 295.8x codes are not used in *DSM-III-R*.) Code 295.9x in *DSM-III-R* is a residual category, and is correctly crosswalked to 295.9x in *ICD-9-CM* ("undifferentiated, not otherwise specified").

19. Appendix G (alphabetic list) and Appendix H (numeric list) in *DSM-III-R* incorrectly shows the rubric as "unspecified."

20. Terminology for the 5th digit differs in *DSM-III-R* and *ICD-9-CM*, but study of the two documents reveals that the terminology is equivalent. *DSM-III-R* drops the word "severe" from the .x4 rubric, although severity is clearly implied; uses the word "features" instead of "behavior" to describe psychosis; does not include "unspecified" in the .x5 rubric; and drops the term "affective" from the bipolar disorders.

21. *DSM-III-R* uses the term "delusional" instead of paranoia. This is clearly within the intent of *ICD-9-CM*, however, which indicates that this category includes cases in which "delusions ... are the main symptoms."

22. The *DSM-III-R* terminology simply stresses that the disorder is induced by another person. The outcome is the same, however, in that the two persons share the same disorder.

23. *ICD-9-CM* does not specifically mention the absence of agoraphobia, but this is implicit, since the combination of agoraphobia and panic would go to 300.21 in *ICD-9-CM*, and this category is the only other possibility for panic disorder in *ICD-9-CM*.

24. *ICD-9-CM* considers agoraphobia the primary condition, while *DSM-III-R* considers panic disorder to be the primary condition. The contents of the category are the same, however.

25. The *DSM-III-R* category is theoretically more restrictive, in that panic disorder (rather than mention of panic attacks) should be present. This is not problematic in a *DSM-III-R* to *ICD-9-CM* crosswalk, however, since the contents of the *DSM-III-R* category would go in toto to the *ICD-9-CM* category.

26. Body dysmorphic disorder is a new *DSM-III-R* rubric, and is clearly a somatoform disorder according to *DSM-III-R*.

27. All somatoform disorders go to 300.7 in *ICD-9-CM*. *ICD-9-CM's* 300.9 (Unspecified neurotic disorder) would be incorrect, since the neurotic disorder is indeed specified as somatoform.

28. The *DSM-III-R* "nonpsychotic" is broader than the *ICD-9-CM* "unspecified neurotic." However, the presence of residual categories in *DSM-III-R* which cover all other conditions, and the absence of another appropriate *DSM-III-R* category for unspecified neurotic disorders, makes this the correct crosswalk in actual practice. Also, the *DSM-III-R* title is included in the *ICD-9-CM* index for this code.

29. Although there is a category for "fetishism" in the "other" category of *ICD-9-CM*, the greater specificity in the term "transvestic fetishism" in *DSM-III-R* makes 300.3 the correct one.

30. *ICD-9-CM* contains codes for sexual orientation, while *DSM-III-R* does not. (The sexual orientation can be specified in *DSM-III-R*, but all transsexualism goes into the 302.50 category.) If sexual orientation is specified in *DSM-III-R*, the crosswalk to *ICD-9-CM* would be 302.51 (asexual), 302.52 (homosexual), or 302.53 (heterosexual).

31. *ICD-9-CM* inclusions are "frigidity" and "impotence," which is equivalent terminology to that in *DSM-III-R*.

32. Sexual aversion disorder is an "other specified psychosexual dysfunction" as defined by *ICD-9-CM*.

33. The addition of "nontranssexual type" in *DSM-III-R* adds some confusion to where this disorder should be placed in *ICD-9-CM*, since there is no such exclusion in *ICD-9-CM*. The primary category is gender identity disorder, however, rather than transsexualism, which crosswalks to 302.85 in *ICD-9-CM*. In addition, the "not otherwise specified" rubric in *DSM-III-R* correctly crosswalks to this category in *ICD-9-CM*, since this refers specifically to gender identity disorder, rather than serving as a more general NOS category for psychosexual disorders.

34. Frotteurism is an "other specified psychosexual disorder," as per the *ICD-9-CM* definition.

35. *ICD-9-CM* recognizes intoxication in a person dependent on alcohol (303.0x) and in a person not dependent (305.0x). *DSM-III-R* recognizes intoxication without regard to dependence (303.00), and abuse without dependence (305.0x). In clinical practice most patients coming to care intoxicated will also be dependent, making the 303.00 to 303.00 crosswalk correct. "Abuse" is similarly defined in *ICD-9-CM* (p. 1089-1090) and *DSM-III-R* (p. 169 and 0. 173), making the 305.0x to 305.0 crosswalk correct.

36. Inhalants are an "other specified" substance, as per the *ICD-9-CM* definition.

37. "Specified" and "unspecified" as used here are only an apparent contradiction in the *ICD-9-CM* and *DSM-III-R* codes. "Specified" refers to the drug, and "unspecified" refers to the pattern of the condition.

38. The two combination categories in *ICD-9-CM* are dependent on identification of use or non-use of opioid drugs (304.7 and 304.8). *DSM-III-R* does not use this distinction, and so *DSM-III-R* combination categories for drugs would have to go to the "unspecified" category (304.9), since opioid is not specified.

39. In spite of the overall category rubric in *ICD-9-CM* ("Nondependent abuse of drugs"), tobacco dependence is an *ICD-9-CM* inclusion term in 305.1. The *DSM-III-R* use of "nicotine" reflects the addicting substance in tobacco, and tobacco is the only clinically important manner in which nicotine is abused.

40. *ICD-9-CM* is not entirely clear as to where most intoxication without dependence should be placed. Intoxication is implied in "abuse," however, as the glossary reads the abuse is "a maladaptive effect of a drug on which he is not dependent" (p. 1089). In addition, alcohol intoxication without dependence (drunkenness) is included in this group (the 305 series), as is acute intoxication from hallucinogens. The crosswalk listed is therefore correct.

41. Hallucinosis is the *DSM-III-R* term for intoxication. The "hallucinosis" rubric in *ICD-9-CM* leads one to 292.12, however. If this term is used in *DSM-III-R*, the 292.12 crosswalk should be used.

42. Polysubstance abuse in *DSM-III-R* is equivalent to "mixed" in *ICD-9-CM*.

43. This *ICD-9-CM* code is the only residual category for tic disorder, and so is the correct crosswalk for the "not otherwise specified" *DSM-III-R* rubric.

44. The key word is "or" in the *DSM-III-R* rubric, as either motor **or** verbal tics, but not both, may be present (page 81, *DSM-III-R*). If both are present, Tourette's is the proper diagnosis.

45. The term "habit" in a non-tic condition is indexed in *ICD-9-CM* to 307.9, and some of the exampies in *DSM-III-R* are inclusion terms in *ICD-9-CM* 307.9. If "habit" is included in the rubric, therefore, the crosswalk is to 307.9.

46. Dyssomnia is a rubric unique to *DSM-III-R*, but has the meaning of any insomnia, hypersomnia, or disorder of the sleep-wake cycle (page 298). This crosswalks in *ICD-9-CM* to the 307.40 "unspecified" code of *ICD-9-CM*.

47. Parasomnia of nonorganic origin crosswalk to 307.47 as per the *ICD-9-CM* index.

48. *DSM-III-R* considers the contents of 307.42 to be insomnia which does not have an organic etiology or which is related only to another mental disorder. The inclusion terms in *ICD-9-CM* clarify that this is the content of the *ICD-9-CM* category also. The *ICD-9-CM* category "transient disorder of initiating or maintaining sleep" (307.41) does not meet the *DSM-III-R* definition of an insomnia-type mental disorder, because of the transient nature of the condition (see pages 299-300 in *DSM-III-R*). Similar reasoning applies to the hypersomnia category (307.44).

49. Trichotillomania is another specified disorder of impulse control, as per the *ICD-9-CM* definition.

50. The "not otherwise classified" rubric in *DSM-III-R* crosswalks to 312.30 ("unspecified") in *ICD-9-CM*.

51. Because the disorder is undifferentiated (as in *DSM-III-R*), it cannot be specified, yielding the "unspecified" rubric of *ICD-9-CM*.

52. The "specified" in the *DSM-III-R* rubric for 315.90 is contradictory to the "not otherwise specified" rubric (which means "unspecified"). The "not otherwise specified" rubric should be taken as the primary rubric, which crosswalks to *ICD-9-CM* 315.90. The other *DSM-III-R* rubric "unspecified" unambiguously goes to *ICD-9-CM* 315.90.

53. *DSM-III-R* considers the contents of these categories to be hypersomnia which has an organic etiology. The closest *ICD-9-CM* categories are 780.54 and 780.52. (If apnea is specified, the crosswalk is to 780.53 or 780.51 in *ICD-9-CM*).

54. This *DSM-III-R* category is for hypersomnia with no known organic etiology or related only to another mental disorder. This crosswalks to 307.44 in *ICD-9-CM*.

55. The inclusion "borderline intellectual functioning" was added to *ICD-9-CM* V62.89 in an update. The crosswalk is therefore to V62.89 in *ICD-9-CM*.

56. *ICD-9-CM* includes this code under "observations for suspected mental condition," while *DSM-III-R* indicates that this code is to be used when no diagnosis or condition is present "following an examination." Assuming that the *ICD-9-CM* code represents a final "diagnosis," both refer to a person with a negative workup for a mental disorder or condition. A "V" code by definition is not to be used if a disease is thought to be present (*ICD-9-CM*, p. 880). This is distinguished from 799.90 (*DSM-III-R*) and 799.9 (*ICD-9-CM*) which refer to cases in which a disease is present but unspecified, or in which a disease is thought to be present but the diagnosis is deferred.

57. Code 307.90 is incorrectly attached to this rubric in the Alphabetic List (Appendix G) and Numeric List (Appendix H) of *DSM-III-R*.

58. This is an "other specified" personality disorder, as per the *ICD-9-CM* definition, and crosswalks to 301.89.